

AERONAUTICAL ENGINEERING

1994 CUMULATIVE INDEX

(NASA-SP-7037(312)) AERONAUTICAL
ENGINEERING: A CUMULATIVE INDEX TO
A CONTINUING BIBLIOGRAPHY
(SUPPLEMENT 312) (NASA) 382 p

N95-17702

Unclas

00/01 0035772



National Aeronautics and
Space Administration
Scientific and Technical
Information Office

The NASA STI Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Office plays a key part in helping NASA maintain this important role.

The NASA STI Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The STI Office is also NASA's institutional mechanism for disseminating the results of its research and development activities.

Specialized services that help round out the Office's diverse offerings include creating custom thesauri, translating material to or from 34 foreign languages, building customized databases, organizing and publishing research results ... even providing videos.

For more information about the NASA STI Office, you can:

- **Phone** the NASA Access Help Desk at (301) 621-0390
- **Fax** your question to the NASA Access Help Desk at (301) 621-0134
- **E-mail** your question via the **Internet** to help@sti.nasa.gov
- **Write** to:

NASA Access Help Desk
NASA Center for AeroSpace Information
800 Elkridge Landing Road
Linthicum Heights, MD 21090-2934

NASA SP-7037 (312)

December 1994

AERONAUTICAL ENGINEERING

1994 CUMULATIVE INDEX



National Aeronautics and Space Administration
Scientific and Technical Information Program
Washington, DC

1994

SUPPLEMENTS COVERED IN THIS ISSUE

<i>Document</i>	<i>Page Range</i>	<i>Date</i>	<i>Coverage</i>
NASA SP-7037(301)	1-214	February 1994	January 1994
NASA SP-7037(302)	215-246	March 1994	February 1994
NASA SP-7037(303)	247-288	April 1994	March 1994
NASA SP-7037(304)	289-372	May 1994	April 1994
NASA SP-7037(305)	373-418	June 1994	May 1994
NASA SP-7037(306)	419-454	July 1994	June 1994
NASA SP-7037(307)	455-514	August 1994	July 1994
NASA SP-7037(308)	515-562	September 1994	August 1994
NASA SP-7037(309)	563-600	October 1994	September 1994
NASA SP-7037(310)	601-608	November 1994	October 1994
NASA SP-7037(311)	609-610	December 1994	November 1994

INTRODUCTION

WHAT THIS CUMULATIVE INDEX IS

This publication is a cumulative index to the abstracts contained in NASA SP-7037 (301) through NASA SP-7037 (311) of *Aeronautical Engineering: A Continuing Bibliography*. NASA SP-7037, and its supplements have been compiled by the Center for AeroSpace Information of the National Aeronautics and Space Administration (NASA). Entries are identified as follows:

1. NASA entries by *STAR* accession numbers N94-10000.
2. Open literature entries by accession numbers A94-10000 and A94-60000.

HOW THIS CUMULATIVE INDEX IS ORGANIZED

This Cumulative Index includes a subject, personal author, corporate source, foreign technology, contract number, report number, and accession number index.

HOW TO USE THE SUBJECT INDEX

Two types of cross-references appear in the subject index:

1. Use (U) references indicate that the subject term is not "postable," i.e., not a valid term, and that the following term or terms are used instead. For example:

AIRCRAFT PROTUBERANCES

U PROTUBERANCES

FLIGHT PERFORMANCE

U FLIGHT CHARACTERISTICS

2. Narrower Term (NT) references refer the user to more specific headings in the same subject area, under which additional material on the subject may be found. For example:

FLOW RESISTANCE

NT AERODYNAMIC DRAG

NT FRICTION DRAG

NT SUPERSONIC DRAG

In addition, a searcher may use the title or title and title extension in the index to narrow further his quest for particular items; this is because subject terms may include documents on different aspects of the same subject term. For example:

AIRLINE OPERATIONS

All-weather operations, including pilot role, instrument landing systems and guidance aids.

Airport congestion as constraint on air travel, considering runway capacity and adjusted demand.

HOW TO USE THE PERSONAL AUTHOR INDEX

All personal authors used in the abstract section citations in the individual supplements appear in the index. Differences in translation schemes may require multiple searching on the index for variants of an author's name. For example:

EMELIANOV, M. D.

and

YEMEL'YANOV, M. D.

HOW TO USE THE CORPORATE SOURCE INDEX

The corporate source index entries are abridged versions of the corporate sources used in the abstract section citations in the individual supplements. The corporate source supplementary (organizational component) does not appear in the index. For example:

BOEING CO., SEATTLE, WASH. MILITARY AIRCRAFT SYSTEMS DIV.

(Source citation entry)

BOEING CO., SEATTLE, WASH.

(Source index entry)

HOW TO USE THE FOREIGN TECHNOLOGY INDEX

The foreign technology index identifies research performed outside of the United States. Listings in this index are arranged alphabetically by country of intellectual origin. For example:

CHINA, PEOPLE'S REPUBLIC OF

HOW TO USE THE CONTRACT NUMBER INDEX

All contract numbers that are identified in the abstract section citations in the individual supplements appear in this index. Changes by agencies in the style in which contract numbers are presented may require multiple searching for variants. For example:

AF 33(615)-71-C-1758

F33615-71-C-1758

HOW TO USE THE REPORT NUMBER INDEX

All report numbers that have been assigned by the corporate source, monitoring agency or cataloging activity appear in this index. Variations in cataloging may result in different report number series. For example:

TP-924

ONERA-TP-924

HOW TO USE THE ACCESSION NUMBER INDEX

All documents that were acquired, indexed, and announced in *STAR* during the year which have been assigned a unique identification number appear in this index. For example:

N94-10001

N94-10002

IDENTIFICATION OF DESIRED SUPPLEMENT

The abstract and descriptive cataloging for any accession number selected from the indexes may be found in the appropriate supplement. The page number range of each supplement appears on page ii of this index. Once the range of page numbers containing the selected accession number is located in the second column, the desired supplement number will be found in the first column. For example:

Page 400 will be found in Supplement 305

AVAILABILITY OF DOCUMENTS

Information concerning the availability of documents announced in *Aeronautical Engineering* is found in the Introduction to the most currently issued supplement.

FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.


PUBLIC COLLECTIONS OF NASA DOCUMENTS

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and * from ESA-Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

TABLE OF CONTENTS

Subject Index	A-1
Personal Author Index.....	B-1
Corporate Source Index	C-1
Foreign Technology Index	D-1
Contract Number Index.....	E-1
Report Number Index.....	F-1
Accession Number Index	G-1

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence.

A

A-310 AIRCRAFT

The GARTEUR high lift research programme
[AD-D015992] p 290 N94-25051

ABERRATION

Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862

ABLATIVE MATERIALS

Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410

ABNORMALITIES

Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882

ABORT APPARATUS

Regulated drag area parachute
[AD-D015992] p 290 N94-25051

ABORTED MISSIONS

STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806

ABRASION

The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin
p 408 N94-29900

ABSORBERS (MATERIALS)

Boundary layer control device for duct silencers
[NASA-CASE-ARC-12030-1] p 417 N94-29362

ABSORPTION COOLING

Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109

ABSORPTION SPECTROSCOPY

Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360

ABSTRACTS

Bibliography of Lewis Research Center technical publications announced in 1992
[NASA-TM-106035] p 287 N94-23562
Aircraft flight safety: A bibliography
[AGARD-R-805] p 255 N94-24091

ACCELERATED LIFE TESTS

Airport pavement test machine design and cost study
[DOT/FAA/CT-93/51] p 268 N94-24072
Safety enhancement of composites via periodic proof testing
[AD-A275662] p 403 N94-28655

ACCELERATION (PHYSICS)

Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments
p 156 A94-11598
Transient response of accelerating rotor systems
p 162 A94-12544
An investigation into acceleration determination for airborne gravimetry using the global positioning system
[ISBN-0-315-59470-5] p 256 N94-24176
Transient performance
p 360 N94-28045
Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate
p 526 N94-34989

ACCELEROMETERS

Fluid dynamic linear accelerometer
[AD-D016042] p 339 N94-27112

ACCEPTABILITY

High-Speed Research: Sonic Boom, Volume 1
[NASA-CP-10132] p 300 N94-28188

ACCESS TIME

A GPS coverage model
p 64 A94-12567
A GPS coverage model
p 314 N94-27292

ACCIDENT PREVENTION

The use of simulation in aircraft accident prevention and investigation; Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992
[ISBN 1-85768-070-7] p 1 A94-11355
Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX94331337500] p 550 A94-60335

ACCIDENTS

A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292
A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993
[PB94-910404] p 382 N94-29402
NACA fire crash research
[NASA-TM-109794] p 456 N94-33572

ACCURACY

Wide Area Differential GPS-potential for accurate global navigation
p 64 A94-12561
Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study
p 65 A94-12570
Helicopter approach capability using the differential Global Positioning System
[NASA-CR-177618] p 67 N94-12355
Utilization of lasers for air data measurements
p 238 N94-22603
A simulation of GPS and differential GPS sensors
p 316 N94-27918
An investigation of airborne GPS/INS for high accuracy position and velocity determination
[DE94-006139] p 431 N94-31306
Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394

ACoustic ATTENUATION

JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise
p 286 N94-24214

A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930

ACOUSTIC EMISSION

Acoustic emission measurements of aerospace materials and structures
p 162 A94-12665
Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures
p 147 N94-11337
Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874
Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring
[DREP-93-16] p 393 N94-30131

ACOUSTIC EXCITATION

On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
Development of phased twin flip-flop jets
[NASA-TM-106404] p 216 N94-20563
Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949

ACOUSTIC FATIGUE

Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
Review of sonic fatigue technology
[NASA-CR-4587] p 417 N94-29407

ACOUSTIC IMAGING

Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252

ACOUSTIC IMPEDANCE

Comparisons of calculated and measured helicopter noise near instrument hill
p 286 N94-24215

ACOUSTIC MEASUREMENT

A new low speed wind tunnel for acoustic measurements
p 124 A94-10407
Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599
Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664
JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise
p 286 N94-24214
The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility
[NASA-TM-106495] p 401 N94-28749
Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91
[PB94-137411] p 416 N94-29175
Acoustic emission monitoring of aging aircraft structures
[DREP-93-17] p 393 N94-30129
Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring
[DREP-93-16] p 393 N94-30131
Status and plans for the ANOPP/HSR prediction system
p 511 N94-33494

ACOUSTIC NOZZLES

Results of GEAE HSCT propulsion system studies
p 479 N94-33479

ACOUSTIC PROPAGATION

Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
NRL review for 1993
[AD-A265666] p 211 N94-12334
Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
Joint Acoustic Propagation Experiment (JAPE-91) Workshop
[NASA-CP-3231] p 285 N94-24207
Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
Some results gained from JAPE: An overview
p 286 N94-24209

- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
 Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
 Beamforming in an acoustic shadow p 286 N94-24219
 Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 N94-24220

ACOUSTIC PROPERTIES

- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 N94-15866
 Noise measurement flight test of five light helicopters [AD-A268566] p 208 N94-17599
 Atmospheric effects on sonic boom: A program review p 512 N94-33495
 Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
 Georgia Tech sonic boom simulator p 512 N94-33501
 Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502

ACOUSTIC SCATTERING

- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
 Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
 Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
 The effect of turbulence and molecular relaxation on sonic boom signatures p 512 N94-33497

ACOUSTIC SIMULATION

- On acoustic radiation from a vibrating panel [AIAA PAPER 93-4367] p 156 A94-11350

ACOUSTIC SOUNDING

- Remote sensor observations during WISPR91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890

ACOUSTIC VELOCITY

- Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435
 Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045

ACOUSTICS

- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
 Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
 Some results gained from JAPE: An overview p 286 N94-24209
 A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090

ACQUISITION

- A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet [AD-A274012] p 371 N94-25796

ACTIVATION ENERGY

- Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366

ACTIVE CONTROL

- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet [AIAA PAPER 93-4338] p 155 A94-11349
 Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352
 Maneuvering technology for advanced fighter aircraft [SAE PAPER 921984] p 107 A94-12002
 Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099
 Active control of vibrations in helicopters - From HHC to OBC - higher-harmonic control regulator vs. observer-based controller p 109 A94-12112
 Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
 Investigation of individual blade pitch control in time domain p 109 A94-12243
 Individual blade control of hinged blades using smart structures p 78 A94-12246
 Active flutter suppression techniques in aircraft wings p 110 A94-12613
 Aeroservoelasticity p 110 A94-12693
 Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130

- Active control of wing rock using tangential leading-edge blowing [BTN-94-EIX94401358987] p 571 A94-61643
 Whirl-flutter suppression in advanced turboprops and propfans by active control techniques [BTN-94-EIX94401358994] p 578 A94-61650
 Smart materials for helicopter rotor active control p 81 N94-11321
 The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
 Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343
 Active landing gear control for improved ride quality during ground roll p 81 N94-11345
 Multidimensional intelligent control for superlight air vehicles p 81 N94-11347
 A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch [NASA-TM-107743] p 28 N94-12421
 In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
 Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481
 Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107
 Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286
 ISAC: A tool for aeroservoelastic modeling and analysis [NASA-TM-109031] p 123 N94-19316
 Improvement of helicopter attitude stability by active control of the conventional swash plate [NASA-CR-194786] p 227 N94-20524
 Prediction and control of vortex-dominated and vortex-wake flows [NASA-CR-194722] p 216 N94-21054
 Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
 Influence of active controls on the design process of a large transport aircraft p 260 N94-24323
 Active control of oscillatory lift forces on a circular cylinder [AD-A273243] p 350 N94-25140
 On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175
 Miniature linear-to-rotary motion actuator p 413 N94-29647
 Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224
 Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714
 Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974
 NASA/LaRC jet plume research p 478 N94-33468
 Active control of vaneless diffuser rotating stall p 502 N94-34178
 Control of leading-edge vortices on a delta wing p 524 N94-34971
 Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
 Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
 Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
 Robust control design techniques for active flutter suppression p 541 N94-35875
 Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
 Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384
 Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls [NASA-CR-196103] p 581 N94-36436
 Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing [NASA-CR-196112] p 581 N94-36965
- ACTS**
 ACTS broadband aeronautical experiment p 272 N94-22771
- ACTUATION**
 Quantification of uncertainties in the performance of smart composite structures [NASA-TM-106335] p 188 N94-20171
- ACTUATORS**
 Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352

- Spoiler actuator - Problem investigation [SAE PAPER 922005] p 107 A94-12009
 YF-23A hydraulic management system [SAE PAPER 922028] p 73 A94-12023
 A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch [NASA-TM-107743] p 28 N94-12421
 Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
 PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
 A comparative study of analog and digital control laws for the UMCSL truss [AD-A267980] p 122 N94-17412
 A wind tunnel model control surface actuator interface [AD-A268729] p 135 N94-18324
 Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 N94-19914
 A comparison of two multi-variable integrator windup protection schemes [NASA-CR-194436] p 267 N94-23590
 A novel rotary actuator for spacecraft p 277 N94-24034
 Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification [AD-A274078] p 367 N94-25992
 Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
 Miniature linear-to-rotary motion actuator p 413 N94-29647
 Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
 Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915
 Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384
- ADA (PROGRAMMING LANGUAGE)**
 Ada multiple-programming for hard real time applications in space systems p 368 N94-26730
 Use of HOOD coupled to real time monitors p 368 N94-26742
 Ada run time system certification for avionics applications p 394 N94-29332
 Ada developers' supplement to the recommended approach [NASA-CR-189345] p 557 N94-34921
 Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501
- ADAPTATION**
 Discovery learning in autonomous agents using genetic algorithms [AD-A274083] p 339 N94-25998
- ADAPTIVE CONTROL**
 Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
 Application of multiple model adaptive algorithms to reconfigurable flight control p 110 A94-12617
 Six-degree-of-freedom guidance and control-entry analysis of the HL-20 [BTN-94-EIX94351137056] p 544 A94-60396
 Nonlinear stability and control study of highly maneuverable high performance aircraft [NASA-CR-193480] p 79 N94-10344
 Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
 On the estimation algorithm used in adaptive performance optimization of turbofan engines [NASA-TM-4551] p 226 N94-21879
 Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction [NASA-CR-189645] p 284 N94-23698
 Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization [NASA-TM-4532] p 265 N94-24106
 Probabilistic assessment of smart composite structures [NASA-TM-106358] p 351 N94-25188
 Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071
 Application of digital control theory to adaptive grid generation p 415 N94-28980
 Real-time adaptive control of mixing in a plane shear layer [AD-A278379] p 508 N94-33744
 Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1 p 508 N94-34308

ADAPTIVE FILTERS

Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071

ADAPTIVE OPTICS

Long-range laser imaging
[AD-A273020] p 233 N94-21253

ADDITIVES

Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy
[AD-A268035] p 152 N94-18489
Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
Research and development of high thermal stability fuels p 405 N94-29261

ADHESIVE BONDING

Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry p 144 N94-10777
Mathematical modelling of bonded fibre-composite repairs to aircraft
[AD-A268732] p 152 N94-18327
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788
Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157

ADHESIVES

New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767
Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry p 144 N94-10777
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788

ADIABATIC CONDITIONS

Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173

ADIABATIC FLOW

Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173

ADVANCED LAUNCH SYSTEM (STS)

Aerodynamic configuration design using response surface methodology analysis
[AIAA PAPER 93-3967] p 136 A94-10718

ADVANCED SOLID ROCKET MOTOR (STS)

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191

ADVANCED VERY HIGH RESOLUTION RADIOMETER

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

ADVECTION

Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
Multigrid schemes for viscous hypersonic flows p 217 N94-21473

AERIAL RECONNAISSANCE

AIRSAR South American deployment: Operation plan, version 3.0 p 201 N94-15919
An analysis of multiple sensor system payloads for unmanned aerial vehicles
[AD-A274905] p 324 N94-26182
Cockpit video: A low cost BDA source
[AD-A275228] p 395 N94-29389
Payload central control for unmanned aircraft p 401 N94-30284
Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938

AEROACOUSTICS

Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050
A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions p 203 A94-12052

Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054

Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635
Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
Control of jet noise
[NASA-CR-193612] p 205 N94-11176
Direct numerical simulation of hot jets p 172 N94-12295

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191
On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics
[NLR-TP-91307-U] p 31 N94-13528
Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
Research and training activities of the Joint Institute for Aeronautics and Acoustics p 188 N94-19493

Evaluation of a nonlinear method for the enhancement of tonal signal detection
[NASA-CR-191562] p 244 N94-21741
Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274
Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464
Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553
Sound radiation due to boundary layer transition p 285 N94-24163
Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514
Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
The ISL rotor bench
[ISL-R-108/92] p 321 N94-25301
Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463
Methods in unsteady aerodynamics
[DLR-FB-93-21] p 296 N94-27741
Coupled 2-dimensional cascade theory for noise in a d unsteady aerodynamics of blade row interaction in turbfans. Volume 2: Documentation for computer code CUP2D
[NASA-CR-4506-VOL-2] p 334 N94-27778
On the aging of sonic booms p 301 N94-28194
Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades
[NASA-CR-195786] p 399 N94-30013
Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336
Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter
[NASA-TM-108237] p 452 N94-31337
Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
Community noise sources and noise control issues p 509 N94-33467

A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
Aeroacoustics analysis and community noise overview p 461 N94-33488
Flying on the ground
[NASA-TM-109825] p 513 N94-33579

A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610

Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations
[NASA-CR-4599] p 501 N94-33897

Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898

Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbfans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions
[NASA-CR-195824] p 466 N94-34207

Introduction to generalized functions with applications in aerodynamics and aeroacoustics p 513 N94-34393

Computation of helicopter rotor acoustics in forward flight
[NASA-CR-196132] p 560 N94-36031

Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686

AEROASSIST

Optimal reentry trajectories by asymptotic matching
[IAF PAPER 93-012] p 136 A94-11104

Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver
[AD-A272532] p 224 N94-21418

AEROBRACING

Approximate chattering arc for minimum time flight
[IAF PAPER 93-014] p 136 A94-11105

Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893

AEROCAPTURE

Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071

AERODYNAMIC BALANCE

Aeroelastic analysis of rotor blades with flap control
[AD-A267760] p 78 N94-12244

Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267760] p 52 N94-19963

AERODYNAMIC BRAKES

Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590

AERODYNAMIC CHARACTERISTICS

Review of TsAGI wind tunnels p 124 A94-10403
Current status and some future test directions for the U.S. National Transonic Facility p 124 A94-10404
A modernised HST of NLR - High Speed Tunnel p 124 A94-10405

The new Italian transonic pilot tunnel p 124 A94-10406

The use of the ETW for tests at high Reynolds number p 125 A94-10418

New testing techniques in the T2 cryogenic wind tunnel p 126 A94-10420

Hypersonic testing in the Aachen shock tunnel p 126 A94-10425

HEG - A new shock tunnel for high enthalpies p 127 A94-10427

A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445

Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744

Hypersonic boundary-layer transition p 9 A94-10783

Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities p 11 A94-10932

CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973

A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008

Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060

Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091

An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117

Incompressible flow in contracting ducts p 159 A94-12198

Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519

Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796

A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils p 18 A94-12799

Modeling the dynamics of a high-velocity rotating elastic flight vehicle p 138 A94-12883

Navier-Stokes solver for hypersonic flow over a slender cone [BTN-94-EIX94311330681] p 543 A94-60110

Determination of slender body aerodynamics using discrete vortex methods [BTN-94-EIX94311330679] p 543 A94-60112

Applications of computational fluid dynamics to the aerodynamics of Army projectiles [BTN-94-EIX94311330678] p 516 A94-60113

Aerodynamic properties of crescent wing platforms [BTN-94-EIX94311329146] p 517 A94-60154

Analysis of aerodynamics of airfoils moving over a wavy wall [BTN-94-EIX94311329130] p 536 A94-60170

Aerodynamic characteristics of the HL-20 [BTN-94-EIX94351137055] p 544 A94-60395

Calculation of real-gas effects on airfoil aerodynamic characteristics [BTN-94-EIX94351142143] p 521 A94-60436

Detailed flow measurements and predictions for a three-stage transonic fan [BTN-94-EIX94311330096] p 587 A94-61062

Chine-shaped forebody effects on directional stability at high-alpha [BTN-94-EIX94401358961] p 579 A94-61617

Evaluation of parameter estimation methods for unstable aircraft [BTN-94-EIX94401358965] p 580 A94-61621

Unique high-alpha roll dynamics of a sharp-edged 65 deg delta wing [BTN-94-EIX94401358966] p 571 A94-61622

Unsteady aerodynamic characteristics of a dual-element airfoil [BTN-94-EIX94401358968] p 565 A94-61624

Preliminary piloted simulation studies of the HL-20 lifting body [BTN-94-EIX94401358972] p 583 A94-61628

Wind-tunnel test techniques for unmanned aerial vehicle separation investigations [BTN-94-EIX94401358976] p 571 A94-61632

Further aspects of dynamical models for rim-ice and snow accretion on an overhead line conductor [BTN-94-EIX94331337183] p 606 A94-62186

Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane p 138 A94-10423

Experimental results in aerodynamic stability and control of a TSTO configuration p 111 A94-10424

Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466

Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model [PAPER-2D-4] p 22 N94-10470

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model [PAPER-2D-5] p 22 N94-10471

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-9] p 23 N94-10474

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475

Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476

Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477

Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478

Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479

Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480

Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481

Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482

Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820

New aerodynamic information obtained from the solution of the inverse problem for aerofoils [NAL-TR-1172] p 25 N94-10860

Nonlinear and dynamic analysis of flight p 113 N94-11496

A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850

Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests [NAL-TR-1171] p 28 N94-12951

Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions [NASA-TM-109016] p 29 N94-13172

SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615

VSAERO analysis of a Piper Cub aircraft p 85 N94-14616

Panel codes for aerodynamic analysis at NAL p 35 N94-14617

Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696

Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720

Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip [AD-A267722] p 43 N94-17274

Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration [NASA-TM-4515] p 44 N94-17284

Comparison between swept and delta canards on a model of a combat aircraft [AD-A269561] p 88 N94-17826

Non-linear flight dynamics p 88 N94-18240

Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage [AD-A269206] p 46 N94-18413

Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439

Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285

An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds [NASA-TP-3365] p 253 N94-24311

NASA/USRA advanced design program [NASA-CR-195548] p 262 N94-24492

Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section [NASA-TM-4529] p 253 N94-24586

Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft [NASA-CR-195489] p 318 N94-24975

NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 [NASA-CR-10127] p 289 N94-25096

X-31 aerodynamic characteristics determined from flight data p 320 N94-25109

Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110

Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory p 337 N94-25112

Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide [AD-A273685] p 321 N94-25440

Tesseract supersonic business transport p 322 N94-25713

The design of four hypersonic reconnaissance aircraft p 323 N94-25716

Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory [AD-A274049] p 338 N94-25833

Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model [AD-A274870] p 293 N94-26342

Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62 [NASA-TM-4528] p 295 N94-26693

Effects, limits, and limitations of spanwise blowing p 298 N94-28027

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030

A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center [NASA-TP-3406] p 363 N94-28227

Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466

Exploring QDES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998

Study of bridge design and technology [PB94-137916] p 373 N94-29160

Low-speed longitudinal aerodynamic characteristics of a flat-plate platform model of an advanced fighter configuration [NASA-TM-109045] p 377 N94-29443

An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8 [NASA-TM-109110] p 378 N94-29473

Algorithm and code development for unsteady three-dimensional Navier-Stokes equations [NASA-CR-195774] p 414 N94-29942

Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973

Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516

International collaborative research in wind turbine rotor aerodynamics [DE94-000244] p 448 N94-30602

Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models [NASA-TM-109120] p 487 N94-32951

Sonic boom configuration minimization p 472 N94-33473

First Annual High-Speed Research Workshop, part 3 [NASA-CP-10087-PT-3] p 460 N94-33487

Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503

Nacelle-wing integration p 472 N94-33504

Transonic airframe propulsion integration p 480 N94-33507

Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512

Status of LaRC HSCT high-lift research p 461 N94-33519

Vehicle integration effects on hypersonic waveriders [NASA-TM-109739] p 474 N94-34118

Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459

Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614

Aerodynamic design of super maneuverable aircraft p 533 N94-34617

Flying qualities evaluation maneuvers p 533 N94-34623

Tipjet 80-inch model rotor hover test: Test no. 1198 [AD-A279680] p 567 N94-36261

Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323

An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile [AD-A280631] p 568 N94-36729

Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219

Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel [NASA-TP-3427] p 601 N94-37505

AERODYNAMIC COEFFICIENTS

Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804

Hypersonic fin aerodynamics [BTN-94-EIX94311330699] p 516 A94-60092

Drag reduction of airplane fuselages through shaping by the inverse method [BTN-94-EIX94311329117] p 536 A94-60183

Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method [NAL-TR-1150] p 30 N94-13392

Development of an automated film-reading system for ballistic ranges [NASA-CR-194398] p 176 N94-13815

Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing [NASA-CR-194260] p 121 N94-14322

- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- Surface roughness lengths [AD-A274550] p 365 N94-26846
- Numerical simulation of a powered-lift landing p 328 N94-28033
- An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients [NASA-CR-195705] p 299 N94-28072
- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds [ESDU-93015] p 299 N94-28076
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft p 302 N94-28330
- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus p 424 N94-31880
- A critical assessment of UH-60 main rotor blade airfoil data [NASA-TM-103985] p 425 N94-32063
- High incidence flow analysis over the Rafale A p 522 N94-34612
- User's guide for an interactive personal computer interface for the aeroprediction code [NSWCDD/TR-94/107] p 559 N94-35958
- ### AERODYNAMIC CONFIGURATIONS
- Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
- Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes p 71 A94-10777
- Hypersonic wind tunnel testing p 128 A94-10779
- Computational methods for the aerodynamic design of aircraft components p 10 A94-10889
- Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry p 11 A94-10934
- Optimal body shapes with limits on local heat flux p 11 A94-10942
- Optimal aerodynamic shapes in rarefied gas p 12 A94-11040
- The high speed helicopter p 74 A94-12044
- Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts p 15 A94-12062
- Chine-shaped forebody effects on directional stability at high-alpha [BTN-94-EIX94401358961] p 579 A94-61617
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account [BTN-94-EIX94401367450] p 563 A94-61783
- Extrapolation of ground test data to flight p 34 N94-14170
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests [NASA-CR-177626-VOL-1] p 38 N94-15655
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests [NASA-CR-177626-VOL-2] p 38 N94-15677
- Single block three-dimensional volume grids about complex aerodynamic vehicles [NASA-TM-108986] p 183 N94-17476
- A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack [FFA-TN-1992-14] p 45 N94-17722
- High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415
- Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739
- Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779
- Survey on the application of a 3D general purpose wind-tunnel research model [LR-713] p 136 N94-19372
- Semi-span model testing in the National Transonic Facility [NASA-CR-194479] p 50 N94-19388
- The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837
- Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849
- The Bunny: A simulated commercial air transportation study [NASA-CR-195537] p 319 N94-25001
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387
- Calculus of variations applied to 2D multi-point airfoil design [PB94-125457] p 381 N94-30401
- Prediction of transonic potential flow with slipstreams around configurations [FFA-TN-1992-15] p 422 N94-31220
- Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966
- A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263
- Douglas Aircraft HSCT status and future research needs p 472 N94-33454
- High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455
- Status of an inlet configuration trade study for the Douglas HSCT p 473 N94-33506
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle [NASA-RP-1332] p 535 N94-34703
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- ### AERODYNAMIC DRAG
- Cavity drag at transonic speeds p 17 A94-12199
- Numerical investigation of cylinder wake flow with a rear stagnation jet [BTN-94-EIX94301315998] p 547 A94-60034
- Vortex-wing interaction of a close-coupled canard configuration [BTN-94-EIX94311329121] p 519 A94-60179
- Drag reduction of airplane fuselages through shaping by the inverse method [BTN-94-EIX94311329117] p 536 A94-60183
- Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
- Quantitative low-speed wake surveys [BTN-94-EIX94311329113] p 520 A94-60187
- Drag reduction for turbulent flow over a projectile, part 2 [BTN-94-EIX94311322900] p 520 A94-60196
- Drag reduction of turbulent flow over a projectile, part 1 [BTN-94-EIX94311322899] p 557 A94-60197
- Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
- Inlet drag prediction for aircraft conceptual design [BTN-94-EIX94401358981] p 565 A94-61637
- The two-body problem with drag and radiation pressure [HTN-94-00330] p 606 A94-62291
- Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 N94-10672
- Simulated and experimental aerodynamic characteristics of tapered annular wings [NAL-TR-1157] p 25 N94-10856
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435
- Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage [AD-A269206] p 46 N94-18413
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight [AD-A270201] p 215 N94-20486
- Nonlinear aerodynamics and the design of wing tips [NASA-CR-194732] p 217 N94-21833
- Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime [ISBN-0-315-57633-2] p 279 N94-24177
- Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 N94-26604
- An investigation into the aerodynamic effects of wing patches [ISBN-0-315-84121-4] p 294 N94-26672
- Surface roughness lengths [AD-A274550] p 365 N94-26846
- Examples of flight path optimisation using a multivariate gradient-search method [ESDU-93021] p 328 N94-28092
- Drag prediction by wake integrals using 3-D multi-grid Euler method (MGAERO) p 303 N94-28335
- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels p 364 N94-28352
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing [NASA-TM-4541] p 380 N94-29937
- Potential of the ramjet engine for hypersonic flight speeds p 435 N94-30935
- CFD-based drag prediction: State-of-the-art, theory, prospects [AD-B179297] p 422 N94-31180
- Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Shock-dependent, optimum thrust wings in supersonic flow p 425 N94-32027
- Aerodynamic drag of droplets in turbulent flow fields [ISBN-0-315-75827-9] p 457 N94-32491
- HSCT high lift system aerodynamic requirements p 461 N94-33522
- Cylinder drag experiment: An upgraded laboratory [AD-A277841] p 464 N94-33835
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- Future ultra-speed tube-flight p 555 N94-35918
- The case for surface effect research, platform applications and technology development opportunities p 573 N94-36325
- ### AERODYNAMIC FORCES
- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
- The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443
- Behavior of a cargo suspended under a helicopter p 71 A94-11041
- Stability of skew plates subjected to aerodynamic and in-plane forces [BTN-94-EIX94321331202] p 592 A94-61615
- Influence of aerodynamic forces in ice shedding [BTN-94-EIX94401358967] p 564 A94-61623
- Adaptive model architecture and extended Kalman-Bucy filters [BTN-94-EIX94401377806] p 592 A94-61767
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850
- Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects [LR-707] p 121 N94-13906
- Aeroelastic airfoil smart spar p 87 N94-16865
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402
- ISAC: A tool for aeroservoelastic modeling and analysis [NASA-TM-109031] p 123 N94-19316
- LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method [NASA-TM-108786] p 249 N94-23557
- Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle [NASA-TM-4544] p 347 N94-27868

Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
Rotordynamic forces in labyrinth seals: Theory and experiment p 503 N94-34186

AERODYNAMIC HEAT TRANSFER

Modeling of hypersonic reacting flows p 8 A94-10763
Analysis of the effect of heat strips on boundary layer development over a flat plate p 12 A94-11972 [SAE PAPER 921923]
Numerical analysis of turbine blade tip treatments [SAE PAPER 921928] p 13 A94-11976
Evaluation of cooling concepts for high power avionics applications p 157 A94-11981 [SAE PAPER 921942]
Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape p 281 N94-24481 [NASA-TM-106504]
Program to develop a performance and heat load prediction system for multistage turbines p 332 N94-26588 [NASA-CR-195223]
Computational study of simultaneous heat and mass transfer in turbulent separated flows p 447 N94-31843
Controlling combustion and maximizing heat release in a reacting compressible free shear layer [AD-A278328] p 464 N94-33966

AERODYNAMIC HEATING
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments p 8 A94-10768
Optimal body shapes with limits on local heat flux p 11 A94-10942
Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition p 520 A94-60208 [BTN-94-EIX94311322888]
Aerodynamic heating environment definition/thermal protection system selection for the HL-20 p 544 A94-60398 [BTN-94-EIX94351137058]
HL-20 computational fluid dynamics analysis p 545 A94-60399 [BTN-94-EIX94351137059]
Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results p 25 N94-10820 [NASA-TM-4499]
Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment p 28 N94-12989 [AD-A266015]
Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code p 181 N94-15632 [AD-A267000]
Aerothermoelastic analysis of a NASP demonstrator model p 87 N94-17055 [NASA-TM-109007]
Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles p 185 N94-18391 [AD-A268858]
Space Station trash removal system p 229 N94-20367 [NASA-CASE-MSC-21723-1]
Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver p 224 N94-21418 [AD-A272532]
Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank p 281 N94-24495 [NASA-TM-104273]
Aerodynamic heating in hypersonic flows p 296 N94-27919
A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
Implementation of a vibrationally linked chemical reaction model for DSMC p 499 N94-33020 [NASA-TM-109109]
Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
Airframe materials for HSR p 497 N94-33514
A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow [AD-A278550] p 464 N94-33782
Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations [NASA-CR-4599] p 501 N94-33897
High-temperature behavior of advanced spacecraft TPS p 492 N94-34063 [NASA-CR-195832]

Analysis of high speed flow, thermal and structural interactions p 593 N94-36420 [NASA-CR-196017]
Active cooling from the sixties to NASP p 605 N94-37541 [NASA-TM-109079]

AERODYNAMIC INTERFERENCE
Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413
Interference corrections in wind tunnels with slotted walls p 125 A94-10414
Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section p 125 A94-10415
Transonic wall interference corrections for small wind tunnels p 125 A94-10416
Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
Super low turbulence subsonic wind tunnels p 128 A94-10448
Propulsion-induced aerodynamic effects measured with a full-scale STOVL model p 519 A94-60180 [BTN-94-EIX94311329120]
Numerical investigations on two-dimensional canard-wing aerodynamic interference p 566 A94-61645 [BTN-94-EIX94401358989]
Wall interference correction based on interface measurements in subsonic wind tunnel testing p 26 N94-11154
Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
A wall interference assessment/correction system p 28 N94-13076 [NASA-CR-194174]
Flow-field interference produced by an asymmetrical support strut [IAR-AN-75] p 33 N94-14031
Wall interference studies: Revisited p 178 N94-14604
Development of an air-to-air refueling automatic flight control system using quantitative feedback theory [AD-A266718] p 122 N94-15730
Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section [NASA-TP-3334] p 134 N94-15794
Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them p 42 N94-16583 [RAE-LIB-TRANS-2201]
A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
Experimental study on interference aerodynamics of close-coupled canard configuration p 52 N94-19963 [AD-A267760]
Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section p 253 N94-24586 [NASA-TM-4529]
A numerical study of airplanes flying in proximity [AD-A273373] p 255 N94-24718
Vectored jets-induced interference on aircraft, prediction and verification p 359 N94-28012
Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility p 363 N94-28350
Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code p 363 N94-28351
Evaluation of the buoyancy drag on automobile models in low speed wind tunnels p 364 N94-28352
Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall p 378 N94-29545 [NASA-TP-3392]
Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity p 420 N94-30740 [PB94-126224]
Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations p 421 N94-30916 [AD-B173651]
Active control for fin buffet alleviation p 437 N94-32224 [AD-A276844]
Nacelle-wing integration p 472 N94-33504

AERODYNAMIC LOADS
Calculation of rotor blade air loads from measured structural response data p 155 A94-10743
Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064
The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068

Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
Influence of non-planar blade tips on rotor performance p 16 A94-12071
Dynamic stall study of a multi-element airfoil p 16 A94-12072
Investigation of individual blade pitch control in time domain p 109 A94-12243
Investigations of helicopter tail rotor loading in hovering turns p 78 A94-12248
Artificial neural networks for predicting nonlinear dynamic helicopter loads p 515 A94-60025 [BTN-94-EIX94301315989]
Determination of slender body aerodynamics using discrete vortex methods p 543 A94-60112 [BTN-94-EIX94311330679]
Pressure measurements on a forward-swept wing-canard configuration p 516 A94-60151 [BTN-94-EIX94311329149]
Tail load calculations for light airplanes p 517 A94-60152 [BTN-94-EIX94311329148]
Alleviation of side force on tangent-ogive forebodies using passive porosity p 536 A94-60174 [BTN-94-EIX94311329126]
Supersonic transport wing minimum weight design integrating aerodynamics and structures p 518 A94-60177 [BTN-94-EIX94311329123]
Unsteady aerodynamic characteristics of a dual-element airfoil p 565 A94-61624 [BTN-94-EIX94401358968]
Analysis of rotor blade dynamics using model scale UH-60A airloads p 601 A94-62276 [HTN-94-00300]
Nonlinear aspects of transonic aeroelasticity p 19 N94-10357
NASTRAN modeling of flight test components for UH-60A airloads program test configuration p 170 N94-10937 [NASA-CR-193614]
Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity p 190 N94-11173 [DE93-011597]
Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857
General aviation aircraft-normal acceleration data analysis and collection project p 82 N94-11858 [AD-A265055]
Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 p 139 N94-12810 [NASA-CR-167690]
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 p 139 N94-12965 [NASA-CR-185697]
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 p 139 N94-13191 [NASA-CR-185696]
Aerodynamic/dynamic/control interaction p 122 N94-16107 [AD-A266187]
Computation of a controlled store separation from a cavity p 41 N94-16513
Fatigue life program using strain-life methods p 182 N94-16943 [AD-A267310]
A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 p 87 N94-17117 [AD-A267532]
Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
Blade and hub loads of ballistically damaged helicopter rotors p 92 N94-19781 [AD-A270663]
Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests [ISL-CO-230/92] p 257 N94-23146
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques p 249 N94-23512 [NASA-TP-3374]
Issac, Jason Cherian ses in transonic flow p 250 N94-24052 [NASA-CR-194837]
Validation of the ROTAC code for the rotor noise prediction p 287 N94-24514 [PB93-204311]
Correlation of airloads on a two-bladed helicopter rotor p 292 N94-26143 [NASA-TM-103982]

- Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed [DE94-002290] p 365 N94-26700
- Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft p 302 N94-28330
- Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0 [NASA-CR-194460] p 395 N94-29103
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013
- A modernised HST of NLR [AD-B179220] p 402 N94-30423
- International collaborative research in wind turbine rotor aerodynamics [DE94-000244] p 448 N94-30602
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity [PB94-126224] p 420 N94-30740
- A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
- Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- Design, manufacture, and test of a flight load recorder for small aircraft [AD-A277752] p 477 N94-33409
- Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAf p 532 N94-34598
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
- AERODYNAMIC NOISE**
- Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle [BTN-94-EIX94401358979] p 599 A94-61635
- Direct numerical simulation of hot jets p 172 N94-12295
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing [NASA-TM-106364] p 34 N94-14208
- Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle [NASA-CR-194548] p 133 N94-15117
- Instability modes excited by natural screech tones in a supersonic rectangular jet [NASA-TM-106409] p 218 N94-22274
- Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 N94-23464
- Sound radiation due to boundary layer transition p 285 N94-24163
- The radiated noise from isotropic turbulence revisited [AD-A276712] p 280 N94-24356
- Fan noise research at NASA [NASA-TM-106512] p 369 N94-25172
- Silence amenity engineering: Past and present p 370 N94-27283
- Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91 [PB94-137411] p 416 N94-29175
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090
- A mathematical model for simulating noise suppression of lined ejectors [NASA-TP-3425] p 509 N94-32930
- HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
- Aeroacoustics analysis and community noise overview p 461 N94-33488
- New broadband shock noise model and computer code for ANOPP p 511 N94-33489
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491
- A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers [NASA-TM-109113] p 513 N94-33610
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies [NASA-CR-4506-VOL-1] p 481 N94-34146
- AERODYNAMIC STABILITY**
- Effects of propeller on the turning flight of old fighters p 106 A94-10798
- Experimental investigation of counter-rotating propeller flutter at cruise conditions [BTN-94-EIX94321333310] p 516 A94-60042
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity [BTN-94-EIX94321333311] p 548 A94-60043
- Effects of thrust line offset on neutral point determination in flight testing [BTN-94-EIX94311329127] p 518 A94-60173
- Simplified method for evaluating the flight stability of liquid-filled projectiles [BTN-94-EIX94311322905] p 544 A94-60191
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- Static and dynamic flight-path stability of airplanes [BTN-94-EIX94361135428] p 522 A94-60625
- Stability of skew plates subjected to aerodynamic and in-plane forces [BTN-94-EIX94321331202] p 592 A94-61615
- Chine-shaped forebody effects on directional stability at high-alpha [BTN-94-EIX94401358961] p 579 A94-61617
- Computational study of the F-5A forebody emphasizing directional stability [BTN-94-EIX94401358962] p 579 A94-61618
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 N94-10424
- Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
- Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode [NAL-TR-1170] p 30 N94-13342
- Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing [NAL-TR-11807-PT-2] p 31 N94-13454
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- Qualitative investigation of a generic fighter model in radio controlled gliding flight [LM-AA-003] p 84 N94-13898
- Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443
- A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage [AD-A266890] p 85 N94-14951
- Wind shear and heavy rain — effects on flight stability [NASA-TM-109453] p 191 N94-15326
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests [NASA-CR-177626-VOL-1] p 38 N94-15655
- Wind tunnel investigation with an operational turbojet engine [TABES PAPER 93-662] p 104 N94-16157
- Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055
- Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration [NASA-TM-4515] p 44 N94-17284
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- Modelling stalled airfoils [ISBN-0-315-59525-6] p 218 N94-22382
- Radially constructed cruciform parachute [CA-PATENT-1323021] p 252 N94-24182
- NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589
- A numerical study of airplanes flying in proximity [AD-A273373] p 255 N94-24718
- Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953
- Eagle RTS: A design of a regional transport p 322 N94-25709
- Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model [AD-A274870] p 293 N94-26342
- Effects, limits, and limitations of spanwise blowing p 298 N94-28027
- Closed loop vibrational control: Theory and applications [AD-A275451] p 400 N94-28632
- Exploring ODES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
- Study of bridge design and technology [PB94-137916] p 373 N94-29160
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
- Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219
- AERODYNAMIC STALLING**
- Development of a pressure wave simulator for surge interaction testing p 127 A94-10441
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade p 72 A94-11392
- Stall warning using contamination detecting aerodynamics [SAE PAPER 922010] p 14 A94-12014
- Dynamic stall study of a multi-element airfoil p 16 A94-12072
- An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117
- Reattachment studies of an oscillating airfoil dynamic stall flowfield [BTN-94-EIX94301315980] p 515 A94-60016
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- New airfoil-design concept with improved aerodynamic characteristics [BTN-94-EIX94401372110] p 567 A94-61810
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates [AD-A265159] p 27 N94-11889
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations [DE93-767970] p 33 N94-14061
- Suppression of dynamic stall with a leading-edge slot on a VR-7 airfoil [NASA-TP-3357] p 38 N94-15657
- Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil [NASA-TM-109380] p 50 N94-19119
- A theoretical investigation of unsteady separation phenomena related to dynamic stall [AD-A271865] p 215 N94-20465
- An experimental investigation of the effect of upper surface blowing on dynamic stall [NASA-CR-194863] p 247 N94-22894
- Computational study of GA(W)-1: Airfoil near stall [PB93-226249] p 247 N94-23116
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion [NASA-TM-109681] p 250 N94-23975
- Thrust vectoring theory, laboratory and flight tests p 266 N94-24251

- Effect of an extendable slat on the stall behavior of a VR-12 airfoil [NASA-TP-3407] p 291 N94-25187
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil [AD-A274867] p 292 N94-26191
- Compressor stability p 360 N94-28046
- Potential flow modelling of airfoil stall p 303 N94-28332
- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A275416] p 377 N94-29197
- Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714
- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159
- Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34976
- Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- The quest for stall-free dynamic lift p 525 N94-34986
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989
- Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219
- ### AERODYNAMICS
- Aircraft failure detection and identification using neural networks p 71 A94-10802
- Annual review of fluid mechanics. Vol. 25 [ISBN 0-8243-0725-9] p 155 A94-10885
- Crossflow topology of vortical flows [BTN-94-EIX94301315993] p 515 A94-60029
- Determination of slender body aerodynamics using discrete vortex methods [BTN-94-EIX94311330679] p 543 A94-60112
- Applications of computational fluid dynamics to the aerodynamics of Army projectiles [BTN-94-EIX94311330678] p 516 A94-60113
- Analysis of aerodynamics of airfoils moving over a wavy wall [BTN-94-EIX94311329130] p 536 A94-60170
- Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 A94-61259
- One-equation turbulence model for aerodynamic flows [BTN-94-EIX94401367449] p 563 A94-61782
- Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785
- Dynamic analysis of open membrane structures interacting with air [BTN-94-EIX94331337180] p 606 A94-62183
- Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198
- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
- Experimental software engineering: Seventeen years of lessons in the SEL p 199 N94-11423
- Nonlinear and dynamic analysis of flight p 113 N94-11496
- Stability model of the atmosphere p 190 N94-11500
- Computational methods for problems in aerodynamics using parallel and vector architectures [AD-A265626] p 27 N94-12377
- Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598

- An electronic imaging system for the Aeroballistic Research Facility [AD-A267157] p 181 N94-15826
- Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074
- User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system [NASA-TM-109027] p 44 N94-17639
- Interferometer stations at the Air Force Aeroballistic Research Facility [AD-A268776] p 135 N94-18330
- High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415
- Turbulence modeling in aircraft icing p 185 N94-18555
- Data acquisition in aerodynamic research p 186 N94-18644
- Recent developments in fast response aerodynamic probe technology p 186 N94-18645
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex [AD-A269816] p 90 N94-18733
- The world's largest wind tunnel [NASA-TM-109371] p 135 N94-18963
- Proceedings of the Twentieth Annual Technologyfest [AGARD-CP-515] p 92 N94-20188
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- Survey of lift-fan aerodynamic technology [NASA-CR-177615] p 224 N94-21592
- Nonlinear aerodynamics and the design of wing tips [NASA-CR-194732] p 217 N94-21833
- Instability modes excited by natural screech tones in a supersonic rectangular jet [NASA-TM-106409] p 218 N94-22274
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades [PB93-226223] p 274 N94-23114
- Control algorithms for effective operation of variable-speed wind turbines p 282 N94-23704
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education [NASA-TM-106463] p 247 N94-24100
- Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
- Integrated Airframe Design Technology [AGARD-R-794] p 259 N94-24313
- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering [AD-A276215] p 367 N94-25090
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
- Preliminary design of nine high speed civil transports p 322 N94-25710
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components [DE94-000231] p 353 N94-26117
- Proceedings of the Non-Linear Aero Prediction Requirements Workshop [NASA-CP-10138] p 327 N94-27439
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993 [NASA-RP-1321] p 372 N94-27764
- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
- Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition [ESDU-93032] p 300 N94-28144
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium [ISBN-0-920203-01-9] p 301 N94-28315
- Aerodynamic design using parallel processors [AD-A275470] p 374 N94-28674
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics [NAL-SP-19] p 375 N94-28946
- ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956
- Aerothermochemical calculations in afterburners p 396 N94-29258
- Algorithm and code development for unsteady three-dimensional Navier-Stokes equations [NASA-CR-195774] p 414 N94-29942

- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion [NASA-CR-195330] p 381 N94-30152
- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263
- Cumulative reports and publications through December 31, 1993 [AD-A279510] p 508 N94-33286
- Introduction to generalized functions with applications in aerodynamics and aeroacoustics [NASA-TP-3428] p 513 N94-34393
- Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
- Aerodynamic design of super maneuverable aircraft p 533 N94-34617
- Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605
- Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- Future ultra-speed tube-flight p 555 N94-35918
- Research and technology, 1993 [NASA-TM-108816] p 561 N94-36117
- Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501
- ### AEROELASTIC RESEARCH WINGS
- Rotary-wing aeroelasticity with application to VTOL vehicles p 111 A94-12696
- ### AEROELASTICITY
- Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Order reduction of linear-quadratic-Gaussian-designed controllers p 194 A94-10822
- On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061
- Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
- Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241
- Aeroelastic analysis of rotor blades with flap control p 78 A94-12244
- Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
- Integrated technologies in aircraft design optimization p 79 A94-12612
- Active flutter suppression techniques in aircraft wings p 110 A94-12613
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity [ISBN 0-7918-0663-4] p 163 A94-12676
- Structural dynamics in rotorcraft p 163 A94-12682
- Aeroelasticity p 163 A94-12691
- Experimental aeroelasticity in wind tunnels - History, status, and future in brief p 130 A94-12692
- Nonlinear aeroelasticity p 163 A94-12694
- Aeroelastic problems in turbomachines p 99 A94-12695
- Computational aeroelasticity p 111 A94-12697
- Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 A94-12707
- Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708
- Modeling the dynamics of a high-velocity rotating elastic flight vehicle p 138 A94-12883
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX94321333307] p 547 A94-60039
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity [BTN-94-EIX94321333311] p 548 A94-60043
- Parameter estimates of an aeroelastic aircraft as affected by model simplifications [BTN-94-EIX94311329142] p 517 A94-60158
- Time simulation of flutter with large stiffness changes [BTN-94-EIX94311329132] p 518 A94-60168
- Modal coordinates for aeroelastic analysis with large local structural variations [BTN-94-EIX94311329131] p 518 A94-60169
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- Nonlinear aspects of transonic aeroelasticity p 19 N94-10357

- Determining XV-15 aeroelastic modes from flight data with frequency-domain methods
[NASA-TP-3330] p 80 N94-10935
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680
- Nonlinear aspects of transonic aeroelasticity
[UTIAS-345] p 27 N94-11857
- Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects
[LR-707] p 121 N94-13906
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951
- Physical properties of the benchmark models program supercritical wing
[NASA-TM-4457] p 85 N94-15722
- Center for Rotorcraft Education and Research progress report, 1987 - 1992
[AD-A266760] p 40 N94-15824
- A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
- ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769
- Aeroelastic airfoil smart spar
p 87 N94-16865
- Flutter analysis using transversality theory
[NASA-TM-106382] p 183 N94-17481
- Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388
- Blade and hub loads of ballistically damaged helicopter rotors
[AD-A270663] p 92 N94-19781
- Issac, Jason Chenian ses in transonic flow
[NASA-CR-194837] p 250 N94-24052
- Aeroelastic, aeromechanical and vibration problems in helicopters
p 267 N94-24244
- Current and future design methods for large transport aircraft
p 261 N94-24324
- Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994
[NASA-TM-109036] p 253 N94-24576
- Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- Wind tunnel test of a variable-diameter tiltrotor (VDTR) model
[NASA-CR-177629] p 316 N94-24796
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle
p 320 N94-25113
- A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- Methods in unsteady aerodynamics
[DLR-FB-93-21] p 296 N94-27741
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- Wing design for a civil tiltrotor transport aircraft: A preliminary study
p 327 N94-27917
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method
p 379 N94-29877
- Algorithm and code development for unsteady three-dimensional Navier-Stokes equations
[NASA-CR-195774] p 414 N94-29942
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- Sensitivity analysis of the static aeroelastic response of a wing
p 420 N94-30525
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
- Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 N94-31677
- Computational prediction of stall flutter in spanwise-finite blade cascades
p 436 N94-31967
- A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation
[NASA-TP-3129] p 458 N94-32865
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight
[NASA-CR-195822] p 464 N94-33991
- High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- Will the real dynamic instability mechanism please be recognized!
p 552 N94-34976
- Flutter suppression digital control law design and testing for the AFW wind tunnel model
p 540 N94-35873
- Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls
[NASA-CR-196103] p 581 N94-36436
- ### AERONAUTICAL ENGINEERING
- The present situation and future development of Chinese aviation reliability and maintainability engineering
p 153 A94-10101
- Solid lubricants for aeronautics
p 142 A94-12655
- Time domain computational techniques — integration methods in aeronautical engineering
p 198 A94-12679
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- Center of excellence in rotary wing technology
[AD-A266655] p 37 N94-14799
- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- Fifty years of the Netherlands Association of Aeronautical Engineers
p 4 N94-15121
- Predicted and real development in the aviation in the period 1961-1991
p 4 N94-15122
- Center for Rotorcraft Education and Research progress report, 1987 - 1992
[AD-A266760] p 40 N94-15824
- A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993
[FFA-TN-1993-22] p 187 N94-19358
- Proceedings of the Twentieth Annual Technologyfest
p 92 N94-20188
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970
[DLR-MITT-92-08] p 244 N94-20543
- Frameworks for integrated airframe design
p 259 N94-24318
- The process network in the design and manufacturing of aircraft
p 259 N94-24319
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics
[NASA-CR-195686] p 371 N94-25541
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics
[NAL-SP-19] p 375 N94-28946
- Engineering of systems for application of scientific computing in industry
p 415 N94-28947
- Monte Carlo simulation or normal shock wave, Part 2: VHS model and VSS model
p 409 N94-28948
- Variable soft sphere molecular model in the Monte Carlo simulation of air species
p 409 N94-28949
- Rarefied gas numerical wind tunnel. Part 8: HQPE
p 401 N94-28950
- Numerical simulation of arc heated wind tunnel flow
p 402 N94-28951
- Numerical simulation of unsteady aerodynamic heating induced by shock reflections
p 375 N94-28952
- Numerical simulation of steady Mach reflection by shock capturing schemes
p 375 N94-28953
- Higher-order accurate numerical simulation of 3D supersonic mixing layers
p 375 N94-28954
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles
p 375 N94-28955
- Transonic expanding flow through axially symmetric orifices
p 410 N94-28985
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe
p 410 N94-28986
- Fishermans Bend: A centre of Australian aviation
[AD-A274981] p 373 N94-29090
- Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062
- Aeronautics and space report of the President: Fiscal year 1993 activities
p 514 N94-32854
- Aviation human factors research in US universities: Potential contributions to national needs
[NASA-TM-108814] p 467 N94-32927
- Research and technology, 1993
[NASA-TM-106376] p 455 N94-33046
- Cylinder drag experiment: An upgraded laboratory
[AD-A277841] p 464 N94-33835
- NASA Ames Fluid Mechanics Laboratory research briefs
[NASA-TM-108818] p 465 N94-33997
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-108855] p 542 N94-34633
- National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex
[NASA-TM-108856] p 542 N94-34634
- Aerospace Safety Advisory Panel
[NASA-TM-109840] p 545 N94-35390
- Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's
[NASA-TM-109250] p 545 N94-35591
- ### AERONAUTICAL SATELLITES
- ACTS broadband aeronautical experiment
p 272 N94-22771
- ### AERONAUTICS
- AGARD highlights 92/2, September 1992
[AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
- Maximizing participation of women in collegiate aviation education
[NIAR-93-14] p 210 N94-17261
- NASA historical data book. Volume 4: NASA resources 1969-1978
[NASA-SP-4012-VOL-4] p 514 N94-33949
- National facilities study. Volume 1: Facilities inventory
[NASA-TM-109854] p 541 N94-34632
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-109855] p 542 N94-34633
- AGARD highlights 93/2
[AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- Research and technology, 1993
[NASA-TM-108816] p 561 N94-36117
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993
[JPRS-UAC-94-004] p 583 N94-37000
- ### AEROSERVOELASTICITY
- Aeroservoelasticity
p 110 A94-12693
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity
[NASA-TM-4493] p 115 N94-13255
- ISAC: A tool for aeroservoelastic modeling and analysis
[NASA-TM-109031] p 123 N94-19316
- Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 N94-31677
- Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies
[AD-A278640] p 581 N94-36384
- Aeroservoelastic stabilization considerations for pointing and tracking systems
p 594 N94-36627
- ### AEROSOLS
- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere
p 506 N94-33460
- ### AEROSPACE ENGINEERING
- Working group activities of AGARD propulsion and energetics panel
[BTN-94-EIX94311331062] p 589 A94-61116
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014
- AGARD highlights 92/2, September 1992
[AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
- NRL review for 1993
[AD-A265666] p 211 N94-12334
- Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886

- The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992
[NASA-TM-109335] p 4 N94-15798
- Research and design activities and the economic balance of MBB
[ETN-93-94909] p 5 N94-19383
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970
[DLR-MITT-92-08] p 244 N94-20543
- The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- Probabilistic simulation of concurrent engineering of propulsion systems
p 259 N94-24317
- The process network in the design and manufacturing of aircraft
p 259 N94-24319
- NASA high performance computing and communications program
[NASA-TM-4554] p 287 N94-24337
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- Integrated design and manufacturing for the high speed civil transport
[NASA-CR-195511] p 318 N94-24968
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993
[NASA-CP-10127] p 289 N94-25096
- Proceedings of the Non-Linear Aero Prediction Requirements Workshop
[NASA-CP-10138] p 327 N94-27439
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993
[NASA-RP-1321] p 372 N94-27764
- Aerospace Software Engineering for Advanced Systems Architectures
[AD-A277101] p 415 N94-29315
- Aeronautics and space report of the President: Fiscal year 1993 activities
p 514 N94-32854
- National Facilities study
[NASA-TM-109851] p 491 N94-34071
- An assessment of fatigue crack growth prediction models for aerospace structures
p 551 N94-34586
- National facilities study. Volume 1: Facilities inventory
[NASA-TM-109854] p 541 N94-34632
- National facilities study. Volume 3: Mission and requirements model report
[NASA-TM-109857] p 542 N94-34635
- National facilities study. Volume 4: Space operations facilities task group
[NASA-TM-109858] p 542 N94-34636
- National facilities study. Volume 5: Space research and development facilities task group
[NASA-TM-109859] p 542 N94-34637
- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387
- AGARD highlights 93/2
[AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- Research and technology, 1993
[NASA-TM-108816] p 561 N94-36117
- Possibilities and pitfalls in aerospace applications of titanium matrix composites
p 585 N94-36650
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-008] p 605 N94-37524
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-005] p 605 N94-37538
- AEROSPACE ENVIRONMENTS**
- Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program
[NASA-CR-195118] p 371 N94-25665
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 N94-32319

- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- AEROSPACE INDUSTRY**
- Advances in cost effective processing of titanium
p 141 A94-10659
- Acoustic emission measurements of aerospace materials and structures
p 162 A94-12665
- Coping with the defense cutback
[BTN-94-EIX94401216109] p 563 A94-61788
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- Activities of Bombardier, Inc.
[ISBN-2-921393-11-5] p 3 N94-13520
- Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134
- Aerospace: Facts and figures, 1992-1993
[AD-A272571] p 215 N94-21419
- Applications of CFD codes and supercomputers to aircraft design activities
p 259 N94-24316
- Frameworks for integrated airframe design
p 259 N94-24318
- The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax
[LC-93-83945] p 371 N94-25065
- Future of aerospace
[PB94-120185] p 326 N94-26906
- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- AEROSPACE PLANES**
- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel
p 97 A94-10709
- Numerical simulation of entry flow over blunt swept-wing planes
p 9 A94-10772
- High temperature materials for hypersonic transport
p 142 N94-10003
- Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane
p 138 N94-10423
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations
[NASA-TM-109009] p 82 N94-12850
- Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
- Perspective on the National Aero-Space Plane Program instrumentation development
[NASA-TM-4505] p 95 N94-13256
- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration
[NAL-TR-1186] p 83 N94-13459
- HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
- Research and development of space transportation systems in ISAS
p 140 N94-14277
- Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
[NASA-CR-195550] p 331 N94-25085
- Numerical simulation of supersonic flow around space plane with engine installed
p 376 N94-28961
- Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features
p 398 N94-29295
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems
p 399 N94-29301
- Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- High temperature NASP engine seal development
[NASA-TM-109750] p 447 N94-31804
- National aerospace plane
[NASA-TM-109843] p 497 N94-33750
- AEROSPACE SAFETY**
- Extraction of stability and control derivatives from orbiter flight data
[NASA-TM-4500] p 24 N94-10707
- Summary of NASA Aerospace Flight Battery Systems Program activities
p 366 N94-28101
- Aerospace Safety Advisory Panel
[NASA-TM-109840] p 545 N94-35390

- AEROSPACE SCIENCES**
- NASA aerospace database subject scope: An overview
[NASA-SP-7107] p 209 N94-13401
- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519
- The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- Technical and scientific research for aeronautics and astronautics
[ETN-94-95392] p 289 N94-26212
- Director's discretionary fund
[NASA-TM-103997] p 561 N94-35370
- AEROSPACE SYSTEMS**
- Stability in Aerospace Systems
[AGARD-R-789] p 113 N94-11489
- ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769
- Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882
- Summary of NASA Aerospace Flight Battery Systems Program activities
p 366 N94-28101
- Aerospace applications of magnetic bearings
p 554 N94-35837
- AEROSPACE TECHNOLOGY TRANSFER**
- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- AGARD highlights 93/2
[AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's
[NASA-TM-109250] p 545 N94-35591
- AEROSPACE VEHICLES**
- The finite pointset method for hypersonic flows in the rarefied gas regime
p 9 A94-10773
- Stability analysis and aerospace vehicle dynamics
p 113 N94-11491
- Multidisciplinary design techniques applied to conceptual aerospace vehicle design
[NASA-CR-194409] p 83 N94-13618
- Preliminary structural design: Defining the design space
[AD-A268898] p 88 N94-18227
- NASA high performance computing and communications program
[NASA-TM-4554] p 287 N94-24337
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles
p 358 N94-27920
- Variable soft sphere molecular model in the Monte Carlo simulation of air species
p 409 N94-28949
- Rarefied gas numerical wind tunnel. Part 8: HOPE
p 401 N94-28950
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles
p 375 N94-28955
- Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2
p 376 N94-29866
- Review of sonic fatigue technology
[NASA-CR-4587] p 417 N94-29407
- Possibilities and pitfalls in aerospace applications of titanium matrix composites
p 585 N94-36650
- AEROTHERMOCHEMISTRY**
- Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties
p 10 A94-10888
- Issues and approach to develop validated analysis tools for hypersonic flows: One perspective
p 20 N94-10446
- Numerical simulation of arc heated wind tunnel flow
p 402 N94-28951
- Aerothermochemical calculations in afterburners
p 396 N94-29258
- Models for vibration-dissociation coupling in high-temperature gases
p 413 N94-29675
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860
- AEROTHERMODYNAMICS**
- Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments
p 8 A94-10768
- Numerical simulation of entry flow over blunt swept-wing planes
p 9 A94-10772
- Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes
p 71 A94-10777

- Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX9431132888] p 520 A94-60208
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
- HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
- Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Mainstream ingress, suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057
- Issues and approach to develop validated analysis tools for hypersonic flows: One perspective
p 20 N94-10446
- Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method
p 21 N94-10449
- Numerical methods for aerothermodynamic design of hypersonic space transport vehicles
p 138 N94-10459
- Local aerothermal problems during Hermes re-entry
[NASA-TM-4499] p 21 N94-10464
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- Computation of hypersonic nosetip heat transfer rates for an M829-like projectile
[AD-A263226] p 27 N94-11870
- Methodology of Hypersonic Testing
[VKI-LS-1993-03] p 33 N94-14153
- Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities
p 133 N94-14159
- Hypersonic flight testing. Part 2: Aerothermal flight testing
p 103 N94-14169
- A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
- Two dimensional simulation of the electric arc behavior in a cut-off device
[ECL-92-41] p 233 N94-20595
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
- Effects of shock strength on shock turbulence interaction
p 278 N94-24165
- Ducted kerosene spray flames
p 407 N94-29276
- Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874
- Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 N94-33966
- High-temperature behavior of advanced spacecraft TPS
[NASA-CR-195832] p 492 N94-34063
- Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future
p 484 N94-34440
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459
- Combined LAURA-UPS solution procedure for chemically-reacting flows
[NASA-TM-107964] p 551 N94-34721
- Development and application of computational aerothermodynamics flowfield computer codes
[NASA-CR-196136] p 526 N94-35498
- AEROTHERMOELASTICITY**
Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
- AFTERBURNING**
Engine starting and stopping
p 360 N94-28047
- Aerothermochemical calculations in afterburners
p 396 N94-29258
- Technology rigs: A tool for afterburner development
p 397 N94-29270
- AGING (MATERIALS)**
An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy
[SAE PAPER 922040] p 141 A94-12030
- Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- Aircraft age impacts on maintenance requirements
[AD-A275701] p 373 N94-28666
- AH-1G HELICOPTER**
Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes
[NASA-CR-191047] p 538 N94-34993
- AH-64 HELICOPTER**
Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
- AILERONS**
Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
- Aircraft wing structural detail design (wing, aileron, flaps, and subsystems)
[NASA-CR-195487] p 318 N94-24974
- AIR BAG RESTRAINT DEVICES**
Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
- AIR BREATHING BOOSTERS**
Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- AIR BREATHING ENGINES**
Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106
- Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- Advanced control for airbreathing engines, volume 1: Pratt and Whitney
[NASA-CR-189203] p 101 N94-12270
- Advanced control for airbreathing engines, volume 2: General Electric aircraft engines
[NASA-CR-189204] p 101 N94-12271
- Advanced controls for airbreathing engines, volume 3: Allison gas turbine
[NASA-CR-189205] p 101 N94-12272
- Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust
[NASA-TM-106270] p 102 N94-13143
- Flight testing of airbreathing hypersonic vehicles
[NASA-TM-4524] p 140 N94-15753
- Navy GTE seal development activity
p 235 N94-21794
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
[NASA-CR-195550] p 331 N94-25085
- Hypersonic vehicle control law development using H(infinity) and micron-synthesis
p 336 N94-25104
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets
p 398 N94-29294
- AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746
- AIR CARGO**
Behavior of a cargo suspended under a helicopter
p 71 A94-11041
- Integrators: A challenge for air cargo
p 310 N94-28244
- The future of large capacity/long range multipurpose air cargo fleets
p 573 N94-36326
- AIR CIRCUMDUCTIVITY**
The Lightcraft project: Flight technology for a hypersonic mass transit system
p 321 N94-25695
- AIR COOLING**
Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter
[AD-A275546] p 390 N94-28837
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- AIR DATA SYSTEMS**
Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system
p 95 A94-12622
- Handbook, Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323] p 96 N94-20343
- First Canadair jet flies for Lufthansa city line
p 310 N94-28243
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- AIR DEFENSE**
HELSCAM V2.0: Development and application guide
[DSIS-93-00137] p 84 N94-13867
- Expectations for the future of military aviation
p 4 N94-15128
- AIR FLOW**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- Preliminary investigations on improving air-augmented rocket performance
[BTN-94-EIX94321333323] p 544 A94-60274
- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- Airflow research
[NASA-TM-109372] p 50 N94-18964
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
- The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction
p 265 N94-23658
- The 3-D numerical study of airflow in the compressor/combustor prediffuser and dump diffuser of an industrial gas turbine
p 276 N94-23660
- Evaluation of the transient operation of advanced gas turbine combustors
p 397 N94-29269
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory
[NASA-TM-106577] p 491 N94-33604
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- AIR INTAKES**
Design improvements in air turbine start systems
[SAE PAPER 921947] p 158 A94-11986
- Hydrazine engine start system air start performance and controls sizing
[SAE PAPER 921948] p 158 A94-11987
- Propulsion streamtubes in supersonic flow and supercritical intake cowl
p 17 A94-12200
- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111
- AIR JETS**
Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics
p 17 A94-12074
- Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592
- Transitional flight characteristics of a geometrically simplified STOVL model
p 328 N94-28035
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040
- The mixing process in the quenching zone of the rich-lean-combustion concept
p 407 N94-29281
- AIR LAUNCHING**
Wind-tunnel test techniques for unmanned aerial vehicle separation investigations
[BTN-94-EIX94401358976] p 571 A94-61632
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- AIR LAW**
The international regulation of air transport: Changing regimes and price effects
[ISBN-0-315-55958-6] p 56 N94-13543

AIR NAVIGATION

- Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
- Structure and utilization of databases for navigation p 208 A94-10333
- Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121
- Design and analysis of a Kalman filter for terrain-referenced positioning and guidance [NAL-94-EIX94311329124] p 557 A94-60176
- National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933
- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
- About the accuracy of an image-based navigation system during the runway approach [DLR-MITT-93-01] p 69 N94-18146
- An overview of a generic multi-sensor integrated navigation system design [CTN-94-60916] p 256 N94-24120
- Differential GPS for air transport: Status p 311 N94-25100
- Application of aircraft navigation sensors to enhanced vision systems p 312 N94-25495
- Realtime mitigation of GPS SA errors using Loran-C p 314 N94-27291
- A sky above Europe p 309 N94-28234
- Object oriented design of the autonomous fxtaking management system p 383 N94-29323
- Ground independent landing system p 385 N94-29564
- GPS/GNSS for ATM p 385 N94-29565
- Simulation of fully automated air traffic control concepts p 386 N94-29569
- Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573
- ARC2000: Automatic radar control p 388 N94-29583
- The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance [PB94-142734] p 431 N94-31680
- Aircraft communication and navigation systems and communication and navigation systems [AD-A277309] p 435 N94-32328
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- An evaluation framework for designing a night vision, computer-based trainer p 490 N94-33139
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
- System for broadcasting marker beacon signals and processing responses from seeking entities [AD-D016313] p 602 N94-37839
- AIR PIRACY**
- Criminal acts against civil aviation, fiscal year 1992 [AD-A268014] p 58 N94-17586
- AIR POLLUTION**
- Raman measurements at the exit of a combustor sector [BTN-94-EIX94341338356] p 546 A94-60348
- Control of jet noise [NASA-CR-193612] p 205 N94-11176
- EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A [AD-A271596] p 240 N94-20948
- The single European market: Economical advance, ecological problem? p 309 N94-28235
- On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
- Photothermal laser deflection, an innovative technique to measure particles in exhausts [AD-A277151] p 448 N94-32366
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477

- Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481
- Toxic emissions from aircraft engines: A search of available literature [PB94-156486] p 482 N94-34400
- Toxic emissions from aircraft firefighting training: A search of available literature p 507 N94-34409
- Project report: Aircraft — atmospheric effects of stratospheric aircraft [DE94-011759] p 596 N94-37155
- Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- AIR QUALITY**
- The 11th annual report of accomplishments under the airport improvement program: Fiscal year 1992 [AD-A268328] p 69 N94-17458
- EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A [AD-A271596] p 240 N94-20948
- AIR SAMPLING**
- A study of low emissions gas turbine combustions [NASA-CR-195763] p 399 N94-29860
- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft [NASA-CR-195908] p 506 N94-33170
- AIR TO AIR REFUELING**
- Spare parts analysis of the MK.32B-751 AAR pod [DSIS-93-00737] p 200 N94-13549
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory [AD-A266718] p 122 N94-15730
- Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543
- EH101: A new helicopter capable of long range missions p 574 N94-36330
- In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341
- Future tanker considerations and requirements p 575 N94-36342
- Aerial refueling interoperability from a receiver flying qualities perspective p 575 N94-36343
- Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344
- CC-130H(T) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- AIR TRAFFIC**
- Civil application of helicopters p 1 A94-12042
- FAA air traffic activity [AD-A266043] p 55 N94-12397
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach p 207 N94-17278
- Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336
- Integrated Terminal Weather System (ITWS) [AD-A269884] p 193 N94-18684
- Denver TMA assessment [NASA-CR-4554] p 59 N94-18844
- Organized track system: Air ways above the ocean p 193 N94-19702
- Conflict-free trajectory planning for air traffic control automation [NASA-TM-108790] p 306 N94-25272
- Air traffic controller working memory: Considerations in air traffic control tactical operations [AD-A273722] p 313 N94-26197
- Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations [AD-A274241] p 313 N94-26826
- Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 N94-28230
- The single European market and air traffic chances and risks p 308 N94-28231
- Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232
- Air traffic of the European Community with European neighbors p 309 N94-28233
- The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236
- Air traffic administration enroute to Europe p 309 N94-28238
- Air traffic in recession p 310 N94-28240
- German-American relations in air traffic are to be criticized p 310 N94-28241
- Machine Intelligence in Air Traffic Management [AD-A275680] p 383 N94-29558
- Ground independent landing system p 385 N94-29564

- GPS/GNSS for ATM p 385 N94-29565
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Simulation of fully automated air traffic control concepts p 386 N94-29569
- DLR's ATM demonstration programme p 386 N94-29575
- The 1993 aviation system capacity plan [AD-A276958] p 467 N94-32620
- Civil tiltrotor market penetration: Effects on Northeast corridor airport delay [AD-A277534] p 467 N94-32955
- FAA aviation forecasts, fiscal years 1994-2005 [AD-A277808] p 455 N94-33016
- Project report: Aircraft — atmospheric effects of stratospheric aircraft [DE94-011759] p 596 N94-37155
- Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- AIR TRAFFIC CONTROL**
- Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
- NASA wake vortex research [AIAA PAPER 93-4004] p 52 A94-10719
- Conflict recognition in the onboard collision protection system ACAS II p 60 A94-10750
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992, Proceedings p 1 A94-11625
- Airline perspective on data link [SAE PAPER 922001] p 60 A94-11717
- Data Link system development at the FAA Technical Center [SAE PAPER 922026] p 61 A94-11723
- Controller evaluations of ATC Data Link services [SAE PAPER 922027] p 61 A94-11724
- The increasing role of communication satellites in commercial aircraft operations [SAE PAPER 921920] p 61 A94-11970
- Cooperative Area Passive Tracking Systems (CAPTS) p 63 A94-12558
- National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933
- Impact of shutting down en route primary radars within CONUS interior [DOT-VNTSC-FAA-93-1] p 67 N94-11626
- Evaluation of the capacity and delay benefits of terminal air traffic control automation [AD-A265323] p 67 N94-11863
- FAA air traffic activity [AD-A266043] p 55 N94-12397
- SATORI: Situation Assessment Through the Re-creation of Incidents [DOT/FAA/AM-93/12] p 138 N94-12567
- Activities report of the Federal Administration for Flight Safety (Germany) [ETN-93-94208] p 56 N94-14008
- The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
- Developments in the European air traffic control p 69 N94-15124
- The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison [REPT-93W0000145] p 180 N94-15439
- ATCRBS reply environment at Memphis International Airport [AD-A266322] p 69 N94-16439
- The 11th annual report of accomplishments under the airport improvement program: Fiscal year 1992 [AD-A268328] p 69 N94-17458
- Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport [NLR-TP-91384-U] p 58 N94-17733
- Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336
- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
- Denver TMA assessment [NASA-CR-4554] p 59 N94-18844

- Aircraft accident report: Midair collision, Mitsubishi MU-2B-60, N74FB, and PIPER PA-32-301, N82419, Greenwood Municipal Airport, Greenwood, Indiana, 11 September 1992
[PB93-910406] p 59 N94-19352
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
- Organized track system: Air ways above the ocean
p 193 N94-19702
- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E)
[AD-A273075] p 240 N94-21519
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
- Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629
- Parallel runway requirement analysis study. Volume 1: The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277
- Parallel runway requirement analysis study. Volume 2: Simulation manual
[NASA-CR-191549-VOL-2] p 223 N94-22278
- The FAA satellite communications program
p 272 N94-22772
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472
- ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwingle, Iowa, 19 April 1993
[PB93-910409] p 306 N94-25175
- Conflict-free trajectory planning for air traffic control automation
[NASA-TM-108790] p 306 N94-25272
- Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444
- Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197
- Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
[AD-A274241] p 313 N94-26826
- An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993
p 307 N94-27285
- Air traffic management as principled negotiation between intelligent agents
p 315 N94-27297
- Optical communications for transport aircraft
p 356 N94-27298
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993
[PB94-910402] p 308 N94-27766
- Refinement for fault-tolerance: An aircraft hand-off protocol
[AD-A278004] p 315 N94-27768
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- A sky above Europe
p 309 N94-28234
- Machine Intelligence in Air Traffic Management
[AD-A275680] p 383 N94-29558
- Advances in development capabilities for intelligent air traffic management systems
p 384 N94-29559
- Intelligent systems for air space control and management
p 384 N94-29560
- Use of advanced technologies in ATM (air traffic management) domain
p 384 N94-29561
- Air traffic management as principled negotiation between intelligent agents
p 384 N94-29562
- Use of GPS in automated air traffic control
p 384 N94-29563
- Ground independent landing system
p 385 N94-29564
- GPS/GNSS for ATM
p 385 N94-29565
- ACCS Surveillance Exploratory Prototype (ASEP)
p 412 N94-29566
- Contributions of DLR to air traffic capacity enhancement within a terminal area
p 385 N94-29567
- Design of Center-TRACON Automation System
p 385 N94-29568
- Simulation of fully automated air traffic control concepts
p 386 N94-29569
- Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570
- Cognitive approach to specifications on air traffic controllers' decision assistance systems
p 386 N94-29571
- Considerations on graphical user interfaces for intelligent ATM support systems
p 386 N94-29572
- Interactive analysis and planning tools for air traffic and airspace management
p 386 N94-29573
- DAISY: A decision aid for an air situation interpretation system
p 386 N94-29574
- DLR's ATM demonstration programme
p 386 N94-29575
- Advanced air traffic control and flight management system concepts
p 387 N94-29576
- Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
p 387 N94-29577
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic
p 387 N94-29578
- Air-ground integration of the ATM system in PHARE
p 388 N94-29579
- Experimental flight management system
p 388 N94-29580
- The PHARE advanced tools
p 388 N94-29581
- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems
p 388 N94-29582
- ARC2000: Automatic radar control
p 388 N94-29583
- A novel near-range radar network for airport surface control
p 389 N94-29586
- Development of precision runway monitor system for increasing capacity of parallel runway operations
p 389 N94-29587
- A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933
- The experimental flight management system: An air traffic management research tool
[NLR-TP-92253-U] p 430 N94-30943
- Evaluation for the development of taxiway lighting intensity standards
[AD-A276706] p 440 N94-32120
- Plan recognition for an air traffic control simulation
[DSIS-94-01221] p 469 N94-32505
- Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063
- Cockpit Electronic Display Workshop: A synopsis
[AD-A277728] p 477 N94-33280
- Improved taxiway exit identification system
[AD-A277892] p 490 N94-33538
- Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048
- An error-resistant linguistic protocol for air traffic control
[NASA-CR-196098] p 570 N94-37013
- AIR TRAFFIC CONTROLLERS (PERSONNEL)**
- Developments in the European air traffic control
p 69 N94-15124
- Denver TMA assessment
[NASA-CR-4554] p 59 N94-18844
- An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472
- Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
- Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197
- Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570
- Cognitive approach to specifications on air traffic controllers' decision assistance systems
p 386 N94-29571
- Considerations on graphical user interfaces for intelligent ATM support systems
p 386 N94-29572
- Interactive analysis and planning tools for air traffic and airspace management
p 386 N94-29573
- DAISY: A decision aid for an air situation interpretation system
p 386 N94-29574
- Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933
- AIR TRANSPORTATION**
- HSCT engine research makes steady gains
p 97 A94-10347
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992, Proceedings
p 1 A94-11625
- The contribution of the EH101 to improving public transport helicopter safety levels
p 53 A94-12083
- Mach 2 and more
[BTN-94-EIX94401216108] p 569 A94-61787
- A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
- Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578
- The international regulation of air transport: Changing regimes and price effects
[ISBN-0-315-55958-6] p 56 N94-13543
- An analysis of tactical airlifter characteristics and their impact on theater airlift system performance
[AD-A266719] p 86 N94-15731
- The airline quality report 1993
[NIAR-93-11] p 58 N94-17262
- Annual review of aircraft accident data. US air carrier operations, calendar year 1990
[PB94-102787] p 58 N94-17471
- Transport policy options for reducing noise at airports; Hamburg airport taken as an example
[DLR-FB-92-40] p 135 N94-18123
- Airport activity statistics of certificated route air carriers, 1992
[AD-A269042] p 59 N94-18490
- Aerospace: Facts and figures, 1992-1993
[AD-A272571] p 215 N94-21419
- Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- Information systems strategy in air transport
[AD-A273125] p 256 N94-24781
- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837
- The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- Aviation: The timeless industry
p 289 N94-25068
- US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities
p 289 N94-25097
- Differential GPS for air transport: Status
p 311 N94-25100
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- FAA/NASA Joint University Program for Air Transportation Research, 1992-1993
[NASA-CP-3246] p 290 N94-27284
- An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993
p 307 N94-27285
- Investigation of air transportation technology at Ohio University, 1992-1993
p 307 N94-27288
- Investigation of air transportation technology at Princeton University, 1992-1993
p 307 N94-27294
- Methodology development of forecasting inter-regional air transport demand in China
[DLR-FB-93-24] p 308 N94-27746
- The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960
- Air traffic of the European Community with European neighbors
p 309 N94-28233
- Lufthansa facing the single European market
p 309 N94-28237
- Integrators: A challenge for air cargo
p 310 N94-28244
- Powerful selling and sales strategy
p 311 N94-28245
- Lufthansa and Europe
p 311 N94-28247
- National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990
[PB94-126869] p 382 N94-29185
- A capacity planning model for Canadian military airlift requests
[ISBN-0-315-86079-0] p 382 N94-30144

- The contribution of aeronautics and astronautics to the quality of life on Earth
[ILR-MITT-283(1993)] p 449 N94-31611
- The 1993 aviation system capacity plan
[AD-A276958] p 467 N94-32620
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory
[NASA-SP-4216] p 455 N94-32793
- Annual review of aircraft accident data: US air carrier operations, calendar year 1991
[PB94-158847] p 467 N94-32925
- Civil titrotor market penetration: Effects on Northeast corridor airport delay
[AD-A277534] p 467 N94-32955
- FAA aviation forecasts, fiscal years 1994-2005
[AD-A277808] p 455 N94-33016
- Federal aviation regulations. Part 91: General operating and flight rules, change 4
[PB94-159944] p 468 N94-34401
- The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262
- The future of large capacity/long range multipurpose air cargo fleets p 573 N94-36326
- Accomplishments under the Airport Improvement Program
[AD-A280661] p 583 N94-36763
- Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- ### AIRBORNE EQUIPMENT
- SOXO Air SIG S7 ILS, from early development to an enduring world standard p 61 A94-12119
- Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
- Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346
- Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719
- Description and availability of airborne Doppler radar data p 231 N94-20419
- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
- Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- An overview of a generic multi-sensor integrated navigation system design
[CTN-94-60916] p 256 N94-24120
- Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127
- SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory
[NASA-SP-4216] p 455 N94-32793
- Minimum performance standards: Airborne low-range radar altimeters
[RTCA-DO-155] p 537 N94-35344
- ### AIRBORNE RADAR
- All-weather precision landing system for aircraft in remote areas
[AD-D015924] p 70 N94-20197
- Description and availability of airborne Doppler radar data p 231 N94-20419
- Ground independent landing system
p 385 N94-29564
- Minimum performance standards: Airborne low-range radar altimeters
[RTCA-DO-155] p 537 N94-35344
- ### AIRBORNE/SPACEBORNE COMPUTERS
- On analyzing the effect of near-coincident faults on flight control computers
[AIAA PAPER 93-4575] p 196 A94-11481
- Satellite communications installation plan
[AD-A266303] p 182 N94-16965
- X-29: Research aircraft
[NASA-TM-109370] p 91 N94-18962
- Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
- Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics technology. Volume 2: Avionics systems engineering
[AD-A273630] p 263 N94-24733
- Technology drivers for flight telerobotic system software p 367 N94-26289
- PRONAS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725

- Ada run time system certification for avionics applications p 394 N94-29332
- On ground system integration and testing: A modern approach p 394 N94-29334
- Testing Operational Flight Programs (OFFs) p 416 N94-29337
- An investigation of airborne GPS/INS for high accuracy position and velocity determination
[DE94-006139] p 431 N94-31306
- The maintenance of operational flight program
[AD-A276363] p 419 N94-31367
- Technologies for avionics embedded computer systems p 434 N94-31368
- Testing Operational Flight Programs (OFFs) p 432 N94-31387
- Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- ### AIRCRAFT ACCIDENT INVESTIGATION
- The use of simulation in aircraft accident prevention and investigation; Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992
[ISBN 1-85768-070-7] p 1 A94-11355
- Use of computer graphic simulation for analysis of a wind shear accident - A case study of Delta flight 191 p 53 A94-11356
- Computer graphic recreations of aircraft accidents p 194 A94-11357
- MD-11 in-flight thrust reverser simulation p 72 A94-11358
- Integration of simulation and visualization aids in aircraft accident investigation p 195 A94-11359
- The role of simulation in accident investigation at the NTSB - A case study p 53 A94-11361
- The use of a generic non-linear simulation environment for accident investigation p 53 A94-11365
- The use of simulation in RAF aircraft accident investigation p 53 A94-11366
- Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991
[PB93-910405] p 55 N94-11044
- PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077
- Aircraft accident investigation at ARL: The first 50 years
[AD-A267086] p 57 N94-15542
- Annual review of aircraft accident data. US air carrier operations, calendar year 1990 p 58 N94-17471
- Aircraft accident report: Midair collision, Mitsubishi MU-2B-60, N74FB, and PIPER PA-32-301, N82419, Greenwood Municipal Airport, Greenwood, Indiana, 11 September 1992 p 59 N94-19352
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993 p 254 N94-23579
- Aircraft accident report: In-flight engine separation. Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993 p 255 N94-24062
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwingle, Iowa, 19 April 1993 p 306 N94-25175
- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993 p 306 N94-25273
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993 p 308 N94-27766
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993 p 382 N94-29402
- Annual review of aircraft accident data: US air carrier operations, calendar year 1991 p 467 N94-32925
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992 p 467 N94-32938
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 p 468 N94-34390

- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990
[PB94-917001] p 529 N94-35482
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 p 529 N94-35521
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993 p 583 N94-37000
- ### AIRCRAFT ACCIDENTS
- Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army p 52 A94-10514
- Terrestrial volcanism in space and time p 189 A94-10882
- Computer graphic recreations of aircraft accidents p 194 A94-11357
- The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- The role of simulation in accident investigation at the NTSB - A case study p 53 A94-11361
- Airplane size effects on occupant crash loads
[SAE PAPER 922035] p 74 A94-12026
- The contribution of the EH101 to improving public transport helicopter safety levels p 53 A94-12083
- Aircraft accident flight path simulation and animation
[BTN-94-EIX94311329129] p 518 A94-60171
- Structural integrity and containment aspects of small gas turbine engines p 550 A94-60335
- Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791
- Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991
[PB93-910405] p 55 N94-11044
- Aircraft accident investigation at ARL: The first 50 years
[AD-A267086] p 57 N94-15542
- Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
- National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989 p 58 N94-16464
- Annual review of aircraft accident data. US air carrier operations, calendar year 1990 p 58 N94-17471
- Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
- Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills p 188 N94-19539
- Ground proximity warning system voice warning unit requirements study p 60 N94-19876
- Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
- Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents p 220 N94-21428
- Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments p 274 N94-23000
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993 p 254 N94-23579
- Aircraft accident report: In-flight engine separation. Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993 p 255 N94-24062
- Annual review of aircraft accident data. US general aviation calendar year 1990 p 305 N94-24841
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwingle, Iowa, 19 April 1993 p 306 N94-25175

- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993 [PB94-910401] p 306 N94-25273
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability [AD-A274421] p 307 N94-27081
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993 [PB94-910402] p 308 N94-27766
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing [PB94-917002] p 308 N94-27881
- Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
- National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990 [PB94-126869] p 382 N94-29185
- Fire behavior of aeronautical materials [REPT-932-600-105] p 408 N94-29457
- Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2 [AD-A276473] p 426 N94-31246
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps [AD-A277121] p 427 N94-32363
- Annual review of aircraft accident data: US air carrier operations, calendar year 1991 [PB94-158847] p 467 N94-32925
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992 [PB94-910403] p 467 N94-32938
- Crash impact survival in light planes [NASA-TM-109799] p 468 N94-33749
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 N94-34390
- Annual review of aircraft accident data: US general aviation calendar year 1991 [PB94-127982] p 528 N94-34991
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990 [PB94-917001] p 529 N94-35482
- Annual review of aircraft accident data. US general aviation, calendar year 1992 [PB94-181054] p 529 N94-35496
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 [PB94-910406] p 529 N94-35521
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993 [JPRS-JAC-94-004] p 583 N94-37000
- Composite helicopter accident profiles: Deficient crew/aircraft performance [SCT-90RR-46] p 601 N94-37604
- AIRCRAFT ANTENNAS**
- Radiation and scattering by cavity-backed antennas on a circular cylinder [NASA-CR-193409] p 170 N94-11084
- Mobile terminal antennas for helicopters p 232 N94-20458
- Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126
- L-band mobile terminal antennas for helicopters p 273 N94-22835
- Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
- Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699
- Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis [ISBN-0-315-84643-7] p 356 N94-27308
- Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994 [AD-A278753] p 448 N94-32183
- AIRCRAFT APPROACH SPACING**
- NASA wake vortex research [AIAA PAPER 93-4004] p 52 A94-10719
- Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- Adaptive structural control and isolation of simple structural members p 62 A94-12533
- Low altitude navigation and approach requirements V/STOL and CTOL p 63 A94-12553
- Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport [NLR-TP-91384-U] p 58 N94-17733
- Parallel runway requirement analysis study. Volume 1: The analysis [NASA-CR-191549-VOL-1] p 222 N94-22277
- Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278
- An examination of the operational error database for air route traffic control centers [AD-A275986] p 256 N94-24472
- An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993 p 307 N94-27285
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Design of Center-TRACON Automation System p 385 N94-29568
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- ARC2000: Automatic radar control p 388 N94-29583
- Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control [NASA-TP-3399] p 529 N94-36048
- AIRCRAFT BRAKES**
- Aircraft braking induced tire wear [SAE PAPER 922042] p 74 A94-12032
- AIRCRAFT COMMUNICATION**
- Airline perspective on data link [SAE PAPER 922001] p 60 A94-11717
- DATA LINK - A conceptual flight deck system and related issues [SAE PAPER 922002] p 61 A94-11718
- Certification of airborne data link equipment [SAE PAPER 922003] p 61 A94-11719
- Cockpit data link displays - An evaluation of textual formats [SAE PAPER 922025] p 93 A94-11722
- Data Link system development at the FAA Technical Center [SAE PAPER 922026] p 61 A94-11723
- Controller evaluations of ATC Data Link services [SAE PAPER 922027] p 61 A94-11724
- The increasing role of communication satellites in commercial aircraft operations [SAE PAPER 921920] p 61 A94-11970
- Helicopter radio communication - General trend p 62 A94-12228
- Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites p 137 A94-12471
- ATM and FIS data link services [BTN-94-EIX94331335533] p 530 A94-60214
- The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results [AD-A267105] p 181 N94-15649
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
- ACTS broadband aeronautical experiment p 272 N94-22771
- The FAA satellite communications program p 272 N94-22772
- Canadian aeronautical mobile data trials p 272 N94-22773
- Cockpit weather graphics using mobile satellite communications p 273 N94-22775
- Communications networks in stressed environments [AD-A275967] p 446 N94-31384
- SATCOM feasibility study for search and rescue aircraft [DSIS-94-01083] p 426 N94-31902
- Aircraft communication and navigation systems and communication and navigation systems [AD-A277309] p 435 N94-32328
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- An error-resistant linguistic protocol for air traffic control [NASA-CR-196098] p 570 N94-37013
- AIRCRAFT COMPARTMENTS**
- Applications of continuous fiber reinforced thermoplastics in aircraft interiors p 143 N94-10775
- Future material development trends for commercial airplane interiors p 145 N94-10792
- Future needs in the development of materials for aircraft interiors and equipment p 145 N94-10794
- Analytical method for water vapor collection and analysis in aircraft cabin fires [DOT/FAA/CT-TN93/33] p 55 N94-12575
- Widebody cabin water spray optimization tests [DOT/FAA/CT-TN93/29] p 56 N94-14186
- Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
- Aircraft cabin water spray disbenefits study [NASA-CR-194750] p 220 N94-21818
- Full-scale fire testing of seat component materials [AD-A273499] p 305 N94-24941
- Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour [CAA-PAPER-93008] p 393 N94-29887
- A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090
- A review of computer evacuation models and their data needs [AD-280707] p 528 N94-35236
- AIRCRAFT CONFIGURATIONS**
- The tilt wing advantage - For high speed VSTOL aircraft [SAE PAPER 921911] p 72 A94-11966
- Streamline-curvature effect in three-dimensional boundary layers [SAE PAPER 921987] p 13 A94-12003
- What kind of evolution for the helicopter p 1 A94-12041
- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064
- Outside vision from a helicopter crew cabin - Approaches to its forming in design process p 75 A94-12075
- EH101 - The optimum naval helicopter p 75 A94-12080
- Merging the two ends of the VTOL spectrum p 75 A94-12082
- Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods p 79 A94-12702
- Joined-wing model vibrations using PC-based modal testing and finite element analysis [BTN-94-EIX94311329141] p 517 A94-60159
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
- Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481
- Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
- SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids [ARA-MEMO-370] p 171 N94-11859
- Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2 [AD-A265193] p 67 N94-11879
- The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids [ARA-84] p 27 N94-11888
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- Analysis of the Harrier forebody/inlet design using computational techniques [NASA-CR-193616] p 31 N94-13463
- Adaptive algorithm for aircraft configuration in turbulent flow [AD-A266188] p 86 N94-16122
- Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074
- Comparison between swept and delta canards on a model of a combat aircraft [AD-A269561] p 88 N94-17826

Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439

Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779

AIAA Techfest 29 proceedings [NIAA-93-1] p 5 N94-20191

Apparatus and method for improving spin recovery on aircraft [NASA-CASE-LAR-14747-1] p 227 N94-20556

Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591

The cetacepteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711

Conceptual design proposal: HUGO global range/mobility transport aircraft [NASA-CR-195501] p 316 N94-24787

VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803

The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837

Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849

A global range military transport: The ostrich [NASA-CR-195494] p 318 N94-24972

Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft [NASA-CR-195489] p 318 N94-24975

The RTL-46: A simulated commercial air transportation study [NASA-CR-195524] p 319 N94-25017

Preliminary design of nine high speed civil transports p 322 N94-25710

Design optimization of high-speed prop rotor aircraft [NASA-TM-103988] p 324 N94-26151

Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics [NASA-CR-195228] p 324 N94-26235

A technique for integrating engine cycle and aircraft configuration optimization [NASA-CR-191602] p 325 N94-26606

Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations p 329 N94-28324

Three-dimensional external flow computations using prismatic grid p 410 N94-28979

Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516

Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787

Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations [AD-B173651] p 421 N94-30916

A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation [NASA-TP-3129] p 458 N94-32865

Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models [NASA-TM-109120] p 487 N94-32951

First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448

Update on Douglas' high-speed civil transport studies p 471 N94-33450

Airframe systems studies review p 472 N94-33453

Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470

Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472

Sonic boom configuration minimization p 472 N94-33473

First Annual High-Speed Research Workshop, part 3 [NASA-CP-10087-PT-3] p 460 N94-33487

Sonic boom acceptability studies p 512 N94-33500

Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503

Status of the variable diameter centerbody inlet program p 473 N94-33509

Status of LaRC HSCT high-lift research p 461 N94-33519

The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356

Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls [NASA-CR-196103] p 581 N94-36436

Automatic procedures for computing complete configuration geometry from individual component descriptions [NASA-TM-4607] p 568 N94-36942

AIRCRAFT CONSTRUCTION MATERIALS

An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy [SAE PAPER 922040] p 141 A94-12030

AerMet 100 Alloy for landing gear applications - A summary of forging studies [SAE PAPER 922041] p 142 A94-12031

What kind of evolution for the helicopter p 1 A94-12041

Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE [ISBN 0-7918-0662-6] p 162 A94-12651

Fourth dimensional effects in the cold expansion of large holes in thick aluminum aircraft material using photostress and strain gauges p 165 A94-12936

Alleviation of side force on tangent-ogive forebodies using passive porosity [BTN-94-EIX94311329126] p 536 A94-60174

Supersonic transport wing minimum weight design integrating aerodynamics and structures [BTN-94-EIX94311329123] p 518 A94-60177

Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873

Materials performance in advanced combustion systems [BTN-94-EIX94311331065] p 584 A94-61113

Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419

Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424

The application of advanced materials to aircraft nacelle structures p 142 N94-10011

Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023

Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055

Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [DOT/FAA/CT-93/3] p 54 N94-10766

New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767

A new low smoke, low heat release structural foam p 143 N94-10768

Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems p 143 N94-10769

A repair patching system for aircraft cargo liners p 54 N94-10771

Primaset (tm): A safer material for aircraft interior applications p 54 N94-10772

Advanced phenolic systems for aircraft interiors p 143 N94-10776

The fire properties of insulation bags, as installed and after aircraft operations p 144 N94-10778

Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779

An investigation into aircraft fuselage fire hardening p 54 N94-10782

The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784

Fire resistance and mechanical properties for phenolic prepreps p 145 N94-10786

Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787

Aircraft material fire testing and the creation of an international working group p 145 N94-10790

Future material development trends for commercial airplane interiors p 145 N94-10792

Future needs in the development of materials for aircraft interiors and equipment p 145 N94-10794

Advanced aircraft materials research and development plan p 145 N94-10796

Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers [AD-A264079] p 146 N94-11107

Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [AD-A266057] p 55 N94-12384

Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697

An overview of the NASA textile composites program p 150 N94-16846

Techno-economic requirements for composite aircraft components p 150 N94-16864

Aircraft carrier exposure tests of cast magnesium alloys [AD-A268260] p 151 N94-17418

Metals 2000 [DE93-016761] p 151 N94-17752

Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system [AC-20-36S] p 211 N94-19377

New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 N94-19496

An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136

Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228

Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260

Test methods for composites: A status report. Volume 1: Tension test methods [AD-A273501] p 348 N94-24942

A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714

NASA Lewis Research Center lean-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141

Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954

Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969

Composite leading edge/spar member for an aircraft control surface [CA-PATENT-1-325-765] p 327 N94-27273

Development of methodologies for the estimation of thermal properties associated with aerospace vehicles p 358 N94-27920

Service life prediction of composite structures through fiber testing [AD-A275661] p 403 N94-28654

Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657

NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704

Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830

Fire behavior of aeronautical materials [REPT-932-600-105] p 408 N94-29457

Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674

Location of impact damage sites in composite aircraft structures, task 3.4.1 [DSIS-94-01590] p 443 N94-31892

Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877

Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121

COINS: A composites information database system p 494 N94-33123

Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124

Structural testing of the technology integration box beam p 494 N94-33125

Technology integration box beam failure study p 494 N94-33126

Development of stitched/RTM composite primary structures p 494 N94-33127

Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128

Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129

Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134

Advanced textile applications for primary aircraft structures p 496 N94-33135

Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136

- Structural integrity of intelligent materials and structures
[AD-A278397] p 496 N94-33165
- National aerospace plane
[NASA-TM-109843] p 497 N94-33750
- Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327
- New developments in aluminum for aircraft and automobiles p 584 N94-36413
- Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649
- Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- SCS-6 (tm) fiber reinforced titanium p 585 N94-36652
- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655
- Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328
- Substantiating powder metal life methodologies for engines p 595 N94-37330
- Predicting defect behaviour p 596 N94-37331
- AIRCRAFT CONTROL**
- The autonomous airplane concept
[SAE PAPER 921918] p 53 A94-11968
- Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002
- Spoiler actuator - Problem investigation
[SAE PAPER 922005] p 107 A94-12009
- Fight testing of pneumatic forebody vortex control on the X-29 technology demonstrator p 73 A94-12012
- YF-23A hydraulic management system
[SAE PAPER 922028] p 73 A94-12023
- Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- EUROFAR simulation trials on EPOPEE simulator p 77 A94-12097
- Active flutter suppression techniques in aircraft wings p 110 A94-12613
- New techniques for aircraft flight control reconfiguration p 110 A94-12615
- Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft p 110 A94-12618
- Knowledge-based system techniques for pilot aiding p 111 A94-12704
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
- Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX94381311174] p 579 A94-61261
- Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
- Experimental design of H(sub infinity) weighting functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669
- Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675
- In-flight simulation of backside operating models using direct lift controller p 112 N94-10734
- Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 N94-10765
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
- Stability in Aerospace Systems
[AGARD-R-789] p 113 N94-11489
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- Nonlinear and dynamic analysis of flight p 113 N94-11496
- Decoupling of aircraft responses p 113 N94-11497
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- Toward intelligent flight control p 114 N94-11503
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Further studies using matched filter theory and stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors p 115 N94-13294
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- Handling qualities effects of display latency p 95 N94-13316
- Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342
- Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457
- Knowledge-based processing for aircraft flight control
[NASA-CR-194074] p 120 N94-13469
- Optimal lateral escape maneuvers for microburst encounters during final approach p 56 N94-13534
- Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target
[FFA-TN-1992-18] p 133 N94-13588
- Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory
[AD-A266718] p 122 N94-15730
- Research and training activities of the Joint Institute for Aeronautics and Acoustics
[NASA-CR-194742] p 188 N94-19493
- Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323] p 96 N94-20343
- Control vane guidance for a ducted-fan unmanned air vehicle
[AD-A271957] p 223 N94-20561
- A comparative robustness evaluation of feedforward neurofilters
[NASA-TM-106440] p 227 N94-21742
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106
- The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241
- Influence of active controls on the design process of a large transport aircraft p 260 N94-24323
- Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993
[NASA-CP-10127] p 289 N94-25096
- Aircraft digital flight control technical review p 336 N94-25106
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- X-31 aerodynamic characteristics determined from flight data p 320 N94-25109
- Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
- Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992
[CRANFIELD-AERO-9305] p 338 N94-25653
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory
[AD-A274049] p 338 N94-25833
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
- Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics
[NASA-CR-195228] p 324 N94-26235
- Research in robust control for hypersonic aircraft
[NASA-CR-195250] p 339 N94-26821
- Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- Reconfigurable aircraft stick control
[AD-D016043] p 344 N94-27113
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft
[NASA-CR-186028] p 333 N94-27432
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993
[PB94-910402] p 308 N94-27766
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 N94-28032
- An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473
- Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace p 387 N94-29577
- Decoupled flight control system design using the singular perturbation method p 400 N94-29850
- Payload central control for unmanned aircraft p 401 N94-30284
- Antiwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 N94-32075
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- Robust variable structure flight control system p 488 N94-34327
- Aircraft optimal variable structure control system p 488 N94-34328
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment p 488 N94-34329
- Computer assistant test and consultive system for aircraft fluid element p 504 N94-34368
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
- Design of integrated flight and powerplant control systems p 532 N94-34609
- Yaw control by tangential forebody blowing p 539 N94-34615
- X-31A control law design p 540 N94-34618
- YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258
- Piloted simulation study of two tilt-wing control concepts p 541 N94-35962
- F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- Aeroservoelastic stabilization considerations for pointing and tracking systems p 594 N94-36627
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014

- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059
- Prospective communications research to support fly by light/power by wire
[NASA-CR-196369] p 606 N94-37657
- ### AIRCRAFT DESIGN
- Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes p 71 A94-10777
- Concepts of hypersonic aircraft p 71 A94-10778
- Computational methods for the aerodynamic design of aircraft components p 10 A94-10889
- Upgrading the Alenia flight test computing system
[AIAA PAPER 93-4606] p 196 A94-11496
- The tilt wing advantage - For high speed VSTOL aircraft
[SAE PAPER 921911] p 72 A94-11966
- A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010
- Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures
[SAE PAPER 922036] p 158 A94-12027
- The Swedish fighter - JAS39 'Gripen' small single-engine multirole fighter p 74 A94-12040
- Merging the two ends of the VTOL spectrum p 75 A94-12082
- Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088
- Experimental evaluation of the EH101 tail rotor dynamics in flight p 76 A94-12095
- Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- Propulsion streamtubes in supersonic flow and supercritical intake cowl p 17 A94-12200
- Smart airfoils for helicopter control p 77 A94-12237
- Multiple-zone potential solutions around wing-body configurations p 17 A94-12343
- Decoupling system for Airbus A340 G.V.T p 79 A94-12482
- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design
[ISBN 0-12-012752-0] p 2 A94-12611
- Integrated technologies in aircraft design optimization p 79 A94-12612
- Techniques in the design of aircraft for maintainability p 2 A94-12614
- New techniques for aircraft flight control reconfiguration p 110 A94-12615
- Computational aeroelasticity p 111 A94-12697
- Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods p 79 A94-12702
- Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 A94-12707
- Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708
- Numerical methods in structural mechanics p 163 A94-12776
- Modeling the dynamics of a high-velocity rotating elastic flight vehicle p 138 A94-12883
- Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131
- Inlet drag prediction for aircraft conceptual design
[BTN-94-EIX94401358981] p 565 A94-61637
- New airfoil-design concept with improved aerodynamic characteristics
[BTN-94-EIX94401372110] p 567 A94-61810
- High temperature materials for hypersonic transport p 142 N94-10003
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055
- Applications of continuous fiber reinforced thermoplastics in aircraft interiors p 143 N94-10775
- Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Supersonic airplane study and design
[NASA-CR-193219] p 80 N94-11150
- Smart structures: A technology for next generation aircraft p 81 N94-11318
- The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
- Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
- Idea of underground airplane p 82 N94-12630
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- Analysis of the Harrier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
- A future view of computational science in aircraft
[NASA-TM-109284] p 32 N94-13621
- Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft
[LR-693] p 83 N94-13687
- Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006
- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611
- SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615
- Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- Expectations for the future of Fokker p 4 N94-15127
- Better airplane wings
[NASA-TM-109446] p 150 N94-15345
- The lift-fan powered-lift aircraft concept: Lessons learned
[NASA-CR-177616] p 85 N94-15718
- Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415
- Where is high-lift today? A review of past UK research programmes p 5 N94-18416
- A design procedure for slotted flaps p 88 N94-18418
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- High-lift research: Application to the design of the ATR72 flap p 89 N94-18442
- The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
- Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
- High-lift design for large civil aircraft p 89 N94-18445
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779
- Survey on the application of a 3D general purpose wind-tunnel research model
[LR-713] p 136 N94-19372
- Research and design activities and the economic balance of MBB
[ETN-93-94909] p 5 N94-19383
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- New aircraft materials and structures
[MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- ADAS implementation of a panel method for the prediction of aerodynamic loads
[LR-723] p 51 N94-19667
- Apparatus and method for improving spin recovery on aircraft
[NASA-CASE-LAR-14747-1] p 227 N94-20556
- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research
[AD-A273103] p 224 N94-21507
- Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
- The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI p 279 N94-24249
- Continuous gust response and sensitivity derivatives using state-space models p 268 N94-24287
- Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316
- The process network in the design and manufacturing of aircraft p 259 N94-24319
- Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- Influence of active controls on the design process of a large transport aircraft p 260 N94-24323
- Current and future design methods for large transport aircraft p 261 N94-24324
- The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
- Trends of design methodology of airframe p 261 N94-24327
- Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332
- JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- NASA/USRA advanced design program
[NASA-CR-195548] p 262 N94-24492
- Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498
- Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994
[NASA-TM-109036] p 253 N94-24576
- The cetaceopteryx: A global range military transport aircraft
[NASA-CR-195519] p 263 N94-24711
- Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803
- The Blue Emu
[NASA-CR-195535] p 317 N94-24817
- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- Cockpit control system
[NASA-CR-195488] p 336 N94-24957
- The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- Integrated design and manufacturing for the high speed civil transport
[NASA-CR-195511] p 318 N94-24968
- Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969
- A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- Aircraft wing structural detail design (wing, aileron, flaps, and subsystems)
[NASA-CR-195487] p 318 N94-24974
- Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975
- The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax
[LC-93-83945] p 371 N94-25065
- High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
[NASA-CR-195550] p 331 N94-25085
- Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program
[NASA-CR-195118] p 371 N94-25665

- Design of the advanced regional aircraft, the DART-75 p 321 N94-25708
- Preliminary design of nine high speed civil transports p 322 N94-25710
- Supercruiser Arrow HS-8 p 322 N94-25711
- Tesseract supersonic business transport p 322 N94-25713
- A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714
- Design study to simulate the development of a commercial freight transportation system p 323 N94-25715
- The design of four hypersonic reconnaissance aircraft p 323 N94-25716
- Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- The design of a long-range megatransport aircraft p 323 N94-25718
- Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft [NASA-TM-104013] p 324 N94-26091
- Design optimization of high-speed propeller aircraft [NASA-TM-103988] p 324 N94-26151
- A technique for integrating engine cycle and aircraft configuration optimization [NASA-CR-191602] p 325 N94-26606
- Proceedings of the Non-Linear Aero Prediction Requirements Workshop [NASA-CP-10138] p 327 N94-27439
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight [NASA-TM-4521] p 340 N94-27660
- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium [ISBN-0-920203-01-9] p 301 N94-28315
- The deterministic power-spectral-density-method for nonlinear systems p 369 N94-28353
- Organized wiring systems p 408 N94-28705
- Modification of ACSYNT aircraft computer program for preliminary design p 390 N94-28817
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
- Information presentation for expert systems in future fighter aircraft [AD-A275126] p 394 N94-29005
- Spray combustion experiments and numerical predictions p 407 N94-29277
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration [NASA-TM-109045] p 377 N94-29443
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- A comparison of military and commercial aircraft development [AD-A276830] p 427 N94-32168
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
- Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121
- Designer's unified cost model p 493 N94-33122
- COINS: A composites information database system p 494 N94-33123
- Structural testing of the technology integration box beam p 494 N94-33125
- Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134
- The National Aerospace Plane (NASP): Development issues for the follow-on vehicle [AD-A278417] p 471 N94-33329
- First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
- First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448
- NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
- Update on Douglas' high-speed civil transport studies p 471 N94-33450
- Headquarters summary reports p 471 N94-33452
- Airframe systems studies review p 472 N94-33453
- Douglas Aircraft HSCT status and future research needs p 472 N94-33454
- High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455
- Overview of Langley systems studies p 472 N94-33456
- First Annual High-Speed Research Workshop, part 2 [NASA-CP-10087-PT-2] p 460 N94-33462
- Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- HSCT design for reduced sonic boom p 472 N94-33471
- Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- P and W/GE propulsion systems studies introduction p 479 N94-33478
- First Annual High-Speed Research Workshop, part 3 [NASA-CP-10087-PT-3] p 460 N94-33487
- Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503
- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept p 473 N94-33508
- HSCT integrated propulsion control issues p 480 N94-33510
- HSCT airframe materials: The Boeing perspective p 497 N94-33515
- HSCT materials and structures: An MDC perspective p 497 N94-33516
- NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525
- Perseus: Global watcher [NASA-TM-109813] p 473 N94-33565
- The role of fatigue analysis for design of military aircraft p 531 N94-34594
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- Design of integrated flight and powerplant control systems p 532 N94-34609
- Aerodynamic design of super maneuverable aircraft p 533 N94-34617
- Operational agility: An overview of AGARD Working Group 19 p 534 N94-34625
- Design oriented structural analysis [NASA-TM-109124] p 551 N94-34722
- Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321
- High Altitude Long Endurance aircraft design studies p 572 N94-36322
- Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
- The convertible (helicopter/airplane) EUROFAIR: General considerations on the technical progress and on future advances p 574 N94-36331
- Calculations used to optimize the installation of civil aircraft engines p 574 N94-36332
- Propulsion system technologies for long range and long endurance aircraft p 578 N94-36334
- Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344
- The KDC-10 programme of the Royal Netherlands Air Force p 575 N94-36346
- Prospective communications research to support fly by light/power by wire [NASA-CR-196369] p 606 N94-37657
- AIRCRAFT DETECTION**
- Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086
- AIRCRAFT ENGINES**
- Conceptual study of separated core ultrahigh bypass engine p 98 A94-10860
- Parallel processing for jet engine control [ISBN 0-387-19747-8] p 98 A94-11675
- Ceramic blanket reduces maintenance costs p 98 A94-11849
- Liquid tight insulation for high temperature aircraft ducting [SAE PAPER 921914] p 98 A94-11967
- ETOPS and service ready standards and processes — extended-range twin-engine operations [SAE PAPER 921919] p 53 A94-11969
- Transonic propulsion aerodynamics research at NASA Langley Research Center [SAE PAPER 921937] p 72 A94-11977
- Full range pawl and ratchet clutch [SAE PAPER 921946] p 157 A94-11985
- Design improvements in air turbine start systems [SAE PAPER 921947] p 158 A94-11986
- Gyroscopic test for the T800-LHT-800 turboshaft engine [SAE PAPER 921955] p 98 A94-11992
- Overview of high performance aircraft propulsion research [SAE PAPER 921983] p 99 A94-12001
- Mathematical methods of relative engine performance diagnostics [SAE PAPER 922048] p 99 A94-12034
- Modal analysis for disordered periodic or nearly periodic structures p 161 A94-12504
- Liquid lubricants for advanced aircraft engines p 142 A94-12653
- Aeroelastic problems in turbomachines p 99 A94-12695
- Heat and mass transfer in the structural elements of aircraft engines p 164 A94-12825
- Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- Contribution of photoelasticity to the design of jet turbo engine parts p 99 A94-12953
- Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957
- Raman measurements at the exit of a combustor sector [BTN-94-EIX94341338356] p 546 A94-60348
- Approximate similarity principle for a full-scale STOVL ejector [BTN-94-EIX94341338360] p 550 A94-60352
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Simulation of the secondary air system of aero engines [BTN-94-EIX94311330097] p 587 A94-61061
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104
- Materials performance in advanced combustion systems [BTN-94-EIX94311331065] p 584 A94-61113
- Working group activities of AGARD propulsion and energetics panel [BTN-94-EIX94311331062] p 589 A94-61116
- Stall inception and development in an axial flow aeroengine [BTN-94-EIX94311330088] p 591 A94-61131
- A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience [AGARD-LS-190] p 100 N94-11022
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft [NASA-TM-106265] p 112 N94-11251
- Advanced control for airbreathing engines, volume 1: Pratt and Whitney [NASA-CR-189203] p 101 N94-12270
- Advanced control for airbreathing engines, volume 2: General Electric aircraft engines [NASA-CR-189204] p 101 N94-12271
- Advanced controls for airbreathing engines, volume 3: Allison gas turbine [NASA-CR-190205] p 101 N94-12272
- Aircraft engine type certification handbook: Advisory circular [AC-33-2B] p 102 N94-13252
- Futurepath 2 [NASA-TM-109285] p 102 N94-13623
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane [NASA-TM-4538] p 104 N94-15141
- A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 [AD-A267532] p 87 N94-17117
- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1 [AD-A267833] p 135 N94-17405
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshaft engine, volume 1 [AD-A268176] p 135 N94-17432
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshaft engine-code documentation and listings, volume 2 [AD-A268177] p 135 N94-17508
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings [AD-A268386] p 135 N94-17569
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows [AD-A269678] p 50 N94-18571

Overview of STOLV aircraft propulsion research offtakes and vertical lift systems
[NASA-TM-106387] p 105 N94-19353

Navy GTE seal development activity p 235 N94-21794

Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215

Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519

The RB211: The first 25 years
[PNR-90977] p 264 N94-23570

Internal combustion engine with a central crankshaft and integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055

Aircraft accident report: In-flight engine separation, Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062

A colour image processing algorithm to identify copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122

The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241

Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490

Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200

Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory
[AD-A274118] p 324 N94-25905

Aircraft turbine engine reliability and inspection investigations
[AD-A274860] p 332 N94-26176

Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882

Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048

Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test p 361 N94-28050

Fuels and Combustion Technology for Advanced Aircraft Engines
[AD-A275679] p 404 N94-29246

On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247

Combustion technology needs for advanced high pressure cycle engines p 404 N94-29248

Combustion for future supersonic transport propulsion p 404 N94-29249

Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252

High temperature fuel requirements and payoffs p 405 N94-29259

Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264

Technology rigs: A tool for afterburner development p 397 N94-29270

Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272

The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275

Ducted kerosene spray flames p 407 N94-29276

Spray combustion experiments and numerical predictions p 407 N94-29277

Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301

Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575

An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0)
[AD-A276251] p 435 N94-31290

Thermal-mechanical fatigue crack growth in aircraft engine materials
[ISBN-0-315-86543-1] p 447 N94-31707

Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026

Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238

A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0)
[AD-A278042] p 477 N94-33266

Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283

An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339

Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443

General Electric/Pratt and Whitney summary report p 478 N94-33451

Douglas Aircraft HSCT status and future research needs p 472 N94-33454

HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466

P and W/GE propulsion systems studies introduction p 479 N94-33478

Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485

HSCT integrated propulsion control issues p 480 N94-33510

Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511

Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874

High-performance parallel analysis of coupled problems for aircraft propulsion p 481 N94-34216

Toxic emissions from aircraft engines: A search of available literature
[PB94-156486] p 482 N94-34400

Combustor technology for small aircraft engines p 485 N94-34453

Low emission combustor technology for small aircraft gas turbines p 485 N94-34454

Progress and purpose of IHPTET program p 538 N94-34607

Engine characteristics for agile aircraft p 538 N94-34608

National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-109855] p 542 N94-34633

Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's
[NASA-TM-109250] p 545 N94-35591

Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963

Calculations used to optimize the installation of civil aircraft engines p 574 N94-36332

Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333

The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft p 578 N94-36335

Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649

Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655

Impact of Materials Defects on Engine Structures Integrity
[AGARD-R-790] p 595 N94-37321

History and prognosis of material discontinuity effects on engine components structural integrity p 595 N94-37322

Alternate melting and refining routes p 585 N94-37323

Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

Turbine disks: Lifting against defects and materials development p 595 N94-37329

Substantiating powder metal life methodologies for engines p 595 N94-37330

Predicting defect behaviour p 596 N94-37331

Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401

AIRCRAFT EQUIPMENT

Certification of airborne data link equipment
[SAE PAPER 922003] p 61 A94-11719

Digital terrain modelling for research and development simulations
[SAE PAPER 921979] p 1 A94-11999

Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121

Precision aircraft height estimation with multiple radars p 62 A94-12122

Method of reducing drag in aerodynamic systems
[NASA-CASE-LEW-14791-1] p 24 N94-10672

Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719

Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 N94-18760

Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system
[AC-20-365] p 211 N94-19377

Windshear detection for aircraft using temperature lapse rate
[CA-PATENT-1,295,736] p 219 N94-21030

Cockpit video: A low cost BDA source
[AD-A275228] p 395 N94-29389

Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 N94-32314

Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409

A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields
[NASA-CR-194895] p 468 N94-33956

Laser designation pods optimized concept for day/night operations p 594 N94-36620

Infrared search and track demonstrator programme p 599 N94-36622

AIRCRAFT FUEL SYSTEMS

Hydrazine engine start system air start performance and controls sizing
[SAE PAPER 921948] p 158 A94-11987

Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines
[ISBN-0-315-56062-2] p 174 N94-13521

AIRCRAFT FUELS

Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366

A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275

Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels p 147 N94-12282

Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539

Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901

Fuels combustion research p 404 N94-29004

Fuels and Combustion Technology for Advanced Aircraft Engines
[AD-A275679] p 404 N94-29246

High temperature resistant jet fuels p 405 N94-29260

Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378

Toxic emissions from aircraft firefighting training: A search of available literature
[PB94-156783] p 507 N94-34409

Unleaded AVGAS program p 547 N94-35795

Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505

AIRCRAFT GUIDANCE

Toward intelligent flight control p 114 N94-11503

Knowledge-based processing for aircraft flight control
[NASA-CR-194074] p 120 N94-13469

Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450] p 68 N94-13703

Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050

Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055

Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288

Ground station siting considerations for DGPS p 315 N94-27293

Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace p 387 N94-29577

Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578

Air-ground integration of the ATM system in PHARE p 388 N94-29579

Experimental flight management system p 388 N94-29580

- The PHARE advanced tools p 388 N94-29581
Automatic control steps for aircraft taxi guidance p 388 N94-29584
- A novel near-range radar network for airport surface control p 389 N94-29586
Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- A stochastic control approach to flight path monitoring [AD-B174630] p 430 N94-30853
Flight simulator evaluation of advanced MLS procedures [AD-B174270] p 430 N94-30915
- Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- AIRCRAFT HAZARDS**
Airborne windshear system alert principle study p 189 A94-10123
Bird strike hazards to helicopters p 54 A94-12116
Signal processing aspects of windshear detection p 190 A94-12361
- Lee waves: Benign and malignant [NASA-CR-186024] p 190 N94-10725
Practical hazard assessment: An approach to the fire safety p 145 N94-10785
Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787
- Analytical method for water vapor collection and analysis in aircraft cabin fires [DOT/FAA/CT-TN93/33] p 55 N94-12575
Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development [NASA-CR-194252] p 56 N94-13424
Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF) [NASA-TM-106357] p 58 N94-16520
Windshear database for forward-looking systems certification [NASA-TM-109012] p 192 N94-17283
Aircraft accident report: In-flight engine separation, Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993 [PB93-410407] p 255 N94-24062
Aviation Weather Program (AWP) p 282 N94-24380
Annual review of aircraft accident data. US general aviation calendar year 1990 [PB94-126869] p 305 N94-24841
Full-scale fire testing of seat component materials [AD-A273499] p 305 N94-24941
The relationship of an integral wind shear hazard to aircraft performance limitations [NASA-TM-109080] p 339 N94-26593
Aircraft icing handbook (update) [AD-A276499] p 426 N94-31678
WHIPICE — computer program for analysis of aircraft deicing [NASA-TM-109749] p 426 N94-31803
- AIRCRAFT HYDRAULIC SYSTEMS**
The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure [ISBN-0-315-83580-X] p 238 N94-22577
- AIRCRAFT ICING**
Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
Influence of aerodynamic forces in ice shedding [BTN-94-EIX94401358967] p 564 A94-61623
A preliminary study on ice shape tracing with a laser light sheet [NASA-TM-105964] p 170 N94-11132
Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074
Turbulence modeling in aircraft icing p 185 N94-18555
Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D) [NASA-TM-105974] p 220 N94-21590
Characteristics of surface roughness associated with leading edge ice accretion [NASA-TM-106459] p 249 N94-23522
Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 N94-23523
Rime-, mixed- and glaze-ice evaluations of three scaling laws [NASA-TM-106461] p 255 N94-24047
An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 378 N94-29674
- The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion [NASA-CR-195327] p 380 N94-30124
An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion [NASA-CR-195330] p 381 N94-30152
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890
Aircraft icing handbook (update) [AD-A276499] p 426 N94-31678
WHIPICE — computer program for analysis of aircraft deicing [NASA-TM-109749] p 426 N94-31803
Continuous measurement of aircraft wing icing p 467 N94-32454
An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion [NASA-CR-195301] p 456 N94-32475
Icing test results on an advanced two-dimensional high-lift multi-element airfoil [NASA-TM-106620] p 464 N94-33705
Icing research tunnel [NASA-TM-109844] p 491 N94-33751
- AIRCRAFT INDUSTRY**
The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101
The application of simulation in aero-reliability engineering p 153 A94-10102
The reliability parameter estimation of flight information p 153 A94-10108
Discussions of standardization systems engineering and its research (working) objects p 193 A94-10112
Financial crisis in the aviation industry - United Kingdom p 208 A94-13147
Financial crisis in the aviation industry - United States p 209 A94-13148
Financial crisis in the aviation industry - France p 209 A94-13149
- Activities of Bombardier, Inc. [ISBN-2-921393-11-5] p 3 N94-13520
Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336
Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system [AC-20-36S] p 211 N94-19377
Activities of National Inst. for Aviation Research [NIAR-93-16] p 212 N94-20150
Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316
The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax [LC-93-83945] p 371 N94-25065
Aviation: The timeless industry p 289 N94-25068
Future of aerospace [PB94-120185] p 326 N94-26906
Fishermans Bend: A centre of Australian aviation [AD-A274981] p 373 N94-29090
- AIRCRAFT INSTRUMENTS**
Conflict recognition in the onboard collision protection system ACAS II p 60 A94-10750
MMW technology for enhanced situation awareness/enhanced vision systems [SAE PAPER 921929] p 93 A94-11711
DATA LINK - A conceptual flight deck system and related issues [SAE PAPER 922002] p 61 A94-11718
Trial of a slant visual range measuring device p 159 A94-12287
A technique to account for the misalignment of pyranometers installed on aircraft p 159 A94-12290
Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 A94-12551
Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
Flight test of the exploratory gimbal-mounted airborne ESG system p 94 A94-12555
Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements p 64 A94-12560
Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564
Operational aspects of GPS for precision approach and landing p 65 A94-12572
Technology integration in advanced commercial aircraft cockpits and operational systems p 95 A94-12621
Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system p 95 A94-12622
Wide-Eye (tm)/helmet mounted display system for rotorcraft applications [BTN-94-EIX94311335528] p 549 A94-60209
- Tactical cockpits: The coming revolution [BTN-94-EIX94311335530] p 530 A94-60211
Takeoff performance monitoring system display options [BTN-94-EIX94401358988] p 577 A94-61644
Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 A94-61669
A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 N94-11711
Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451
Photogrammetric methods for trajectory measurements [NLR-TP-91166-U] p 174 N94-13527
Take-off performance monitoring system algorithm and display development [NLR-TP-91395-U] p 88 N94-17734
JPRS report: Central Eurasia. Aviation and cosmonautics, no. 12, December 1992 [JPRS-UAC-93-006] p 212 N94-19148
Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system [AC-20-36S] p 211 N94-19377
Evaluation of the UH-1N instrument panel [AD-A273145] p 263 N94-24774
GPS/GNSS for ATM p 385 N94-29565
Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903
A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields [NASA-CR-194895] p 468 N94-33956
Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
- AIRCRAFT LANDING**
A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
Trial of a slant visual range measuring device p 159 A94-12287
Issues for GNSS-based precision approach p 63 A94-12552
Aircraft landing gear positioning concerning abnormal landing cases [BTN-94-EIX94311329140] p 536 A94-60160
Synthetic vision for enhancing poor visibility flight operations [BTN-94-EIX94311335531] p 557 A94-60212
Reduction in size and unsteadiness of VTOL ground vortices by ground fences [BTN-94-EIX94401358975] p 565 A94-61631
The Memphis Precision Runway Monitor Program Instrument Landing System final approach study [AD-A266035] p 66 N94-11103
Active landing gear control for improved ride quality during ground roll p 81 N94-11345
Implementation of ADI: Schemes on MIMD parallel computers [NASA-CR-193720] p 200 N94-13204
Visual cueing aids for rotorcraft landings p 119 N94-13313
Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA [NAL-TR-1183] p 68 N94-13457
Evaluation of infrared sensors for autonomous landing guidance [AD-A266450] p 68 N94-13703
An analysis of tactical airlifter characteristics and their impact on theater airlift system performance [AD-A266719] p 86 N94-15731
All-weather precision landing system for aircraft in remote areas [AD-D015924] p 70 N94-20197
Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055
Airport pavement test machine design and cost study [DOT/FAA/CT-93/51] p 268 N94-24072
The application of a C(star) flight control law to large civil transport aircraft [CRANFIELD-AERO-9303] p 338 N94-25640
Methods for experimentally determining commercial jet aircraft landing parameters from video image data [AD-A274207] p 326 N94-27105
Optimal control of helicopters following power failure [NAL-TR-1190] p 340 N94-27206
Ground station siting considerations for DGPS p 315 N94-27293
A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034

- Fuzzy-neural control of an aircraft tracking camera platform p 507 N94-32423
 An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
 Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
 Two-axis camera platform for machine vision p 597 N94-36628
 Synthetic vision display evaluation studies [NASA-CR-194963] p 603 N94-37658
- AIRCRAFT LAUNCHING DEVICES**
 Technology and staging effects on two-stage-to-orbit systems [BTN-94-EIX94311322891] p 520 A94-60205
- AIRCRAFT MAINTENANCE**
 A discussion of the phased character of reliability and maintainability indexes p 153 A94-10104
 Future concepts for maintenance and the increasing role of on-board maintenance [SAE PAPER 921921] p 93 A94-11971
 Health and Usage Monitoring systems p 2 A94-12046
 Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084
 Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104
 Techniques in the design of aircraft for maintainability p 2 A94-12614
 Artificial neural networks for predicting nonlinear dynamic helicopter loads [BTN-94-EIX94301315989] p 515 A94-60025
 Scheduled maintenance optimization system [BTN-94-EIX94311329145] p 517 A94-60155
 Aircraft fleet maintenance based on structural reliability analysis [BTN-94-EIX94311329134] p 517 A94-60166
 Fault diagnosis in gas turbines using a model-based technique [BTN-94-EIX94311331071] p 589 A94-61107
 Environmentally Safe and Effective Processes for Paint Removal [AGARD-R-791] p 166 N94-10613
 Paint removal activities in the US Navy p 166 N94-10614
 Paint removal activities in Canada p 167 N94-10615
 Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint p 167 N94-10616
 Paint removal activities in Germany p 167 N94-10617
 The development of alternative paint removal techniques in the RAF p 167 N94-10618
 Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619
 Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620
 German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621
 Plastic media blasting activities at Hill Air Force Base p 167 N94-10622
 Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
 Automated Laser Paint Stripping (ALPS) update p 168 N94-10624
 Aquastrip (tm): An innovative paint removal technology p 168 N94-10625
 Paint removal and surface cleaning using ice particles p 168 N94-10626
 Paint removal using wheat starch blast media p 168 N94-10627
 IATA taskforce: Paintstripping p 169 N94-10628
 Selectively strippable paint schemes p 169 N94-10629
 A repair patching system for aircraft cargo liners p 54 N94-10771
 A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience [AGARD-LS-190] p 100 N94-11022
 Smart structures: A technology for next generation aircraft p 81 N94-11318
 In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333
 Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-191499] p 148 N94-13267
 The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage [LR-697] p 177 N94-13986
 Mission management aircraft operations manual [NHB-7900.3] p 210 N94-16729
 Definitions of terms relating to aircraft windscreens, canopies, and transparencies [AD-A268403] p 87 N94-17425
 Overview of the FAA/DCA/NLR programs related to ageing aircraft [NLR-TR-92119-U] p 4 N94-17614
 Mathematical modelling of bonded fibre-composite repairs to aircraft [AD-A268732] p 152 N94-18327
 The J85 cost/benefit engine study [AD-A269280] p 105 N94-18333
 A comparison of air force data systems [AD-A269691] p 210 N94-18575
 Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool [DE93-018088] p 187 N94-19252
 Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft [AD-A271322] p 211 N94-19571
 A comparison Air Force data systems - Comments on IDA Paper P-2863 [AD-A270662] p 211 N94-19780
 The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
 A colour image processing algorithm to identify copper-based particles in filter debris samples [DREP-TM-93-19] p 283 N94-24122
 Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
 Computer based expert system for battle damage repair of composite structures p 283 N94-24262
 Aircraft turbine engine reliability and inspection investigations [AD-A274860] p 332 N94-26176
 Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
 An investigation into the aerodynamic effects of wing patches [ISBN-0-315-84121-4] p 294 N94-26672
 Know-how export: Lufthansa technology at Shannon p 311 N94-28248
 Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346
 Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
 Aircraft age impacts on maintenance requirements [AD-A275701] p 373 N94-28666
 Organized wiring systems p 408 N94-28705
 Aircraft age impact on individual operating and support cost elements [AD-A275739] p 373 N94-28732
 Evaluation of access/navigation features of a graphical-user interface installed on a portable maintenance aid [AD-A275791] p 383 N94-28744
 Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
 A time reasoning system based on the event calculus for scheduling in aeronautic maintenance [REPT-932-710-101] p 374 N94-29463
 The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900
 The Automated Aircraft Rework System (AARS): A system integration approach [AIAA PAPER 94-1225-CP] p 450 N94-30574
 A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078
 An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons [AD-A276421] p 419 N94-31332
 An evaluation of aircraft maintenance performance factors in the objective wing [AD-A276010] p 419 N94-31362
 Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1 [AD-A276144] p 419 N94-31830
 Shearographic inspection of a DeHavilland DHC-7 [AD-A276716] p 419 N94-32157
 Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS) [AD-A277184] p 420 N94-32254
- Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086
 A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0) [AD-A278042] p 477 N94-33266
 Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions [AD-A277918] p 477 N94-33283
 The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
 An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339
 Report of the workshops: Automated generation of electronic technical manuals [AD-A278046] p 514 N94-33401
 Airline safety and economy [NASA-TM-109811] p 468 N94-33563
 Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590
 Computer assistant test and consultative system for aircraft fluid element p 504 N94-34368
 Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592
 The role of fatigue analysis for design of military aircraft p 531 N94-34594
 Calculations used to optimize the installation of civil aircraft engines p 574 N94-36332
 Aircraft battle damage repair for the 1990's and beyond [AD-A278635] p 576 N94-36465
 A mean value analysis heuristic for analysis of aircraft sortie generation [AD-A278578] p 598 N94-36970
 Training and operations support system (TOPS) p 599 N94-37344
 Planning German Army helicopter maintenance and mission assignment [AD-A280483] p 564 N94-37352
- AIRCRAFT MANEUVERS**
 F-16 uncommanded pitch oscillation p 106 A94-10328
 Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
 Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744
 Comment on 'Generalized technique for inverse simulation applied to aircraft maneuvers' p 107 A94-10833
 Arterial heat pipe performance in a transient heat flux and body force environment [SAE PAPER 921944] p 157 A94-11983
 Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091
 Determination of slender body aerodynamics using discrete vortex methods [BTN-94-EIX94311330679] p 543 A94-60112
 Some basic considerations on angles describing airplane flight maneuvers [BTN-94-EIX94381311179] p 570 A94-61266
 Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft [BTN-94-EIX94381311180] p 570 A94-61267
 Range optimal trajectories for an aircraft flying in the vertical plane [BTN-94-EIX94381311181] p 571 A94-61268
 Significance of the dihedral effect in rapid fuselage-reorientation maneuvers [BTN-94-EIX94401358971] p 571 A94-61627
 Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem [BTN-94-EIX94401358173] p 583 A94-61679
 Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
 Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
 The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311
 Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107
 VMC left turn curved approaches, test results - (visual meteorological conditions) p 70 N94-18728
 Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
 Combined 1991 and 1992 Robinson-22B (R-22) parking test results [AD-A273550] p 269 N94-24559
 Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107

- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
[AD-A273685] p 321 N94-25440
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set
[AD-A273913] p 321 N94-25590
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
- Automation of formation flight control
[AD-A274137] p 340 N94-27132
- Operational agility
[AGARD-AR-314] p 474 N94-33875
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611
- X-31 tactical utility: Initial results p 533 N94-34620
- Flying qualities evaluation maneuvers p 533 N94-34623
- The influence of flying qualities on operational agility p 534 N94-34628
- An agility metric structure for operational agility p 534 N94-34629
- Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E p 541 N94-34630
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- ### AIRCRAFT MODELS
- Wall correction method for models with propeller induced slipstream p 7 A94-10437
- Effects of model scale on flight characteristics and design parameters
[BTN-94-EIX94311329143] p 517 A94-60157
- Parameter estimates of an aeroelastic aircraft as affected by model simplifications
[BTN-94-EIX94311329142] p 517 A94-60158
- Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177
- Omothopter wing design
[BTN-94-EIX94331337499] p 521 A94-60334
- Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration
[NASA-CR-193614] p 170 N94-10937
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- Nonlinear and dynamic analysis of flight p 113 N94-11496
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- Lift enhancement of a wing/strake using pneumatic blowing
[AD-A265074] p 82 N94-11872
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
- Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347
- Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454
- Analysis of the Harrier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
- Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
- An introduction to structural models
[AD-A268151] p 202 N94-17429
- A wind tunnel model control surface actuator interface
[AD-A268729] p 135 N94-18324
- A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
- High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
- Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914
- Activities of National Inst. for Aviation Research
[NIAR-93-16] p 212 N94-20150
- Improved ceramic slip casting technique --- application to aircraft model fabrication
[NASA-CASE-LAR-14471-1] p 230 N94-20377
- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel
[NASA-TM-106471] p 248 N94-23299
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory
[AD-A274118] p 324 N94-25905
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
- Modification of ACSYNT aircraft computer program for preliminary design
[NASA-CR-195737] p 390 N94-28817
- A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200
- Miniature linear-to-rotary motion actuator p 413 N94-29647
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory
[NASA-CR-195765] p 437 N94-31203
- Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759
- Fault detection and isolation for the Bluebird test bed aircraft
[AD-A277979] p 487 N94-33086
- A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378
- Yaw control by tangential forebody blowing p 539 N94-34615
- A mean value analysis heuristic for analysis of aircraft sortie generation
[AD-A278578] p 598 N94-36970
- Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- Design of scaled down structural models p 605 N94-37797
- ### AIRCRAFT NOISE
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
- Optimization of actuator arrays for aircraft interior noise control
[AIAA PAPER 93-4447] p 71 A94-11352
- Helicopter noise certification - Past-present-future p 203 A94-12043
- Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
- Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions p 203 A94-12052
- Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053
- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- An impedance approach to vibro-acoustic modeling
[AD-A268566] p 204 A94-12483
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX94321333312] p 548 A94-60044
- Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction
[NASA-CR-193623] p 204 N94-10752
- On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates
[NASA-CR-191546] p 207 N94-15487
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach
[NASA-CR-191484] p 207 N94-17278
- Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599
- Transport policy options for reducing noise at airports: Hamburg airport taken as an example
[DLR-FB-92-40] p 135 N94-18123
- Noise measurements on two types of airplanes used for spraying in agriculture
[LR-706] p 92 N94-19796
- Rotorcraft noise: Status and recent developments
[NASA-CR-194761] p 244 N94-20523
- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms
[AD-A276299] p 234 N94-21756
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054
- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
- Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
- Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026
- The ISL rotor bench p 321 N94-25301
- INM, Integrated Noise Model. Version 4.11: User's guide, supplement
[AD-A273885] p 370 N94-25731
- Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter
[NASA-TM-108237] p 452 N94-31337
- Common property resources and low-level flying in Labrador: Flight, fight or fancy?
[ISBN-0-315-87318-3] p 453 N94-31732
- Helipoint Noise Model (HNM) version 2.2 (user's guide)
[AD-A277072] p 452 N94-32418
- Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study
[NASA-CR-194905] p 509 N94-33023
- First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448
- First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462
- NASA HSR phase 1 low noise nozzle technology program overview p 478 N94-33463
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- HSCT design for reduced sonic boom p 472 N94-33471
- Sonic boom configuration minimization p 472 N94-33473
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
- First Annual High-Speed Research Workshop, part 3
[NASA-CP-10087-PT-3] p 460 N94-33487
- Community noise technology needs: Boeing's perspective p 511 N94-33490
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491
- Status and plans for the ANOPP/HSR prediction system p 511 N94-33494
- HSCT inlet development issues p 472 N94-33505

- Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
 Overview of NASA HSR high-lift program p 461 N94-33518
 HSCT high lift system aerodynamic requirements p 461 N94-33522
- Flying on the ground
 [NASA-TM-109825] p 513 N94-33579
 A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
 [NASA-TM-109113] p 513 N94-33610
 Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions
 [NASA-CP-195824] p 466 N94-34207
 A review of an updated synthesis of noise/annoyance relationships
 [NASA-CR-194950] p 513 N94-34303
 Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
 [PB94-151941] p 513 N94-34380
 1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion
 [NASA-CP-10134] p 561 N94-35961
 Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963
- AIRCRAFT PARTS**
 Application of the strain gage-hole drilling method to aircraft transparencies p 164 A94-12918
 Determination of tire-wheel interface loads for aircraft wheels
 [BTN-94-EIX94311329136] p 517 A94-60164
 Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures
 [FFA-TN-1993-05] p 84 N94-13690
 Flush head fastener
 [CA-PATENT-1308581] p 278 N94-24175
 The airplane: A simulated commercial air transportation study
 [NASA-CR-195525] p 317 N94-24837
 Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
 [AD-A273666] p 349 N94-25406
 Methods in unsteady aerodynamics
 [DLR-FB-93-21] p 296 N94-27741
 Aerospace applications of magnetic bearings p 554 N94-35837
- AIRCRAFT PERFORMANCE**
 A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
 Airborne windshear system alert principle study
 [AD-A273685] p 189 A94-10123
 Concepts of hypersonic aircraft p 71 A94-10778
 A systematic computation scheme of PAR-WIG cruising performance p 155 A94-10799
 Application of advanced technologies to very large subsonic transports
 [SAE PAPER 921938] p 73 A94-11978
 The Swedish fighter — JAS39 'Gripen' small single-engine multirole fighter p 74 A94-12040
 EUROFA simulation trials on EPOPEE simulator p 77 A94-12097
 Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (FI-FADS) system p 95 A94-12622
 Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods p 79 A94-12702
 Evaluation of parameter estimation methods for unstable aircraft
 [BTN-94-EIX94401358965] p 580 A94-61621
 Takeoff performance monitoring system display options
 [BTN-94-EIX94401358988] p 577 A94-61644
 Implementation of a full-envelope controller for a high-performance aircraft
 [BTN-94-EIX94401358167] p 580 A94-61673
 Nonlinear stability and control study of highly maneuverable high performance aircraft
 [NASA-CR-193480] p 79 N94-10344
 Progress in multidisciplinary design optimization at NASA Langley
 [NASA-TM-107754] p 198 N94-10814
 The Memphis Precision Runway Monitor Program Instrument Landing System final approach study
 [AD-A266035] p 66 N94-11103
 Preliminary supersonic flight test evaluation of performance seeking control
 [NASA-TM-4494] p 100 N94-11205
 Comparing aircraft agility using mahalanobis distances
 [PB93-175446] p 82 N94-11464
 Decoupling of aircraft responses p 113 N94-11497
 Stability model of the atmosphere p 190 N94-11500
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
 [NASA-CP-3220] p 115 N94-13294
 Handling qualities effects of display latency p 95 N94-13316
 Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
 Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
 Performance seeking control: Program overview and future directions
 [NASA-TM-4531] p 103 N94-14855
 Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters
 [AD-A268002] p 87 N94-17472
 Take-off performance monitoring system algorithm and display development
 [NLR-TP-91395-U] p 88 N94-17734
 High lift and the forward swept wing p 89 N94-18436
 Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
 High-lift design for large civil aircraft p 89 N94-18445
 An investigation of fighter aircraft agility
 [NASA-CR-194608] p 91 N94-19448
 Apparatus and method for improving spin recovery on aircraft
 [NASA-CASE-LAR-14747-1] p 227 N94-20556
 Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
 [NASA-TM-4532] p 265 N94-24106
 S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
 Conceptual design proposal: HUGO global range/mobility transport aircraft
 [NASA-CR-195501] p 316 N94-24787
 The Blue Emu
 [NASA-CR-195535] p 317 N94-24817
 Dumbo heavy lifter aircraft
 [NASA-CR-195500] p 317 N94-24915
 A global range military transport: The ostrich
 [NASA-CR-195494] p 318 N94-24972
 Design project: Viper
 [NASA-CR-195484] p 319 N94-25021
 High lift aerodynamics
 [NASA-CR-195183] p 321 N94-25268
 Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
 [AD-A273685] p 321 N94-25440
 EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft
 [NASA-TM-104013] p 324 N94-26091
 Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics
 [NASA-CR-195228] p 324 N94-26235
 Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
 [NASA-TM-109040-VOL-4] p 293 N94-26483
 Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
 [NASA-TM-109040-VOL-1] p 293 N94-26489
 Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
 [NASA-TM-109040-VOL-2] p 293 N94-26492
 Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
 [NASA-TM-109040-VOL-3] p 293 N94-26497
 The relationship of an integral wind shear hazard to aircraft performance limitations
 [NASA-TM-109080] p 339 N94-26593
 A technique for integrating engine cycle and aircraft configuration optimization
 [NASA-CR-191602] p 325 N94-26606
 Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
 Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
 Exploring QDES as a tool for determining limits of achievable performance in aircraft design
 [AD-A275359] p 391 N94-28998
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
 Status and plans for the ANOPP/HSR prediction system p 511 N94-33494
 Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503
 Operational agility
 [AGARD-AR-314] p 474 N94-33875
 X-31 tactical utility: Initial results p 533 N94-34620
 EFA flying qualities specification and its utilisation p 533 N94-34621
 The influence of flying qualities on operational agility p 534 N94-34628
 An agility metric structure for operational agility p 534 N94-34629
 Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients
 [NASA-TM-4591] p 535 N94-35241
 Piloted simulation study of two tilt-wing control concepts p 541 N94-35962
 Recent Advances in Long Range and Long Endurance Operation of Aircraft
 [AGARD-CP-547] p 572 N94-36321
- AIRCRAFT PILOTS**
 Pilot's Associate - A synergistic system reaches maturity
 [AIAA PAPER 93-4665] p 93 A94-11535
 Knowledge-based system techniques for pilot aiding p 111 A94-12704
 The influence of ATC message length and timing on pilot communication
 [NASA-CR-177621] p 57 N94-14744
 Effects of repair on structural integrity
 [PB94-143336] p 390 N94-28647
 The influence of data link-provided graphical weather on pilot decision-making
 [AD-A278871] p 556 N94-35596
- AIRCRAFT POWER SUPPLIES**
 Aircraft generation and distribution systems: Proceedings of the Conference, London, United Kingdom, Oct. 14, 1992
 [ISBN 1-85768-060-X] p 156 A94-11368
 Matching today's technology to the electric power requirement — of aircraft p 156 A94-11370
 Flexible alternatives to constant frequency systems p 156 A94-11372
 Electrical power generation systems - Combat aircraft perspective p 156 A94-11373
 Load management p 156 A94-11374
 Recent advances in no-break power transfer (NBPT)
 [SAE PAPER 921964] p 98 A94-11993
 Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099
 Integrated control and management of advanced aircraft electrical power system p 504 N94-34333
- AIRCRAFT PRODUCTION**
 Advancements in automatic fastening technology p 157 A94-11848
 Government/contractor development teams
 [TABES PAPER 93-460] p 210 N94-16134
 Aerospace: Facts and figures, 1992-1993
 [AD-A272571] p 215 N94-21419
 The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
 The Blue Emu
 [NASA-CR-195535] p 317 N94-24817
 Future of aerospace
 [PB94-120185] p 326 N94-26906
 Fishermans Bend: A centre of Australian aviation
 [AD-A274981] p 373 N94-29090
 HSCT materials and structures: An MDC perspective p 497 N94-33516
- AIRCRAFT PRODUCTION COSTS**
 C-17 lot 3 production contract
 [AD-A273180] p 306 N94-25153
 Designer's unified cost model p 493 N94-33122
 COINS: A composites information database system p 494 N94-33123
 Composite fuselage crown panel manufacturing technology p 495 N94-33133
- AIRCRAFT RELIABILITY**
 Monte Carlo simulation of commercial aircraft reliability p 183 A94-10103
 A discussion of the phased character of reliability and maintainability indexes p 153 A94-10104
 Flexible alternatives to constant frequency systems p 156 A94-11372
 Design improvements in air turbine start systems
 [SAE PAPER 921947] p 158 A94-11986
 The contribution of the EH101 to improving public transport helicopter safety levels p 53 A94-12083
 New techniques for aircraft flight control reconfiguration p 110 A94-12615

- Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX94331337500] p 550 N94-60335
- Flight service evaluation of composite helicopter components
[HTN-94-00295] p 609 N94-62424
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage
[LR-697] p 177 N94-13986
- Aircraft operations management manual
[NHB-7900.3(V1)] p 210 N94-16730
- Engine starting and stopping p 360 N94-28047
- A340 testing p 310 N94-28242
- After thirty years: Farewell of Europa jet p 311 N94-28249
- A symbol of reliability: Ju 52 p 329 N94-28250
- Automation for nondestructive inspection of aircraft
[AIAA PAPER 94-1223-CP] p 449 N94-30572
- An evaluation of aircraft maintenance performance factors in the objective wing
[AD-A276010] p 419 N94-31362
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques
[AD-280273] p 550 N94-34581
- Hammer 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596
- Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597
- Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- Prospective communications research to support fly by light/power by wire
[NASA-CR-196369] p 606 N94-37657
- AIRCRAFT SAFETY**
- Helicopter structural integrity monitoring p 77 A94-12238
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766
- An investigation into aircraft fuselage fire hardening p 54 N94-10782
- Practical hazard assessment: An approach to the fire safety p 145 N94-10785
- Aircraft material fire testing and the creation of an international working group p 145 N94-10790
- Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- Advanced aircraft materials research and development plan p 145 N94-10796
- The future of aircraft cabin fire safety p 54 N94-10797
- Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991
[PB93-910405] p 55 N94-11044
- Impact of shutting down en route primary radars within CONUS interior
[DOT-VNTSC-FAA-93-1] p 67 N94-11626
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[AD-A266057] p 55 N94-12384
- Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Activities report of the Federal Administration for Flight Safety (Germany)
[ETN-93-94208] p 56 N94-14008
- Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186
- NASA images 6
[NASA-TM-109437] p 57 N94-15336
- Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550
- An analysis of tactical airlifter characteristics and their impact on theater airlift system performance
[AD-A266719] p 86 N94-15731
- National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989
[PB93-160687] p 58 N94-16464
- Mission management aircraft operations manual
[NHB-7900.3] p 210 N94-16729
- Aircraft operations management manual
[NHB-7900.3(V1)] p 210 N94-16730
- The 11th Annual report of accomplishments under the airport improvement program: Fiscal year 1992
[AD-A268328] p 69 N94-17458
- Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
- Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents
[PB93-202885] p 220 N94-21428
- Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- Parallel runway requirement analysis study. Volume 1: The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277
- Cockpit weather graphics using mobile satellite communications p 273 N94-22775
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments
[DE94-000554] p 274 N94-23000
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993
[PB93-910408] p 254 N94-23579
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- Rime-, mixed- and glaze-ice evaluations of three scaling laws
[NASA-TM-106461] p 255 N94-24047
- Aircraft accident report: In-flight engine separation. Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062
- Aircraft flight safety: A bibliography
[AGARD-R-805] p 255 N94-24091
- Aviation Weather Program (AWP) p 282 N94-24380
- Aircraft evacuation testing: Research and technology issues
[PB94-107620] p 255 N94-24750
- Annual review of aircraft accident data. US general aviation calendar year 1990
[PB94-126866] p 305 N94-24841
- Aviation system safety risk management tool analysis. Volume 2: Appendices
[AD-A273502] p 305 N94-24864
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993
[PB94-910402] p 308 N94-27766
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960
- Full-scale testing and analysis of curved aircraft fuselage panels
[AD-A275666] p 390 N94-28657
- Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799
- National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990
[PB94-126869] p 382 N94-29185
- Fire behavior of aeronautical materials
[REPT-932-600-105] p 408 N94-29457
- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887
- Remote sensor observations during WISPR1: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
- Analysis concerning the inspection threshold for multi-site damage
[PB94-142429] p 432 N94-30905
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992
[PB94-910403] p 467 N94-32938
- Halon 1211 replacement agent evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385
- Airline safety and economy
[NASA-TM-109811] p 468 N94-33563
- Federal aviation regulations. Part 91: General operating and flight rules, change 3
[PB94-159910] p 468 N94-34410
- Annual review of aircraft accident data: US general aviation calendar year 1991
[PB94-127982] p 528 N94-34991
- A review of computer evacuation models and their data needs
[AD-280707] p 528 N94-35236
- Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendices
[SCT-93RR-17-VOL-2] p 567 N94-36467
- Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- AIRCRAFT SPECIFICATIONS**
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295
- MIL-H-8501B: Application to shipboard terminal operations p 116 N94-13296
- Some lessons learned in three years with ADS-33C --- rotorcraft handling qualities specification p 116 N94-13299
- A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- EFA flying qualities specification and its utilisation p 533 N94-34621
- AIRCRAFT SPIN**
- Apparatus and method for improving spin recovery on aircraft
[NASA-CASE-LAR-14747-1] p 227 N94-20556
- AIRCRAFT STABILITY**
- A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
- Static and dynamic flight-path stability of airplanes p 107 A94-10800
- Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- HHC effects on hub and blade loads p 78 A94-12245
- Investigations of helicopter tail rotor loading in hovering turns p 78 A94-12248
- Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708
- Static and dynamic flight-path stability of airplanes
[BTN-94-EIX94361135428] p 522 A94-60625
- Nonlinear stability and control study of highly maneuverable high performance aircraft
[NASA-CR-193480] p 79 N94-10344
- Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data
[DE93-767967] p 79 N94-10728
- Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195
- Stability in Aerospace Systems
[AGARD-R-789] p 113 N94-11489
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- Decoupling of aircraft responses p 113 N94-11497
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499

- Stability model of the atmosphere p 190 N94-11500
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- MIL-H-8501B: Application to shipboard terminal operations p 116 N94-13296
- Wind shear and heavy rain --- effects on flight stability [NASA-TM-109453] p 191 N94-15326
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory [AD-A266718] p 122 N94-15730
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle [AD-A268741] p 122 N94-18401
- Flight test techniques for aircraft parameter estimation in ground effect [AD-A270058] p 91 N94-18795
- NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589
- A numerical study of airplanes flying in proximity [AD-A273373] p 255 N94-24718
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data [NASA-CR-194838] p 335 N94-24804
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992 [CRANFIELD-AERO-9305] p 338 N94-25653
- Linear modeling of rotorcraft for stability analysis and preliminary design [AD-A274869] p 339 N94-26192
- EFA flying qualities specification and its utilisation p 533 N94-34621
- ### AIRCRAFT STRUCTURES
- Computational methods for the aerodynamic design of aircraft components p 10 A94-10889
- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer p 11 A94-10936
- On acoustic radiation from a vibrating panel [AIAA PAPER 93-4367] p 156 A94-11350
- Application of advanced technologies to very large subsonic transports p 73 A94-11978
- SAE PAPER 921938] p 73 A94-11978
- Airplane size effects on occupant crash loads [SAE PAPER 922035] p 74 A94-12026
- Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures [SAE PAPER 922036] p 158 A94-12027
- What kind of evolution for the helicopter p 1 A94-12041
- Processing infrared images of aircraft lapjoints p 160 A94-12413
- Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
- An impedance approach to vibro-acoustic modeling p 204 A94-12483
- Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- Introduction - The science and technology of NDE p 162 A94-12658
- Acoustic emission measurements of aerospace materials and structures p 162 A94-12665
- Implementation of NDE technology on flight structures p 163 A94-12673
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity [ISBN 0-7918-0663-4] p 163 A94-12676
- Aeroservoelasticity p 110 A94-12693
- Numerical methods in structural mechanics p 163 A94-12776
- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft p 163 A94-12784
- A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
- Aircraft fleet maintenance based on structural reliability analysis [BTN-94-EIX94311329134] p 517 A94-60166
- Three-dimensional thermal analysis for laser-structural interactions [BTN-94-EIX94351142117] p 560 A94-60410
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- The application of advanced materials to aircraft nacelle structures p 142 N94-10011
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- Smart Structures for Aircraft and Spacecraft [AGARD-CP-531] p 146 N94-11317
- Smart structures: A technology for next generation aircraft p 81 N94-11318
- In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333
- Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337
- Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697
- Review of Canadian aeronautical fatigue work, 1991-1993 [LTR-ST-1932] p 176 N94-13861
- ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- An overview of the NASA textile composites program p 150 N94-16846
- Development of test methods for textile composites p 150 N94-16862
- Techno-economic requirements for composite aircraft components p 150 N94-16864
- Definitions of terms relating to aircraft windcreens, canopies, and transparencies [AD-A268403] p 87 N94-17425
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
- Metals 2000 [DE93-016761] p 151 N94-17752
- High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225
- Preliminary structural design: Defining the design space [AD-A268898] p 88 N94-18227
- Mathematical modelling of bonded fibre-composite repairs to aircraft [AD-A268732] p 152 N94-18327
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LRF spectroscopies [DE93-017228] p 152 N94-18761
- Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- Impact analysis of composite aircraft structures p 187 N94-19468
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction [NASA-CR-189645] p 284 N94-23698
- A prediction method for the compressive strength of impact damaged composite laminates [CTN-94-60925] p 270 N94-24137
- Flush head fastener [CA-PATENT-1308581] p 278 N94-24175
- The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332
- Aircraft wing structure detail design [NASA-CR-195485] p 262 N94-24498
- NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589
- Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788
- Test methods for composites: A status report. Volume 1: Tension test methods [AD-A273501] p 348 N94-24942
- Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- The Bunny: A simulated commercial air transportation study [NASA-CR-195537] p 319 N94-25001
- The Gold Rush: A simulated commercial air transportation study [NASA-CR-195528] p 319 N94-25002
- Test methods for composites: A status report. Volume 3: Shear test methods [AD-A273561] p 348 N94-25163
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load [PB94-126547] p 355 N94-26911
- Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961
- Smart structures, an overview [AD-A274147] p 368 N94-27093
- Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle [NASA-TM-4544] p 347 N94-27868
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles p 358 N94-27920
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646
- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657
- A moment plotting method for characterizing aircraft fatigue data population distributions [AD-A275500] p 390 N94-28660
- Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
- Fuels combustion research [AD-A275122] p 404 N94-29004
- Backscatter haze device for measurement of haze in aircraft transparencies [AD-A275127] p 391 N94-29042
- Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274982] p 410 N94-29091
- Review of sonic fatigue technology [NASA-CR-4587] p 417 N94-29407
- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance [REPT-932-600-104] p 412 N94-29474
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
- Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878
- Acoustic emission monitoring of aging aircraft structures [DREP-93-17] p 393 N94-30129
- Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring [DREP-93-16] p 393 N94-30131
- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572
- Dual-band infrared imaging for quantitative corrosion detection in aging aircraft [DE94-004187] p 431 N94-30687
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity [PB94-126224] p 420 N94-30740

- Analysis concerning the inspection threshold for multi-site damage
[PB94-142429] p 432 N94-30905
- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675
- Location of impact damage sites in composite aircraft structures, task 3.4.1
[DSIS-94-01590] p 443 N94-31892
- Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys
p 433 N94-31957
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks
[AD-A277062] p 434 N94-32264
- Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860
- Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures
[NASA-CR-189558] p 493 N94-32877
- Second NASA Advanced Composites Technology Conference
[NASA-CP-3154] p 493 N94-33121
- Composite fuselage shell structures research at NASA Langley Research Center
p 494 N94-33124
- Technology integration box beam failure study
p 494 N94-33126
- Resin transfer molding for advanced composite primary wing and fuselage structures
p 495 N94-33128
- Recent progress in NASA Langley Research Center textile reinforced composites program
p 495 N94-33134
- Advanced textile applications for primary aircraft structures
p 496 N94-33135
- Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure
p 496 N94-33136
- Characterization and manufacture of braided composites for large commercial aircraft structures
p 496 N94-33137
- Structural integrity of intelligent materials and structures
[AD-A278397] p 496 N94-33165
- Airframe materials for HSR
p 497 N94-33514
- HSCT airframe materials: The Boeing perspective
p 497 N94-33515
- HSCT materials and structures: An MDC perspective
p 497 N94-33516
- Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques
[AD-280273] p 550 N94-34581
- An assessment of fatigue crack growth prediction models for aerospace structures
p 551 N94-34586
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter
p 551 N94-34588
- Design oriented structural analysis
[NASA-TM-109124] p 551 N94-34722
- An overview of recent advances in system identification
p 546 N94-35880
- Frequency domain analysis of the random loading of cracked panels
[NASA-CR-196021] p 556 N94-35974
- Optimization of composite aircraft structures by direct manufacturing approaches
p 574 N94-36327
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- Applications of Titanium Matrix Composite to large airframe structure
p 585 N94-36651
- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125
- Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541
- AIRCRAFT SURVIVABILITY**
- Aircraft failure detection and identification using neural networks
p 71 A94-10802
- Airplane size effects on occupant crash loads
[SAE PAPER 922035] p 74 A94-12026
- The Swedish fighter — JAS39 'Gripen' small single-engine multirole fighter
p 74 A94-12040
- A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993
[AD-A267532] p 87 N94-17117
- Naval aviation: Consider all alternatives before proceeding with the F/A-18E/F
[AD-A269302] p 4 N94-18279
- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- Propulsion system technologies for long range and long endurance aircraft
p 578 N94-36334
- AIRCRAFT TIRES**
- Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics
[SAE PAPER 922012] p 73 A94-12016
- Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire
p 443 N94-32295
- AIRCRAFT WAKES**
- NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- Wake curvature and airfoil lift
[BTN-94-EIX94311329147] p 517 A94-60153
- Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855
- Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport
[NLR-TP-91384-U] p 58 N94-17733
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149
- LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- Feasibility of detecting aircraft wake vortices using passive microwave radiometers
[NASA-CR-191553] p 275 N94-23498
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts
[NASA-TM-106434] p 265 N94-24082
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model
p 303 N94-28334
- Drag prediction by wake integrals using 3-D multi-grid Euler method (MGAERO)
p 303 N94-28335
- A study of the development and attenuation of wing-generated, vortical wakes
p 425 N94-31971
- Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522
- AIRDROPS**
- Radially constructed cruciform parachute
[CA-PATENT-1323021] p 252 N94-24182
- AIRFOIL SURFACE MOVEMENTS**
- The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- System for automatic transportation of aircraft on the ground
[CA-PATENT-1-322-361] p 341 N94-24785
- Automatic control steps for aircraft taxi guidance
p 388 N94-29584
- Airside ground movements surveillance
p 388 N94-29585
- A novel near-range radar network for airport surface control
p 389 N94-29586
- Improved taxiway exit identification system
[AD-A277892] p 490 N94-33538
- AIRFOIL OSCILLATIONS**
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations
p 7 A94-10698
- Dynamic stall study of a multi-element airfoil
p 16 A94-12072
- Nonlinear aeroelasticity
p 163 A94-12694
- Reattachment studies of an oscillating airfoil dynamic stall flowfield
[BTN-94-EIX94301315980] p 515 A94-60016
- Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182
- Unsteady aerodynamic characteristics of a dual-element airfoil
[BTN-94-EIX94401358968] p 565 A94-61624
- Navier-Stokes computations for oscillating control surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342
- A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures
[LR-681] p 177 N94-13929
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems
[AD-A268748] p 46 N94-18402
- AIAA Techfest 29 proceedings
[NIAR-93-1] p 5 N94-20191
- Aeroelastic, aeromechanical and vibration problems in helicopters
p 267 N94-24244
- The influence of elastic pitch variations on helicopter flight mechanics
p 258 N94-24286
- Effect of an extendable slat on the stall behavior of a VR-12 airfoil
[NASA-TP-3407] p 291 N94-25187
- Methods in unsteady aerodynamics
[DLR-FB-93-21] p 296 N94-27741
- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus
p 424 N94-31880
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883
- Comparison of pitch rate history effects on dynamic stall
p 535 N94-34968
- AIRFOIL PROFILES**
- Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound
p 6 A94-10435
- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities
p 6 A94-10436
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
p 127 A94-10438
- Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704
- Computational methods for the aerodynamic design of aircraft components
p 10 A94-10889
- Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows
[ESA-TT-1278] p 174 N94-13117
- Calculation of maximum and high lift characteristics of multi element aerofoils
p 46 N94-18419
- Issac, Jason Chierian ses in transonic flow
[NASA-CR-194837] p 250 N94-24052
- Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586
- Calculation of viscous drag of two low angle of attack supercritical profiles
[FFA-TN-1984-22] p 292 N94-26104
- Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids
[NASA-TM-109078] p 292 N94-26154
- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade
[ISBN-0-315-84107-9] p 354 N94-26671
- The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247
- Effect of surface finish on turbine airfoil cascade losses
p 335 N94-28320
- Potential flow modelling of airfoil stall
p 303 N94-28332
- Viscous airfoil computations using adaptive structured grids
p 304 N94-28337
- Solution of the Euler equations using unstructured grids
p 304 N94-28338
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D
p 304 N94-28340
- Thin-layer Navier-Stokes computations for multi-element airfoils
p 304 N94-28341
- A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes
p 391 N94-28957
- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958
- Unsteady aerodynamic computations around NACA0012 at high angles of attack
p 377 N94-28969
- Application of digital control theory to adaptive grid generation
p 415 N94-28980

- Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design [NLR-TP-92524-U] p 420 N94-30493
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- Shock-dependent, optimum thrust wings in supersonic flow p 425 N94-32027
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- Some aspects of unsteady separation p 525 N94-34979
- ### AIRFOILS
- The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747
- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- Finite element analysis of lift build-up due to airfoil indicial motion p 12 A94-11922
- Dynamic stall study of a multi-element airfoil p 16 A94-12072
- Smart airfoils for helicopter control p 77 A94-12237
- Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796
- Reattachment studies of an oscillating airfoil dynamic stall flowfield [BTN-94-EIX94301315980] p 515 A94-60016
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026
- Inverse design of super-elliptic cooling passages in coated turbine blade airfoils [BTN-94-EIX94311330654] p 548 A94-60137
- Wake curvature and airfoil lift [BTN-94-EIX94311329147] p 517 A94-60153
- Analysis of aerodynamics of airfoils moving over a wavy wall [BTN-94-EIX94311329130] p 536 A94-60170
- Unsteady lift of a flapped airfoil by indicial concepts [BTN-94-EIX94311329118] p 519 A94-60182
- Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
- Calculation of real-gas effects on airfoil aerodynamic characteristics [BTN-94-EIX94351142143] p 521 A94-60436
- Influence of aerodynamic forces in ice shedding [BTN-94-EIX94401358967] p 564 A94-61623
- Unsteady aerodynamic characteristics of a dual-element airfoil [BTN-94-EIX94401358968] p 565 A94-61624
- Lift enhancement of an airfoil using a Gurney flap and vortex generators [BTN-94-EIX94401358970] p 565 A94-61626
- Design of optimized airfoils in subcritical flow [BTN-94-EIX94401358990] p 566 A94-61646
- Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785
- New airfoil-design concept with improved aerodynamic characteristics [BTN-94-EIX94401372110] p 567 A94-61810
- Low-dimensional description of the dynamics in separated flow past thick airfoils [BTN-94-EIX94421374967] p 563 A94-61865
- Nonlinear aspects of transonic aeroelasticity p 19 N94-10357
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q - ω 2 equation turbulence model [PAPER-2D-4] p 22 N94-10470
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model [PAPER-2D-5] p 22 N94-10471
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10474
- Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
- New aerodynamic information obtained from the solution of the inverse problem for aerofoils [NAL-TR-1172] p 25 N94-10860
- Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates [AD-A265159] p 27 N94-11889
- Clebsch variable model for unsteady, transonic flow; application to 2D airfoils [NLR-TP-91387-U] p 31 N94-13530
- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611
- Unsteady separated flows: Empirical model and control [AD-A267282] p 37 N94-14959
- Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil [NASA-TP-3357] p 38 N94-15657
- A rapid computational model for estimating the performance of compliant airfoils in cascades [AD-A266275] p 40 N94-16471
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling [AD-A266542] p 42 N94-16798
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402
- High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415
- Experimental investigation of flow around a multielement airfoil p 46 N94-18417
- A design procedure for slotted flaps p 88 N94-18418
- Calculation of maximum and high lift characteristics of multi element airfoils p 46 N94-18419
- Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
- High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425
- High-lift system analysis method using unstructured meshes p 47 N94-18426
- Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver p 48 N94-18427
- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- The GARTEUR high lift research programme p 48 N94-18430
- Calculation of multielement airfoils and wings at high lift p 49 N94-18438
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings p 49 N94-18440
- High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- Turbulence modeling in aircraft icing p 185 N94-18555
- A theoretical investigation of unsteady separation phenomena related to dynamic stall [AD-A271865] p 215 N94-20465
- Robust unstructured grid generation with VGRID p 243 N94-22359
- Development of a gridless CFD method p 243 N94-22361
- Modelling stalled airfoils [ISBN-0-315-59525-6] p 218 N94-22382
- Transonic flow calculations: Integral method [ISBN-0-315-83538-9] p 218 N94-22586
- Computational study of GA(W)-1: Airfoil near stall [PB93-226249] p 247 N94-23116
- Turbine engine with induced pre-swirl at the compressor inlet [CA-PATENT-1-317-467] p 263 N94-23253
- Characteristics of surface roughness associated with leading edge ice accretion [NASA-TM-106459] p 249 N94-23522
- An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661
- Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion [NASA-TM-109681] p 250 N94-23975
- Issac, Jason Cherian ses in transonic flow [NASA-CR-194837] p 250 N94-24052
- Toward large eddy simulation of turbulent flow over an airfoil p 251 N94-24150
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver [NASA-TM-106481] p 271 N94-24301
- Effect of an extendable slat on the stall behavior of a VR-12 airfoil [NASA-TP-3407] p 291 N94-25187
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- Influence of the transonic doublet in the farfield of a lifting airfoil [IAR-AN-78] p 295 N94-26702
- Control of leading-edge separation on an airfoil by localized excitation [DLR-FB-93-16] p 296 N94-27592
- Investigation of aerodynamic design issues with regions of separated flow p 296 N94-27902
- Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds [ESDU-93015] p 299 N94-28076
- Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds [ESDU-93019] p 300 N94-28140
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium [ISBN-0-920203-01-9] p 301 N94-28315
- Aerodynamic design using parallel processors [AD-A275470] p 374 N94-28674
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics [NAL-SP-19] p 375 N94-28946
- Application of flow field simulation to turbine vane design p 395 N94-28978
- Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877
- Calculus of variations applied to 2D multi-point airfoil design [PB94-125457] p 381 N94-30401
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design [NLR-TP-92524-U] p 420 N94-30493
- Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- Grid adaption in computational aerodynamics [PB94-126240] p 421 N94-30858
- On an adaptation method for 2-dimensional C-type grids [W-9322] p 423 N94-31822
- On an adaptation method for dense, 2D, C-type grids [W-9321] p 448 N94-32045
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- Icing test results on an advanced two-dimensional high-lift multi-element airfoil [NASA-TM-106620] p 464 N94-33705
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Computation of unsteady flows over airfoils p 525 N94-34977
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989

- Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219
- Prediction of film cooling on gas turbine airfoils
[NASA-TM-106653] p 579 N94-37448
- AIRFRAME MATERIALS**
- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
- The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241
- High Altitude Long Endurance aircraft design studies
p 572 N94-36322
- AIRFRAMES**
- Wind-tunnel evaluation of mid-airframe installed turbojet engines
p 71 A94-10859
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
- Investigation on the use of optimization techniques for helicopter airframe vibrations design studies
p 79 A94-12706
- Investigation of Monte Carlo simulation in FAA program KRASH
[BTN-94-EIX9431329128] p 536 A94-60172
- Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity
[NASA-TM-4493] p 115 N94-13255
- Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring
[AD-A267115] p 85 N94-15651
- Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- Explicit solution techniques for impact with contact constraints
p 188 N94-19470
- AIAA Techfest 29 proceedings
[NIAR-93-1] p 5 N94-20191
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
- Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313
- Frameworks for integrated airframe design
p 259 N94-24318
- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation
[AD-A274777] p 353 N94-26186
- Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation
[AD-A274778] p 353 N94-26357
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization
[NASA-CR-195703] p 347 N94-27789
- Know-how export: Lufthansa technology at Shannon
p 311 N94-28248
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826
- Integrated propulsion-airframe dynamics and control
p 392 N94-29854
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment
p 392 N94-29878
- Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658
- First Annual High-Speed Research Workshop, part 1
[NASA-CP-10087-PT-1] p 460 N94-33447
- Airframe systems studies review
p 472 N94-33453
- Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- Helicopter engine/airframe integration: The way ahead
p 475 N94-34433
- Fatigue management and verification of airframes
p 531 N94-34591
- Harrier 2: A comparison of US and UK approaches to fatigue clearance
p 531 N94-34596
- An overview of the F-16 service life approach
p 532 N94-34599
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions
p 541 N94-35972
- High Altitude Long Endurance aircraft design studies
p 572 N94-36322
- Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649
- Applications of Titanium Matrix Composite to large airframe structure
p 585 N94-36651
- SCS-6 (tm) fiber reinforced titanium
p 585 N94-36652
- AIRLINE OPERATIONS**
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992. Proceedings
p 1 A94-11625
- Airline perspective on data link
[SAE PAPER 922001] p 60 A94-11717
- Financial crisis in the aviation industry - United States
p 209 A94-13148
- A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
- Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578
- The international regulation of air transport: Changing regimes and price effects
[ISBN-0-315-55958-6] p 56 N94-13543
- Gate assignment using linear programming
[LR-698] p 200 N94-13987
- The airline quality report 1993
[NIAR-93-11] p 58 N94-17262
- Airport activity statistics of certificated route air carriers, 1992
[AD-A269042] p 59 N94-18490
- Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- Demonstrating damage tolerance of composite airframes
p 224 N94-22623
- Information systems strategy in air transport
[AD-A273125] p 256 N94-24781
- The Blue Emu
[NASA-CR-195535] p 317 N94-24817
- Lufthansa Yearbook 1992
[DSK-9734-H-92] p 308 N94-28230
- The single European market and air traffic chances and risks
p 308 N94-28231
- Deregulation of air traffic in America: A model to be initiated?
p 308 N94-28232
- The advantages of the location Germany must not be jeopardized in air traffic
p 309 N94-28236
- Lufthansa facing the single European market
p 309 N94-28237
- Munich Airport: The new Lufthansa hub
p 310 N94-28239
- Air traffic in recession
p 310 N94-28240
- German-American relations in air traffic are to be criticized
p 310 N94-28241
- Integrators: A challenge for air cargo
p 310 N94-28244
- Powerful selling and sales strategy
p 311 N94-28245
- Lufthansa long range services: More simplicity
p 311 N94-28246
- Lufthansa and Europe
p 311 N94-28247
- Know-how export: Lufthansa technology at Shannon
p 311 N94-28248
- After thirty years: Farewell of Europa jet
p 311 N94-28249
- Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647
- Design of Center-TRACON Automation System
p 385 N94-29568
- DLR's ATM demonstration programme
p 386 N94-29575
- FAA aviation forecasts, fiscal years 1994-2005
[AD-A277808] p 455 N94-33016
- NASA Annual HSR Workshop: Boeing HSCST program summary
p 471 N94-33449
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990
[PB94-917001] p 529 N94-35482
- The future of large capacity/long range multipurpose air cargo fleets
p 573 N94-36326
- AIRPORT PLANNING**
- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- ATCRBS reply environment at Memphis International Airport
[AD-A266322] p 69 N94-16439
- Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- A study of parallel pier finger airport terminal configuration
[ISBN-0-315-83128-6] p 229 N94-22425
- Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendixes
[SCT-93RR-17-VOL-2] p 567 N94-36467
- Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- AIRPORT SURFACE DETECTION EQUIPMENT**
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- AIRPORTS**
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992. Proceedings
p 1 A94-11625
- Friction evaluation of concrete paver blocks for airport pavement applications
[SAE PAPER 922013] p 129 A94-12017
- Cooperative Area Passive Tracking Systems (CAPTS)
p 63 A94-12558
- The Memphis Precision Runway Monitor Program Instrument Landing System final approach study
[AD-A266035] p 66 N94-11103
- Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578
- Airport terminals: Optimum configurations and gate position requirement
[ISBN-0-315-61722-5] p 132 N94-13544
- Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450] p 68 N94-13703
- Gate assignment using linear programming
[LR-698] p 200 N94-13987
- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- The 11th annual report of accomplishments under the airport improvement program: Fiscal year 1992
[AD-A268328] p 69 N94-17458
- Criminal acts against civil aviation, fiscal year 1992
[AD-A268014] p 58 N94-17586
- Transport policy options for reducing noise at airports: Hamburg airport taken as an example
[DLR-FB-92-40] p 135 N94-18123
- Terminal area forecasts, FY 1993-2005
[AD-A269855] p 70 N94-18336
- Airport activity statistics of certificated route air carriers, 1992
[AD-A269042] p 59 N94-18490
- EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A
[AD-A271596] p 240 N94-20948
- Notes on Antarctic aviation
[AD-A273018] p 228 N94-21239
- Observations of multi-layered clouds using K-band radar
p 242 N94-22311
- Passenger terminal level of service measurement: A utility theoretic approach
[ISBN-0-315-59037-8] p 228 N94-22418
- An airport economic impact study procedure for Atlantic Canada
[ISBN-0-315-59445-4] p 228 N94-22419
- Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423
- A study of parallel pier finger airport terminal configuration
[ISBN-0-315-83128-6] p 229 N94-22425
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- Performance of prefabricated geocomposite subdrainage system in an airport runway
[DOT/FAA/RD-93/23] p 268 N94-23303
- System for automatic transportation of aircraft on the ground
[CA-PATENT-1-322-361] p 341 N94-24785
- ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- INM, Integrated Noise Model. Version 4.11: User's guide, supplement
[AD-A273885] p 370 N94-25731
- Machine intelligent gust front algorithm
[AD-A273695] p 343 N94-26196
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069
- The advantages of the location Germany must not be jeopardized in air traffic
p 309 N94-28236

- Munich Airport: The new Lufthansa hub p 310 N94-28239
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1 [AD-A275115] p 383 N94-28914
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Design of Center-TRACON Automation System p 385 N94-29568
- DLR's ATM demonstration programme p 386 N94-29575
- Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer [ISBN-0-315-86210-6] p 439 N94-31710
- The 1993 aviation system capacity plan [AD-A276958] p 467 N94-32620
- Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers [AD-A277732] p 490 N94-33444
- Improved taxiway exit identification system [AD-A277892] p 490 N94-33538
- Accomplishments under the Airport Improvement Program [AD-A280661] p 583 N94-36763
- AIRSPACE**
- Conflict-free trajectory planning for air traffic control automation [NASA-TM-108790] p 306 N94-25272
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573
- AIRSPEED**
- Recent flight-test results of optical airdata techniques [NASA-TM-4504] p 96 N94-13791
- Characteristics of surface roughness associated with leading edge ice accretion [NASA-TM-106459] p 249 N94-23522
- ALERTNESS**
- Maintaining vigilance on a simulated ATC monitoring task across repeated sessions [DOT/FAA/AM-94/6] p 430 N94-30933
- ALGORITHMS**
- Minimum time 3-D flight trajectory computation p 106 A94-10115
- Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110
- Investigation of individual blade pitch control in time domain p 109 A94-12243
- Evaluation of GPS on-the-fly ambiguity resolution techniques p 65 A94-12575
- Numerical methods in structural mechanics p 163 A94-12776
- Computational algorithms or identification of distributed parameter systems [AD-A265252] p 199 N94-11680
- Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method [NAL-TR-1150] p 30 N94-13392
- Analysis of the Harrier forebody/inlet design using computational techniques [NASA-CR-193616] p 31 N94-13463
- Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326
- A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599
- Control system design for flexible structures using data models p 121 N94-14646
- Adaptive algorithm for aircraft configuration in turbulent flow [AD-A266188] p 86 N94-16122
- Progress in computational unsteady aerodynamics [NASA-CR-177630] p 43 N94-17081
- Take-off performance monitoring system algorithm and display development [NLR-TP-91395-U] p 88 N94-17734
- SAND contact in DYNA3D [DE93-016451] p 152 N94-18113
- New techniques for contrail forecasting [AD-A269686] p 193 N94-18573
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms [DE93-019221] p 70 N94-19300
- An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411
- Development of a gridless CFD method p 243 N94-22361
- A reliable algorithm for optimal control synthesis [NASA-CR-194809] p 283 N94-23332
- Control algorithms for effective operation of variable-speed wind turbines [DE94-002607] p 282 N94-23704
- ASR-9 microburst detection algorithm [AD-A273591] p 364 N94-24850
- Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
- Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter p 313 N94-26493
- An algorithm for determination of bearing health through automated vibration monitoring [AD-A274591] p 356 N94-26986
- Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis [ISBN-0-315-84643-7] p 356 N94-27308
- Algorithm and code development for unsteady three-dimensional Navier-Stokes equations [NASA-CR-195774] p 414 N94-29942
- Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966
- On an adaptation method for dense, 2D, C-type grids [W-9321] p 448 N94-32045
- Algorithms for a digital radio direction finding system in the HF band [PB94-149176] p 470 N94-34093
- A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion [DE94-008456] p 507 N94-34382
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994
- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera [NASA-CR-196424] p 594 N94-36812
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- ALIGNMENT**
- A technique to account for the misalignment of pyranometers installed on aircraft p 159 A94-12290
- ALKANES**
- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- ALKYL COMPOUNDS**
- Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868
- ALL-WEATHER AIR NAVIGATION**
- Integrated Terminal Weather System (ITWS) [AD-A269884] p 193 N94-18684
- ALL-WEATHER LANDING SYSTEMS**
- All-weather precision landing system for aircraft in remote areas [AD-DO15924] p 70 N94-20197
- ALTERNATING CURRENT**
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646
- ALTERNATING DIRECTION IMPLICIT METHODS**
- Aerodynamic characteristics analysis of Garabedian-Kom 75-06-12 airfoil [PAPER-2D-9] p 23 N94-10474
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481
- Implementation of ADI: Schemes on MIMD parallel computers [NASA-CR-193720] p 200 N94-13204
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- ALTIMETERS**
- The methods of systems analysis and optimization for the aneroid barometric altimeter p 92 A94-10114
- Use of ERS-1 wind and wave products in operational meteorology p 191 N94-12502
- Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451
- Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures [AD-A274100] p 329 N94-26030
- The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214
- ALTIMETRY**
- Application of aircraft navigation sensors to enhanced vision systems p 312 N94-25495
- ALTITUDE**
- A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes p 192 N94-16597
- ALTITUDE SIMULATION**
- Lewis Research Center R and D Facilities [NASA-TM-109400] p 287 N94-23135
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- Temperature measurement using infrared imaging systems during turbine engine altitude testing [NASA-TM-105871] p 342 N94-25184
- ALTITUDE TESTS**
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- ALUMINIDES**
- Environmental effects in titanium aluminides alloys p 141 A94-10678
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines [AD-A272998] p 225 N94-21268
- ALUMINUM**
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- A constitutive model for layered wire mesh and aramid cloth fabric [DE94-003275] p 349 N94-26796
- Evaluation of the Hughes conversion coating touch-up pen [AD-A278398] p 496 N94-33166
- New developments in aluminum for aircraft and automobiles p 584 N94-36413
- ALUMINUM ALLOYS**
- Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602
- Fourth dimensional effects in the cold expansion of large holes in thick aluminum aircraft material using photostress and strain gauges p 165 A94-12936
- Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy [BTN-94-EIX94301320144] p 546 A94-60853
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697
- Fatigue life program using strain-life methods [AD-A267310] p 182 N94-16943
- Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788
- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954
- NASA-UVA light aerospace alloy and structures technology program (LA2ST) [NASA-CR-195275] p 357 N94-27851
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646
- Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
- Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274982] p 410 N94-29091
- The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900
- Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

- New developments in aluminum for aircraft and automobiles p 584 N94-36413
- AMBIENT TEMPERATURE**
- Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature p 203 A94-11029
- Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known) [ESDU-93020] p 299 N94-28091
- AMMONIA**
- A study of low emissions gas turbine combustions [NASA-CR-195763] p 399 N94-29860
- AMPHIBIOUS AIRCRAFT**
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- AMPLITUDE DISTRIBUTION ANALYSIS**
- Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers [NASA-CR-193569] p 66 N94-11525
- AMPLITUDE MODULATION**
- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384
- ANALOG TO DIGITAL CONVERTERS**
- Control vane guidance for a ducted-fan unmanned air vehicle [AD-A271957] p 223 N94-20561
- ANALYSIS (MATHEMATICS)**
- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem [BTN-94-EIX94401358173] p 583 A94-61679
- ANALYTICAL FUNCTIONS**
- Analytical evaluation of servovalves for flight simulator motion bases [SAE PAPER 921952] p 158 A94-11990
- ANEOCHIC CHAMBERS**
- A new low speed wind tunnel for acoustic measurements p 124 A94-10407
- ANEMOMETERS**
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis [AD-A280313] p 596 N94-37126
- ANGLE OF ATTACK**
- A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
- Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
- Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry p 11 A94-10934
- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack p 12 A94-10954
- Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (FI-FADS) system p 95 A94-12622
- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment p 165 A94-13144
- Reattachment studies of an oscillating airfoil dynamic stall flowfield [BTN-94-EIX94301315980] p 515 A94-60016
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- Chine-shaped forebody effects on directional stability at high-alpha [BTN-94-EIX94401358961] p 579 A94-61617
- Computational study of the F-5A forebody emphasizing directional stability [BTN-94-EIX94401358962] p 579 A94-61618
- Active control of wing rock using tangential leading-edge blowing [BTN-94-EIX94401358987] p 571 A94-61643
- Leading-edge vortex breakdown for wing planforms with the same slenderness ratio [BTN-94-EIX94401358991] p 566 A94-61647
- New airfoil-design concept with improved aerodynamic characteristics [BTN-94-EIX94401372110] p 567 A94-61810
- Vortex cutting by a blade. Part 1: General theory and a simple solution [BTN-94-EIX94421374957] p 563 A94-61855
- Fluctuating wall pressures near separation in highly swept turbulent interactions [BTN-94-EIX94421374958] p 563 A94-61856
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473
- Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Lift enhancement of a wing/stroke using pneumatic blowing [AD-A265074] p 82 N94-11872
- Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment [AD-A266015] p 28 N94-12989
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942
- Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92 [NASA-TM-4488] p 39 N94-15681
- Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
- Wind tunnel investigation with an operational turbojet engine [TABES PAPER 93-662] p 104 N94-16157
- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571
- An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction [AD-A268394] p 44 N94-17461
- Close-coupled oscillating canard effects on post-stall lift enhancement [AD-A268938] p 123 N94-18541
- Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
- Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver [AD-A272532] p 224 N94-21418
- An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds [NASA-TP-3365] p 253 N94-24311
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data [NASA-CR-194838] p 335 N94-24804
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- X-31 aerodynamic characteristics determined from flight data p 320 N94-25109
- Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
- A study of roll attractor and wing rock of delta wings at high angles of attack p 337 N94-25111
- Effect of an extendable slat on the stall behavior of a VR-12 airfoil [NASA-TP-3407] p 291 N94-25187
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- A numerical determination of bifurcation points for low Reynolds number conical flows [AD-A273984] p 352 N94-25991
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil [AD-A274867] p 292 N94-26191
- Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62 [NASA-TM-4528] p 295 N94-26693
- Controlled oscillation of forebody vortices by nozzle jet blowing [ISBN-0-315-84134-6] p 340 N94-27648
- Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds [ESDU-93034] p 297 N94-27955
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
- Aerodynamic performance of novel ducted-tip wings p 303 N94-28331
- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 378 N94-29674
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing [NASA-TM-4541] p 380 N94-29937
- Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion [NASA-CR-195301] p 456 N94-32475
- Control of low-speed turbulent separated flow over a backward-facing ramp [NASA-TM-109740] p 459 N94-33071
- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study [NASA-CR-195297] p 459 N94-33119
- A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263
- Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430
- Damage tolerance management of the X-29 vertical tail p 531 N94-34595
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Yaw control by tangential forebody blowing p 539 N94-34615
- Aerodynamic design of super maneuverable aircraft p 533 N94-34617
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619
- Application of current departure resistance criteria to the post-stall maneuvering envelope p 533 N94-34622
- Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot — conducted in the Ames 80 by 120 foot wind tunnel p 527 N94-35965
- F/A-18 forebody vortex control. Volume 1: Static tests [NASA-CR-4582-VOL-1] p 528 N94-35991
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips [NASA-TM-4595] p 568 N94-36944
- Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219
- ANGLES (GEOMETRY)**
- Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- Some basic considerations on angles describing airplane flight maneuvers [BTN-94-EIX94381311179] p 570 A94-61266
- Off-design performance of crenulated blades in a linear compressor cascade [AD-A273744] p 352 N94-25534
- ANGULAR VELOCITY**
- Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature p 203 A94-11029
- ANIMATION**
- Computer graphic recreations of aircraft accidents p 194 A94-11357
- ANISOTROPIC PLATES**
- Buckling and vibration analysis of laminated panels using VICONOPT [BTN-94-EIX94401372105] p 592 A94-61805
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method [LTR-ST-1934] p 174 N94-13565
- ANISOTROPY**
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961

ANNEALING

- Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951

ANNULAR FLOW

- The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353
Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility
[RAE-TM-AERO/PROP-19] p 39 N94-15696

ANNULAR PLATES

- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342

ANNULAR SUSPENSION AND POINTING SYSTEM

- Large angle magnetic suspension test fixture
[NASA-CR-196138] p 583 N94-37450

ANNULI

- Eccentricity effects upon the flow field inside a whirling annular seal
p 502 N94-34181

ANTARCTIC REGIONS

- Hunting phenomena of the balloon motions observed over Antarctica
[BTN-94-EIX94401358969] p 571 A94-61625
Notes on Antarctic aviation
[AD-A273018] p 228 N94-21239

ANTENNA ARRAYS

- Radiation and scattering by cavity-backed antennas on a circular cylinder
[NASA-CR-193409] p 170 N94-11084
Mobile terminal antennas for helicopters
p 232 N94-20458
Scattering by cavity-backed antennas on a circular cylinder
p 236 N94-21886
Radiation by cavity-backed antennas on a circular cylinder
p 236 N94-21887

ANTENNA DESIGN

- Mobile terminal antennas for helicopters
p 232 N94-20458
Radiation by cavity-backed antennas on a circular cylinder
p 236 N94-21887
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183

ANTENNA RADIATION PATTERNS

- Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
Hybrid techniques for complex aerospace electromagnetics problems
p 358 N94-27894
Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456

ANTICING ADDITIVES

- Compatibility and efficacy of biocides qualified under military specification MIL-S-53021
[AD-A271496] p 230 N94-20551

ANTISUBMARINE WARFARE AIRCRAFT

- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program
p 266 N94-24270

APERTURES

- Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683

APPLICATIONS OF MATHEMATICS

- Cumulative reports and publications through December 31, 1993
[AD-A279510] p 508 N94-33286

APPLICATIONS PROGRAMS (COMPUTERS)

- Simulation of the secondary air system of aero engines
[BTN-94-EIX94311330097] p 587 A94-61061
Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades
[CUED/A-TURBO/TR.128] p 173 N94-12777
HELSCAM V2.0: Development and application guide
[DSIS-93-00137] p 84 N94-13867
Ground Attack Profile Selector Program, version 3.0
[DSIS-93-00702] p 201 N94-14207

- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611

- SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615

- ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768

- ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769

- Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914

- Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)
[NASA-TM-105974] p 220 N94-21590

- Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423

- Three dimensional study of an airplane wing and its wake in the subsonic regime
[ISBN-0-315-58963-9] p 252 N94-24178

- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY
p 260 N94-24320

- Some practical problems in multidisciplinary design and optimisation
p 260 N94-24322

- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076

- Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324

- Flight command software development: RAFALE studies
p 415 N94-29320

- Considerations on graphical user interfaces for intelligent ATM support systems
p 386 N94-29572

- WHIPICE — computer program for analysis of aircraft deicing
[NASA-TM-109749] p 426 N94-31803

- A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378

- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412

- Applying formal methods and object-oriented analysis to existing flight software
p 597 N94-36495

- Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan
[NASA-CR-189362] p 596 N94-36919

APPROACH

- About the accuracy of an image-based navigation system during the runway approach
[DLR-MITT-93-01] p 69 N94-18146

- VMC left turn curved approaches, test results — (visual meteorological conditions)
[AD-A269476] p 70 N94-18728

- Parallel runway requirement analysis study. Volume 2: Simulation manual
[NASA-CR-191549-VOL-2] p 223 N94-22278

- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-28914

- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189

APPROACH AND LANDING TESTS (STS)

- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344

APPROACH CONTROL

- Electric drives on the LV100 gas turbine engine
[BTN-94-EIX94311331077] p 588 A94-61101

- Helicopter approach capability using the differential Global Positioning System
[NASA-CR-177618] p 67 N94-12355

- Compatibility of information and mode of control: The case for natural control systems
p 117 N94-13307

- Visual cueing aids for rotorcraft landings
p 119 N94-13313

- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323

- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457

- Optimal lateral escape maneuvers for microburst encounters during final approach
[LR-691] p 56 N94-13534

- Helicopter precision approach capability using the Global Positioning System
[NASA-CR-194037] p 68 N94-13957

- Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis
[DOT/FAA/SE-93/3] p 69 N94-16906

- On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05] p 69 N94-17921

- Parallel runway requirement analysis study. Volume 1: The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277

- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710

- Investigation of air transportation technology at Ohio University, 1992-1993
p 307 N94-27288

- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831

- Advanced air traffic control and flight management system concepts
p 387 N94-29576

- Profile negotiation: An air/ground automation integration concept for managing arrival traffic
p 387 N94-29578

- Experimental flight management system
p 388 N94-29580

- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189

- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915

- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance
[PB94-142734] p 431 N94-31680

- Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048

APPROACH INDICATORS

- Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629

- Application of scattering by arrays of cylinders to MLS signal propagation error estimation
p 221 N94-22135

APPROPRIATIONS

- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899

APPROXIMATION

- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931

ARAMID FIBER COMPOSITES

- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials
[PB94-126471] p 326 N94-26969

- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201

ARC DISCHARGES

- Two dimensional simulation of the electric arc behavior in a cut-off device
[ECL-92-41] p 233 N94-20595

ARC HEATING

- The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing
p 130 N94-10432

- Numerical simulation of arc heated wind tunnel flow
p 402 N94-28951

ARC JET ENGINES

- AFOSS Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746

ARCHITECTURE

- Airport terminals: Optimum configurations and gate position requirement
[ISBN-0-315-61722-5] p 132 N94-13544

- Wind climate and urban geometry
[ISBN-9-03-860132-8] p 364 N94-25261

ARCHITECTURE (COMPUTERS)

- The R-Shell approach - Using scheduling agents in complex distributed real-time systems
[AIAA PAPER 93-4523] p 195 A94-11447

- Upgrading the Alenia flight test computing system
[AIAA PAPER 93-4606] p 196 A94-11496

- Summary of research in progress at ICASE
[NASA-CR-191481] p 199 N94-11198

- ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768

- ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769

- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics tech nology. Volume 2: Avionics systems engineering
[AD-A273630] p 263 N94-24733
Appendix A: Proposed statement of work, 1994 p 351 N94-25194
PRONAOS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725
How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
Software Management Environment (SME) concepts and architecture, revision 1 p 416 N94-29727
The experimental flight management system: An air traffic management research tool [NLR-TP-92253-U] p 430 N94-30943
MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- ARCTIC REGIONS**
Airborne Arctic stratospheric expedition: Ozone [NASA-TM-109312] p 83 N94-13606
- ARIANE LAUNCH VEHICLE**
Turbine design p 140 N94-20075
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- ARMED FORCES**
Satellite navigation system GPS: A review of principles and performance and developments in general [PB94-124534] p 314 N94-27210
- ARRESTING GEAR**
Soft ground arresting system for airports [DOT/FAA/CT-93/80] p 343 N94-26202
- ARTIFICIAL INTELLIGENCE**
PILOT - An intelligent distributed system manager [AIAA PAPER 93-4474] p 195 A94-11411
Toward intelligent flight control p 114 N94-11503
Knowledge-based processing for aircraft flight control [NASA-CR-194074] p 120 N94-13469
JPRS report: Central Eurasia. Aviation and cosmonautics, no. 12, December 1992 [JPRS-UAC-93-006] p 212 N94-19148
JPRS report: Central Eurasia. Aviation and cosmonautics, no. 10, October 1992 [JPRS-UAC-93-004] p 212 N94-19149
JPRS report: Central Eurasia: Aviation and cosmonautics, no. 11, November 1992 [JPRS-UAC-93-005] p 212 N94-19208
Handbook. Volume 3: Digital systems validation book plan [DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
Discovery learning in autonomous agents using genetic algorithms [AD-A274083] p 339 N94-25998
Using discovery-based learning to prove the behavior of an autonomous agent [AD-A274131] p 368 N94-27121
Information presentation for expert systems in future fighter aircraft [AD-A275126] p 394 N94-29005
Object oriented design of the autonomous fixtacking management system p 383 N94-29323
Machine Intelligence in Air Traffic Management [AD-A275680] p 383 N94-29558
Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
Intelligent systems for air space control and management p 384 N94-29560
Report of the workshops: Automated generation of electronic technical manuals [AD-A278046] p 514 N94-33401
Computer assistant test and consultive system for aircraft fluid element p 504 N94-34368
- ASCENT**
Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane p 138 N94-10423
- ASCENT TRAJECTORIES**
Multiobjective trajectory optimization by goal programming with fuzzy decisions [BTN-94-EIX9438131168] p 597 A94-61255
Trajectory optimization for the National Aerospace Plane [NASA-CR-194618] p 86 N94-16498
- ASIA**
JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-005] p 553 N94-35342
JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-010] p 553 N94-35385
JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-012] p 553 N94-35387
- ASPECT RATIO**
Leading-edge vortex breakdown for wing planforms with the same slenderness ratio [BTN-94-EIX94401358991] p 566 A94-61647
Issac, Jason Cherian ses in transonic flow [NASA-CR-194837] p 250 N94-24052
CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082
The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds [ESDU-93034] p 297 N94-27955
Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds [ESDU-93019] p 300 N94-28140
Response of a cantilevered plate in supersonic flow [AD-A277487] p 471 N94-33107
A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow [AD-A278550] p 464 N94-33782
- ASPHALT**
Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151
- ASSEMBLER ROUTINES**
Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation [AD-A269921] p 96 N94-18658
- ASTRONAUTICS**
Technical and scientific research for aeronautics and astronautics [ETN-94-95392] p 289 N94-26212
JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993 [JPRS-UAC-94-004] p 583 N94-37000
- ASYMMETRY**
On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell [NASA-CR-195953] p 504 N94-34262
- ASYMPTOTIC METHODS**
Optimal reentry trajectories by asymptotic matching [IAF PAPER 93-012] p 136 A94-11104
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature [NASA-CR-4579] p 412 N94-29460
- ASYMPTOTIC PROPERTIES**
Stability analysis through bifurcation theory, 1 p 208 N94-18238
- ASYMPTOTIC SERIES**
On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics [NLR-TP-91307-U] p 31 N94-13528
Stability analysis through bifurcation theory, 1 p 208 N94-18238
- ATLANTIC OCEAN**
Organized track system: Air ways above the ocean p 193 N94-19702
- ATMOSPHERIC ATTENUATION**
Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results [AD-A267105] p 181 N94-15649
High-Speed Research: Sonic Boom, Volume 1 [NASA-CP-10132] p 300 N94-28188
Progress in modeling atmospheric propagation of sonic booms p 300 N94-28189
Atmospheric effects on sonic boom: A program review p 512 N94-33495
Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
The effect of turbulence and molecular relaxation on sonic boom signatures p 512 N94-33497
Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
Sonic boom acceptability studies p 512 N94-33500
- ATMOSPHERIC BOUNDARY LAYER**
Surface roughness lengths [AD-A274550] p 365 N94-26846
Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer [NASA-CR-196078] p 529 N94-35522
- ATMOSPHERIC CHEMISTRY**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
The atmospheric effects of stratospheric aircraft: A third program report [NASA-RP-1313] p 282 N94-24104
Stratospheric models and measurements: A critical comparison p 506 N94-33457
High resolution infrared datasets useful for validating stratospheric models p 506 N94-33461
- ATMOSPHERIC CIRCULATION**
Stability model of the atmosphere p 190 N94-11500
Surface roughness lengths [AD-A274550] p 365 N94-26846
Stratospheric models and measurements: A critical comparison p 506 N94-33457
- ATMOSPHERIC COMPOSITION**
Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
The radiocarbon hydroxyl technique p 414 N94-28600
On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247
High resolution infrared datasets useful for validating stratospheric models p 506 N94-33461
- ATMOSPHERIC CORRECTION**
Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655
Ionospheric corrections to precise time transfer using GPS p 429 N94-30677
- ATMOSPHERIC DENSITY**
Low density facilities p 129 A94-10782
Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- ATMOSPHERIC DIFFUSION**
Studies in turbulence [ISBN 0-387-97613-2] p 159 A94-12376
- ATMOSPHERIC EFFECTS**
Aircraft carrier exposure tests of cast magnesium alloys [AD-A268260] p 151 N94-17418
The atmospheric effects of stratospheric aircraft: A third program report [NASA-RP-1313] p 282 N94-24104
An overview of the TNO contribution to VAST 92 [AD-A273751] p 365 N94-26016
First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
Stratospheric models and measurements: A critical comparison p 506 N94-33457
Atmospheric effects on sonic boom: A program review p 512 N94-33495
Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502
Differential GPS positioning: DGPS modelling using pseudo range observations [PB94-149697] p 470 N94-34113
Project report: Aircraft — atmospheric effects of stratospheric aircraft [DE94-011759] p 596 N94-37155
Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- ATMOSPHERIC ENTRY**
Numerical simulation of entry flow over blunt swept-wing planes p 9 A94-10772
Optimal body shapes with limits on local heat flux p 11 A94-10942
Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver [AD-A272532] p 224 N94-21418
- ATMOSPHERIC MODELS**
On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
Stability model of the atmosphere p 190 N94-11500
Monte Carlo simulation or normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
Stratospheric models and measurements: A critical comparison p 506 N94-33457
High resolution infrared datasets useful for validating stratospheric models p 506 N94-33461

ATMOSPHERIC MOISTURE

- Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
- Observations of multi-layered clouds using K-band radar
p 242 N94-22311
- Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959

ATMOSPHERIC PHYSICS

- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519
- First Annual High-Speed Research Workshop, part 3
[NASA-CP-10087-PT-3] p 460 N94-33487
- Atmospheric effects on sonic boom: A program review
p 512 N94-33495

ATMOSPHERIC PRESSURE

- Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030

ATMOSPHERIC REFRACTION

- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results
[AD-A267105] p 181 N94-15649

ATMOSPHERIC SOUNDING

- STRATO 2C propulsion system - Integral part of a balanced design
p 97 A94-10745
- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
- Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2
p 241 N94-22298
- Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303
- CIMSS FIRE research activities
p 242 N94-22307
- An overview of the radiation component of the NASA TOGA-COARE experiment
p 242 N94-22344
- Remote sensor observations during WISPR1: The use of microwave radiometers, RASS, and lidar celometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
- An evaluation of three GPS receivers for use in the GPS sounder
[AD-A278157] p 469 N94-33253
- High resolution infrared datasets useful for validating stratospheric models
p 506 N94-33461

ATMOSPHERIC TEMPERATURE

- Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body
p 11 A94-10935
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- Hunting phenomena of the balloon motions observed over Antarctica
[BTN-94-EIX94401358969] p 571 A94-61625
- Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- Surface roughness lengths
[AD-A274550] p 365 N94-26846

ATMOSPHERIC TURBULENCE

- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
- Beamforming in an acoustic shadow
p 286 N94-24219
- Continuous gust response and sensitivity derivatives using space-time models
p 268 N94-24287
- The deterministic power-spectral-density method
[AD-B175894] p 340 N94-27395
- High-Speed Research: Sonic Boom, Volume 1
[NASA-CP-10132] p 300 N94-28188
- Progress in modeling atmospheric propagation of sonic booms
p 300 N94-28189

- Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence
p 300 N94-28190
- Interaction of the sonic boom with atmospheric turbulence
p 301 N94-28191
- The propagation of spark-produced N waves through turbulence
p 301 N94-28193
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992
[PB94-910403] p 467 N94-32938
- Relaxation and turbulence effects on sonic boom signatures
p 512 N94-33496
- The effect of turbulence and molecular relaxation on sonic boom signatures
p 512 N94-33497
- Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522

ATMOSPHERICS

- Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation
p 62 A94-12121

ATOMIC CLOCKS

- GPS common-view time transfer
p 428 N94-30648
- Comparison of LASSO and GPS time transfers
p 429 N94-30665

ATOMIZERS

- A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions
p 411 N94-29282

ATTACK AIRCRAFT

- Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor
p 99 A94-12048
- The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's'
p 130 A94-12234
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility
p 114 N94-11502
- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- Operational agility assessment with the AM-X aircraft
p 534 N94-34626

ATTENTION

- Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933

ATTENUATORS

- Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673

ATTITUDE (INCLINATION)

- Attitude error estimation with a general GPS observation matrix
p 64 A94-12562
- Evaluation of the prototype dual-axis wall attitude measurement sensor
[NASA-TM-109056] p 354 N94-26707
- Study findings on the influence of maneuverability and agility on helicopter handling qualities
p 533 N94-34624

ATTITUDE CONTROL

- Method for inferring sensor attitude through multi-feature tracking
p 94 A94-12598
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 116 N94-13300
- Handling qualities effects of display latency
p 95 N94-13316
- Dynamic Forms. Part 1: Functions
[NASA-TP-3397] p 176 N94-13790
- Research and training activities of the Joint Institute for Aeronautics and Acoustics
[NASA-CR-194742] p 188 N94-19493
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- Piloted simulation study of two tilt-wing control concepts
p 541 N94-35962

ATTITUDE INDICATORS

- Evaluation of the prototype dual-axis wall attitude measurement sensor
[NASA-TM-109056] p 354 N94-26707
- A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048

ATTITUDE STABILITY

- A systematic computation scheme of PAR-WIG cruising performance
p 155 A94-10799
- Improvement of helicopter attitude stability by active control of the conventional swash plate
[NASA-CR-194786] p 227 N94-20524
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998

AUDIO EQUIPMENT

- Georgia Tech sonic boom simulator
p 512 N94-33501

AUDITORY PERCEPTION

- Subjective response to sonic booms having different shapes, rise times, and durations
[NASA-TM-109090] p 417 N94-29464
- Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063

AUDITORY SIGNALS

- Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063
- Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618

AUTOCORRELATION

- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997

AUTOMATA THEORY

- Evaluation of the capacity and delay benefits of terminal air traffic control automation
[AD-A265323] p 67 N94-11863
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300

AUTOMATED RADAR TERMINAL SYSTEM

- Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127
- Machine Intelligence in Air Traffic Management
[AD-A275680] p 383 N94-29558

AUTOMATIC CONTROL

- Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675
- Stability analysis and aerospace vehicle dynamics
p 113 N94-11491
- Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815
- Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
- A learning autopilot for automatically controlled robust regulation
[ETN-93-95075] p 123 N94-19711
- Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
- Conflict-free trajectory planning for air traffic control automation
[NASA-TM-108790] p 306 N94-25272
- Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Automation of formation flight control
[AD-A274137] p 340 N94-27132
- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance
[REPT-932-600-104] p 412 N94-29474
- Intelligent systems for air space control and management
p 384 N94-29560
- Use of GPS in automated air traffic control
p 384 N94-29563
- Design of Center-TRACON Automation System
p 385 N94-29568
- Simulation of fully automated air traffic control concepts
p 386 N94-29569
- ARC2000: Automatic radar control
p 388 N94-29583

- Automatic control steps for aircraft taxi guidance
p 388 N94-29584
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1
p 508 N94-34308
- An overview of recent advances in system identification
p 546 N94-35880
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity
p 597 N94-36498
- AUTOMATIC FLIGHT CONTROL**
- A translational rate command control law for hover assist
p 109 A94-12111
- Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151]
p 131 N94-10733
- Design and pilot evaluation of the RAH-66 Comanche Core AFCS
p 119 N94-13321
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory
[AD-A266718]
p 122 N94-15730
- AUTOMATIC GAIN CONTROL**
- A feasibility study on bird classification with neural network
[AD-A273753]
p 306 N94-25780
- AUTOMATIC LANDING CONTROL**
- On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05]
p 69 N94-17921
- Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599]
p 465 N94-33995
- Integrated flight/thrust control systems with constant angle-of-attack
p 488 N94-34326
- AUTOMATIC PILOTS**
- Gain scheduling for H-infinity controllers - A flight control example
p 106 A94-10281
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20
[BTN-94-EIX94351137056]
p 544 A94-60396
- Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167]
p 580 A94-61673
- The Memphis Precision Runway Monitor Program Instrument Landing System final approach study
[AD-A266035]
p 66 N94-11103
- Knowledge-based processing for aircraft flight control
[NASA-CR-194074]
p 120 N94-13469
- A learning autopilot for automatically controlled robust regulation
[ETN-93-95075]
p 123 N94-19711
- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research
[AD-A273103]
p 224 N94-21507
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory
[AD-A274049]
p 338 N94-25833
- Discovery learning in autonomous agents using genetic algorithms
[AD-A274083]
p 339 N94-25998
- Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599]
p 465 N94-33995
- Adaptive autopilot
[AD-D016193]
p 489 N94-34406
- AUTOMATIC TEST EQUIPMENT**
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
p 127 A94-10438
- AUTOMATIC WEATHER STATIONS**
- The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685]
p 364 N94-25271
- AUTOMATION**
- Advancements in automatic fastening technology
p 157 A94-11848
- Use of robots for aircraft dry stripping via plastic media blasting
p 167 N94-10620
- Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process
p 168 N94-10623
- System for automatic transportation of aircraft on the ground
[CA-PATENT-1-322-361]
p 341 N94-24785
- The Automated Aircraft Rework System (AARS): A system integration approach
[AIAA PAPER 94-1225-CP]
p 450 N94-30574
- Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP]
p 450 N94-30575
- AUTOMOBILE ENGINES**
- Rolls-Royce in perspective: Past, present and future
[PNR-90882]
p 264 N94-23519
- Materials development program: Ceramic technology project bibliography, 1984-1992
[DE94-009297]
p 493 N94-32935
- AUTOMOBILES**
- Ceramic Technology Project
[DE94-001011]
p 231 N94-21822
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352
- New developments in aluminum for aircraft and automobiles
p 584 N94-36413
- AUTONOMOUS NAVIGATION**
- The autonomous airplane concept
[SAE PAPER 921918]
p 53 A94-11968
- RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting --- receiver autonomous integrity monitoring
p 62 A94-12124
- On the track of the Tiger - The navigation system for the Tiger missions
p 62 A94-12230
- Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450]
p 68 N94-13703
- Perception for outdoor navigation
[AD-A266867]
p 68 N94-14919
- Object oriented design of the autonomous fixtacking management system
p 383 N94-29323
- Safe navigation and active vision for autonomous vehicles: A purposive and direct solution
p 450 N94-31842
- Accurate estimation of object location in an image sequence using helicopter flight data
p 537 N94-35055
- Two-axis camera platform for machine vision
p 597 N94-36628
- AUTONOMOUS SPACECRAFT CLOCKS**
- Cesium and rubidium frequency standards status and performance on the GPS program
p 429 N94-30663
- Comparison of LASSO and GPS time transfers
p 429 N94-30665
- AUTONOMY**
- Discovery learning in autonomous agents using genetic algorithms
[AD-A274083]
p 339 N94-25998
- Using discovery-based learning to prove the behavior of an autonomous agent
[AD-A274131]
p 368 N94-27121
- AUTOROTATION**
- Flight path calculations for a helicopter in autorotative landing
p 75 A94-12073
- Engine starting and stopping
p 360 N94-28047
- AUXILIARY POWER SOURCES**
- Recent advances in no-break power transfer (NBPT)
[SAE PAPER 921964]
p 98 A94-11993
- Technology Requirements for Small Gas Turbines
[AD-280274]
p 482 N94-34431
- Specifications of auxiliary power units for conformity with helicopter turboshaft engines
p 484 N94-34441
- The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442
- AVIATION METEOROLOGY**
- Optimal recovery from microburst wind shear
p 107 A94-10803
- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system
p 189 A94-12286
- Stability model of the atmosphere
p 190 N94-11500
- Windshear database for forward-looking systems certification
[NASA-TM-109012]
p 192 N94-17283
- Integrated Terminal Weather System (ITWS)
[AD-A269884]
p 193 N94-18684
- Aviation Weather Program (AWP)
p 282 N94-24380
- The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685]
p 364 N94-25271
- A data fusion algorithm for multi-sensor microburst hazard assessment
p 307 N94-27287
- Airline safety and economy
[NASA-TM-109811]
p 468 N94-33563
- Impact of weather on flight operations at a major airport
[PB94-127990]
p 507 N94-34408
- The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871]
p 556 N94-35596
- Data requirements for ceiling and visibility products development
[AD-A278959]
p 556 N94-35720
- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957]
p 557 N94-35807
- AVIATION PSYCHOLOGY**
- Information presentation for expert systems in future fighter aircraft
[AD-A275126]
p 394 N94-29005
- AVIONICS**
- Developing a framework for concurrency by capturing systems engineering rational using a Process Modelling Methodology
[AIAA PAPER 93-4489]
p 195 A94-11422
- Software testability and its application to avionics software
[AIAA PAPER 93-4542]
p 196 A94-11462
- Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571]
p 196 A94-11477
- Cooperative GN&C development in a rapid prototyping environment --- flight software design for space vehicles
[AIAA PAPER 93-4622]
p 197 A94-11505
- Evaluation of cooling concepts for high power avionics applications
[SAE PAPER 921942]
p 157 A94-11981
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953]
p 129 A94-11991
- Data, decisions, and cockpit technology
[SAE PAPER 922049]
p 93 A94-12035
- Technology integration in advanced commercial aircraft cockpits and operational systems
p 95 A94-12621
- Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477]
p 592 A94-61203
- Future developments of the NLR research flight simulator
[NLR-TP-92143-U]
p 132 N94-13498
- High flux heat exchanger
[AD-A266341]
p 175 N94-13730
- Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF)
[NASA-TM-106357]
p 58 N94-16520
- Satellite communications installation plan
[AD-A266303]
p 182 N94-16965
- Embedded computer systems: Status of C-17 software
[AD-A267307]
p 201 N94-16993
- Preliminary design of a water cooled avionics cooling rack
[AD-A268826]
p 96 N94-18536
- Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3]
p 96 N94-20053
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323]
p 96 N94-20343
- Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466]
p 243 N94-22414
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program
p 266 N94-24270
- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics techology. Volume 2: Avionics systems engineering
[AD-A273630]
p 263 N94-24733
- Future space transportation system architecture avionics requirements
p 346 N94-25098
- New Technologies for Space Avionics, 1993
[NASA-CR-188272]
p 351 N94-25193
- Appendix A: Proposed statement of work, 1994
p 351 N94-25194
- A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus
[AD-A273734]
p 367 N94-26009
- Digital systems validation book plan. Volume 3: Handbook
[AD-A274099]
p 329 N94-26028
- Research and test facilities
[NASA-TM-109685]
p 344 N94-26684
- Ada multiple-programming for hard real time applications in space systems
p 368 N94-26730
- Description of the Experimental Avionics Systems Integration Laboratory (EASILY)
[NASA-TM-109072]
p 344 N94-27425
- Aerospace Software Engineering for Advanced Systems Architectures
[AD-A277101]
p 415 N94-29315
- Experiences with the HOOD design method on avionics software development
p 415 N94-29325
- Ada run time system certification for avionics applications
p 394 N94-29332
- On ground system integration and testing: A modern approach
p 394 N94-29334
- Testing Operational Flight Programs (OFPs)
p 416 N94-29337
- KC-135 cockpit modernization study and crew reduction feasibility demonstration
[AD-A275230]
p 392 N94-29391
- DLR's ATM demonstration programme
p 386 N94-29575
- The maintenance of operational flight program
[AD-A276363]
p 419 N94-31367

- Technologies for avionics embedded computer systems
[AD-A276364] p 434 N94-31368
- Testing Operational Flight Programs (OFP's)
[AD-A276361] p 432 N94-31367
- SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6
[AD-A276973] p 442 N94-32398
- A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909
- Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- ICAAS piloted simulation results
p 593 N94-36617
- Preload release mechanism
[NASA-GASE-MSC-22327-1] p 594 N94-36639
- Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- AXES (REFERENCE LINES)**
Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- AXIAL FLOW**
Axial compressor performance during surge
[BTN-94-EIX9432133308] p 548 A94-60040
- Vortex cutting by a blade. Part 1: General theory and a simple solution
[BTN-94-EIX94421374957] p 563 A94-61855
- Development of passive superconducting bearings. Phase 3
[AD-A266050] p 169 N94-10706
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
- AIAA Techfest 29 proceedings
[NIAF-93-1] p 5 N94-20191
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592
- An investigation of the surge behavior of a high-speed ten-stage axial flow compressor
[AD-A274910] p 332 N94-26345
- The effect of an axial flow component on a circular cylinder wake
p 445 N94-31209
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883
- AXIAL FLOW TURBINES**
Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- Comments on the development of the early Westinghouse turbojets, 1941-1946
[BTN-94-EIX94311331063] p 577 A94-61115
- Stall inception and development in an axial flow aeroengine
[BTN-94-EIX94311330088] p 591 A94-61131
- Spanwise transport in axial-flow turbines. Part 2: Throughflow calculations including spanwise transport
[BTN-94-EIX94311330085] p 591 A94-61134
- Spanwise transport in axial-flow turbines. Part 1: The multistage environment
[BTN-94-EIX94311330084] p 592 A94-61135
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- The influence of the inlet boundary layers on the secondary losses of turbine stages
p 486 N94-34457
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459
- Hot section materials for small turbines
p 486 N94-34465
- Prediction of unsteady airfoil flows at large angles of incidence
p 525 N94-34978
- AXIAL LOADS**
Overview of the FAA/DCA/NLR programs related to ageing aircraft
[NLR-TR-92119-U] p 4 N94-17614
- AXISYMMETRIC BODIES**
Drag and wake modification of axisymmetric bluff bodies using Coanda blowing
[BTN-94-EIX94401358974] p 565 A94-61630

- Prediction method for unsteady axisymmetric flow over parachutes
[BTN-94-EIX94401358984] p 566 A94-61640
- Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681
- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- Tip effects on the vortex wake of an axisymmetric body at angle of attack
p 424 N94-31907
- AXISYMMETRIC FLOW**
Prediction method for unsteady axisymmetric flow over parachutes
[BTN-94-EIX94401358984] p 566 A94-61640
- Stability of hypersonic boundary-layer flows with chemistry
p 21 N94-10451
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571
- Supersonic minimum length nozzle design for dense gases
p 250 N94-23656
- Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173
- AZIMUTH**
A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion
[DE94-008456] p 507 N94-34382

B

- B-1 AIRCRAFT**
Liquid tight insulation for high temperature aircraft ducting
[SAE PAPER 921914] p 98 A94-11967
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- B-2 AIRCRAFT**
B-2 bomber: Assessment of DOD's response to mandated certifications and reports
[AD-A273179] p 320 N94-25152
- B-50 AIRCRAFT**
Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- B-52 AIRCRAFT**
Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- B-70 AIRCRAFT**
Variability of measured sonic boom signatures
p 370 N94-28197
- BACKGROUND NOISE**
Evaluation of a nonlinear method for the enhancement of tonal signal detection
[NASA-CR-191562] p 244 N94-21741
- BACKSCATTERING**
A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign
p 190 N94-11711
- S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 3
[AD-A274416] p 355 N94-26980
- Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- BACKWARD FACING STEPS**
Experimental investigation on supersonic combustion.
II
p 97 A94-10702
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model
p 251 N94-24145
- BACKWARD WAVES**
Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- BAFFLES**
Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- BALANCE**
Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347

- BALANCING**
Using optimization for balancing flexible rotors
p 161 A94-12516
- BALL BEARINGS**
Rotor instability induced by dead band clearance in bearing supports
p 445 N94-30809
- BALLISTIC RANGES**
Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815
- Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities
p 133 N94-14159
- BALLISTICS**
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748
- BALLOON FLIGHT**
Hunting phenomena of the balloon motions observed over Antarctica
[BTN-94-EIX94401358969] p 571 A94-61625
- PRONAS flight software: A real-time application for a balloonborne scientific gondola
p 368 N94-26725
- BANDWIDTH**
Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 116 N94-13300
- Encoding approaches for data link transmission of weather graphics
[AD-A267497] p 355 N94-26963
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- BARIUM OXIDES**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- BAROMETERS**
The methods of systems analysis and optimization for the aneroid barometric altimeter
p 92 A94-10114
- BASE FLOW**
Drag reduction for turbulent flow over a projectile, part 2
[BTN-94-EIX94311322900] p 520 A94-60196
- A computational study of the base region flow field for the M865 projectile
[ARL-TR-109] p 33 N94-13795
- BASE HEATING**
A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360
- BASE PRESSURE**
Drag and wake modification of axisymmetric bluff bodies using Coanda blowing
[BTN-94-EIX94401358974] p 565 A94-61630
- A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360
- BAYES THEOREM**
Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071
- Fault detection and isolation for the Bluebird test bed aircraft
[AD-A277979] p 487 N94-33086
- BAYS (STRUCTURAL UNITS)**
Computation of a controlled store separation from a cavity
p 41 N94-16513
- Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- BAYS (TOPOGRAPHIC FEATURES)**
Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- BEAMFORMING**
Beamforming in an acoustic shadow
p 286 N94-24219
- BEAMS (SUPPORTS)**
Survey and comparison of engineering beam theories for helicopter rotor blades
[BTN-94-EIX94401358960] p 571 A94-61616
- BEARING (DIRECTION)**
Relative motion pinwheel
[AD-D016107] p 469 N94-32961
- BEARINGLESS ROTORS**
'Will rotor hubs lose their bearings?' - A survey of bearingless main rotor development
p 74 A94-12047

Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft p 78 A94-12240

BEARINGS

Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239

Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method p 161 A94-12531

Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD p 164 A94-12871

Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104

Dynamic tester for rotor seals and bearings [NASA-CASE-MFS-28493-1] p 130 A94-10669

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports [NASA-CR-195106] p 282 A94-24751

An algorithm for determination of bearing health through automated vibration monitoring [AD-A274591] p 356 A94-26986

An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 A94-34192

Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 A94-34197

BEECHCRAFT AIRCRAFT

Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 A94-34390

BELL AIRCRAFT

Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337

Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-191499] p 148 A94-13267

ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 A94-13295

Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 A94-26604

BEND TESTS

Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346

Technology integration box beam failure study p 494 A94-33126

BENDING FATIGUE

Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044

BENDING MOMENTS

Calculation of rotor blade air loads from measured structural response data p 155 A94-10743

Analysis of rotor blade dynamics using model scale UH-60A airloads [HTN-94-00300] p 601 A94-62276

Technology integration box beam failure study p 494 A94-33126

BIBLIOGRAPHIES

Magnetic bearings - State of the art p 162 A94-12657

Aircraft noise effects on cultural resources: Annotated bibliography [PB93-205334] p 244 A94-22054

Bibliography of Lewis Research Center technical publications announced in 1992 [NASA-TM-106035] p 287 A94-23562

Aircraft flight safety: A bibliography [AGARD-R-805] p 255 A94-24091

Japanese aerospace science and technology 1992. A bibliography with indexes p 288 A94-24585

NASA SBIR abstracts of 1992, phase 1 projects [NASA-TM-109694] p 371 A94-27772

Materials development program: Ceramic technology project bibliography, 1984-1992 [DE94-009297] p 493 A94-32935

Cumulative reports and publications through December 31, 1993 [AD-A279510] p 508 A94-33286

Toxic emissions from aircraft firefighting training: A search of available literature [PB94-156783] p 507 A94-34409

BIDIRECTIONAL REFLECTANCE

Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 A94-22296

BINAURAL HEARING

Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618

BIOACOUSTICS

Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196

BIODYNAMICS

Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189

Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196

BIOLOGICAL EFFECTS

Compatibility and efficacy of biocides qualified under military specification MIL-S-53021 [AD-A271496] p 230 N94-20551

BIRD-AIRCRAFT COLLISIONS

Bird strike hazards to helicopters p 54 A94-12116

Explicit solution techniques for impact with contact constraints p 188 N94-19470

Birdstrike resistant crew enclosure program [AD-A273700] p 367 N94-25453

A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780

BIRDS

A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780

BLADE SLAP NOISE

Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054

Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307

Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514

Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463

Computation of helicopter rotor acoustics in forward flight [NASA-CR-196132] p 560 N94-36031

Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767

BLADE TIPS

Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356

Numerical analysis of turbine blade tip treatments [SAE PAPER 921928] p 13 A94-11976

Turbine wheel relative temperature at freerun conditions [SAE PAPER 921949] p 158 A94-11988

Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055

Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056

An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064

An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066

Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067

Influence of non-planar blade tips on rotor performance p 16 A94-12071

Experimental investigation of counter-rotating propfan flutter at cruise conditions [BTN-94-EIX94321333310] p 516 A94-60042

Turbine blade tip film cooling measurements [AD-A267686] p 103 N94-14964

Bent-tip blade for aircraft rotary-wing [CA-PATENT-1-315-259] p 257 N94-23254

Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285

Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307

An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis [NASA-TM-104006] p 523 N94-34948

BLADE-VORTEX INTERACTION

Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049

Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054

Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055

An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066

Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067

Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068

Factor analysis of coaxial rotors aerodynamics in hover p 16 A94-12069

Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796

Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction [NASA-CR-193623] p 204 N94-10752

Simulated wake characteristics of tapered annular wings by a discrete vortex method [NAL-TR-1156] p 25 N94-10855

Lift enhancement of a wing/stroke using pneumatic blowing [AD-A265074] p 82 N94-11872

The fluid mechanics of vortex cutting by a blade [AD-A270932] p 52 N94-20043

Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523

Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514

Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463

Correlation of airloads on a two-bladed helicopter rotor [NASA-TM-103982] p 292 N94-26143

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159

Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions [NASA-CR-195824] p 466 N94-34207

Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767

BLAST LOADS

The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246

Safety standards for aircraft shelter [FFI-92/4003] p 343 N94-26305

BLOCK DIAGRAMS

X-31A control law design p 540 N94-34618

BLOCKS

Information system for flow simulation based on the Navier-Stokes equations vectorization [AD-B179293] p 444 N94-30763

BLOWDOWN WIND TUNNELS

Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411

Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel [PB94-126539] p 344 N94-26815

Aerodynamic heating in hypersonic flows p 296 N94-27919

BLOWING

Effects of nozzle exit geometry on forebody vortex control using blowing [BTN-94-EIX94401358964] p 564 A94-61620

Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630

Lift enhancement of a wing/stroke using pneumatic blowing [AD-A265074] p 82 N94-11872

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests [NASA-CR-177626-VOL-1] p 38 N94-15655

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests [NASA-CR-177626-VOL-2] p 38 N94-15677

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments [NASA-CR-177626] p 40 N94-15780

Controlled oscillation of forebody vortices by nozzle jet blowing [ISBN-0-315-84134-6] p 340 N94-27648

Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029

- Numerical study of the trailing vortex of a wing with wing-tip blowing
[NASA-CR-195803] p 378 N94-29760
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Yaw control by tangential forebody blowing p 539 N94-34615
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot --- conducted in the Ames 80 by 120 foot wind tunnel p 527 N94-35965
- F/A-18 forebody vortex control. Volume 1: Static tests [NASA-CR-4582-VOL-1] p 528 N94-35991
- BLUFF BODIES**
- Boundary-layer influences on the subsonic near-wake of bluff bodies [BTN-94-EIX94311329138] p 517 A94-60162
- Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
- Prediction method for unsteady axisymmetric flow over parachutes [BTN-94-EIX94401358984] p 566 A94-61640
- Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026
- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- BLUNT BODIES**
- Numerical simulation of entry flow over blunt swept-wing planes p 9 A94-10772
- Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957
- Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions [NASA-TM-109016] p 29 N94-13172
- Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
- BLUNT LEADING EDGES**
- The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321
- BLUNT TRAILING EDGES**
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340
- BOATTAILS**
- Drag reduction for turbulent flow over a projectile, part 2 [BTN-94-EIX94311322900] p 520 A94-60196
- Drag reduction of turbulent flow over a projectile, part 1 [BTN-94-EIX94311322899] p 557 A94-60197
- BODIES OF REVOLUTION**
- Two-dimensional boundary surfaces for axisymmetric external transonic flows [AD-A269678] p 50 N94-18571
- BODY KINEMATICS**
- Time domain computational techniques --- integration methods in aeronautical engineering p 198 A94-12679
- BODY-WING AND TAIL CONFIGURATIONS**
- VSAERO analysis of a Piper Cub aircraft p 85 N94-14616
- Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing root experiments [NASA-CR-177626] p 40 N94-15780
- WBNRGID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications [NASA-CR-194520] p 51 N94-19621
- The cetaceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711
- The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837
- BODY-WING CONFIGURATIONS**
- Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows [SAE PAPER 921926] p 13 A94-11975
- Multiple-zone potential solutions around wing-body configurations p 17 A94-12343
- Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment [AD-A266015] p 28 N94-12989
- A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations [NLR-TP-91397-U] p 31 N94-13531
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942
- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329
- Numerical analysis of sonic boom in the near field p 376 N94-28962
- Three-dimensional external flow computations using prismatic grid p 410 N94-28979
- Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations [NASA-TM-4573] p 568 N94-36950
- BOEING AIRCRAFT**
- Load management p 156 A94-11374
- NASA Annual HSR Workshop: Boeing HSCAT program summary p 471 N94-33449
- BOEING 720 AIRCRAFT**
- Composite impact dynamics research at NASA LaRC: A review p 187 N94-19467
- BOEING 727 AIRCRAFT**
- Satellite communications installation plan [AD-A266303] p 182 N94-16965
- After thirty years: Farewell of Europa jet p 311 N94-28249
- BOEING 737 AIRCRAFT**
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory [NASA-SP-4216] p 455 N94-32793
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- BOEING 747 AIRCRAFT**
- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers [NASA-CR-193168] p 40 N94-16510
- BOEING 757 AIRCRAFT**
- Spoiler actuator - Problem investigation [SAE PAPER 922005] p 107 A94-12009
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing [PB94-917002] p 308 N94-27881
- BOEING 767 AIRCRAFT**
- A comparison of military and commercial aircraft development [AD-A276830] p 427 N94-32168
- BOLTED JOINTS**
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- BOLTZMANN TRANSPORT EQUATION**
- The finite pointset method for hypersonic flows in the rarefied gas regime p 9 A94-10773
- BOMBER AIRCRAFT**
- A model for fuel fire duration and application to the B-1B bomber [DE93-013000] p 57 N94-14292
- Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779
- Birdstrike resistant crew enclosure program [AD-A273700] p 367 N94-25453
- BOMBS (ORDNANCE)**
- Cockpit video: A low cost BDA source [AD-A275228] p 395 N94-29389
- BONDED JOINTS**
- Mathematical modelling of bonded fibre-composite repairs to aircraft [AD-A268732] p 152 N94-18327
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- Investigation of the bond strength of a discrete skin-stiffener interface [NLR-TP-92183-U] p 327 N94-27796
- BONDING**
- Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590
- BOOLEAN ALGEBRA**
- Expert system rule-base evaluation using real-time parallel processing [AD-A273701] p 367 N94-25454
- BOOSTER ROCKET ENGINES**
- Control strategies for space boosters using air collection systems [BTN-94-EIX94311330685] p 543 A94-60106
- BOOSTER ROCKETS**
- Design of an airborne launch vehicle for an air launched space booster [NASA-CR-195534] p 346 N94-24860
- BORESIGHT ERROR**
- Electromagnetic wave test p 177 N94-14173
- BORON**
- Coating the boron particles to increase the combustion efficiency of boron fuel [BTN-94-EIX94381353577] p 584 A94-61473
- BOUNDARY CONDITIONS**
- Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications p 8 A94-10765
- Boundary conditions for unsteady supersonic inlet analyses [BTN-94-EIX94421374964] p 593 A94-61862
- Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326
- Wall interference studies: Revisited p 178 N94-14604
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1 [AD-A268176] p 135 N94-17432
- Calculation of maximum and high lift characteristics of multi element aerofoils p 46 N94-18419
- An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661
- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets [AD-A274023] p 352 N94-25757
- Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids [NASA-CR-195285] p 333 N94-27654
- A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes [NASA-CR-195699] p 409 N94-28724
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931
- Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow [AD-A277322] p 448 N94-32256
- A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation [NASA-TP-3129] p 458 N94-32865
- BOUNDARY ELEMENT METHOD**
- A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- Dynamic analysis of open membrane structures interacting with air [BTN-94-EIX9433137180] p 606 A94-62183
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise [NASA-CR-4561] p 412 N94-29552
- BOUNDARY INTEGRAL METHOD**
- Scattering by cavity-backed antennas on a circular cylinder p 236 N94-21886
- Radiation by cavity-backed antennas on a circular cylinder p 236 N94-21887
- BOUNDARY LAYER CONTROL**
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2 [SAE PAPER 921994] p 13 A94-12006
- Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 N94-10672
- Transition prediction and control in subsonic flow over a hump [NASA-CR-4543] p 173 N94-13066
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571
- Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade [AD-A267208] p 42 N94-16913
- Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714

- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870
- Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- Aeroacoustics analysis and community noise overview
p 461 N94-33488
- Supersonic HLFC: Potential benefits and technology development requirements
p 463 N94-33531
- Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations
[NASA-CR-4599] p 501 N94-33897
- Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- The quest for stall-free dynamic lift
p 525 N94-34986
- Mechanisms of flow control with the unsteady bleed technique
p 525 N94-34987
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment
p 535 N94-34988
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- BOUNDARY LAYER EQUATIONS**
- Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments
p 8 A94-10768
- Second-order effects in hypersonic boundary layers
p 8 A94-10769
- Analysis of the effect of heat strips on boundary layer development over a flat plate
[SAE PAPER 921923] p 12 A94-11972
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- Research on chemical vapor deposition processes for advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089
- A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
- Calculation of multielement airfoils and wings at high lift
p 49 N94-18438
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages
[NASA-CR-4269] p 498 N94-32871
- BOUNDARY LAYER FLOW**
- Jet boundaries - New type of self-streamlining wind tunnel wall
p 6 A94-10434
- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities
p 6 A94-10436
- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer
p 11 A94-10936
- Influence of two-dimensional imperfections on laminar flow
[SAE PAPER 921990] p 13 A94-12004
- Incompressible flow in contracting ducts
p 159 A94-12198
- Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow
p 18 A94-12800
- A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe
p 18 A94-12892
- Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters
p 19 A94-12893
- Structure of local pressure-driven three-dimensional transient boundary-layer separation
[BTN-94-EIX94301315979] p 515 A94-60015
- Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
- Stability of hypersonic boundary-layer flows with chemistry
p 21 N94-10451
- Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180
- Numerical simulations of unsteady flows in turbomachines
p 175 N94-13569
- Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows
[AGARD-R-792] p 179 N94-15196
- Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods
p 180 N94-15197
- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388
- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
- A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465
- Measurement of kinematically unstationary separated flows
p 273 N94-22854
- An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131
- An investigation into the aerodynamic effects of wing patches
[ISBN-0-315-84121-4] p 294 N94-26672
- Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft
p 302 N94-28329
- Viscous airfoil computations using adaptive structured grids
p 304 N94-28337
- Attached and separated trailing edge flow measurements with a triple-split hot-film probe
p 304 N94-28339
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D
p 304 N94-28340
- Thin-layer Navier-Stokes computations for multi-element airfoils
p 304 N94-28341
- Ice accretion on aircraft wings
p 311 N94-28345
- Preliminary assessment of aerodynamic effects of wing repair patches
p 305 N94-28346
- Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility
p 363 N94-28350
- Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature
[NASA-CR-4579] p 412 N94-29460
- The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer
p 444 N94-30807
- Boundary layer study on nozzle wall at hypersonic velocities
p 424 N94-31882
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
- Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391
- Computation of unsteady flows over airfoils
p 525 N94-34977
- Some aspects of unsteady separation
p 525 N94-34979
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219
- BOUNDARY LAYER SEPARATION**
- Structure of local pressure-driven three-dimensional transient boundary-layer separation
[BTN-94-EIX94301315979] p 515 A94-60015
- Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629
- New airfoil-design concept with improved aerodynamic characteristics
[BTN-94-EIX94401372110] p 567 A94-61810
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates
[AD-A265159] p 27 N94-11889
- Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows
[ESA-TT-1278] p 174 N94-13117
- Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780
- Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959
- Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods
p 180 N94-15197
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571
- A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029
- Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040
- Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner
p 302 N94-28328
- Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
p 378 N94-29674
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
[NASA-CR-195301] p 456 N94-32475
- Numerical analysis of transonic wing buffet
p 487 N94-32713
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations
p 457 N94-32714
- Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- Similarity in separated flow fields producing large-scale vortices
p 460 N94-33382
- Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- Control of leading-edge separation on a cambered delta wing
p 539 N94-34616
- Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A
[NASA-CR-195957] p 523 N94-34964
- Physics of Forced Unsteady Separation
[NASA-CP-3144] p 552 N94-34966
- Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors
p 524 N94-34967
- Unsteady separation process and vorticity balance on unsteady airfoils
p 524 N94-34970
- Control of leading-edge vortices on a delta wing
p 524 N94-34971
- Computed unsteady flows of airfoils at high incidence
p 525 N94-34975
- Will the real dynamic instability mechanism please be recognized!
p 552 N94-34976
- Prediction of unsteady airfoil flows at large angles of incidence
p 525 N94-34978
- Mechanisms of flow control with the unsteady bleed technique
p 525 N94-34987
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment
p 535 N94-34988
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate
p 526 N94-34989
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219
- BOUNDARY LAYER STABILITY**
- Perspectives on hypersonic viscous flow research
p 11 A94-10892
- Streamline-curvature effect in three-dimensional boundary layers
[SAE PAPER 921987] p 13 A94-12003
- Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005

- Transition correlations in three-dimensional boundary layers
[BTN-94-EIX94301315968] p 547 A94-60004
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
- Curvature effects in three-dimensional boundary layers p 173 N94-12623
- Idea of underground airplane p 82 N94-12630
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control
[NASA-CR-4531] p 174 N94-13073
- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows
[NASA-TM-106399] p 216 N94-20534
- Transition for three-dimensional, compressible boundary layers p 363 N94-28327
- Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- BOUNDARY LAYER TRANSITION**
- Milestones in boundary-layer transition research with infrared imaging p 6 A94-10410
- Hypersonic boundary-layer transition p 9 A94-10783
- Perspectives on hypersonic viscous flow research p 11 A94-10892
- Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005
- The boundary layer p 164 A94-12888
- Transition correlations in three-dimensional boundary layers
[BTN-94-EIX94301315968] p 547 A94-60004
- Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629
- Control effectiveness at hypersonic speeds p 112 N94-10426
- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades
[NASA-TM-106278] p 170 N94-11256
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
- Curvature effects in three-dimensional boundary layers p 173 N94-12623
- Idea of underground airplane p 82 N94-12630
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422
- Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117
- An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction
[AD-A268394] p 44 N94-17461
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599
- Free flight experiment with a laminar wing glove p 219 N94-22600
- Sound radiation due to boundary layer transition p 285 N94-24163
- Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586
- Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Transition for three-dimensional, compressible boundary layers p 363 N94-28327
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 378 N94-29674
- Experiments and theoretical considerations regarding the allowable roughness height in laminar flow
[PB94-125556] p 381 N94-30389
- Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
- Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- Will the real dynamic instability mechanism please be recognized! p 552 N94-34976
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- BOUNDARY LAYERS**
- The boundary layer p 164 A94-12888
- Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889
- Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900
- Surface interference in Rayleigh scattering measurements near forebodies
[BTN-94-EIX94301315999] p 516 A94-60035
- In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- Boundary-layer influences on the subsonic near-wake of bluff bodies
[BTN-94-EIX94311329138] p 517 A94-60162
- Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
- Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions p 170 N94-11014
- [AD-A265275] p 172 N94-12294
- Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
- Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
- Unsteady phenomena in shock wave/boundary layer interaction p 180 N94-15200
- Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605
- Measurement of kinematically unstationary separated flows p 273 N94-22854
- Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- Sound radiation due to boundary layer transition p 285 N94-24163
- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945
- BOUNDARY VALUE PROBLEMS**
- Fourth-order 2N-storage Runge-Kutta schemes
[NASA-TM-109112] p 458 N94-32950
- Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204
- BOUSSINESQ APPROXIMATION**
- Modeling and new equipment definition for the vibration isolation box equipment system
[NASA-CR-193185] p 184 N94-17763
- BOX BEAMS**
- Structural testing of the technology integration box beam p 494 N94-33125
- Technology integration box beam failure study p 494 N94-33126
- BRAIDED COMPOSITES**
- Weaving new strength into composites p 141 A94-10084
- Development of test methods for textile composites p 150 N94-16862
- Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- BRAKES (FOR ARRESTING MOTION)**
- Ingestion into the upstream wheelspace of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- Studies of Shuttle orbiter arrestment system
[NASA-TP-3370] p 258 N94-24304
- BRANCHING (MATHEMATICS)**
- Stability analysis through bifurcation theory, 1 p 208 N94-18238
- Non-linear flight dynamics p 88 N94-18240
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- BRAYTON CYCLE**
- Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
- Brayton power conversion system parametric design modelling for nuclear electric propulsion
[NASA-CR-191135] p 229 N94-21874
- BREAKING**
- Canopy breaking device
[AD-D016294] p 602 N94-37767
- BRIDGES (STRUCTURES)**
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160
- BRIGHTNESS TEMPERATURE**
- A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes p 192 N94-16597
- BROADBAND**
- ACTS broadband aeronautical experiment p 272 N94-22771
- BROADCASTING**
- System for broadcasting marker beacon signals and processing responses from seeking entities
[AD-D016313] p 602 N94-37839
- BRUSH SEALS**
- The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790
- Brush seal bristle flexure and hard-rub characteristics p 235 N94-21791
- Integrity testing of brush seal in a T-700 engine p 235 N94-21792
- Air Force brush seal programs p 235 N94-21793
- Compliant seal development p 235 N94-21795
- Modeling bristle lift-off in idealized brush seal configurations p 236 N94-21797
- BUBBLES**
- Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- BUCKLING**
- Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures
[SAE PAPER 922036] p 158 A94-12027
- Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 A94-60256
- Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565

C

- Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations
[LR-694] p 177 N94-13931
- Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911
- Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961
- BUFFETING**
- Buffet-induced structural/flight-control system interaction of the X-29A aircraft
[BTN-94-EIX94311329137] p 517 A94-60163
- Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859
- Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications
[NASA-CR-194520] p 51 N94-19621
- Lift-curve slope for structural response calculations
[ESDU-93013] p 298 N94-28063
- Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 N94-28092
- Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224
- Numerical analysis of transonic wing buffet
p 487 N94-32713
- A combined approach to buffet response analyses and fatigue life prediction
p 551 N94-34587
- Damage tolerance management of the X-29 vertical tail
p 531 N94-34595
- BUILDINGS**
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054
- Wind climate and urban geometry
[ISBN-9-03-860132-8] p 364 N94-25261
- Rooftop emergency heliports
[AD-A278872] p 402 N94-29754
- BULKHEADS**
- Aircraft system aft telescope cavity configuration study for Stratospheric Observatory for Infrared Astronomy (SOFIA), phase 2
[NASA-CR-194266] p 392 N94-29685
- BURGER EQUATION**
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A27762] p 43 N94-17222
- BURNERS**
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- BURNTHROUGH (FAILURE)**
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems
p 143 N94-10769
- An investigation into aircraft fuselage fire hardening
p 54 N94-10782
- BURSTS**
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- BUS CONDUCTORS**
- A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus
[AD-A273734] p 367 N94-26009
- BUTANES**
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor
p 406 N94-29275
- BYPASS RATIO**
- The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation
[DLR-FB-93-20] p 333 N94-27739
- Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443
- BYPASSES**
- Conceptual study of separated core ultrahigh bypass engine
p 98 N94-10860
- C BAND**
- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign
p 190 N94-11711
- C-130 AIRCRAFT**
- Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223
- CC-130H(T) tactical aerial refuelling tanker development flight test programme
p 575 N94-36347
- C-135 AIRCRAFT**
- Holographic interferometry and moiré deflectometry for visualization and analysis of low-gravity experiments on laser materials processing
p 155 A94-11090
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- KC-135 cockpit modernization study and crew reduction feasibility demonstration
p 392 N94-29391
- [AD-A275230] p 392 N94-29391
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
- Future tanker considerations and requirements
p 575 N94-36342
- C-141 AIRCRAFT**
- Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223
- Risk analysis of the C-141 WS405 inner-to-outer wing joint
p 531 N94-34592
- CABLES (ROPES)**
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
- Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- CALCULUS**
- A time reasoning system based on the event calculus for scheduling in aeronautic maintenance
[REPT-932-710-101] p 374 N94-29463
- CALIBRATING**
- Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator
p 107 A94-12090
- Calibration of ERS-1 altimetry over the North Sea
p 191 N94-11716
- A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch
[NASA-TM-107743] p 28 N94-12421
- The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
- Testing and management of flight instruments and their data
[NASA-CR-194332] p 96 N94-15187
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel
[NASA-TM-106470] p 280 N94-24362
- Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592
- Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030
- Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424
- CALIFORNIA**
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- CAMBER**
- Improvement of endurance performance by periodic optimal control of variable camber
p 581 N94-36329
- CAMBERED WINGS**
- Control of leading-edge separation on a cambered delta wing
p 539 N94-34616
- CAMERAS**
- Photogrammetric methods for trajectory measurements
[NLR-TP-91166-U] p 174 N94-13527
- Perspective and future possibilities
p 186 N94-18651
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data
[AD-A274207] p 326 N94-27105
- Fuzzy-neural control of an aircraft tracking camera platform
p 507 N94-32423
- Two-axis camera platform for machine vision
p 597 N94-36628
- CAMOUFLAGE**
- Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft
[AD-A274881] p 326 N94-26864
- CANADA**
- Paint removal activities in Canada
p 167 N94-10615
- CANADIAN AIRCRAFT**
- First Canadair jet flies for Lufthansa city line
p 310 N94-28243
- CANADIAN SPACE PROGRAM**
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- CANARD CONFIGURATIONS**
- Pressure measurements on a forward-swept wing-canard configuration
[BTN-94-EIX94311329149] p 516 A94-60151
- Vortex-wing interaction of a close-coupled canard configuration
[BTN-94-EIX94311329121] p 519 A94-60179
- Numerical investigations on two-dimensional canard-wing aerodynamic interference
[BTN-94-EIX94401358989] p 566 A94-61645
- X-29: Longitudinal instability at high angle-of-attack
p 114 N94-11504
- Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826
- Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A268938] p 123 N94-18541
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500
- Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267660] p 52 N94-19963
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- Design of the advanced regional aircraft, the DART-75
p 321 N94-25708
- Eagle RTS: A design of a regional transport
p 322 N94-25709
- Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD)
[AD-A278675] p 540 N94-35796
- CANCELLATION**
- System and method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-1] p 232 N94-20588
- Method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-2] p 413 N94-29740
- CANOPIES**
- Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425
- Canopy breaking device
[AD-D016294] p 602 N94-37767
- CARBON CYCLE**
- AIRSAF South American deployment: Operation plan, version 3.0
p 201 N94-15919
- CARBON DIOXIDE**
- Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127
- CARBON DIOXIDE LASERS**
- Compact lightweight CO2 laser for SDIO application
[AD-A273010] p 233 N94-21284
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system
[AD-A273818] p 337 N94-25516
- CARBON FIBER REINFORCED PLASTICS**
- New aircraft materials and structures
[MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- CARBON FIBERS**
- JPRS report: Science and technology. Central Eurasia: Materials science
[JPRS-UMS-93-006] p 149 N94-14573
- Processing, properties and applications of composites using powder-coated epoxy towpreg technology
p 150 N94-15277

CARBON MONOXIDE

- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
- The radiocarbon hydroxyl technique
p 414 N94-28600
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows
p 424 N94-31958
- Stratospheric emissions effects database development
[NASA-CR-4592] p 605 N94-37607

CARBON-CARBON COMPOSITES

- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856

CARBONIZATION

- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111

CARGO

- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter
[AD-A277533] p 474 N94-34080

CARGO AIRCRAFT

- Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- A comparison of military and commercial aircraft development
[AD-A276830] p 427 N94-32168

CARTESIAN COORDINATES

- The 3D Euler solutions using automated Cartesian grid generation
p 243 N94-22367

CASCADE FLOW

- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio
p 6 A94-10357
- Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704
- Calculation of three-dimensional flow of a viscous gas in a straight cascade
p 11 A94-10927
- Numerical analysis of turbine blade tip treatments
[SAE PAPER 921928] p 13 A94-11976
- A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils
p 18 A94-12799
- Three-dimensional closure of the passage-averaged vorticity-potential formulation
[BTN-94-EIX94301315991] p 547 A94-60027
- Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pystock isotropic light piston facility
[RAE-TM-AERO/PROP-19] p 39 N94-15696
- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics
[NASA-TM-106367] p 104 N94-15866
- Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- Effects of crenulations on three dimensional losses in a linear compressor cascade
[AD-A273778] p 352 N94-25862
- Effect of surface finish on turbine airfoil cascade losses
p 335 N94-28320
- The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade
p 335 N94-28321
- Solution-adaptive simulation of transonic cascade flows
p 305 N94-28344
- Application of flow field simulation to turbine vane design
p 395 N94-28978
- An elliptic-hyperbolic grid generation method and application to compressor flows
p 395 N94-28981

- Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade
p 445 N94-30816

- Computational study of simultaneous heat and mass transfer in turbulent separated flows
p 447 N94-31843

- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus
p 424 N94-31880

- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026

- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042

- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883

- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

- Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451

- Development of a HP-turbine for a small helicopter engine
p 486 N94-34456

- The influence of the inlet boundary layers on the secondary losses of turbine stages
p 486 N94-34457

CASCADE WIND TUNNELS

- An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade
[ISBN-0-315-60791-2] p 30 N94-13369

- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics
[NASA-TM-106367] p 104 N94-15866

- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade
[ISBN-0-315-84107-9] p 354 N94-26671

- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042

CASES (CONTAINERS)

- Marker beacon case
[AD-DO16322] p 602 N94-37830

CAST ALLOYS

- Advances in cost effective processing of titanium
p 141 A94-10659

- The simulation of single crystal turbine blade solidification
p 141 A94-10671

- Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418

CATALYSIS

- Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications
p 8 A94-10765

- Fuel-rich catalytic combustion of a high density fuel
[NASA-TP-3281] p 407 N94-29356

CATASTROPHE THEORY

- Flutter analysis using transversality theory
[NASA-TM-106382] p 183 N94-17481

CATHODE RAY TUBES

- Simultaneous raster and calligraphic CRT projection system for flight simulation
p 159 A94-12267

- Single crystal faceplate evaluation
[AD-A277922] p 500 N94-33399

- High definition TV projection via single crystal faceplate technology
[AD-A277850] p 501 N94-33768

CATHODIC COATINGS

- Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
[AD-A273666] p 349 N94-25406

CATHODOLUMINESCENCE

- Single crystal faceplate evaluation
[AD-A277922] p 500 N94-33399

CAUCHY PROBLEM

- A simple and efficient solution for the Riemann problem
p 155 A94-10749

- A new Lagrangian method for three-dimensional steady supersonic flows
[NASA-TM-106068] p 37 N94-14847

CAVITATION FLOW

- Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD
p 164 A94-12871

- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478

CAVITIES

- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412

- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058

- Selected computations of transonic cavity flows
p 40 N94-16511

- Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512

- Computation of a controlled store separation from a cavity
p 41 N94-16513

- Experimental investigation of flow around a multielement airfoil
p 46 N94-18417

- Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464

- Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683

CAVITY FLOW

- Cavity drag at transonic speeds
p 17 A94-12199

- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510

- Selected computations of transonic cavity flows
p 40 N94-16511

- Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512

- An investigation of oblique shock/boundary layer interaction control
[AD-A268106] p 44 N94-17574

- Experimental investigation of flow around a multielement airfoil
p 46 N94-18417

CEILING (METEOROLOGY)

- Data requirements for ceiling and visibility products development
[AD-A278959] p 556 N94-35720

CENTERBODIES

- Status of the variable diameter centerbody inlet program
p 473 N94-33509

CENTRAL PROCESSING UNITS

- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204

CENTRIFUGAL COMPRESSORS

- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349

- Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers
[BTN-94-EIX94311330094] p 590 A94-61125

- Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents
[BTN-94-EIX94311330091] p 590 A94-61128

- Developments in centrifugal compressor surge control: A technology assessment
[BTN-94-EIX94311330090] p 590 A94-61129

- Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field
[NASA-TM-4485] p 180 N94-15445

- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386

- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136

- Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490

- Numerical study on internal flows of centrifugal compressors
p 395 N94-28977

- Active control of vaneless diffuser rotating stall
p 502 N94-34178

- Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec
p 483 N94-34437

- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444

- The centrifugal compressor, an essential component of small and medium power engines
p 484 N94-34445

- Experimental and computational results from a large low-speed centrifugal impeller
p 484 N94-34446

- Flow field analysis in a high pressure ratio centrifugal compressor
p 504 N94-34447

- Compact diffusers for small transonic compressors
p 485 N94-34449

- CENTRIFUGAL FORCE

- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058

- A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
- Use of magnetic compression to support turbine engine rotors p 444 N94-30484
- The centrifugal compressor, an essential component of small and medium power engines p 484 N94-34445
- Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- CENTRIFUGAL PUMPS**
- Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage [BTN-94-EIX94311330093] p 590 A94-61126
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers [BTN-94-EIX94311330092] p 590 A94-61127
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components [ECL-92-35] p 352 N94-25654
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- CENTRIFUGING**
- Centrifuge test of an aircraft vapor cycle environmental control system [SAE PAPER 922051] p 74 A94-12036
- CERAMIC COATINGS**
- Ceramic blanket reduces maintenance costs p 98 A94-11849
- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- Research on chemical vapor deposition processes for advanced ceramic coatings [NASA-CR-193613] p 148 N94-13089
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072
- High-temperature behavior of advanced spacecraft TPS [NASA-CR-195832] p 492 N94-34063
- CERAMIC FIBERS**
- Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 N94-27599
- CERAMIC MATRIX COMPOSITES**
- High temperature materials for hypersonic transport p 142 N94-10003
- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223
- Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228
- Interface evaluation in ceramic composites p 271 N94-24231
- NASA Lewis Research Center lean-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141
- Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- Composite matrix experimental combustor [AD-280344] p 538 N94-34679
- CERAMICS**
- Low-expansion ceramics initiative [DE93-011860] p 146 N94-11106
- Advanced Turbine Technology Applications Project (ATTAP) [NASA-CR-195366] p 209 N94-12931
- Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436
- A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159
- Improved ceramic slip casting technique — application to aircraft model fabrication [NASA-CASE-LAR-14471-1] p 230 N94-20377
- Ceramic Technology Project [DE94-001011] p 231 N94-21822
- Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072
- Gas fired advanced turbine system [DE94-003193] p 358 N94-27874
- High temperature NASP engine seal development [NASA-TM-109750] p 447 N94-31804
- Materials development program: Ceramic technology project bibliography, 1984-1992 [DE94-009297] p 493 N94-32935
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory [NASA-CR-195323] p 543 N94-35267
- CERUM**
- Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399
- CERTIFICATION**
- Helicopter noise certification - Past-present-future p 203 A94-12043
- Aircraft engine type certification handbook: Advisory circular [AC-33-2B] p 102 N94-13252
- Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF) [NASA-TM-106357] p 58 N94-16520
- Windshear database for forward-looking systems certification [NASA-TM-109012] p 192 N94-17283
- Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system [AC-20-36S] p 211 N94-19377
- Aircraft evacuation testing: Research and technology issues [PB94-107620] p 255 N94-24750
- Digital systems validation book plan. Volume 3: Handbook [AD-A274099] p 329 N94-26028
- Ada run time system certification for avionics applications p 394 N94-25332
- Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- CC-130H(T) tactical aerial refueling tanker development flight test programme p 575 N94-36347
- CESSNA AIRCRAFT**
- A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration [NASA-TM-4516] p 294 N94-26602
- CF-700 ENGINE**
- Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130
- CHANNEL FLOW**
- Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
- On memory effects in turbulence [DLR-FB-93-03] p 184 N94-18124
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164
- Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941
- CHANNELS (DATA TRANSMISSION)**
- Development of an on-board aircraft optical fiber data bus system [NAL-TR-1163] p 83 N94-13338
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343
- A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
- CHAOS**
- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
- NRL review for 1993 [AD-A265666] p 211 N94-12334
- CHARACTERIZATION**
- Joint Acoustic Propagation Experiment (JAPE-91) Workshop [NASA-CP-3231] p 285 N94-24207
- CHARGE EFFICIENCY**
- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- CHASSIS**
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837
- CHEBYSHEV APPROXIMATION**
- A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525
- CHEMICAL COMPOSITION**
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- CHEMICAL EFFECTS**
- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- CHEMICAL ENGINEERING**
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-012] p 553 N94-35387
- CHEMICAL EQUILIBRIUM**
- The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing p 130 N94-10432
- CHEMICAL EXPLOSIONS**
- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen [DE94-011609] p 606 N94-37629
- CHEMICAL REACTIONS**
- A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation p 18 A94-12795
- Numerical simulation of the flow through a scramjet engine p 100 N94-10425
- Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
- Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403
- Research on chemical vapor deposition processes for advanced ceramic coatings [NASA-CR-193613] p 148 N94-13089
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows [NASA-CR-194662] p 183 N94-17215
- Chemical reactions in turbulent mixing flows [AD-A268287] p 44 N94-17580
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction [AD-A272695] p 230 N94-21165
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- CHEMILUMINESCENCE**
- Advanced diagnostics research for high speed aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
- CHIPS (ELECTRONICS)**
- High flux heat exchanger [AD-A266341] p 175 N94-13730
- Towards the formal verification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191466] p 243 N94-22414
- Towards the formal specification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191465] p 283 N94-23252
- Use of HOOD coupled to real time monitors p 368 N94-26742
- CHLORIDES**
- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- CHLOROFUORO CARBONS**
- Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- CHORDS (GEOMETRY)**
- Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line [NASA-TP-3359] p 42 N94-16574
- CHROMATOGRAPHY**
- Measurement of diffusion in fluid systems: Applications to the supercritical fluid region [BTN-94-EIX94311330660] p 548 A94-60131
- CIRCUIT RELIABILITY**
- Electrical power generation systems - Combat aircraft perspective p 156 A94-11373
- CIRCUITS**
- Adaptive autopilot [AD-D016193] p 489 N94-34406
- CIRCULAR CONES**
- Symmetry breaking in vortical flows over cones: Theory and numerical experiments [BTN-94-EIX94301315981] p 547 A94-60017
- CIRCULAR CYLINDERS**
- Radiation and scattering by cavity-backed antennas on a circular cylinder [NASA-CR-193409] p 170 N94-11084
- Vortex-induced forces on oscillating bluff cylinders [AD-A265056] p 171 N94-11865

- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
 Real-time adaptive control of mixing in a plane shear layer
 [AD-A278379] p 508 N94-33744
 Cylinder drag experiment: An upgraded laboratory [AD-A277841] p 464 N94-33835
 Some aspects of unsteady separation p 525 N94-34979

CIRCULATION CONTROL AIRFOILS

- Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758
 An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541

CIRCULATION DISTRIBUTION

- An experimental investigation of shock wave/vortex interaction p 175 N94-13574

CIRROSTRATUS CLOUDS

- Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

CIRRUS CLOUDS

- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
 Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
 Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
 CIMSS FIRE research activities p 242 N94-22307
 An overview of the radiation component of the NASA TOGA-COARE experiment p 242 N94-22344

CIVIL AVIATION

- Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
 Conflict recognition in the onboard collision protection system ACAS II p 60 A94-10750
 Flexible alternatives to constant frequency systems p 156 A94-11372
 Advanced takeoff procedures for high-speed civil transport community noise reduction [SAE PAPER 921939] p 73 A94-11979
 Civil application of helicopters p 1 A94-12042
 Precision aircraft height estimation with multiple radars p 62 A94-12122
 Mach 2 and more [BTN-94-EIX94401216108] p 569 A94-61787
 FAA air traffic activity p 55 N94-12397
 Federal Aviation Administration aviation forecasts [AD-A265611] p 3 N94-12578
 Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
 The international regulation of air transport: Changing regimes and price effects [ISBN-0-315-55958-6] p 56 N94-13543
 Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
 Predicted and real development in the aviation in the period 1961-1991 p 4 N94-15122
 The future of Schiphol: Growth within boundaries p 134 N94-15123
 Aviation inspection prospects p 57 N94-15125
 Expectations for the future of Fokker p 4 N94-15127

- Back to propellers [NASA-TM-109445] p 104 N94-15344
 Criminal acts against civil aviation, fiscal year 1992 [AD-A268014] p 58 N94-17586
 Airport activity statistics of certificated route air carriers, 1992 [AD-A269042] p 59 N94-18490
 VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
 Simplified, inverse, ejector design tool [NASA-CR-194438] p 248 N94-23511
 The atmospheric effects of stratospheric aircraft: A third program report [NASA-RP-1313] p 282 N94-24104
 An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds [NASA-TP-3365] p 253 N94-24311
 Information systems strategy in air transport [AD-A273125] p 256 N94-24781
 Annual review of aircraft accident data: US general aviation calendar year 1990 [PB94-126869] p 305 N94-24841
 Aviation: The timeless industry p 289 N94-25068
 US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities p 289 N94-25097

- Preliminary design of nine high speed civil transports p 322 N94-25710

- The evolution of the high-speed civil transport [NASA-TM-109089] p 372 N94-26155
 Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864

- The single European market and air traffic chances and risks p 308 N94-28231
 Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232
 Lufthansa facing the single European market p 309 N94-28237

- Air traffic administration enroute to Europe p 309 N94-28238
 Air traffic in recession p 310 N94-28240
 German-American relations in air traffic are to be criticized p 310 N94-28241
 Lufthansa and Europe p 311 N94-28247
 Know-how export: Lufthansa technology at Shannon p 311 N94-28248
 After thirty years: Farewell of Europa jet p 311 N94-28249

- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
 How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
 Ada run time system certification for avionics applications p 394 N94-29332
 A comparison of military and commercial aircraft development [AD-A276830] p 427 N94-32168

- The 1993 aviation system capacity plan [AD-A276958] p 467 N94-32620
 First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
 First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448
 NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
 Headquarters summary reports p 471 N94-33452
 Overview of Langley systems studies p 472 N94-33456

- Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
 The NASA sponsored HSCT propulsion studies p 479 N94-33476

- Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485
 Crash impact survival in light planes [NASA-TM-109799] p 468 N94-33749

- A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields [NASA-CR-194895] p 468 N94-33956
 Annual review of aircraft accident data: US general aviation calendar year 1991 [PB94-127982] p 528 N94-34991

- Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324

CLASSIFICATIONS

- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO₂-laser system [AD-A273818] p 337 N94-25516
 A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780

CLASSIFIERS

- Discovery learning in autonomous agents using genetic algorithms [AD-A274083] p 339 N94-25998

CLEAN FUELS

- Materials performance in advanced combustion systems [BTN-94-EIX94311331065] p 584 A94-61113

CLEAN ROOMS

- Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

CLEANERS

- Performance of gas turbine compressor cleaners [NLR-TP-91291-U] p 103 N94-14450

CLEANING

- Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619

- Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620
 German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621
 Plastic media blasting activities at Hill Air Force Base p 167 N94-10622

- Paint removal and surface cleaning using ice particles p 168 N94-10626
 Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601

CLEARANCES

- Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356
 Combined 1991 and 1992 Robinson-22B (R-22) parking test results [AD-A273550] p 269 N94-24559

- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
 Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458

CLEBSCH-GORDAN COEFFICIENTS

- Clebsch variable model for unsteady, transonic flow; application to 2D airfoils [NLR-TP-91387-U] p 31 N94-13530

CLIMATE

- CIMSS FIRE research activities p 242 N94-22307

CLIMATE CHANGE

- Terrestrial volcanism in space and time p 189 A94-10882
 On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247

CLIMATOLOGY

- Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293
 Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
 Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
 CIMSS FIRE research activities p 242 N94-22307
 Wind climate and urban geometry [ISBN-9-03-860132-8] p 364 N94-25261
 JPRS report: Science and technology, Central Eurasia [JPRS-UST-94-006] p 553 N94-35226

CLIMBING FLIGHT

- Trajectory optimization for the National Aerospace Plane [NASA-CR-194618] p 86 N94-16498
 Examples of flight path optimisation using a multivariate gradient-search method [ESDU-93021] p 328 N94-28092
 Example of statistical techniques applied to analysis of effects of small changes [ESDU-93023] p 328 N94-28094
 Overview of NASA HSR high-lift program p 461 N94-33518

CLIPS

- Spectrum fatigue testing of T-shaped tension clips [FFA-TN-1992-22] p 184 N94-17970

LOCKS

- Improved modeling of GPS selective availability Loran-C time management p 314 N94-27290
 Time and position accuracy using codeless GPS p 427 N94-30644
 Time and position accuracy using codeless GPS p 428 N94-30650

CLOSED CYCLES

- Brayton power conversion system parametric design modelling for nuclear electric propulsion [NASA-CR-191135] p 229 N94-21874

CLOSURE LAW

- On memory effects in turbulence [DLR-FB-93-03] p 184 N94-18124
 Toward modeling wingtip vortices p 251 N94-24142

CLOUD COVER

- Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293
 Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
 Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
 Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
 Observations of multi-layered clouds using K-band radar p 242 N94-22311

CLOUD GLACIATION

- Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890

CLOUD HEIGHT INDICATORS

- Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
 Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890

CLOUD PHYSICS

- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
 Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
 CIMSS FIRE research activities p 242 N94-22307
 Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959

CLOUDS (METEOROLOGY)

- Case study of a low-reflectivity pulsating microburst - Numerical simulation of the Denver, 8 July 1989, storm
p 189 A94-10875
- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
- Overview of microphysical and state parameter measurements from FIRE 2
p 240 N94-22293
- Cloud fields derived from satellite and surface data during FIRE cirrus phase 2
p 241 N94-22302
- Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303

CLUSTER ANALYSIS

- Optimization of actuator arrays for aircraft interior noise control
[AIAA PAPER 93-4447] p 71 A94-11352
- Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453

CLUTCHES

- Full range pawl and ratchet clutch
[SAE PAPER 921946] p 157 A94-11985

COAL

- Materials performance in advanced combustion systems
[BTN-94-EIX94311331065] p 584 A94-61113
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505

COAL DERIVED GASES

- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111

COAL DERIVED LIQUIDS

- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282
- Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505

COAL GASIFICATION

- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111

COAL LIQUEFACTION

- Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996

COANDA EFFECT

- Drag and wake modification of axisymmetric bluff bodies using Coanda blowing
[BTN-94-EIX94401358974] p 565 A94-61630
- Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft
p 89 N94-18444
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029

COATING

- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166

COATINGS

- Coating the boron particles to increase the combustion efficiency of boron fuel
[BTN-94-EIX94381353577] p 584 A94-61473
- Airflow research
[NASA-TM-109372] p 50 N94-18964
- Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394

COAXIAL FLOW

- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream
[ISVR-TR-226] p 284 N94-22959

COBALT ALLOYS

- AerMet 100 Alloy for landing gear applications - A summary of forging studies
[SAE PAPER 922041] p 142 A94-12031

COCKPIT SIMULATORS

- The use of EH101 Development Cockpit Simulator for pilot assessment
p 72 A94-11364
- The TIGER cockpit and its simulator
p 77 A94-12232
- The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's'
p 130 A94-12234
- Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733

- Measures for simulator evaluation of a helicopter obstacle avoidance system
p 131 N94-11535

COCKPITS

- Pilot's Associate - A synergistic system reaches maturity
[AIAA PAPER 93-4665] p 93 A94-11535
- Future concepts for maintenance and the increasing role of on-board maintenance
[SAE PAPER 921921] p 93 A94-11971
- Data, decisions, and cockpit technology
[SAE PAPER 922049] p 93 A94-12035
- Outside vision from a helicopter crew cabin - Approaches to its forming in design process
p 75 A94-12075
- Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231
- An exploration of three dimensional computer graphics in cockpit avionics
p 94 A94-12266
- Technology integration in advanced commercial aircraft cockpits and operational systems
p 95 A94-12621
- Tactical cockpits: The coming revolution
[BTN-94-EIX94311335530] p 530 A94-60211
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
- Better way to fly
[NASA-TM-109447] p 85 N94-15396
- Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
- Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
- Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
- Cockpit control system
[NASA-CR-195488] p 336 N94-24957
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
- Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454
- Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
- First Canadair jet flies for Lufthansa city line
p 310 N94-28243
- KC-135 cockpit modernization study and crew reduction feasibility demonstration
[AD-A275230] p 392 N94-29391
- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837
- Study of virtual prototyping of aircraft instruments
[CMC-0687-1090] p 435 N94-31903
- Cockpit Electronic Display Workshop: A synopsis
[AD-A277728] p 477 N94-33280
- ANOPP/VMS HSCT ground contour system
p 511 N94-33492
- Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618
- Effects of checklist interface on non-verbal crew communications
[NASA-CR-177639] p 528 N94-34915

CODE DIVISION MULTIPLEXING

- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384

CODERS

- Evaluation of the efficiency and fault density of software generated by code generators
p 284 N94-24445

CODING

- Encoding approaches for data link transmission of weather graphics
[AD-A274497] p 355 N94-26963
- Genetic algorithms applied to a mission routing problem
[AD-A274130] p 368 N94-27120

COGENERATION

- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109

COGNITION

- Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550
- Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444

COGNITIVE PSYCHOLOGY

- Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444
- Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197

COLD FLOW TESTS

- Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94311338360] p 550 A94-60352
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459

COLD WORKING

- Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091

COLLISION AVOIDANCE

- The potential of a nonsolicited position report
p 60 A94-10331
- Conflict recognition in the onboard collision protection system ACAS II
p 60 A94-10750
- Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
- Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2
[AD-A265193] p 67 N94-11879
- Aircraft accident report: Midair collision, Mitsubishi MU-2B-60, N74FB, and PIPER PA-32-301, N82419, Greenwood Municipal Airport, Greenwood, Indiana, 11 September 1992
[PB93-910406] p 59 N94-19352
- Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- Parallel runway requirement analysis study. Volume 1: The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277
- A feasibility study on bird classification with neural network
[AD-A273753] p 306 N94-25780
- Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604

COLLISIONS

- Development of a droplet breakup model considering aerodynamic and droplet collision effects
p 274 N94-23045

COLOR CODING

- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536

COLORIMETRY

- Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291

COMBAT

- Aircraft battle damage repair for the 1990's and beyond
[AD-A278635] p 576 N94-36465

COMBINED CYCLE POWER GENERATION

- Development of the gas turbine. Part 1: Design philosophy and performance
p 362 N94-28080
- Steam plant: Steam turbines for combined cycles
p 362 N94-28085

COMBUSTIBLE FLOW

- Nonstationary gasdynamic processes in ramjet engines
p 98 A94-10931
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- A technique for direct measurement of skin friction in supersonic combustion flow
p 32 N94-13555
- Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565
- Flowfield prediction of NO(x) and smoke production in aircraft engines
p 404 N94-29252
- Time-resolved measurements in a three dimensional model combustor
p 411 N94-29283
- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct
p 398 N94-29296

COMBUSTION

- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
- Fuels combustion research
[AD-A275122] p 404 N94-29004

- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- Recent CFD applications in small gas turbine combustion systems development p 396 N94-29257
- Aerothermochemical calculations in afterburners p 396 N94-29258

COMBUSTION CHAMBERS

- HSCT engine research makes steady gains p 97 A94-10347
- Experimental investigation on supersonic combustion. II p 97 A94-10702
- Preliminary investigations on improving air-augmented rocket performance p 544 A94-60274
- [BTN-94-EIX9432133323] p 544 A94-60274
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames p 546 A94-60275
- [BTN-94-EIX9432133324] p 546 A94-60275
- Raman measurements at the exit of a combustor sector p 546 A94-60348
- [BTN-94-EIX94341338356] p 546 A94-60348
- New high-efficiency heavy-duty combustion turbine 701F p 588 A94-61105
- [BTN-94-EIX94311331073] p 588 A94-61105
- Effect of pressure on second-generation pressurized fluidized bed combustion plants p 589 A94-61111
- [BTN-94-EIX94311331067] p 589 A94-61111
- Materials performance in advanced combustion systems p 584 A94-61113
- [BTN-94-EIX94311331065] p 584 A94-61113
- Combustor technology for future small gas turbine aircraft p 101 N94-13142
- [NASA-TM-106312] p 101 N94-13142
- Turbulent particle dispersion in confined swirling flows [DLR-FB-92-32] p 177 N94-14045
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication p 149 N94-14962
- [AD-A267667] p 149 N94-14962
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds p 52 N94-20014
- [NASA-CR-194628] p 52 N94-20014
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 p 225 N94-21582
- [NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 p 225 N94-21583
- [NASA-CR-189192-VOL-2] p 225 N94-21583
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct p 226 N94-21758
- [NASA-TM-106435] p 226 N94-21758
- Shock tunnel studies of scramjet phenomena, supplement 7 p 275 N94-23513
- [NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8 p 275 N94-23532
- [NASA-CR-191573] p 275 N94-23532
- The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658
- [AD-A273658] p 265 N94-23658
- The 3-D numerical study of airflow in the compressor/combustor pre-diffuser and dump diffuser of an industrial gas turbine p 276 N94-23660
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion p 265 N94-23709
- [PB94-109873] p 265 N94-23709
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer p 331 N94-25617
- [AD-A273834] p 331 N94-25617
- Broad specification fuels combustion technology program, phase 2 p 350 N94-27854
- [NASA-CR-191066] p 350 N94-27854
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960
- Fuels combustion research p 404 N94-29004
- [AD-A275122] p 404 N94-29004
- Numerical modelling of turbine combustion chambers p 396 N94-29254
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- Application of CFD in combustor design technology p 396 N94-29256
- Recent CFD applications in small gas turbine combustion systems development p 396 N94-29257
- Aerothermochemical calculations in afterburners p 396 N94-29258
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265

- Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels p 397 N94-29267
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268
- Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
- Spray combustion experiments and numerical predictions p 407 N94-29277
- Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282
- Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- Research and Development of Ram/Scramjets and Turboramjets in Russia p 397 N94-29291
- [AD-A275588] p 397 N94-29291
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
- CIAM experimental turboramjets p 399 N94-29299
- Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- HSR combustion analytical research p 497 N94-33483
- Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485
- Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- HSCT inlet development issues p 472 N94-33505
- Transonic airframe propulsion integration p 480 N94-33507
- Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
- Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- Technology Requirements for Small Gas Turbines p 482 N94-34431
- [AD-280274] p 482 N94-34431
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems p 483 N94-34435
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future p 484 N94-34440
- Combustor technology for future small gas turbine aircraft p 485 N94-34452
- Combustor technology for small aircraft engines p 485 N94-34453
- Low emission combustor technology for small aircraft gas turbines p 485 N94-34454
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- Composite matrix experimental combustor p 538 N94-34679
- [AD-280344] p 538 N94-34679
- COMBUSTION CHEMISTRY**
- Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion p 159 A94-12397
- Theoretical determination of chemical rate constants using novel time-dependent methods p 349 N94-26205
- [NASA-CR-195221] p 349 N94-26205
- Fuels combustion research p 404 N94-29004
- [AD-A275122] p 404 N94-29004
- Fuels and Combustion Technology for Advanced Aircraft Engines p 404 N94-29246
- [AD-A275679] p 404 N94-29246
- Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482

COMBUSTION CONTROL

- Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- LeRC in-house experimental research p 497 N94-33484

COMBUSTION EFFICIENCY

- Coating the boron particles to increase the combustion efficiency of boron fuel p 584 A94-61473
- [BTN-94-EIX94381353577] p 584 A94-61473

COMBUSTION PHYSICS

- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
- Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198
- A model for fuel fire duration and application to the B-1B bomber p 57 N94-14292
- [DE93-013000] p 57 N94-14292
- Rotary engine performance computer program (RCMAP and RCCEMAPP): User's guide p 104 N94-15192
- [NASA-CR-191192] p 104 N94-15192
- Lifted turbulent jet flames p 151 N94-17381
- [AD-A267911] p 151 N94-17381
- Shock tunnel studies of scramjet phenomena, supplement 7 p 275 N94-23513
- [NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8 p 275 N94-23532
- [NASA-CR-191573] p 275 N94-23532
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer p 331 N94-25617
- [AD-A273834] p 331 N94-25617
- Numerical modelling of turbine combustion chambers p 396 N94-29254
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- Application of CFD in combustor design technology p 396 N94-29256
- Computational study of single-expansion-ramp nozzles with external burning p 446 N94-31229
- [NASA-TM-106550] p 446 N94-31229
- Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485
- Controlling combustion and maximizing heat release in a reacting compressible free shear layer p 464 N94-33966
- [AD-A278328] p 464 N94-33966
- Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future p 484 N94-34440
- COMBUSTION PRODUCTS**
- Raman measurements at the exit of a combustor sector p 546 A94-60348
- [BTN-94-EIX94341338356] p 546 A94-60348
- Analytical method for water vapor collection and analysis in aircraft cabin fires p 55 N94-12575
- [DOT/FAA/CT-TN93/33] p 55 N94-12575
- Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 p 103 N94-14448
- [NASA-CR-191189] p 103 N94-14448
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion p 265 N94-23709
- [PB94-109873] p 265 N94-23709
- Fuels and Combustion Technology for Advanced Aircraft Engines p 404 N94-29246
- [AD-A275679] p 404 N94-29246
- Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265
- Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels p 397 N94-29267
- Technology rigs: A tool for afterburner development p 397 N94-29270
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- Fire behavior of aeronautical materials p 408 N94-29457
- [REPT-932-600-105] p 408 N94-29457
- A study of low emissions gas turbine combustions [NASA-CR-195763] p 399 N94-29860
- Photothermal laser deflection, an innovative technique to measure particles in exhausts p 448 N94-32366
- [AD-A277151] p 448 N94-32366

- HSR combustion analytical research p 497 N94-33483
- Toxic emissions from aircraft engines: A search of available literature p 482 N94-34400 [PB94-156486]
- Toxic emissions from aircraft firefighting training: A search of available literature p 507 N94-34409 [PB94-156783]
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- Low emission combustor technology for small aircraft gas turbines p 485 N94-34454
- COMBUSTION STABILITY**
- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering [AD-A276215] p 367 N94-25090
- Engine starting and stopping p 360 N94-28047
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
- Ducted kerosene spray flames p 407 N94-29276
- COMBUSTION TEMPERATURE**
- Combustion for future supersonic transport propulsion p 404 N94-29249
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- COMFORT**
- Lufthansa long range services: More simplicity p 311 N94-28246
- A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090
- Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- COMMAND AND CONTROL**
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle [AD-A272499] p 224 N94-21548
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- COMMERCIAL AIRCRAFT**
- The application of simulation in aero-reliability engineering p 153 A94-10102
- Monte Carlo simulation of commercial aircraft reliability p 193 A94-10103
- A discussion of the phased character of reliability and maintainability indexes p 153 A94-10104
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992, Proceedings p 1 A94-11625
- DATA LINK - A conceptual flight deck system and related issues [SAE PAPER 922002] p 61 A94-11718
- Technology integration in advanced commercial aircraft cockpits and operational systems p 95 A94-12621
- Mach 2 and more p 569 A94-61787 [BTN-94-EIX94401216108]
- Criminal acts against civil aviation, fiscal year 1992 [AD-A268014] p 58 N94-17586
- Airport activity statistics of certificated route air carriers, 1992 [AD-A269042] p 59 N94-18490
- Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents [PB93-202885] p 220 N94-21428
- Utilization of lasers for air data measurements p 238 N94-22603
- Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605
- Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607
- Demonstrating damage tolerance of composite airframes p 224 N94-22623
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993 [PB93-910408] p 254 N94-23579
- JB-300: An advanced medium size transport for 2005 [NASA-CR-195499] p 261 N94-24401
- Information systems strategy in air transport [AD-A273125] p 256 N94-24781
- The AC-120: The advanced commercial transport [NASA-CR-195491] p 317 N94-24966
- Integrated design and manufacturing for the high speed civil transport [NASA-CR-195511] p 318 N94-24968
- The RTL-46: A simulated commercial air transportation study [NASA-CR-195524] p 319 N94-25017
- High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
- Eagle RTS: A design of a regional transport p 322 N94-25709
- A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet [AD-A274012] p 371 N94-25796
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data [AD-A274207] p 326 N94-27105
- Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864
- Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 N94-28230
- Lufthansa long range services: More simplicity p 311 N94-28246
- A symbol of reliability: Ju 52 p 329 N94-28250
- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- Ada run time system certification for avionics applications p 394 N94-29332
- A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- A comparison of military and commercial aircraft development [AD-A276830] p 427 N94-32168
- Design, manufacture, and test of a flight load recorder for small aircraft [AD-A277752] p 477 N94-33409
- NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
- HSR combustion analytical research p 497 N94-33483
- First Annual High-Speed Research Workshop, part 3 [NASA-CP-10087-PT-3] p 460 N94-33487
- Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design p 508 N94-34370
- Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324
- World jet airplane inventory at year-end 1993 [PB94-164993] p 569 N94-36530
- Prospective communications research to support fly by light/power by wire [NASA-CR-196369] p 606 N94-37657
- COMMERCIAL SPACECRAFT**
- Russian sub-orbital commercial passenger transport system [SAE PAPER 922056] p 74 A94-12038
- COMMUNICATING**
- Effects of checklist interface on non-verbal crew communications [NASA-CR-177639] p 528 N94-34915
- COMMUNICATION EQUIPMENT**
- Satellite communications installation plan [AD-A268303] p 182 N94-16965
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
- Communications networks in stressed environments [AD-A275967] p 446 N94-31384
- COMMUNICATION NETWORKS**
- ATM and FIS data link services [BTN-94-EIX94331335533] p 530 A94-60214
- ACTS broadband aeronautical experiment p 272 N94-22771
- DLR's ATM demonstration programme p 386 N94-29575
- Communications networks in stressed environments [AD-A275967] p 446 N94-31384
- Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458
- COMMUNICATION SATELLITES**
- The increasing role of communication satellites in commercial aircraft operations [SAE PAPER 921920] p 61 A94-11970
- Worldwide vessel locating and tracking system, volume 1 [PB93-193217] p 257 N94-24474
- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels [AD-A278143] p 499 N94-33160
- COMMUTER AIRCRAFT**
- Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991 [PB93-910405] p 55 N94-11044
- Design of the advanced regional aircraft, the DART-75 p 321 N94-25708
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability [AD-A274421] p 307 N94-27081
- Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
- COMPASSES**
- Relative motion pinwheel [AD-D016107] p 469 N94-32961
- COMPENSATORS**
- Reduced-order H(INF) compensator design for an aircraft control problem [BTN-94-EIX94381311174] p 579 A94-61261
- Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation [BTN-94-EIX94401358152] p 580 A94-61658
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility [AD-A273827] p 342 N94-25522
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory [AD-A274057] p 338 N94-25771
- Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
- Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing [NASA-CR-196112] p 581 N94-36965
- COMPILERS**
- Automatic test instrumentation program generation [AIAA PAPER 93-4530] p 195 A94-11453
- COMPLEX SYSTEMS**
- Transient response of accelerating rotor systems p 162 A94-12544
- Performing specifications for complex systems' software p 400 N94-29317
- Design and Monte Carlo analysis of an unmanned aerial vehicle [AD-A277648] p 470 N94-33056
- On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
- Application of current departure resistance criteria to the post-stall manoeuvring envelope p 533 N94-34622
- Ordering design tasks based on coupling strengths [NASA-TM-109137] p 602 N94-37762
- COMPONENT RELIABILITY**
- On analyzing the effect of near-coincident faults on flight control computers [AIAA PAPER 93-4575] p 196 A94-11481
- Selecting the correct hydraulic component material for minimum life cycle cost [SAE PAPER 922031] p 74 A94-12024
- Health and Usage Monitoring systems p 2 A94-12046
- Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor p 99 A94-12048
- Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104
- Helicopter structural integrity monitoring p 77 A94-12238
- Artificial neural networks for predicting nonlinear dynamic helicopter loads [BTN-94-EIX94301315989] p 515 A94-60025
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- Aviation system safety risk management tool analysis. Volume 2: Appendices [AD-A273502] p 305 N94-24864
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Ytria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072
- Aircraft turbine engine reliability and inspection investigations [AD-A274860] p 332 N94-26176
- NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704
- The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442
- An analysis of operational suitability for test and evaluation of highly reliable systems [AD-A278573] p 530 N94-36184
- COMPOSITE FUNCTIONS**
- Dynamic Forms. Part 1: Functions [NASA-TP-3397] p 176 N94-13790
- COMPOSITE MATERIALS**
- Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-191499] p 148 N94-13267

- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- Better airplane wings
[NASA-TM-109446] p 150 N94-15345
An overview of the NASA textile composites program p 150 N94-16846
Techno-economic requirements for composite aircraft components p 150 N94-16864
The 6th Japan-U.S. conference on composite materials p 152 N94-18630
Composite impact dynamics research at NASA LaRC: A review p 187 N94-19467
Impact analysis of composite aircraft structures p 187 N94-19468
Life prediction systems for critical rotating components p 239 N94-22615
NASA Langley developments in response calculations needed for failure and life prediction p 240 N94-22621
Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255
An evaluation of Compton scatter imaging using COMSCAN p 278 N94-24136
Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues p 349 N94-25406
A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714
Solar powered multipurpose remotely powered aircraft p 323 N94-25719
Safety enhancement of composites via periodic proof testing [AD-A275662] p 403 N94-28655
Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments p 433 N94-31674
Location of impact damage sites in composite aircraft structures, task 3.4.1 [DSIS-94-01590] p 443 N94-31892
Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860
Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877
Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121
COINS: A composites information database system p 494 N94-33123
Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134
Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
Airframe materials for HSR p 497 N94-33514
HSCT airframe materials: The Boeing perspective p 497 N94-33515
HSCT materials and structures: An MDC perspective p 497 N94-33516
JPRES report: Science and technology. Central Eurasia [JPRES-UST-94-012] p 553 N94-35387
New developments in aluminum for aircraft and automobiles p 584 N94-36413
- COMPOSITE STRUCTURES**
Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
Three-dimensional thermal analysis for laser-structural interactions [BTN-94-EIX94351142117] p 560 A94-60410
Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
Buckling and vibration analysis of laminated panels using VICONOPT [BTN-94-EIX94401372105] p 592 A94-61805
Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
The application of advanced materials to aircraft nacelle structures p 142 N94-10011
Quantifying disbond area p 166 N94-10038
Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620
Better airplane wings [NASA-TM-109446] p 150 N94-15345
Center for Rotorcraft Education and Research progress report, 1987 - 1992 [AD-A266760] p 40 N94-15824
Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
SAND contact in DYNA3D [DE93-016451] p 152 N94-18113
Dynamic response analysis of composite structural members during missile launch [AD-A270023] p 140 N94-18760
Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
Composite impact dynamics research at NASA LaRC: A review p 187 N94-19467
Quantification of uncertainties in the performance of smart composite structures [NASA-TM-106335] p 188 N94-20171
Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
Probabilistic assessment of composite structures [NASA-TM-106358] p 234 N94-21757
Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
Demonstrating damage tolerance of composite airframes p 224 N94-22623
Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 N94-23545
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
The process network in the design and manufacturing of aircraft p 259 N94-24319
Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699
Dynamic analysis of pretwisted elastically-coupled rotor blades [NASA-TM-109070] p 350 N94-24839
Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953
Probabilistic assessment of smart composite structures [NASA-TM-106358] p 351 N94-25188
Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load [PB94-126547] p 355 N94-26911
Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
Safety enhancement of composites via periodic proof testing [AD-A275662] p 403 N94-28655
Review of sonic fatigue technology [NASA-CR-4587] p 417 N94-29407
Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856
Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
Assessment of impact damage in composite structures [AD-A277063] p 444 N94-32265
- Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860
Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121
Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124
Structural testing of the technology integration box beam p 494 N94-33125
Technology integration box beam failure study p 494 N94-33126
Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
Local design optimization for composite transport fuselage crown panels p 495 N94-33132
Composite fuselage crown panel manufacturing technology p 495 N94-33133
Advanced textile applications for primary aircraft structures p 496 N94-33135
Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590
Expendable gas turbine engine technology advances p 483 N94-34438
Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327
Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- COMPOSITE WRAPPING**
Composite leading edge/spar member for an aircraft control surface [CA-PATENT-1-325-765] p 327 N94-27273
- COMPRESSED AIR**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 N94-10350
Tipjet 80-inch model rotor hover test: Test no. 1198 [AD-A279680] p 567 N94-36261
- COMPRESSED GAS**
Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159
- COMPRESSIBILITY**
Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403
Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961
- COMPRESSIBILITY EFFECTS**
Unsteady blade pressures on a propfan: Predicted and measured compressibility effects [BTN-94-EIX94401358996] p 578 A94-61652
Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion [NASA-TM-109681] p 250 N94-23975
Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164
- COMPRESSIBLE BOUNDARY LAYER**
Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
Transition for three-dimensional, compressible boundary layers p 363 N94-28327
Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329
Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages [NASA-CR-4269] p 498 N94-32871
Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391
Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations [NASA-CR-4599] p 501 N94-33897
Computation of unsteady flows over airfoils p 525 N94-34977
Expansion effects on supersonic turbulent boundary layers [AD-A278989] p 527 N94-35950
- COMPRESSIBLE FLOW**
Turbulence modeling for hypersonic flows p 7 A94-10760
Unsteady lift of a flapped airfoil by indicial concepts [BTN-94-EIX94311329118] p 519 A94-60182

- Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft
[PAPER-2D-7] p 22 N94-10472
- Direct simulation of compressible wall-bounded turbulence
p 172 N94-12294
- Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control
[NASA-CR-4531] p 174 N94-13073
- Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel
[NASA-CR-194259] p 33 N94-14030
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations
p 178 N94-14603
- Navier-Stokes simulation of transonic vortex flow over a delta wing
p 179 N94-14606
- CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings
p 49 N94-18440
- Numerical prediction of transition of the F-16 wing at supersonic speeds
[NASA-CR-194407] p 51 N94-19433
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows
[NASA-TM-106399] p 216 N94-20534
- A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591
- A multigrid multiblock solver for compressible turbulent flow
[MEMO-1125] p 272 N94-22713
- Compressible turbulent flow simulation with a multigrid multiblock method
p 276 N94-23694
- Issac, Jason Cherian ses in transonic flow
[NASA-CR-194837] p 250 N94-24052
- Direct simulation of isothermal-wall supersonic channel flow
p 252 N94-24164
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil
[AD-A274867] p 292 N94-26191
- Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel
p 376 N94-28967
- Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics
p 422 N94-31204
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- COMPRESSIBLE FLUIDS**
- Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
- COMPRESSION LOADS**
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260
- COMPRESSION RATIO**
- Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470
- The centrifugal compressor, an essential component of small and medium power engines
p 484 N94-34445
- COMPRESSION TESTS**
- Development of test methods for textile composites
p 150 N94-16862
- A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- Test and analysis results for composite transport fuselage and wing structures
p 495 N94-33129
- COMPRESSIVE STRENGTH**
- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
- A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- Development of stitched/RTM composite primary structures
p 494 N94-33127
- COMPRESSOR BLADES**
- Development of a pressure wave simulator for surge interaction testing
p 127 A94-10441
- Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers
[BTN-94-EIX94311330094] p 590 A94-61125
- Performance of gas turbine compressor cleaners
[NLR-TP-91291-U] p 103 N94-14450
- Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913
- Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- Effects of crenulations on three dimensional losses in a linear compressor cascade
[AD-A273778] p 352 N94-25862
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451
- COMPRESSOR ROTORS**
- Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517
- Verification of a three-dimensional viscous flow analysis for a single stage compressor
p 410 N94-28976
- An elliptic-hyperbolic grid generation method and application to compressor flows
p 395 N94-28981
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor
p 478 N94-33365
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- COMPRESSORS**
- Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- Method of reducing drag in aerodynamic systems
[NASA-CASE-LEW-14791-1] p 24 N94-10672
- Cooled spool piston compressor
[NASA-CASE-MSC-22020-1] p 169 N94-10674
- Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853
- Accelerated screening methods for predicting lubricant performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
- Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- Navy GTE seal development activity
p 235 N94-21794
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- Measurement of kinematically unstationary separated flows
p 273 N94-22854
- Magnetic power piston fluid compressor
[NASA-CASE-GSC-13565-1] p 276 N94-23831
- Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Dynamic response of a compressor research facility
[AD-A273836] p 342 N94-25740
- Compressor stability
p 360 N94-28046
- Transient model applications. 1: Compressor heat soak/clearance effects modeling
p 361 N94-28048
- Transient model applications. 2: Compressor stall modeling methods
p 361 N94-28049
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- Technology Requirements for Small Gas Turbines
[AD-280274] p 482 N94-34431
- Advanced concepts for next generation small gas turbine engine compressors
p 484 N94-34443
- Aerodynamic design and investigation of a mixed flow compressor stage
p 504 N94-34450
- Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings
p 555 N94-35911
- COMPTON EFFECT**
- An evaluation of Compton scatter imaging using COMSCAN
[DREP-TM-93-38] p 278 N94-24136
- COMPUTATION**
- Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known)
[ESDU-93020] p 299 N94-28091
- Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144
- COMPUTATIONAL CHEMISTRY**
- Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer
[ONERA-NT-1992-11] p 149 N94-14194
- COMPUTATIONAL FLUID DYNAMICS**
- Turbomachinery CFD on parallel computers
p 194 A94-10298
- Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299
- Transonic wall interference corrections for small wind tunnels
p 125 A94-10416
- Wall correction method for models with propeller induced slipstream
p 7 A94-10437
- Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704
- Advances in hypersonics. Vol. 2 - Modeling hypersonic flows
[ISBN 0-8176-3663-3] p 7 A94-10759
- Physical aspects of hypersonic flow - Fluid dynamics and non-equilibrium phenomena
p 8 A94-10766
- Advances in hypersonics. Vol. 3 - Computing hypersonic flows
[ISBN 0-8176-3664-1] p 8 A94-10767
- Numerical simulation of entry flow over blunt swept-wing planes
p 9 A94-10772
- Hypersonic wind tunnel testing
p 128 A94-10779
- Full Navier-Stokes analysis of an axisymmetric scramjet inlet
p 10 A94-10855
- Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy
p 10 A94-10856
- CFD-based three-dimensional turbofan exhaust nozzle analysis system
p 98 A94-10857
- Computational methods for the aerodynamic design of aircraft components
p 10 A94-10889
- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack
p 12 A94-10954
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems
p 12 A94-10956
- Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion
[IAF PAPER 93-482] p 137 A94-11258
- CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001
- A general boundary element method for aerodynamics and aeroacoustics of rotors
p 14 A94-12051
- Unsteady calculation for flowfield of helicopter rotor with various tip shape
p 14 A94-12056

- Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
- Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110
- A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils p 18 A94-12799
- Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818
- The boundary layer p 164 A94-12888
- Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889
- Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897
- Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900
- New multigrid approach for three-dimensional unstructured, adaptive grids p 559 A94-60009
- [BTN-94-EIX94301315973] p 559 A94-60009
- Structure of local pressure-driven three-dimensional transient boundary-layer separation p 515 A94-60015
- [BTN-94-EIX94301315979] p 515 A94-60015
- Symmetry breaking in vortical flows over cones: Theory and numerical experiments p 547 A94-60017
- [BTN-94-EIX94301315981] p 547 A94-60017
- Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics p 516 A94-60037
- [BTN-94-EIX94321333305] p 516 A94-60037
- Applications of computational fluid dynamics to the aerodynamics of Army projectiles p 516 A94-60113
- [BTN-94-EIX94311330678] p 516 A94-60113
- Computational analysis of off-design waveriders p 549 A94-60175
- [BTN-94-EIX94311329125] p 549 A94-60175
- HL-20 computational fluid dynamics analysis p 545 A94-60399
- [BTN-94-EIX94351137059] p 545 A94-60399
- Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling p 537 A94-60426
- [BTN-94-EIX94351142133] p 537 A94-60426
- Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders p 521 A94-60428
- [BTN-94-EIX94351142135] p 521 A94-60428
- Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers p 590 A94-61125
- [BTN-94-EIX94311330094] p 590 A94-61125
- Chine-shaped forebody effects on directional stability at high-alpha p 579 A94-61617
- [BTN-94-EIX94401358961] p 579 A94-61617
- Computational study of the F-5A forebody emphasizing directional stability p 579 A94-61618
- [BTN-94-EIX94401358962] p 579 A94-61618
- Unsteady aerodynamic characteristics of a dual-element airfoil p 565 A94-61624
- [BTN-94-EIX94401358968] p 565 A94-61624
- Calculation of three-dimensional low Reynolds number flows p 565 A94-61629
- [BTN-94-EIX94401358973] p 565 A94-61629
- Computation of three-dimensional hypersonic flows in chemical nonequilibrium p 566 A94-61638
- [BTN-94-EIX94401358982] p 566 A94-61638
- Navier-Stokes computations for oscillating control surfaces p 566 A94-61639
- [BTN-94-EIX94401358983] p 566 A94-61639
- Prediction method for unsteady axisymmetric flow over parachutes p 566 A94-61640
- [BTN-94-EIX94401358984] p 566 A94-61640
- Unstructured mesh quality assessment and upwind Euler solution algorithm validation p 592 A94-61641
- [BTN-94-EIX94401358985] p 592 A94-61641
- Two-dimensional Euler zonal method using composite structured and unstructured meshes p 566 A94-61642
- [BTN-94-EIX94401358986] p 566 A94-61642
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account p 563 A94-61783
- [BTN-94-EIX94401367450] p 563 A94-61783
- Low-dimensional description of the dynamics in separated flow past thick airfoils p 563 A94-61865
- [BTN-94-EIX94421374967] p 563 A94-61865
- Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy p 593 A94-61867
- [BTN-94-EIX94421374969] p 593 A94-61867
- Implicit schemes for unsteady Euler equations on triangular meshes p 604 A94-62204
- [BTN-94-EIX94331337252] p 604 A94-62204
- Numerical simulation of the flow through a scramjet engine p 100 N94-10425
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- Issues and approach to develop validated analysis tools for hypersonic flows: One perspective p 20 N94-10446
- Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- Local aerothermal problems during Hermes re-entry p 21 N94-10464
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model [PAPER-2D-4] p 22 N94-10470
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Baldwin-Lomax turbulence model [PAPER-2D-5] p 22 N94-10471
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-9] p 23 N94-10474
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475
- Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
- Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480
- Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481
- Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482
- Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover p 25 N94-10758
- [NASA-CR-4532] p 25 N94-10758
- New aerodynamic information obtained from the solution of the inverse problem for aeroflats [NAL-TR-1172] p 25 N94-10860
- Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan [NAL-TM-648T] p 169 N94-10861
- Generation and analysis of hybrid structured/unstructured grids p 198 N94-10893
- [ARA-MEMO-365] p 198 N94-10893
- Supersonic airplane study and design p 80 N94-11150
- [NASA-CR-193219] p 80 N94-11150
- Summary of research in progress at ICASE p 199 N94-11198
- [NASA-CR-191481] p 199 N94-11198
- SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids p 171 N94-11859
- [ARA-MEMO-370] p 171 N94-11859
- Computation of hypersonic nosetip heat transfer rates for an M829-like projectile p 27 N94-11870
- [AD-A263226] p 27 N94-11870
- The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids p 27 N94-11888
- [ARA-84] p 27 N94-11888
- Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
- Computational methods for problems in aerodynamics using parallel and vector architectures p 27 N94-12377
- [AD-A265626] p 27 N94-12377
- A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch p 28 N94-12421
- [NASA-TM-107743] p 28 N94-12421
- Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge p 172 N94-12571
- [NASA-TM-108994] p 172 N94-12571
- VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades p 173 N94-12777
- [CUED/A-TURBO/TR.128] p 173 N94-12777
- A computer model for liquid jet atomization in rocket thrust chambers p 173 N94-12803
- [NASA-CR-194194] p 173 N94-12803
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations p 82 N94-12850
- [NASA-TM-109009] p 82 N94-12850
- Approaches to high aspect ratio triangulations p 199 N94-12886
- [NASA-TM-107684] p 199 N94-12886
- Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control p 174 N94-13073
- [NASA-CR-4531] p 174 N94-13073
- Averaging techniques for steady and unsteady calculations of a transonic fan stage p 3 N94-13108
- [NASA-TM-106231] p 3 N94-13108
- Analysis of the Harrier forebody/inlet design using computational techniques p 31 N94-13463
- [NASA-CR-193616] p 31 N94-13463
- A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations p 31 N94-13531
- [NLR-TP-91397-U] p 31 N94-13531
- Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
- Calculation of hypersonic shock structure using flux-split algorithms p 32 N94-13607
- [NASA-CR-194296] p 32 N94-13607
- A future view of computational science in aircraft p 32 N94-13621
- [NASA-TM-109284] p 32 N94-13621
- A computational study of the base region flow field for the M865 projectile p 33 N94-13795
- [ARL-TR-109] p 33 N94-13795
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel p 33 N94-14030
- [NASA-CR-194259] p 33 N94-14030
- Extrapolation of ground test data to flight p 34 N94-14170
- Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing p 121 N94-14322
- [NASA-CR-194260] p 121 N94-14322
- Domain connectivity among systems of overset grids p 35 N94-14326
- [NASA-CR-193390] p 35 N94-14326
- Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598
- A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Wall interference studies: Revisited p 178 N94-14604
- Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
- A grid generation package for high aspect ratio wings p 35 N94-14608
- The phenomenon of vortex breakdown p 35 N94-14609
- Hypersonic viscous flow computations p 35 N94-14612
- Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613
- Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- A new Lagrangian method for three-dimensional steady supersonic flows p 37 N94-14847
- [NASA-TM-106068] p 37 N94-14847
- Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199
- Unsteady phenomena in shock wave/boundary layer interaction p 180 N94-15200
- The 1988 computational fluid dynamics highlights [NASA-TM-109645] p 180 N94-15431
- Numerical investigations in three-dimensional internal flows p 180 N94-15551
- [NASA-CR-194594] p 180 N94-15551
- Particle kinetic simulation of high altitude hypervelocity flight p 39 N94-15678
- [NASA-CR-194599] p 39 N94-15678
- NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992 [NASA-TM-109335] p 4 N94-15798
- Aerodynamic/dynamic/control interaction p 122 N94-16107
- [AD-A266187] p 122 N94-16107
- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers p 40 N94-16510
- [NASA-CR-193168] p 40 N94-16510

- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control
[NASA-TM-106371] p 41 N94-16571
- Computational aerodynamics with icing effects
[AD-A267509] p 43 N94-17074
- Progress in computational unsteady aerodynamics
[NASA-CR-177630] p 43 N94-17081
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215
- Active turbulence control in wall bounded flows using direct numerical simulation
[AD-A267261] p 183 N94-17286
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
- Single block three-dimensional volume grids about complex aerodynamic vehicles
[NASA-TM-108986] p 183 N94-17476
- Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack
[NASA-CR-189103] p 44 N94-17558
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
- A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack
[FFA-TN-1992-14] p 45 N94-17722
- CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919
- Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415
- Calculation of maximum and high lift characteristics of multi element airfoils
p 46 N94-18419
- Navier-Stokes computations of turbulent flow around high-lift configurations
p 46 N94-18420
- Efficient simulation of incompressible viscous flow over multi-element airfoils
p 46 N94-18421
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver
p 47 N94-18422
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids
p 47 N94-18423
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions
p 47 N94-18425
- High-lift system analysis method using unstructured meshes
p 47 N94-18426
- Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver
p 48 N94-18427
- Numerical calculations of high lift flows using structured and unstructured methods
p 48 N94-18428
- Navier-Stokes simulation of flow field around a blown-flap high-lift system
p 48 N94-18429
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development
p 48 N94-18433
- A fast computing method for the flow over high-lift wings
p 49 N94-18437
- Calculation of multielement airfoils and wings at high lift
p 49 N94-18438
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect
p 49 N94-18439
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings
p 49 N94-18440
- High-lift research: Application to the design of the ATR72 flap
p 89 N94-18442
- The aero-mechanical design of a novel Fowler flap mechanism
p 89 N94-18443
- A comparative study of turbulence models in predicting hypersonic inlet flows
p 50 N94-18553
- Computational Fluid Dynamics (CFD) research branch technical briefs
[AD-A269698] p 186 N94-18739
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748
- Numerical prediction of transition of the F-16 wing at supersonic speeds
[NASA-CR-194407] p 51 N94-19433
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBS-LME-211-S-PUB-511-A] p 91 N94-19500
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications
[NASA-CR-194520] p 51 N94-19621
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 N94-20014
- Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054
- An efficient numerical method for three-dimensional hypersonic flow
[AD-A272506] p 216 N94-21411
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
- A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790
- Unstructured grid research and use at NASA Lewis Research Center
p 243 N94-22353
- Development of a gridless CFD method
p 243 N94-22361
- The 3D Euler solutions using automated Cartesian grid generation
p 243 N94-22367
- Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- POISes: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115
- Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116
- Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553
- LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557
- The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction
p 265 N94-23658
- The 3-D numerical study of airflow in the compressor/combustor prediffuser and dump diffuser of an industrial gas turbine
p 276 N94-23660
- An analytic study of a two-phase laminar airfoil in simulated heavy rain
p 250 N94-23661
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts
[NASA-TM-106434] p 265 N94-24082
- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows
p 251 N94-24143
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model
p 251 N94-24145
- Large eddy simulation of a boundary layer with concave streamwise curvature
p 278 N94-24146
- Numerical simulation of non-Newtonian free shear flows
p 278 N94-24160
- Direct simulation of isothermal-wall supersonic channel flow
p 252 N94-24164
- Effects of shock strength on shock turbulence interaction
p 278 N94-24165
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI
p 279 N94-24249
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301
- Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313
- Applications of CFD codes and supercomputers to aircraft design activities
p 259 N94-24316
- Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514
- A numerical study of airplanes flying in proximity
[AD-A273373] p 255 N94-24718
- Numerical flow simulation for complete vehicle configurations
[AD-A273588] p 290 N94-24849
- Numerical solutions of the complete Navier-Stokes equations
[NASA-CR-194780] p 350 N94-24858
- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering
[AD-A276215] p 367 N94-25090
- Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory
p 337 N94-25112
- Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
- Improving diffusing S-duct performance by secondary flow control
[NASA-TM-106492] p 291 N94-25182
- Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OAS12 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components
[ECL-92-35] p 352 N94-25654
- Calculation of viscous drag of two low angle of attack supercritical profiles
[FFA-TN-1984-22] p 292 N94-26104
- Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131
- Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids
[NASA-TM-109078] p 292 N94-26154
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil
[AD-A274867] p 292 N94-26191
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248
- A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547
- Program to develop a performance and heat load prediction system for multistage turbines
[NASA-CR-195223] p 332 N94-26588
- Influence of the transonic doublet in the farfield of a lifting airfoil
[IAR-AN-78] p 295 N94-26702
- A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993
[NASA-RP-1321] p 372 N94-27764
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbomachinery. Volume 2: Documentation for computer code CUP2D
[NASA-CR-4506-VOL-2] p 334 N94-27778
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows
p 359 N94-28013
- Transitional flight characteristics of a geometrically simplified STOVL model
p 328 N94-28035
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium
[ISBN-0-920203-01-9] p 301 N94-28315
- Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324
- Transition for three-dimensional, compressible boundary layers
p 363 N94-28327
- Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft
p 302 N94-28329
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft
p 302 N94-28330

- Aerodynamic design using parallel processors
[AD-A275470] p 374 N94-28674
- A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes
[NASA-CR-195699] p 409 N94-28724
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics
[NAL-SP-19] p 375 N94-28946
- Engineering of systems for application of scientific computing in industry p 415 N94-28947
- Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
- Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
- Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
- Numerical simulation of arc heated wind tunnel flow p 402 N94-28951
- Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952
- Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953
- Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles p 375 N94-28955
- ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956
- Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
- Numerical analysis of sonic boom in the near field p 376 N94-28962
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- Numerical solution of inverse problem in aerodynamics p 376 N94-28965
- Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
- Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- Application of flow field simulation to turbine vane design p 395 N94-28978
- Three-dimensional external flow computations using prismatic grid p 410 N94-28979
- Application of digital control theory to adaptive grid generation p 415 N94-28980
- An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981
- Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe p 410 N94-28986
- Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- A method of user interface for NWT p 415 N94-28993
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A275416] p 377 N94-29197
- Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252
- Application of CFD in combustor design technology p 396 N94-29256
- Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 N94-29262
- Spray combustion experiments and numerical predictions p 407 N94-29277
- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300
- Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438
- RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534
- Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877
- Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013
- The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations p 381 N94-30387
- Numerical investigation into high-angle-of-attack leading-edge vortex flow p 381 N94-30388
- Aspects of the modeling and numerical simulation of leading-edge vortex flow [AD-B179108] p 420 N94-30492
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design [NLR-TP-92524-U] p 420 N94-30493
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity [PB94-126224] p 420 N94-30740
- Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- Information system for flow simulation based on the Navier-Stokes equations vectorization [AD-B179293] p 444 N94-30763
- Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816
- Grid adaption in computational aerodynamics [PB94-126240] p 421 N94-30858
- Numerical simulation of leading-edge vortex flow [AD-B175154] p 421 N94-30871
- CFD-based drag prediction: State-of-the-art, theory, prospects [AD-B179297] p 422 N94-31180
- A solution adaptive structured-unstructured grid procedure for unsteady flows p 446 N94-31217
- Prediction of transonic potential flow with slipstreams around configurations [FFA-TN-1992-15] p 422 N94-31220
- Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287
- Experimental and numerical simulation of helicopter rotor fuselage interaction [ONERA-NT-1993-8] p 423 N94-31421
- Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759
- On an adaptation method for 2-dimensional C-type grids [W-9322] p 423 N94-31822
- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- Computational study of simultaneous heat and mass transfer in turbulent separated flows p 447 N94-31843
- Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931
- Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966
- A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971
- A novel potential/viscous flow coupling technique for computing helicopter flow fields [NASA-CR-193272] p 457 N94-32476
- Numerical analysis of transonic wing buffet p 487 N94-32713
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages [NASA-CR-4269] p 498 N94-32871
- A mathematical model for simulating noise suppression of lined ejectors [NASA-TP-3425] p 509 N94-32930
- Fourth-order 2N-storage Runge-Kutta schemes [NASA-TM-109112] p 458 N94-32950
- Institute for Computational Mechanics in Propulsion (ICOMP) [NASA-TM-106542] p 499 N94-32969
- Cumulative reports and publications through December 31, 1993 [AD-A279510] p 508 N94-33286
- Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- Sonic boom predictions using a modified Euler code p 510 N94-33474
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- Nacelle-wing integration p 472 N94-33504
- Status of CFD for LaRC's HSR high-lift program p 461 N94-33520
- HSR high lift research program: Status and plans p 461 N94-33521
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529
- Design of a low aspect ratio transonic compressor stage using CFD techniques [NASA-TM-106636] p 481 N94-33971
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159
- Whirl measurements on leakage flows in turbomachine models p 502 N94-34185
- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195883] p 481 N94-34216
- Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277
- Semi-span model testing in the national transonic facility [NASA-CR-195952] p 504 N94-34300
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Analysis of wavelet technology for NASA applications [NASA-CR-195929] p 522 N94-34704
- Combined LAURA-UPS solution procedure for chemically-reacting flows [NASA-TM-107964] p 551 N94-34721
- Physics of Forced Unsteady Separation [NASA-CP-3144] p 552 N94-34966
- Computational methods for HSCT-inlet controls/CFD interdisciplinary research [NASA-TM-106618] p 539 N94-35352
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994
- Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile [AD-A280631] p 568 N94-36729
- Turbulence modeling of free shear layers for high performance aircraft [NASA-CR-196137] p 594 N94-36808
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations [NASA-TM-4573] p 568 N94-36950
- Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment [NASA-TM-4566] p 569 N94-36966
- A fundamental study of hypersonic unstarts [AD-A280506] p 595 N94-37128
- A method for flow simulation about complex geometries using both structured and unstructured grids [NASA-TM-106633] p 569 N94-37283
- ### COMPUTATIONAL GEOMETRY
- Approaches to high aspect ratio triangulations [NASA-TM-107684] p 199 N94-12886
- Dynamic mesh adaption for triangular and tetrahedral grids p 243 N94-22363
- Computational geometry issues p 243 N94-22370
- Automatic procedures for computing complete configuration geometry from individual component descriptions [NASA-TM-4607] p 568 N94-36942
- ### COMPUTATIONAL GRIDS
- Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- New multigrid approach for three-dimensional unstructured, adaptive grids [BTN-94-EIX94301315973] p 559 A94-60009

Unstructured mesh quality assessment and upwind Euler solution algorithm validation
[BTN-94-EIX94401358985] p 592 A94-61641

Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642

A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364

Generation and analysis of hybrid structured/unstructured grids
[ARA-MEMO-365] p 198 N94-10893

SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859

The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888

Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge
[NASA-TM-108994] p 172 N94-12571

Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322

Domain connectivity among systems of overset grids
[NASA-CR-193390] p 35 N94-14326

A grid generation package for high aspect ratio wings
p 35 N94-14608

Design of round-to-square transition section; analysis and computer code
[AD-A267173] p 134 N94-15847

Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122

Single block three-dimensional volume grids about complex aerodynamic vehicles
[NASA-TM-108986] p 183 N94-17476

Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack
[NASA-CR-189103] p 44 N94-17558

Calculation of maximum and high lift characteristics of multi element airfoils
p 46 N94-18419

Navier-Stokes calculations on multi-element airfoils using a chimera-based solver
p 47 N94-18422

Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids
p 47 N94-18423

High-lift system analysis method using unstructured meshes
p 47 N94-18426

Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver
p 48 N94-18427

Numerical calculations of high lift flows using structured and unstructured methods
p 48 N94-18428

Navier-Stokes simulation of flow field around a blown-flap high-lift system
p 48 N94-18429

Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500

The block adaptive multigrid method applied to the solution of the Euler equations
p 216 N94-21472

Unstructured grid research and use at NASA Lewis Research Center
p 243 N94-22353

Robust unstructured grid generation with VGRID
p 243 N94-22359

Dynamic mesh adaption for triangular and tetrahedral grids
p 243 N94-22363

The 3D Euler solutions using automated Cartesian grid generation
p 243 N94-22367

Computational geometry issues
p 243 N94-22370

Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985

Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114

POISS3: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115

Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116

Compressible turbulent flow simulation with a multigrid multiblock method
p 276 N94-23694

Toward large eddy simulation of turbulent flow over an airfoil
p 251 N94-24150

Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise
[NASA-CR-195090] p 287 N94-24307

Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis
[NASA-CR-194795] p 281 N94-24640

Numerical flow simulation for complete vehicle configurations
[AD-A273588] p 290 N94-24849

Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids
[NASA-TM-109078] p 292 N94-26154

Genetic algorithms applied to a mission routing problem
[AD-A274130] p 368 N94-27120

High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554

Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654

Computation of transonic viscous flow past the NTF 65-degree Delta Wing
p 297 N94-27930

Viscous airfoil computations using adaptive structured grids
p 304 N94-28337

Solution of the Euler equations using unstructured grids
p 304 N94-28338

Thin-layer Navier-Stokes computations for multi-element airfoils
p 304 N94-28341

Numerical simulation of steady Mach reflection by shock capturing schemes
p 375 N94-28958

ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956

Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958

Numerical simulation of supersonic flow around space plane with engine installed
p 376 N94-28961

Numerical analysis of sonic boom in the near field
p 376 N94-28962

Three-dimensional external flow computations using prismatic grid
p 410 N94-28979

Application of digital control theory to adaptive grid generation
p 415 N94-28980

An elliptic-hyperbolic grid generation method and application to compressor flows
p 395 N94-28981

Time-marching aerodynamic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method
p 379 N94-29877

Grid adaption in computational aerodynamics
[PB94-126240] p 421 N94-30858

A solution adaptive structured-unstructured grid procedure for unsteady flows
p 446 N94-31217

Grid sensitivity for aerodynamic optimization and flow analysis
p 422 N94-31287

On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822

On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045

Status of CFD for LaRC's HSR high-lift program
p 461 N94-33520

TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide
[NASA-TM-106586] p 481 N94-33974

High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216

Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations
p 524 N94-34974

Computation of unsteady flows over airfoils
p 525 N94-34977

A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes
[AD-A280998] p 528 N94-35994

Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394

Automatic procedures for computing complete configuration geometry from individual component descriptions
[NASA-TM-4607] p 568 N94-36942

Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations
[NASA-TM-4573] p 568 N94-36950

A method for flow simulation about complex geometries using both structured and unstructured grids
[NASA-TM-106633] p 569 N94-37283

COMPUTER AIDED DESIGN

The research and establishment of graphics library of aero-engine rotor system structure scheme
p 194 A94-10119

Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299

Technical excellence and productivity - The ETW challenge
p 125 A94-10417

Post-optimality analysis in aerospace vehicle design
[AIAA PAPER 93-3932] p 71 A94-10717

Computational methods for the aerodynamic design of aircraft components
p 10 A94-10889

Avionics for new generation helicopters
p 94 A94-12229

Multiple-zone potential solutions around wing-body configurations
p 17 A94-12343

Inverse design of super-elliptic cooling passages in coated turbine blade airfoils
[BTN-94-EIX9431130654] p 548 A94-60137

Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646

Numerical methods for aerothermodynamic design of hypersonic space transport vehicles
p 138 N94-10459

Computer-aided molecular design of fire resistant aircraft materials
p 144 N94-10779

Blading models for TURBAN and CSPAN turbomachine design codes
[NASA-CR-191164] p 26 N94-11203

Utilizing quantitative feedback theory design technique for flight control system
p 114 N94-11501

Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3
[NASA-CR-194359] p 131 N94-12824

Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260

Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006

Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide
[NASA-CR-191183] p 178 N94-14445

Development of PC-based Aeronautical Software (AEROWARE)
p 201 N94-14611

SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils
p 84 N94-14615

Control system design for flexible structures using data models
p 121 N94-14646

Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993
[NASA-TM-107752] p 183 N94-17479

X ray computed tomography for geometry acquisition
[AD-A268085] p 202 N94-17590

Introduction to Quantitative Feedback Theory (QFT) technique
p 202 N94-18241

Application of the A* algorithm to aircraft trajectory generation
[AD-A268728] p 88 N94-18315

ISAC: A tool for aeroservoelastic modeling and analysis
[NASA-TM-109031] p 123 N94-19316

ADAS implementation of a panel method for the prediction of aerodynamic loads
[LR-723] p 51 N94-19667

Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053

Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625

New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI
p 279 N94-24249

Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313

The process network in the design and manufacturing of aircraft
p 259 N94-24319

Application of concurrent engineering principles to aircraft structural design
p 260 N94-24321

Some practical problems in multidisciplinary design and optimisation
p 260 N94-24322

Current and future design methods for large transport aircraft
p 261 N94-24324

The integration of design and manufacturing processes at Alenia DVD
p 261 N94-24325

Trends of design methodology of airframe
p 261 N94-24327

Evaluation of the efficiency and fault density of software generated by code generators
p 284 N94-24445

NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft
[NASA-CR-195515] p 262 N94-24589

Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim
[AD-A274924] p 325 N94-26531

Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual
[NASA-CR-194461] p 357 N94-27776

Engine simulation systems
p 362 N94-28054

A new approach to turboprop forward nacelle design
p 335 N94-28336

Aerodynamic design using parallel processors
[AD-A275470] p 374 N94-28674

Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual
[NASA-CR-194462] p 409 N94-28815

Modification of ACSYNT aircraft computer program for preliminary design
[NASA-CR-195737] p 390 N94-28817

- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab [AD-A275077] p 391 N94-28870
- Application of flow field simulation to turbine vane design p 395 N94-28978
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
- Calculus of variations applied to 2D multi-point airfoil design [PB94-125457] p 381 N94-30401
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design [NLR-TP-92524-U] p 420 N94-30493
- Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287
- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- Designer's unified cost model p 493 N94-33122
- COINS: A composites information database system p 494 N94-33123
- High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455
- Design and analysis of a highly loaded transonic compressor cascade p 505 N94-34451
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- COMPUTER AIDED MANUFACTURING**
- The process network in the design and manufacturing of aircraft p 259 N94-24319
- The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
- COMPUTER AIDED TOMOGRAPHY**
- X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
- COMPUTER ANIMATION**
- Aircraft accident flight path simulation and animation [BTN-94-EIX94311329129] p 518 A94-60171
- COMPUTER ASSISTED INSTRUCTION**
- Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- An evaluation framework for designing a night vision, computer-based trainer p 490 N94-33139
- COMPUTER DESIGN**
- A comparison Air Force data systems — Comments on IDA Paper P-2863 [AD-A270662] p 211 N94-19780
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
- COMPUTER GRAPHICS**
- Use of computer graphic simulation for analysis of a wind shear accident - A case study of Delta flight 191 p 53 A94-11356
- Computer graphic recreations of aircraft accidents p 194 A94-11357
- An exploration of three dimensional computer graphics in cockpit avionics p 94 A94-12266
- Synthetic vision for enhancing poor visibility flight operations [BTN-94-EIX94331335531] p 557 A94-60212
- Rotor stator CGI p 102 N94-13608
- [NASA-TM-109313] p 102 N94-13608
- A perspective on AVS in an engineering sciences environment p 176 N94-13889
- Ground Attack Profile Selector Program, version 3.0 [DSIS-93-00702] p 201 N94-14207
- The 1988 computational fluid dynamics highlights [NASA-TM-109645] p 180 N94-15431
- Flight instrument software for the F/A-18 research simulator [AD-A267170] p 134 N94-15856
- Development of a prototype kinesthetic platform for application to space and ground servicing tasks, Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905
- Unstructured grid research and use at NASA Lewis Research Center p 243 N94-22353
- Encoding approaches for data link transmission of weather graphics [AD-A274497] p 355 N94-26963
- Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis [ISBN-0-315-84643-7] p 356 N94-27308
- Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
- Synthetic vision display evaluation studies [NASA-CR-194963] p 603 N94-37658
- COMPUTER INFORMATION SECURITY**
- Status and plans for the ANOPP/HSR prediction system p 511 N94-33494
- COMPUTER NETWORKS**
- NPSNET - Flight simulation dynamic modeling using quaternions p 197 A94-11770
- Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites p 137 A94-12471
- Distributed simulation using a real-time shared memory network [NASA-TM-106239] p 198 N94-10724
- Introduction to the LaRC central scientific computing complex [NASA-TM-104092-REV-1] p 243 N94-22100
- A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems p 388 N94-29582
- High performance real-time flight simulation at NASA Langley p 489 N94-32473
- Engineering large-scale agent-based systems with consensus p 558 N94-35071
- COMPUTER PROGRAMMING**
- Experimental software engineering: Seventeen years of lessons in the SEL p 199 N94-11423
- Impacts of object-oriented technologies: Seven years of SEL studies p 199 N94-11425
- ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 N94-19914
- Evaluation of the efficiency and fault density of software generated by code generators p 284 N94-24445
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071
- MULTIGRAPH: An architecture for model-based programming, Model-based program synthesis for parallel computing, PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219
- A hypertext system that learns from user feedback p 514 N94-32428
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation [AD-A278258] p 469 N94-33412
- Advanced distributed simulation technology advanced rotary wing aircraft. Software programmer's manual visual system module [AD-A280260] p 604 N94-37755
- COMPUTER PROGRAMS**
- Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084
- Evaluation of GPS on-the-fly ambiguity resolution techniques p 65 A94-12575
- Extrapolation of ground test data to flight p 34 N94-14170
- Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436
- VSAERO analysis of a Piper Cub aircraft p 85 N94-14616
- Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- Rotary engine performance computer program (RCMAP and RCEMAPPC): User's guide [NASA-CR-191192] p 104 N94-15192
- An analysis of tactical airlifter characteristics and their impact on theater airlift system performance [AD-A266719] p 86 N94-15731
- Design of round-to-square transition section; analysis and computer code p 134 N94-15847
- ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- Embedded computer systems: Status of C-17 software [AD-A267307] p 201 N94-16993
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings [AD-A268386] p 135 N94-17569
- The 1992 Seals Flow Code Development Workshop [NASA-CP-10124] p 229 N94-21790
- Towards the formal verification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191466] p 243 N94-22414
- Towards the formal specification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191465] p 283 N94-23252
- Transient Ejector Analysis (TEA) code user's guide [NASA-TM-106310] p 264 N94-23466
- The Fifth Annual Thermal and Fluids Analysis Workshop [NASA-CP-10122] p 276 N94-23634
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI p 279 N94-24249
- INM, Integrated Noise Model. Version 4.11: User's guide, supplement [AD-A273885] p 370 N94-25731
- Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics [NASA-CR-195228] p 324 N94-26235
- Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim [AD-A274924] p 325 N94-26531
- Computer code for controller partitioning with IFPC application: A user's manual [NASA-CR-195291] p 340 N94-27414
- Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- Refinement for fault-tolerance: An aircraft hand-off protocol [AD-A278004] p 315 N94-27768
- Gas Turbine Engine Transient Behaviour [VKI-LS-1993-06] p 360 N94-28043
- Transient engine simulation p 361 N94-28052
- Engine simulation systems p 362 N94-28054
- Modification of ACSYNT aircraft computer program for preliminary design [NASA-CR-195737] p 390 N94-28817
- Advanced fuel properties: A computer program for estimating property values [AD-A275248] p 403 N94-28901
- Investigation of advanced counterrotating blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438
- Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013
- The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387
- An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0) [AD-A276251] p 435 N94-31290
- The maintenance of operational flight program [AD-A276363] p 419 N94-31367
- Testing Operational Flight Programs (OFP's) [AD-A276361] p 432 N94-31387
- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674
- Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677
- Helicopter Noise Model (HNM) version 2.2 (user's guide) [AD-A277072] p 452 N94-32418
- User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN [NASA-TM-104139] p 458 N94-32873

- Designer's unified cost model p 493 N94-33122
- A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0) [AD-A278042] p 477 N94-33266
- Status and plans for the ANOPP/HSR prediction system p 511 N94-33494
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Design oriented structural analysis [NASA-TM-109124] p 551 N94-34722
- Runtime support for data parallel tasks [AD-A280899] p 558 N94-35240
- Development and application of computational aerothermodynamics flowfield computer codes [NASA-CR-196136] p 526 N94-35498
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- COMPUTER SYSTEMS DESIGN**
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- PRONAOS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725
- Modular Simulator System (MSS). Engineering design guide [AD-A276967] p 441 N94-32394
- Modular Simulator System (MSS): Interface design document for the generic MSS [AD-A277270] p 442 N94-32403
- High performance real-time flight simulation at NASA Langley p 489 N94-32473
- Building fault-tolerant distributed computing systems using standard components [PB94-148889] p 508 N94-34125
- National facilities study. Volume 1: Facilities inventory [NASA-TM-109854] p 541 N94-34632
- Engineering large-scale agent-based systems with consensus p 558 N94-35071
- Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- COMPUTER SYSTEMS PERFORMANCE**
- Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation [AD-A269921] p 96 N94-18658
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms [DE93-019221] p 70 N94-19300
- Introduction to the LaRC central scientific computing complex [NASA-TM-104092-REV-1] p 243 N94-22100
- COMPUTER SYSTEMS PROGRAMS**
- Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434
- PRONAOS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725
- Performing specifications for complex systems' software p 400 N94-29317
- Ada run time system certification for avionics applications p 394 N94-29332
- Integrated formal verification and validation of safety critical software p 416 N94-29338
- COMPUTER TECHNIQUES**
- Parallel turbine engine instrumentation system [AIAA PAPER 93-4529] p 195 A94-11452
- Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007
- Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198
- Experimental software engineering: Seventeen years of lessons in the SEL p 199 N94-11423
- X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590
- Early manufacturing considerations in design p 259 N94-24315
- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering [AD-A276215] p 367 N94-25090
- An algorithm for determination of bearing health through automated vibration monitoring [AD-A274591] p 356 N94-26986
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993 [NASA-RP-1321] p 372 N94-27764
- Hybrid techniques for complex aerospace electromagnetics problems p 358 N94-27894
- MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219
- Institute for Computational Mechanics in Propulsion (ICOMP) [NASA-TM-106542] p 499 N94-32969
- An evaluation framework for designing a night vision, computer-based trainer [AD-A278005] p 490 N94-33139
- Cumulative reports and publications through December 31, 1993 [AD-A279510] p 508 N94-33286
- A qualitative and quantitative laser-based computer-aided flow visualization method [NASA-CR-195300] p 466 N94-34391
- World jet airplane inventory at year-end 1993 [PB94-164993] p 569 N94-36530
- COMPUTER VISION**
- Digital terrain modelling for research and development simulations [SAE PAPER 921979] p 1 A94-11999
- Synthetic vision for enhancing poor visibility flight operations [BTN-94-EIX94331335531] p 557 A94-60212
- Perception for outdoor navigation [AD-A266867] p 68 N94-14919
- Airside ground movements surveillance p 388 N94-29585
- The Automated Aircraft Rework System (AARS): A system integration approach [AIAA PAPER 94-1225-CP] p 450 N94-30574
- Safe navigation and active vision for autonomous vehicles: A purposive and direct solution p 450 N94-31842
- Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
- Two-axis camera platform for machine vision p 597 N94-36628
- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera [NASA-CR-196424] p 594 N94-36812
- COMPUTERIZED SIMULATION**
- The application of simulation in aero-reliability engineering p 153 A94-10102
- Monte Carlo simulation of commercial aircraft reliability p 193 A94-10103
- Turbomachinery CFD on parallel computers p 194 A94-10298
- The simulation of single crystal turbine blade solidification p 141 A94-10671
- The use of simulation in aircraft accident prevention and investigation; Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992 [ISBN 1-85768-070-7] p 1 A94-11355
- Use of computer graphic simulation for analysis of a wind shear accident - A case study of Delta flight 191 p 53 A94-11356
- Computer graphic recreations of aircraft accidents p 194 A94-11357
- MD-11 in-flight thrust reverser simulation p 72 A94-11358
- Integration of simulation and visualization aids in aircraft accident investigation p 195 A94-11359
- The use of a generic non-linear simulation environment for accident investigation p 53 A94-11365
- The use of simulation in RAF aircraft accident investigation p 53 A94-11366
- Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
- The use of pilot models in dynamic performance and rotor load prediction studies p 76 A94-12087
- A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm p 77 A94-12098
- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy [BTN-94-EIX94311330650] p 516 A94-60141
- Joined-wing model vibrations using PC-based modal testing and finite element analysis [BTN-94-EIX94311329141] p 517 A94-60159
- Investigation of Monte Carlo simulation in FAA program KRASH [BTN-94-EIX94311329128] p 536 A94-60172
- Simulation of the secondary air system of aero engines [BTN-94-EIX94311330097] p 587 A94-61061
- Models for predicting the performance of Brayton-cycle engines [BTN-94-EIX94311331072] p 589 A94-61106
- Survey to determine the value of DYNA [DE93-012390] p 198 N94-10267
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
- Distributed simulation using a real-time shared memory network [NASA-TM-106239] p 198 N94-10724
- Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity [DE93-011597] p 190 N94-11173
- Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198
- A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors [NASA-TM-106279] p 100 N94-11255
- Further studies using matched filter theory and stochastic simulation for gust loads prediction [NASA-TM-190910] p 82 N94-11587
- A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803
- A wall interference assessment/correction system [NASA-CR-194174] p 28 N94-13076
- Implementation of ADI: Schemes on MIMD parallel computers [NASA-CR-193720] p 200 N94-13204
- Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260
- A model for rotorcraft flying qualities studies p 118 N94-13308
- Future developments of the NLR research flight simulator [NLR-TP-92143-U] p 132 N94-13498
- Rotor stator CGI [NASA-TM-109313] p 102 N94-13608
- A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889
- Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443
- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611
- VSAERO analysis of a Piper Cub aircraft p 85 N94-14616
- Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results [MBB-LME-211-S-PUB-507] p 36 N94-14710
- Rotorcraft research [NASA-TM-109452] p 134 N94-15325
- The 1988 computational fluid dynamics highlights [NASA-TM-109645] p 180 N94-15431
- NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992 [NASA-TM-109335] p 4 N94-15798
- An introduction to structural models [AD-A268151] p 202 N94-17429
- Modeling and new equipment definition for the vibration isolation box equipment system [NASA-CR-193185] p 184 N94-17763
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- Explicit solution techniques for impact with contact constraints p 188 N94-19470
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation [NASA-TM-4360] p 221 N94-21606
- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 N94-21757
- Parallel runway requirement analysis study. Volume 1: The analysis [NASA-CR-191549-VOL-1] p 222 N94-22277
- Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278
- An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000
- Control algorithms for effective operation of variable-speed wind turbines [DE94-002607] p 282 N94-23704
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253

- Probabilistic simulation of concurrent engineering of propulsion systems p 259 N94-24317
- Multi-disciplinary coupling for integrated design of propulsion systems p 266 N94-24326
- NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849
- Expert system rule-base evaluation using real-time parallel processing [AD-A273701] p 367 N94-25454
- Safety standards for aircraft shelter [FFI-92/4003] p 343 N94-26305
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071
- Using discovery-based learning to prove the behavior of an autonomous agent [AD-A274131] p 368 N94-27121
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993 [NASA-RP-1321] p 372 N94-27764
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- Gas Turbine Engine Transient Behaviour [VKI-LS-1993-06] p 360 N94-28043
- Engine simulation technology p 361 N94-28051
- Transient engine simulation p 361 N94-28052
- Nonlinear solvers p 361 N94-28053
- Engine simulation systems p 362 N94-28054
- Modification of ACSYNT aircraft computer program for preliminary design [NASA-CR-195737] p 390 N94-28817
- A non-linear simulation for an autonomous unmanned air vehicle [AD-A275062] p 391 N94-29200
- Technology rigs: A tool for afterburner development p 397 N94-29270
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300
- Testing Operational Flight Programs (OFFPs) p 416 N94-29337
- Simulation of fully automated air traffic control concepts p 386 N94-29569
- Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760
- A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
- Numerical simulation of leading-edge vortex flow [AD-B175154] p 421 N94-30871
- On an adaptation method for dense, 2D, C-type grids [W-9321] p 448 N94-32045
- High performance real-time flight simulation at NASA Langley p 489 N94-32473
- Implementation of a vibrationally linked chemical reaction model for DSMC [NASA-TM-109109] p 499 N94-33020
- Design and Monte Carlo analysis of an unmanned aerial vehicle [AD-A277648] p 470 N94-33056
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543
- A study of navigation in virtual space p 470 N94-34026
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- A review of computer evacuation models and their data needs [AD-280707] p 528 N94-35236
- Computational methods for HSCAT-inlet controls/CFD interdisciplinary research [NASA-TM-106618] p 539 N94-35352
- Development and application of computational aerothermodynamics flowfield computer codes [NASA-CR-196136] p 526 N94-35498
- Rotorwash analysis handbook. Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467
- Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- COMPUTERS**
- Introduction to the LaRC central scientific computing complex [NASA-TM-104092-REV-1] p 243 N94-22100
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-012] p 553 N94-35387
- CONCENTRATION (COMPOSITION)**
- Evaluation of a concentration probe for application in a supersonic flow field [AD-A273915] p 292 N94-25592
- CONCRETE STRUCTURES**
- Friction evaluation of concrete paver blocks for airport pavement applications [SAE PAPER 922013] p 129 A94-12017
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- CONCRETES**
- Tests of highly loaded skids on a concrete runway [NASA-TP-3435] p 326 N94-26608
- Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29587
- CONCURRENT ENGINEERING**
- Probabilistic simulation of concurrent engineering of propulsion systems p 259 N94-24317
- Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- CONDENSATION NUCLEI**
- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft [NASA-CR-195908] p 506 N94-33170
- CONDENSING**
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- CONDUCTIVE HEAT TRANSFER**
- Conjugate conduction-convection heat transfer with a high-speed boundary layer [BTN-94-EIX94311330652] p 549 A94-60139
- Implementation of ADI: Schemes on MIMD parallel computers [NASA-CR-193720] p 200 N94-13204
- Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195292] p 363 N94-28181
- CONFERENCES**
- Wind tunnels and wind tunnel test techniques; Proceedings of the Conference, Southampton, United Kingdom, Sept. 14-17, 1992 [ISBN 1-85678-050-2] p 123 A94-10401
- Advances in hypersonics. Vol. 2 - Modeling hypersonic flows [ISBN 0-8176-3663-3] p 7 A94-10759
- Advances in hypersonics. Vol. 3 - Computing hypersonic flows [ISBN 0-8176-3664-1] p 8 A94-10767
- Advances in hypersonics. Vol. 1 - Defining the hypersonic environment [ISBN 0-8176-3639-0] p 9 A94-10776
- The use of simulation in aircraft accident prevention and investigation; Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992 [ISBN 1-85768-070-7] p 1 A94-11355
- Aircraft generation and distribution systems; Proceedings of the Conference, London, United Kingdom, Oct. 14, 1992 [ISBN 1-85768-060-X] p 156 A94-11368
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992, Proceedings p 1 A94-11625
- Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 A94-12551
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Environmentally Safe and Effective Processes for Paint Removal [AGARD-R-791] p 166 N94-10613
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [AD-A266057] p 55 N94-12384
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors [NASA-CP-3220] p 115 N94-13294
- Methodology of Hypersonic Testing [VKI-LS-1993-03] p 33 N94-14153
- Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598
- Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
- High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415
- Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
- The 1992 Seals Flow Code Development Workshop [NASA-CP-10124] p 229 N94-21790
- Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993) p 272 N94-22735
- Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion [AD-A272808] p 273 N94-22914
- The Fifth Annual Thermal and Fluids Analysis Workshop [NASA-CP-10122] p 276 N94-23634
- Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228
- The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax [LC-93-83945] p 371 N94-25065
- Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program [NASA-CR-195118] p 371 N94-25665
- Proceedings of Damping 1993, volume 1 [AD-A274226] p 355 N94-26922
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium [ISBN 0-920203-01-8] p 301 N94-28315
- Fuels and Combustion Technology for Advanced Aircraft Engines [AD-A275679] p 404 N94-29246
- Aerospace Software Engineering for Advanced Systems Architectures [AD-A277101] p 415 N94-29315
- Machine Intelligence in Air Traffic Management [AD-A275680] p 383 N94-29558
- Cockpit Electronic Display Workshop: A synopsis [AD-A277728] p 477 N94-33280
- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND [DSIS-93-00343] p 508 N94-33335
- First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
- First Annual High-Speed Research Workshop, part 4 [NASA-CP-10087-PT-4] p 461 N94-33517
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1 p 508 N94-34308
- Technology Requirements for Small Gas Turbines [AD-280274] p 482 N94-34431
- Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
- Physics of Forced Unsteady Separation [NASA-CP-3144] p 552 N94-34966
- Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605
- AFOSR Contractors Propulsion Meeting [AD-A279028] p 539 N94-35746
- Second International Symposium on Magnetic Suspension Technology, part 2 [NASA-CP-3247-PT-2] p 546 N94-35902
- Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321
- Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649
- CONFIDENCE LIMITS**
- Example of statistical techniques applied to analysis of effects of small changes [ESDU-93023] p 328 N94-28094
- CONFIGURATION INTERACTION**
- Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960

CONFORMAL MAPPING

- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests [ISL-CO-230/92] p 257 N94-23146
Lift enhancement by trapped vortex p 462 N94-33524

CONGRESSIONAL REPORTS

- Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters [AD-A268002] p 87 N94-17472
Accomplishments under the Airport Improvement Program [AD-A280661] p 583 N94-36763

CONICAL BODIES

- Symmetry breaking in vortical flows over cones: Theory and numerical experiments [BTN-94-EIX94301315981] p 547 A94-60017
A numerical determination of bifurcation points for low Reynolds number conical flows [AD-A273984] p 352 N94-25991
Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391
Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614

CONICAL FLOW

- Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack [NASA-CR-189103] p 44 N94-17558
Research and training activities of the Joint Institute for Aeronautics and Acoustics [NASA-CR-194742] p 188 N94-19493
A numerical determination of bifurcation points for low Reynolds number conical flows [AD-A273984] p 352 N94-25991

CONICAL NOZZLES

- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX9432133323] p 544 A94-60274

CONIFERS

- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport [AD-A274213] p 366 N94-27069

CONSERVATION

- Automation of formation flight control [AD-A274137] p 340 N94-27132

CONSOLIDATION

- Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277

CONSTITUTIVE EQUATIONS

- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289

CONSTRAINTS

- Kinematics and constraints associated with swashplate blade pitch control [NASA-TM-102265] p 115 N94-12820

CONSTRUCTION

- Unitary plan wind tunnel landmark dedication and revitalization [NASA-TM-109649] p 212 N94-15434
Study of bridge design and technology [PB94-137916] p 373 N94-29160
Roof-top emergency heliports [AD-A278872] p 402 N94-29754
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846

CONTACT LOADS

- Development of a robotic simulator for studying interference and contact problems [ISBN-0-315-86705-1] p 439 N94-31747
Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
Prediction of contact path and load sharing in spiral bevel gears [NASA-CR-195305] p 502 N94-34148

CONTACTORS

- A vibration model for centrifugal contactors [DE93-040645] p 236 N94-21927

CONTAMINANTS

- Photothermal laser deflection, an innovative technique to measure particles in exhausts [AD-A277151] p 448 N94-32366

CONTAMINATION

- Stall warning using contamination detecting aerodynamics [SAE PAPER 922010] p 14 A94-12014
New technique for oil backstreaming contamination measurements p 227 N94-20511

CONTINUOUS RADIATION

- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system [AD-A273818] p 337 N94-25516
S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980

CONTINUOUS WAVE RADAR

- History of Doppler radar navigation p 61 A94-12120
Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130

CONTINUUM FLOW

- Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588

CONTOURS

- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles [NASA-CR-194857] p 250 N94-23625
Optical surface contouring for non-destructive inspection of turbomachinery [NASA-CR-195245] p 354 N94-26691

CONTRACT MANAGEMENT

- B-2 bomber: Assessment of DOD's response to mandated certifications and reports [AD-A273179] p 320 N94-25152
C-17 lot 3 production contract [AD-A273180] p 306 N94-25153

CONTRACTORS

- Government/contractor development teams [TABES PAPER 93-460] p 210 N94-16134

CONTRAILS

- Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
New techniques for contrail forecasting [AD-A269686] p 193 N94-18573

CONTRAROTATING PROPELLERS

- Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255
Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438

CONTROL BOARDS

- Evaluation of the UH-1N instrument panel [AD-A273145] p 263 N94-24774

CONTROL EQUIPMENT

- Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129
Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 A94-61259
Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 A94-61669
Implementation of a full-envelope controller for a high-performance aircraft [BTN-94-EIX94401358167] p 580 A94-61673
Decoupling of aircraft responses p 113 N94-11497
Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines [ISBN-0-315-56062-2] p 174 N94-13521
Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
Optimal flight guidance for aircraft in wind shear [CA-PATENT-1,307,573] p 227 N94-21050
Cockpit control system [NASA-CR-195488] p 336 N94-24957
Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112
Whirl measurements on leakage flows in turbomachine models p 502 N94-34185
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846

CONTROL SIMULATION

- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system p 72 A94-11363
Mechanical analysis of parallel manipulators with simulation, design, and control applications [ISBN-0-315-72013-1] p 170 N94-11156
Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target [FFA-TN-1992-18] p 133 N94-13588

- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab [AD-A275077] p 391 N94-28870
Simulation of fully automated air traffic control concepts p 386 N94-29569
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 [AD-A276970] p 442 N94-32395
Plan recognition for an air traffic control simulation [DSIS-94-01221] p 469 N94-32505
In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969

CONTROL STABILITY

- New techniques for aircraft flight control reconfiguration p 110 A94-12615
Vortex-wing interaction of a close-coupled canard configuration [BTN-94-EIX94311329121] p 519 A94-60179
New output feedback design in variable structure systems [BTN-94-EIX94381311173] p 597 A94-61260
Nonlinear model-following control application to airplane control [BTN-94-EIX94401358166] p 580 A94-61672
Analysis and control of bifurcation phenomena in aircraft flight [BTN-94-EIX94401358169] p 572 A94-61675
Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
Stability analysis and aerospace vehicle dynamics p 113 N94-11491
On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode [NAL-TR-1170] p 30 N94-13342
Optimization-based controller design for rotorcraft p 121 N94-14642
An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle [AD-A268741] p 122 N94-18401
Aircraft digital flight control technical review p 336 N94-25106
Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight [NASA-TM-4521] p 340 N94-27660
Antwindup analysis and design approaches for MIMO systems [NASA-CR-195304] p 436 N94-32075
A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543
Active control of vaneless diffuser rotating stall p 502 N94-34178
Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design p 508 N94-34370

CONTROL STICKS

- The application of active side arm controllers in helicopters p 117 N94-13302
A four-axis hand controller for helicopter flight control p 117 N94-13305
Reconfigurable aircraft stick control [AD-D016043] p 344 N94-27113

CONTROL SURFACES

- Spoiler actuator - Problem investigation [SAE PAPER 922005] p 107 A94-12009
YF-23A hydraulic management system [SAE PAPER 922028] p 73 A94-12023
Buffet-induced structural/flight-control system interaction of the X-29A aircraft [BTN-94-EIX94311329137] p 517 A94-60163
Experimental studies of vortex flaps and vortex plates [BTN-94-EIX94311329122] p 518 A94-60178
Vortex-wing interaction of a close-coupled canard configuration [BTN-94-EIX94311329121] p 519 A94-60179
Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 A94-61259
Navier-Stokes computations for oscillating control surfaces [BTN-94-EIX94401358983] p 566 A94-61639
Underwing compression vortex attenuation device [NASA-CASE-LAR-14744-1] p 24 N94-10673
Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing [NASA-TM-104264] p 80 N94-11233

- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel [NASA-CR-194259] p 33 N94-14030
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage [AD-A266890] p 85 N94-14951
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests [NASA-CR-177626-VOL-1] p 38 N94-15655
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests [NASA-CR-177626-VOL-2] p 38 N94-15677
- Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720
- Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435
- A wind tunnel model control surface actuator interface [AD-A268729] p 135 N94-18324
- Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 N94-19914
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory [AD-A274049] p 338 N94-25833
- Composite leading edge/spar member for an aircraft control surface [CA-PATENT-1-325-765] p 327 N94-27273
- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760
- Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224
- Damage tolerance management of the X-29 vertical tail p 531 N94-34595
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- ### CONTROL SYSTEMS DESIGN
- Gain scheduling for H-infinity controllers - A flight control example p 106 N94-10281
- Robust flight control design using dynamic inversion and structured singular value synthesis p 106 N94-10282
- Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 N94-10801
- H(infinity) robust control design for linear feedback systems p 194 N94-10819
- Order reduction of linear-quadratic-Gaussian-designed controllers p 194 N94-10822
- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system p 72 N94-11363
- The use of EH101 Development Cockpit Simulator for pilot assessment p 72 N94-11364
- Building fault-tolerant distributed computing systems using standard components [AIAA PAPER 93-4571] p 196 N94-11477
- A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 N94-11480
- On analyzing the effect of near-coincident faults on flight control computers [AIAA PAPER 93-4575] p 196 N94-11481
- Neural networks as optimal nonlinear controllers - Concepts and flight control applications [AIAA PAPER 93-4615] p 197 N94-11499
- Hydrazine engine start system air start performance and controls sizing [SAE PAPER 921948] p 158 N94-11987
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 N94-12099
- A translational rate command control law for hover assist p 109 N94-12111
- Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 N94-12247
- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design [ISBN 0-12-012752-0] p 2 N94-12611
- Active flutter suppression techniques in aircraft wings p 110 N94-12613
- New techniques for aircraft flight control reconfiguration p 110 N94-12615
- Application of multiple model adaptive algorithms to reconfigurable flight control p 110 N94-12617
- Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft p 110 N94-12618
- Aeroservoelasticity p 110 N94-12693
- Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems [ISBN 0-12-012754-7] p 2 N94-12701
- Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 N94-12707
- System observer techniques in robust control systems design synthesis p 198 N94-12764
- F-16 uncommanded pitch oscillation [BTN-94-EIX94331337501] p 530 N94-60336
- Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 N94-61259
- New output feedback design in variable structure systems [BTN-94-EIX94381311173] p 597 N94-61260
- Reduced-order H(INF) compensator design for an aircraft control problem [BTN-94-EIX94381311174] p 579 N94-61261
- Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation [BTN-94-EIX94401358152] p 580 N94-61658
- Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 N94-61669
- Implementation of a full-envelope controller for a high-performance aircraft [BTN-94-EIX94401358167] p 580 N94-61673
- Rotor-state feedback in the design of flight control laws for a hovering helicopter [HTN-94-00298] p 603 N94-62274
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 N94-62419
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft [NASA-TP-3356] p 112 N94-11134
- Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft [NASA-TM-106265] p 112 N94-11251
- Multidimensional intelligent control for superlight air vehicles p 81 N94-11347
- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- Toward intelligent flight control p 114 N94-11503
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Advanced control for airbreathing engines, volume 1: Pratt and Whitney [NASA-CR-189203] p 101 N94-12270
- Advanced control for airbreathing engines, volume 2: General Electric aircraft engines [NASA-CR-189204] p 101 N94-12271
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
- Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307
- Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 N94-13337
- Dynamic Forms. Part 1: Functions [NASA-TP-3397] p 176 N94-13790
- Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874
- Optimization-based controller design for rotorcraft p 121 N94-14642
- Control system design for flexible structures using data models p 121 N94-14646
- PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
- A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- Introduction to Quantitative Feedback Theory (QFT) technique p 202 N94-18241
- Denver TMA assessment [NASA-CR-4554] p 59 N94-18844
- Design of a state-space controller for an advanced gas turbine engine [AD-A270859] p 105 N94-20042
- Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
- An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator [AD-A271769] p 242 N94-20926
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle [AD-A273003] p 223 N94-21283
- On the estimation algorithm used in adaptive performance optimization of turbofan engines [NASA-TM-4551] p 226 N94-21879
- Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055
- A reliable algorithm for optimal control synthesis [NASA-CR-194809] p 283 N94-23332
- A comparison of two multi-variable integrator windup protection schemes [NASA-CR-194436] p 267 N94-23590
- Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551
- Cockpit control system [NASA-CR-195488] p 336 N94-24957
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 [NASA-CP-10127] p 289 N94-25096
- Parametric uncertainty modeling for application to robust control p 336 N94-25103
- Feedback control laws for highly maneuverable aircraft [NASA-CR-195195] p 337 N94-25176
- New Technologies for Space Avionics, 1993 [NASA-CR-188272] p 351 N94-25193
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992 [CRANFIELD-AERO-9305] p 338 N94-25653
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory [AD-A274057] p 338 N94-25771
- Neural networks for dynamic flight control [AD-A274089] p 338 N94-25785
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory [AD-A274049] p 338 N94-25833
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- Neural control of magnetic suspension systems p 345 N94-27905
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
- Development of the gas turbine. Part 1: Design philosophy and performance p 362 N94-28080
- Intelligent systems for air space control and management p 384 N94-29560
- Decoupled flight control system design using the singular perturbation method p 400 N94-29850
- A stochastic control approach to flight path monitoring [AD-B174630] p 430 N94-30853
- Wind tunnel tests of a 5.3 m diameter yaw controlled turbine [FFA-TN-1993-20] p 449 N94-30946
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Development of a reconfigurable helicopter flight control system [ISBN-0-315-87218-7] p 437 N94-31837
- Antiwindup analysis and design approaches for MIMO systems [NASA-CR-195304] p 436 N94-32075
- Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974
- HSCT integrated propulsion control issues p 480 N94-33510
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft [NASA-TM-108808] p 456 N94-33942
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1 p 508 N94-34308
- Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326

- Robust variable structure flight control system
p 488 N94-34327
- Aircraft optimal variable structure control system
p 488 N94-34328
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329
- H infinity optimal design of robust flight control system
p 489 N94-34330
- The tracking control of nonlinear uncertain systems
p 489 N94-34331
- Computer assistant test and consultive system for aircraft fluid element
p 504 N94-34368
- Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370
- X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384
- Design of integrated flight and powerplant control systems
p 532 N94-34609
- Results from the STOL and Maneuver Technology Demonstration program
p 532 N94-34611
- X-31A control law design
p 540 N94-34618
- Robust control design techniques for active flutter suppression
p 541 N94-35875
- Aerostochastic stabilization considerations for pointing and tracking systems
p 594 N94-36627
- Mixed H2/H-infinity optimization with multiple H infinity constraints
[AD-A280572] p 581 N94-36733
- Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820
- Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing
[NASA-CR-196112] p 581 N94-36965
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059
- CONTROL THEORY**
- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system
p 72 A94-11363
- Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter
p 109 A94-12233
- Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems
[ISBN 0-12-012754-7] p 2 A94-12701
- New output feedback design in variable structure systems
[BTN-94-EIX94381311173] p 597 A94-61260
- PACE: A test bed for the dynamics and control of flexible multibody systems
p 121 N94-14650
- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510
- Active turbulence control in wall bounded flows using direct numerical simulation
[AD-A267261] p 183 N94-17286
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- Introduction to Quantitative Feedback Theory (QFT) technique
p 202 N94-18241
- Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993
[NASA-CP-10127] p 289 N94-25096
- Hypersonic vehicle control law development using H(infinity) and micron-synthesis
p 336 N94-25104
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle
p 337 N94-25108
- Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory
p 337 N94-25112
- Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory
[AD-A274057] p 338 N94-25771
- Optimal control of helicopters following power failure
[NAL-TR-1190] p 340 N94-27206
- Air traffic management as principled negotiation between intelligent agents
p 315 N94-27297
- Application of digital control theory to adaptive grid generation
p 415 N94-28980
- Air traffic management as principled negotiation between intelligent agents
p 384 N94-29562
- Decoupled flight control system design using the singular perturbation method
p 400 N94-29850
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations
p 457 N94-32714
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1
p 508 N94-34308
- Robust variable structure flight control system
p 488 N94-34327
- Aircraft optimal variable structure control system
p 488 N94-34328
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329
- The tracking control of nonlinear uncertain systems
p 489 N94-34331
- Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370
- X-31A control law design
p 540 N94-34618
- Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD)
[AD-A278675] p 540 N94-35796
- Flutter suppression digital control law design and testing for the AFW wind tunnel model
p 540 N94-35873
- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059
- CONTROL VALVES**
- Analytical evaluation of servovalves for flight simulator motion bases
[SAE PAPER 921952] p 158 A94-11990
- The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN 0-315-83580-X] p 238 N94-22577
- CONTROLLABILITY**
- MD-11 in-flight thrust reverser simulation
p 72 A94-11358
- Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002
- Handling qualities and performance aspects of the simulation of helicopters flying mission task elements
p 108 A94-12091
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 108 A94-12093
- EUROFAR simulation trials on EPOPEE simulator
p 77 A94-12097
- Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft
p 110 A94-12618
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter
[BTN-94-EIX94331337502] p 530 A94-60337
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
- Rotorcraft flying qualities improvement using advanced control
p 117 N94-13303
- In-flight simulation of high agility through active control: Taming complexity by design
p 117 N94-13306
- Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities
p 118 N94-13311
- Handling qualities effects of display latency
p 95 N94-13316
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317
- Design and pilot evaluation of the RAH-66 Comanche Core AFCS
p 119 N94-13321
- Design and pilot evaluation of the RAH-66 Comanche selectable control modes
p 119 N94-13322
- Evaluation of two cockpit display concepts for civil titrator instrument operations on steep approaches
p 95 N94-13323
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics
p 120 N94-13324
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator
[NASA-TM-104016] p 122 N94-15793
- An investigation of fighter aircraft agility
[NASA-CR-194608] p 91 N94-19448
- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design
[AD-A275359] p 391 N94-28998
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring
p 540 N94-34619
- Study findings on the influence of maneuverability and agility on helicopter handling qualities
p 533 N94-34624
- The influence of flying qualities on operational agility
p 534 N94-34628
- Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD)
[AD-A278675] p 540 N94-35796
- CONTROLLERS**
- Neural networks as optimal nonlinear controllers - Concepts and flight control applications
[AIAA PAPER 93-4615] p 197 A94-11499
- Application of multiple model adaptive algorithms to reconfigurable flight control
p 110 A94-12617
- Experimental design of H(sub infinity) weighting functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669
- Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
- Kinematics and constraints associated with swashplate blade pitch control
[NASA-TM-102265] p 115 N94-12820
- The application of active side arm controllers in helicopters
p 117 N94-13302
- A four-axis hand controller for helicopter flight control
p 117 N94-13305
- Optimization-based controller design for rotorcraft
p 121 N94-14642
- Control system design for flexible structures using data models
p 121 N94-14646
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator
[AD-A271769] p 242 N94-20926
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
- A comparison of two multi-variable integrator windup protection schemes
[NASA-CR-194436] p 267 N94-23590
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332
- On-line evaluation of multiloop digital controller performance
p 336 N94-25105
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle
p 337 N94-25108
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Flight controller design using mixed H2/H infinity optimization with a singular H infinity constraint
[AD-A273831] p 338 N94-25525

- Research in robust control for hypersonic aircraft
[NASA-CR-195250] p 339 N94-26821
- Automation of formation flight control
[AD-A274137] p 340 N94-27132
- Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414
- Neural control of magnetic suspension systems
p 345 N94-27905
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF)
p 346 N94-27908
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design
[AD-A273559] p 391 N94-28998
- Integrated propulsion-airframe dynamics and control
p 392 N94-29854
- Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200
- Antiwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 N94-32075
- Fuzzy-neural control of an aircraft tracking camera platform
p 507 N94-32423
- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536
- Nominal H_∞ 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370
- Direct reduced order mixed H₂/H_∞ infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD)
[AD-A278675] p 540 N94-35796
- Integration of magnetic bearings in the design of advanced gas turbine engines
p 554 N94-35903
- Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings
p 555 N94-35911
- Two-axis camera platform for machine vision
p 597 N94-36628
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- CONVECTION**
- Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments
p 156 A94-11598
- Spanwise transport in axial-flow turbines. Part 2: Throughflow calculations including spanwise transport
[BTN-94-EIX94311330085] p 591 A94-61134
- Spanwise transport in axial-flow turbines. Part 1: The multistage environment
[BTN-94-EIX94311330084] p 592 A94-61135
- Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512
- CONVECTION CELLS**
- Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane
p 157 A94-11603
- CONVECTIVE FLOW**
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- CONVECTIVE HEAT TRANSFER**
- Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139
- Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge
[NASA-TM-108994] p 172 N94-12571
- Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- Turbulence modeling in aircraft icing
p 185 N94-18555
- Solution of mixed convection heat transfer from isothermal in-line fins
p 276 N94-23644
- Prediction of three sigma maximum dispersed density for aerospace applications
p 270 N94-23654
- Development of a three-dimensional icing model for predicting ice accretion on aircraft
[ONERA-NT-1993-5] p 426 N94-31230
- Heat transfer studies on a rectangular channel with offset plate fins
[AD-A277300] p 452 N94-32043
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803
- Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541
- CONVERGENCE**
- Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680
- Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- Development of a gridless CFD method
p 243 N94-22361
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- CONVERGENT NOZZLES**
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274
- CONVERGENT-DIVERGENT NOZZLES**
- Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635
- An experimental investigation of shock wave/vortex interaction
p 175 N94-13574
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Design of round-to-square transition section; analysis and computer code
[AD-A267173] p 134 N94-15847
- Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572
- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- Efficiency and reliability enhancements in propulsion flowfield modeling
p 274 N94-23055
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- CONVEXITY**
- Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- COOLANTS**
- Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Research and development of high thermal stability fuels
p 405 N94-29261
- COOLERS**
- Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- COOLING**
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- Heat transfer studies on a rectangular channel with offset plate fins
[AD-A277300] p 452 N94-32043
- COOLING SYSTEMS**
- A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- Evaluation of cooling concepts for high power avionics applications
[SAE PAPER 921942] p 157 A94-11981
- Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- Inverse design of super-elliptic cooling passages in coated turbine blade airfoils
[BTN-94-EIX94311330654] p 548 A94-60137
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- High flux heat exchanger
[AD-A266341] p 175 N94-13730
- Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536
- Cold-start minidiesel engine development
[AD-A271064] p 232 N94-20567
- Endothermic fuels for hypersonic aviation
p 407 N94-29285
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541
- COORDINATE TRANSFORMATIONS**
- Aeronautical satellite antenna steering using magnetic field sensors
p 273 N94-22836
- Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603
- COORDINATION**
- Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880
- COPOLYMERS**
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- COPPER ALLOYS**
- Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature
[BTN-94-EIX94301320164] p 546 A94-60873
- NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- COPPER OXIDES**
- Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- CORIOLIS EFFECT**
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe
p 410 N94-28986
- CORNER FLOW**
- Control jets in interaction with hypersonic rarefied flow
p 347 N94-28020
- CORNERS**
- Applications of a model to predict flame spread over interior finish materials in a compartment
p 144 N94-10783
- Shock impingement near mild hypersonic expansion corners
p 424 N94-31879
- CORRELATION**
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- CORROSION**
- Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
- Dual-band infrared imaging for quantitative corrosion detection in aging aircraft
[DE94-004187] p 431 N94-30687
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658
- CORROSION PREVENTION**
- Oxidation resistant protective coating system for gas turbine components and process for penetration thereof
[CA-PATENT-1,294,155] p 230 N94-21143
- Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
[AD-A273666] p 349 N94-25406
- Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166
- CORROSION RESISTANCE**
- Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
- Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use
[ARL-TR-27] p 146 N94-11311
- Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
[AD-A273666] p 349 N94-25406
- CORROSION TESTS**
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- CORRUGATED PLATES**
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911

CORRUGATING

An experimental and theoretical study of structural damping in compliant foil bearings p 504 N94-34194

COST ANALYSIS

Analysis of the cost evaluation of ESA programmes and comparable national and international programmes [GTS-92063] p 209 N94-10145

The J85 cost/benefit engine study [AD-A269280] p 105 N94-18333

A comparison of air force data systems [AD-A269691] p 210 N94-18575

Activities of National Inst. for Aviation Research [NIAR-93-16] p 212 N94-20150

The cetaceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711

A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet [AD-A274012] p 371 N94-25796

Rotocraft low altitude IFR benefit/cost analysis: Conclusions and recommendations [AD-A274241] p 313 N94-26826

Aircraft age impact on individual operating and support cost elements [AD-A275739] p 373 N94-28732

An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0) [AD-A276251] p 435 N94-31290

High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455

National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex [NASA-TM-109856] p 542 N94-34634

COST EFFECTIVENESS

Technical excellence and productivity - The ETW challenge p 125 A94-10417

Advances in cost effective processing of titanium p 141 A94-10659

A comparison of air force data systems [AD-A269691] p 210 N94-18575

Turbine design p 140 N94-20075

Parallel runway requirement analysis study. Volume 1: The analysis [NASA-CR-191549-VOL-1] p 222 N94-22277

Aviation: The timeless industry p 289 N94-25068

Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1 [AD-A276144] p 419 N94-31830

A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0) [AD-A278042] p 477 N94-33266

COST ESTIMATES

Evaluation of the capacity and delay benefits of terminal air traffic control automation [AD-A265323] p 67 N94-11863

A comparison of air force data systems [AD-A269691] p 210 N94-18575

C-17 lot 3 production contract [AD-A273180] p 306 N94-25153

A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet [AD-A274012] p 371 N94-25796

Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation [AD-A275789] p 373 N94-28743

Cost and schedule estimation study report [NASA-CR-189344] p 558 N94-35256

Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology [NASA-TM-109791] p 560 N94-35899

COST REDUCTION

Selecting the correct hydraulic component material for minimum life cycle cost [SAE PAPER 922031] p 74 A94-12024

Evaluation of the capacity and delay benefits of terminal air traffic control automation [AD-A265323] p 67 N94-11863

Techno-economic requirements for composite aircraft components p 150 N94-16864

Evaluation of turbulence models in the PARC code for transonic diffuser flows [NASA-TM-106391] p 250 N94-24084

Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics technology. Volume 2: Avionics systems engineering [AD-A273630] p 263 N94-24733

New Technologies for Space Avionics, 1993 [NASA-CR-188272] p 351 N94-25193

Appendix A: Proposed statement of work, 1994 p 351 N94-25194

Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2 [AD-A274410] p 349 N94-26978

Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1 [NASA-CR-187158] p 359 N94-27984

Status of developing a multifunctional aviation grease [AD-A276755] p 443 N94-32184

Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877

Composite fuselage crown panel manufacturing technology p 495 N94-33133

Future ultra-speed tube-flight p 555 N94-35918

COSTS

Computer code for controller partitioning with IFPC application: A user's manual [NASA-CR-195291] p 340 N94-27414

Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232

German-American relations in air traffic are to be criticized p 310 N94-28241

Operational requirements for helicopter engines for UK services p 482 N94-34432

COUETTE FLOW

Direct simulation of compressible wall-bounded turbulence p 172 N94-12294

COUNTER ROTATION

Experimental investigation of counter-rotating propfan flutter at cruise conditions [BTN-94-EIX9432133310] p 516 A94-60042

AGBT advanced counter-rotating gearbox detailed design report [NASA-CR-180883] p 166 N94-10400

Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator [NASA-TM-106468] p 248 N94-23465

Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing [NASA-CR-191193] p 401 N94-28510

COUNTERS

Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft [NASA-CR-195908] p 506 N94-33170

COUPLED MODES

Decoupling of aircraft responses p 113 N94-11497

COUPLING

Direct simulation with vibration-dissociation coupling [BTN-94-EIX94351142136] p 521 A94-60429

COUPLINGS

An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192

COVARIANCE

The radiated noise from isotropic turbulence revisited [AD-A276712] p 280 N94-24356

COWLING

Ceramic blanket reduces maintenance costs p 98 A94-11849

Propulsion streamtubes in supersonic flow and supercritical intake cowl p 17 A94-12200

Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92 [NASA-TM-4488] p 39 N94-15681

CRACK GEOMETRY

A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures [LR-681] p 177 N94-13929

CRACK INITIATION

Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669

Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261

Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646

Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707

CRACK PROPAGATION

Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy [BTN-94-EIX94301320144] p 546 A94-60853

Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity [DE93-011597] p 190 N94-11173

Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726

A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures [LR-681] p 177 N94-13929

MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage [LR-697] p 177 N94-13986

Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223

Spectrum fatigue testing of T-shaped tension clips [FFA-TN-1992-22] p 184 N94-17970

Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609

Life prediction systems for critical rotating components p 239 N94-22615

Demonstrating damage tolerance of composite airframes p 224 N94-22623

Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259

Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261

Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation [AD-A274777] p 353 N94-26186

Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation [AD-A274778] p 353 N94-26357

Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488

Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954

Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969

Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646

Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657

Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856

Acoustic emission monitoring of aging aircraft structures [DREP-93-17] p 393 N94-30129

Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring [DREP-93-16] p 393 N94-30131

Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings [AD-B174765] p 435 N94-30914

Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675

Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707

Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015

Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590

An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581

An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586

Fatigue management and verification of airframes p 531 N94-34591

Damage tolerance management of the X-29 vertical tail p 531 N94-34595

Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125

Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

Predicting defect behaviour p 596 N94-37331

CRACK TIPS

- Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346
- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
- A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures [LR-681] p 177 N94-13929

CRACKING (FRACTURING)

- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969
- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
- Structural integrity of intelligent materials and structures [AD-A278397] p 496 N94-33165
- Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193

CRACKS

- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
- Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646
- Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856
- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
- Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193
- Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592
- Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974
- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125

CRASH INJURIES

- Airplane size effects on occupant crash loads [SAE PAPER 922035] p 74 A94-12026
- National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989 [PB93-160687] p 58 N94-16464
- Annual review of aircraft accident data: US general aviation calendar year 1991 [PB94-127982] p 528 N94-34991

CRASH LANDING

- Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088
- Vertical drop test of a Metro 3 aircraft [AD-A270032] p 90 N94-18789
- Composite impact dynamics research at NASA LaRC: A review p 187 N94-19467

CRASHES

- Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991 [PB93-910405] p 55 N94-11044
- Basic principles of helicopter crashworthiness [AD-A267099] p 57 N94-15637
- National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989 [PB93-160687] p 58 N94-16464
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwingle, Iowa, 19 April 1993 [PB93-910409] p 306 N94-25175

- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993 [PB94-910401] p 306 N94-25273
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps [AD-A277121] p 427 N94-32363
- NACA fire crash research [NASA-TM-109794] p 456 N94-33572
- Crash impact survival in light planes [NASA-TM-109799] p 468 N94-33749
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 N94-34390
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 [PB94-910406] p 529 N94-35521
- Composite helicopter accident profiles: Deficient crew/aircraft performance [SCT-90RR-46] p 601 N94-37604

CRASHWORTHINESS

- Airplane size effects on occupant crash loads [SAE PAPER 922035] p 74 A94-12026
- Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088
- Investigation of Monte Carlo simulation in FAA program KRASH [BTN-94-EIX94311329128] p 536 A94-60172
- Basic principles of helicopter crashworthiness [AD-A267099] p 57 N94-15637
- Vertical drop test of a Metro 3 aircraft [AD-A270032] p 90 N94-18789
- Impact analysis of composite aircraft structures p 187 N94-19468
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- The development of a horizontal impact sled facility and subsequent crashworthiness experiments [NIAR-93-15] p 343 N94-26200
- Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps [AD-A277121] p 427 N94-32363

CREEP PROPERTIES

- Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228

CREEP STRENGTH

- Substantiating powder metal life methodologies for engines p 595 N94-37330

CREEP TESTS

- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289

CREW PROCEDURES (INFLIGHT)

- Flight simulator experiment of the cockpit advisory system [NAL-TR-1151] p 131 N94-10733
- On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
- Federal aviation regulations. Part 91: General operating and flight rules, change 4 [PB94-159944] p 468 N94-34401
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410

CREW PROCEDURES (PREFLIGHT)

- Federal aviation regulations. Part 91: General operating and flight rules, change 4 [PB94-159944] p 468 N94-34401
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410

CRIME

- Criminal acts against civil aviation, fiscal year 1992 [AD-A268014] p 58 N94-17586

CRITICAL LOADING

- Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325

CRITICAL VELOCITY

- Control algorithms for effective operation of variable-speed wind turbines [DE94-002607] p 282 N94-23704
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
- A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041

- Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846

CROSS FLOW

- Three-dimensional boundary layer stability and transition [SAE PAPER 921991] p 13 A94-12005
- Crossflow topology of vortical flows [BTN-94-EIX94301315993] p 515 A94-60029
- Theoretical evaluation of R22 and R502 alternatives [DE93-014767] p 205 N94-10853
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect [AD-A269700] p 90 N94-18577
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 N94-24594
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems p 359 N94-28010
- Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- Effects, limits, and limitations of spanwise blowing p 298 N94-28027
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029

- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- The mixing process in the quenching zone of the rich-lean-combustion concept p 407 N94-29281
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature [NASA-CR-4579] p 412 N94-29460
- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow [AD-A278550] p 464 N94-33782
- The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster [NASA-TM-104272] p 564 N94-36648

CRUCIFORM WINGS

- Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942

CRUISE MISSILES

- Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 N94-23545

CRUISING FLIGHT

- A systematic computation scheme of PAR-WIG cruising performance p 155 A94-10799
- Systematic computation scheme of PAR-WIG cruising performance [BTN-94-EIX94361135427] p 521 A94-60624
- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571

CRUSTAL FRACTURES

- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia [NASA-CR-195897] p 470 N94-33534

CRYOGENIC COOLING

- Three-stage linear, split-Stirling cryocooler for 1 to 2K magnetic cold stage [NASA-CR-4538] p 207 N94-13897
- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405

CRYOGENIC EQUIPMENT

- Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501
- Double inlet pulse tube cryocooler theory [AD-A26832] p 179 N94-14877
- Foil bearing research at Penn State p 274 N94-23058

CRYOGENIC TEMPERATURE

- The concept of the Kryo-Kanal-Koeln (KKK) - Operational experience, test results of flow quality and force measurements at AGARD-calibration model p 126 A94-10421
- Structural damping studies at cryogenic temperatures [NASA-TM-109073] p 499 N94-33118

CRYOGENIC WIND TUNNELS

- Milestones in boundary-layer transition research with infrared imaging p 6 A94-10419
- The use of the ETW for tests at high Reynolds number p 125 A94-10418
- A summary of noise measurements in a slotted cryogenic wind tunnel p 125 A94-10419
- New testing techniques in the T2 cryogenic wind tunnel p 126 A94-10420
- Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne p 126 A94-10422
- The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443
- A unique facility to support cryogenic wind tunnel operations p 128 A94-10444
- Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel [BTN-94-EIX94421374975] p 593 A94-61873
- The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 N94-27587
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel p 438 N94-30788
- Structural damping studies at cryogenic temperatures [NASA-TM-109073] p 499 N94-33118

CRYOGENICS

- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405
- Simulation of cryogenic turbopump annular seals p 281 N94-24440
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495

CRYOSTATS

- Operation of a test bed axial-gap brushless dc rotor with a superconducting stator [DE93-019167] p 236 N94-21830

CRYSTAL GROWTH

- Study on utilization of super clean, high vacuum space p 342 N94-25586

CRYSTALLITES

- Materials processing apparatus development for fluoride glass [NASA-CR-193963] p 498 N94-34388

CUES

- Visual cueing aids for rotorcraft landings p 119 N94-13313
- Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- Modular Simulator System (MSS), System/segment specification for the generic modular simulator system-physical cues module, volume 10 [AD-A276977] p 441 N94-32316
- Effective declutter of complex flight displays using stereoscopic 3-D cueing [AD-A279764] p 473 N94-33536
- Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618

CULTURAL RESOURCES

- Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography [PB93-205334] p 244 N94-22054

CUMULATIVE DAMAGE

- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAf p 532 N94-34598

CURING

- Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788

CURRENT DENSITY

- Processing yttrium barium copper oxide superconductor in near-zero gravity [BTN-94-EIX94311332378] p 550 A94-60951

CURVATURE

- Streamline-curvature effect in three-dimensional boundary layers [SAE PAPER 921987] p 13 A94-12003
- Curvature effects in three-dimensional boundary layers p 173 N94-12623

- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3 [NASA-CR-193673] p 29 N94-13292

- Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line [NASA-TP-3359] p 42 N94-16574
- Bent-tip blade for aircraft rotary-wing [CA-PATENT-1-315-259] p 257 N94-23254
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146

CURVE FITTING

- Determination of the probability density function of GPS (Global Positioning Systems) positioning error p 64 A94-12559
- General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858

CURVED PANELS

- Radially constructed cruciform parachute [CA-PATENT-1323021] p 252 N94-24182
- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877

CYCLIC HYDROCARBONS

- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996

CYCLIC LOADS

- Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force p 334 N94-28319
- Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

CYLINDRICAL ANTENNAS

- Scattering by cavity-backed antennas on a circular cylinder p 236 N94-21886
- Radiation by cavity-backed antennas on a circular cylinder p 236 N94-21887
- Theoretical and experimental study of a cylindrical microstrip antenna [REPT-932-440-109] p 412 N94-29456

CYLINDRICAL BODIES

- Numerical investigation of cylinder wake flow with a rear stagnation jet [BTN-94-EIX94301315998] p 547 A94-60034
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
- Vortex-induced forces on oscillating bluff cylinders [AD-A265056] p 171 N94-11865
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow [AD-A270242] p 186 N94-18906
- Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588
- Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987

CYLINDRICAL SHELLS

- Numerical methods in structural mechanics p 163 A94-12776
- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 N94-21757
- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246
- Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell [NASA-CR-195953] p 504 N94-34262

D**DAMAGE**

- Bird strike hazards to helicopters p 54 A94-12116

- Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage [AD-A269206] p 46 N94-18413

- Demonstrating damage tolerance of composite airframes p 224 N94-22623

- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation [AD-A274777] p 353 N94-26186

- Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation [AD-A274778] p 353 N94-26357

- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657

- Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151

- A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078

- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674

- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675

- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658

- Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136

- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423

- Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593

- Damage tolerance management of the X-29 vertical tail p 531 N94-34595

- Turbine disks: Lifing against defects and materials development p 595 N94-37329

DAMAGE ASSESSMENT

- Aircraft failure detection and identification using neural networks p 71 A94-10802
- Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346
- A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
- Damage assessment in MMC composites using thermoelastic techniques p 142 A94-12993
- Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity [DE93-011597] p 190 N94-11173
- Techno-economic requirements for composite aircraft components p 150 N94-16864
- Overview of the FAA/DCA/NLR programs related to ageing aircraft [NLR-TR-92119-U] p 4 N94-17614
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography [PB93-205334] p 244 N94-22054
- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- Aircraft wheel life assessment [AD-A274378] p 355 N94-26976
- Cockpit video: A low cost BDA source [AD-A275228] p 395 N94-29389
- Analysis concerning the inspection threshold for multi-site damage [PB94-142429] p 432 N94-30905
- Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
- Assessment of impact damage in composite structures [AD-A277063] p 444 N94-32265
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581
- A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587

DAMPING

- On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061
- Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- Proceedings of Damping 1993, volume 1 [AD-A274226] p 355 N94-26922
- Rotordynamic forces in labyrinth seals: Theory and experiment p 503 N94-34186
- Third order LPF type compensator for flexible rotor suspension p 554 N94-35863

DASSAULT AIRCRAFT

- In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341

DATA ACQUISITION

- A real-time spoken-language system for interactive problem solving [AD-A266046] p 199 N94-11104
- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503
- An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft [NPL-RSA(EXT)-0039] p 206 N94-13885
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 N94-15819
- Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080
- User's manual for the Langley Research Center 14- by 22-foot subsonic tunnel static data acquisition system [NASA-TM-109027] p 44 N94-17639
- Airport activity statistics of certificated route air carriers, 1992 [AD-A269042] p 59 N94-18490
- Data acquisition in aerodynamic research p 186 N94-18644
- Low-cost, dual-use platforms for environmental sensing, phase 1 [AD-A272951] p 223 N94-21246
- Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel [PB93-215382] p 217 N94-22260
- An overview of the radiation component of the NASA TOGA-COARE experiment p 242 N94-22344
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport [AD-A274213] p 366 N94-27069
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1 [AD-A275115] p 383 N94-28914
- User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel [NASA-TM-109062] p 381 N94-30176
- Design, manufacture, and test of a flight load recorder for small aircraft [AD-A277752] p 477 N94-33409
- Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874
- Aerial robotic data acquisition system [DE94-009114] p 506 N94-33938
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual [NASA-TM-4563] p 526 N94-35246
- Data requirements for ceiling and visibility products development [AD-A278959] p 556 N94-35720
- Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel [AR93-2] p 582 N94-36437
- DATA BASE MANAGEMENT SYSTEMS**
- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
- TRENDS: A flight test relational database user's guide and reference manual [NASA-TM-108806] p 564 N94-37332
- DATA BASES**
- Structure and utilization of databases for navigation p 208 A94-10333
- Hypersonic wind tunnel testing p 128 A94-10779

- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
- General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858
- Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260
- NASA aerospace database subject scope: An overview [NASA-SP-7107] p 209 N94-13401
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278
- Windshear database for forward-looking systems certification [NASA-TM-109012] p 192 N94-17283
- A comparison Air Force data systems — Comments on IDA Paper P-2863 [AD-A270662] p 211 N94-19780
- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299
- Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
- Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- Variability of measured sonic boom signatures p 370 N94-28197
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1 [AD-A275115] p 383 N94-28914
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- COINS: A composites information database system p 494 N94-33123
- A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263
- National facilities study. Volume 1: Facilities inventory [NASA-TM-109854] p 541 N94-34632
- Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- DATA COMPRESSION**
- Encoding approaches for data link transmission of weather graphics [AD-A274497] p 355 N94-26963
- Analysis of wavelet technology for NASA applications [NASA-CR-195929] p 522 N94-34704
- DATA FLOW ANALYSIS**
- Parallel turbine engine instrumentation system [AIAA PAPER 93-4529] p 195 A94-11452
- DATA INTEGRATION**
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633
- DATA LINKS**
- Airline perspective on data link [SAE PAPER 922001] p 60 A94-11717
- DATA LINK - A conceptual flight deck system and related issues [SAE PAPER 922002] p 61 A94-11718
- Certification of airborne data link equipment [SAE PAPER 922003] p 61 A94-11719
- Cockpit data link displays - An evaluation of textual formats [SAE PAPER 922025] p 93 A94-11722
- Data Link system development at the FAA Technical Center [SAE PAPER 922026] p 61 A94-11723
- Controller evaluations of ATC Data Link services [SAE PAPER 922027] p 61 A94-11724
- ATM and FIS data link services [BTN-94-EIX94331335533] p 530 A94-60214
- Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research [AD-A273103] p 224 N94-21507
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle [AD-A272499] p 224 N94-21548
- Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest [DREA-TC-93-304] p 270 N94-24121
- Airborne data link operational evaluation test plan [AD-A274096] p 312 N94-25788
- Encoding approaches for data link transmission of weather graphics [AD-A274497] p 355 N94-26963

- Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle [NASA-TM-109071] p 315 N94-27423
- Simulation of fully automated air traffic control concepts p 386 N94-29569
- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels [AD-A278143] p 499 N94-33160
- The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
- DATA MANAGEMENT**
- The R-Shell approach - Using scheduling agents in complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447
- A comparison Air Force data systems — Comments on IDA Paper P-2863 [AD-A270662] p 211 N94-19780
- Model borne data management system for wind tunnel testing, phase 2 [AD-A276296] p 438 N94-31295
- DATA PROCESSING**
- GNSS integrity for aircraft precision approach p 65 A94-12569
- Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570
- Evaluation of GPS on-the-fly ambiguity resolution techniques p 65 A94-12575
- An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system [AD-A266924] p 38 N94-15105
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219
- Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- DATA PROCESSING EQUIPMENT**
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 N94-15819
- Description of the Experimental Avionics Systems Integration Laboratory (EASILY) [NASA-TM-109072] p 344 N94-27425
- 'Real time' and the NLR aerodynamic facilities [AD-B173626] p 438 N94-30856
- DATA RECORDERS**
- Health and Usage Monitoring systems p 2 A94-12046
- PC based A320 quick access recorder readout facility [PD-AL-9109] p 200 N94-13077
- Audit report. Navy's aircraft structural life surveillance program data recorders [AD-A270391] p 92 N94-20040
- DATA RECORDING**
- Cockpit video: A low cost BDA source [AD-A275228] p 395 N94-29389
- Model borne data management system for wind tunnel testing, phase 2 [AD-A276296] p 438 N94-31295
- Design, manufacture, and test of a flight load recorder for small aircraft [AD-A277752] p 477 N94-33409
- DATA REDUCTION**
- Automatic test instrumentation program generation [AIAA PAPER 93-4530] p 195 A94-11453
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1 [AD-A275115] p 383 N94-28914
- Correction of X hot-wire measurements for gradients normal to the plane of the wires [PB94-125473] p 402 N94-30399
- The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651
- A comparison of several GPS data reduction methods p 429 N94-30662
- A critical assessment of UH-60 main rotor blade airfoil data [NASA-TM-103985] p 425 N94-32063
- Data reduction procedures for laser velocimeter measurements in turbomachinery rotors [NASA-CR-195343] p 552 N94-35224
- Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual [NASA-TM-4563] p 526 N94-35246

Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993
[AD-A278859] p 527 N94-35826

Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel
[AR93-2] p 582 N94-36437

DATA RETRIEVAL

TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332

DATA STORAGE

Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204

DATA STRUCTURES

Dynamic mesh adaption for triangular and tetrahedral grids
p 243 N94-22363

Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454

Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414

Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240

DATA SYSTEMS

PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077

Control system design for flexible structures using data models
p 121 N94-14646

The J85 cost/benefit engine study
[AD-A269280] p 105 N94-18333

A comparison of air force data systems
[AD-A269691] p 210 N94-18575

A comparison Air Force data systems — Comments on IDA Paper P-2863
[AD-A270662] p 211 N94-19780

Commonality of flight control systems for support of European telecommunications missions
p 277 N94-23834

Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474

User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176

DATA TRANSFER (COMPUTERS)

Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658

DATA TRANSMISSION

DATA LINK - A conceptual flight deck system and related issues
[SAE PAPER 922002] p 61 A94-11718

Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites
p 137 A94-12471

Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735

Canadian aeronautical mobile data trials
p 272 N94-22773

Communications networks in stressed environments
[AD-A275967] p 446 N94-31384

DC 10 AIRCRAFT

The KDC-10 programme of the Royal Netherlands Air Force
p 575 N94-36346

DC 8 AIRCRAFT

AIRSAR South American deployment: Operation plan, version 3.0
p 201 N94-15919

DE HAVILLAND AIRCRAFT

Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7
p 301 N94-28316

Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7
p 302 N94-28317

Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements
p 370 N94-28318

Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157

DEAD RECKONING

Dead reckoning navigation
[VTT-TIED-1402] p 312 N94-25808

DEBONDING (MATERIALS)

Quantifying disbond area
p 166 N94-10038

Interface evaluation in ceramic composites
p 271 N94-24231

DEBRIS

Safety standards for aircraft shelter
[FFI-92/4003] p 343 N94-26305

Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956

Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 N94-33423

DECAY RATES

Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522

DECISION MAKING

Data, decisions, and cockpit technology
[SAE PAPER 922049] p 93 A94-12035

Knowledge-based system techniques for pilot aiding
p 111 A94-12704

FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210

Multiobjective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX94381311168] p 597 A94-61255

Modelling decision-making by pilots
[NASA-CR-194767] p 244 N94-21821

Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005

Advances in development capabilities for intelligent air traffic management systems
p 384 N94-29559

Air traffic management as principled negotiation between intelligent agents
p 384 N94-29562

Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570

Cognitive approach to specifications on air traffic controllers' decision assistance systems
p 386 N94-29571

DAISY: A decision aid for an air situation interpretation system
p 386 N94-29574

An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0)
[AD-A276251] p 435 N94-31290

Vista goes online: Decision-analytic systems for real-time decision-making in mission control
p 558 N94-35063

Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS)
p 558 N94-35064

The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871] p 556 N94-35596

DECISION THEORY

VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384

VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632] p 185 N94-18495

Vista goes online: Decision-analytic systems for real-time decision-making in mission control
p 558 N94-35063

DECOMPOSITION

Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282

Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762

DECOUPLING

Decoupling of aircraft responses
p 113 N94-11497

DEFECTS

High resolution SQUID magnetometry for non-destructive evaluation
[AD-A268884] p 185 N94-18225

Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333

Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis
[PB94-152808] p 433 N94-32015

Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157

Impact of Materials Defects on Engine Structures Integrity
[AGARD-R-790] p 595 N94-37321

History and prognosis of material discontinuity effects on engine components structural integrity
p 595 N94-37322

Alternate melting and refining routes
p 585 N94-37323

Process enhancements of superalloy material
p 585 N94-37324

Defects and their effects on the integrity of nickel based aeroengine discs
p 586 N94-37328

Turbine disks: Lifting against defects and materials development
p 595 N94-37329

Predicting defect behaviour
p 596 N94-37331

DEFENSE INDUSTRY

Frameworks for integrated airframe design
p 259 N94-24318

The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax
[LC-93-83945] p 371 N94-25065

Future of aerospace
[PB94-120185] p 326 N94-26906

DEFENSE PROGRAM

Expectations for the future of military aviation
p 4 N94-15128

Frameworks for integrated airframe design
p 259 N94-24318

Information systems strategy in air transport
[AD-A273125] p 256 N94-24781

B-2 bomber: Assessment of DOD's response to mandated certifications and reports
[AD-A273179] p 320 N94-25152

Satellite navigation system GPS: A review of principles and performance and developments in general
[PB94-124534] p 314 N94-27210

Loran-C time management
p 427 N94-30644

V-22: Dual-use technology or red herring?
[AD-A276577] p 434 N94-32058

A comparison of military and commercial aircraft development
[AD-A276830] p 427 N94-32168

DEFLECTION

Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHEBAN. Volume 1: User's guide
[NASA-CR-191183] p 178 N94-14445

Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0
[NASA-CR-194460] p 395 N94-29103

Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366

Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474

DEFLECTORS

Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572

DEFORMATION

Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85
p 158 A94-12109

A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471

Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260

Analysis of high speed flow, thermal and structural interactions
[NASA-CR-196017] p 593 N94-36420

DEGRADATION

Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282

DEGREES OF FREEDOM

A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction
p 127 A94-10439

A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200

Six-degree-of-freedom parallel manipulator with three inextensible limbs
[NASA-CASE-GSC-13485-1] p 413 N94-29726

Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056

DEHYDROGENATION

Endothermic fuels for hypersonic aviation
p 407 N94-29285

DEICERS

Transfer of heat by self-induced flow in a rotating tube
[BTN-94-EIX94311330098] p 587 A94-61060

Measurement of the influence of deicing liquids on aircraft aerodynamics
p 219 N94-22602

DEICING

Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597

Experiments with a fluid deicing system for cleaning laminar wings
p 231 N94-22601

Measurement of the influence of deicing liquids on aircraft aerodynamics
p 219 N94-22602

- Aircraft icing handbook (update)
[AD-A276499] p 426 N94-31678
WHIPICE — computer program for analysis of aircraft
deicing
[NASA-TM-109749] p 426 N94-31803
Continuous measurement of aircraft wing icing
p 467 N94-32454

DELAMINATING

- Delamination, durability, and damage tolerance of
laminated composite materials p 231 N94-22622
Dynamic fracture mechanics analysis for an edge
delamination crack
[NASA-TM-109106] p 417 N94-29856
Ultrasonic characterization of damage in a simulated
CF-18 composite structure
[DREP-LN-93-26] p 447 N94-31872
Structural integrity of intelligent materials and
structures
[AD-A278397] p 496 N94-33165

DELAY

- Civil tiltrotor market penetration: Effects on Northeast
corridor airport delay
[AD-A277534] p 467 N94-32955

DELTA WINGS

- Laser-scanning particle image velocimetry applied to a
delta wing in transient maneuver p 154 A94-10521
Crossflow topology of vortical flows
[BTN-94-EIX94301315993] p 515 A94-60029
Experimental studies of vortex flaps and vortex plates
[BTN-94-EIX94311329122] p 518 A94-60178
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
Unique high-alpha roll dynamics of a sharp-edged 65
deg delta wing
[BTN-94-EIX94401358966] p 571 A94-61622
Navier-Stokes computations for oscillating control
surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
Active control of wing rock using tangential leading-edge
blowing
[BTN-94-EIX94401358987] p 571 A94-61643
Leading-edge vortex breakdown for wing planforms with
the same slenderness ratio
[BTN-94-EIX94401358991] p 566 A94-61647
Estimation of critical values and vibration characteristics
on supersonic delta wings. Part 1: On-line time series
analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
Control effectiveness at hypersonic speeds
p 112 N94-10426
A comparison of high resolution upwind solvers on 3-D
inviscid hypersonic flows p 21 N94-10463
Modeling nonlinear aerodynamic loads for aircraft
stability and control analysis p 114 N94-11499
Estimation of critical values and vibration characteristics
on supersonic delta wings. Part 2: Locally-stationary time
series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
Experimental studies of vortex flaps and vortex plates.
Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454
Experimental studies of vortex flaps and vortex plates.
Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059
Numerical simulation of a powered-lift landing, tracking
flow features using overset grids, and simulation of high
lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322
Navier-Stokes simulation of transonic vortex flow over
a delta wing p 179 N94-14606
Unsteady separated flows: Empirical model and
control
[AD-A267282] p 37 N94-14959
Aerodynamic control of NASP-type vehicles through
vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
Study into the limits of an Euler equation method applied
to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
A study of the influence of a delta wing geometry on
the induced drag at transonic speed ($M=0.55$) and high
angles of attack
[FFA-TN-1992-14] p 45 N94-17722
Comparison between swept and delta canards on a
model of a combat aircraft
[AD-A269561] p 88 N94-17826
CFD investigations of the hypersonic double delta wing
greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919
Three dimensional network generation and Euler
calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500
Lift augmentation on a delta wing via leading edge fences
and the Gurney flap
[NASA-CR-194793] p 251 N94-24103

- A study of roll attractor and wing rock of delta wings
at high angles of attack p 337 N94-25111
Supercruiser Arrow HS-8 p 322 N94-25711
Computation of transonic viscous flow past the NTF
65-degree Delta Wing p 297 N94-27930
Normal force of low aspect ratio cropped-delta wings
at pre-stall angles of attack and subsonic speeds
[ESDU-93034] p 297 N94-27955
Control jets in interaction with hypersonic rarefied flow
p 347 N94-28020
Theoretical and experimental investigation of a delta
wing with turbulent leading-edge jets p 298 N94-28029

- Numerical investigation into high-angle-of-attack
leading-edge vortex flow
[PB94-125564] p 381 N94-30388
Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
Shock-dependent, optimum thrust wings in supersonic
flow p 425 N94-32027
High performance jet-engine flight test data base for
HSR p 511 N94-33493
Code validation for the simulation of supersonic viscous
flow about the F-16XL p 463 N94-33528
Control of leading-edge separation on a cambered delta
wing p 539 N94-34616
Control of leading-edge vortices on a delta wing
p 524 N94-34971

- Unsteady structure of leading-edge vortices on a delta
wing
[AD-A278988] p 526 N94-35529

DEMAND (ECONOMICS)

- US general aviation: The ingredients for a renaissance.
A vision and technology strategy for US industry, NASA,
FAA, universities p 289 N94-25097
Methodology development of forecasting inter-regional
air transport demand in China
[DLR-FB-93-24] p 308 N94-27746
Air traffic in recession p 310 N94-28240

DENSITY DISTRIBUTION

- A comparative study of turbulence models in predicting
hypersonic inlet flows p 50 N94-18553

DEPLOYMENT

- Aircraft accident report: Inadvertent in-flight slot
deployment, China Eastern Airlines Flight 583, McDonnell
Douglas MD-11, B-2171, 950 nautical miles south of
Shemya, Alaska, 6 April 1993
[PB93-910408] p 254 N94-23579

DEPOSITION

- Advanced diagnostics for in situ measurement of particle
formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
Development of global/chemistry model for jet-fuel
thermal stability based on observations from static and
flowing experiments p 405 N94-29262

DEPOSITS

- A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
Analysis of deposit precursors in jet fuels using Fourier
transform infrared spectroscopy p 152 N94-18489
Interferometric JFTOT tube deposit measuring device
[AD-D016295] p 604 N94-37768

DERIVATION

- Development of a gridless CFD method
p 243 N94-22361

DESCENT

- Examples of flight path optimisation using a multivariate
gradient-search method
[ESDU-93021] p 328 N94-28092

DESCENT TRAJECTORIES

- Visual cueing aids for rotorcraft landings
p 119 N94-13313
Optimal lateral escape maneuvers for microburst
encounters during final approach
[LR-691] p 56 N94-13534
Advanced air traffic control and flight management
system concepts p 387 N94-29576

DESIGN ANALYSIS

- History of Doppler radar navigation p 61 A94-12120
Helicopter landing gear design p 77 A94-12235
Design, fabrication and testing of the composite
bearingless rotor system for rotary-wing aircraft
p 78 A94-12240
Effects of model scale on flight characteristics and
design parameters
[BTN-94-EIX94311329143] p 517 A94-60157
Experimental design of H(sub infinity) weighting
functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669
Implementation of a full-envelope controller for a
high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
Structural material, manufacture, and design
requirements for high-temperature fasteners for space
plane technologies p 166 N94-10055

- Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260
Multidisciplinary design techniques applied to
conceptual aerospace vehicle design
[NASA-CR-194409] p 83 N94-13618
Supersonic Combustion Research Laboratory. Volume
1: Design and fabrication
[AD-A267667] p 149 N94-14962
Development of a quiet supersonic wind tunnel with a
cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117
The lift-fan powered-lift aircraft concept: Lessons
learned
[NASA-CR-177616] p 85 N94-15718
Development of a prototype kinesthetic platform for
application to space and ground servicing tasks. Phase
1: Concept Modeling
[NASA-CR-194036] p 140 N94-16905
Preliminary structural design: Defining the design
space
[AD-A268898] p 88 N94-18227
Procedures and design data for the formulation of aircraft
configurations
[AD-A270150] p 90 N94-18779
ADAS implementation of a panel method for the
prediction of aerodynamic loads
[LR-723] p 51 N94-19667
Turbine design p 140 N94-20075
Towards the formal verification of the requirements and
design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
A study of parallel pier finger airport terminal
configuration
[ISBN-0-315-83128-6] p 229 N94-22425
A reliable algorithm for optimal control synthesis
[NASA-CR-194809] p 283 N94-23332
Simplified, inverse, ejector design tool
[NASA-CR-194438] p 248 N94-23511
A novel rotary actuator for spacecraft
p 277 N94-24034
Sensorless, brushless motor to drive a sealed
freon-ammonia pump p 277 N94-24036
Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313
New computing systems, future computing environment,
and their implications on structural analysis and design
p 259 N94-24314
Early manufacturing considerations in design
p 259 N94-24315
Probabilistic simulation of concurrent engineering of
propulsion systems p 259 N94-24317
The process network in the design and manufacturing
of aircraft p 259 N94-24319
Application of concurrent engineering principles to
aircraft structural design p 260 N94-24321
The cetaceopteryx: A global range military transport
aircraft
[NASA-CR-195519] p 263 N94-24711
Pre-design study of a general purpose vehicle simulator
platform
[PB93-215366] p 269 N94-24739
Weasel works SA-150: Design study of a 100 to 150
passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975
The Bunny: A simulated commercial air transportation
study
[NASA-CR-195537] p 319 N94-25001
The Gold Rush: A simulated commercial air
transportation study
[NASA-CR-195528] p 319 N94-25002
Development of high-angle-of-attack nose-down pitch
control margin design guidelines for combat aircraft
p 337 N94-25107
Aircraft maneuvers for the evaluation of flying qualities
and agility. Volume 1: Maneuver development process and
initial maneuver set
[AD-A273913] p 321 N94-25590
Aircraft maneuvers for the evaluation of flying qualities
and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
Design and experimental performance of a two stage
partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228
Investigation of aerodynamic design issues with regions
of separated flow p 296 N94-27902
The deterministic power-spectral-density-method for
nonlinear systems
[AD-B179687] p 369 N94-28353
A design of third-generation airfoils for helicopter rotor
blades using Navier-Stokes p 391 N94-28957
Recent CFD applications in small gas turbine combustion
systems development p 396 N94-29257
Expanding the waverider design space using arbitrary
generating flowfields p 431 N94-30516
Nonlinear multibody formulation for rotorcraft analysis
p 432 N94-30787

- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
- HSCT design for reduced sonic boom
p 472 N94-33471
- HSR high lift research program: Status and plans
p 461 N94-33521
- HSCT high lift system aerodynamic requirements
p 461 N94-33522
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- Technologies for Highly Manoeuvrable Aircraft
[AD-280271] p 532 N94-34605
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle
[NASA-RP-1332] p 535 N94-34703
- Design oriented structural analysis
[NASA-TM-109124] p 551 N94-34722
- NASA Lewis wind tunnel model systems criteria
[NASA-TM-106565] p 604 N94-37522
- Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762
- DESIGN TO COST**
Concepts of hypersonic aircraft p 71 A94-10778
- Operational requirements for helicopter engines for UK services p 482 N94-34432
- DESTRUCTIVE TESTS**
Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
- DETECTION**
Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- Feasibility of detecting aircraft wake vortices using passive microwave radiometers
[NASA-CR-191553] p 275 N94-23498
- Effects of historical and predictive information on ability of transport pilot to predict an alert
[NASA-TM-4547] p 330 N94-27864
- Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels
[AD-A275755] p 408 N94-28646
- Microwave sensor for ice detection p 475 N94-32457
- DETERIORATION**
Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264
- DETONABLE GAS MIXTURES**
Gaseous detonation driver for a shock tunnel p 130 A94-13072
- DETONATION WAVES**
Gaseous detonation driver for a shock tunnel p 130 A94-13072
- Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377
- DEW POINT**
Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne p 126 A94-10422
- DIALS**
Flight instrument software for the F/A-18 research simulator
[AD-A267170] p 134 N94-15856
- DIAPHRAGMS (MECHANICS)**
Fluid dynamic linear accelerometer
[AD-D016042] p 339 N94-27112
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- DIATOMIC GASES**
Calculation of hypersonic shock structure using flux-split algorithms
[NASA-CR-194296] p 32 N94-13607
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958
- DIATOMIC MOLECULES**
Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- DICTIONARIES**
Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425
- DIELECTRIC PROPERTIES**
Microwave sensor for ice detection p 475 N94-32457
- DIELECTRICS**
Design of a multi-channel true flat fluorescent lamp for avionics AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- DIESEL ENGINES**
Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
- Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
- Futurepath 2
[NASA-TM-109285] p 102 N94-13623
- Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2
[NASA-CR-191189] p 103 N94-14448
- Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984
- Materials development program: Ceramic technology project bibliography, 1984-1992
[DE94-009297] p 493 N94-32935
- DIESEL FUELS**
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- DIETHYL ETHER**
Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- DIFFERENCE EQUATIONS**
Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- DIFFERENTIAL CALCULUS**
Automatic differentiation of advanced CFD codes for multidisciplinary design p 281 N94-10299
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301
- DIFFERENTIAL EQUATIONS**
Nonlinear and dynamic analysis of flight p 113 N94-11496
- Simulation of cryogenic turbopump annular seals p 281 N94-24440
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A275416] p 377 N94-29197
- Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204
- DIFFERENTIAL GEOMETRY**
Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453
- DIFFERENTIAL PRESSURE**
Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- Fluid dynamic linear accelerometer
[AD-D016042] p 339 N94-27112
- DIFFRACCTION**
Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- DIFFRACCTION PATHS**
Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis
[ISBN-0-315-84643-7] p 356 N94-27308
- DIFFRACCTION PATTERNS**
Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957
- DIFFUSERS**
Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents
[BTN-94-EIX94311330091] p 590 A94-61128
- The 3-D numerical study of airflow in the compressor/compressor pre-diffuser and dump diffuser of an industrial gas turbine p 276 N94-23660
- DIFFUSION**
Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131
- DIFFUSION COEFFICIENT**
Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131
- DIFFUSION FLAMES**
Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames
[BTN-94-EIX94321333324] p 546 A94-60275
- Theories of turbulent combustion in high speed flows
[AD-A265735] p 147 N94-12403
- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381
- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257
- Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- DIFFUSION PUMPS**
New technique for oil backstreaming contamination measurements p 227 N94-20511
- DIGITAL COMPUTERS**
Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571] p 196 A94-11477
- DIGITAL DATA**
Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323] p 96 N94-20343
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069
- DIGITAL ELECTRONICS**
Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- DIGITAL NAVIGATION**
Automatic control steps for aircraft taxi guidance p 388 N94-29584
- DIGITAL SIMULATION**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771
- Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774
- Digital terrain modelling for research and development simulations
[SAE PAPER 921979] p 1 A94-11999
- Using optimization for balancing flexible rotors p 161 A94-12516
- System dynamics simulation based on structural modification analysis using response techniques p 161 A94-12536
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
- Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365
- Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370
- Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data
[DE93-767967] p 79 N94-10728
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
- Curvature effects in three-dimensional boundary layers p 173 N94-12623
- Idea of underground airplane p 82 N94-12630
- Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948
- Turbulent particle dispersion in confined swirling flows
[DLR-FB-92-32] p 177 N94-14045
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- Turbulent diffusion in homogeneous shear flow with stable density stratification p 178 N94-14443
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics
[NAL-SP-19] p 375 N94-28946
- Engineering of systems for application of scientific computing in industry p 415 N94-28947
- Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
- Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
- Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950

- Numerical simulation of arc heated wind tunnel flow
p 402 N94-28951
- Numerical simulation of unsteady aerodynamic heating induced by shock reflections
p 375 N94-28952
- Numerical simulation of steady Mach reflection by shock capturing schemes
p 375 N94-28953
- Higher-order accurate numerical simulation of 3D supersonic mixing layers
p 375 N94-28954
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles
p 375 N94-28955
- Transonic expanding flow through axially symmetric orifices
p 410 N94-28985
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe
p 410 N94-28986
- Performance evaluation of the NWT with parallel Fortran
p 415 N94-28992
- A method of user interface for NWT
p 415 N94-28993
- DIGITAL SYSTEMS**
- Flight tests of the digitally controlled Turbomeca Arrius 1B engines on EC BO 108
p 99 A94-12096
- Preliminary supersonic flight test evaluation of performance seeking control
[NASA-TM-4494]
p 100 N94-11205
- Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines
[ISBN-0-315-56062-2]
p 174 N94-13521
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980]
p 122 N94-17412
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632]
p 185 N94-18495
- Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3]
p 96 N94-20053
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323]
p 96 N94-20343
- On-line evaluation of multiloop digital controller performance
p 336 N94-25105
- Aircraft digital flight control technical review
p 336 N94-25106
- Digital systems validation book plan. Volume 3: Handbook
[AD-A274099]
p 329 N94-26028
- A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348]
p 345 N94-27879
- How to control the increase in the complexity of civil aircraft on-board systems
p 394 N94-29316
- On ground system integration and testing: A modern approach
p 394 N94-29334
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464]
p 487 N94-33543
- Algorithms for a digital radio direction finding system in the HF band
[PB94-149176]
p 470 N94-34093
- The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- Flutter suppression digital control law design and testing for the AFW wind tunnel model
p 540 N94-35873
- DIGITAL TECHNIQUES**
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632]
p 185 N94-18495
- The experimental flight management system: An air traffic management research tool
[NLR-TP-92253-U]
p 430 N94-30943
- DIGITAL TRANSDUCERS**
- Data acquisition in aerodynamic research
p 186 N94-18644
- DILUTION**
- Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660]
p 548 A94-60131
- DIMENSIONAL MEASUREMENT**
- A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964]
p 170 N94-11132
- DIRECTION FINDING**
- Algorithms for a digital radio direction finding system in the HF band
[PB94-149176]
p 470 N94-34093
- DIRECTIONAL ANTENNAS**
- Aeronautical satellite antenna steering using magnetic field sensors
p 273 N94-22836
- Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304]
p 270 N94-24121
- DIRECTIONAL CONTROL**
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360]
p 42 N94-16573
- Equations of motion of a hinged body over a spherical earth
[AD-A268408]
p 87 N94-17435
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028
- YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021]
p 540 N94-34994
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot — conducted in the Ames 80 by 120 foot wind tunnel
p 527 N94-35965
- DIRECTIONAL SOLIDIFICATION (CRYSTALS)**
- Process enhancements of superalloy material
p 585 N94-37324
- DIRECTIONAL STABILITY**
- Chine-shaped forebody effects on directional stability at high-alpha
[BTN-94-EIX94401358961]
p 579 A94-61617
- Computational study of the F-5A forebody emphasizing directional stability
[BTN-94-EIX94401358962]
p 579 A94-61618
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes
p 400 N94-29728
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory
[NASA-CR-195765]
p 437 N94-31203
- Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739]
p 474 N94-34118
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- DIRETIVITY**
- Experimental and computational studies on propeller noise due to inflow distortion
p 452 N94-31846
- DIRECTORIES**
- NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics
[NASA-CR-195686]
p 371 N94-25541
- DISCHARGE**
- An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust
p 127 A94-10440
- DISKS**
- Defects and their effects on the integrity of nickel based aeroengine discs
p 586 N94-37328
- Turbine disks: Lifting against defects and materials development
p 595 N94-37329
- DISORIENTATION**
- Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283]
p 330 N94-26989
- DISPERSING**
- A model for fuel fire duration and application to the B-1B bomber
[DE93-013000]
p 57 N94-14292
- DISPLAY DEVICES**
- Cockpit data link displays - An evaluation of textual formats
[SAE PAPER 922025]
p 93 A94-11722
- Controller evaluations of ATC Data Link services
[SAE PAPER 922027]
p 61 A94-11724
- Future concepts for maintenance and the increasing role of on-board maintenance
[SAE PAPER 921921]
p 93 A94-11971
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953]
p 129 A94-11991
- Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231
- An exploration of three dimensional computer graphics in cockpit avionics
p 94 A94-12266
- Simultaneous raster and calligraphic CRT projection system for flight simulation
p 159 A94-12267
- Tactical cockpits: The coming revolution
[BTN-94-EIX94331335530]
p 530 A94-60211
- Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477]
p 592 A94-61203
- PC based A320 quick access recorder readout facility
[PD-AL-9109]
p 200 N94-13077
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload
p 116 N94-13298
- Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
- Handling qualities effects of display latency
p 95 N94-13316
- Primary display latency criteria based on flying qualities and performance data
p 119 N94-13318
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
- Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322]
p 211 N94-19571
- Cockpit weather graphics using mobile satellite communications
p 273 N94-22775
- Evaluation of the UH-1N instrument panel
[AD-A273145]
p 263 N94-24774
- Future space transportation system architecture avionics requirements
p 346 N94-25098
- Image quality and the display modulation transfer function: Experimental findings
[AD-A274061]
p 342 N94-25773
- Color head down display program
[AD-A274807]
p 330 N94-26340
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
- Information presentation for expert systems in future fighter aircraft
[AD-A275126]
p 394 N94-29005
- A comparison of three aircraft attitude display symbology structures
[AD-A275172]
p 394 N94-29048
- Three dimensional audio versus head down TCAS displays
[NASA-CR-177636]
p 468 N94-33063
- Cockpit Electronic Display Workshop: A synopsis
[AD-A277728]
p 477 N94-33280
- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764]
p 473 N94-35336
- High definition TV projection via single crystal faceplate technology
[AD-A277850]
p 501 N94-33768
- Effects of checklist interface on non-verbal crew communications
[NASA-CR-177639]
p 528 N94-34915
- Synthetic vision display evaluation studies
[NASA-CR-194963]
p 603 N94-37658
- DISRUPTING**
- Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167]
p 82 N94-11892
- DISSOCIATION**
- Direct simulation with vibration-dissociation coupling
[BTN-94-EIX94351142136]
p 521 A94-60429
- New two-temperature dissociation model for reacting flows
[BTN-94-EIX94351142137]
p 560 A94-60430
- DISTANCE MEASURING EQUIPMENT**
- Testing of DME/P equipment performance for complex MLS procedures
p 221 N94-22136
- DISTORTION**
- Electromagnetic wave test
p 177 N94-14173
- Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence
p 300 N94-28190
- DISTRIBUTED PARAMETER SYSTEMS**
- Computational algorithms or identification of distributed parameter systems
[AD-A265252]
p 199 N94-11680
- DISTRIBUTED PROCESSING**
- PILOT - An intelligent distributed system manager
[AIAA PAPER 93-4474]
p 195 A94-11411
- The R-Shell approach - Using scheduling agents in complex distributed real-time systems
[AIAA PAPER 93-4523]
p 195 A94-11447
- Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571]
p 196 A94-11477
- Distributed simulation using a real-time shared memory network
[NASA-TM-106239]
p 198 N94-10724
- A distributed, visual object system using aggregation objects with a local namespace
[IME-MET-TR-007]
p 200 N94-13860
- Modular Simulator System (MSS). Engineering design guide
[AD-A276967]
p 441 N94-32394
- Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270]
p 442 N94-32403

High performance real-time flight simulation at NASA Langley p 489 N94-32473
Building fault-tolerant distributed computing systems using standard components p 508 N94-34125 [PB94-148889]
Engineering large-scale agent-based systems with consensus p 558 N94-35071

DISTRIBUTION FUNCTIONS
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653

DITCHING (LANDING)
Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2 [AD-A276473] p 426 N94-31246

DOCUMENTATION
A hypertext system that learns from user feedback p 514 N94-32428

DOCUMENTS
NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics [NASA-CR-195686] p 371 N94-25541

DOMAINS
Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326

DOMESTIC SATELLITE COMMUNICATIONS SYSTEMS
Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites p 137 A94-12471

DOORS
The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904

DOPPLER EFFECT
Utilization of lasers for air data measurements p 238 N94-22603

DOPPLER RADAR
The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison [REPT-93W0000145] p 180 N94-15439
Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
Observations of multi-layered clouds using K-band radar p 242 N94-22311
Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196

DORNIER AIRCRAFT
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results [NAL-TM-649] p 68 N94-13346

DOUGLAS AIRCRAFT
Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
Update on Douglas' high-speed civil transport studies p 471 N94-33450
Douglas Aircraft HSCT status and future research needs p 472 N94-33454

DOWNTIME
Aircraft battle damage repair for the 1990's and beyond [AD-A278635] p 576 N94-36465

DOWNWASH
Reduction in size and unsteadiness of VTOL ground vortices by ground fences [BTN-94-EIX94401358975] p 565 A94-61631
Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758
Rotorwash wind sensor evaluation [AD-A268987] p 189 N94-20203
Rotorwash analysis handbook. Volume 1: Development and analysis [SCT-93RR-17-VOL-1] p 567 N94-36466
Rotorwash analysis handbook. Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467

DRAG
High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics [ESDU-93024-PT-1] p 362 N94-28095
Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition [ESDU-93032] p 300 N94-28144
Supersonic LFC: Challenges and opportunities p 462 N94-33526
Control of leading-edge separation on a cambered delta wing p 539 N94-34616

DRAG COEFFICIENTS
A critical assessment of UH-60 main rotor blade airfoil data [NASA-TM-103985] p 425 N94-32063

DRAG MEASUREMENT
Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions [NASA-TM-109016] p 29 N94-13172
Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil [NASA-TP-3357] p 38 N94-15657
Calculation of viscous drag of two low angle of attack supercritical profiles [FFA-TN-1984-22] p 292 N94-26104
Aerodynamic drag of droplets in turbulent flow fields [ISBN-0-315-75827-9] p 457 N94-32491

DRAG REDUCTION
Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
Drag reduction of airplane fuselages through shaping by the inverse method [BTN-94-EIX94311329117] p 536 A94-60183
Drag reduction for turbulent flow over a projectile, part 2 [BTN-94-EIX94311322900] p 520 A94-60196
Drag reduction of turbulent flow over a projectile, part 1 [BTN-94-EIX94311322899] p 557 A94-60197
Lift enhancement of an airfoil using a Gurney flap and vortex generators [BTN-94-EIX94401358970] p 565 A94-61626
Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 N94-10672
Supersonic airplane study and design [NASA-CR-193219] p 80 N94-11150
Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286
Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime [ISBN-0-315-57633-2] p 279 N94-24177
The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 N94-26604
Numerical analysis of supersonic transport wings p 375 N94-28959
Computational study of single-expansion-ramp nozzles with external burning [NASA-TM-106550] p 446 N94-31229
Shock-dependent, optimum thrust wings in supersonic flow p 425 N94-32027
Supersonic LFC: Challenges and opportunities p 462 N94-33526
Error analysis of the step drag-free system with respect to gravity field determination [PB94-149804] p 506 N94-34115

DRAINAGE
Performance of prefabricated geocomposite subdrainage system in an airport runway [DOT/FAA/RD-93/23] p 268 N94-23303

DRAINAGE PATTERNS
Performance of prefabricated geocomposite subdrainage system in an airport runway [DOT/FAA/RD-93/23] p 268 N94-23303

DREDGING
Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system [AD-A276160] p 431 N94-31080

DRILLING
Application of the strain gage-hole drilling method to aircraft transparencies p 164 A94-12918

DRONE AIRCRAFT
Generic drone control system [AD-D015993] p 320 N94-25052
HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293

DRONE VEHICLES
Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618

DROP SIZE
Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045

Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959

DROP TESTS
Vertical drop test of a Metro 3 aircraft [AD-A270032] p 90 N94-18789
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973

DROPS (LIQUIDS)
Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045
An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299
Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
Aerodynamic drag of droplets in turbulent flow fields [ISBN-0-315-75827-9] p 457 N94-32491

DUAL THRUST NOZZLES
Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905

DUCT GEOMETRY
Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet [BTN-94-EIX94381353570] p 577 A94-61460
Swirl control in an S-duct at high angle of attack [BTN-94-EIX94421374970] p 563 A94-61868

DUCTED BODIES
Aerodynamic performance of novel ducted-tip wings p 303 N94-28331

DUCTED FAN ENGINES
Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481
NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589

DUCTED FANS
Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115
Summary of lift and lift/cruise fan powered lift concept technology [NASA-CR-177619] p 257 N94-23489
The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation [DLR-FB-93-20] p 333 N94-27739
Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438

DUCTED FLOW
Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931
Incompressible flow in contracting ducts p 159 A94-12198
Swirl control in an S-duct at high angle of attack [BTN-94-EIX94421374970] p 563 A94-61868
A study of the compressible flow through a diffusing S-duct [NASA-TM-106411] p 217 N94-21591
Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct [NASA-TM-106435] p 226 N94-21758
Dynamic response of a compressor research facility [AD-A273836] p 342 N94-25740
Ducted kerosene spray flames p 407 N94-29276
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803

DUCTILITY
Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223
Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276

DUCTS
Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292

- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803
- DUMMIES**
- Vertical drop test of a Metro 3 aircraft [AD-A270032] p 90 N94-18789
- DUMP COMBUSTORS**
- Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets p 97 A94-10318
- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
- DURABILITY**
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
- Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
- Development of stitched/RTM composite primary structures p 494 N94-33127
- Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
- Engine seal technology requirements to meet NASA's advanced subsonic technology program goals [NASA-TM-106582] p 502 N94-33960
- DYNAMIC CHARACTERISTICS**
- A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX9432133307] p 547 A94-60039
- Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects [LR-707] p 121 N94-13906
- The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 N94-16078
- Dynamic response analysis of composite structural members during missile launch [AD-A270023] p 140 N94-18760
- Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
- Whirl measurements on leakage flows in turbomachine models p 502 N94-34185
- An experimental study of dynamic characteristics of labyrinth seal p 503 N94-34188
- An experimental and theoretical study of structural damping in compliant foil bearings p 504 N94-34194
- Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911
- DYNAMIC CONTROL**
- Active control of wing rock using tangential leading-edge blowing [BTN-94-EIX94401358987] p 571 A94-61643
- Mechanical analysis of parallel manipulators with simulation, design, and control applications [ISBN-0-315-72013-1] p 170 N94-11156
- Control system design for flexible structures using data models p 121 N94-14646
- PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- Neural networks for dynamic flight control [AD-A274089] p 338 N94-25785
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
- Integrated propulsion-airframe dynamics and control p 392 N94-29854
- An overview of recent advances in system identification p 546 N94-35880
- DYNAMIC LOADS**
- Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide [NASA-CR-191183] p 178 N94-14445
- Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464

DYNAMIC MODELS

- NPSNET - Flight simulation dynamic modeling using quaternions p 197 A94-11770
- The use of pilot models in dynamic performance and rotor load prediction studies p 76 A94-12087
- Mechanical analysis of parallel manipulators with simulation, design, and control applications [ISBN-0-315-72013-1] p 170 N94-11156
- A model for rotorcraft flying qualities studies p 118 N94-13308
- An analytic modeling and system identification study of rotor/fuselage dynamics at hover p 118 N94-13312
- A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
- Nonlinear solvers p 361 N94-28053
- Miniature linear-to-rotary motion actuator p 413 N94-29647
- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment [NASA-TM-4548] p 582 N94-37059
- Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- DYNAMIC PRESSURE**
- A semi-analytical method to correct for support effects on wind tunnel models p 124 A94-10412
- Dynamic tester for rotor seals and bearings [NASA-CASE-MFS-28493-1] p 130 N94-10669
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section [NASA-TP-3334] p 134 N94-15794
- Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil [NASA-TM-109380] p 50 N94-19119
- Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer [AD-A273834] p 331 N94-25617
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration [NASA-TM-109045] p 377 N94-29443
- DYNAMIC RESPONSE**
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet [AIAA PAPER 93-4338] p 155 A94-11349
- Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage [AD-A266890] p 85 N94-14951
- Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107
- Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055
- Dynamic response analysis of composite structural members during missile launch [AD-A270023] p 140 N94-18760
- Blade and hub loads of ballistically damaged helicopter rotors [AD-A270663] p 92 N94-19781
- Issac, Jason Cherian ses in transonic flow [NASA-CR-194837] p 250 N94-24052
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953
- Dynamic response of a compressor research facility [AD-A273836] p 342 N94-25740
- Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed [DE94-002290] p 365 N94-26700
- Lift-curve slope for structural response calculations [ESDU-93013] p 298 N94-28063
- An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients [NASA-CR-195705] p 299 N94-28072
- Turbomachinery forced response prediction system (FREPS): User's manual [NASA-CR-194465] p 411 N94-29104
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203

- Heave dynamics of an air cushion vehicle bag and finger skirt [ISBN-0-315-87053-2] p 423 N94-31734
- Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study [NASA-CR-194905] p 509 N94-33023
- Response of a cantilevered plate in supersonic flow [AD-A277487] p 471 N94-33107
- An experimental study of dynamic characteristics of labyrinth seal p 503 N94-34188
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
- Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients [NASA-TM-4591] p 535 N94-35241
- DYNAMIC STABILITY**
- Static and dynamic flight-path stability of airplanes p 107 A94-10800
- Foil bearings for gas turbine engines p 157 A94-11850
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275
- Aeroservoelastic stabilization considerations for pointing and tracking systems p 594 N94-36627
- Correlation of analytical and experimental hot structure vibration results p 576 N94-36644
- Stability analysis of an F/A-18 E/F cable mount model [NASA-TM-108989] p 602 N94-37636
- DYNAMIC STRUCTURAL ANALYSIS**
- Modal analysis for disordered periodic or nearly periodic structures p 161 A94-12504
- High frequency power flow in structures p 161 A94-12510
- System dynamics simulation based on structural modification analysis using response techniques p 161 A94-12536
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE [ISBN 0-7918-0662-6] p 162 A94-12651
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity [ISBN 0-7918-0663-4] p 163 A94-12676
- Structural dynamics in rotorcraft p 163 A94-12682
- Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems [ISBN 0-12-012754-7] p 2 A94-12701
- Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 A94-12707
- Numerical methods in structural mechanics p 163 A94-12776
- Survey and comparison of engineering beam theories for helicopter rotor blades [BTN-94-EIX94401358960] p 571 A94-61616
- Buckling and vibration analysis of laminated panels using VICONOPT [BTN-94-EIX94401372105] p 592 A94-61805
- Dynamic analysis of open membrane structures interacting with air [BTN-94-EIX94331337180] p 606 A94-62183
- The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
- Vibro-acoustic analysis of an aircraft maintenance dock [AD-A266778] p 133 N94-14908
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing [NASA-TM-4512] p 86 N94-15783
- Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107
- A rapid computational model for estimating the performance of compliant airfoils in cascades [AD-A266275] p 40 N94-16471

- Hop bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 N94-18760
- Composite impact dynamics research at NASA LaRC: A review p 187 N94-19467
- Impact analysis of composite aircraft structures p 187 N94-19468
- Explicit solution techniques for impact with contact constraints p 188 N94-19470
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments
[DE94-000554] p 274 N94-23000
- Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994
[NASA-TM-109036] p 253 N94-24576
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953
- Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525
- Hop bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118
- Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
- Frequency domain analysis of the random loading of cracked panels
[NASA-CR-196021] p 556 N94-35974
- Analysis of high speed flow, thermal and structural interactions
[NASA-CR-196017] p 593 N94-36420
- Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls
[NASA-CR-196103] p 581 N94-36436
- DYNAMIC TESTS**
- A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
- Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519
- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
- Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshaft engine-code documentation and listings, volume 2
[AD-A268177] p 135 N94-17508
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- DYNAMICAL SYSTEMS**
- Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design
[ISBN 0-12-012752-0] p 2 A94-12611
- Time domain computational techniques — integration methods in aeronautical engineering p 198 A94-12679
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- Stability analysis through bifurcation theory, 1 p 208 N94-18238
- E**
- EARPHONES**
- Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618
- EARTH ATMOSPHERE**
- The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695
- Perseus: Global watcher
[NASA-TM-109813] p 473 N94-33565
- EARTH CRUST**
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- EARTH MOVEMENTS**
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- EARTH OBSERVING SYSTEM (EOS)**
- Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan
[NASA-CR-189362] p 596 N94-36919
- EARTH ORBITAL ENVIRONMENTS**
- Low density facilities p 129 A94-10782
- EARTH SCIENCES**
- The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- NASA high performance computing and communications program
[NASA-TM-4554] p 287 N94-24337
- JPRS report: Science and technology, Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- JPRS report: Science and technology, Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342
- JPRS report: Science and technology, Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387
- Research and technology, 1993
[NASA-TM-108816] p 561 N94-36117
- ECCENTRICITY**
- Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181
- ECONOMIC ANALYSIS**
- Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267
- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- The future of rotary-wing aircraft p 320 N94-25070
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- The NASA sponsored HSCT propulsion studies p 479 N94-33476
- ECONOMIC FACTORS**
- Financial crisis in the aviation industry - United Kingdom p 208 A94-13147
- Financial crisis in the aviation industry - United States p 209 A94-13148
- Financial crisis in the aviation industry - France p 209 A94-13149
- Activities of National Inst. for Aviation Research
[NIAR-93-16] p 212 N94-20150
- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837
- Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232
- Air traffic in recession p 310 N94-28240
- FAA aviation forecasts, fiscal years 1994-2005
[AD-A277808] p 455 N94-33016
- ECONOMIC IMPACT**
- Evaluation of the capacity and delay benefits of terminal air traffic control automation
[AD-A265323] p 67 N94-11863
- An airport economic impact study procedure for Atlantic Canada
[ISBN 0-315-59445-4] p 228 N94-22419
- The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236
- ECONOMICS**
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- The contribution of aeronautics and astronautics to the quality of life on Earth
[ILR-MITT-283(1993)] p 449 N94-31611
- EDDY CURRENTS**
- Quantifying disbond area p 166 N94-10038
- High resolution SQUID magnetometry for non-destructive evaluation
[AD-A268884] p 185 N94-18225
- Demonstrating damage tolerance of composite airframes p 224 N94-22623
- Preliminary eddy current modelling for the large angle magnetic suspension test fixture
[NASA-CR-194772] p 268 N94-23539
- EDDY VISCOSITY**
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- EDUCATION**
- Center of excellence in rotary wing technology
[AD-A266655] p 37 N94-14799
- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- Maximizing participation of women in collegiate aviation education
[NIAR-93-14] p 210 N94-17261
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- Toxic emissions from aircraft firefighting training: A search of available literature
[PB94-156783] p 507 N94-34409
- Training and operations support system (TOPS)
p 599 N94-37344
- EFFECTIVE PERCEIVED NOISE LEVELS**
- Noise levels from a model turbofan engine with simulated noise control measures applied
[NASA-TM-106318] p 102 N94-14036
- A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610
- EFFICIENCY**
- Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574
- Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036
- EGRESS**
- Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
- EIGENVALUES**
- Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183
- Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820
- EIGENVECTORS**
- Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820
- EJECTA**
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460
- EJECTION**
- Wind-tunnel test techniques for unmanned aerial vehicle separation investigations
[BTN-94-EIX94401358976] p 571 A94-61632
- EJECTION SEATS**
- CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973
- Canopy breaking device
[AD-D016294] p 602 N94-37767
- EJECTORS**
- Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94341338360] p 550 A94-60352
- Transient Ejector Analysis (TEA) code user's guide
[NASA-TM-106310] p 264 N94-23466
- Simplified, inverse, ejector design tool
[NASA-CR-194438] p 248 N94-23511
- A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930
- High speed jet noise research at NASA Lewis
p 509 N94-33464
- ELASTIC ANISOTROPY**
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953

ELASTIC BENDING

Blade and hub loads of ballistically damaged helicopter rotors
[AD-A270663] p 92 N94-19781

ELASTIC DAMPING

Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow
p 7 A94-10697

ELASTIC DEFORMATION

Fluid dynamic linear accelerometer
[AD-D016042] p 339 N94-27112

ELASTIC PROPERTIES

Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
Compliant seal development p 235 N94-21795
Foil bearing research at Penn State p 274 N94-23058
Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286

ELASTIC WAVES

Development of a pressure wave simulator for surge interaction testing p 127 A94-10441
Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves p 11 A94-10953
System and method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-1] p 232 N94-20588
Method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-2] p 413 N94-29740

ELECTRIC ARCS

Two dimensional simulation of the electric arc behavior in a cut-off device
[ECL-92-41] p 233 N94-20595

ELECTRIC CONNECTORS

Preload release mechanism
[NASA-CASE-MSC-22327-1] p 594 N94-36839

ELECTRIC CONTROL

Electrical power generation systems - Combat aircraft perspective p 156 A94-11373
Integrated control and management of advanced aircraft electrical power system p 504 N94-34333

ELECTRIC FIELDS

Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248

ELECTRIC MOTOR VEHICLES

Electric drives on the LV100 gas turbine engine
[BTN-94-EIX94311331077] p 588 A94-61101
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621

ELECTRIC MOTORS

Operation of a test bed axial-gap brushless dc motor with a superconducting stator
[DE93-019167] p 236 N94-21830
A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
Flow and heat transfer model for a rotating cryogenic motor
[DE94-001151] p 238 N94-22405
Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036

ELECTRIC POWER PLANTS

Steam plant: Steam turbines for combined cycles
p 362 N94-28085

ELECTRIC POWER TRANSMISSION

Recent advances in no-break power transfer (NBPT)
[SAE PAPER 921964] p 98 A94-11993
Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652

ELECTRIC WIRE

Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 N94-10765
NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704
Organized wiring systems p 408 N94-28705

ELECTRICAL ENGINEERING

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342
JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385
JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387

ELECTRICAL FAULTS

Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS). Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652

ELECTRICAL IMPEDANCE

Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699

ELECTRICAL INSULATION

Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791

ELECTRICAL RESISTIVITY

The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695

ELECTRO-OPTICAL PHOTOGRAPHY

An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826

ELECTRO-OPTICS

An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401

ELECTROACOUSTIC TRANSDUCERS

NRL review for 1993
[AD-A265666] p 211 N94-12334

ELECTROFORMING

A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608

ELECTROLYSIS

Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603

ELECTROMAGNETIC COMPATIBILITY

Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126
Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis
[ISBN-0-315-84643-7] p 356 N94-27308

ELECTROMAGNETIC FIELDS

S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1
[AD-A274571] p 354 N94-26854
S-76 high intensity radiated fields, volume 3
[AD-A274416] p 355 N94-26980
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862

ELECTROMAGNETIC INTERFERENCE

Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification p 77 A94-12226
Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 N94-10765
Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126
FM interference in radio navigation receivers p 222 N94-22219
Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099

A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields
[NASA-CR-194895] p 468 N94-33956

ELECTROMAGNETIC MEASUREMENT

Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418

ELECTROMAGNETIC PULSES

S-76 high intensity radiated fields, volume 3
[AD-A274416] p 355 N94-26980

ELECTROMAGNETIC RADIATION

Electromagnetic wave test p 177 N94-14173
Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF)
[NASA-TM-106357] p 58 N94-16520
S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 3
[AD-A274416] p 355 N94-26980
A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields
[NASA-CR-194895] p 468 N94-33956

ELECTROMAGNETIC SCATTERING

Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183

ELECTROMAGNETIC SHIELDING

Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification p 77 A94-12226

ELECTROMAGNETISM

Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
Hybrid techniques for complex aerospace electromagnetics problems p 358 N94-27894
Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183

ELECTROMAGNETS

Preliminary eddy current modelling for the large angle magnetic suspension test fixture
[NASA-CR-194772] p 268 N94-23539

ELECTROMECHANICAL DEVICES

Development of a prototype kinestatic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling
[NASA-CR-194036] p 140 N94-16905
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621

ELECTROMECHANICS

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905

ELECTROMOTIVE FORCES

Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways
[ETN-94-95734] p 446 N94-31575

ELECTRON ENERGY

Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071

ELECTRONIC CONTROL

PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
On the generalization of true proportional navigation
[BTN-94-EIX94401377808] p 570 A94-61769

Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines
[ISBN-0-315-56062-2] p 174 N94-13521

Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855

Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes
[NASA-CR-191047] p 538 N94-34993

ELECTRONIC EQUIPMENT

Control vane guidance for a ducted-fan unmanned air vehicle
[AD-A271957] p 223 N94-20561
An analysis of operational suitability for test and evaluation of highly reliable systems
[AD-A278573] p 530 N94-36184

ELECTRONIC EQUIPMENT TESTS

Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
Minimum performance standards: Airborne low-range radar altimeters
[RTCA-DO-155] p 537 N94-35344

ELECTRONIC MODULES

Heat transfer studies on a rectangular channel with offset plate fins
[AD-A277300] p 452 N94-32043

- Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- ELECTRONIC TRANSDUCERS**
Data acquisition in aerodynamic research p 186 N94-18644
- ELECTRONIC WARFARE**
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 N94-32315
- ELECTRONICS**
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS). Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
- ELECTROPHYSICS**
JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- ELECTROPLATING**
Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
- ELECTROREOLOGICAL FLUIDS**
Synthetic lubricants and high-performance functional fluids: Phosphazenes
[ARL-TR-45] p 149 N94-14126
- ELECTROSTATIC GYROSCOPES**
Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature p 203 A94-11029
- ELEVATION**
Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069
- ELEVONS**
Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284
- ELLIPSES**
Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574
- ELLIPSOIDS**
A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack p 12 A94-10954
- ELLIPSOmetry**
New technique for oil backstreaming contamination measurements p 227 N94-20511
- ELLIPTIC FUNCTIONS**
Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport
[NLR-TP-91384-U] p 58 N94-17733
- EMBEDDED COMPUTER SYSTEMS**
Embedded computer systems: Status of C-17 software
[AD-A267307] p 201 N94-16993
Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454
Use of HOOD coupled to real time monitors p 368 N94-26742
Experiences with the HOOD design method on avionics software development p 415 N94-29325
Integrated formal verification and validation of safety critical software p 416 N94-29338
The maintenance of operational flight program
[AD-A276363] p 419 N94-31367
Technologies for avionics embedded computer systems p 434 N94-31368
Testing Operational Flight Programs (OFF's)
[AD-A276361] p 432 N94-31387
- EMBEDDING**
Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- EMERGENCIES**
The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- Aircraft evacuation testing: Research and technology issues
[PB94-107620] p 255 N94-24750
Rooftop emergency heliports p 402 N94-29754
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions p 437 N94-32217
[AD-A276944] p 437 N94-32217
Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter p 474 N94-34080
[AD-A27533] p 474 N94-34080
Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258
Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- EMISSIONS**
Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658
- EMITTERS**
S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1
[AD-A274571] p 354 N94-26854
- EMPLOYMENT**
Financial crisis in the aviation industry - France p 209 A94-13149
- ENCLOSURE**
Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- END EFFECTORS**
Development of a robotic simulator for studying interference and contact problems
[ISBN-0-315-86705-1] p 439 N94-31747
- ENDOTHERMIC FUELS**
Fuels combustion research
[AD-A275122] p 404 N94-29004
Endothermic fuels for hypersonic aviation p 407 N94-29285
- ENERGY ABSORPTION**
Landing gear energy absorption system
[NASA-CASE-MSC-22277-1] p 411 N94-29448
Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2
[AD-A276473] p 426 N94-31246
Load-limiting landing gear footpad energy absorption system p 491 N94-33323
- ENERGY BUDGETS**
Surface roughness lengths
[AD-A274550] p 365 N94-26846
- ENERGY CONSERVATION**
On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases
[NASA-CR-4612] p 527 N94-35864
- ENERGY CONVERSION EFFICIENCY**
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
- ENERGY DISSIPATION**
The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747
Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- ENERGY METHODS**
Some computational tools for the analysis of through cracks in stiffened fuselage shells
[LR-701] p 175 N94-13726
Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations
[LR-694] p 177 N94-13931
- ENERGY REQUIREMENTS**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- ENERGY STORAGE**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621
- ENERGY TECHNOLOGY**
Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505
JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523
JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-008] p 605 N94-37524
JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-005] p 605 N94-37538
- ENERGY TRANSFER**
High frequency power flow in structures p 161 A94-12510
Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
Turboramjet engines: Types and performances p 398 N94-29293
Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958
- ENGINE AIRFRAME INTEGRATION**
Transonic propulsion aerodynamics research at NASA Langley Research Center
[SAE PAPER 921937] p 72 A94-11977
An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215
Integrated design and manufacturing for the high speed civil transport p 318 N94-24968
[NASA-CR-195511] p 318 N94-24968
The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation p 333 N94-27739
[DLR-FB-93-20] p 333 N94-27739
Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960
Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503
Nacelle-wing integration p 472 N94-33504
HSCT inlet development issues p 472 N94-33505
Transonic airframe propulsion integration p 480 N94-33507
Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept p 473 N94-33508
Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739] p 474 N94-34118
Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- ENGINE CONTROL**
Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 A94-10801
Parallel processing for jet engine control
[ISBN 0-387-19747-8] p 98 A94-11675
Flight tests of the digitally controlled Turbomeca Armus 1B engines on EC BO 108 p 99 A94-12096
Control strategies for space boosters using air collection systems p 543 A94-60106
[BTN-94-EIX94311330685] p 543 A94-60106
Whirl-flutter suppression in advanced turboprops and propfans by active control techniques p 578 A94-61650
[BTN-94-EIX94401358994] p 578 A94-61650
Preliminary supersonic flight test evaluation of performance seeking control p 100 N94-11205
[NASA-TM-4494] p 100 N94-11205
Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft p 112 N94-11251
[NASA-TM-106265] p 112 N94-11251
Advanced control for airbreathing engines, volume 1: Pratt and Whitney p 101 N94-12270
[NASA-CR-189203] p 101 N94-12270
Advanced control for airbreathing engines, volume 2: General Electric aircraft engines p 101 N94-12271
[NASA-CR-189204] p 101 N94-12271
Advanced controls for airbreathing engines, volume 3: Allison gas turbine p 101 N94-12272
[NASA-CR-189205] p 101 N94-12272
Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297
Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874
Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329

ENGINE COOLANTS

Endothermic fuels for hypersonic aviation
p 407 N94-29285

ENGINE DESIGN

The research and establishment of graphics library of
aero-engine rotor system structure scheme
p 194 A94-10119

HSCT engine research makes steady gains
p 97 A94-10347

Conceptual study of separated core ultrahigh bypass
engine
p 98 A94-10860

Engine's parameters complex optimization in aerospace
systems
[IAF PAPER 93-462] p 194 A94-11249

ETOPS and service ready standards and processes —
extended-range twin-engine operations
[SAE PAPER 921919] p 53 A94-11969

Design improvements in air turbine start systems
[SAE PAPER 921947] p 158 A94-11986

Gyroscopic test for the T800-LHT-800 turboshaft
engine
[SAE PAPER 921955] p 98 A94-11992

Development of the BK 117 C-1 with Ariel 1-E
engines
p 75 A94-12078

Aeroelastic problems in turbomachines
p 99 A94-12695

Contribution of photoelasticity to the design of jet turbo
engine parts
p 99 A94-12953

Advanced transonic fan design procedure based on a
Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063

Comments on the development of the early
Westinghouse turbojets, 1941-1946
[BTN-94-EIX94311331063] p 577 A94-61115

Working group activities of AGARD propulsion and
energetics panel
[BTN-94-EIX94311331062] p 589 A94-61116

Advanced control for airbreathing engines, volume 2:
General Electric aircraft engines
[NASA-CR-189204] p 101 N94-12271

Advanced controls for airbreathing engines, volume 3:
Allison gas turbine
[NASA-CR-189205] p 101 N94-12272

Advanced Turbine Technology Applications Project
(ATTAP)
[NASA-CR-195366] p 209 N94-12931

Combustor technology for future small gas turbine
aircraft
[NASA-TM-106312] p 101 N94-13142

Noise levels from a model turbofan engine with simulated
noise control measures applied
[NASA-TM-106318] p 102 N94-14036

A hot dynamic seal rig for measuring hypersonic engine
seal durability and flow performance
[NASA-TM-106294] p 179 N94-14727

Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964

Overview of STOVL aircraft propulsion research offakes
and vertical lift systems
[NASA-TM-106387] p 105 N94-19353

Design of a state-space controller for an advanced gas
turbine engine
[AD-A270859] p 105 N94-20042

Cold-start minidiesel engine development
[AD-A271064] p 232 N94-20567

The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790

Navy GTE seal development activity
p 235 N94-21794

Modeling bristle lift-off in idealized brush seal
configurations
p 236 N94-21797

Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519

The RB211: The first 25 years
[PNR-90977] p 264 N94-23570

Internal combustion engine with a central crankshaft and
integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055

Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490

Supercruiser Arrow HS-8
p 322 N94-25711

The design of a long-range megatransport aircraft
p 323 N94-25718

A technique for integrating engine cycle and aircraft
configuration optimization
[NASA-CR-191602] p 325 N94-26606

Development of hypersonic engine seals: Flow effects
of preload and engine pressures
[NASA-TM-106333] p 357 N94-27599

Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874

Transient model applications. 1: Compressor heat
soak/clearance effects modeling
p 361 N94-28048

Transient model applications. 2: Compressor stall
modeling methods
p 361 N94-28049

Transient model applications. 3: Transient engine
simulation and analysis of an ice ingestion test
p 361 N94-28050

Engine simulation technology
p 361 N94-28051

Transient engine simulation
p 361 N94-28052

Nonlinear solvers
p 361 N94-28053

Engine simulation systems
p 362 N94-28054

Fuels and Combustion Technology for Advanced Aircraft
Engines
[AD-A275679] p 404 N94-29246

Combustion technology needs for advanced high
pressure cycle engines
p 404 N94-29248

High temperature fuel requirements and payoffs
p 405 N94-29259

Design aspects in small aircraft gas turbine fuel
injectors
p 397 N94-29264

Technology rigs: A tool for afterburner development
p 397 N94-29270

Pollutant emissions from and within a model gas turbine
combustor at elevated pressures and temperatures
p 406 N94-29271

Reduction of NO(x) by fuel-staging in gas turbine
engines: A commitment to the future
p 406 N94-29272

Spray combustion experiments and numerical
predictions
p 407 N94-29277

The mixing process in the quenching zone of the
rich-lean-combustion concept
p 407 N94-29281

CIAM experimental turboramjets
p 399 N94-29299

Scramjet CFD methods and analysis. Part 2: Scramjet
CFD analysis. Numerical simulation of supersonic mixing
and combustion applied to scramjet combustor
p 399 N94-29300

Use of magnetic compression to support turbine engine
rotors
p 444 N94-30484

Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443

General Electric/Pratt and Whitney summary report
p 478 N94-33451

First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462

P and W/GE propulsion systems studies introduction
p 479 N94-33478

P and W propulsion systems studies results/status
p 479 N94-33480

HSR combustion analytical research
p 497 N94-33483

Operational requirements for helicopter engines for UK
services
p 482 N94-34432

Helicopter engine/airframe integration: The way ahead
p 475 N94-34433

MTR390, the new generation turboshaft engine
p 482 N94-34434

Aerothermal design of 1600 K TET core engine
hot-section components for high-technology compact
propulsion systems
p 483 N94-34435

Expendable gas turbine engine technology advances
p 483 N94-34438

Experimental investigation and performance analysis of
the turbojet engine T117
p 483 N94-34439

Advanced concepts for next generation small gas turbine
engine compressors
p 484 N94-34443

Advanced small high pressure ratio centrifugal
compressor
p 484 N94-34444

The centrifugal compressor, an essential component of
small and medium power engines
p 484 N94-34445

Compact diffusers for small transonic compressors
p 485 N94-34449

Aerodynamic design and investigation of a mixed flow
compressor stage
p 504 N94-34450

Design and analysis of a highly loaded transonic
compressor cascade
p 505 N94-34451

Combustor technology for future small gas turbine
aircraft
p 485 N94-34452

Combustor technology for small aircraft engines
p 485 N94-34453

Reducing Temperature Distribution Factor (TDF) for
advanced small gas turbine engines
p 485 N94-34455

Development of a HP-turbine for a small helicopter
engine
p 486 N94-34456

Hot section materials for small turbines
p 486 N94-34465

An air bearing system for small high speed gas
turbines
p 505 N94-34466

Progress and purpose of IHPTET program
p 538 N94-34607

Engine characteristics for agile aircraft
p 538 N94-34608

Influence of backup bearings and support structure
dynamics on the behavior of rotors with active supports
[NASA-CR-196119] p 553 N94-35500

Integration of magnetic bearings in the design of
advanced gas turbine engines
p 554 N94-35903

Propulsion system selection for a High Altitude Long
Endurance aircraft
p 578 N94-36333

Propulsion system technologies for long range and long
endurance aircraft
p 578 N94-36334

The STRATO 2C propulsion system: A low cost
approach for a High Altitude Long Endurance aircraft
p 578 N94-36335

ENGINE FAILURE

Full range pawl and ratchet clutch
[SAE PAPER 921946] p 157 A94-11985

Mathematical methods of relative engine performance
diagnostics
[SAE PAPER 922048] p 99 A94-12034

Structural integrity and containment aspects of small
gas turbine engines
[BTN-94-EIX94331337500] p 550 A94-60335

Optimal control of helicopters following power failure
[NAL-TR-1190] p 340 N94-27206

Compressor stability
p 360 N94-28046

Engine starting and stopping
p 360 N94-28047

Transient model applications. 2: Compressor stall
modeling methods
p 361 N94-28049

ENGINE INLETS

Full Navier-Stokes analysis of an axisymmetric scramjet
inlet
p 10 A94-10855

Research on the engineering application of the anti-swirl
measures in engine/inlet compatibility
[BTN-94-EIX94381353571] p 577 A94-61459

Inviscid parametric analysis of three-dimensional inlet
performance
[BTN-94-EIX94401358980] p 578 A94-61636

Inlet drag prediction for aircraft conceptual design
[BTN-94-EIX94401358981] p 585 A94-61637

Numerical calculation of scramjet inlet flow
[NAL-TR-1174T] p 100 N94-10370

Analysis of the Harrier forebody/inlet design using
computational techniques
[NASA-CR-193616] p 31 N94-13463

Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874

Three-dimensional modeling of diesel engine intake flow,
combustion and emissions-2
[NASA-CR-191189] p 103 N94-14448

An uncertainty analysis of inlet dynamic flow distortion
using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105

Wind tunnel investigation of three axisymmetric cowls
of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681

Wind tunnel investigation of an STOL aircraft model:
An effect of engine nacelle shape
[NAL-TR-653] p 295 N94-27235

Influence of headwind on hot gas reingestion and
consideration of pressure ratio scaling
p 334 N94-28018

Unsteady aspects of hot gas reingestion and statistical
analysis
p 334 N94-28019

Introduction and overview of research and development
of solid propellant ramrockets, liquid fuel ramjets and
experimental hydrogen ram combustors
p 398 N94-29292

Turboramjet engines: Types and performances
p 398 N94-29293

Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035

Response of a cantilevered plate in supersonic flow
[AD-A277487] p 471 N94-33107

HSCT inlet development issues
p 472 N94-33505

Status of an inlet configuration trade study for the
Douglas HSCT
p 473 N94-33506

Results of a preliminary investigation of inlet unstart on
a high-speed civil transport airplane concept
p 473 N94-33508

Flow field analysis in a high pressure ratio centrifugal
compressor
p 504 N94-34447

A fundamental study of hypersonic unstarts
[AD-A280506] p 595 N94-37128

ENGINE MONITORING INSTRUMENTS

Fault diagnosis in gas turbines using a model-based
technique
[BTN-94-EIX94311331071] p 589 A94-61107

Strain sensing technology for high temperature
applications
[NASA-TM-4498] p 173 N94-12874

An algorithm for determination of bearing health through
automated vibration monitoring
[AD-A274591] p 356 N94-26986

Effects of expected-value information and display format
on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882

Fiber optic (flight quality) sensors for advanced aircraft
propulsion
[NASA-CR-191195] p 577 N94-37401

ENGINE NOISE

Mixing noise reduction for rectangular supersonic jets
by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208

- Active control of fan-generated plane wave noise
[NASA-TM-109008] p 207 N94-14481
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506
- Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
- General Electric/Praet and Whitney summary report
p 478 N94-33451
- Community noise sources and noise control issues
p 509 N94-33467
- NASA/LARC jet plume research
p 478 N94-33468
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146
- Engine exhaust characteristics evaluation in support of aircraft acoustic testing
p 560 N94-35963
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- ENGINE PARTS**
- Advances in cost effective processing of titanium
p 141 A94-10659
- Heat and mass transfer in the structural elements of aircraft engines
p 164 A94-12825
- Contribution of photoelasticity to the design of jet turbo engine parts
p 99 A94-12953
- Photoelastic study of shrinkage fitted components for a gasturbine engine
p 165 A94-12954
- Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108
- NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 N94-13138
- The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790
- Brush seal bristle flexure and hard-rub characteristics
p 235 N94-21791
- Compliant seal development
p 235 N94-21795
- Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- Aircraft turbine engine reliability and inspection investigations
[AD-A274860] p 332 N94-26176
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- Thermal-mechanical fatigue crack growth in aircraft engine materials
[ISBN-0-315-86543-1] p 447 N94-31707
- High temperature NASP engine seal development
[NASA-TM-109750] p 447 N94-31804
- Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238
- A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0)
[AD-A278042] p 477 N94-33266
- Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- Expendable gas turbine engine technology advances
p 483 N94-34438
- The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306
- SCS-6 (tm) fiber reinforced titanium
p 585 N94-36652
- Impact of Materials Defects on Engine Structures Integrity
[AGARD-R-790] p 595 N94-37321
- History and prognosis of material discontinuity effects on engine components structural integrity
p 595 N94-37322
- Alternate melting and refining routes
p 585 N94-37323
- Process enhancements of superalloy material
p 585 N94-37324
- The control of cleanliness in powder metallurgy materials for turbine disks
p 586 N94-37325
- Maintaining constant standards during the forging process
p 586 N94-37326
- Defects and their effects on the integrity of nickel based aeroengine discs
p 586 N94-37328
- Turbine disks: Lifting against defects and materials development
p 595 N94-37329
- Substantiating powder metal life methodologies for engines
p 595 N94-37330
- Predicting defect behaviour
p 596 N94-37331
- ENGINE STARTERS**
- Full range pawl and ratchet clutch
[SAE PAPER 921946] p 157 A94-11985
- Design improvements in air turbine start systems
[SAE PAPER 921947] p 158 A94-11986
- Hydrazine engine start system air start performance and controls sizing
p 158 A94-11987
- [SAE PAPER 921948] p 158 A94-11987
- Turbine wheel relative temperature at freerun conditions
[SAE PAPER 921949] p 158 A94-11988
- Trends in air turbine starters for large turbofan engines
[SAE PAPER 921975] p 98 A94-11996
- Gas Turbine Engine Transient Behaviour
[VKI-LS-1993-06] p 360 N94-28043
- Engine starting and stopping
p 360 N94-28047
- ENGINE TESTING LABORATORIES**
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1
[AD-A268176] p 135 N94-17432
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2
[AD-A268177] p 135 N94-17508
- The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility
[NASA-TM-106495] p 401 N94-28749
- ENGINE TESTS**
- Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
- ETOPS and service ready standards and processes — extended-range twin-engine operations
[SAE PAPER 921919] p 53 A94-11969
- Life prediction of helicopter engines fitted with dust filters
p 99 A94-12115
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- Advanced Turbine Technology Applications Project (ATTAP)
[NASA-CR-195366] p 209 N94-12931
- Aircraft engine type certification handbook: Advisory circular
[AC-33-2B] p 102 N94-13252
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1
[AD-A268176] p 135 N94-17432
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2
[AD-A268177] p 135 N94-17508
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- Air Force brush seal programs
p 235 N94-21793
- Thrust vectoring theory, laboratory and flight tests
p 266 N94-24251
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine
p 266 N94-24253
- Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 N94-25184
- Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test
p 361 N94-28050
- Research and development of high thermal stability fuels
p 405 N94-29261
- Technology rigs: A tool for afterburner development
p 397 N94-29270
- CIAM experimental turboramjets
p 399 N94-29299
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems
p 399 N94-29301
- Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874
- Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec
p 483 N94-34437
- Experimental investigation and performance analysis of the turbojet engine T117
p 483 N94-34439
- Development of a HP-turbine for a small helicopter engine
p 486 N94-34456
- Engine static structures behaviour under impact load using 3D modelling
p 505 N94-34464
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-109855] p 542 N94-34633
- Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients
[NASA-TM-4591] p 535 N94-35241
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- ENGINEERING**
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-008] p 605 N94-37524
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-005] p 605 N94-37538
- ENGINEERING MANAGEMENT**
- National Airspace System operational concept
[DOT/FAA/SE-93/1] p 66 N94-10933
- The integration of design and manufacturing processes at Alenia DVD
p 261 N94-24325
- Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193
- Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762
- ENGINEERS**
- Fifty years of the Netherlands Association of Aeronautical Engineers
p 4 N94-15121
- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS)
p 558 N94-35064
- ENTHALPY**
- HEG - A new shock tunnel for high enthalpies
p 127 A94-10427
- High-enthalpy testing in hypersonic shock tunnels
p 129 A94-10781
- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing
p 130 N94-10432
- ENTRAINMENT**
- Propulsion-induced aerodynamic effects measured with a full-scale STOVIL model
[BTN-94-EIX94311329120] p 519 A94-60180
- Simplified, inverse, ejector design tool
[NASA-CR-194438] p 248 N94-23511
- High speed jet noise research at NASA Lewis
p 509 N94-33464
- ENTRANCES**
- Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel
p 376 N94-28967
- ENVIRONMENT EFFECTS**
- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- Aviation inspection prospects
p 57 N94-15125
- Preliminary design of nine high speed civil transports
p 322 N94-25710
- NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- On the effect of emissions from aircraft engines on the state of the atmosphere
p 414 N94-29247
- First Annual High-Speed Research Workshop, part 1
[NASA-CP-10087-PT-1] p 460 N94-33447
- First Annual HSR Program Workshop: Headquarters perspective
p 471 N94-33448
- Headquarters summary reports
p 471 N94-33452
- Airframe systems studies review
p 472 N94-33453
- Douglas Aircraft HSCT status and future research needs
p 472 N94-33454
- Low emission combustor technology for small aircraft gas turbines
p 485 N94-34454
- Project report: Aircraft — atmospheric effects of stratospheric aircraft
[DE94-011759] p 596 N94-37155

ENVIRONMENT MANAGEMENT

- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A
[AD-A271596] p 240 N94-20948
- ENVIRONMENT MODELS**
- EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A
[AD-A271596] p 240 N94-20948
- ENVIRONMENT PROTECTION**
- Environmentally Safe and Effective Processes for Paint Removal
[AGARD-R-791] p 166 N94-10613
- Paint removal activities in the US Navy
p 166 N94-10614
- Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint: Point on the French activities concerning the removal of paint
p 167 N94-10616
- Paint removal activities in Germany
p 167 N94-10617
- The development of alternative paint removal techniques in the RAF
p 167 N94-10618
- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- Aviation inspection prospects
p 57 N94-15125
- Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft
[AD-A274016] p 365 N94-25755
- Effects of plastic media blasting on aircraft skin
[AD-A274817] p 325 N94-26488
- Lufthansa Yearbook 1992
[DSK-9734-H-92] p 308 N94-28230
- The single European market: Economical advance, ecological problem?
p 309 N94-28235
- ENVIRONMENT SIMULATORS**
- TEM cell safety report
[DREO-TN-93-9] p 269 N94-24123
- ENVIRONMENTAL CONTROL**
- Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- ENVIRONMENTAL ENGINEERING**
- Silence amenity engineering: Past and present
p 370 N94-27283
- ENVIRONMENTAL MONITORING**
- An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851
- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- Perseus: Global watcher
[NASA-TM-109813] p 473 N94-33565
- Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- ENVIRONMENTAL QUALITY**
- Performance of gas turbine compressor cleaners
[NLR-TP-91291-U] p 103 N94-14450
- Community noise technology needs: Boeing's perspective
p 511 N94-33490
- ENVIRONMENTAL SURVEYS**
- An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095
- Sonic boom predictions using a modified Euler code
p 510 N94-33474
- ENVIRONMENTAL TESTS**
- Environmental effects in titanium aluminides alloys
p 141 A94-10678
- Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- NASA Lewis Research Center lean-, rich-burn materials test burner rig
[NASA-CR-194437] p 343 N94-26141
- EPHEMERIDES**
- GPS common-view time transfer
p 428 N94-30648
- A comparison of GPS broadcast and DMA precise ephemerides
p 429 N94-30660
- EPITAXY**
- High definition TV projection via single crystal faceplate technology
[AD-A277850] p 501 N94-33768
- EPOXY COMPOUNDS**
- Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788

EPOXY RESINS

- Processing, properties and applications of composites using powder-coated epoxy towpreg technology
p 150 N94-15277
- Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788
- EQUATIONS OF MOTION**
- Modal coordinates for aeroelastic analysis with large local structural variations
[BTN-94-EIX94311329131] p 518 A94-60169
- Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- Capture region for true proportional navigation guidance with nonzero miss-distance
[BTN-94-EIX94401358176] p 570 A94-61682
- PACE: A test bed for the dynamics and control of flexible multibody systems
p 121 N94-14650
- Trajectory optimization for the National Aerospace Plane
[NASA-CR-194618] p 86 N94-16498
- Equations of motion of a hinged body over a spherical earth
[AD-A268408] p 87 N94-17435
- Flutter analysis using transversality theory
[NASA-TM-106382] p 183 N94-17481
- ISAC: A tool for aeroservoelastic modeling and analysis
[NASA-TM-109031] p 123 N94-19316
- Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization
[NASA-CR-195703] p 347 N94-27789
- A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200
- Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056
- EQUILIBRIUM FLOW**
- Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow
p 18 A94-12800
- The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer
p 444 N94-30807
- The effect of an axial flow component on a circular cylinder wake
p 445 N94-31209
- EQUIPMENT SPECIFICATIONS**
- Selecting the correct hydraulic component material for minimum life cycle cost
[SAE PAPER 922031] p 74 A94-12024
- ERROR ANALYSIS**
- Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559
- Wide Area Differential GPS-potential for accurate global navigation
p 64 A94-12561
- Attitude error estimation with a general GPS observation matrix
p 64 A94-12562
- Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108
- Error analysis of real time and post processed or bit determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238
- An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations
[AD-A270713] p 202 N94-19969
- Some VTOL head-up display drive-law problems and solutions
[NASA-TM-104027] p 5 N94-20035
- MLS signal-in-space category 3 landing hazard analysis
p 221 N94-22134
- Application of scattering by arrays of cylinders to MLS signal propagation error estimation
p 221 N94-22135
- Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure
p 269 N94-23653
- An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-26914

- Comparison of transmission error predictions with noise measurements for several spur and helical gears
[NASA-TM-106647] p 502 N94-33954
- Error analysis of the step drag-free system with respect to gravity field determination
[PB94-149804] p 506 N94-34115
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- ERRORS**
- HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
- Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-26914
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204
- A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion
[DE94-008456] p 507 N94-34382
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- ERS-1 (ESA SATELLITE)**
- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign
p 190 N94-11711
- Calibration of ERS-1 altimetry over the North Sea
p 191 N94-11716
- Use of ERS-1 wind and wave products in operational meteorology
p 191 N94-12502
- ESCAPE SYSTEMS**
- CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973
- Regulated drag area parachute
[AD-D015992] p 290 N94-25051
- ESSENTIALLY NON-OSCILLATORY SCHEMES**
- Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377
- ESTIMATES**
- Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830
- ESTIMATING**
- Evaluation of parameter estimation methods for unstable aircraft
[BTN-94-EIX94401358965] p 580 A94-61621
- Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method
[NAL-TR-1150] p 30 N94-13392
- Flight test techniques for aircraft parameter estimation in ground effect
[AD-A270058] p 91 N94-18795
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- Optimal nonlinear estimation for aircraft flight control in wind shear
p 307 N94-27296
- Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- ETHERS**
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- ETHYL ALCOHOL**
- Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268
- ETHYL COMPOUNDS**
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- ETHYLENE**
- Ethylene trace-gas techniques for high-speed flows
[NASA-TM-106491] p 253 N94-24335
- EULER EQUATIONS OF MOTION**
- New multigrid approach for three-dimensional unstructured, adaptive grids
[BTN-94-EIX94301315973] p 559 A94-60009

Computation of three-dimensional hypersonic flows in chemical nonequilibrium
[BTN-94-EIX94401358982] p 566 A94-61638

Unstructured mesh quality assessment and upwind Euler solution algorithm validation
[BTN-94-EIX94401358985] p 592 A94-61641

Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642

Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867

Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204

A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows
p 21 N94-10463

The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888

Clebsch variable model for unsteady, transonic flow; application to 2D airfoils
[NLR-TP-91387-U] p 31 N94-13530

Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436

Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control
[NASA-TM-106371] p 41 N94-16571

Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627

High-lift system analysis method using unstructured meshes
p 47 N94-18426

Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500

The block adaptive multigrid method applied to the solution of the Euler equations
p 216 N94-21472

Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985

Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids
[NASA-TM-109078] p 292 N94-26154

High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554

Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine
[DLR-FB-93-17] p 333 N94-27593

Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654

Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324

Solution of the Euler equations using unstructured grids
p 304 N94-28338

Solution-adaptive simulation of transonic cascade flows
p 305 N94-28344

ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956

Numerical analysis of supersonic transport wings
p 375 N94-28959

Numerical analysis of sonic boom in the near field
p 376 N94-28962

Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual
[NASA-CR-187105] p 399 N94-29438

Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method
p 379 N94-29877

Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388

Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492

Euler results of the ISNaS compressible multi-block flow solver
[AD-B179299] p 444 N94-30756

Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade
p 445 N94-30816

A new inverse method for generating high-speed aerodynamic flows with application to waverider design
p 423 N94-31828

Sonic boom predictions using a modified Euler code
p 510 N94-33474

Nacelle-wing integration
p 472 N94-33504

High incidence flow analysis over the Rafale A
p 522 N94-34612

A fundamental study of hypersonic unstarts
[AD-A280506] p 595 N94-37128

EULER-LAGRANGE EQUATION
Solution of mixed convection heat transfer from isothermal in-line fins
p 276 N94-23644

EUROPE
Developments in the European air traffic control
p 69 N94-15124

Lufthansa Yearbook 1992
[DSK-9734-H-92] p 308 N94-28230

Air traffic of the European Community with European neighbors
p 309 N94-28233

A sky above Europe
p 309 N94-28234

The single European market: Economical advance, ecological problem?
p 309 N94-28235

Air traffic administration enroute to Europe
p 309 N94-28238

Lufthansa and Europe
p 311 N94-28247

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387

EUROPEAN AIRBUS
Decoupling system for Airbus A340 G.V.T
p 79 A94-12482

Future needs in the development of materials for aircraft interiors and equipment
p 145 N94-10794

High-lift design for large civil aircraft
p 89 N94-18445

A340 testing
p 310 N94-28242

Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332

EUROPEAN SPACE AGENCY
Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145

Commonality of flight control systems for support of European telecommunications missions
p 277 N94-23834

EVACUATING (TRANSPORTATION)
Aircraft evacuation testing: Research and technology issues
[PB94-107620] p 255 N94-24750

Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887

Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions
[AD-A276944] p 437 N94-32217

A review of computer evacuation models and their data needs
[AD-280707] p 528 N94-35236

EVALUATION
Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring
[AD-A267115] p 85 N94-15651

NAVAIR aircraft wiring standardization and qualification program
p 408 N94-28704

EVAPORATION
Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments
p 156 A94-11598

EVAPORATIVE COOLING
Evaluation of cooling concepts for high power avionics applications
[SAE PAPER 921942] p 157 A94-11981

EVAPORATORS
Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853

EXCITATION
Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700

EXHAUST EMISSION
Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874

Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938

Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391

On the effect of emissions from aircraft engines on the state of the atmosphere
p 414 N94-29247

Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267

Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271

Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future
p 406 N94-29272

The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor
p 406 N94-29275

Spray combustion experiments and numerical predictions
p 407 N94-29277

General Electric/Pratt and Whitney summary report
p 478 N94-33451

Stratospheric models and measurements: A critical comparison
p 506 N94-33457

Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere
p 506 N94-33460

Toxic emissions from aircraft engines: A search of available literature
[PB94-156486] p 482 N94-34400

Combustor technology for future small gas turbine aircraft
p 485 N94-34452

Low emission combustor technology for small aircraft gas turbines
p 485 N94-34454

Project report: Aircraft -- atmospheric effects of stratospheric aircraft
[DE94-011759] p 596 N94-37155

Stratospheric emissions effects database
[NASA-CR-4592] p 605 N94-37607

EXHAUST GASES
Preliminary investigations on improving air-augmented rocket performance
[BTN-94-EIX94321333323] p 544 A94-60274

Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572

Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127

Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142

Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane
[NASA-TM-4538] p 104 N94-15141

Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft
[AD-A274016] p 365 N94-25755

Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
p 327 N94-28017

Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling
p 334 N94-28018

Unsteady aspects of hot gas reingestion and statistical analysis
p 334 N94-28019

Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267

Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future
p 406 N94-29272

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor
p 406 N94-29275

Spray combustion experiments and numerical predictions
p 407 N94-29277

A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860

General Electric/Pratt and Whitney summary report
p 478 N94-33451

First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462

Low emissions combustor technology for high-speed civil transport engines
p 479 N94-33481

The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model
p 527 N94-35855

EXHAUST NOZZLES
Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy
p 10 A94-10856

CFD-based three-dimensional turbofan exhaust nozzle analysis system
p 98 A94-10857

Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane
[NASA-TM-4538] p 104 N94-15141

Equations of motion of a hinged body over a spherical earth
[AD-A268408] p 87 N94-17435

Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776

A study of jet effect and ground effect interference on a STOL fighter
p 328 N94-28034

The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility
[NASA-TM-106495] p 401 N94-28749

- Computational study of single-expansion-ramp nozzles with external burning
[NASA-TM-106550] p 446 N94-31229
- General Electric/Pratt and Whitney summary report
p 478 N94-33451
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
- Static performance investigation of a skewed-throat multiaxis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172
- EXHAUST SYSTEMS**
- Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874
- Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963
- EXHAUST VELOCITY**
- High speed jet noise research at NASA Lewis p 509 N94-33464
- EXOTHERMIC REACTIONS**
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- EXPEDITIONS**
- Airborne Arctic stratospheric expedition: Ozone
[NASA-TM-109312] p 83 N94-13606
- EXPERIMENT DESIGN**
- Experimental design of H(sub infinity) weighting functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669
- A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience
[AGARD-LS-190] p 100 N94-11022
- Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- Vane optimization for maximum efficiency using Design Of Experiments (DOE)
[AD-A270270] p 105 N94-18907
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- EXPERIMENTATION**
- Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight
[ILR-MITT-280(1993)] p 37 N94-14800
- EXPERT SYSTEMS**
- Engine's parameters complex optimization in aerospace systems
[IAF PAPER 93-462] p 194 A94-11249
- Toward intelligent flight control p 114 N94-11503
- Gate assignment using linear programming
[LR-698] p 200 N94-13987
- An expert system class library for Audition
[IME-MET-TR-008] p 210 N94-14196
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 1, January 1993
[JPRS-UAC-93-007] p 212 N94-19147
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454
- Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
- GPS/GNSS for ATM p 385 N94-29565
- DAISY: A decision aid for an air situation interpretation system p 386 N94-29574
- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND
[DSIS-93-00343] p 508 N94-33335
- The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339
- Computer assistant test and consultative system for aircraft fluid element p 504 N94-34368
- EXPLOSIONS**
- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246
- Safety standards for aircraft shelter
[FFI-92/4003] p 343 N94-26305
- EXPLOSIVES**
- Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436

- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen
[DE94-011609] p 606 N94-37629
- EXPOSURE**
- Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- EXTENSOMETERS**
- Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- EXTERNAL STORE SEPARATION**
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- EXTERNAL STORES**
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft p 302 N94-28330
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAf p 532 N94-34598
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- EXTERNAL TANKS**
- Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1
[NASA-CR-167690] p 139 N94-12810
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- EXTERNALLY BLOWN FLAPS**
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- EXTRAPOLATION**
- Extrapolation of ground test data to flight p 34 N94-14170
- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
- A new method for calculating wing along aerodynamics to angle of attack 180 deg
[AD-A277965] p 460 N94-33263
- EYE (ANATOMY)**
- Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892
- EYE MOVEMENTS**
- Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629
- F**
- F-104 AIRCRAFT**
- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- F-106 AIRCRAFT**
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161
- F-15 AIRCRAFT**
- Decoupling of aircraft responses p 113 N94-11497
- Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft p 333 N94-27432
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258
- F-16 AIRCRAFT**
- Robust flight control design using dynamic inversion and structured singular value synthesis p 106 A94-10282
- F-16 uncommanded pitch oscillation p 106 A94-10328
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- F-16 uncommanded pitch oscillation
[BTN-94-EIX94331337501] p 530 A94-60336
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Decoupling of aircraft responses p 113 N94-11497
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing
[NASA-TM-4512] p 86 N94-15783
- Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
- Numerical prediction of transition of the F-16 wing at supersonic speeds p 51 N94-19433
- Flight controller design using mixed H2/H infinity optimization with a singular H infinity constraint
[AD-A273831] p 338 N94-25525
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory
[AD-A274057] p 338 N94-25771
- Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830
- High performance jet-engine flight test data base for HSR p 511 N94-33493
- NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525
- Supersonic LFC: Challenges and opportunities p 462 N94-33526
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529
- Supersonic HLFC: Potential benefits and technology development requirements p 463 N94-33531
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAf p 532 N94-34598
- An overview of the F-16 service life approach p 532 N94-34599
- F-18 AIRCRAFT**
- A quantitative analysis of the F18 flight control system
[AIAA PAPER 93-4574] p 93 A94-11480
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane p 104 N94-15141
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TM-4538] p 104 N94-15141
- [NASA-TP-3360] p 42 N94-16573
- Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
- Development and operation of the F/A-18 model control surface actuators p 92 N94-19914
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
- An investigation into the aerodynamic effects of wing patches
[ISBN-0-315-84121-4] p 294 N94-26672
- Controlled oscillation of forebody vortices by nozzle jet blowing
[ISBN-0-315-84134-6] p 340 N94-27648
- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft p 302 N94-28330
- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346

- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study
[NASA-CR-195297] p 459 N94-33119
- An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot — conducted in the Ames 80 by 120 foot wind tunnel p 527 N94-35965
- F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401
- Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- F-22 AIRCRAFT**
A disciplined approach to software test and evaluation p 416 N94-29339
- F-5 AIRCRAFT**
Computational study of the F-5A forebody emphasizing directional stability
[BTN-94-EIX94401358962] p 579 A94-61618
- Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft
[AD-A274016] p 365 N94-25755
- FABRICATION**
Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821
- Improved ceramic slip casting technique — application to aircraft model fabrication
[NASA-CASE-LAR-14471-1] p 230 N94-20377
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing
[NASA-CR-191193] p 401 N94-28510
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures
[NASA-CR-189558] p 493 N94-32877
- Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
- FABRICS**
A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- FACTORIAL DESIGN**
An analysis of tactical airlifter characteristics and their impact on theater airlift system performance
[AD-A266719] p 86 N94-15731
- FAILURE**
Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- FAILURE ANALYSIS**
Aircraft failure detection and identification using neural networks p 71 A94-10802
- Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX94331337500] p 550 A94-60335
- Fault diagnosis in gas turbines using a model-based technique
[BTN-94-EIX94311331071] p 589 A94-61107
- Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage
[LR-697] p 177 N94-13986
- Brush seal bristle flexure and hard-rub characteristics p 235 N94-21791
- A robust quality control system for GPS navigation and kinematic positioning
[ISBN-0-315-83148-0] p 223 N94-22427
- Computational Methods for Failure Analysis and Life Prediction
[NASA-CP-3230] p 239 N94-22608
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
- NASA Langley developments in response calculations needed for failure and life prediction p 240 N94-22621
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- Aircraft turbine engine reliability and inspection investigations
[AD-A274860] p 332 N94-26176
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071
- Technology integration box beam failure study p 494 N94-33126
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- An air bearing system for small high speed gas turbines p 505 N94-34466
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques
[AD-280273] p 550 N94-34581
- FAILURE MODES**
A quantitative analysis of the F18 flight control system
[AIAA PAPER 93-4574] p 93 A94-11480
- Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor p 99 A94-12048
- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft p 163 A94-12784
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- Recent advances in computational structural reliability analysis methods p 239 N94-22616
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- FAIRINGS**
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604
- Experimental and theoretical studies of T-tail configurations for commuter aircraft applications p 329 N94-28322
- FALKNER-SKAN EQUATION**
Experiments and theoretical considerations regarding the allowable roughness height in laminar flow
[PB94-125556] p 381 N94-30389
- FALSE ALARMS**
Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912
- FAN BLADES**
Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 N94-23545
- Status of an inlet configuration trade study for the Douglas HSCT p 473 N94-33506
- FAR FIELDS**
New vortex dynamics methods for rotor free wake analysis
[AD-A266656] p 36 N94-14774
- Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553
- Toward modeling wingtip vortices p 251 N94-24142
- Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise
[NASA-CR-195090] p 287 N94-24307
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Computation of helicopter rotor acoustics in forward flight
[NASA-CR-196132] p 560 N94-36031
- FARMLANDS**
Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- FASTENERS**
Advancements in automatic fastening technology p 157 A94-11848
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055
- Flush head fastener
[CA-PATENT-1308581] p 278 N94-24175
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels
[AD-A275755] p 408 N94-28646
- Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091
- FATIGUE (MATERIALS)**
Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures
[FFA-TN-1993-05] p 84 N94-13690
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics p 151 N94-17223
- Mathematical modelling of bonded fibre-composite repairs to aircraft
[AD-A268732] p 152 N94-18327
- The 6th Japan-U.S. conference on composite materials
[AD-A268535] p 152 N94-18630
- Fatigue crack initiation in riveted lap joints and in pressurized fuselages
[LR-725] p 188 N94-19669
- Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
- The 1992 USAF structural integrity program conference
[AD-A272876] p 215 N94-21194
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- Control algorithms for effective operation of variable-speed wind turbines p 282 N94-23704
- [DE94-002607]
- Introduction of Ceramics into Aerospace Structural Composites
[AGARD-R-795] p 271 N94-24228
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation
[AD-A274777] p 353 N94-26186
- Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation
[AD-A274778] p 353 N94-26357
- Effects of plastic media blasting on aircraft skin
[AD-A274817] p 325 N94-26488
- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials
[PB94-126471] p 326 N94-26969
- Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647
- A moment plotting method for characterizing aircraft fatigue data population distributions
[AD-A275500] p 390 N94-28660
- Analysis concerning the inspection threshold for multi-site damage
[PB94-142429] p 432 N94-30905
- Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957
- Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193

An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581

An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586

Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588

Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590

Fatigue management and verification of airframes p 531 N94-34591

Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593

Harrier 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596

FATIGUE LIFE

Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325

Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906

Artificial neural networks for predicting nonlinear dynamic helicopter loads [BTN-94-EIX94301315989] p 515 A94-60025

Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy [BTN-94-EIX94301320144] p 546 A94-60853

Structural health monitoring using embedded fibre optic sensors p 55 N94-11334

The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341

Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN, Volume 1: User's guide [NASA-CR-191183] p 178 N94-14445

Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651

Fatigue life program using strain-life methods [AD-A267310] p 182 N94-16943

Overview of the FAA/DCA/NLR programs related to ageing aircraft [NLR-TR-92119-U] p 4 N94-17614

Spectrum fatigue testing of T-shaped tension clips [FFA-TN-1992-22] p 184 N94-17970

Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351

A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993 [FFA-TN-1993-22] p 187 N94-19358

The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194

Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261

Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488

Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969

A moment plotting method for characterizing aircraft fatigue data population distributions [AD-A275500] p 390 N94-28660

Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274882] p 410 N94-29091

The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900

A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078

Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224

Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590

A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587

Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588

Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590

The role of fatigue analysis for design of military aircraft p 531 N94-34594

Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597

Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAF p 532 N94-34598

An overview of the F-16 service life approach p 532 N94-34599

Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125

Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

Substantiating powder metal life methodologies for engines p 595 N94-37330

Predicting defect behaviour p 596 N94-37331

FATIGUE TESTS

Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325

Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424

Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337

General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858

Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697

Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651

A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 [AD-A267532] p 87 N94-17117

Spectrum fatigue testing of T-shaped tension clips [FFA-TN-1992-22] p 184 N94-17970

A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993 [FFA-TN-1993-22] p 187 N94-19358

Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669

Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261

The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components [DE94-000231] p 353 N94-26117

Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274882] p 410 N94-29091

Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings [AD-B174765] p 435 N94-30914

Fatigue management and verification of airframes [FFA-TN-1993-55] p 432 N94-30947

Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

Harrier 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596

Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597

FAULT DETECTION

On analyzing the effect of near-coincident faults on flight control computers [AIAA PAPER 93-4575] p 196 A94-11481

Mathematical methods of relative engine performance diagnostics [SAE PAPER 922048] p 99 A94-12034

Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations [AD-A270713] p 202 N94-19969

A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427

An algorithm for determination of bearing health through automated vibration monitoring [AD-A274591] p 356 N94-26986

Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071

Automatic, real-time fault monitor verifying network in a microwave landing system [CA-PATENT-1325261] p 314 N94-27275

Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086

FAULT TOLERANCE

Building fault-tolerant distributed computing systems using standard components [AIAA PAPER 93-4571] p 196 A94-11477

Operational aspects of GPS for precision approach and landing p 65 A94-12572

Altitude deviations: Breakdowns of an error-tolerant system [NASA-TM-108788] p 57 N94-15550

Intervention strategies for the management of human error [NASA-CR-4547] p 220 N94-22373

Towards the formal verification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191466] p 243 N94-22414

Towards the formal specification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191465] p 283 N94-23252

Towards the formal specification of the requirements and design of a processor interface unit [NASA-CR-4521] p 284 N94-24463

Future space transportation system architecture avionics requirements p 346 N94-25098

Appendix A: Proposed statement of work, 1994 p 351 N94-25194

An algorithm for determination of bearing health through automated vibration monitoring [AD-A274591] p 356 N94-26986

Refinement for fault-tolerance: An aircraft hand-off protocol [AD-A278004] p 315 N94-27768

An overview on development of neural network technology p 369 N94-27913

Comparative analysis of different configurations of PLC-based safety systems from reliability point of view p 358 N94-27925

Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086

Building fault-tolerant distributed computing systems using standard components [PB94-148889] p 508 N94-34125

Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962

FAULT TREES

A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 A94-11480

FEASIBILITY

Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft [DE93-016891] p 192 N94-17853

A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159

Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's p 510 N94-33475

FEASIBILITY ANALYSIS

Interference corrections in wind tunnels with slotted walls p 125 A94-10414

Feasibility study of a contained pulsed nuclear propulsion engine [BTN-94-EIX94341338369] p 559 A94-60361

A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895

Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies [DE93-041130] p 237 N94-21938

VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803

KC-135 cockpit modernization study and crew reduction feasibility demonstration [AD-A275230] p 392 N94-29391

First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448

The KDC-10 programme of the Royal Netherlands Air Force p 575 N94-36346

Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment [NASA-TM-4627] p 569 N94-37378

FEDERAL BUDGETS

Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology [NASA-TM-109791] p 560 N94-35899

FEEDBACK

Integrated propulsion-airframe dynamics and control p 392 N94-29854

Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203

A hypertext system that learns from user feedback p 514 N94-32428

X-31A control law design p 540 N94-34618

FEEDBACK CONTROL

H(infinity) robust control design for linear feedback systems p 194 A94-10819

Advancements in automatic fastening technology p 157 A94-11848

- Centrifuge test of an aircraft vapor cycle environmental control system p 74 A94-12036
[SAE PAPER 922051]
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118
- Individual blade control of hinged blades using smart structures p 78 A94-12246
- System observer techniques in robust control systems design synthesis p 198 A94-12764
- New output feedback design in variable structure systems
[BTN-94-EIX9438131173] p 597 A94-61260
- Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX9438131174] p 579 A94-61261
- Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation
[BTN-94-EIX94401358152] p 580 A94-61658
- Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679
- Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274
- In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
- Decoupling of aircraft responses p 113 N94-11497
- Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
- Dynamic Forms, Part 1: Functions
[NASA-TP-3397] p 176 N94-13790
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory
[AD-A266718] p 122 N94-15730
- Active turbulence control in wall bounded flows using direct numerical simulation
[AD-A267261] p 183 N94-17286
- Introduction to Quantitative Feedback Theory (QFT) technique p 202 N94-18241
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
- Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory
[AD-A274057] p 338 N94-25771
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory
[AD-A274049] p 338 N94-25833
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory
[AD-A274118] p 324 N94-25905
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer
[ISVR-TR-227] p 362 N94-28175
- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- Decoupled flight control system design using the singular perturbation method p 400 N94-29850
- Integrated propulsion-airframe dynamics and control p 392 N94-29854
- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837
- A novel potential/viscous flow coupling technique for computing helicopter flow fields
[NASA-CR-193272] p 457 N94-32476
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment p 488 N94-34329
- The tracking control of nonlinear uncertain systems p 489 N94-34331
- Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design p 508 N94-34370
- Application of current departure resistance criteria to the post-stall maneuvering envelope p 533 N94-34622
- Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858
- Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059
- FEEDFORWARD CONTROL**
- Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734
- A comparative robustness evaluation of feedforward neurofilters
[NASA-TM-106440] p 227 N94-21742
- X-31A control law design p 540 N94-34618
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- FEMALES**
- Maximizing participation of women in collegiate aviation education
[NIAR-93-14] p 210 N94-17261
- FENCES**
- Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- FENCES (BARRIERS)**
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803
- FIBER COMPOSITES**
- Application of the strain gage-hole drilling method to aircraft transparencies p 164 A94-12918
- The application of advanced materials to aircraft nacelle structures p 142 N94-10011
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- Mathematical modelling of bonded fibre-composite repairs to aircraft
[AD-A268732] p 152 N94-18327
- Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- Test methods for composites: A status report. Volume 1: Tension test methods p 348 N94-24942
- Test methods for composites: A status report. Volume 3: Shear test methods p 348 N94-25163
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961
- Service life prediction of composite structures through fiber testing
[AD-A275661] p 403 N94-28654
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649
- SCS-6 (tm) fiber reinforced titanium p 585 N94-36652
- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655
- FIBER OPTICS**
- Fiber optic based velocimetry for the investigation of high velocity turbulence p 165 A94-12982
- Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099
- Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706
- Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401
- Prospective communications research to support fly by light/power by wire
[NASA-CR-196369] p 606 N94-37657
- FIBER STRENGTH**
- Safety enhancement of composites via periodic proof testing
[AD-A275662] p 403 N94-28655
- FIELD OF VIEW**
- Outside vision from a helicopter crew cabin - Approaches to its forming in design process p 75 A94-12075
- FIGHTER AIRCRAFT**
- A discussion of the phased character of reliability and maintainability indexes p 153 A94-10104
- Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744
- Electrical power generation systems - Combat aircraft perspective p 156 A94-11373
- Pilot's Associate - A synergistic system reaches maturity
[AIAA PAPER 93-4665] p 93 A94-11535
- Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001
- Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002
- YF-23A hydraulic management system
[SAE PAPER 922028] p 73 A94-12023
- Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- The Swedish fighter -- JAS39 'Gripen' small single-engine multirole fighter p 74 A94-12040
- Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
- Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- High flux heat exchanger
[AD-A266341] p 175 N94-13730
- Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506
- Metals 2000
[DE93-016761] p 151 N94-17752
- Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
- Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A268938] p 123 N94-18541
- A comparison of air force data systems
[AD-A269691] p 210 N94-18575
- Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 10, October 1992
[JPRS-UAC-93-004] p 212 N94-19149
- Research and design activities and the economic balance of MBB
[ETN-93-94909] p 5 N94-19383
- An investigation of fighter aircraft agility
[NASA-CR-194608] p 91 N94-19448
- Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108

- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
- Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
- Asphaltic concrete performance under heavy fighter aircraft loading
[AD-A275046] p 402 N94-29151
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224
- Operational agility
[AGARD-AR-314] p 474 N94-33875
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442
- The role of fatigue analysis for design of military aircraft
p 531 N94-34594
- Technologies for Highly Manoeuvrable Aircraft
[AD-280271] p 532 N94-34605
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly manoeuvrable aircraft: Capabilities and challenges
p 532 N94-34606
- Design of integrated flight and powerplant control systems
p 532 N94-34609
- High incidence flow analysis over the Rafale A
p 522 N94-34612
- EFA flying qualities specification and its utilisation
p 533 N94-34621
- Application of current departure resistance criteria to the post-stall manoeuvring envelope
p 533 N94-34622
- Operational agility: An overview of AGARD Working Group 19
p 534 N94-34625
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment
p 535 N94-34988
- In-flight refueling: Dassault Aviation research on the Rafale aircraft
p 574 N94-36341
- ICAAS piloted simulation results
p 593 N94-36617
- Aeroservoelastic stabilization considerations for pointing and tracking systems
p 594 N94-36627
- Sensor data fusion for air to air situation awareness beyond visual range
p 598 N94-36633
- FIGURE OF MERIT**
- Advanced control for airbreathing engines, volume 2: General Electric aircraft engines
[NASA-CR-189204] p 101 N94-12271
- Advanced controls for airbreathing engines, volume 3: Allison gas turbine
[NASA-CR-189205] p 101 N94-12272
- FILAMENT WINDING**
- Manufacture and properties of sigma fibre reinforced titanium
p 585 N94-36655
- FILLETS**
- Leading-edge vortex breakdown for wing planforms with the same slenderness ratio
[BTN-94-EIX94401358991] p 566 A94-61647
- FILM COOLING**
- Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Numerical simulation of airfoil film cooling: A jet in crossflow
p 505 N94-34462
- Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A
[NASA-CR-195957] p 523 N94-34964
- Prediction of film cooling on gas turbine airfoils
[NASA-TM-106653] p 579 N94-37448
- FILM THICKNESS**
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- FILMS**
- Image processing as a tool in flight testing evaluation
p 239 N94-22606

FINANCIAL MANAGEMENT

- Financial crisis in the aviation industry - United Kingdom
p 208 A94-13147
- Financial crisis in the aviation industry - United States
p 209 A94-13148
- Financial crisis in the aviation industry - France
p 209 A94-13149
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- Aerospace: Facts and figures, 1992-1993
[AD-A272571] p 215 N94-21419
- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899
- FINENESS RATIO**
- Drag reduction of airplane fuselages through shaping by the inverse method
[BTN-94-EIX94311329117] p 536 A94-60183
- FINITE DIFFERENCE THEORY**
- The application of finite difference techniques to helicopter rotor blade response calculations
p 76 A94-12086
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Multidomain method for several bodies in relative motion
[BTN-94-EIX94401367452] p 563 A94-61785
- Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436
- A new Lagrangian method for three-dimensional steady supersonic flows
[NASA-TM-106068] p 37 N94-14847
- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
- Numerical study of the trailing vortex of a wing with wing-tip blowing
[NASA-CR-195803] p 378 N94-29760
- Unsteady transonic aerodynamics in frequency domain for flutter analysis
p 379 N94-29879
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades
[NASA-CR-195786] p 399 N94-30013
- Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183
- A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation
[NASA-TP-3129] p 458 N94-32865
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A278000] p 465 N94-34159
- Numerical simulation of airfoil film cooling: A jet in crossflow
p 505 N94-34462
- FINITE ELEMENT METHOD**
- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio
p 6 A94-10357
- Unstructured-grid algorithms for high-speed CFD analysis
p 9 A94-10770
- The finite pointset method for hypersonic flows in the rarefied gas regime
p 9 A94-10773
- Finite element analysis of lift build-up due to aerofoil indicial motion
p 12 A94-11922
- High frequency power flow in structures
p 161 A94-12510
- Dynamic testing and analysis of extension-twist-coupled composite tubular spars
p 161 A94-12519
- Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- Stability of skew plates subjected to aerodynamic and in-plane forces
[BTN-94-EIX94321331202] p 592 A94-61615
- Influence of aerodynamic forces in ice shedding
[BTN-94-EIX94401358967] p 564 A94-61623
- Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183

- Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204
- Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration
[NASA-CR-193614] p 170 N94-10937
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565
- Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures
[FFA-TN-1993-05] p 84 N94-13690
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951
- ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- SAND contact in DYNA3D
[DE93-016451] p 152 N94-18113
- Preliminary structural design: Defining the design space
[AD-A268898] p 88 N94-18227
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- ADAS implementation of a panel method for the prediction of aerodynamic loads
[LR-723] p 51 N94-19667
- Scattering by cavity-backed antennas on a circular cylinder
p 236 N94-21886
- Radiation by cavity-backed antennas on a circular cylinder
p 236 N94-21887
- NASA Langley developments in response calculations needed for failure and life prediction
p 240 N94-22621
- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751
- Dynamic analysis of pretwisted elastically-coupled rotor blades
[NASA-TM-109070] p 350 N94-24839
- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments
[NASA-TM-106508] p 351 N94-25181
- A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- A study on heat transfer in a scramjet leading edge model
[NAL-TR-11877] p 333 N94-27608
- Hybrid techniques for complex aerospace electromagnetics problems
p 358 N94-27894
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- Aircraft system aft telescope cavity configuration study for Stratospheric Observatory for Infrared Astronomy (SOFIA), phase 2
[NASA-CR-194266] p 392 N94-29685
- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment
p 392 N94-29878
- Nonlinear multibody formulation for rotorcraft analysis
p 432 N94-30787
- Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade
p 445 N94-30816
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics
p 422 N94-31204
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks
[AD-A277062] p 434 N94-32264
- A procedure for 3-D contact stress analysis of spiral bevel gears
[NASA-CR-194472] p 499 N94-32929

- Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Analysis of high speed flow, thermal and structural interactions
[NASA-CR-196017] p 593 N94-36420
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations
[NASA-CR-195918] p 598 N94-36914
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide
[NASA-CR-196135] p 598 N94-36922
- FINITE VOLUME METHOD**
- Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642
- Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel
[NASA-CR-194259] p 33 N94-14030
- A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
- Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver p 48 N94-18427
- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration [MBB-LME-211-S-PUB-S11-A] p 91 N94-19500
- Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554
- Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492
- FINNED BODIES**
- Selection criteria for plain and segmented finned tubes for heat recovery systems
[BTN-94-EIX94311331076] p 588 A94-61102
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- FINS**
- Hypersonic fin aerodynamics
[BTN-94-EIX94311330699] p 516 A94-60092
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Selection criteria for plain and segmented finned tubes for heat recovery systems
[BTN-94-EIX94311331076] p 588 A94-61102
- Fluctuating wall pressures near separation in highly swept turbulent interactions
[BTN-94-EIX94421374958] p 563 A94-61856
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014
- Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Solution of mixed convection heat transfer from isothermal in-line fins p 276 N94-23644
- Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilizers of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802
- Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio
[ESDU-93007] p 298 N94-28057
- Heat transfer studies on a rectangular channel with offset plate fins p 452 N94-32043
- Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729
- FIRE (CLIMATOLOGY)**
- Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293
- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
- Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- FIRE CONTROL**
- ICAAS piloted simulation results p 593 N94-36617
- Aeroservoelastic stabilization considerations for pointing and tracking systems p 594 N94-36627
- FIRE DAMAGE**
- Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- FIRE EXTINGUISHERS**
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887
- Halon 1211 replacement agent evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385
- FIRE FIGHTING**
- Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405
- Toxic emissions from aircraft firefighting training: A search of available literature
[PB94-156783] p 507 N94-34409
- FIRE PREVENTION**
- Applications of continuous fiber reinforced thermoplastics in aircraft interiors p 143 N94-10775
- An investigation into aircraft fuselage fire hardening p 54 N94-10782
- Practical hazard assessment: An approach to the fire safety p 145 N94-10785
- Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787
- Aircraft material fire testing and the creation of an international working group p 145 N94-10790
- Future needs in the development of materials for aircraft interiors and equipment p 145 N94-10794
- Advanced aircraft materials research and development plan p 145 N94-10796
- The future of aircraft cabin fire safety p 54 N94-10797
- Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
- Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081
- Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- FIREBEE 2 TARGET DRONE AIRCRAFT**
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle
[AD-A268741] p 122 N94-18401
- Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's p 510 N94-33475
- FIREPROOFING**
- Ceramic blanket reduces maintenance costs p 98 A94-11849
- FIRES**
- Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787
- Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575
- A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292
- Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments
[DE94-000554] p 274 N94-23000
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Rooftop emergency heliports p 402 N94-29754
- Glutinous water: Protecting vertical and overhead surfaces from fire spread p 427 N94-32405
- Halon 1211 replacement agent evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385
- NACA fire crash research
[NASA-TM-109794] p 456 N94-33572
- Toxic emissions from aircraft firefighting training: A search of available literature
[PB94-156783] p 507 N94-34409
- FIXED WINGS**
- Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859
- Three dimensional study of an airplane wing and its wake in the subsonic regime
[ISBN-0-315-58963-9] p 252 N94-24178
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics
[AD-A274921] p 294 N94-26535
- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346
- FIXTURES**
- Large angle magnetic suspension test fixture
[NASA-CR-196138] p 583 N94-37450
- FLAME CALORIMETERS**
- Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779
- FLAME PROPAGATION**
- Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565

- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081
- FLAME RETARDANTS**
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766
- Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry
p 144 N94-10777
- The fire properties of insulation bags, as installed and after aircraft operations
p 144 N94-10778
- Advanced aircraft materials research and development plan
p 145 N94-10796
- Synthetic lubricants and high-performance functional fluids: Phosphazenes
[ARL-TR-45] p 149 N94-14126
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405
- FLAME STABILITY**
- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381
- Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267
- FLAME TEMPERATURE**
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
- FLAMES**
- Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion
p 159 A94-12397
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- FLAMMABILITY**
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766
- New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission
p 143 N94-10767
- A new low smoke, low heat release structural foam
p 143 N94-10768
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems
p 143 N94-10769
- A repair patching system for aircraft cargo liners
p 54 N94-10771
- Primaset (tm): A safer material for aircraft interior applications
p 54 N94-10772
- Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry
p 144 N94-10777
- The fire properties of insulation bags, as installed and after aircraft operations
p 144 N94-10778
- The OSU heat release rate test using the oxygen consumption principle
p 144 N94-10784
- Practical hazard assessment: An approach to the fire safety
p 145 N94-10785
- Fire resistance and mechanical properties for phenolic prepreps
p 145 N94-10786
- Developments needed to expand the role of fire modeling in material fire hazard assessment
p 145 N94-10787
- Development and analysis of insulation constructions for aerospace wiring applications
p 169 N94-10791
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[AD-A266057] p 55 N94-12384
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405
- FLAPERONS**
- Determining XV-15 aeroelastic modes from flight data with frequency-domain methods
[NASA-TP-3330] p 80 N94-10935

FLAPPING

- Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182
- Ornithopter wing design
[BTN-94-EIX94331337499] p 521 A94-60334
- A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures
[LR-681] p 177 N94-13929
- Lift augmentation on a delta wing via leading edge fences and the Gurney flap
[NASA-CR-194793] p 251 N94-24103
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 N94-24295
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394

FLAPS (CONTROL SURFACES)

- Aeroelastic analysis of rotor blades with flap control
p 78 A94-12244
- Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626
- Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572
- Experimental apparatus for optimization of flap position for a three-element airfoil model
p 346 N94-27912
- Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140
- Thin-layer Navier-Stokes computations for multi-element airfoils
p 304 N94-28341
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998

FLARED BODIES

- An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473

FLAT PLATES

- Analysis of the effect of heat strips on boundary layer development over a flat plate
[SAE PAPER 921923] p 12 A94-11972
- Analysis of aerodynamics of airfoils moving over a wavy wall
[BTN-94-EIX94311329130] p 536 A94-60170
- Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate
p 205 N94-12615
- Efficiency and reliability enhancements in propulsion flowfield modeling
p 274 N94-23055
- Nominally 2-dimensional flow about a normal flat plate
[AD-A274472] p 356 N94-27026
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream
p 297 N94-28021
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel
p 297 N94-28022
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- Some aspects of unsteady separation
p 525 N94-34979
- Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950

FLATNESS

- New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860

FLEXIBLE BODIES

- Using optimization for balancing flexible rotors
p 161 A94-12516
- Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680
- Control system design for flexible structures using data models
p 121 N94-14646
- PACE: A test bed for the dynamics and control of flexible multibody systems
p 121 N94-14650
- An overview of recent advances in system identification
p 546 N94-35880

FLEXIBLE WINGS

- Multidimensional intelligent control for superlight air vehicles
p 81 N94-11347

- A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- Steady pressure measurements on an Aeroelastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658
- FLIGHT**
- The high speed helicopter
p 74 A94-12044
- High speed Dauphin (DGV) 200 knots toward the future
p 75 A94-12081

FLIGHT ALTITUDE

- STRATO 2C propulsion system - Integral part of a balanced design
p 87 A94-10745
- Computation of flowfields for hypersonic flight at high altitudes
p 9 A94-10774
- Precision aircraft height estimation with multiple radars
p 62 A94-12122
- Neutron measurements at the commercial aircraft altitudes
[ISBN-0-315-86201-7] p 453 N94-31709

FLIGHT CHARACTERISTICS

- The use of the ETW for tests at high Reynolds number
p 125 A94-10418
- Effects of model scale on flight characteristics and design parameters
[BTN-94-EIX94311329143] p 517 A94-60157
- Parameter estimates of an aeroelastic aircraft as affected by model simplifications
[BTN-94-EIX94311329142] p 517 A94-60158
- Buffet-induced structural/flight-control system interaction of the X-29A aircraft
[BTN-94-EIX94311329137] p 517 A94-60163
- Aircraft accident flight path simulation and animation
[BTN-94-EIX94311329129] p 518 A94-60171
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter
[BTN-94-EIX94331337502] p 530 A94-60337
- Systematic computation scheme of PAR-WIG cruising performance
[BTN-94-EIX94361135427] p 521 A94-60624
- Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
- Comparing aircraft agility using mahalnobis distances
[PB93-175446] p 82 N94-11464
- Decoupling of aircraft responses
p 113 N94-11497
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator
p 115 N94-13295
- MIL-H-8501B: Application to shipboard terminal operations
p 116 N94-13296
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft
p 116 N94-13297
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload
p 116 N94-13298
- Some lessons learned in three years with ADS-33C — rotorcraft handling qualities specification
p 116 N94-13299
- The application of active side arm controllers in helicopters
p 117 N94-13302
- Rotorcraft flying qualities improvement using advanced control
p 117 N94-13303
- The impact of flying qualities on helicopter operational agility
p 117 N94-13304
- In-flight simulation of high agility through active control: Taming complexity by design
p 117 N94-13306
- A model for rotorcraft flying qualities studies
p 118 N94-13308
- Interpreted Cooper-Harper for broader use
p 118 N94-13309
- Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
- Handling qualities effects of display latency
p 95 N94-13316
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317
- Primary display latency criteria based on flying qualities and performance data
p 119 N94-13318
- Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft
p 119 N94-13320

- Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 N94-13321
- Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- Qualitative investigation of a generic fighter model in radio controlled gliding flight [LM-AA-003] p 84 N94-13898
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator [NASA-TM-104016] p 122 N94-15793
- An investigation of fighter aircraft agility [NASA-CR-194608] p 91 N94-19448
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization [NASA-TM-4532] p 265 N94-24106
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide [AD-A273685] p 321 N94-25440
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set [AD-A273913] p 321 N94-25590
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data [AD-A273814] p 324 N94-25961
- Standardization of aircraft control and performance symbology on the USAF head-up display [AD-A274283] p 330 N94-26989
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight [NASA-TM-4521] p 340 N94-27660
- A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034
- Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- Design, manufacture, and test of a flight load recorder for small aircraft [AD-A277752] p 477 N94-33409
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation [AD-A278258] p 469 N94-33412
- HSCT high lift system aerodynamic requirements p 461 N94-33522
- Operational agility [AGARD-AR-314] p 474 N94-33875
- Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
- Engine characteristics for agile aircraft p 538 N94-34608
- Control of leading-edge separation on a cambered delta wing p 539 N94-34616
- EFA flying qualities specification and its utilisation p 533 N94-34621
- Application of current departure resistance criteria to the post-stall manoeuvring envelope p 533 N94-34622
- Flying qualities evaluation maneuvers p 533 N94-34623
- The influence of flying qualities on operational agility p 534 N94-34628
- In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321
- In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341
- Aerial refueling interoperability from a receiver flying qualities perspective p 575 N94-36343
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips [NASA-TM-4595] p 568 N94-36944
- FLIGHT CONDITIONS**
- Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053
- Static and dynamic flight-path stability of airplanes [BTN-94-EIX94361135428] p 522 A94-60625
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- Integrated Terminal Weather System (ITWS) [AD-A269884] p 193 N94-18684
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization [NASA-TM-4532] p 265 N94-24106
- Aviation Weather Program (AWP) p 282 N94-24380
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer [AD-A273834] p 331 N94-25617
- Variability of measured sonic boom signatures p 370 N94-28197
- A non-linear simulation for an autonomous unmanned air vehicle [AD-A275062] p 391 N94-29200
- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary [AD-A278651] p 389 N94-30189
- Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890
- High Heat Flux Facility [NASA-TM-109834] p 490 N94-33570
- Flight testing of a luminescent surface pressure sensor [NASA-TM-103970] p 522 N94-35394
- FLIGHT CONTROL**
- Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
- Robust flight control design using dynamic inversion and structured singular value synthesis p 106 A94-10282
- Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
- F-16 uncommanded pitch oscillation p 106 A94-10328
- Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744
- Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 A94-10801
- Aircraft failure detection and identification using neural networks p 71 A94-10802
- Flight-determined multivariable stability analysis and comparison of a control system p 107 A94-10805
- Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806
- The role of simulation in accident investigation at the NTSB - A case study p 53 A94-11361
- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system p 72 A94-11363
- PILOT - An intelligent distributed system manager [AIAA PAPER 93-4474] p 195 A94-11411
- Building fault-tolerant distributed computing systems using standard components [AIAA PAPER 93-4571] p 196 A94-11477
- A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 A94-11480
- On analyzing the effect of near-coincident faults on flight control computers p 196 A94-11481
- Neural networks as optimal nonlinear controllers - Concepts and flight control applications [AIAA PAPER 93-4615] p 197 A94-11499
- Cooperative GN&C development in a rapid prototyping environment - flight software design for space vehicles [AIAA PAPER 93-4622] p 197 A94-11505
- Enhancing functionality of real time systems through machine learning [AIAA PAPER 93-4662] p 197 A94-11532
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 108 A94-12093
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099
- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design [ISBN 0-12-012752-0] p 2 A94-12611
- New techniques for aircraft flight control reconfiguration p 110 A94-12615
- Application of multiple model adaptive algorithms to reconfigurable flight control p 110 A94-12617
- Aircraft landing gear positioning concerning abnormal landing cases [BTN-94-EIX94311329140] p 536 A94-60160
- Buffet-induced structural/flight-control system interaction of the X-29A aircraft [BTN-94-EIX94311329137] p 517 A94-60163
- F-16 uncommanded pitch oscillation [BTN-94-EIX94311337501] p 530 A94-60336
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20 [BTN-94-EIX94351137056] p 544 A94-60396
- Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 A94-61259
- Reduced-order H(INF) compensator design for an aircraft control problem [BTN-94-EIX94381311174] p 579 A94-61261
- Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft [BTN-94-EIX94381311180] p 570 A94-61267
- Range optimal trajectories for an aircraft flying in the vertical plane [BTN-94-EIX94381311181] p 571 A94-61268
- Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation [BTN-94-EIX94401358152] p 580 A94-61658
- Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 A94-61669
- Analysis and control of bifurcation phenomena in aircraft flight [BTN-94-EIX94401358169] p 572 A94-61675
- Rotor-state feedback in the design of flight control laws for a hovering helicopter [HTN-94-00298] p 603 A94-62274
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 N94-10424
- Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft [NASA-TP-3356] p 112 N94-11134
- Preliminary supersonic flight test evaluation of performance seeking control [NASA-TM-4494] p 100 N94-11205
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft [NASA-TM-106265] p 112 N94-11251
- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- Nonlinear and dynamic analysis of flight p 113 N94-11496
- Decoupling of aircraft responses p 113 N94-11497
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
- Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- Toward intelligent flight control p 114 N94-11503
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane [NASA-TM-4503] p 115 N94-13254
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors [NASA-CP-3220] p 115 N94-13294
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 N94-13300
- The application of active side arm controllers in helicopters p 117 N94-13302
- Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
- A four-axis hand controller for helicopter flight control p 117 N94-13305
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307
- Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320

- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA [NAL-TR-1183] p 68 N94-13457
- Dynamic Forms. Part 1: Functions [NASA-TP-3397] p 176 N94-13790
- Better way to fly [NASA-TM-109447] p 85 N94-15396
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720
- Flight instrument software for the F/A-18 research simulator [AD-A267170] p 134 N94-15856
- Embedded computer systems: Status of C-17 software [AD-A267307] p 201 N94-16993
- Non-linear flight dynamics p 88 N94-18240
- Introduction to Quantitative Feedback Theory (QFT) technique p 202 N94-18241
- A wind tunnel model control surface actuator interface [AD-A268729] p 135 N94-18324
- High lift and the forward swept wing p 89 N94-18436
- Flight test techniques for aircraft parameter estimation in ground effect [AD-A270058] p 91 N94-18795
- X-29: Research aircraft [NASA-TM-109370] p 91 N94-18962
- Ground proximity warning system voice warning unit requirements study [AD-A270541] p 60 N94-19876
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- Control vane guidance for a ducted-fan unmanned air vehicle [AD-A271957] p 223 N94-20561
- Optimal flight guidance for aircraft in windshear [CA-PATENT-1,307,573] p 227 N94-21050
- Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834
- Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551
- Cockpit control system [NASA-CR-195488] p 336 N94-24957
- Aircraft digital flight control technical review p 336 N94-25106
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- Flight controller design using mixed H₂/H_∞ infinity optimization with a singular H_∞ infinity constraint [AD-A273831] p 338 N94-25525
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory [AD-A274057] p 338 N94-25771
- Neural networks for dynamic flight control [AD-A274089] p 338 N94-25785
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory [AD-A274049] p 338 N94-25833
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification [AD-A274078] p 367 N94-25992
- Discovery learning in autonomous agents using genetic algorithms [AD-A274083] p 339 N94-25998
- Technology drivers for flight telerobotic system software p 367 N94-26289
- PRONAOS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725
- Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112
- Automation of formation flight control [AD-A274137] p 340 N94-27132
- Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- Computer code for controller partitioning with IFPC application: A user's manual [NASA-CR-195291] p 340 N94-27414
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft [NASA-CR-186028] p 333 N94-27432
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight [NASA-TM-4521] p 340 N94-27660
- A simulator investigation of helicopter flight control system mode transitions [UTIAS-348] p 345 N94-27879
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
- Flight command software development: RAFALE studies p 415 N94-29320
- On ground system integration and testing: A modern approach p 394 N94-29334
- Decoupled flight control system design using the singular perturbation method p 400 N94-29850
- A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203
- Development of a reconfigurable helicopter flight control system [ISBN-0-315-87218-7] p 437 N94-31837
- Antiwindup analysis and design approaches for MIMO systems [NASA-CR-195304] p 436 N94-32075
- Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 [AD-A276970] p 442 N94-32395
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992 [PB94-910403] p 467 N94-32938
- Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543
- Dyadic wavelet features for isolated word speaker dependent speech recognition [AD-A278492] p 500 N94-33756
- Operational agility [AGARD-AR-314] p 474 N94-33875
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft [NASA-TM-108808] p 456 N94-33942
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1 p 508 N94-34308
- Robust variable structure flight control system p 488 N94-34327
- Aircraft optimal variable structure control system p 488 N94-34328
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment p 488 N94-34329
- H_∞ infinity optimal design of robust flight control system p 489 N94-34330
- Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design p 508 N94-34370
- X-29 flight control system: Lessons learned [NASA-TM-4598] p 466 N94-34384
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 N94-34390
- Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the ORA 24 foot wind tunnel p 539 N94-34613
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619
- X-31 tactical utility: Initial results p 533 N94-34620
- Application of current departure resistance criteria to the post-stall maneuvering envelope p 533 N94-34622
- YAV-8B reaction control system bleed and control power usage in hover and transition [NASA-TM-104021] p 540 N94-34994
- Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane [NASA-TM-4590] p 540 N94-35258
- In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329
- ICAAS piloted simulation results p 593 N94-36617
- Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture [NASA-TP-3419] p 582 N94-37014
- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment [NASA-TM-4548] p 582 N94-37059
- ### FLIGHT CREWS
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays [SAE PAPER 921953] p 129 A94-11991
- Data, decisions, and cockpit technology [SAE PAPER 922049] p 93 A94-12035
- Mission management aircraft operations manual [NHB-7900.3] p 210 N94-16729
- An introduction to structural models [AD-A268151] p 202 N94-17429
- Long-range laser imaging p 233 N94-21253
- Birdstrike resistant crew enclosure program [AD-A273700] p 367 N94-25453
- Airborne data link operational evaluation test plan [AD-A274096] p 312 N94-25788
- Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864
- Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709
- Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations [AD-A276843] p 435 N94-32223
- Cockpit Electronic Display Workshop: A synopsis [AD-A277728] p 477 N94-33280
- Effects of checklist interface on non-verbal crew communications [NASA-CR-177639] p 528 N94-34915
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990 [PB94-917001] p 529 N94-35482
- ### FLIGHT ENVELOPES
- Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
- Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
- The impact of flying qualities on helicopter operational agility p 117 N94-13304
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory [AD-A274057] p 338 N94-25771
- Integrated propulsion-airframe dynamics and control p 392 N94-29854
- X-31 tactical utility: Initial results p 533 N94-34620
- Application of current departure resistance criteria to the post-stall maneuvering envelope p 533 N94-34622
- Flying qualities evaluation maneuvers p 533 N94-34623
- ### FLIGHT FATIGUE
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 [PB94-910406] p 529 N94-35521
- ### FLIGHT HAZARDS
- NASA wake vortex research [AIAA PAPER 93-4004] p 52 A94-10719
- Case study of a low-reflectivity pulsating microburst - Numerical simulation of the Denver, 8 July 1989, storm p 189 A94-10875
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data [AD-A270763] p 59 N94-19661
- Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- MLS signal-in-space category 3 landing hazard analysis p 221 N94-22134
- Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 N94-23523

- Aircraft accident report: In-flight engine separation. Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062
- Aviation Weather Program (AWP) p 282 N94-24380
- The relationship of an integral wind shear hazard to aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593
- A data fusion algorithm for multi-sensor microburst hazard assessment p 307 N94-27287
- Investigation of air transportation technology at Princeton University, 1992-1993 p 307 N94-27294
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
- Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2
[AD-A276473] p 426 N94-31246
- Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- ### FLIGHT INSTRUMENTS
- A.R.M.S. - A HUMS on Eurocopter France helicopter — Health-Usage Monitoring System p 2 A94-12079
- Tactical cockpits: The coming revolution
[BTN-94-EIX94331335530] p 530 A94-60211
- Takeoff performance monitoring system display options
[BTN-94-EIX94401358988] p 577 A94-61644
- Testing and management of flight instruments and their data
[NASA-CR-194332] p 96 N94-15187
- Better way to fly
[NASA-TM-109447] p 85 N94-15396
- Flight instrument software for the F/A-18 research simulator
[AD-A267170] p 134 N94-15856
- Evaluation of the UH-1N instrument panel
[AD-A273145] p 263 N94-24774
- Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
- ANOPP/VMS HSCT ground contour system
p 511 N94-33492
- ### FLIGHT LOAD RECORDERS
- Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409
- ### FLIGHT MANAGEMENT SYSTEMS
- The autonomous airplane concept
[SAE PAPER 921918] p 53 A94-11968
- FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- Tactical cockpits: The coming revolution
[BTN-94-EIX94331335530] p 530 A94-60211
- Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
- Appendix A: Proposed statement of work, 1994
p 351 N94-25194
- PRONAS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725
- Machine Intelligence in Air Traffic Management
[AD-A275680] p 383 N94-29558
- Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
- Intelligent systems for air space control and management p 384 N94-29560
- Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561
- Air traffic management as principled negotiation between intelligent agents p 384 N94-29562
- GPS/GNSS for ATM p 385 N94-29565
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Design of Center-TRACON Automation System
p 385 N94-29568
- Advanced air traffic control and flight management system concepts p 387 N94-29576
- Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
p 387 N94-29577
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- Air-ground integration of the ATM system in PHARE
p 388 N94-29579
- Experimental flight management system
p 388 N94-29580
- The PHARE advanced tools p 388 N94-29581
- The experimental flight management system: An air traffic management research tool
[NLR-TP-92253-U] p 430 N94-30943
- Airline safety and economy
[NASA-TM-109811] p 468 N94-33563
- Integrated control and management of advanced aircraft electrical power system p 504 N94-34333
- ### FLIGHT MECHANICS
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover
p 76 A94-12094
- Ornithopter wing design
[BTN-94-EIX94331337499] p 521 A94-60334
- Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
- Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519
- Trajectory optimization for the National Aerospace Plane
[NASA-CR-194618] p 86 N94-16498
- The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286
- Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models
[NASA-TM-109120] p 487 N94-32951
- Operational agility
[AGARD-AR-314] p 474 N94-33875
- An agility metric structure for operational agility
p 534 N94-34629
- ### FLIGHT OPERATIONS
- Flight operations highlights, tapes 1 and 2
[NASA-TM-109293] p 212 N94-13633
- Mission management aircraft operations manual
[NHB-7900.3] p 210 N94-16729
- Aircraft operations management manual
[NHB-7900.3(V1)] p 210 N94-16730
- Terminal area forecasts, FY 1993-2005
[AD-A269855] p 70 N94-18336
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053
- Air traffic management as principled negotiation between intelligent agents p 315 N94-27297
- Common property resources and low-level flying in Labrador: Flight, fight or fancy?
[ISBN-0-315-87318-3] p 453 N94-31732
- Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- Federal aviation regulations. Part 91: General operating and flight rules, change 3
[PB94-159910] p 468 N94-34410
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604
- ### FLIGHT PATHS
- Minimum time 3-D flight trajectory computation
p 106 A94-10115
- Static and dynamic flight-path stability of airplanes
p 107 A94-10800
- Optimal recovery from microburst wind shear
p 107 A94-10803
- Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
- Aircraft accident flight path simulation and animation
[BTN-94-EIX94311329129] p 518 A94-60171
- Static and dynamic flight-path stability of airplanes
[BTN-94-EIX94361135428] p 522 A94-60625
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
- Multiobjective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX94381311168] p 597 A94-61255
- Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457
- Ground Attack Profile Selector Program, version 3.0
[DSIS-93-00702] p 201 N94-14207
- Non-lethal Unmanned Aerial Vehicles (UAVs)
[AD-A267139] p 85 N94-15692
- Trajectory optimization for the National Aerospace Plane
[NASA-CR-194618] p 86 N94-16498
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach
[NASA-CR-191484] p 207 N94-17278
- Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283
- About the accuracy of an image-based navigation system during the runway approach
[DLR-MITT-93-01] p 69 N94-18146
- Application of the A* algorithm to aircraft trajectory generation
[AD-A268728] p 88 N94-18315
- VMC left turn curved approaches, test results — (visual meteorological conditions)
[AD-A269476] p 70 N94-18728
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
- Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050
- Parallel runway requirement analysis study. Volume 2: Simulation manual
[NASA-CR-191549-VOL-2] p 223 N94-22278
- Genetic algorithms applied to a mission routing problem
[AD-A274130] p 368 N94-27120
- Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 N94-28092
- Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570
- Advanced air traffic control and flight management system concepts p 387 N94-29576
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- Air-ground integration of the ATM system in PHARE
p 388 N94-29579
- The PHARE advanced tools p 388 N94-29581
- A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance
[PB94-142734] p 431 N94-31680
- Sonic boom predictions using a modified Euler code
p 510 N94-33474
- Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326
- ### FLIGHT PLANS
- ETOPS and service ready standards and processes — extended-range twin-engine operations
[SAE PAPER 921919] p 53 A94-11969
- FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- AIRSAR South American deployment: Operation plan, version 3.0 p 201 N94-15919
- Aviation Weather Program (AWP) p 282 N94-24380
- ACCS Surveillance Exploratory Prototype (ASEP)
p 412 N94-29566
- Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
p 387 N94-29577
- A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- Plan recognition for an air traffic control simulation
[DSIS-94-01221] p 469 N94-32505
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- ### FLIGHT RECORDERS
- The use of a generic non-linear simulation environment for accident investigation p 53 A94-11365
- PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAf p 532 N94-34598
- ### FLIGHT RULES
- Aviation inspection prospects p 57 N94-15125

- Federal aviation regulations. Part 91: General operating and flight rules, change 4
[PB94-159944] p 468 N94-34401
- Federal aviation regulations. Part 91: General operating and flight rules, change 3
[PB94-159910] p 468 N94-34410
- ### FLIGHT SAFETY
- A.R.M.S. - A HUMS on Eurocopter France helicopter — Health-Usage Monitoring System p 2 A94-12079
- Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Activities report of the Federal Administration for Flight Safety (Germany) p 56 N94-14008
- Aviation inspection prospects p 57 N94-15125
- Non-lethal Unmanned Aerial Vehicles (UAVs) [AD-A267139] p 85 N94-15692
- An analysis of tactical airlifter characteristics and their impact on theater airlift system performance [AD-A266719] p 86 N94-15731
- Aircraft operations management manual [NHB-7900.3(V1)] p 210 N94-16730
- Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- Description and availability of airborne Doppler radar data p 231 N94-20419
- ATC/pilot voice communications: A survey of the literature [DOT/FAA/AM-93/20] p 233 N94-21201
- Intervention strategies for the management of human error [NASA-CR-4547] p 220 N94-22373
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- Canadian aeronautical mobile data trials p 272 N94-22773
- Cockpit weather graphics using mobile satellite communications p 273 N94-22775
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993 [PB93-910408] p 254 N94-23579
- An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661
- Aircraft accident report: In-flight engine separation, Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993 [PB93-410407] p 255 N94-24062
- Aircraft flight safety: A bibliography [AGARD-R-805] p 255 N94-24091
- Aviation Weather Program (AWP) p 282 N94-24380
- A numerical study of airplanes flying in proximity [AD-A273373] p 255 N94-24718
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits [AD-A273250] p 306 N94-25141
- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993 [PB94-910401] p 306 N94-25273
- Eagle RTS: A design of a regional transport p 322 N94-25709
- S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
- S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980
- Air traffic management as principled negotiation between intelligent agents p 315 N94-27297
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993 [PB94-910402] p 308 N94-27766
- Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing [PB94-917002] p 308 N94-27881
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956
- The 1993 Federal Aviation Administration plan for research, engineering and development [AD-A279037] p 290 N94-27960
- Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 N94-28230
- A sky above Europe p 309 N94-28234
- Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
- Integrated formal verification and validation of safety critical software p 416 N94-29338
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993 [PB94-910404] p 382 N94-29402
- The 1993 Federal Aviation Administration Aviation System Capital Investment Plan [AD-A279036] p 383 N94-29445
- Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573
- DAISY: A decision aid for an air situation interpretation system p 386 N94-29574
- Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary [AD-A278651] p 389 N94-30189
- Evaluation for the development of taxiway lighting intensity standards [AD-A276706] p 440 N94-32120
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992 [PB94-910403] p 467 N94-32938
- Three dimensional audio versus head down TCAS displays [NASA-CR-177636] p 468 N94-33063
- Airline safety and economy [NASA-TM-109811] p 468 N94-33563
- NACA fire crash research [NASA-TM-109794] p 456 N94-33572
- On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
- Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 N94-34390
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990 [PB94-917001] p 529 N94-35482
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 [PB94-910406] p 529 N94-35521
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis [AD-A280313] p 596 N94-37126
- Composite helicopter accident profiles: Deficient crew/aircraft performance [SCT-90RR-46] p 601 N94-37604
- ### FLIGHT SIMULATION
- The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 A94-10801
- Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
- Comment on 'Generalized technique for inverse simulation applied to aircraft maneuvers' p 107 A94-10833
- Simulated high speed flight effects on supersonic jet noise [AIAA PAPER 93-4388] p 203 A94-11351
- The use of simulation in aircraft accident prevention and investigation: Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992 [ISBN 1-85768-070-7] p 1 A94-11355
- MD-11 in-flight thrust reverser simulation p 72 A94-11358
- Integration of simulation and visualization aids in aircraft accident investigation p 195 A94-11359
- The role of simulation in accident investigation at the NTSB - A case study p 53 A94-11361
- The use of simulation in RAF aircraft accident investigation p 53 A94-11366
- NPSNET - Flight simulation dynamic modeling using quaternions p 197 A94-11770
- Centrifuge test of an aircraft vapor cycle environmental control system [SAE PAPER 922051] p 74 A94-12036
- Useable Cue Environment (UCE) and its application to simulator testing p 76 A94-12089
- Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 108 A94-12093
- EUROFAR simulation trials on EPOPEE simulator p 77 A94-12097
- The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- Simultaneous raster and calligraphic CRT projection system for flight simulation p 159 A94-12267
- Aircraft accident flight path simulation and animation [BTN-94-EIX94311329129] p 518 A94-60171
- F-16 uncommanded pitch oscillation [BTN-94-EIX94331337501] p 530 A94-60336
- Preliminary piloted simulation studies of the HL-20 lifting body [BTN-94-EIX94401358972] p 583 A94-61628
- Nonlinear stability and control study of highly maneuverable high performance aircraft [NASA-CR-193480] p 79 N94-10344
- Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data [DE93-767967] p 79 N94-10728
- Flight simulator experiment of the cockpit advisory system [NAL-TR-1151] p 131 N94-10733
- In-flight simulation of backside operating models using direct lift controller [NAL-TR-1152] p 112 N94-10734
- Advanced rotorcraft flight simulation: Model development, validation and parallel implementation p 80 N94-11056
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Vertical motion simulator familiarization guide [NASA-TM-103923] p 131 N94-13008
- The application of active side arm controllers in helicopters p 117 N94-13302
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Interpreted Cooper-Harper for broader use p 118 N94-13309
- Improvements in hover display dynamics for a combat helicopter p 118 N94-13310
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311
- Visual cueing aids for rotorcraft landings p 119 N94-13313
- Handling qualities effects of display latency p 95 N94-13316
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations p 119 N94-13317
- Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 N94-13321
- Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 N94-13337
- HELSCAM V2.0: Development and application guide [DSIS-93-00137] p 84 N94-13867
- Ground Attack Profile Selector Program, version 3.0 [DSIS-93-00702] p 201 N94-14207
- Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator [NASA-TM-104016] p 122 N94-15793
- Modeling and new equipment definition for the vibration isolation box equipment system [NASA-CR-193185] p 184 N94-17763
- Some VTOL head-up display drive-law problems and solutions [NASA-TM-104027] p 5 N94-20035
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- Pre-design study of a general purpose vehicle simulator platform [PB93-215366] p 269 N94-24739
- Future directions in flight simulation: A user perspective p 341 N94-25101

- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992
[CRANFIELD-AERO-9305] p 338 N94-25653
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602
- Modification of ACSYNT aircraft computer program for preliminary design
[NASA-CR-195737] p 390 N94-28817
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab
[AD-A275077] p 391 N94-28870
- A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory
[NASA-CR-195765] p 437 N94-31203
- High performance real-time flight simulation at NASA Langley
p 489 N94-32473
- Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's
p 510 N94-33475
- Status of LaRC HSCT high-lift research
p 461 N94-33519
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges
p 532 N94-34606
- Operational agility assessment with the AM-X aircraft
p 534 N94-34626
- Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E
p 541 N94-34630
- 1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion
[NASA-CP-10134] p 561 N94-35961
- Piloted simulation study of two tilt-wing control concepts
p 541 N94-35962
- In-flight simulation studies at the NASA Dryden Flight Research Facility
p 536 N94-35969
- Applying formal methods and object-oriented analysis to existing flight software
p 597 N94-36495
- ICAAS piloted simulation results
p 593 N94-36617
- Advanced distributed simulation technology advanced rotary wing aircraft. Software programmer's manual visual system module
[AD-A280260] p 604 N94-37755
- Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit
[AD-A280261] p 604 N94-37756
- ### FLIGHT SIMULATORS
- Robust flight control design using dynamic inversion and structured singular value synthesis
p 106 A94-10282
- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system
p 72 A94-11363
- The use of a generic non-linear simulation environment for accident investigation
p 53 A94-11365
- Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
- Analytical evaluation of servovalves for flight simulator motion bases
[SAE PAPER 921952] p 158 A94-11990
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- The test, evaluation, development, and use of a manned flight simulator to support Navy developmental testing of the V-22 Osprey
[SAE PAPER 921978] p 129 A94-11998
- Useable Cue Environment (UCE) and its application to simulator testing
p 76 A94-12089
- Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator
p 107 A94-12090
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator
[NASA-CR-193240] p 112 N94-10895
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator
p 115 N94-13295
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator
p 132 N94-13325
- Future developments of the NLR research flight simulator
[NLR-TP-92143-U] p 132 N94-13498
- Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target
[FFA-TN-1992-18] p 133 N94-13588
- Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719
- Flight instrument software for the F/A-18 research simulator
[AD-A267170] p 134 N94-15856
- An introduction to structural models
[AD-A268151] p 202 N94-17429
- Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880
- Pre-design study of a general purpose vehicle simulator platform
[PB93-215366] p 269 N94-24739
- Future directions in flight simulation: A user perspective
p 341 N94-25101
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992
[CRANFIELD-AERO-9305] p 338 N94-25653
- Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- Reconfigurable aircraft stick control
[AD-D016043] p 344 N94-27113
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft
[NASA-CR-186028] p 333 N94-27432
- A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348] p 345 N94-27879
- Six-degree-of-freedom parallel manipulator with three inextensible limbs
[NASA-CASE-GSC-13485-1] p 413 N94-29726
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- Visual evaluation of computer-generated textures
[AD-A277201] p 450 N94-32093
- Modular Simulator System (MSS). Executive report
[AD-A276966] p 440 N94-32241
- Modular Simulator System (MSS). Interface requirements specification for the generic MSS
[AD-A276965] p 440 N94-32311
- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 N94-32312
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 N94-32314
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 N94-32315
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10
[AD-A276977] p 441 N94-32316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 N94-32317
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 N94-32318
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 N94-32319
- Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 N94-32394
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3
[AD-A276970] p 442 N94-32395
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4
[AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5
[AD-A276972] p 442 N94-32397
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6
[AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7
[AD-A276974] p 442 N94-32399
- Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270] p 442 N94-32403
- High performance real-time flight simulation at NASA Langley
p 489 N94-32473
- An evaluation framework for designing a night vision, computer-based trainer
[AD-A278005] p 490 N94-33139
- ANOPP/VMS HSCT ground contour system
p 511 N94-33492
- High definition TV projection via single crystal faceplate technology
[AD-A277850] p 501 N94-33768
- Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit
[AD-A280261] p 604 N94-37756
- ### FLIGHT STABILITY TESTS
- Static and dynamic flight-path stability of airplanes
p 107 A94-10800
- Flight-determined multivariable stability analysis and comparison of a control system
p 107 A94-10805
- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- Optimal control of helicopters following power failure
[NAL-TR-1190] p 340 N94-27206
- ### FLIGHT TEST INSTRUMENTS
- Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
- Photogrammetric methods for trajectory measurements
[NLR-TP-91166-U] p 174 N94-13527
- The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- ### FLIGHT TEST VEHICLES
- Supersonic LFC: Challenges and opportunities
p 462 N94-33526
- ### FLIGHT TESTS
- Milestones in boundary-layer transition research with infrared imaging
p 6 A94-10410
- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements
p 154 A94-10430
- Calculation of rotor blade air loads from measured structural response data
p 155 A94-10743
- Identification of thrust vector effectiveness from X-31A flight test data
p 106 A94-10744
- Concepts of hypersonic aircraft
p 71 A94-10778
- Upgrading the Alenia flight test computing system
[AIAA PAPER 93-4606] p 196 A94-11496
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- The test, evaluation, development, and use of a manned flight simulator to support Navy developmental testing of the V-22 Osprey
[SAE PAPER 921978] p 129 A94-11998
- Flight testing of pneumatic forebody vortex control on the X-29 technology demonstrator
[SAE PAPER 922008] p 73 A94-12012
- Helicopter noise certification - Past-present-future
p 203 A94-12043
- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis
p 15 A94-12064
- Experimental evaluation of the EH101 tail rotor dynamics in flight
p 76 A94-12095

- Flight tests of the digitally controlled Turbomeca Arrius 1B engines on EC BO 108 p 99 N94-12096
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 N94-12099
- The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 N94-12102
- Contribution to performance assessment of helicopter rotor speed control by numerical optimization p 109 N94-12113
- Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 108 N94-12123
- Flight test of the exploratory gimbaled airborne ESG system p 94 N94-12555
- Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 N94-12564
- Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system p 95 N94-12622
- Effects of thrust line offset on neutral point determination in flight testing p 518 N94-60173
- [BTN-94-EIX94311329127] p 518 N94-60173
- Ornithopter wing design p 521 N94-60334
- [BTN-94-EIX94331337499] p 521 N94-60334
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results p 25 N94-10820
- [NASA-TM-4499] p 25 N94-10820
- Determining XV-15 aeroelastic modes from flight data with frequency-domain methods p 80 N94-10935
- [NASA-TP-3330] p 80 N94-10935
- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades p 2 N94-10936
- [NASA-TM-104000] p 2 N94-10936
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration p 170 N94-10937
- [NASA-CR-193614] p 170 N94-10937
- An environmental study of the National Aerospace Plane p 80 N94-10945
- [AD-A266071] p 80 N94-10945
- Preliminary supersonic flight test evaluation of performance seeking control p 100 N94-11205
- [NASA-TM-4494] p 100 N94-11205
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing p 80 N94-11233
- [NASA-TM-104264] p 80 N94-11233
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- Helicopter approach capability using the differential Global Positioning System p 67 N94-12355
- [NASA-CR-177618] p 67 N94-12355
- Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane p 115 N94-13254
- [NASA-TM-4503] p 115 N94-13254
- Flight service evaluation of composite components on the Bell helicopter model 206L p 148 N94-13267
- [NASA-CR-191499] p 148 N94-13267
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
- Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method p 30 N94-13392
- [NAL-TR-1150] p 30 N94-13392
- Modis-N airborne simulator p 206 N94-13719
- [NASA-CR-189303] p 206 N94-13719
- Recent flight-test results of optical airdata techniques [NASA-TM-4504] p 96 N94-13791
- Flight validation of a pulsed smoke flow visualization system p 84 N94-14106
- [NASA-CR-186026] p 84 N94-14106
- Methodology of Hypersonic Testing p 33 N94-14153
- [VKI-LS-1993-03] p 33 N94-14153
- Aeropropulsion test and evaluation methods p 102 N94-14165
- Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
- Hypersonic flight testing. Part 2: Aerothermal flight testing p 103 N94-14169
- Extrapolation of ground test data to flight p 34 N94-14170
- Performance seeking control: Program overview and future directions p 103 N94-14855
- [NASA-TM-4531] p 103 N94-14855
- Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane p 104 N94-15141
- [NASA-TM-4538] p 104 N94-15141
- X-29: Experiment in flight p 85 N94-15327
- [NASA-TM-109454] p 85 N94-15327
- Non-lethal Unmanned Aerial Vehicles (UAVs) p 85 N94-15692
- [AD-A267139] p 85 N94-15692
- Flight testing of airbreathing hypersonic vehicles p 140 N94-15753
- [NASA-TM-4524] p 140 N94-15753
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing p 86 N94-15783
- [NASA-TM-4512] p 86 N94-15783
- The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 N94-16078
- Noise measurement flight test of five light helicopters [AD-A268566] p 208 N94-17599
- About the accuracy of an image-based navigation system during the runway approach p 69 N94-18146
- [DLR-MITT-93-01] p 69 N94-18146
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle [AD-A268741] p 122 N94-18401
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
- VMC left turn curved approaches, test results — (visual meteorological conditions) p 70 N94-18728
- [AD-A269476] p 70 N94-18728
- Flight test techniques for aircraft parameter estimation in ground effect p 91 N94-18795
- [AD-A270058] p 91 N94-18795
- The modern rotor aerodynamic limits survey: A report and data survey p 215 N94-21490
- [NASA-TM-4446] p 215 N94-21490
- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research p 224 N94-21507
- [AD-A273103] p 224 N94-21507
- A flight test system design for the microwave landing system p 222 N94-22156
- Measurement Technology for Flight Tests p 218 N94-22597
- [ILR-MITT-256(1991)] p 218 N94-22597
- Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599
- Free flight experiment with a laminar wing glove p 219 N94-22600
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- Utilization of lasers for air data measurements p 238 N94-22603
- Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft p 238 N94-22604
- Image processing as a tool in flight testing evaluation p 239 N94-22606
- Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education p 247 N94-24100
- [NASA-TM-106463] p 247 N94-24100
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing p 252 N94-24295
- [NASA-TM-4526] p 252 N94-24295
- Trends of design methodology of airframe p 261 N94-24327
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data p 335 N94-24804
- [NASA-CR-194838] p 335 N94-24804
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- X-31 aerodynamic characteristics determined from flight data p 320 N94-25109
- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993 [PB94-910401] p 306 N94-25273
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide p 321 N94-25440
- [AD-A273685] p 321 N94-25440
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set p 321 N94-25590
- [AD-A273913] p 321 N94-25590
- Design study to simulate the development of a commercial freight transportation system p 323 N94-25715
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data [AD-A273814] p 324 N94-25961
- Correlation of airloads on a two-bladed helicopter rotor p 292 N94-26143
- [NASA-TM-103982] p 292 N94-26143
- S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
- S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980
- Flight testing of GPS and GPS-aided systems p 315 N94-27831
- [NLR-TP-92151-U] p 315 N94-27831
- On the aging of sonic booms p 301 N94-28194
- A340 testing p 310 N94-28242
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
- Testing Operational Flight Programs (OFPs) p 416 N94-29337
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance p 431 N94-31680
- [PB94-142734] p 431 N94-31680
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft p 477 N94-32859
- [NASA-CR-187096] p 477 N94-32859
- Flight test results of riblets at supersonic speeds p 458 N94-32880
- [NASA-TM-4387] p 458 N94-32880
- Synthetic vision technology demonstration. Volume 1: Executive summary p 475 N94-33076
- [AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 2: Sensor tower testing p 476 N94-33077
- [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests p 476 N94-33078
- [AD-A281051] p 476 N94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices p 476 N94-33079
- [AD-A281052] p 476 N94-33079
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control p 459 N94-33108
- [AD-A277914] p 459 N94-33108
- High performance jet-engine flight test data base for HSR p 511 N94-33493
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task p 487 N94-33543
- [AD-A278464] p 487 N94-33543
- Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618
- Further development and flight test of an autonomous precision landing system using a parafoil p 465 N94-33995
- [NASA-TM-4599] p 465 N94-33995
- X-29 flight control system: Lessons learned p 466 N94-34384
- [NASA-TM-4598] p 466 N94-34384
- A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587
- Damage tolerance management of the X-29 vertical tail p 531 N94-34595
- Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597
- Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619
- X-31 tactical utility: Initial results p 533 N94-34620
- Flying qualities evaluation maneuvers p 533 N94-34623
- Operational agility assessment with the AM-X aircraft p 534 N94-34626
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle p 535 N94-34703
- [NASA-RP-1332] p 535 N94-34703
- Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients [NASA-TM-4591] p 535 N94-35241
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane p 540 N94-35258
- [NASA-TM-4590] p 540 N94-35258
- Flight testing of a luminescent surface pressure sensor p 522 N94-35394
- [NASA-TM-103970] p 522 N94-35394

- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963
- In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- CC-130H(T) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332
- FLIGHT TIME**
- Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- General aviation activity survey
[AD-A273284] p 289 N94-24923
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
- Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324
- FLIGHT TRAINING**
- An introduction to structural models
[AD-A268151] p 202 N94-17429
- Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- Modular Simulator System (MSS). Executive report
[AD-A276966] p 440 N94-32241
- Modular Simulator System (MSS). Interface requirements specification for the generic MSS
[AD-A276965] p 440 N94-32311
- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 N94-32312
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 N94-32314
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 N94-32315
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10
[AD-A276977] p 441 N94-32316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 N94-32317
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 N94-32318
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 N94-32319
- The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474
- Operational agility assessment with the AM-X aircraft p 534 N94-34626
- FLIGHT VEHICLES**
- Materials characterization by ultrasonic methods p 162 A94-12666
- Aeroelasticity p 163 A94-12691
- FLOAT ZONES**
- Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951

FLOQUET THEOREM

- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity
[BTN-94-EIX94321333311] p 548 A94-60043
- FLOW CHAMBERS**
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- FLOW CHARACTERISTICS**
- A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb p 128 A94-10446
- NASA tests defining ASTOVL flow field p 1 A94-10850
- Numerical investigation of cylinder wake flow with a rear stagnation jet
[BTN-94-EIX94301315998] p 547 A94-60034
- Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475
- Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
- Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480
- Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481
- Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb [ARA-MEMO-375] p 131 N94-10894
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
- Superfluid turbulence p 172 N94-12307
- Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157
- Experimental investigation of flow around a multielement airfoil p 46 N94-18417
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- A fast computing method for the flow over high-lift wings p 49 N94-18437
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- Toward large eddy simulation of turbulent flow over an airfoil p 251 N94-24150
- Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components [ECL-92-35] p 352 N94-25654
- Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603
- Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228
- Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
- Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7 p 301 N94-28316
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160

- Recent CFD applications in small gas turbine combustion systems development p 396 N94-29257
- An experimental study of wing tip vortex in the near wake of a rectangular wing
[AD-A275389] p 377 N94-29306
- Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729
- Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment
[NASA-TM-4566] p 569 N94-36966
- Prediction of film cooling on gas turbine airfoils
[NASA-TM-106653] p 579 N94-37448
- FLOW DISTORTION**
- An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105
- Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551
- The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel
[NASA-CR-4571] p 294 N94-26548
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Compressor stability p 360 N94-28046
- Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035
- FLOW DISTRIBUTION**
- Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356
- Influence of two-dimensional imperfections on laminar flow
[SAE PAPER 921990] p 13 A94-12004
- Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055
- Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056
- Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
- The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
- Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067
- Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110
- Conditionally sampled vorticities and near-wall turbulence structure p 160 A94-12402
- Heat and mass transfer in the structural elements of aircraft engines p 164 A94-12825
- Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897
- Reattachment studies of an oscillating airfoil dynamic stall flowfield
[BTN-94-EIX94301315980] p 515 A94-60016
- Crossflow topology of vortical flows
[BTN-94-EIX94301315993] p 515 A94-60029
- Navier-Stokes solver for hypersonic flow over a slender cone
[BTN-94-EIX94311330681] p 543 A94-60110
- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations
[BTN-94-EIX94311330648] p 559 A94-60143
- Computational analysis of off-design waveriders
[BTN-94-EIX94311329125] p 549 A94-60175
- Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268
- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349
- Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields
[BTN-94-EIX94351142134] p 521 A94-60427
- Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders
[BTN-94-EIX94351142135] p 521 A94-60428

Calculation of real-gas effects on airfoil aerodynamic characteristics
[BTN-94-EIX94351142143] p 521 A94-60436

Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058

Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage
[BTN-94-EIX94311330093] p 590 A94-61126

Review of nonsteady flow models for compressor stability
[BTN-94-EIX94311330087] p 591 A94-61132

Spanwise transport in axial-flow turbines. Part 1: The multistage environment
[BTN-94-EIX94311330084] p 592 A94-61135

Chine-shaped forebody effects on directional stability at high-alpha
[BTN-94-EIX94401358961] p 579 A94-61617

Computational study of the F-5A forebody emphasizing directional stability
[BTN-94-EIX94401358962] p 579 A94-61618

Prediction method for unsteady axisymmetric flow over parachutes
[BTN-94-EIX94401358984] p 566 A94-61640

Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853

A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364

Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370

The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing
p 130 N94-10432

Issues and approach to develop validated analysis tools for hypersonic flows: One perspective
p 20 N94-10446

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-3] p 22 N94-10469

Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725

Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover
[NASA-CR-4532] p 25 N94-10758

New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860

Wall interference correction based on interface measurements in subsonic wind tunnel testing
p 26 N94-11154

Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195

Turbulence modeling of free shear layers for high-performance aircraft
[NASA-CR-193659] p 114 N94-12799

A wall interference assessment/correction system
[NASA-CR-194174] p 28 N94-13076

Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108

Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291

A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression
p 32 N94-13556

Calculation of hypersonic shock structure using flux-split algorithms
[NASA-CR-194296] p 32 N94-13607

Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608

Recent flight-test results of optical airdata techniques
[NASA-TM-4504] p 96 N94-13791

A computational study of the base region flow field for the M865 projectile
[ARL-TR-109] p 33 N94-13795

Characterization of flow fields in hypersonic ground test facilities
p 133 N94-14157

Hypersonic flow field measurements: Intrusive
p 34 N94-14166

Hypersonic flow-field measurements: Nonintrusive
p 34 N94-14167

The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827

The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942

Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959

Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods
p 180 N94-15197

Numerical simulation of 3-D shock wave turbulent boundary layer interactions
p 180 N94-15199

Unsteady phenomena in shock wave/boundary layer interaction
p 180 N94-15200

Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field
[NASA-TM-4485] p 180 N94-15445

An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677

Aerodynamic/dynamic/control interaction
[AD-A266187] p 122 N94-16107

Computation of a controlled store separation from a cavity
p 41 N94-16513

Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589

Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215

Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386

Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609

WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide
[FFA-TN-1992-09] p 45 N94-17721

CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919

Efficient simulation of incompressible viscous flow over multi-element airfoils
p 46 N94-18421

Navier-Stokes simulation of flow field around a blown-flap high-lift system
p 48 N94-18429

Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536

Computational Fluid Dynamics (CFD) research branch technical briefs
[AD-A269698] p 186 N94-18739

Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119

Survey on the application of a 3D general purpose wind-tunnel research model
[LR-713] p 136 N94-19372

Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388

Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136

Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582

Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583

A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591

Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758

Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274

Flow and heat transfer model for a rotating cryogenic motor
[DE94-001151] p 238 N94-22405

Recent ONERA contributions to the development of flight test measurement techniques
p 219 N94-22607

Efficiency and reliability enhancements in propulsion flowfield modeling
p 274 N94-23055

Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091

A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149

LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161

Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465

The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction
p 265 N94-23658

The 3-D numerical study of airflow in the compressor/combustor prediffuser and dump diffuser of an industrial gas turbine
p 276 N94-23660

Toward large eddy simulation of turbulent flow over an airfoil
p 251 N94-24150

Ethylene trace-gas techniques for high-speed flows
[NASA-TM-106491] p 253 N94-24335

The radiated noise from isotropic turbulence revisited
[AD-A276712] p 280 N94-24356

Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360

Sub-sonic flow about a slender profile in a tunnel having perforated walls
[AD-A273184] p 291 N94-25137

Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463

Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603

Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706

Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815

Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
p 327 N94-28017

Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028

Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029

First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032

Numerical simulation of a powered-lift landing
p 328 N94-28033

Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071

An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients
[NASA-CR-195705] p 299 N94-28072

Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7
p 302 N94-28317

Potential flow modelling of airfoil stall
p 303 N94-28332

Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2
p 376 N94-28966

Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel
p 376 N94-28967

Transonic expanding flow through axially symmetric orifices
p 410 N94-28985

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A275416] p 377 N94-29197

Flowfield prediction of NO(x) and smoke production in aircraft engines
p 404 N94-29252

Numerical modelling of turbine combustion chambers
p 396 N94-29254

Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271

The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274

Time-resolved measurements in a three dimensional model combustor
p 411 N94-29283

An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
p 378 N94-29674

An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826

Aircraft aerodynamics with deflected jets in ground effect
p 380 N94-29973

The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion
[NASA-CR-195327] p 380 N94-30124

The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations
[PB94-125598] p 381 N94-30387

- Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- Evaluation of flip-flop jet nozzles for use as practical excitation devices p 421 N94-30949
- [NASA-TM-106377]
- Computational study of single-expansion-ramp nozzles with external burning p 446 N94-31229
- [NASA-TM-106550]
- Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318
- A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
- On an adaptation method for dense, 2D, C-type grids [W-9321] p 448 N94-32045
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion [NASA-CR-195301] p 456 N94-32475
- A novel potential/viscous flow coupling technique for computing helicopter flow fields [NASA-CR-193272] p 457 N94-32476
- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model [NASA-TM-107582] p 491 N94-32870
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages p 498 N94-32871
- [NASA-CR-4269]
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields [NASA-TM-106551] p 459 N94-32984
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor p 478 N94-33365
- New broadband shock noise model and computer code for ANOPP p 511 N94-33489
- Lift enhancement by trapped vortex p 462 N94-33524
- NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525
- The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
- TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide [NASA-TM-106586] p 481 N94-33974
- NASA Ames Fluid Mechanics Laboratory research briefs p 465 N94-33997
- [NASA-TM-108818]
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159
- Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181
- Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277
- A qualitative and quantitative laser-based computer-aided flow visualization method [NASA-CR-195300] p 466 N94-34391
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests p 466 N94-34430
- [NASA-CR-4582-VOL-2]
- Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- High incidence flow analysis over the Rafale A p 522 N94-34612
- Yaw control by tangential forebody blowing p 539 N94-34615
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989
- Unsteady structure of leading-edge vortices on a delta wing [AD-A278988] p 526 N94-35529
- A supersonic tunnel for laser and flow-seeding techniques p 556 N94-35945
- [NASA-TM-106588]
- Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations p 598 N94-36914
- [NASA-CR-195918]
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219
- FLOW EQUATIONS**
- Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771
- Preconditioning and the limit to the incompressible flow equations p 200 N94-13717
- [NASA-CR-191500]
- Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI p 279 N94-24249
- Simulation of cryogenic turbopump annular seals p 281 N94-24440
- High-lift system analysis method using unstructured meshes [NLR-TP-92351-U] p 296 N94-27554
- The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387
- Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- Prediction of transonic potential flow with slipstreams around configurations [FFA-TN-1992-15] p 422 N94-31220
- Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow [AD-A277322] p 448 N94-32256
- Computation of unsteady flows over airfoils p 525 N94-34977
- FLOW GEOMETRY**
- Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry p 11 A94-10934
- Design of round-to-square transition section; analysis and computer code p 134 N94-15847
- [AD-A267173]
- Unstructured grid research and use at NASA Lewis Research Center p 243 N94-22353
- Simplified, inverse, ejector design tool [NASA-CR-194438] p 248 N94-23511
- The 3-D numerical study of airflow in the compressor/compressor prediffuser and dump diffuser of an industrial gas turbine p 276 N94-23660
- FLOW MEASUREMENT**
- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust p 127 A94-10440
- Advances in hypersonics. Vol. 2 - Modeling hypersonic flows [ISBN 0-8176-3663-3] p 7 A94-10759
- Advances in hypersonics. Vol. 1 - Defining the hypersonic environment [ISBN 0-8176-3639-0] p 9 A94-10776
- Surface interference in Rayleigh scattering measurements near forebodies [BTN-94-EIX94301315999] p 516 A94-60035
- Detailed flow measurements and predictions for a three-stage transonic fan [BTN-94-EIX94311330096] p 587 A94-61062
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers p 590 A94-61127
- [BTN-94-EIX94311330092]
- Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435
- Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction p 204 N94-10752
- [NASA-CR-193623]
- An experimental investigation of the sources of propeller noise due to turbulence ingestion p 205 N94-11057
- Overview of the 1989 Wind Tunnel Calibration Workshop [NASA-TP-3393] p 131 N94-11869
- Three-dimensional structure of straight and curved plane wakes [NASA-CR-194420] p 29 N94-13266
- Hypersonic flow field measurements: Intrusive p 34 N94-14166
- Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry) p 35 N94-14706
- [RAE-TM-AERO/PROP-21]
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 N94-15819
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-194628] p 52 N94-20014
- Rotorwash wind sensor evaluation [AD-A268987] p 189 N94-20203
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight [AD-A270201] p 215 N94-20486
- Measurement of kinematically unstationary separated flows p 273 N94-22854
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser [NASA-TM-106311] p 268 N94-23091
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator [NASA-TM-106468] p 248 N94-23465
- Joint Acoustic Propagation Experiment (JAPE-91) Workshop [NASA-CP-3231] p 285 N94-24207
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel [NASA-CR-4571] p 294 N94-26548
- Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339
- Correction of X hot-wire measurements for gradients normal to the plane of the wires [PB94-125473] p 402 N94-30399
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel p 438 N94-30788
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades [AD-A277297] p 448 N94-32042
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
- Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167
- Hypervelocity tunnel 9 Mach 8 Calibration [AD-A277575] p 490 N94-33424
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory [NASA-TM-106577] p 491 N94-33604
- Real-time adaptive control of mixing in a plane shear layer [AD-A278379] p 508 N94-33744
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel [NASA-TM-106545] p 543 N94-34919
- FLOW REGULATORS**
- Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129
- FLOW RESISTANCE**
- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment p 165 A94-13144

FLOW STABILITY

- Influence of two-dimensional imperfections on laminar flow
[SAE PAPER 921990] p 13 A94-12004
- Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796
- Symmetry breaking in vortical flows over cones: Theory and numerical experiments
[BTN-94-EIX94301315981] p 547 A94-60017
- Stall inception and development in an axial flow aeroengine
[BTN-94-EIX94311330088] p 591 A94-61131
- Review of nonsteady flow models for compressor stability
[BTN-94-EIX94311330087] p 591 A94-61132
- Unstable behavior of low and high-speed compressors
[BTN-94-EIX94311330086] p 591 A94-61133
- Stability of hypersonic boundary-layer flows with chemistry p 21 N94-10451
- Stability in Aerospace Systems
[AGARD-R-789] p 113 N94-11489
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Stability model of the atmosphere p 190 N94-11500
- Direct numerical simulation of hot jets p 172 N94-12295
- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422
- The phenomenon of vortex breakdown p 35 N94-14609
- Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274
- Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis
[NASA-CR-194795] p 281 N94-24640
- Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517
- Compressor stability p 360 N94-28046
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature
[NASA-CR-4579] p 412 N94-29460
- Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391
- Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529
- Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898
- Active control of vaneless diffuser rotating stall p 502 N94-34178
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Will the real dynamic instability mechanism please be recognized! p 552 N94-34976
- FLOW VELOCITY**
- Turbulence modeling for hypersonic flows p 7 A94-10760
- Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94311330357] p 559 A94-60349
- Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057
- Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage
[BTN-94-EIX94311330093] p 590 A94-61126
- Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents
[BTN-94-EIX94311330091] p 590 A94-61128
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
- Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186
- The turbulent wall jet
[AD-A267675] p 37 N94-14963

- Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- Correction of X hot-wire measurements for gradients normal to the plane of the wires
[PB94-125473] p 402 N94-30399
- Visualization of secondary flow development in high aspect ratio channels with curvature
[NASA-TM-106658] p 501 N94-33941
- FLOW VISUALIZATION**
- Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411
- The evolution of whole field optical diagnostics for external transonic testing p 154 A94-10429
- Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
- Holographic interferometry and moiré deflectometry for visualization and analysis of low-gravity experiments on laser materials processing p 155 A94-11090
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055
- Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067
- Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057
- Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel
[BTN-94-EIX94421374975] p 593 A94-61873
- Control effectiveness at hypersonic speeds p 112 N94-10426
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859
- The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
- Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291
- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-in configuration
[NAL-TR-1186] p 83 N94-13459

- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556
- Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059
- Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106
- Hypersonic flow field measurements: Intrusive p 34 N94-14166
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry) p 35 N94-14706
- Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780
- Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973
- Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods p 180 N94-15197
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
- Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil
[NASA-TP-3357] p 38 N94-15657
- Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
- Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360] p 42 N94-16573
- Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966
- Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-44481] p 104 N94-17386
- Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609
- Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems
[AD-A268748] p 46 N94-18402
- Airflow research
[NASA-TM-109372] p 50 N94-18964
- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280
- Unstructured grid research and use at NASA Lewis Research Center p 243 N94-22353
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592
- Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565
- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis
[NASA-CR-194795] p 281 N94-24640
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor
[NASA-TM-106479] p 332 N94-26573
- Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161

- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 N94-28032
- Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920
- The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDIC) and The Aeronautical Research Institute of Sweden (FFA) [FFA-TN-1993-19] p 449 N94-30945
- Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941
- A qualitative and quantitative laser-based computer-aided flow visualization method [NASA-CR-195300] p 466 N94-34391
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel [NASA-TM-106545] p 543 N94-34919
- Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 N94-35945
- FLUID DYNAMICS**
- Simulation of the secondary air system of aero engines [BTN-94-EIX94311330097] p 587 A94-61061
- One-equation turbulence model for aerodynamic flows [BTN-94-EIX94401367449] p 563 A94-61782
- Vortex cutting by a blade. Part 1: General theory and a simple solution [BTN-94-EIX94421374957] p 563 A94-61855
- Stability model of the atmosphere p 190 N94-11500
- Flight validation of a pulsed smoke flow visualization system [NASA-CR-186026] p 84 N94-14106
- Hypersonic overview p 34 N94-14154
- Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-R-792] p 179 N94-15196
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obstructor interaction [AD-A269715] p 105 N94-18748
- Activities report to NATO [ETN-94-95047] p 275 N94-23227
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility [AD-A273827] p 342 N94-25522
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components [DE94-000231] p 353 N94-26117
- Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026
- Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112
- Control and management of unsteady and turbulent flows [AD-A278474] p 500 N94-33396
- Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191
- Will the real dynamic instability mechanism please be recognized! p 552 N94-34976
- Computation of unsteady flows over airfoils p 525 N94-34977
- FLUID FILMS**
- Compliant seal development p 235 N94-21795
- Foil bearing research at Penn State p 274 N94-23058
- FLUID FLOW**
- Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603
- Natural convection in a cavity with fins attached to both vertical walls [BTN-94-EIX94351142119] p 550 A94-60412
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine [BTN-94-EIX94311330100] p 587 A94-61058
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account [BTN-94-EIX94401367450] p 563 A94-61783
- The 1988 computational fluid dynamics highlights [NASA-TM-109645] p 180 N94-15431
- Data acquisition in aerodynamic research p 186 N94-18644
- Recent developments in fast response aerodynamic probe technology p 186 N94-18645
- Development of a gridless CFD method p 243 N94-22361
- Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849
- Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466
- Information system for flow simulation based on the Navier-Stokes equations vectorization [AD-B179293] p 444 N94-30763
- FLUID JETS**
- Numerical investigation of cylinder wake flow with a rear stagnation jet [BTN-94-EIX94301315998] p 547 A94-60034
- Injection of bubbling liquid jets from multiple injectors into a supersonic stream [BTN-94-EIX94321333316] p 520 A94-60267
- Structure and penetration of a supercritical fluid jet in supersonic flow [BTN-94-EIX94321333317] p 549 A94-60268
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082
- Liquid atomization in supersonic flows p 414 N94-29839
- Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- FLUID MANAGEMENT**
- A thermal management assessment tool for advanced hypersonic aircraft [SAE PAPER 921941] p 73 A94-11980
- FLUID MECHANICS**
- Annual review of fluid mechanics. Vol. 25 [ISBN 0-8243-0725-9] p 155 A94-10885
- Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion [AD-A272808] p 273 N94-22914
- Lewis Research Center R and D Facilities [NASA-TM-109400] p 287 N94-23135
- The Fifth Annual Thermal and Fluids Analysis Workshop [NASA-CP-10122] p 276 N94-23634
- Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- NASA Ames Fluid Mechanics Laboratory research briefs [NASA-TM-108818] p 465 N94-33997
- FLUID PRESSURE**
- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- FLUID TRANSMISSION LINES**
- Dynamic response of a compressor research facility [AD-A273836] p 342 N94-25740
- FLUID-SOLID INTERACTIONS**
- Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191
- FLUIDIZED BED PROCESSORS**
- Effect of pressure on second-generation pressurized fluidized bed combustion plants [BTN-94-EIX94311331067] p 589 A94-61111
- FLUORESCENCE**
- Design of a multi-channel true flat fluorescent lamp for avionics AM-LCD backlighting [BTN-94-EIX94311330477] p 592 A94-61203
- FLUORIDES**
- Materials processing apparatus development for fluoride glass [NASA-CR-193963] p 498 N94-34388
- FLUOROHYDROCARBONS**
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction [AD-A272695] p 230 N94-21165
- FLUTTER**
- Active flutter suppression techniques in aircraft wings p 110 A94-12613
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX94321333307] p 547 A94-60039
- Experimental investigation of counter-rotating propfan flutter at cruise conditions [BTN-94-EIX94321333310] p 516 A94-60042
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity [BTN-94-EIX94321333311] p 548 A94-60043
- Time simulation of flutter with large stiffness changes [BTN-94-EIX94311329132] p 518 A94-60168
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- Whirl-flutter suppression in advanced turboprops and propfans by active control techniques [BTN-94-EIX94401358994] p 578 A94-61650
- Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing [NASA-TM-104264] p 80 N94-11233
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing [NASA-TM-4512] p 86 N94-15783
- Flutter analysis using transversality theory [NASA-TM-106382] p 183 N94-17481
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications [NASA-CR-194520] p 51 N94-19621
- Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle [NASA-TM-4544] p 347 N94-27868
- Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- Robust control design techniques for active flutter suppression p 541 N94-35875
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972
- Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing [NASA-CR-196112] p 581 N94-36965
- FLUTTER ANALYSIS**
- Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade p 72 A94-11392
- Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- Aeroelasticity p 163 A94-12691
- Experimental investigation of counter-rotating propfan flutter at cruise conditions [BTN-94-EIX94321333310] p 516 A94-60042
- Nonlinear aspects of transonic aeroelasticity p 19 N94-10357
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing [NASA-TM-104264] p 80 N94-11233
- Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345
- Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722
- Flutter analysis using transversality theory [NASA-TM-106382] p 183 N94-17481
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402
- Blade row interaction effects on flutter and forced response [NASA-TM-106438] p 226 N94-21586
- Issac, Jason Cherian ses in transonic flow [NASA-CR-194837] p 250 N94-24052

- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- Unsteady transonic aerodynamics in frequency domain for flutter analysis p 379 N94-29879
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
- Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883
- FLUX VECTOR SPLITTING**
- Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- Calculation of hypersonic shock structure using flux-split algorithms
[NASA-CR-194296] p 32 N94-13607
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705
- High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554
- FLY ASH**
- Terrestrial volcanism in space and time p 189 A94-10882
- FLY BY LIGHT CONTROL**
- The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099
- Prospective communications research to support fly by light/power by wire
[NASA-CR-196369] p 606 N94-37657
- FLY BY WIRE CONTROL**
- A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
- Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter p 109 A94-12233
- Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 N94-10765
- Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992
[CRANFIELD-AERO-9305] p 338 N94-25653
- A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348] p 345 N94-27879
- Design of integrated flight and powerplant control systems p 532 N94-34609
- FLYING PERSONNEL**
- Air traffic administration enroute to Europe p 309 N94-28238
- FLYING PLATFORMS**
- The case for surface effect research, platform applications and technology development opportunities p 573 N94-36325
- FLYWHEELS**
- Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
- Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621
- FOAMS**
- A new low smoke, low heat release structural foam p 143 N94-10768
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems p 143 N94-10769
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405

FOIL BEARINGS

- Foil bearings for gas turbine engines p 157 A94-11850
- Foil bearing research at Penn State p 274 N94-23058
- An experimental and theoretical study of structural damping in compliant foil bearings p 504 N94-34194
- FOKKER AIRCRAFT**
- Expectations for the future of Fokker p 4 N94-15127
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- FORCE DISTRIBUTION**
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- FORCED VIBRATION**
- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183
- Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106
- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- FOREBODIES**
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- Surface interference in Rayleigh scattering measurements near forebodies
[BTN-94-EIX94301315999] p 516 A94-60035
- Alleviation of side force on tangent-ogive forebodies using passive porosity
[BTN-94-EIX94311329126] p 536 A94-60174
- Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- Chine-shaped forebody effects on directional stability at high-alpha
[BTN-94-EIX94401358961] p 579 A94-61617
- Computational study of the F-5A forebody emphasizing directional stability
[BTN-94-EIX94401358962] p 579 A94-61618
- Effects of nozzle exit geometry on forebody vortex control using blowing
[BTN-94-EIX94401358964] p 564 A94-61620
- Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360] p 42 N94-16573
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- Yaw control by tangential forebody blowing p 539 N94-34615
- A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360
- F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- FORECASTING**
- Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578
- Terminal area forecasts, FY 1993-2005
[AD-A269855] p 70 N94-18336
- New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573
- FAA aviation forecasts, fiscal years 1994-2005
[AD-A277808] p 455 N94-33016
- FORGING**
- Maintaining constant standards during the forging process p 586 N94-37326
- FORMALISM**
- Dynamic Forms. Part 1: Functions
[NASA-TP-3397] p 176 N94-13790
- Flight command software development: RAFALE studies p 415 N94-29320
- Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495
- FORTAN**
- A systematic computation scheme of PAR-WIG cruising performance p 155 A94-10799
- Transient Ejector Analysis (TEA) code user's guide
[NASA-TM-106310] p 264 N94-23466

- Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- FOURIER ANALYSIS**
- Multigrid schemes for viscous hypersonic flows p 217 N94-21473
- FOURIER SERIES**
- Error analysis of the step drag-free system with respect to gravity field determination
[PB94-149804] p 506 N94-34115
- FOURIER TRANSFORMATION**
- A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
- Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy
[AD-A269035] p 152 N94-18489
- Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- FRACTOGRAPHY**
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914
- FRACTURE MECHANICS**
- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
- Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures
[FFA-TN-1993-05] p 84 N94-13690
- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
- The 1992 USAF structural integrity program conference
[AD-A272876] p 215 N94-21194
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- FR/GE/UK/US International Test Operations Procedure (ITOP) 1-1-050 development of laboratory vibration test schedules
[AD-A273887] p 352 N94-25732
- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation
[AD-A274777] p 353 N94-26186
- Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856
- Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- A laboratory study of multiple site damage in fuselage lap splices
[PB94-151230] p 432 N94-31078
- Multiple-site damage in aircraft fuselage structures
[LR-729] p 433 N94-31675
- Fatigue in single crystal nickel superalloys
[AD-A276662] p 443 N94-32047
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks
[AD-A277062] p 434 N94-32264
- Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques
[AD-280273] p 550 N94-34581
- An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590
- Fatigue management and verification of airframes p 531 N94-34591
- Frequency domain analysis of the random loading of cracked panels
[NASA-CR-196021] p 556 N94-35974
- Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328
- Predicting defect behaviour p 596 N94-37331
- FRACTURE STRENGTH**
- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223

- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation [AD-A274778] p 353 N94-26357
- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969
- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900
- Development of high-pressure diaphragms for the AEDC impulse tunnel [AD-A277053] p 439 N94-32009
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- Substantiating powder metal life methodologies for engines p 595 N94-37330
- FRACTURES (MATERIALS)**
- The 6th Japan-U.S. conference on composite materials [AD-A268535] p 152 N94-18630
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- FRACTURING**
- Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436
- An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation [AD-A274777] p 353 N94-26186
- Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
- FREE CONVECTION**
- Natural convection in a cavity with fins attached to both vertical walls [BTN-94-EIX94351142119] p 550 A94-60412
- FREE FLIGHT**
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight [ILR-MITT-280(1993)] p 37 N94-14800
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- A review and development of correlations for base pressure and base heating in supersonic flow [SAND93-0280] p 526 N94-35360
- FREE FLOW**
- Structure and penetration of a supercritical fluid jet in supersonic flow [BTN-94-EIX94321333317] p 549 A94-60268
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Recent flight-test results of optical airdata techniques [NASA-TM-4504] p 96 N94-13791
- Computation of a controlled store separation from a cavity p 41 N94-16513
- Complex terrain wind model evaluation [AD-A266467] p 192 N94-16589
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles [NASA-TM-106450] p 249 N94-23592
- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143
- The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel [NASA-CR-4571] p 294 N94-26548
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration [NASA-TM-109045] p 377 N94-29443
- Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318
- Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- Semi-span model testing in the national transonic facility [NASA-CR-195952] p 504 N94-34300
- FREE JETS**
- The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility [NASA-TM-106495] p 401 N94-28749
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
- Control and management of unsteady and turbulent flows [AD-A278474] p 500 N94-33396
- FREE MOLECULAR FLOW**
- Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774
- Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- FREE RADICALS**
- Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- FREE VIBRATION**
- Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239
- FREIGHTERS**
- Integrators: A challenge for air cargo p 310 N94-28244
- FREQUENCIES**
- Variable-resolution imagery for flight simulation [AD-A276199] p 438 N94-31058
- Sonic boom acceptability studies p 512 N94-33500
- An overview of recent advances in system identification p 546 N94-35880
- FREQUENCY DIVISION MULTIPLEXING**
- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384
- FREQUENCY MODULATION**
- FM interference in radio navigation receivers p 222 N94-22219
- FREQUENCY RANGES**
- Flexible alternatives to constant frequency systems p 156 A94-11372
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle [AD-A268741] p 122 N94-18401
- FREQUENCY RESPONSE**
- High frequency power flow in structures p 161 A94-12510
- FREQUENCY STANDARDS**
- Cesium and rubidium frequency standards status and performance on the GPS program p 429 N94-30663
- FRETTING**
- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125
- FRICTION**
- Friction evaluation of concrete paver blocks for airport pavement applications [SAE PAPER 922013] p 129 A94-12017
- Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters p 19 A94-12893
- Simulation of cryogenic turbopump annular seals p 281 N94-24440
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
- Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- FRICTION DRAG**
- Flight test results of riblets at supersonic speeds [NASA-TM-4387] p 458 N94-32880
- FRICTION FACTOR**
- Simulation of cryogenic turbopump annular seals p 281 N94-24440
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- FRICTION MEASUREMENT**
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- FRICTION REDUCTION**
- Solid lubricants for aeronautics p 142 A94-12655
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- FRICTIONLESS ENVIRONMENTS**
- A simple and efficient solution for the Riemann problem p 155 A94-10749
- FRONTS (METEOROLOGY)**
- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- ASR-9 microburst detection algorithm [AD-A273591] p 364 N94-24850
- Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- FUEL CELLS**
- Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333
- FUEL COMBUSTION**
- Raman measurements at the exit of a combustor sector [BTN-94-EIX94341338356] p 546 A94-60348
- Effect of pressure on second-generation pressurized fluidized bed combustion plants [BTN-94-EIX94311331067] p 589 A94-61111
- Materials performance in advanced combustion systems [BTN-94-EIX94311331065] p 584 A94-61113
- Combustor technology for future small gas turbine aircraft [NASA-TM-106312] p 101 N94-13142
- Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 [NASA-CR-191189] p 103 N94-14448
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication [AD-A267667] p 149 N94-14962
- Rotary engine performance computer program (RCMAP and RCEMAPPC): User's guide [NASA-CR-191192] p 104 N94-15192
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
- Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- NASA Lewis Research Center lean-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141
- Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205
- Broad specification fuels combustion technology program, phase 2 [NASA-CR-191066] p 350 N94-27854
- Fuels combustion research [AD-A275122] p 404 N94-29004
- Fuels and Combustion Technology for Advanced Aircraft Engines [AD-A275679] p 404 N94-29246
- Combustion technology needs for advanced high pressure cycle engines p 404 N94-29248
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268
- Ducted kerosene spray flames p 407 N94-29276
- Spray combustion experiments and numerical predictions p 407 N94-29277
- Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- Endothermic fuels for hypersonic aviation p 407 N94-29285
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- A study of low emissions gas turbine combustions [NASA-CR-195763] p 399 N94-29860
- Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868
- LeRC in-house experimental research p 497 N94-33484
- Stratified charge rotary engine critical technology enablement, volume 1 [NASA-CR-189106-VOL-1] p 482 N94-34231
- Stratified charge rotary engine critical technology enablement, Volume 2: Appendixes [NASA-CR-189106-VOL-2] p 482 N94-34233
- Toxic emissions from aircraft firefighting training: A search of available literature [PB94-156783] p 507 N94-34409
- FUEL CONSUMPTION**
- A systematic computation scheme of PAR-WIG cruising performance p 155 A94-10799
- Engine's parameters complex optimization in aerospace systems [IAF PAPER 93-462] p 194 A94-11249
- PT6 engine: 30 years of gas turbine technology evolution [BTN-94-EIX94311331064] p 577 A94-61114

- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- General aviation activity survey [AD-A273284] p 289 N94-24923
- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1 [NASA-CR-187158] p 359 N94-27984
- Aircraft high bypass fan engine performance [AD-A277722] p 478 N94-33443
- FUEL CONTAMINATION**
- Compatibility and efficacy of biocides qualified under military specification MIL-S-53021 [AD-A271496] p 230 N94-20551
- FUEL CONTROL**
- Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines [ISBN-0-315-56062-2] p 174 N94-13521
- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- FUEL FLOW**
- Design of a state-space controller for an advanced gas turbine engine [AD-A270859] p 105 N94-20042
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265
- Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269
- FUEL INJECTION**
- Experimental investigation on supersonic combustion. II p 97 A94-10702
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames [BTN-94-EIX94321333324] p 546 A94-60275
- Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling [BTN-94-EIX94351142133] p 537 A94-60426
- Comments on the development of the early Westinghouse turbojets, 1941-1946 [BTN-94-EIX94311331063] p 577 A94-61115
- A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803
- Combustor technology for future small gas turbine aircraft [NASA-TM-106312] p 101 N94-13142
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
- Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 N94-26573
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
- Ducted kerosene spray flames p 407 N94-29276
- Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282
- Computational study of single-expansion-ramp nozzles with external burning [NASA-TM-106550] p 446 N94-31229
- Stratified charge rotary engine critical technology enablement, volume 1 [NASA-CR-189106-VOL-1] p 482 N94-34231
- Stratified charge rotary engine critical technology enablement, Volume 2: Appendixes [NASA-CR-189106-VOL-2] p 482 N94-34233
- Combustor technology for future small gas turbine aircraft p 485 N94-34452
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- FUEL SPRAYS**
- A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803
- Ducted kerosene spray flames p 407 N94-29276

- Spray combustion experiments and numerical predictions p 407 N94-29277
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- FUEL SYSTEMS**
- A model for fuel fire duration and application to the B-1B bomber [DE93-013000] p 57 N94-14292
- Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- High temperature fuel requirements and payoffs p 405 N94-29259
- Research and development of high thermal stability fuels p 405 N94-29261
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
- FUEL TANKS**
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378
- FUEL TESTS**
- A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275
- Interferometric JFTOT tube deposit measuring device [AD-D016295] p 604 N94-37768
- FUEL VALVES**
- Hydrazine engine start system air start performance and controls sizing [SAE PAPER 921948] p 158 A94-11987
- FUEL-AIR RATIO**
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
- Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 N94-26573
- LeRC in-house experimental research p 497 N94-33484
- Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- FUELS**
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072
- FULL SCALE TESTS**
- Approximate similarity principle for a full-scale STOVLE ejector [BTN-94-EIX94341338360] p 550 A94-60352
- The GARTEUR high lift research programme p 48 N94-18430
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581
- Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597
- FUNCTIONAL ANALYSIS**
- Engineering of systems for application of scientific computing in industry p 415 N94-28947
- FUNCTIONAL DESIGN SPECIFICATIONS**
- Helicopter landing gear design p 77 A94-12235
- Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 A94-61669
- Structural modeling: An application framework and development process for flight simulators [AD-A271348] p 136 N94-19880
- Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
- Engineering of systems for application of scientific computing in industry p 415 N94-28947
- How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 [AD-A276970] p 442 N94-32395
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5 [AD-A276972] p 442 N94-32397

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7 [AD-A276974] p 442 N94-32399
- FUNCTIONS (MATHEMATICS)**
- Introduction to generalized functions with applications in aerodynamics and aeroacoustics [NASA-TP-3428] p 513 N94-34393
- FURNACES**
- Processing yttrium barium copper oxide superconductor in near-zero gravity [BTN-94-EIX94311332378] p 550 A94-60951
- FUSELAGES**
- Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352
- Drag reduction of airplane fuselages through shaping by the inverse method [BTN-94-EIX94311329117] p 536 A94-60183
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account [BTN-94-EIX94401367450] p 563 A94-61783
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- An investigation into aircraft fuselage fire hardening p 54 N94-10782
- Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
- Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations [LR-694] p 177 N94-13931
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage [LR-697] p 177 N94-13986
- Metals 2000 [DE93-016761] p 151 N94-17752
- Vertical drop test of a Metro 3 aircraft [AD-A270032] p 90 N94-18789
- Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669
- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 N94-21757
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- Demonstrating damage tolerance of composite airframes p 224 N94-22623
- Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332
- The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
- Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilizers of a 1/9th scale F/A-18 wind-tunnel model [AD-A274870] p 293 N94-26342
- Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft [AD-A274881] p 326 N94-26864
- Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961
- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969
- Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
- Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334
- Closed loop vibrational control: Theory and applications [AD-A275451] p 400 N94-28632
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight p 379 N94-29826
- A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078
- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674

- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- Shearographic inspection of a DeHavilland DHC-7 [AD-A276716] p 419 N94-32157
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378
- Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages [NASA-CR-4269] p 498 N94-32871
- Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124
- Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
- Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
- Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- Composite fuselage crown panel manufacturing technology p 495 N94-33133
- Advanced textile applications for primary aircraft structures p 496 N94-33135
- Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell [NASA-CR-195953] p 504 N94-34262
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972
- Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment [NASA-TM-4566] p 569 N94-36966
- FUSION REACTORS**
- A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159
- FUZZY SYSTEMS**
- Multiobjective trajectory optimization by goal programming with fuzzy decisions [BTN-94-EIX94381311168] p 597 A94-61255
- Application of fuzzy logic to the control of wind tunnel settling chamber temperature [NASA-TM-109105] p 402 N94-30200
- Fuzzy-neural control of an aircraft tracking camera platform p 507 N94-32423
- G**
- GALACTIC COSMIC RAYS**
- Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709
- GALERKIN METHOD**
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics p 422 N94-31204
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994
- GAMMA RAY ABSORPTION**
- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen [DE94-011609] p 606 N94-37629
- GAS ANALYSIS**
- Analytical method for water vapor collection and analysis in aircraft cabin fires [DOT/FAA/CT-TN93/33] p 55 N94-12575
- Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- GAS BEARINGS**
- An air bearing system for small high speed gas turbines p 505 N94-34466
- GAS COMPOSITION**
- Ingestion into the upstream wheel-space of an axial turbine stage [BTN-94-EIX94311330099] p 587 A94-61059
- Evaluation of a concentration probe for application in a supersonic flow field [AD-A273915] p 292 N94-25592
- Photothermal laser deflection, an innovative technique to measure particles in exhausts [AD-A277151] p 448 N94-32366
- GAS COOLING**
- Inverse design of super-elliptic cooling passages in coated turbine blade airfoils [BTN-94-EIX94311330654] p 548 A94-60137
- GAS DENSITY**
- Future test facility requirements and the role of heavy gas p 124 A94-10402
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- GAS DISSOCIATION**
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- Implementation of a vibrationally linked chemical reaction model for DSMC [NASA-TM-109109] p 499 N94-33020
- GAS DYNAMICS**
- HEG - A new shock tunnel for high enthalpies p 127 A94-10427
- Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties p 10 A94-10888
- Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931
- Optimal aerodynamic shapes in rarefied gas p 12 A94-11040
- Ingestion into the upstream wheel-space of an axial turbine stage [BTN-94-EIX94311330099] p 587 A94-61059
- Issues and approach to develop validated analysis tools for hypersonic flows: One perspective p 20 N94-10446
- An experimental investigation of shock wave/vortex interaction p 175 N94-13574
- Hypersonic flow phenomenology p 34 N94-14155
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows [AD-A269678] p 50 N94-18571
- An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247
- Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields p 299 N94-28071
- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195292] p 363 N94-28181
- GAS FLOW**
- Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818
- Heat and mass transfer in the structural elements of aircraft engines p 164 A94-12825
- Turbine blade tip film cooling measurements [AD-A267686] p 103 N94-14964
- Compliant seal development p 235 N94-21795
- Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- Sub-sonic flow about a slender profile in a tunnel having perforated walls [AD-A273184] p 291 N94-25137
- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195292] p 363 N94-28181
- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195883] p 481 N94-34216
- GAS GENERATORS**
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
- GAS INJECTION**
- Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust [NASA-TM-106270] p 102 N94-13143
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 N94-24594
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
- Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
- The mixing process in the quenching zone of the rich-lean-combustion concept p 407 N94-29281
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- GAS JETS**
- Structure and penetration of a supercritical fluid jet in supersonic flow [BTN-94-EIX94321333317] p 549 A94-60268
- Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 N94-23464
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
- GAS MIXTURES**
- On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases [NASA-CR-4612] p 527 N94-35864
- GAS PATH ANALYSIS**
- Mathematical methods of relative engine performance diagnostics [SAE PAPER 922048] p 99 A94-12034
- Assessment of weighted-least-squares-based gas path analysis [BTN-94-EIX94311331070] p 589 A94-61108
- GAS PRESSURE**
- Advanced thermally stable jet fuels [DE94-006760] p 443 N94-32150
- GAS STREAMS**
- Injection of bubbling liquid jets from multiple injectors into a supersonic stream [BTN-94-EIX94321333316] p 520 A94-60267
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
- GAS TEMPERATURE**
- Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne p 126 A94-10422
- Recent enhancements to the DRA shock tunnel p 127 A94-10426
- GAS TURBINE ENGINES**
- The research and establishment of graphics library of aero-engine rotor system structure scheme p 194 A94-10119
- Foil bearings for gas turbine engines p 157 A94-11850
- Full range pawl and ratchet clutch [SAE PAPER 921946] p 157 A94-11985
- Design improvements in air turbine start systems [SAE PAPER 921947] p 158 A94-11986
- Gyroscopic test for the T800-LHT-800 turboshaft engine [SAE PAPER 921955] p 98 A94-11992
- Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954
- Measurement of diffusion in fluid systems: Applications to the supercritical fluid region [BTN-94-EIX94311330660] p 548 A94-60131
- Structural integrity and containment aspects of small gas turbine engines [BTN-94-EIX94331337500] p 550 A94-60335
- Advanced transonic fan design procedure based on a Navier-Stokes method [BTN-94-EIX94311330095] p 587 A94-61063
- Increased use of gas turbines as commercial marine engines [BTN-94-EIX94311331080] p 588 A94-61098
- Mashproekt scientific and production association: A designer of gas turbines for marine and industrial applications [BTN-94-EIX94311331079] p 588 A94-61099
- Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines [BTN-94-EIX94311331078] p 588 A94-61100
- Electric drives on the LV100 gas turbine engine [BTN-94-EIX94311331077] p 588 A94-61101
- Fault diagnosis in gas turbines using a model-based technique [BTN-94-EIX94311331071] p 589 A94-61107
- PT6 engine: 30 years of gas turbine technology evolution [BTN-94-EIX94311331064] p 577 A94-61114
- Working group activities of AGARD propulsion and energetics panel [BTN-94-EIX94311331062] p 589 A94-61116
- Low-expansion ceramics initiative [DE93-011860] p 146 N94-11106
- Long of turbine intake louvers [AD-A265714] p 101 N94-12274
- Advanced Turbine Technology Applications Project (ATTAP) [NASA-CR-195366] p 209 N94-12931
- NDE of titanium alloy MMC rings for gas turbine engines [NASA-TM-106188] p 148 N94-13138

- Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142
- Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines
[ISBN-0-315-56062-2] p 174 N94-13521
- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
- Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964
- SAND contact in DYNA3D
[DE93-016451] p 152 N94-18113
- Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- The 1992 Seals Flow Code Development Workshop
[NASA-CP-10124] p 229 N94-21790
- Brush seal bristle flexure and hard-rub characteristics
p 235 N94-21791
- Air Force brush seal programs
p 235 N94-21793
- Navy GTE seal development activity
p 235 N94-21794
- Compliant seal development
p 235 N94-21795
- Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
- Life prediction systems for critical rotating components
p 239 N94-22615
- Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215
- Turbine engine with induced pre-swirl at the compressor inlet
[CA-PATENT-1-317-467] p 263 N94-23253
- Seal assembly
[CA-PATENT-1,312,888] p 277 N94-24128
- Probabilistic simulation of concurrent engineering of propulsion systems
p 259 N94-24317
- Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- Gas Turbine Engine Transient Behaviour
[VKI-LS-1993-06] p 360 N94-28043
- Gas-turbine engine steady-state behavior
p 360 N94-28044
- Transient performance
p 360 N94-28045
- Compressor stability
p 360 N94-28046
- Engine simulation technology
p 361 N94-28051
- Transient engine simulation
p 361 N94-28052
- Nonlinear solvers
p 361 N94-28053
- Engine simulation systems
p 362 N94-28054
- A review of recent aerodynamic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- Combustion technology needs for advanced high pressure cycle engines
p 404 N94-29248
- High temperature fuel requirements and payoffs
p 405 N94-29259
- Design aspects in small aircraft gas turbine fuel injectors
p 397 N94-29264
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future
p 406 N94-29272
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor
p 406 N94-29275
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860
- Use of magnetic compression to support turbine engine rotors
p 444 N94-30484
- Thermal-mechanical fatigue crack growth in aircraft engine materials
[ISBN-0-315-86543-1] p 447 N94-31707
- Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366
- Materials development program: Ceramic technology project bibliography, 1984-1992
[DE94-009297] p 493 N94-32935
- General Electric/Pratt and Whitney summary report
p 478 N94-33451
- HSR combustion analytical research
p 497 N94-33483
- Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874
- MTR390, the new generation turboshaft engine
p 482 N94-34434
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- Expendable gas turbine engine technology advances
p 483 N94-34438
- Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future
p 484 N94-34440
- Specifications of auxiliary power units for conformity with helicopter turboshaft engines
p 484 N94-34441
- The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442
- Advanced concepts for next generation small gas turbine engine compressors
p 484 N94-34443
- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444
- Combustor technology for future small gas turbine aircraft
p 485 N94-34452
- Combustor technology for small aircraft engines
p 485 N94-34453
- Low emission combustor technology for small aircraft gas turbines
p 485 N94-34454
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines
p 485 N94-34455
- Effect of tip clearance on the performance of a highly loaded turbine stage
p 486 N94-34458
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459
- Nozzle guide vane flow in radial inflow turbines
p 486 N94-34460
- Turbine blade dynamics and blade-vane interaction in a radial inflow turbine
p 486 N94-34461
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- Engine static structures behaviour under impact load using 3D modelling
p 505 N94-34464
- Hot section materials for small turbines
p 486 N94-34465
- An air bearing system for small high speed gas turbines
p 505 N94-34466
- Progress and purpose of IHPTET program
p 538 N94-34607
- Integration of magnetic bearings in the design of advanced gas turbine engines
p 554 N94-35903
- Defects and their effects on the integrity of nickel based aeroengine discs
p 586 N94-37328
- Turbine disks: Lifting against defects and materials development
p 595 N94-37329
- Substantiating powder metal life methodologies for engines
p 595 N94-37330
- GAS TURBINES**
- Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX9431337500] p 550 A94-60335
- Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- Increased use of gas turbines as commercial marine engines
[BTN-94-EIX94311331080] p 588 A94-61098
- Mashproekt scientific and production association: A designer of gas turbines for marine and industrial applications
[BTN-94-EIX94311331079] p 588 A94-61099
- Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
- Electric drives on the LV100 gas turbine engine
[BTN-94-EIX94311331077] p 588 A94-61101
- New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
- Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111
- PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
- Working group activities of AGARD propulsion and energetics panel
[BTN-94-EIX94311331062] p 589 A94-61116
- Advanced controls for airbreathing engines, volume 3: Allison gas turbine
[NASA-CR-189205] p 101 N94-12272
- Performance of gas turbine compressor cleaners
[NLR-TP-91291-U] p 103 N94-14450
- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-018866] p 237 N94-21983
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction
p 265 N94-23658
- The 3-D numerical study of airflow in the compressor/combustor pre-diffuser and dump diffuser of an industrial gas turbine
p 276 N94-23660
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-108873] p 265 N94-23709
- Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874
- Development of the gas turbine. Part 1: Design philosophy and performance
p 362 N94-28080
- Numerical modelling of turbine combustion chambers
p 396 N94-29254
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries
p 396 N94-29255
- Application of CFD in combustor design technology
p 396 N94-29256
- Recent CFD applications in small gas turbine combustion systems development
p 396 N94-29257
- Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O
p 406 N94-29268
- Evaluation of the transient operation of advanced gas turbine combustors
p 397 N94-29269
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860
- Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333
- Fatigue in single crystal nickel superalloys
[AD-A276662] p 443 N94-32047
- Materials development program: Ceramic technology project bibliography, 1984-1992
[DE94-009297] p 493 N94-32935
- Technology Requirements for Small Gas Turbines
[AD-280274] p 482 N94-34431
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit
p 483 N94-34436

- The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
 Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
 Nozzle guide vane flow in radial inflow turbines p 486 N94-34460
 Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
 An air bearing system for small high speed gas turbines p 505 N94-34466
 Composite matrix experimental combustor [AD-280344] p 538 N94-34679
 The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803
 Prediction of film cooling on gas turbine airfoils [NASA-TM-106653] p 579 N94-37448
- GAS VISCOSITY**
 Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957
 Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- GAS-LIQUID INTERACTIONS**
 Liquid atomization in supersonic flows p 414 N94-29639
- GAS-SOLID INTERACTIONS**
 Modeling of hypersonic nonequilibrium flows p 8 A94-10764
 Physical aspects of hypersonic flow - Fluid dynamics and non-equilibrium phenomena p 8 A94-10766
 Numerical simulation of vortex-wedge interaction [BTN-94-EIX94421374955] p 592 A94-61853
- GAS-SOLID INTERFACES**
 Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957
 Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
- GASEOUS DIFFUSION**
 Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335
- GASOLINE**
 Unleaded AVGAS program [AD-A278650] p 547 N94-35795
- GATES (OPENINGS)**
 Airport terminals: Optimum configurations and gate position requirement [ISBN-0-315-61722-5] p 132 N94-13544
- GAUSSIAN ELIMINATION**
 A numerical determination of bifurcation points for low Reynolds number conical flows [AD-A273984] p 352 N94-25991
- GEAR TEETH**
 Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
 Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox [BTN-94-EIX94311331047] p 586 A94-61050
 The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
 A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
 Prediction of contact path and load sharing in spiral bevel gears [NASA-CR-195305] p 502 N94-34148
 Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- GEARS**
 Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
 Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox [BTN-94-EIX94311331047] p 586 A94-61050
 AGBT advanced counter-rotating gearbox detailed design report [NASA-CR-180883] p 166 N94-10400
 Mechanical Systems Technology Branch research summary, 1985 - 1992 [AD-A276450] p 184 N94-17583
 The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
 A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
 Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
- Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
 Prediction of contact path and load sharing in spiral bevel gears [NASA-CR-195305] p 502 N94-34148
 Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- GENERAL AVIATION AIRCRAFT**
 General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858
 Federal Aviation Administration aviation forecasts [AD-A265611] p 3 N94-12578
 Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336
 Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents [PB93-202885] p 220 N94-21428
 Roles, uses, and benefits of general aviation aircraft in aerospace engineering education [NASA-TM-106463] p 247 N94-24100
 Annual review of aircraft accident data. US general aviation calendar year 1990 [PB94-126869] p 305 N94-24841
 General aviation activity survey [AD-A273284] p 289 N94-24923
 US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities p 289 N94-25097
 A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714
 EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft [NASA-TM-104013] p 324 N94-26091
 National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990 [PB94-126869] p 382 N94-29185
 Crash impact survival in light planes [NASA-TM-109799] p 468 N94-33749
 Annual review of aircraft accident data: US general aviation calendar year 1991 [PB94-127982] p 528 N94-34991
 Annual review of aircraft accident data. US general aviation, calendar year 1992 [PB94-181054] p 529 N94-35496
 The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
 Unleaded AVGAS program [AD-A278650] p 547 N94-35795
- GENERAL OVERVIEWS**
 The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101
 The application of simulation in aero-reliability engineering p 153 A94-10102
 Review of TsAGI wind tunnels p 124 A94-10403
 A review of European hypersonic facilities p 126 A94-10423
 An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust p 127 A94-10440
 The autonomous airplane concept [SAE PAPER 921918] p 53 A94-11968
 Helicopter radio communication - General trend p 62 A94-12228
 Issues for GNSS-based precision approach p 63 A94-12552
 Smart structures, an overview [AD-A274147] p 368 N94-27093
 Silence amenity engineering: Past and present p 370 N94-27283
 Review of sonic fatigue technology [NASA-CR-4587] p 417 N94-29407
- GENETIC ALGORITHMS**
 An analytic modeling and system identification study of rotor/fuselage dynamics at hover p 118 N94-13312
 Discovery learning in autonomous agents using genetic algorithms [AD-A274083] p 339 N94-25998
 Genetic algorithms applied to a mission routing problem [AD-A274130] p 368 N94-27120
- GEODESY**
 Time and position accuracy using codeless GPS p 428 N94-30650
 Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia [NASA-CR-195897] p 470 N94-33534
 Error analysis of the step drag-free system with respect to gravity field determination [PB94-149804] p 506 N94-34115
- GEODETIC ACCURACY**
 GPS in the Gulf War p 65 A94-12574
- GEODETIC SURVEYS**
 High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimble programming system [ETN-94-95035] p 313 N94-26539
 Time and position accuracy using codeless GPS p 428 N94-30650
- GEOLOGICAL SURVEYS**
 Activities of Institute for Aerospace Research, Flight Research Laboratory [CTN-93-60832] p 212 N94-13519
- GEOMAGNETISM**
 Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
- GEOMETRICAL ACOUSTICS**
 Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 N94-23464
- GEOPHYSICS**
 Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- GEOPOTENTIAL**
 JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-006] p 553 N94-35226
- GEOSAT SATELLITES**
 Error analysis of real time and post processed or bit determination of GFO using GPS tracking [NASA-CR-193646] p 67 N94-13238
 The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214
- GEOTECHNICAL ENGINEERING**
 Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers [AD-A277732] p 490 N94-33444
- GEOTECHNICAL FABRICS**
 Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers [AD-A277732] p 490 N94-33444
- GERMAN SPACE PROGRAM**
 Research and design activities and the economic balance of MBB [ETN-93-94909] p 5 N94-19383
- GERMANY**
 Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 N94-20543
 The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236
 Lufthansa facing the single European market p 309 N94-28237
 Munich Airport: The new Lufthansa hub p 310 N94-28239
 German-American relations in air traffic are to be criticized p 310 N94-28241
- GIMBALS**
 Flight test of the exploratory gimbal airborne ESG system p 94 A94-12555
 Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565
- GIRDERS**
 Study of bridge design and technology [PB94-137916] p 373 N94-29160
- GLARE**
 Aircraft windscreens enhance visual search disruption produced by laser glare [AD-A265167] p 82 N94-11892
- GLASS**
 Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598
 Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- GLASS FIBERS**
 Materials processing apparatus development for fluoride glass [NASA-CR-193963] p 498 N94-34388
- GLASS TRANSITION TEMPERATURE**
 Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- GLIDE PATHS**
 On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
 Helicopter approach capability using the differential Global Positioning System [NASA-CR-177618] p 67 N94-12355
 Visual cueing aids for rotorcraft landings p 119 N94-13313

- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
- All-weather precision landing system for aircraft in remote areas
[AD-D015924] p 70 N94-20197
- GLIDERS**
Perseus: Global watcher
[NASA-TM-109813] p 473 N94-33565
- GLIDING**
Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
- GLOBAL POSITIONING SYSTEM**
The potential of a nonsolicited position report
p 60 A94-10331
- Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach
p 62 A94-12123
- RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting — receiver autonomous integrity monitoring
p 62 A94-12124
- Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 A94-12551
- Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
- GPS multipath and satellite interference
p 63 A94-12557
- Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559
- Wide Area Differential GPS-potential for accurate global navigation
p 64 A94-12561
- Attitude error estimation with a general GPS observation matrix
p 64 A94-12562
- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar
p 94 A94-12565
- A GPS coverage model
p 64 A94-12567
- GPS relative navigation - An alternative precision approach aid
p 64 A94-12568
- Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study
p 65 A94-12570
- Operational aspects of GPS for precision approach and landing
p 65 A94-12572
- GPS in the Gulf War
p 65 A94-12574
- Evaluation of GPS on-the-fly ambiguity resolution techniques
p 65 A94-12575
- An evaluation of the use of GPS and laser ranging to position stationary objects from a distance
p 66 A94-12576
- Helicopter approach capability using the differential Global Positioning System
[NASA-CR-177618] p 67 N94-12355
- Error analysis of real time and post processed or bit determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238
- Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346
- Helicopter precision approach capability using the Global Positioning System
[NASA-CR-194037] p 68 N94-13957
- Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis
[DOT/FAA/SE-93/3] p 69 N94-16906
- On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05] p 69 N94-17921
- A robust quality control system for GPS navigation and kinematic positioning
[ISBN-0-315-83148-0] p 223 N94-22427
- An investigation into acceleration determination for airborne gravimetry using the global positioning system
[ISBN-0-315-59470-5] p 256 N94-24176
- Differential GPS for air transport: Status
p 311 N94-25100
- Application of aircraft navigation sensors to enhanced vision systems
p 312 N94-25495
- Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops
[AD-A274037] p 313 N94-25810
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
- High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimtec programming system
[ETN-94-95035] p 313 N94-26539

- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071
- Satellite navigation system GPS: A review of principles and performance and developments in general
[PB94-124534] p 314 N94-27210
- Investigation of air transportation technology at Ohio University, 1992-1993
p 307 N94-27268
- Improved modeling of GPS selective availability
p 314 N94-27290
- Realtime mitigation of GPS SA errors using Loran-C
p 314 N94-27291
- A GPS coverage model
p 314 N94-27292
- Ground station siting considerations for DGPS
p 315 N94-27293
- Differential GPS methods and performance for marine applications
[DREP-93-09] p 315 N94-27667
- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- A simulation of GPS and differential GPS sensors
p 316 N94-27918
- Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
- Use of GPS in automated air traffic control
p 384 N94-29563
- GPS/GNSS for ATM
p 385 N94-29565
- The use of low cost differential mode GPS receivers in unmanned vehicles
p 389 N94-30285
- An Operational Control Segment (OCS) update on GPS constellation status and future program directions
p 427 N94-30643
- Loran-C time management
p 427 N94-30644
- GPS common-view time transfer
p 428 N94-30648
- Time and position accuracy using codeless GPS
p 428 N94-30650
- The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time
p 428 N94-30651
- Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652
- Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections
p 429 N94-30655
- A comparison of GPS broadcast and DMA precise ephemerides
p 429 N94-30660
- Some applications of GPS timing information
p 429 N94-30661
- A comparison of several GPS data reduction methods
p 429 N94-30662
- Comparison of LASSO and GPS time transfers
p 429 N94-30665
- Ionospheric corrections to precise time transfer using GPS
p 429 N94-30677
- A review of the status and capabilities of Navstar GPS
[AD-B174629] p 430 N94-30854
- Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system
[AD-A276160] p 431 N94-31080
- An investigation of airborne GPS/INS for high accuracy position and velocity determination
[DE94-006139] p 431 N94-31306
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance
[PB94-142734] p 431 N94-31680
- Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095
- An evaluation of three GPS receivers for use in the GPS sounder
[AD-A278157] p 469 N94-33253
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- Differential GPS positioning: DGPS modelling using pseudo range observations
[PB94-149697] p 470 N94-34113
- GLOBAL TRACKING NETWORK**
Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474
- GLOBAL WARMING**
NRL review for 1993
[AD-A265666] p 211 N94-12334
- GLONASS**
Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study
p 65 A94-12570

GLOW DISCHARGES

- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032
- GOAL THEORY**
Multiobjective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX94381311168] p 597 A94-61255
- GOERTLER INSTABILITY**
Experimental analysis of Goertler vortices in hypersonic wedge flow
p 17 A94-12420
- GOES SATELLITES**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO
p 241 N94-22299
- GOGGLES**
Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231
- Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223
- An evaluation framework for designing a night vision, computer-based trainer
[AD-A278005] p 490 N94-33139
- GOODNESS OF FIT**
A moment plotting method for characterizing aircraft fatigue data population distributions
[AD-A275500] p 390 N94-28660
- GOVERNMENT PROCUREMENT**
Naval aviation: Consider all alternatives before proceeding with the F/A-18E/F
[AD-A269302] p 4 N94-18279
- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899
- GOVERNMENT/INDUSTRY RELATIONS**
Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134
- The second giant leap
[NASA-TM-109827] p 514 N94-33581
- GRAIN SIZE**
Modelling of the hot-working of high performance alloys
p 141 A94-10670
- GRAMMARS**
An error-resistant linguistic protocol for air traffic control
[NASA-CR-196098] p 570 N94-37013
- GRAPHICAL USER INTERFACE**
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- Evaluation of access/navigation features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744
- Considerations on graphical user interfaces for intelligent ATM support systems
p 386 N94-29572
- User's guide for an interactive personal computer interface for the aeroprediction code
[NSWCDD/TR-94/107] p 559 N94-35958
- GRAPHITE-EPOXY COMPOSITES**
Effect of localized bending at through-flaws in pressurized composite cylinders
p 159 A94-12346
- Dynamic testing and analysis of extension-twist-coupled composite tubular spars
p 161 A94-12519
- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
- Aeroelastic airfoil smart spar
p 87 N94-16865
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- Repair of cracked aluminum aircraft structure with composite patches
p 258 N94-24259
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260
- Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- Assessment of impact damage in composite structures
[AD-A277063] p 444 N94-32265
- Structural testing of the technology integration box beam
p 494 N94-33125
- GRASSLANDS**
Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441

GRAVIMETRY

An investigation into acceleration determination for airborne gravimetry using the global positioning system [ISBN-0-315-59470-5] p 256 N94-24176

GRAVITATION

Processing yttrium barium copper oxide superconductor in near-zero gravity [BTN-94-EIX94311332378] p 550 A94-60951

GRAVITATIONAL EFFECTS

Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080
Vibration Isolation Technology (VIT) ATD project [NASA-TM-106496] p 455 N94-33064

GRAVITATIONAL FIELDS

Behavior of a cargo suspended under a helicopter p 71 A94-11041
Error analysis of the step drag-free system with respect to gravity field determination [PB94-149804] p 506 N94-34115

GRAVITY WAVES

Lee waves: Benign and malignant [NASA-CR-186024] p 190 N94-10725
JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-006] p 553 N94-35226

GREASES

Status of developing a multifunctional aviation grease [AD-A276755] p 443 N94-32184

GREEN'S FUNCTIONS

Radiation and scattering by cavity-backed antennas on a circular cylinder [NASA-CR-193409] p 170 N94-11084
Scattering by cavity-backed antennas on a circular cylinder p 236 N94-21886
Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699

GRID GENERATION (MATHEMATICS)

Unstructured mesh quality assessment and upwind Euler solution algorithm validation [BTN-94-EIX94401358985] p 592 A94-61641
Two-dimensional Euler zonal method using composite structured and unstructured meshes [BTN-94-EIX94401358986] p 566 A94-61642
A grid generation method to calculate the flow field in a three-dimensional cascade of blades [NAL-TR-1158] p 166 N94-10364
Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459

Generation and analysis of hybrid structured/unstructured grids [ARA-MEMO-365] p 198 N94-10893

SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids [ARA-MEMO-370] p 171 N94-11859

A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889

Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326
A grid generation package for high aspect ratio wings p 35 N94-14608

Adaptive algorithm for aircraft configuration in turbulent flow [AD-A266188] p 86 N94-16122

Single block three-dimensional volume grids about complex aerodynamic vehicles [NASA-TM-108986] p 183 N94-17476

WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721

Calculation of maximum and high lift characteristics of multi element aerofoils p 46 N94-18419

Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422

High-lift system analysis method using unstructured meshes p 47 N94-18426

Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739

Three dimensional network generation and Euler calculation for a wing fuselage canard configuration [MBB-LME-211-S-PUB-511-A] p 91 N94-19500

Unstructured grid research and use at NASA Lewis Research Center p 243 N94-22353

Robust unstructured grid generation with VGRID p 243 N94-22359

Dynamic mesh adaption for triangular and tetrahedral grids p 243 N94-22363

The 3D Euler solutions using automated Cartesian grid generation p 243 N94-22367

Computational geometry issues p 243 N94-22370

NASA Langley developments in response calculations needed for failure and life prediction p 240 N94-22621

POISS3: A 3D poisson smoother of structured grids [PB93-226231] p 275 N94-23115

Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307

Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640

Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699

Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849

Solution of the Euler equations using unstructured grids p 304 N94-28338

ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956

Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958

Three-dimensional external flow computations using prismatic grid p 410 N94-28979

Application of digital control theory to adaptive grid generation p 415 N94-28980

An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981

Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877

The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387

Grid adaption in computational aerodynamics [PB94-126240] p 421 N94-30858

An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics p 422 N94-31204

Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287

Status of CFD for LaRC's HSR high-lift program p 461 N94-33520

TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide [NASA-TM-106586] p 481 N94-33974

Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974

Automatic procedures for computing complete configuration geometry from individual component descriptions [NASA-TM-4607] p 568 N94-36942

Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations [NASA-TM-4573] p 568 N94-36950

A method for flow simulation about complex geometries using both structured and unstructured grids [NASA-TM-106633] p 569 N94-37283

GROOVES

Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378

GROUND BASED CONTROL

Helicopter approach capability using the differential Global Positioning System [NASA-CR-177618] p 67 N94-12355

JPRS report: Central Eurasia. Aviation and cosmonautics, no. 10, October 1992 [JPRS-UAC-93-004] p 212 N94-19149

Control vane guidance for a ducted-fan unmanned air vehicle [AD-A271957] p 223 N94-20561

Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E) [AD-A273075] p 240 N94-21519

Optical communications for transport aircraft p 356 N94-27298

Design of Center-TRACON Automation System p 385 N94-29568

ARC2000: Automatic radar control p 388 N94-29583

GROUND CREWS

Aircraft communication and navigation systems and communication and navigation systems [AD-A277309] p 435 N94-32328

GROUND EFFECT (AERODYNAMICS)

Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092

Computational analysis of a single jet impingement ground effect lift loss [BTN-94-EIX94311329114] p 519 A94-60186

Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft [NASA-TM-104008] p 113 N94-11259

Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing [NASA-CR-194260] p 121 N94-14322

An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments [TT-9203] p 181 N94-15645

Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439

Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect [AD-A269700] p 90 N94-18577

Lift and pitching moment induced on jet STOVL aircraft by the ground vortex [AD-A269816] p 90 N94-18733

Flight test techniques for aircraft parameter estimation in ground effect [AD-A270058] p 91 N94-18795

Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems p 359 N94-28010

Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016

Numerical simulation of a powered-lift landing p 328 N94-28033

A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034

Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973

The case for surface effect research, platform applications and technology development opportunities p 573 N94-36325

Rotorwash analysis handbook. Volume 1: Development and analysis [SCT-93RR-17-VOL-1] p 567 N94-36466

Rotorwash analysis handbook. Volume 2: Appendices [SCT-93RR-17-VOL-2] p 567 N94-36467

Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel [NASA-TP-3427] p 601 N94-37505

GROUND EFFECT MACHINES

Heave dynamics of an air cushion vehicle bag and finger skirt [ISBN-0-315-87053-2] p 423 N94-31734

Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993 [AD-A278859] p 527 N94-35826

GROUND HANDLING

Mission management aircraft operations manual [NHB-7900.3] p 210 N94-16729

A study of parallel pier finger airport terminal configuration [ISBN-0-315-83128-6] p 229 N94-22425

Handbook for handling and storage of nickel-cadmium batteries: Lessons learned [NASA-RP-1326] p 347 N94-26613

GROUND RESONANCE

Some comments on tail rotor ground resonance problem p 76 A94-12085

GROUND STATIONS

Ground station siting considerations for DGPS p 315 N94-27293

An Operational Control Segment (OCS) update on GPS constellation status and future program directions p 427 N94-30643

GROUND SUPPORT EQUIPMENT

An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft [NPL-RSA(EXT)-0039] p 206 N94-13885

The experimental flight management system: An air traffic management research tool [NLR-TP-92253-U] p 430 N94-30943

GROUND SUPPORT SYSTEMS

Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft p 208 A94-10111

A unique facility to support cryogenic wind tunnel operations p 128 A94-10444

Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084

Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 N94-13337

Development of a prototype kinesthetic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905

- Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- Planning German Army helicopter maintenance and mission assignment [AD-A280483] p 564 N94-37352
- ### GROUND TESTS
- Parallel turbine engine instrumentation system [AIAA PAPER 93-4529] p 195 A94-11452
- Decoupling system for Airbus A340 G.V.T p 79 A94-12482
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing [NASA-TM-104264] p 80 N94-11233
- Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results [NAL-TM-649] p 68 N94-13346
- Methodology of Hypersonic Testing [VKI-LS-1993-03] p 33 N94-14153
- Aeropropulsion test and evaluation methods p 102 N94-14165
- Extrapolation of ground test data to flight p 34 N94-14170
- Flight testing of airbreathing hypersonic vehicles [NASA-TM-4524] p 140 N94-15753
- Soft ground arresting system for airports [DOT/FAA/CT-93/80] p 343 N94-26202
- S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
- S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport [AD-A274213] p 366 N94-27069
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837
- On ground system integration and testing: A modern approach p 394 N94-29334
- Powered lift facility at NASA Lewis Research Center's Aerodynamic Propulsion Laboratory [NASA-TM-106577] p 491 N94-33604
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972
- ### GROUND TRACKS
- Application of the A* algorithm to aircraft trajectory generation [AD-A268728] p 88 N94-18315
- The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214
- ### GROUND TRUTH
- Evaluation of infrared sensors for autonomous landing guidance [AD-A266450] p 68 N94-13703
- ### GROUND-AIR-GROUND COMMUNICATION
- The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results [AD-A267105] p 181 N94-15649
- Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle [NASA-TM-109071] p 315 N94-27423
- ### GUIDANCE (MOTION)
- Capture region for true proportional navigation guidance with nonzero miss-distance [BTN-94-EIX94401358176] p 570 A94-61682
- On the generalization of true proportional navigation [BTN-94-EIX94401377808] p 570 A94-61769
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 [NASA-CP-10127] p 289 N94-25096
- ### GUIDANCE SENSORS
- Method for inferring sensor attitude through multi-feature tracking p 94 A94-12598
- ### GUIDE VANES
- Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696
- Control vane guidance for a ducted-fan unmanned air vehicle [AD-A271957] p 223 N94-20561
- Gas turbine and operating method of the same [CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade [ISBN-0-315-84107-9] p 354 N94-26671
- The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor p 478 N94-33365
- Nozzle guide vane flow in radial inflow turbines p 486 N94-34460
- Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
- ### GUST LOADS
- Further studies using matched filter theory and stochastic simulation for gust loads prediction [NASA-TM-109010] p 82 N94-11587
- Continuous gust response and sensitivity derivatives using state-space models p 268 N94-24287
- The deterministic power-spectral-density method [AD-B175894] p 340 N94-27395
- The deterministic power-spectral-density-method for nonlinear systems [AD-B179687] p 369 N94-28353
- A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method [NASA-TM-109768] p 487 N94-33378
- ### GUSTS
- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- ASR-9 microburst detection algorithm [AD-A273591] p 364 N94-24850
- Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- The deterministic power-spectral-density-method for nonlinear systems [AD-B179687] p 369 N94-28353
- ### GYROSCOPES
- Flight test of the exploratory gimbaled airborne ESG system p 94 A94-12555
- An investigation of airborne GPS/INS for high accuracy position and velocity determination [DE94-006139] p 431 N94-31306
- ### GYROSCOPIC STABILITY
- Gyroscopic test for the T800-LHT-800 turboshaft engine [SAE PAPER 921955] p 98 A94-11992

H

- Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions [AD-A276944] p 437 N94-32217
- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter [AD-A277533] p 474 N94-34080
- ### HANDBOOKS
- Aircraft engine type certification handbook: Advisory circular [AC-33-2B] p 102 N94-13252
- Handbook. Volume 3: Digital systems validation book plan [DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343
- Digital systems validation book plan. Volume 3: Handbook [AD-A274099] p 329 N94-26028
- Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation [AD-A274777] p 353 N94-26186
- Handbook for handling and storage of nickel-cadmium batteries: Lessons learned [NASA-RP-1326] p 347 N94-26613
- Cleanroom engineering handbook. Volume 1: Cleanroom engineering process introduction and overview [AD-A275949] p 439 N94-31356
- Aircraft icing handbook (update) [AD-A276499] p 426 N94-31678
- Rotorwash analysis handbook. Volume 1: Development and analysis [SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467
- ### HARD LANDING
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993 [PB94-910404] p 382 N94-29402
- ### HARDENING (SYSTEMS)
- Safety standards for aircraft shelter [FFI-92/4003] p 343 N94-26305
- ### HARDWARE
- Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- Handbook. Volume 3: Digital systems validation book plan [DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- ### HARDWARE DESCRIPTION LANGUAGES
- A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
- ### HARMONIC CONTROL
- Active control of vibrations in helicopters - From HHC to OBC - higher-harmonic control regulator vs. observer-based controller p 109 A94-12112
- HHC effects on hub and blade loads p 78 A94-12245
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- ### HARMONIC EXCITATION
- A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- Control of leading-edge separation on an airfoil by localized excitation [DLR-FB-93-16] p 296 N94-27592
- ### HARMONIC OSCILLATION
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft [NLR-TP-92210-U] p 341 N94-27798
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued) [NLR-TP-92156-U] p 393 N94-30342
- ### HARMONICS
- Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846

HARRIER AIRCRAFT

- The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system p 72 A94-11363
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft [NASA-TM-104008] p 113 N94-11259
- Analysis of the Harrier forebody/inlet design using computational techniques [NASA-CR-193616] p 31 N94-13463
- Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759
- Harrier 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596
- YAV-8B reaction control system bleed and control power usage in hover and transition [NASA-TM-104021] p 540 N94-34994

HASTELLOY (TRADEMARK)

- Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420

HAZE

- Backscatter haze device for measurement of haze in aircraft transparencies [AD-A275127] p 391 N94-29042

HEAD-UP DISPLAYS

- MMW technology for enhanced situation awareness/enhanced vision systems [SAE PAPER 921929] p 93 A94-11711
- Takeoff performance monitoring system display options [BTN-94-EIX94401358988] p 577 A94-61644
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Some VTOL head-up display drive-law problems and solutions [NASA-TM-104027] p 5 N94-20035
- Image processing as a tool in flight testing evaluation p 239 N94-22606
- Standardization of aircraft control and performance symbology on the USAF head-up display [AD-A274283] p 330 N94-26989
- Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079

HEARING

- Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196
- Three dimensional audio versus head down TCAS displays [NASA-CR-177636] p 468 N94-33063

HEAT ENGINES

- Ceramic Technology Project [DE94-001011] p 231 N94-21822
- Materials development program: Ceramic technology project bibliography, 1984-1992 [DE94-009297] p 493 N94-32935

HEAT EXCHANGERS

- Selection criteria for plain and segmented finned tubes for heat recovery systems [BTN-94-EIX94311331076] p 588 A94-61102
- Theoretical evaluation of R22 and R502 alternatives [DE93-014767] p 205 N94-10853
- High flux heat exchanger [AD-A266341] p 175 N94-13730
- Heat transfer studies on a rectangular channel with offset plate fins [AD-A277300] p 452 N94-32043

HEAT FLUX

- Hypersonic testing in the Aachen shock tunnel p 126 A94-10425
- HEG - A new shock tunnel for high enthalpies p 127 A94-10427
- Optimal body shapes with limits on local heat flux p 11 A94-10942
- Arterial heat pipe performance in a transient heat flux and body force environment [SAE PAPER 921944] p 157 A94-11983
- Selection criteria for plain and segmented finned tubes for heat recovery systems [BTN-94-EIX94311331076] p 588 A94-61102
- Structural analysis of airborne flux estimates over a region [HTN-94-00748] p 609 A94-62441

- The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- High Heat Flux Facility [NASA-TM-109834] p 490 N94-33570
- A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow [AD-A278550] p 464 N94-33782

HEAT MEASUREMENT

- The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784
- Turbine blade tip film cooling measurements [AD-A267686] p 103 N94-14964

HEAT OF COMBUSTION

- Controlling combustion and maximizing heat release in a reacting compressible free shear layer [AD-A278328] p 464 N94-33966

HEAT PIPES

- Arterial heat pipe performance in a transient heat flux and body force environment [SAE PAPER 921944] p 157 A94-11983

HEAT PUMPS

- Theoretical evaluation of R22 and R502 alternatives [DE93-014767] p 205 N94-10853

HEAT RESISTANT ALLOYS

- Modelling of the hot-working of high performance alloys p 141 A94-10670
- The simulation of single crystal turbine blade solidification p 141 A94-10671
- Environmental effects in titanium aluminides alloys p 141 A94-10678
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- Metals 2000 [DE93-016761] p 151 N94-17752
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- Alternate melting and refining routes p 585 N94-37323
- Process enhancements of superalloy material p 585 N94-37324
- Maintaining constant standards during the forging process p 586 N94-37326
- Substantiating powder metal life methodologies for engines p 595 N94-37330

HEAT STORAGE

- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling [BTN-94-EIX94311331069] p 589 A94-61109

HEAT TRANSFER

- Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- Heat and mass transfer in the structural elements of aircraft engines p 164 A94-12825
- Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters p 19 A94-12893
- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX94321333323] p 544 A94-60274
- Natural convection in a cavity with fins attached to both vertical walls [BTN-94-EIX94351142119] p 550 A94-60412
- Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling [BTN-94-EIX94351142133] p 537 A94-60426
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine [BTN-94-EIX94311330100] p 587 A94-61058
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104
- Control effectiveness at hypersonic speeds p 112 N94-10426
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition p 21 N94-10452
- New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767
- A new low smoke, low heat release structural foam p 143 N94-10768
- The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784
- Theoretical evaluation of R22 and R502 alternatives [DE93-014767] p 205 N94-10853

- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades [NASA-TM-106278] p 170 N94-11256
- Turbine blade tip film cooling measurements [AD-A267686] p 103 N94-14964
- Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code [AD-A267000] p 181 N94-15632
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696
- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495
- Analytical skin friction and heat transfer formula for compressible internal flows [NASA-CR-191185] p 291 N94-25173
- A study on heat transfer in a scramjet leading edge model [NAL-TR-11877] p 333 N94-27608
- Aerodynamic heating in hypersonic flows p 296 N94-27919
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
- Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893
- Heat transfer studies on a rectangular channel with offset plate fins [AD-A277300] p 452 N94-32043
- Composite matrix experimental combustor [AD-280344] p 538 N94-34679
- Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster [NASA-TM-104272] p 564 N94-36648
- Prediction of film cooling on gas turbine airfoils [NASA-TM-106653] p 579 N94-37448

HEAT TRANSFER COEFFICIENTS

- Selection criteria for plain and segmented finned tubes for heat recovery systems [BTN-94-EIX94311331076] p 588 A94-61102
- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles [AD-A268858] p 185 N94-18391

HEAT TRANSMISSION

- A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405

HEAT TREATMENT

- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers [AD-A264079] p 146 N94-11107
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines [AD-A272998] p 225 N94-21268

HEATING EQUIPMENT

- Experimental investigation on supersonic combustion. II p 97 A94-10702

HEAVING

- Heave dynamics of an air cushion vehicle bag and finger skirt [ISBN-0-315-87053-2] p 423 N94-31734

HEAVY LIFT HELICOPTERS

- Behavior of a cargo suspended under a helicopter p 71 A94-11041

HEAVY LIFT LAUNCH VEHICLES

- Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle [IAF PAPER 93-480] p 137 A94-11259

HELICAL ANTENNAS

- Mobile terminal antennas for helicopters p 232 N94-20458

- L-band mobile terminal antennas for helicopters
p 273 N94-22835
- HELICOPTER CONTROL**
- The use of EH101 Development Cockpit Simulator for pilot assessment p 72 A94-11364
- Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics p 17 A94-12074
- The contribution of the EH101 to improving public transport helicopter safety levels p 53 A94-12083
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 108 A94-12093
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
- The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- Conceptual design of a stopped rotor with flap controls p 108 A94-12108
- A translational rate command control law for hover assist p 109 A94-12111
- Active control of vibrations in helicopters - From HHC to OBC -- higher-harmonic control regulator vs. observer-based controller p 109 A94-12112
- Contribution to performance assessment of helicopter rotor speed control by numerical optimization p 109 A94-12113
- Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter p 109 A94-12233
- Smart airfoils for helicopter control p 77 A94-12237
- Investigation of individual blade pitch control in time domain p 109 A94-12243
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337
- Rotor-state feedback in the design of flight control laws for a hovering helicopter [HTN-94-00298] p 603 A94-62274
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895
- Kinematics and constraints associated with swashplate blade pitch control [NASA-TM-102265] p 115 N94-12820
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors [NASA-CP-3220] p 115 N94-13294
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295
- MIL-H-8501B: Application to shipboard terminal operations p 116 N94-13296
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- Some lessons learned in three years with ADS-33C -- rotorcraft handling qualities specification p 116 N94-13299
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 N94-13300
- The application of active side arm controllers in helicopters p 117 N94-13302
- Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
- The impact of flying qualities on helicopter operational agility p 117 N94-13304
- A four-axis hand controller for helicopter flight control p 117 N94-13305
- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
- Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307
- A model for rotorcraft flying qualities studies p 118 N94-13308
- Interpreted Cooper-Harper for broader use p 118 N94-13309
- Improvements in hover display dynamics for a combat helicopter p 118 N94-13310
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311
- An analytic modeling and system identification study of rotor/fuselage dynamics at hover p 118 N94-13312
- Visual cueing aids for rotorcraft landings p 119 N94-13313
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations p 119 N94-13317

- Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator [NASA-TM-104016] p 122 N94-15793
- VMC left turn curved approaches, test results -- (visual meteorological conditions) p 70 N94-18728
- The dynamic stability of the helicopter [LR-772] p 123 N94-19615
- Improvement of helicopter attitude stability by active control of the conventional swash plate [NASA-CR-194786] p 227 N94-20524
- Neural networks for dynamic flight control [AD-A274089] p 338 N94-25785
- Linear modeling of rotorcraft for stability analysis and preliminary design p 339 N94-26192
- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches [IAR-AN-77] p 339 N94-26710
- Optimal control of helicopters following power failure [NAL-TR-1190] p 340 N94-27206
- A simulator investigation of helicopter flight control system mode transitions [UTIAS-348] p 345 N94-27879
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203
- Development of a reconfigurable helicopter flight control system [ISBN-0-315-87218-7] p 437 N94-31837
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
- HELICOPTER DESIGN**
- What kind of evolution for the helicopter p 1 A94-12041
- The high speed helicopter p 74 A94-12044
- Maritime applications and helicopter technology p 2 A94-12045
- 'Will rotor hubs lose their bearings'? - A survey of bearingless main rotor development p 74 A94-12047
- Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor p 99 A94-12048
- Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- Factor analysis of coaxial rotors aerodynamics in hover p 16 A94-12069
- Outside vision from a helicopter crew cabin - Approaches to its forming in design process p 75 A94-12075
- Development of the BK 117 C-1 with Arriel 1-E engines p 75 A94-12078
- EH101 - The optimum naval helicopter p 75 A94-12080
- High speed Dauphin (DGV) 200 knots toward the future p 75 A94-12081
- The use of pilot models in dynamic performance and rotor load prediction studies p 76 A94-12087
- Experience in fabricating polymeric composite rotor blades p 2 A94-12114
- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118
- Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification p 77 A94-12226
- Avionics for new generation helicopters p 94 A94-12229
- On the track of the Tiger - The navigation system for the Tiger missions p 62 A94-12230
- Helicopter NVG compatible cockpit illumination assessments p 94 A94-12231
- The TIGER cockpit and its simulator p 77 A94-12232
- Helicopter landing gear design p 77 A94-12235
- Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft p 78 A94-12240

- Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241
- Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 A94-12247
- Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
- Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564
- Investigation on the use of optimization techniques for helicopter airframe vibrations design studies p 79 A94-12706
- Rotor-state feedback in the design of flight control laws for a hovering helicopter [HTN-94-00298] p 603 A94-62274
- Analysis of rotor blade dynamics using model scale UH-60A airloads [HTN-94-00300] p 601 A94-62276
- Variation in Hover aeromechanical stability trends with bearingless main rotor design [HTN-94-00304] p 603 A94-62277
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
- The impact of flying qualities on helicopter operational agility p 117 N94-13304
- Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 N94-13321
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
- Mechanical Systems Technology Branch research summary, 1985 - 1992 [AD-A276450] p 184 N94-17583
- Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
- The future of rotary-wing aircraft p 320 N94-25070
- Linear modeling of rotorcraft for stability analysis and preliminary design [AD-A274869] p 339 N94-26192
- Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim [AD-A274924] p 325 N94-26531
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab [AD-A275077] p 391 N94-28870
- Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878
- Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps [AD-A277121] p 427 N94-32363
- EH101: A new helicopter capable of long range missions p 574 N94-36330
- HELICOPTER ENGINES**
- Development of the BK 117 C-1 with Arriel 1-E engines p 75 A94-12078
- Flight tests of the digitally controlled Turbomeca Arrius 1B engines on EC BO 108 p 99 A94-12096
- Life prediction of helicopter engines fitted with dust filters p 99 A94-12115
- Operational requirements for helicopter engines for UK services p 482 N94-34432
- Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- MTR390, the new generation turboshaft engine p 482 N94-34434
- Advanced small high pressure ratio centrifugal compressor p 484 N94-34444
- The centrifugal compressor, an essential component of small and medium power engines p 484 N94-34445
- Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- HELICOPTER PERFORMANCE**
- Helicopter noise certification - Past-present-future p 203 A94-12043
- The high speed helicopter p 74 A94-12044
- Maritime applications and helicopter technology p 2 A94-12045
- Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053

- Influence of non-planar blade tips on rotor performance p 16 A94-12071
- Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
- A.R.M.S. - A HUMS on Eurocopter France helicopter — Health-Usage Monitoring System p 2 A94-12079
- The use of pilot models in dynamic performance and rotor load prediction studies p 76 A94-12087
- Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator p 107 A94-12090
- Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099
- Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104
- Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85 p 158 A94-12109
- Contribution to performance assessment of helicopter rotor speed control by numerical optimization p 109 A94-12113
- Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 A94-12247
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337
- Rotor-state feedback in the design of flight control laws for a hovering helicopter [HTN-94-00298] p 603 A94-62274
- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades [NASA-TM-104000] p 2 A94-10936
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors [NASA-CP-3220] p 115 A94-13294
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 A94-13295
- MIL-H-8501B: Application to shipboard terminal operations p 116 A94-13296
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 A94-13298
- Some lessons learned in three years with ADS-33C — rotorcraft handling qualities specification p 116 A94-13299
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 A94-13300
- The application of active side arm controllers in helicopters p 117 A94-13302
- Rotorcraft flying qualities improvement using advanced control p 117 A94-13303
- The impact of flying qualities on helicopter operational agility p 117 A94-13304
- In-flight simulation of high agility through active control: Taming complexity by design p 117 A94-13306
- A model for rotorcraft flying qualities studies p 118 A94-13308
- Interpreted Cooper-Harper for broader use p 118 A94-13309
- Improvements in hover display dynamics for a combat helicopter p 118 A94-13310
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 A94-13311
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations p 119 A94-13317
- Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 A94-13322
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 A94-13324
- An analysis of helicopter attrition using a low level combat simulation [DSIS-93-00282] p 84 A94-13839
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator [NASA-TM-104016] p 122 A94-15793
- Noise measurement flight test of five light helicopters [AD-A268566] p 208 A94-17599
- The future of rotary-wing aircraft p 320 A94-25070
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system [AD-A273818] p 337 A94-25516
- Closed loop vibrational control: Theory and applications [AD-A275451] p 400 N94-28632
- Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab [AD-A275077] p 391 N94-28870
- Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594
- An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons [AD-A276421] p 419 N94-31332
- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter [AD-A277533] p 474 N94-34080
- Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
- The influence of flying qualities on operational agility p 534 N94-34628
- ### HELICOPTER PROPELLER DRIVE
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments [NASA-TM-106508] p 351 N94-25181
- Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise [NASA-CR-4561] p 412 N94-29552
- Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- ### HELICOPTER TAIL ROTORS
- Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions p 203 A94-12052
- Some comments on tail rotor ground resonance problem p 76 A94-12085
- Experimental evaluation of the EH101 tail rotor dynamics in flight p 76 A94-12095
- Investigations of helicopter tail rotor loading in hovering turns p 78 A94-12248
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- ### HELICOPTER WAKES
- Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction [NASA-CR-193623] p 204 N94-10752
- New vortex dynamics methods for rotor free wake analysis [AD-A266656] p 36 N94-14774
- Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781
- Rotorwash wind sensor evaluation [AD-A268987] p 189 N94-20203
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- Experimental and numerical simulation of helicopter rotor fuselage interaction [ONERA-NT-1993-8] p 423 N94-31421
- User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN [NASA-TM-104139] p 458 N94-32873
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- Rotorwash analysis handbook. Volume 1: Development and analysis [SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendices [SCT-93RR-17-VOL-2] p 567 N94-36467
- ### HELICOPTERS
- Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army p 52 A94-10514
- Electrical power generation systems - Combat aircraft perspective p 156 A94-11373
- Civil application of helicopters p 1 A94-12042
- Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056
- Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068
- Useable Cue Environment (UCE) and its application to simulator testing p 76 A94-12089
- Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337
- Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox [BTN-94-EIX94311331047] p 586 A94-61050
- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades [NASA-TM-104000] p 2 A94-10936
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-191499] p 148 N94-13267
- Helicopter precision approach capability using the Global Positioning System [NASA-CR-194037] p 68 N94-13957
- New vortex dynamics methods for rotor free wake analysis [AD-A266656] p 36 N94-14774
- A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784
- Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799
- On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates [NASA-CR-191546] p 207 N94-15487
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
- Mobile terminal antennas for helicopters p 232 N94-20458
- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography [PB93-205334] p 244 N94-22054
- L-band mobile terminal antennas for helicopters p 273 N94-22835
- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299
- Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 N94-24220

- Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise
[NASA-CR-195090] p 287 N94-24307
- Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514
- Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
- The ISL rotor bench
[ISL-R-108/92] p 321 N94-25301
- Validation of vision-based range estimation algorithms using helicopter flight data
p 370 N94-25506
- Linear modeling of rotorcraft for stability analysis and preliminary design
[AD-A274869] p 339 N94-26192
- Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604
- Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
[AD-A274241] p 313 N94-26826
- S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 1
[AD-A274571] p 354 N94-26854
- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter
[AD-A275546] p 390 N94-28837
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab
[AD-A275077] p 391 N94-28870
- Roof-top emergency heliports
[AD-A278872] p 402 N94-29754
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826
- Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189
- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837
- Status of developing a multifunctional aviation grease
[AD-A276755] p 443 N94-32184
- Helicopter Noise Model (HNM) version 2.2 (user's guide)
[AD-A277072] p 452 N94-32418
- A novel potential/viscous flow coupling technique for computing helicopter flow fields
[NASA-CR-193272] p 457 N94-32476
- Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A278000] p 465 N94-34159
- Accurate estimation of object location in an image sequence using helicopter flight data
p 537 N94-35055
- Selected topics on the active control of helicopter aeromechanical and vibration problems
p 541 N94-35874
- EH101: A new helicopter capable of long range missions
p 574 N94-36330
- Navier-Stokes and potential theory solutions for a helicopter fuselage and comparison with experiment
[NASA-TM-4566] p 569 N94-36966
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-93RR-46] p 601 N94-37604
- HELIPORTS**
- VMC left turn curved approaches, test results — (visual meteorological conditions)
[AD-A269476] p 70 N94-18728
- Combined 1991 and 1992 Robinson-22B (R-22) parking test results
[AD-A273550] p 269 N94-24559
- Roof-top emergency heliports
[AD-A278872] p 402 N94-29754
- Safe heliports through design and planning
[AD-A279034] p 491 N94-34104
- Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466

- Rotorwash analysis handbook. Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467
- Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- HELIUM**
- Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- HELMET MOUNTED DISPLAYS**
- Wide-Eye (tm)/helmet mounted display system for rotorcraft applications
[BTN-94-EIX94331335528] p 549 A94-60209
- Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
- HERMES MANNED SPACEPLANE**
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies
p 166 N94-10055
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032
- HEURISTIC METHODS**
- A mean value analysis heuristic for analysis of aircraft sortie generation
[AD-A278578] p 598 N94-36970
- HEWLETT-PACKARD COMPUTERS**
- 'Real time' and the NLR aerodynamic facilities
[AD-B173626] p 438 N94-30856
- HIGH ALTITUDE**
- Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893
- High Altitude Long Endurance aircraft design studies
p 572 N94-36322
- Technological challenges of High Altitude Long Endurance unmanned configurations
p 573 N94-36323
- HIGH ASPECT RATIO**
- Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- HIGH DEFINITION TELEVISION**
- High definition TV projection via single crystal faceplate technology
[AD-A277850] p 501 N94-33768
- HIGH FREQUENCIES**
- Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464
- Algorithms for a digital radio direction finding system in the HF band
[PB94-149176] p 470 N94-34093
- HIGH POLYMERS**
- Numerical simulation of non-Newtonian free shear flows
p 278 N94-24160
- HIGH PRESSURE**
- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257
- Combustion technology needs for advanced high pressure cycle engines
p 404 N94-29248
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O
p 406 N94-29268
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept
p 473 N94-33508
- Advanced concepts for next generation small gas turbine engine compressors
p 484 N94-34443
- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444
- Flow field analysis in a high pressure ratio centrifugal compressor
p 504 N94-34447
- HIGH REYNOLDS NUMBER**
- Future test facility requirements and the role of heavy gas
p 124 A94-10402
- Current status and some future test directions for the U.S. National Transonic Facility
p 124 A94-10404
- A modernised HST of NLR — High Speed Tunnel
p 124 A94-10405
- The new Italian transonic pilot tunnel
p 124 A94-10406
- Interference corrections in wind tunnels with slotted walls
p 125 A94-10414

- Technical excellence and productivity - The ETW challenge
p 125 A94-10417
- The use of the ETW for tests at high Reynolds number
p 125 A94-10418
- New testing techniques in the T2 cryogenic wind tunnel
p 126 A94-10420
- Hypersonic boundary-layer transition
p 9 A94-10783
- Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves
p 11 A94-10953
- Drag reduction of airplane fuselages through shaping by the inverse method
[BTN-94-EIX94311329117] p 536 A94-60183
- Superfluid turbulence
p 172 N94-12307
- Three-dimensional structure of straight and curved plane wakes
[NASA-CR-194420] p 29 N94-13266
- High Reynolds number configuration development of a high-lift airfoil
p 47 N94-18424
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301
- The radiated noise from isotropic turbulence revisited
[AD-A276712] p 280 N94-24356
- An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil
[AD-A274867] p 292 N94-26191
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel
p 438 N94-30788
- Control of hypersonic aerodynamic forces with surface blowing
p 422 N94-31216
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- HIGH SPEED**
- The high speed helicopter
p 74 A94-12044
- High speed Dauphin (DGV) 200 knots toward the future
p 75 A94-12081
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 N94-26151
- High speed jet noise research at NASA Lewis
p 509 N94-33464
- NASA/LaRC jet plume research
p 478 N94-33468
- Results of GEAE HSCT propulsion system studies
p 479 N94-33479
- First Annual High-Speed Research Workshop, part 3
[NASA-CP-10087-PT-3] p 460 N94-33487
- First Annual High-Speed Research Workshop, part 4
[NASA-CP-10087-PT-4] p 461 N94-33517
- Overview of NASA HSR high-lift program
p 461 N94-33518
- HIGH STRENGTH**
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX94321333312] p 548 A94-60044
- Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
- Improvements in spiral-bevel gears to reduce noise and increase strength
[NASA-TM-106613] p 500 N94-33609
- HIGH STRENGTH ALLOYS**
- Substantiating powder metal life methodologies for engines
p 595 N94-37330
- HIGH TEMPERATURE**
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109
- Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984
- High temperature fuel requirements and payoffs
p 405 N94-29259

- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893
- High temperature NASP engine seal development [NASA-TM-109750] p 447 N94-31804
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306
- Correlation of analytical and experimental hot structure vibration results [NASA-TM-104269] p 576 N94-36644
- HIGH TEMPERATURE ENVIRONMENTS**
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
- Strain sensing technology for high temperature applications [NASA-TM-4498] p 173 N94-12874
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- Cold-start minidiesel engine development [AD-A271064] p 232 N94-20567
- Microspheres for laser velocimetry in high temperature wind tunnel p 345 N94-27903
- HIGH TEMPERATURE GASES**
- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX94321333323] p 544 A94-60274
- Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
- Effect of pressure on second-generation pressurized fluidized bed combustion plants [BTN-94-EIX94311331067] p 589 A94-61111
- Hypersonic flow phenomenology p 34 N94-14155
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling p 334 N94-28018
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- HIGH TEMPERATURE LUBRICANTS**
- Liquid lubricants for advanced aircraft engines p 142 A94-12653
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- HIGH TEMPERATURE SUPERCONDUCTORS**
- Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405
- HIGH TEMPERATURE TESTS**
- Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791
- Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311
- A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 N94-14727
- HIGHLY MANEUVERABLE AIRCRAFT**
- Maneuvering technology for advanced fighter aircraft [SAE PAPER 921984] p 107 A94-12002
- Nonlinear stability and control study of highly maneuverable high performance aircraft [NASA-CR-193480] p 79 N94-10344
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- Feedback control laws for highly maneuverable aircraft [NASA-CR-195195] p 337 N94-25176
- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study [NASA-CR-195297] p 459 N94-33119
- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382
- Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- Aerodynamic design of super maneuverable aircraft p 533 N94-34617
- Flying qualities evaluation maneuvers p 533 N94-34623
- Operational agility: An overview of AGARD Working Group 19 p 534 N94-34625
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- HINGES**
- Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239
- HISTORIES**
- Flight operations highlights, tapes 1 and 2 [NASA-TM-109293] p 212 N94-13633
- Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
- Fifty years of the Netherlands Association of Aeronautical Engineers p 4 N94-15121
- Aircraft accident investigation at ARL: The first 50 years [AD-A267086] p 57 N94-15542
- Maximizing participation of women in collegiate aviation education [NIAR-93-14] p 210 N94-17261
- X-29: Research aircraft [NASA-TM-109370] p 91 N94-18962
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 N94-20543
- Rolls-Royce in perspective: Past, present and future [PNR-90882] p 264 N94-23519
- The RB211: The first 25 years [PNR-90977] p 264 N94-23570
- The evolution of the high-speed civil transport [NASA-TM-109089] p 372 N94-26155
- Nasa Langley Research Center seventy-fifth anniversary publications, 1992 [NASA-TM-109691] p 372 N94-27431
- Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864
- Development of the gas turbine. Part 1: Design philosophy and performance p 362 N94-28080
- Fishermans Bend: A centre of Australian aviation [AD-A274981] p 373 N94-29090
- NASA historical data book. Volume 4: NASA resources 1969-1978 [NASA-SP-4012-VOL-4] p 514 N94-33949
- In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- HL-10 REENTRY VEHICLE**
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle [NASA-RP-1332] p 535 N94-34703
- HODOGRAPHS**
- Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- HOLE GEOMETRY (MECHANICS)**
- Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- HOLES (MECHANICS)**
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
- HOLLOW CATHODES**
- Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting [BTN-94-EIX94311330477] p 592 A94-61203
- HOLOGRAPHIC INTERFEROMETRY**
- Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing p 155 A94-11090
- Advanced diagnostics research for high speed aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
- Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466
- HOLOGRAPHY**
- Detailed flow measurements and predictions for a three-stage transonic fan [BTN-94-EIX94311330096] p 587 A94-61062
- The evolution of whole field optical diagnostics for external transonic testing [ARA-MEMO-379] p 205 N94-11887
- Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 N94-23545
- Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466
- HOMING DEVICES**
- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem [BTN-94-EIX94401358173] p 583 A94-61679
- Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167
- HOMOGENEOUS TURBULENCE**
- Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443
- HOMOTOPY THEORY**
- Research in robust control for hypersonic aircraft [NASA-CR-195250] p 339 N94-26821
- HONEYCOMB STRUCTURES**
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb p 128 A94-10446
- Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb [ARA-MEMO-375] p 131 N94-10894
- SAND contact in DYNA3D [DE93-016451] p 152 N94-18113
- Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage [AD-A269206] p 46 N94-18413
- HORIZONTAL FLIGHT**
- Advanced rotorcraft flight simulation: Model development, validation and parallel implementation p 80 N94-11056
- Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781
- Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight p 379 N94-29826
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159
- Computation of helicopter rotor acoustics in forward flight [NASA-CR-196132] p 560 N94-36031
- HORIZONTAL SPACECRAFT LANDING**
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task [BTN-94-EIX94351137057] p 544 A94-60397
- HORIZONTAL TAIL SURFACES**
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895
- Apparatus and method for improving spin recovery on aircraft [NASA-CASE-LAR-14747-1] p 227 N94-20556
- Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio [ESDU-93007] p 298 N94-28057

HORN ANTENNAS

- Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- HORSEPOWER**
Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- HORSESHOE VORTICES**
LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557
Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- HOSES**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350
- HOT CORROSION**
Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- HOT ISOSTATIC PRESSING**
Manufacture and properties of sigma fibre reinforced titanium
p 585 N94-36655
- HOT SURFACES**
Liquid tight insulation for high temperature aircraft ducting
[SAE PAPER 921914] p 98 A94-11967
- HOT WORKING**
Modelling of the hot-working of high performance alloys
p 141 A94-10670
- HOT-FILM ANEMOMETERS**
Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
Surface hot film measurements at ATTAS laminar glove
p 224 N94-22598
Testing of a multisensor hot film technique in wind tunnel and free flight
p 218 N94-22599
- HOT-WIRE ANEMOMETERS**
Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft
p 238 N94-22604
Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592
- HOT-WIRE FLOWMETERS**
Correction of X hot-wire measurements for gradients normal to the plane of the wires
[PB94-125473] p 402 N94-30399
- HOTSHOT WIND TUNNELS**
Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities
p 133 N94-14159
- HOUSINGS**
Magnetic power piston fluid compressor
[NASA-CASE-GSC-13565-1] p 276 N94-23831
- HOVERING**
On a finite-state inflow application to flap-lag-torsion damping in hover
p 74 A94-12061
Factor analysis of coaxial rotors aerodynamics in hover
p 16 A94-12069
An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover
p 76 A94-12094
A translational rate command control law for hover assist
p 109 A94-12111
Investigations of helicopter tail rotor loading in hovering turns
p 78 A94-12248
Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover
[NASA-CR-4532] p 25 N94-10758
Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
An analytic modeling and system identification study of rotor/fuselage dynamics at hover
p 118 N94-13312
Visual cueing aids for rotorcraft landings
p 119 N94-13313
Optimization-based controller design for rotorcraft
p 121 N94-14642
Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781
Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577

- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- Rotorcraft noise: Status and recent developments
[NASA-CR-194761] p 244 N94-20523
An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826
The analysis of wake-induced unsteady aerodynamics related to higher harmonic control
[AD-A277914] p 459 N94-33108
A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A278000] p 465 N94-34159
YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994
Tipjet 80-inch model rotor hover test: Test no. 1198
[AD-A279680] p 567 N94-36261
- HOVERING STABILITY**
Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274
Variation in Hover aeromechanical stability trends with bearingless main rotor design
[HTN-94-00304] p 603 A94-62277
The dynamic stability of the helicopter
[LR-772] p 123 N94-19615
Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory
[NASA-CR-195765] p 437 N94-31203
- HUBS**
Will rotor hubs lose their bearings? - A survey of bearingless main rotor development
p 74 A94-12047
A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364
Blade and hub loads of ballistically damaged helicopter rotors
[AD-A270663] p 92 N94-19781
A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726
- HULLS (STRUCTURES)**
Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- HUMAN CENTRIFUGES**
Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E
p 541 N94-34630
- HUMAN FACTORS ENGINEERING**
The use of EH101 Development Cockpit Simulator for pilot assessment
p 72 A94-11364
Cockpit data link displays - An evaluation of textual formats
[SAE PAPER 922025] p 93 A94-11722
Controller evaluations of ATC Data Link services
[SAE PAPER 922027] p 61 A94-11724
The TIGER cockpit and its simulator
p 77 A94-12232
Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
The application of active side arm controllers in helicopters
p 117 N94-13302
A four-axis hand controller for helicopter flight control
p 117 N94-13305
Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472
Evaluation of the UH-1N instrument panel
[AD-A273145] p 263 N94-24774
Cockpit control system
[NASA-CR-195488] p 336 N94-24957
Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048
The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
[AD-A279036] p 383 N94-29445
Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887

- Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223
Aviation human factors research in US universities: Potential contributions to national needs
[NASA-TM-108814] p 467 N94-32927
Cockpit Electronic Display Workshop: A synopsis
[AD-A277728] p 477 N94-33280
Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618
On the design of flight-deck procedures
[NASA-CR-177642] p 468 N94-33943
Effects of checklist interface on non-verbal crew communications
[NASA-CR-177639] p 528 N94-34915
The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871] p 556 N94-35596
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048
Synthetic vision display evaluation studies
[NASA-CR-194963] p 603 N94-37658
- HUMAN PERFORMANCE**
Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472
Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
Cognitive approach to specifications on air traffic controllers' decision assistance systems
p 386 N94-29571
Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933
Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- HUMAN REACTIONS**
Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2
[AD-A265193] p 67 N94-11879
Experimental studies of loudness and annoyance response to sonic booms
p 370 N94-28195
Comparison of methods of predicting community response to impulsive and nonimpulsive noise
p 370 N94-28196
Sonic boom acceptability studies
p 512 N94-33500
Georgia Tech sonic boom simulator
p 512 N94-33501
Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms
p 513 N94-33502
A review of an updated synthesis of noise/annoyance relationships
[NASA-CR-194950] p 513 N94-34303
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
[PB94-151941] p 513 N94-34380
- HUMAN TOLERANCES**
Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799
- HUMAN-COMPUTER INTERFACE**
Enhancing functionality of real time systems through machine learning
[AIAA PAPER 93-4662] p 197 A94-11532
Cockpit data link displays - An evaluation of textual formats
[SAE PAPER 922025] p 93 A94-11722
Controller evaluations of ATC Data Link services
[SAE PAPER 922027] p 61 A94-11724
Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
Modelling decision-making by pilots
[NASA-CR-194767] p 244 N94-21821
Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
Evaluation of access/navigation features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744
A method of user interface for NWT
p 415 N94-28993
Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005

- Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
- Intelligent systems for air space control and management p 384 N94-29560
- Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Decision Making Aids (DMA) in on-line ATC systems p 386 N94-29570
- Considerations on graphical user interfaces for intelligent ATM support systems p 386 N94-29572
- Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS) [AD-A277184] p 420 N94-32254
- Modular Simulator System (MSS). Interface requirements specification for the generic MSS [AD-A276965] p 440 N94-32311
- The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
- HUMIDITY MEASUREMENT**
- Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293
- HYBRID COMPOSITES**
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
- Quantification of uncertainties in the performance of smart composite structures [NASA-TM-106335] p 188 N94-20171
- HYBRID COMPUTERS**
- An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system [AD-A266924] p 38 N94-15105
- HYDRAULIC CONTROL**
- Analytical evaluation of servovalves for flight simulator motion bases [SAE PAPER 921952] p 158 A94-11990
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory [NASA-TM-106577] p 491 N94-33604
- Computer assistant test and consultive system for aircraft fluid element p 504 N94-34368
- HYDRAULIC EQUIPMENT**
- YF-23A hydraulic management system [SAE PAPER 922028] p 73 A94-12023
- Selecting the correct hydraulic component material for minimum life cycle cost [SAE PAPER 922031] p 74 A94-12024
- Miniature linear-to-rotary motion actuator p 413 N94-29647
- ANOPP/VMS HSCT ground contour system p 511 N94-33492
- HYDRAULIC FLUIDS**
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- HYDRAULIC JETS**
- Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
- Aquastrip (tm): An innovative paint removal technology p 168 N94-10625
- HYDRAZINE ENGINES**
- Hydrazine engine start system air start performance and controls sizing [SAE PAPER 921948] p 158 A94-11987
- HYDROCARBON COMBUSTION**
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction [AD-A269715] p 105 N94-18748
- Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- HYDROCARBON FUELS**
- Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- HYDROCARBONS**
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
- Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- Halon 1211 replacement agent evaluation-perfluorohexane and halotron I [AD-A278194] p 499 N94-33385
- Stratospheric emissions effects database [NASA-CR-4592] p 605 N94-37607
- HYDRODYNAMICS**
- A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026
- Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436
- HYDROFOIL OSCILLATIONS**
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026
- HYDROFOILS**
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026
- HYDROGEN**
- Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- Fuels combustion research [AD-A275122] p 404 N94-29004
- Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
- HYDROGEN FUELS**
- Experimental investigation on supersonic combustion. II p 97 A94-10702
- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames [BTN-94-EIX9432133324] p 546 A94-60275
- An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945
- Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268
- Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors p 398 N94-29298
- HYDROGEN OXYGEN ENGINES**
- Turbine design p 140 N94-20075
- HYDROGRAPHY**
- Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system [AD-A276160] p 431 N94-31080
- Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers [AD-A278152] p 469 N94-33095
- HYDROLYSIS**
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378
- HYDROSTATIC PRESSURE**
- Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112
- HYDROSTATICS**
- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- HYDROTHERMAL STRESS ANALYSIS**
- Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- HYDROXYL COMPOUNDS**
- The radiocarbon hydroxyl technique p 414 N94-28600
- HYDROXYL RADICALS**
- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel [BTN-94-EIX9432133315] p 520 A94-60266
- HYGROMETERS**
- Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293
- HYPERCUBE MULTIPROCESSORS**
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver [NASA-TM-106481] p 271 N94-24301
- HYPERPLANES**
- New output feedback design in variable structure systems [BTN-94-EIX94381311173] p 597 A94-61260
- HYPERSONIC AIRCRAFT**
- Powder metallurgy of advanced titanium alloys p 141 A94-10660
- Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes p 71 A94-10777
- Concepts of hypersonic aircraft p 71 A94-10778
- A thermal management assessment tool for advanced hypersonic aircraft [SAE PAPER 921941] p 73 A94-11980
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- Metals 2000 [DE93-016761] p 151 N94-17752
- NASA/USRA advanced design program [NASA-CR-195548] p 262 N94-24492
- The design of four hypersonic reconnaissance aircraft p 323 N94-25716
- Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- Research in robust control for hypersonic aircraft [NASA-CR-195250] p 339 N94-26821
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
- Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318
- HYPERSONIC BOUNDARY LAYER**
- Second-order effects in hypersonic boundary layers p 8 A94-10769
- Hypersonic boundary-layer transition p 9 A94-10783
- Stability of hypersonic boundary-layer flows with chemistry p 21 N94-10451
- Hypersonic flow phenomenology p 34 N94-14155
- Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328
- Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882
- Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391
- HYPERSONIC COMBUSTION**
- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
- HYPERSONIC FLIGHT**
- Perspectives on hypersonic viscous flow research p 11 A94-10892
- Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities p 11 A94-10932
- Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258
- Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames [BTN-94-EIX9432133324] p 546 A94-60275
- Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
- Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
- Methodology of Hypersonic Testing [VKI-LS-1993-03] p 33 N94-14153
- Hypersonic overview p 34 N94-14154
- Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
- Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
- Hypersonic flight testing. Part 2: Aerothermal flight testing p 103 N94-14169
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678
- Flight testing of airbreathing hypersonic vehicles [NASA-TM-4524] p 140 N94-15753
- Trajectory optimization for the National Aerospace Plane [NASA-CR-194618] p 86 N94-16498
- An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction [AD-A268394] p 44 N94-17461
- NASA/USRA advanced design program [NASA-CR-195548] p 262 N94-24492
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known) [ESDU-93020] p 299 N94-28091
- Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292
- Turbo ramjet engines: Types and performances p 398 N94-29293
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893

Potential of the ramjet engine for hypersonic flight speeds p 435 N94-30935

Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318

Vehicle integration effects on hypersonic waveriders [NASA-TM-109739] p 474 N94-34118

Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277

Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment [NASA-TM-4627] p 569 N94-37378

HYPERSONIC FLOW

Advances in hypersonics. Vol. 2 - Modeling hypersonic flows [ISBN 0-8176-3663-3] p 7 A94-10759

Turbulence modeling for hypersonic flows p 7 A94-10760

Modeling of hypersonic reacting flows p 8 A94-10763

Modeling of hypersonic nonequilibrium flows p 8 A94-10764

Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications p 8 A94-10765

Physical aspects of hypersonic flow - Fluid dynamics and nonequilibrium phenomena p 8 A94-10766

Advances in hypersonics. Vol. 3 - Computing hypersonic flows [ISBN 0-8176-3664-1] p 8 A94-10767

Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770

Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771

The finite pointset method for hypersonic flows in the rarefied gas regime p 9 A94-10773

Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774

Advances in hypersonics. Vol. 1 - Defining the hypersonic environment [ISBN 0-8176-3639-0] p 9 A94-10776

Low density facilities p 129 A94-10782

Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties p 10 A94-10888

Perspectives on hypersonic viscous flow research p 11 A94-10892

Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420

Navier-Stokes solver for hypersonic flow over a slender cone [BTN-94-EIX94311330681] p 543 A94-60110

Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy [BTN-94-EIX94311330650] p 516 A94-60141

Computational analysis of off-design waveriders [BTN-94-EIX94311329125] p 549 A94-60175

Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders [BTN-94-EIX94351142135] p 521 A94-60428

Direct simulation with vibration-dissociation coupling [BTN-94-EIX94351142136] p 521 A94-60429

Calculation of real-gas effects on airfoil aerodynamic characteristics [BTN-94-EIX94351142143] p 521 A94-60436

Computation of three-dimensional hypersonic flows in chemical nonequilibrium [BTN-94-EIX94401358982] p 566 A94-61638

Fluctuating wall pressures near separation in highly swept turbulent interactions [BTN-94-EIX94421374958] p 563 A94-61856

Numerical simulation of the flow through a scramjet engine p 100 N94-10425

Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434

Issues and approach to develop validated analysis tools for hypersonic flows: One perspective p 20 N94-10446

Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449

A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463

Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014

Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge [NASA-TM-108994] p 172 N94-12571

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3 [NAL-TR-1168-PT-3] p 28 N94-12948

Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459

Methodology of Hypersonic Testing [VKI-LS-1993-03] p 33 N94-14153

Hypersonic overview p 34 N94-14154

Hypersonic flow phenomenology p 34 N94-14155

Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158

Hypersonic flow field measurements: Intrusive p 34 N94-14166

Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167

Hypersonic viscous flow computations p 35 N94-14612

Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results [MBB-LME-211-S-PUB-507] p 36 N94-14710

A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 N94-14727

Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-RR-792] p 179 N94-15196

Unsteady phenomena in shock wave/boundary layer interaction p 180 N94-15200

Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678

Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787

Single block three-dimensional volume grids about complex aerodynamic vehicles [NASA-TM-108986] p 183 N94-17476

CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2 [FFA-TN-1992-42] p 45 N94-17919

Synthesis of the Workshop on Hypersonic Flows for Reentry Problems [INRIA-RR-1721] p 45 N94-17957

Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles [AD-A268858] p 185 N94-18391

Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-194628] p 52 N94-20014

An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411

Multigrid schemes for viscous hypersonic flows p 217 N94-21473

Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513

Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532

The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel [NASA-CR-4571] p 294 N94-26548

Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588

Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions [NASA-CR-195170] p 357 N94-27802

Aerodynamic heating in hypersonic flows p 296 N94-27919

Control jets in interaction with hypersonic rarefied flow p 347 N94-28020

Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021

Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow p 376 N94-28963

Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966

Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893

Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882

Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958

Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow [AD-A277322] p 448 N94-32256

Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167

Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391

Combined LAURA-UPS solution procedure for chemically-reacting flows [NASA-TM-107964] p 551 N94-34721

Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964

Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965

A review and development of correlations for base pressure and base heating in supersonic flow [SAND93-0280] p 526 N94-35360

Development and application of computational aerothermodynamics flowfield computer codes [NASA-CR-196136] p 526 N94-35498

Investigation of Burnett equations for two-dimensional hypersonic flow [AD-A278942] p 527 N94-35717

A fundamental study of hypersonic unstarts [AD-A280506] p 595 N94-37128

HYPERSONIC HEAT TRANSFER

Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411

Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties p 10 A94-10888

Aerodynamic heating environment definition/thermal protection system selection for the HL-20 [BTN-94-EIX94351137058] p 544 A94-60398

Computation of hypersonic nosetip heat transfer rates for an M829-like projectile [AD-A263226] p 27 N94-11870

Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles [AD-A268858] p 185 N94-18391

Combined LAURA-UPS solution procedure for chemically-reacting flows [NASA-TM-107964] p 551 N94-34721

Active cooling from the sixties to NASP [NASA-TM-109079] p 605 N94-37541

HYPERSONIC INLETS

A comparative study of turbulence models in predicting hypersonic inlet flows p 50 N94-18553

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328

A fundamental study of hypersonic unstarts [AD-A280506] p 595 N94-37128

HYPERSONIC NOZZLES

Some viscous interactions affecting the design of hypersonic intakes and nozzles p 10 A94-10784

Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258

A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers [AD-A266543] p 32 N94-13705

Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882

HYPERSONIC REENTRY

Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties p 10 A94-10888

Local aerothermal problems during Hermes re-entry p 21 N94-10464

Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678

Synthesis of the Workshop on Hypersonic Flows for Reentry Problems [INRIA-RR-1721] p 45 N94-17957

HYPERSONIC SHOCK

High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781

Calculation of hypersonic shock structure using flux-split algorithms [NASA-CR-194296] p 32 N94-13607

An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247

The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695

Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known) [ESDU-93020] p 299 N94-28091

Shock impingement near mild hypersonic expansion corners p 424 N94-31879

Investigation of Burnett equations for two-dimensional hypersonic flow [AD-A278942] p 527 N94-35717

HYPERSONIC SPEED

- Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 N94-10424
- Control effectiveness at hypersonic speeds p 112 N94-10426
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- Electromagnetic wave test p 177 N94-14173
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- Potential of the ramjet engine for hypersonic flight speeds p 435 N94-30935
- Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424
- Future ultra-speed tube-flight p 555 N94-35918
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729

HYPERSONIC TEST APPARATUS

- A review of European hypersonic facilities p 126 A94-10423
- Hypersonic testing in the Aachen shock tunnel p 126 A94-10425
- High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781
- Recommendations for future research in hypersonic instrumentation p 20 N94-10433
- Methodology of Hypersonic Testing
[VKI-LS-1993-03] p 33 N94-14153
- Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157
- Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
- Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159

HYPERSONIC VEHICLES

- Modeling of hypersonic reacting flows p 8 A94-10763
- Second-order effects in hypersonic boundary layers p 8 A94-10769
- Optimal body shapes with limits on local heat flux p 11 A94-10942
- Fiber optic based velocimetry for the investigation of high velocity turbulence p 165 A94-12982
- High temperature materials for hypersonic transport p 142 N94-10003
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- Aeropropulsion test and evaluation methods p 102 N94-14165
- Flight testing of airbreathing hypersonic vehicles
[NASA-TM-4524] p 140 N94-15753
- Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
- An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
- Configuration development study of the OSU 1 hypersonic research vehicle
[NASA-CR-195522] p 262 N94-24591
- Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization
[NASA-CR-195703] p 347 N94-27789
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- Aerodynamic heating in hypersonic flows p 296 N94-27919
- Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516

- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739] p 474 N94-34118
- Computational study of generic hypersonic vehicle flow fields
[NASA-CR-195938] p 466 N94-34277
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle
[NASA-RP-1332] p 535 N94-34703
- A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541

HYPERSONIC WIND TUNNELS

- Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411
- A review of European hypersonic facilities p 126 A94-10423
- Recent enhancements to the DRA shock tunnel p 127 A94-10426
- Hypersonic wind tunnel testing p 128 A94-10779
- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 N94-10424
- Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435
- Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948
- Methodology of Hypersonic Testing
[VKI-LS-1993-03] p 33 N94-14153
- Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157
- Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- Aerodynamic heating in hypersonic flows p 296 N94-27919
- Holographic interferometry: A user's guide
[DE94-003136] p 408 N94-28466
- Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-109855] p 542 N94-34633

HYPERSONICS

- Hypersonic fin aerodynamics
[BTN-94-EIX94311330699] p 516 A94-60092
- HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- Recommendations for future research in hypersonic instrumentation p 20 N94-10433
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration
[NAL-TR-1186] p 83 N94-13459
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705
- Hypersonic overview p 34 N94-14154
- Hypersonic viscous flow computations p 35 N94-14612
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194599] p 39 N94-15678
- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- An efficient numerical method for three-dimensional hypersonic flow
[AD-A272506] p 216 N94-21411
- NASA/USRA advanced design program
[NASA-CR-195548] p 262 N94-24492

- The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958
- Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391
- Investigation of Burnett equations for two-dimensional hypersonic flow
[AD-A278942] p 527 N94-35717
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687

HYPERVELOCITY FLOW

- Gaseous detonation driver for a shock tunnel p 130 A94-13072
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition p 21 N94-10452
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022

HYPERVELOCITY GUNS

- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748

HYPERVELOCITY IMPACT

- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009

HYPERVELOCITY LAUNCHERS

- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009

HYPERVELOCITY PROJECTILES

- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268558] p 185 N94-18391
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748

HYPERVELOCITY WIND TUNNELS

- An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424

HYSTERESIS

- Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966

ICE

- Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
- Influence of aerodynamic forces in ice shedding
[BTN-94-EIX94401358967] p 564 A94-61623
- Paint removal and surface cleaning using ice particles p 168 N94-10626
- A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964] p 170 N94-11132
- Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522
- Close-up analysis of inflight ice accretion
[NASA-TM-106457] p 254 N94-23523
- Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test p 361 N94-28050
- Microwave sensor for ice detection p 475 N94-32457

ICE CLOUDS

Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959

ICE FORMATION

Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne p 126 A94-10422
Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94331337183] p 606 A94-62186
Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180
Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel
[NASA-TM-106471] p 248 N94-23299
Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522
Close-up analysis of inflight ice accretion
[NASA-TM-106457] p 254 N94-23523
Rime-, mixed- and glaze-ice evaluations of three scaling laws
[NASA-TM-106461] p 255 N94-24047
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956
Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076
Ice accretion on aircraft wings p 311 N94-28345
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
Development of a three-dimensional icing model for predicting ice accretion on aircraft
[ONERA-NT-1993-5] p 426 N94-31230
Continuous measurement of aircraft wing icing p 467 N94-32454

ICE MAPPING

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

ICE PREVENTION

Transfer of heat by self-induced flow in a rotating tube
[BTN-94-EIX94311330098] p 587 A94-61060
Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
Aircraft icing handbook (update)
[AD-A276499] p 426 N94-31678
WHIPICE — computer program for analysis of aircraft deicing
[NASA-TM-109749] p 426 N94-31803
Icing research tunnel
[NASA-TM-109844] p 491 N94-33751

ICE REPORTING

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

IDEAL GAS

A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705
Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164

IGNITERS

STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806

IGNITION

Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2
[NASA-CR-191189] p 103 N94-14448

ILL-POSED PROBLEMS (MATHEMATICS)

Numerical solution of inverse problem in aerodynamics p 376 N94-28965

ILLUMINATING

Evaluation for the development of taxiway lighting intensity standards
[AD-A276706] p 440 N94-32120

IMAGE ANALYSIS

Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
Zernike moments and rotation invariant object recognition. A neural network oriented case study
[AD-A273749] p 353 N94-26011
Safe navigation and active vision for autonomous vehicles: A purposive and direct solution p 450 N94-31842
Analysis of wavelet technology for NASA applications
[NASA-CR-195929] p 522 N94-34704
A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 N94-36812

IMAGE ENHANCEMENT

Radar E-O image fusion p 352 N94-25503

IMAGE INTENSIFIERS

Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058

IMAGE PROCESSING

Simultaneous raster and calligraphic CRT projection system for flight simulation p 159 A94-12267
Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420
Method for inferring sensor attitude through multi-feature tracking p 94 A94-12598
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252
Image processing as a tool in flight testing evaluation p 239 N94-22606
Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522
Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 N94-23545
A colour image processing algorithm to identify copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
Radar E-O image fusion p 352 N94-25503
Expansion-based passive ranging p 312 N94-25504
Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
Zernike moments and rotation invariant object recognition. A neural network oriented case study
[AD-A273749] p 353 N94-26011
Color head down display program
[AD-A274807] p 330 N94-26340
Airsides ground movements surveillance p 388 N94-29585
The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356
Accurate estimation of object location in an image sequence using helicopter flight data p 537 N94-35055
Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529

IMAGE RECONSTRUCTION

The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356
Accurate estimation of object location in an image sequence using helicopter flight data p 537 N94-35055

Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529

IMAGE RECONSTRUCTION

The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356

IMAGE RESOLUTION

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
Encoding approaches for data link transmission of weather graphics
[AD-A274497] p 355 N94-26963

IMAGERY

Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
Visual evaluation of computer-generated textures
[AD-A277201] p 450 N94-32093

IMAGING RADAR

AIRSAF South American deployment: Operation plan, version 3.0 p 201 N94-15919

IMAGING SPECTROMETERS

Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298

IMAGING TECHNIQUES

An exploration of three dimensional computer graphics in cockpit avionics p 94 A94-12266
Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel p 520 A94-60266
[BTN-94-EIX94321333315] p 520 A94-60266
Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
X ray computed tomography for geometry acquisition
[AD-A268085] p 202 N94-17590
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LRF spectroscopies
[DE93-017228] p 152 N94-18761
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
Long-range laser imaging
[AD-A273020] p 233 N94-21253
Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607
Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 N94-25184
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658
Synthetic vision technology demonstration. Volume 1: Executive summary
[AD-280564] p 475 N94-33076
Synthetic vision technology demonstration. Volume 2: Sensor tower testing
[DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices
[AD-A281052] p 476 N94-33079
A qualitative and quantitative laser-based computer-aided flow visualization method
[NASA-CR-195300] p 466 N94-34391

IMPACT DAMAGE

Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989
[PB93-160687] p 58 N94-16464
Blade and hub loads of ballistically damaged helicopter rotors
[AD-A270663] p 92 N94-19781
A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
Experimental study of the angled crack in GLARE 3
[PB94-126554] p 326 N94-26954
Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
Cockpit video: A low cost BDA source
[AD-A275228] p 395 N94-29389
Location of impact damage sites in composite aircraft structures, task 3.4.1
[DSIS-94-01590] p 443 N94-31892
Assessment of impact damage in composite structures
[AD-A277063] p 444 N94-32265
Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
Annual review of aircraft accident data: US general aviation calendar year 1991
[PB94-127982] p 528 N94-34991

IMPACT LOADS

Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
Impact analysis of composite aircraft structures p 187 N94-19468
Explicit solution techniques for impact with contact constraints p 188 N94-19470
Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141

- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- IMPACT STRENGTH**
- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
- Development of stitched/RTM composite primary structures p 494 N94-33127
- IMPACT TESTING MACHINES**
- The development of a horizontal impact sled facility and subsequent crashworthiness experiments
[NIAR-93-15] p 343 N94-26200
- IMPACT TESTS**
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- Composite impact dynamics research at NASA LARC: A review p 187 N94-19467
- The development of a horizontal impact sled facility and subsequent crashworthiness experiments
[NIAR-93-15] p 343 N94-26200
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
- Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer
[ISBN-0-315-86210-6] p 439 N94-31710
- Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- IMPELLERS**
- Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers
[BTN-94-EIX94311330094] p 590 A94-61125
- Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents
[BTN-94-EIX94311330091] p 590 A94-61128
- Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
- Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- Advanced concepts for next generation small gas turbine engine compressors p 484 N94-34443
- Advanced small high pressure ratio centrifugal compressor p 484 N94-34444
- Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- Aerodynamic design and investigation of a mixed flow compressor stage p 504 N94-34450
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- IMPINGEMENT**
- Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
- Shock impingement near mild hypersonic expansion corners p 424 N94-31879
- Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B
[NASA-CR-195958] p 523 N94-34965
- IMPREGNATING**
- Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- IMPULSES**
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- IN-FLIGHT MONITORING**
- Stall warning using contamination detecting aerodynamics
[SAE PAPER 922010] p 14 A94-12014
- Health and Usage Monitoring systems p 2 A94-12046
- A.R.M.S. - A HUMS on Eurocopter France helicopter --- Health-Usage Monitoring System p 2 A94-12079
- Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084
- Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104
- Helicopter structural integrity monitoring p 77 A94-12238
- An impedance approach to vibro-acoustic modeling p 204 A94-12483
- In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- Smart structures: A technology for next generation aircraft p 81 N94-11318
- Smart materials for helicopter rotor active control p 81 N94-11321
- In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333
- Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882
- INCIDENCE**
- Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- INCLUSIONS**
- The control of cleanliness in powder metallurgy materials for turbine disks p 586 N94-37325
- INCOMPRESSIBLE FLOW**
- Finite element analysis of lift build-up due to aerofoil indical motion p 12 A94-11922
- Symmetry breaking in vortical flows over cones: Theory and numerical experiments
[BTN-94-EIX94301315981] p 547 A94-60017
- Low-dimensional description of the dynamics in separated flow past thick airfoils
[BTN-94-EIX94421374967] p 563 A94-61865
- Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365
- Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems
[AD-A268748] p 46 N94-18402
- Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425
- Numerical investigation of the incompressible flow around a wing with a fixed spoiler
[ISL-R-109/91] p 51 N94-19524
- Modelling stalled airfoils
[ISBN-0-315-59525-6] p 218 N94-22382
- Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
- Sub-sonic flow about a slender profile in a tunnel having perforated walls
[AD-A273184] p 291 N94-25137
- Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- Non-isenergetic inviscid slot flow p 303 N94-28333
- Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- Lift enhancement by trapped vortex p 462 N94-33524
- Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- INCOMPRESSIBLE FLUIDS**
- Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725
- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478
- INDEPENDENT VARIABLES**
- Flight test techniques for aircraft parameter estimation in ground effect
[AD-A270058] p 91 N94-18795
- INDEXES (DOCUMENTATION)**
- NASA SBIR abstracts of 1992, phase 1 projects
[NASA-TM-109694] p 371 N94-27772
- INDICATING INSTRUMENTS**
- Wide-Eye (tm)/helmet mounted display system for rotorcraft applications
[BTN-94-EIX94331335528] p 549 A94-60209
- INDONESIA**
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- INDUCED DRAG**
- Quantitative low-speed wake surveys
[BTN-94-EIX94311329113] p 520 A94-60187
- A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack
[FFA-TN-1992-14] p 45 N94-17722
- INDUSTRIAL AREAS**
- The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236
- INDUSTRIES**
- Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267
- Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519
- INERTIAL NAVIGATION**
- On the track of the Tiger - The navigation system for the Tiger missions p 62 A94-12230
- Flight test of the exploratory gimballed airborne ESG system p 94 A94-12555
- Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements p 64 A94-12560
- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565
- Helicopter precision approach capability using the Global Positioning System
[NASA-CR-194037] p 68 N94-13957
- On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05] p 69 N94-17921
- Application of aircraft navigation sensors to enhanced vision systems p 312 N94-25495
- Expansion-based passive ranging p 312 N94-25504
- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
- INERTIAL PLATFORMS**
- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565
- INFLATABLE STRUCTURES**
- Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590
- INFLUENCE COEFFICIENT**
- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics
[NASA-TM-106367] p 104 N94-15866
- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus p 424 N94-31880
- INFORMATION**
- Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- INFORMATION DISSEMINATION**
- The NASA sponsored HSCT propulsion studies p 479 N94-33476

- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- INFORMATION MANAGEMENT**
NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics
[NASA-CR-195686] p 371 N94-25541
- INFORMATION PROCESSING (BIOLOGY)**
Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550
- INFORMATION RETRIEVAL**
NASA aerospace database subject scope: An overview
[NASA-SP-7107] p 209 N94-13401
- INFORMATION SYSTEMS**
Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites
p 137 A94-12471
A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
NASA aerospace database subject scope: An overview
[NASA-SP-7107] p 209 N94-13401
A comparison of air force data systems
[AD-A269691] p 210 N94-18575
Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
Information systems strategy in air transport
[AD-A273125] p 256 N94-24781
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048
Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254
A hypertext system that learns from user feedback
p 514 N94-32428
National facilities study. Volume 1: Facilities inventory
[NASA-TM-109854] p 541 N94-34632
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
Training and operations support system (TOPS)
p 599 N94-37344
- INFORMATION TRANSFER**
Analysis of the effect of routing strategies for parallel implementations of a selected avionics application
[AD-A276069] p 434 N94-31458
- INFRARED DETECTORS**
Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450] p 68 N94-13703
Perspective and future possibilities
p 186 N94-18651
Integrated display of multi-sensor geophysical and electromagnetic flight data
p 231 N94-20418
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2
p 241 N94-22297
Synthetic vision technology demonstration. Volume 1: Executive summary
[AD-280564] p 475 N94-33076
Synthetic vision technology demonstration. Volume 2: Sensor tower testing
[DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices
[AD-A281052] p 476 N94-33079
Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- INFRARED IMAGING**
Milestones in boundary-layer transition research with infrared imaging
p 6 A94-10410
Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne
p 154 A94-10411
The night vision capability of the Tiger helicopter
p 93 A94-12227
Processing infrared images of aircraft lapjoints
p 160 A94-12413
- Experimental analysis of Goertler vortices in hypersonic wedge flow
p 17 A94-12420
Infrared imaging of microwave sources
p 160 A94-12422
Desirable features of an infrared imaging system for aerodynamic research
p 160 A94-12423
Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851
Perspective and future possibilities
p 186 N94-18651
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 N94-25184
An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
Dual-band infrared imaging for quantitative corrosion detection in aging aircraft
[DE94-004187] p 431 N94-30687
Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658
Infrared search and track demonstrator programme
p 599 N94-36622
- INFRARED INSTRUMENTS**
Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 N94-25184
- INFRARED RADIATION**
Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851
- INFRARED RADIOMETERS**
Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303
Observations of multi-layered clouds using K-band radar
p 242 N94-22311
- INFRARED SCANNERS**
A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes
p 192 N94-16597
- INFRARED SIGNATURES**
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2
p 241 N94-22297
Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- INFRARED SPECTRA**
High resolution infrared datasets useful for validating stratospheric models
p 506 N94-33461
Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- INFRARED SPECTROMETERS**
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2
p 241 N94-22298
Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- INFRARED SPECTROSCOPY**
A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy
[AD-A269035] p 152 N94-18489
High resolution infrared datasets useful for validating stratospheric models
p 506 N94-33461
- INFRARED SUPPRESSION**
Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354
- INFRARED TRACKING**
Infrared search and track demonstrator programme
p 599 N94-36622
- INGESTION (ENGINES)**
Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test
p 361 N94-28050
Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes
[NASA-CR-191047] p 538 N94-34993
- INGRESS (SPACECRAFT PASSAGEWAY)**
Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
- INJECTION**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268
Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
Design of a vehicle based system to prevent ozone loss
[NASA-CR-195498] p 262 N94-24479
- INJECTORS**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
Ducted kerosene spray flames
p 407 N94-29276
- INJURIES**
Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army
p 52 A94-10514
- INLET AIRFRAME CONFIGURATIONS**
Analysis of the Harrier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115
The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation
[DLR-FB-93-20] p 333 N94-27739
Numerical study on the interaction between scramjet engine modules caused by thermal choke
p 395 N94-28960
Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2
p 423 N94-31759
Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study
[NASA-CR-195297] p 459 N94-33119
- INLET FLOW**
Research on the engineering application of the anti-swirl measures in engine/inlet compatibility
[BTN-94-EIX94381353571] p 577 A94-61459
Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet
[BTN-94-EIX94381353570] p 577 A94-61460
Inviscid parametric analysis of three-dimensional inlet performance
[BTN-94-EIX94401358980] p 578 A94-61636
Inlet drag prediction for aircraft conceptual design
[BTN-94-EIX94401358981] p 565 A94-61637
Boundary conditions for unsteady supersonic inlet analyses
[BTN-94-EIX94421374964] p 593 A94-61862
Swirl control in an S-duct at high angle of attack
[BTN-94-EIX94421374970] p 563 A94-61868
An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105
Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551
A comparative study of turbulence models in predicting hypersonic inlet flows
p 50 N94-18553
Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
Turbine engine with induced pre-swirl at the compressor inlet
[CA-PATENT-1-317-467] p 263 N94-23253
Improving diffusing S-duct performance by secondary flow control
[NASA-TM-106492] p 291 N94-25182
Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185
Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner
p 302 N94-28328
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct
p 398 N94-29296
Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2
p 423 N94-31759
Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035
Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study
[NASA-CR-195297] p 459 N94-33119
Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor
p 478 N94-33365

- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept p 473 N94-33508
- The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
- Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447
- The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- Computational methods for HSCT-inlet controls/CFD interdisciplinary research [NASA-TM-106618] p 539 N94-35352
- INLET NOZZLES**
- Numerical investigations in three-dimensional internal flows [NASA-CR-194594] p 180 N94-15551
- Seal assembly [CA-PATENT-1,312,888] p 277 N94-24128
- Transonic airframe propulsion integration p 480 N94-33507
- INLET PRESSURE**
- Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet [BTN-94-EIX94381353570] p 577 A94-61460
- INLET TEMPERATURE**
- Effect of pressure on second-generation pressurized fluidized bed combustion plants [BTN-94-EIX94311331067] p 589 A94-61111
- Design of a state-space controller for an advanced gas turbine engine [AD-A270859] p 105 N94-20042
- Gas fired advanced turbine system [DE94-003193] p 358 N94-27874
- Aircraft high bypass fan engine performance [AD-A277722] p 478 N94-33443
- INMARSAT SATELLITES**
- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels [AD-A278143] p 499 N94-33160
- INORGANIC SULFIDES**
- Solid lubricants for aeronautics p 142 A94-12655
- INSPECTION**
- A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience [AGARD-LS-190] p 100 N94-11022
- The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
- Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool [DE93-018088] p 187 N94-19252
- Demonstrating damage tolerance of composite airframes p 224 N94-22623
- Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130
- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572
- Automated inspection of turbine blades: Challenges and opportunities [AIAA PAPER 94-1226-CP] p 450 N94-30575
- Shearographic inspection of a DeHavilland DHC-7 [AD-A276716] p 419 N94-32157
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423
- Airline safety and economy [NASA-TM-109811] p 468 N94-33563
- Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593
- The role of fatigue analysis for design of military aircraft p 531 N94-34594
- INSTALLING**
- Satellite communications installation plan [AD-A266303] p 182 N94-16965
- Installation of an FTIR spectrometer in the TP86 Sabreliner [PB94-149036] p 475 N94-34128
- Calculations used to optimize the installation of civil aircraft engines p 574 N94-36332
- INSTRUMENT APPROACH**
- Adaptive structural control and isolation of simple structural members p 62 A94-12533
- Issues for GNSS-based precision approach p 63 A94-12552
- Low altitude navigation and approach requirements V/STOL and CTOL p 63 A94-12553
- GPS relative navigation - An alternative precision approach aid p 64 A94-12568
- GNSS integrity for aircraft precision approach p 65 A94-12569
- Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571
- Operational aspects of GPS for precision approach and landing p 65 A94-12572
- The Memphis Precision Runway Monitor Program Instrument Landing System final approach study [AD-A266035] p 66 N94-11103
- FAA air traffic activity [AD-A266043] p 55 N94-12397
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches [IAR-AN-77] p 339 N94-26710
- Ground station siting considerations for DGPS p 315 N94-27293
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance [PB94-142734] p 431 N94-31680
- INSTRUMENT ERRORS**
- The methods of systems analysis and optimization for the anoroid barometric altimeter p 92 A94-10114
- Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method [NAL-TR-1150] p 30 N94-13392
- Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451
- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280
- MLS pointing angle error sources and effects p 222 N94-22154
- Correction of X hot-wire measurements for gradients normal to the plane of the wires [PB94-125473] p 402 N94-30399
- INSTRUMENT FLIGHT RULES**
- RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting - receiver autonomous integrity monitoring p 62 A94-12124
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278
- Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary [AD-A278651] p 389 N94-30189
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410
- INSTRUMENT LANDING SYSTEMS**
- SOXO Air SIG S7 ILS, from early development to an enduring world standard p 61 A94-12119
- Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571
- Operational aspects of GPS for precision approach and landing p 65 A94-12572
- The Memphis Precision Runway Monitor Program Instrument Landing System final approach study [AD-A266035] p 66 N94-11103
- Evaluation of the C/E/C/KC-135 ground collision avoidance system (GCAS), Study 2 [AD-A265193] p 67 N94-11879
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 12, December 1992 [JPRS-UAC-93-006] p 212 N94-19148
- Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055
- FM interference in radio navigation receivers p 222 N94-22219
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration [NASA-TM-4516] p 294 N94-26602
- Los Angeles international airport instrument landing system approach data collection and reduction, phase 1 [AD-A275115] p 383 N94-28914
- Ground independent landing system p 385 N94-29564
- INSTRUMENT ORIENTATION**
- An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator [AD-A271769] p 242 N94-20926
- INSULATION**
- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- The fire properties of insulation bags, as installed and after aircraft operations p 144 N94-10778
- INTAKE SYSTEMS**
- Some viscous interactions affecting the design of hypersonic intakes and nozzles p 10 A94-10784
- Swirl control in an S-duct at high angle of attack [BTN-94-EIX94421374970] p 563 A94-61868
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014
- Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874
- Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept p 473 N94-33508
- Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- INTEGRAL EQUATIONS**
- Methods in unsteady aerodynamics [DLR-FB-93-21] p 296 N94-27741
- Numerical solution of inverse problem in aerodynamics p 376 N94-28965
- INTEGRAL ROCKET RAMJETS**
- Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297
- Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram-combustors p 398 N94-29298
- INTEGRATORS**
- A comparison of two multi-variable integrator windup protection schemes [NASA-CR-194436] p 267 N94-23590
- INTELLIGIBILITY**
- Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618
- INTERACTIONAL AERODYNAMICS**
- Development of a pressure wave simulator for surge interaction testing p 127 A94-10441
- Some viscous interactions affecting the design of hypersonic intakes and nozzles p 10 A94-10784
- Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body p 11 A94-10935
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics [SAE PAPER 921925] p 107 A94-11974
- Computational aeroelasticity p 111 A94-12697
- Three-dimensional closure of the passage-averaged vorticity-potential formulation [BTN-94-EIX94301315991] p 547 A94-60027
- Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics [BTN-94-EIX94321333305] p 516 A94-60037
- Supersonic transport wing minimum weight design integrating aerodynamics and structures [BTN-94-EIX9431329123] p 518 A94-60177
- Vortex-wing interaction of a close-coupled canard configuration [BTN-94-EIX9431329121] p 519 A94-60179
- Forebody vortex control for wing rock suppression [BTN-94-EIX9431329119] p 530 A94-60181
- Numerical simulation of vortex-wedge interaction [BTN-94-EIX94421374955] p 592 A94-61853
- Fluctuating wall pressures near separation in highly swept turbulent interactions [BTN-94-EIX94421374958] p 563 A94-61856
- Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbobfans. Volume 2: Documentation for computer code CUP2D [NASA-CR-4506-VOL-2] p 334 N94-27778
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 N94-28032
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight p 379 N94-29826
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations [AD-B173651] p 421 N94-30916

- Experimental and numerical simulation of helicopter rotor fuselage interaction
[ONERA-NT-1993-8] p 423 N94-31421
- INTERFACE STABILITY**
The 6th Japan-U.S. conference on composite materials
[AD-A268535] p 152 N94-18630
- INTERFACIAL TENSION**
Determination of tire-wheel interface loads for aircraft wheels
[BTN-94-EIX94311329136] p 517 A94-60164
- INTERFERENCE FIT**
Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091
- INTERFERENCE LIFT**
Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267760] p 52 N94-19963
- INTERFEROMETERS**
Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
CIMSS FIRE research activities p 242 N94-22307
Algorithms for a digital radio direction finding system in the HF band
[PB94-149176] p 470 N94-34093
- INTERFEROMETRY**
Fiber-optic interferometric strain gauge for smart structures applications: First flight tests
p 171 N94-11340
Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
Interferometric JFTOT tube deposit measuring device
[AD-D016295] p 604 N94-37768
- INTERMETALLICS**
Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223
- INTERNAL COMBUSTION ENGINES**
Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
Internal combustion engine with a central crankshaft and integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055
Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333
- INTERNAL PRESSURE**
Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124
Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262
- INTERNAL WAVES**
JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- INTERNATIONAL COOPERATION**
AGARD highlights 92/2, September 1992
[AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
Lufthansa Yearbook 1992
[DSK-9734-H-92] p 308 N94-28230
Air traffic of the European Community with European neighbors p 309 N94-28233
A sky above Europe p 309 N94-28234
The single European market: Economical advance, ecological problem? p 309 N94-28235
Air traffic administration enroute to Europe p 309 N94-28238
AGARD highlights 93/2
[AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- INTERNATIONAL LAW**
Financial crisis in the aviation industry - United Kingdom p 208 A94-13147
The international regulation of air transport: Changing regimes and price effects
[ISBN-0-315-55958-6] p 56 N94-13543
Aviation inspection prospects p 57 N94-15125
- INTERNATIONAL TRADE**
Aerospace: Facts and figures, 1992-1993
[AD-A272571] p 215 N94-21419
- INTERPOLATION**
On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
A new method for calculating wing along aerodynamics to angle of attack 180 deg
[AD-A277965] p 480 N94-33263
- INTERPROCESSOR COMMUNICATION**
A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus
[AD-A273734] p 367 N94-26009
- INTRUSION**
Hypersonic flow field measurements: Intrusive p 34 N94-14166
- INVENTORIES**
National facilities study. Volume 1: Facilities inventory
[NASA-TM-109854] p 541 N94-34632
World jet airplane inventory at year-end 1993
[PB94-164993] p 569 N94-36530
- INVERSE KINEMATICS**
Development of a prototype kinestatic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling
[NASA-CR-194036] p 140 N94-16905
Design and construction of the Aerobot Robotic Manipulator (ARM)
[AD-A275362] p 409 N94-28894
- INVERSIONS**
Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- INVISID FLOW**
Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments p 8 A94-10768
Symmetry breaking in vortical flows over cones: Theory and numerical experiments
[BTN-94-EIX94301315981] p 547 A94-60017
Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
Inviscid parametric analysis of three-dimensional inlet performance
[BTN-94-EIX94401358980] p 578 A94-61636
One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782
Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783
Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183
Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204
Numerical simulation of the flow through a scramjet engine p 100 N94-10425
A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377
Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control
[NASA-CR-4531] p 174 N94-13073
Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
Hypersonic flow phenomenology p 34 N94-14155
Extrapolation of ground test data to flight p 34 N94-14170
Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code
[AD-A267000] p 181 N94-15632
Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571
Long-range laser imaging
[AD-A273020] p 233 N94-21253
Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694
An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
Non-isoeenergetic inviscid slot flow p 303 N94-28333
Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334
Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971
Lift enhancement by trapped vortex p 462 N94-33524
- Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
High incidence flow analysis over the Rafale A p 522 N94-34612
Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
Computation of unsteady flows over airfoils p 525 N94-34977
Some aspects of unsteady separation p 525 N94-34979
- ION BEAMS**
Testing and management of flight instruments and their data
[NASA-CR-194332] p 96 N94-15187
- ION ENGINES**
AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746
- IONIZATION**
New two-temperature dissociation model for reacting flows
[BTN-94-EIX94351142137] p 560 A94-60430
- IONOSPHERIC PROPAGATION**
Ionospheric corrections to precise time transfer using GPS p 429 N94-30677
- IRON ALLOYS**
An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy
[SAE PAPER 922040] p 141 A94-12030
Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127
- IRRADIATION**
S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1
[AD-A274571] p 354 N94-26854
- IRREGULARITIES**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- ISCCP PROJECT**
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
An overview of the radiation component of the NASA TOGA-COARE experiment p 242 N94-22344
- ISENTROPIC PROCESSES**
A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- ISOLATION**
Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations
[AD-A270713] p 202 N94-19969
- ISOLATORS**
Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- ISOSTATIC PRESSURE**
Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978
- ISOTHERMAL PROCESSES**
Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- ISOTROPIC TURBULENCE**
Effects of shock strength on shock turbulence interaction p 278 N94-24165
The radiated noise from isotropic turbulence revisited
[AD-A276712] p 280 N94-24356
- ISOTROPY**
Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961
- ITALIAN SPACE PROGRAM**
Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion
[IAF PAPER 93-482] p 137 A94-11258
- ITERATIVE SOLUTION**
Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867

- Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design
[NLR-TP-92524-U] p 420 N94-30493
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762

J

J INTEGRAL

- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856

J-85 ENGINE

- The J85 cost/benefit engine study
[AD-A269280] p 105 N94-18333
- Radar jet engine health monitoring project
[ASSGI-301] p 400 N94-30130

JAMMING

- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071

JAPANESE SPACE PROGRAM

- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585

JAPANESE SPACECRAFT

- HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
- Research and development of space transportation systems in ISAS
[AD-A269280] p 140 N94-14277
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585

JET AIRCRAFT

- Parabolic flight by MU-300
[AD-A269302] p 1 A94-11624
- Naval aviation: Consider all alternatives before proceeding with the F/A-18E/F
[AD-A269302] p 4 N94-18279
- Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A269302] p 123 N94-18541
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
- A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- C-17 lot 3 production contract
[AD-A273180] p 306 N94-25153
- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data
[AD-A274207] p 326 N94-27105
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
[AD-A274207] p 327 N94-28017
- Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
- Fatigue design, test and in-service experience of the BAe Hawk
[PB94-164993] p 531 N94-34597
- World jet airplane inventory at year-end 1993
[PB94-164993] p 569 N94-36530

JET AIRCRAFT NOISE

- Simulated high speed flight effects on supersonic jet noise
[AIAA PAPER 93-4388] p 203 A94-11351
- The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353
- Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354
- Fluid dynamics and noise emission associated with supersonic jets
[AD-A274207] p 204 A94-12394
- Control of jet noise
[NASA-CR-193612] p 205 N94-11176
- An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engine aircraft
[NPL-RSA(EXT)-0039] p 206 N94-13885
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506

- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream
[ISVR-TR-226] p 284 N94-22959
- Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464
- Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
- Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
- The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177
- General Electric/Pratt and Whitney summary report
[AD-A273451] p 478 N94-33451
- High-speed research program systems analysis activities at Ames Research Center
[AD-A273451] p 472 N94-33455
- High speed jet noise research at NASA Lewis
[AD-A273451] p 509 N94-33464
- HSCT nozzle source noise programs at Pratt and Whitney
[AD-A273451] p 509 N94-33465
- Theoretical aspects of supersonic jet noise
[AD-A273451] p 510 N94-33469
- P and W propulsion systems studies results/status
[AD-A273451] p 479 N94-33480
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment
[AD-A273451] p 511 N94-33491
- High performance jet-engine flight test data base for HSR
[AD-A273451] p 511 N94-33493
- HSCT high-lift technology requirements
[AD-A273451] p 462 N94-33523
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbomachinery. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

JET BLAST EFFECTS

- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733

JET BOUNDARIES

- The turbulent wall jet
[AD-A267675] p 37 N94-14963

JET CONTROL

- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- Controlled oscillation of forebody vortices by nozzle jet blowing
[ISBN-0-315-84134-6] p 340 N94-27648
- Control jets in interaction with hypersonic rarefied flow
[AD-A268020] p 347 N94-28020
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications
[AD-A268030] p 360 N94-28030
- Numerical simulation of airfoil film cooling: A jet in crossflow
[AD-A268462] p 505 N94-34462

JET ENGINE FUELS

- Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
- A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282
- Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381
- Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy
[AD-A269035] p 152 N94-18489
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- Broad specification fuels combustion technology program, phase 2
[NASA-CR-191066] p 350 N94-27854
- High temperature fuel requirements and payoffs
[AD-A272695] p 405 N94-29259
- High temperature resistant jet fuels
[AD-A272695] p 405 N94-29260
- Research and development of high thermal stability fuels
[AD-A272695] p 405 N94-29261

- Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments
[AD-A272695] p 405 N94-29262
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevapourized Premixed (LPP) combustor
[AD-A272695] p 405 N94-29265
- Endothermic fuels for hypersonic aviation
[AD-A272695] p 407 N94-29285
- Liquid atomization in supersonic flows
[AD-A272695] p 414 N94-29839
- Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion
[NASA-CR-189581] p 493 N94-32868
- Stratified charge rotary engine critical technology enablement, volume 1
[NASA-CR-189106-VOL-1] p 482 N94-34231
- Stratified charge rotary engine critical technology enablement, Volume 2: Appendixes
[NASA-CR-189106-VOL-2] p 482 N94-34233
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505
- Interferometric JFTOT tube deposit measuring device
[AD-D016295] p 604 N94-37768

JET ENGINES

- Parallel processing for jet engine control
[ISBN 0-387-19747-8] p 98 A94-11675
- The boundary layer
[AD-A272695] p 164 A94-12888
- Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware
[AD-A272695] p 165 A94-12937
- Approximate similarity principle for a full-scale STOLV ejector
[BTN-94-EIX94341338360] p 550 A94-60352
- Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling
[BTN-94-EIX94351142133] p 537 A94-60426
- Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108
- Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608
- Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470
- An algorithm for determination of bearing health through automated vibration monitoring
[AD-A274591] p 356 N94-26986
- Engine starting and stopping
[AD-A274591] p 360 N94-28047
- High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
- Combustion for future supersonic transport propulsion
[AD-A274591] p 404 N94-29249
- Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575
- Analysis of intermediate level maintenance following F404-GE400 engine component life reductions
[AD-A277918] p 477 N94-33283
- NASA/LaRC jet plume research
[AD-A277918] p 478 N94-33468
- Lean burn combustor technology at GE Aircraft Engines
[AD-A277918] p 497 N94-33485
- High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- The centrifugal compressor, an essential component of small and medium power engines
[AD-A277918] p 484 N94-34445
- Impact of Materials Defects on Engine Structures Integrity
[AGARD-R-790] p 595 N94-37321
- History and prognosis of material discontinuity effects on engine components structural integrity
[AD-A277918] p 595 N94-37322

JET EXHAUST

- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
[AD-A272695] p 327 N94-28017
- New broadband shock noise model and computer code for ANOPP
[AD-A272695] p 511 N94-33489

JET FLOW

- Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets
[AD-A272695] p 97 A94-10318
- Jet boundaries - New type of self-streamlining wind tunnel wall
[AD-A272695] p 6 A94-10434

- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion p 159 A94-12397
- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment p 165 A94-13144
- Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX9432133317] p 549 A94-60268
- Direct numerical simulation of hot jets p 172 N94-12295
- The turbulent wall jet
[AD-A267675] p 37 N94-14963
- An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645
- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381
- Development of phased twin flip-flop jets
[NASA-TM-106404] p 216 N94-20563
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 p 225 N94-21582
- [NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 p 225 N94-21583
- [NASA-CR-189192-VOL-2] p 225 N94-21583
- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream
[ISVR-TR-225] p 284 N94-22959
- Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464
- Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct
[NASA-TM-106477] p 267 N94-24594
- Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine
[DLR-FB-93-17] p 333 N94-27593
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems p 359 N94-28010
- Vectorized jets-induced interference on aircraft, prediction and verification p 359 N94-28012
- Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016
- Effects, limits, and limitations of spanwise blowing p 298 N94-28027
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
- Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- Development and application of computational aerothermodynamics flowfield computer codes
[NASA-CR-196136] p 526 N94-35498
- JET IMPINGEMENT**
- Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
- Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204
- Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems p 359 N94-28010
- Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016
- Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- Turbulence modeling of free shear layers for high performance aircraft
[NASA-CR-196137] p 594 N94-36808
- JET LIFT**
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- JET MIXING FLOW**
- Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900
- Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 p 225 N94-21582
- [NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 p 225 N94-21583
- [NASA-CR-189192-VOL-2] p 225 N94-21583
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts
[NASA-TM-106434] p 265 N94-24082
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct
[NASA-TM-106477] p 267 N94-24594
- Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- The mixing process in the quenching zone of the rich-lean-combustion concept p 407 N94-29281
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
- Enhancement of mixing in a rectangular jet by mechanical tabs p 498 N94-32872
- [NASA-CR-185207] p 498 N94-32872
- High speed jet noise research at NASA Lewis p 509 N94-33464
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- JET NOZZLES**
- Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics p 17 A94-12074
- Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- Tipjet 80-inch model rotor hover test. Test no. 1198
[AD-A279680] p 567 N94-36261
- JET PROPULSION**
- Propulsion-induced aerodynamic effects measured with a full-scale STOVL model
[BTN-94-EIX94311329120] p 519 A94-60180
- Comments on the development of the early Westinghouse turbojets, 1941-1946
[BTN-94-EIX94311331063] p 577 A94-61115
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- Overview of STOVL aircraft propulsion research offakes and vertical lift systems p 105 N94-19353
- [NASA-TM-106387] p 105 N94-19353
- High-performance parallel analysis of coupled problems for aircraft propulsion p 363 N94-28181
- [NASA-CR-195292] p 363 N94-28181
- Combustion for future supersonic transport propulsion p 404 N94-29249
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5
[AD-A276972] p 442 N94-32397
- Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's
[NASA-TM-109250] p 545 N94-35591
- JET STREAMS (METEOROLOGY)**
- Organized track system: Air ways above the ocean p 193 N94-19702
- JET THRUST**
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- JOINED WINGS**
- Joined-wing model vibrations using PC-based modal testing and finite element analysis
[BTN-94-EIX94311329141] p 517 A94-60159
- Low-speed wind tunnel tests on four types of joined-wing aircraft models p 29 N94-13340
- [NAL-TR-1167] p 29 N94-13340
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls
[NASA-CR-196103] p 581 N94-36436
- JOINTS (JUNCTIONS)**
- Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788
- Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157
- Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592
- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints p 594 N94-37125
- JOURNAL BEARINGS**
- A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- Foil bearing research at Penn State p 274 N94-23058
- Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193
- An air bearing system for small high speed gas turbines p 505 N94-34466
- JP-8 JET FUEL**
- Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- Research and development of high thermal stability fuels p 405 N94-29261
- JUDGMENTS**
- Subjective response to sonic booms having different shapes, rise times, and durations
[NASA-TM-109090] p 417 N94-29464
- K**
- K-EPSILON TURBULENCE MODEL**
- Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
- Turbulence modeling of free shear layers for high-performance aircraft
[NASA-CR-193659] p 114 N94-12799
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques
[NASA-CR-195302] p 458 N94-32926
- Turbulence modeling of free shear layers for high performance aircraft
[NASA-CR-196137] p 594 N94-36808

KALMAN FILTERS

- Design and analysis of a Kalman filter for terrain-referenced positioning and guidance [BTN-94-EIX94311329124] p 557 A94-60176
- Adaptive model architecture and extended Kalman-Bucy filters [BTN-94-EIX94401377806] p 592 A94-61767
- Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations [AD-A270713] p 202 N94-19969
- An overview of a generic multi-sensor integrated navigation system design [CTN-94-60916] p 256 N94-24120
- X-31 aerodynamic characteristics determined from flight data p 320 N94-25109
- Expansion-based passive ranging p 312 N94-25504
- Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification [AD-A274078] p 367 N94-25992
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071
- A data fusion algorithm for multi-sensor microburst hazard assessment p 307 N94-27287
- Flight testing of GPS and GPS-aided systems [NLR-TP-92151-U] p 315 N94-27831
- The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651
- A comparison of GPS broadcast and DMA precise ephemerides p 429 N94-30660
- An investigation of airborne GPS/INS for high accuracy position and velocity determination [DE94-006139] p 431 N94-31306
- Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086
- KELVIN-HELMHOLTZ INSTABILITY**
- Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987
- KEPLER LAWS**
- The two-body problem with drag and radiation pressure [HTN-94-00330] p 606 A94-62291
- KERNEL FUNCTIONS**
- Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- KEROSENE**
- Raman measurements at the exit of a combustor sector [BTN-94-EIX94341338356] p 546 A94-60348
- Compatibility and efficacy of biocides qualified under military specification MIL-S-53021 [AD-A271496] p 230 N94-20551
- High temperature resistant jet fuels p 405 N94-29260
- Ducted kerosene spray flames p 407 N94-29276
- KINEMATICS**
- Kinematics and constraints associated with swashplate blade pitch control [NASA-TM-102265] p 115 N94-12820
- A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427
- High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimvec programming system [ETN-94-95035] p 313 N94-26539
- Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- KINETIC ENERGY**
- Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
- Effects of shock strength on shock turbulence interaction p 278 N94-24165
- KNOWLEDGE BASED SYSTEMS**
- Pilot's Associate - A synergistic system reaches maturity [AIAA PAPER 93-4665] p 93 A94-11535
- Knowledge-based system techniques for pilot aiding p 111 A94-12704
- FINDER, A system providing complex decision support for commercial transport replanning operations [BTN-94-EIX94331335529] p 549 A94-60210
- Knowledge-based processing for aircraft flight control [NASA-CR-194074] p 120 N94-13469
- Expert system rule-base evaluation using real-time parallel processing [AD-A273701] p 367 N94-25454

- Object oriented design of the autonomous fixtaking management system p 383 N94-29323
- Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
- Airsides ground movements surveillance p 388 N94-29585
- Engineering large-scale agent-based systems with consensus p 558 N94-35071
- Ordering design tasks based on coupling strengths [NASA-TM-109137] p 602 N94-37762
- KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE)**
- Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- An expert system class library for Audition [IME-MET-TR-008] p 210 N94-14196
- KNOWLEDGE REPRESENTATION**
- Model-based software synthesis for large systems [AIAA PAPER 93-4531] p 196 A94-11454
- KNUSSEN FLOW**
- Investigation of Burnett equations for two-dimensional hypersonic flow [AD-A278942] p 527 N94-35717
- KRYPTON FLUORIDE LASERS**
- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel [BTN-94-EIX94321333315] p 520 A94-60266
- KUTTA-JOUKOWSKI CONDITION**
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026

L

LABORATORIES

- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889

LABRADOR

- Common property resources and low-level flying in Labrador: Flight, fight or fancy? [ISBN-0-315-87318-3] p 453 N94-31732

LABYRINTH SEALS

- Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
- Navy GTE seal development activity p 235 N94-21794
- Compliant seal development p 235 N94-21795
- Rotor dynamic effects driven by fluid forces from a geometrically imperfect labyrinth [AD-A276424] p 446 N94-31333
- Rotor dynamic forces in labyrinth seals: Theory and experiment p 503 N94-34186
- An experimental study of dynamic characteristics of labyrinth seal p 503 N94-34188

LAGRANGE COORDINATES

- A new Lagrangian method for three-dimensional steady supersonic flows [NASA-TM-106068] p 37 N94-14847

LAGRANGIAN FUNCTION

- Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295

LAMINAR BOUNDARY LAYER

- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2 [SAE PAPER 921994] p 13 A94-12006
- Structure of local pressure-driven three-dimensional transient boundary-layer separation [BTN-94-EIX94301315979] p 515 A94-60015
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 N94-10672
- Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control [NASA-CR-4531] p 174 N94-13073
- Studies on high pressure and unsteady flame phenomena: Revision [AD-A269138] p 152 N94-18257
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328

- Experiments and theoretical considerations regarding the allowable roughness height in laminar flow [PB94-125556] p 381 N94-30389
- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model [NASA-TM-107582] p 491 N94-32870
- Control and management of unsteady and turbulent flows [AD-A278474] p 500 N94-33396
- Supersonic laminar flow control research [NASA-CR-196260] p 601 N94-37511

LAMINAR FLOW

- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
- Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows [SAE PAPER 921926] p 13 A94-11975
- Influence of two-dimensional imperfections on laminar flow [SAE PAPER 921990] p 13 A94-12004
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2 [SAE PAPER 921994] p 13 A94-12006
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades [NASA-TM-106278] p 170 N94-11256
- Transition prediction and control in subsonic flow over a hump [NASA-CR-4543] p 173 N94-13066
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers [AD-A266543] p 32 N94-13705
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel [NASA-CR-194259] p 33 N94-14030
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
- Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight [ILR-MITT-280(1993)] p 37 N94-14800
- Numerical solution of SUPG finite-element method for supersonic viscous flow [AD-A267762] p 43 N94-17222
- Studies on high pressure and unsteady flame phenomena: Revision [AD-A269138] p 152 N94-18257
- Airflow research [NASA-TM-109372] p 50 N94-18964
- Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
- Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607
- Dynamic response of a compressor research facility [AD-A273836] p 342 N94-25740
- Pneumatic management of blunted forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model [NASA-TM-107582] p 491 N94-32870
- First Annual High-Speed Research Workshop, part 4 [NASA-CP-10087-PT-4] p 461 N94-33517
- NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525
- Supersonic LFC: Challenges and opportunities p 462 N94-33526
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529
- Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
- Supersonic HLFC: Potential benefits and technology development requirements p 463 N94-33531
- Active thermal isolation for temperature responsive sensors [NASA-CASE-LAR-14612-1] p 552 N94-35074

- Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529
- Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- LAMINAR FLOW AIRFOILS**
- SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615
- Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
- Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599
- Free flight experiment with a laminar wing glove p 219 N94-22600
- Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
- LAMINATES**
- Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 N94-60256
- Buckling and vibration analysis of laminated panels using VICONOPT p 592 N94-61805
- [BTN-94-EIX94401372105] p 592 N94-61805
- New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767
- A new low smoke, low heat release structural foam p 143 N94-10768
- Advanced phenolic systems for aircraft interiors p 143 N94-10776
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method p 174 N94-13565
- [LTR-ST-1934] p 174 N94-13565
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- Quantification of uncertainties in the performance of smart composite structures p 188 N94-20171
- [NASA-TM-106335] p 188 N94-20171
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- A prediction method for the compressive strength of impact damaged composite laminates p 270 N94-24137
- [CTN-94-60925] p 270 N94-24137
- Experimental study of the angled crack in GLARE 3
[PB94-126554] p 326 N94-26954
- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials p 326 N94-26969
- [PB94-126471] p 326 N94-26969
- Impact tests on fibre metal laminates under a tensile load p 349 N94-27201
- [PB94-126570] p 349 N94-27201
- The experimental behavior of spinning pretwisted laminated composite plates p 350 N94-27352
- [NASA-CR-195220] p 350 N94-27352
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile p 403 N94-28823
- [NASA-TM-109026] p 403 N94-28823
- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments p 433 N94-31674
- [LR-728] p 433 N94-31674
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- Development of stitched/RTM composite primary structures p 494 N94-33127
- Tension fracture of laminates for transport fuselage, Part 1: Material screening p 495 N94-33130
- Structural integrity of intelligent materials and structures p 496 N94-33165
- [AD-A278397] p 496 N94-33165
- Design oriented structural analysis p 551 N94-34722
- [NASA-TM-109124] p 551 N94-34722
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- LANDING AIDS**
- Evaluation of infrared sensors for autonomous landing guidance p 68 N94-13703
- [AD-A266450] p 68 N94-13703
- Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis p 69 N94-16906
- [DOT/FAA/SE-93/33] p 69 N94-16906
- The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility p 364 N94-25271
- [NASA-CR-195685] p 364 N94-25271

- Application of aircraft navigation sensors to enhanced vision systems p 312 N94-25495
- Radar E-O image fusion p 352 N94-25503
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- LANDING GEAR**
- Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics p 73 A94-12016
- [SAE PAPER 922012] p 73 A94-12016
- An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy p 141 A94-12030
- [SAE PAPER 922040] p 141 A94-12030
- AerMet 100 Alloy for landing gear applications - A summary of forging studies p 142 A94-12031
- [SAE PAPER 922041] p 142 A94-12031
- Helicopter landing gear design p 77 A94-12235
- Aircraft landing gear positioning concerning abnormal landing cases p 536 A94-60160
- [BTN-94-EIX94311329140] p 536 A94-60160
- Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- Tetrahedral lander p 229 N94-20590
- [NASA-CASE-MSC-22082-1] p 229 N94-20590
- Landing gear with swivelling beam p 257 N94-24181
- [CA-PATENT-1323020] p 257 N94-24181
- Studies of Shuttle orbiter arrestment system p 258 N94-24304
- [NASA-TP-3370] p 258 N94-24304
- VLCT-13: A commercial transport for the 21st Century p 316 N94-24803
- [NASA-CR-195492] p 316 N94-24803
- Tests of highly loaded skids on a concrete runway p 326 N94-26608
- [NASA-TP-3435] p 326 N94-26608
- Aircraft wheel life assessment p 355 N94-26976
- [AD-A274378] p 355 N94-26976
- Landing gear energy absorption system p 411 N94-29448
- [NASA-CASE-MSC-22277-1] p 411 N94-29448
- Load-limiting landing gear footpad energy absorption system p 491 N94-33323
- HSCT inlet development issues p 472 N94-33505
- LANDING LOADS**
- Tetrahedral lander p 229 N94-20590
- [NASA-CASE-MSC-22082-1] p 229 N94-20590
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits p 306 N94-25141
- [AD-A273250] p 306 N94-25141
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data p 326 N94-27105
- [AD-A274207] p 326 N94-27105
- Landing gear energy absorption system p 411 N94-29448
- [NASA-CASE-MSC-22277-1] p 411 N94-29448
- LANDING MATS**
- Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers p 490 N94-33444
- [AD-A277732] p 490 N94-33444
- LANDING SIMULATION**
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task p 544 A94-60397
- [BTN-94-EIX94351137057] p 544 A94-60397
- In-flight simulation of backside operating models using direct lift controller p 112 N94-10734
- [NAL-TR-1152] p 112 N94-10734
- Visual cueing aids for rotorcraft landings p 119 N94-13313
- Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing p 121 N94-14322
- [NASA-CR-194260] p 121 N94-14322
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration p 294 N94-26602
- [NASA-TM-4516] p 294 N94-26602
- Flight simulator evaluation of advanced MLS procedures p 430 N94-30915
- [AD-B174270] p 430 N94-30915
- Synthetic vision display evaluation studies p 603 N94-37658
- [NASA-CR-194963] p 603 N94-37658
- LANDING SITES**
- Notes on Antarctic aviation p 228 N94-21239
- [AD-A273018] p 228 N94-21239
- Safe heliports through design and planning p 491 N94-34104
- [AD-A279034] p 491 N94-34104
- LANDMARKS**
- Unitary plan wind tunnel landmark dedication and revitalization p 212 N94-15434
- [NASA-TM-109649] p 212 N94-15434
- LANDSAT SATELLITES**
- Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- LAP JOINTS**
- Processing infrared images of aircraft lapjoints p 160 A94-12413
- Overview of the FAA/DCA/NLR programs related to ageing aircraft p 4 N94-17614
- [NLR-TR-92119-U] p 4 N94-17614

- Fatigue crack initiation in riveted lap joints and in pressurized fuselages p 188 N94-19669
- [LR-725] p 188 N94-19669
- Full-scale testing and analysis of curved aircraft fuselage panels p 390 N94-28657
- [AD-A275666] p 390 N94-28657
- Analysis concerning the inspection threshold for multi-site damage p 432 N94-30905
- [PB94-142429] p 432 N94-30905
- Composite repairs of cracked metallic airframe structures p 456 N94-33590
- [AD-A277680] p 456 N94-33590
- LAPLACE EQUATION**
- ISAC: A tool for aeroservoelastic modeling and analysis p 123 N94-19316
- [NASA-TM-109031] p 123 N94-19316
- LAPSE RATE**
- Windshear detection for aircraft using temperature lapse rate p 219 N94-21030
- [CA-PATENT-1,295,736] p 219 N94-21030
- LARGE SPACE STRUCTURES**
- Control and dynamic systems, Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems p 2 A94-12701
- [ISBN 0-12-012754-7] p 2 A94-12701
- Progress in multidisciplinary design optimization at NASA Langley p 198 N94-10814
- [NASA-TM-107754] p 198 N94-10814
- Smart structures at Aastra Corporation p 146 N94-11326
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 p 183 N94-17479
- [NASA-TM-107752] p 183 N94-17479
- LASER ANEMOMETERS**
- In-flight velocity measurements using laser Doppler anemometry p 549 A94-60161
- [BTN-94-EIX94311329139] p 549 A94-60161
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers p 590 A94-61127
- [BTN-94-EIX94311330092] p 590 A94-61127
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes p 26 N94-11133
- [NASA-TP-3383] p 26 N94-11133
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field p 104 N94-17386
- [NASA-TM-4481] p 104 N94-17386
- Utilization of lasers for air data measurements p 238 N94-22603
- Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- LASER APPLICATIONS**
- Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
- Mainstream ingress suppression in gas turbine disk cavities p 586 A94-61057
- [BTN-94-EIX94311330101] p 586 A94-61057
- Detailed flow measurements and predictions for a three-stage transonic fan p 587 A94-61062
- [BTN-94-EIX94311330096] p 587 A94-61062
- Paint removal activities in the US Navy p 166 N94-10614
- Paint removal activities in Canada p 167 N94-10615
- Automated Laser Paint Stripping (ALPS) update p 168 N94-10624
- A preliminary study on ice shape tracing with a laser light sheet p 170 N94-11132
- [NASA-TM-105964] p 170 N94-11132
- Aircraft windscreens enhance visual search disruption produced by laser glare p 82 N94-11892
- [AD-A265167] p 82 N94-11892
- JPRS report: Science and technology, Central Eurasia: Materials science p 149 N94-14573
- [JPRS-UJMS-93-006] p 149 N94-14573
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry) p 35 N94-14706
- [RAE-TM-AERO/PROP-21] p 35 N94-14706
- Supersonic Combustion Research Laboratory, Volume 1: Design and fabrication p 149 N94-14962
- [AD-A267667] p 149 N94-14962
- Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- Long-range laser imaging p 233 N94-21253
- [AD-A273020] p 233 N94-21253
- Compact lightweight CO₂ laser for SDIO application p 233 N94-21284
- [AD-A273010] p 233 N94-21284
- Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion p 273 N94-22914
- [AD-A272808] p 273 N94-22914

- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366
- A qualitative and quantitative laser-based computer-aided flow visualization method
[NASA-CR-195300] p 466 N94-34391
- A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945
- LASER BEAMS**
- Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410
- Aircraft windcreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706
- LASER CAVITIES**
- Compact lightweight CO₂ laser for SDIO application
[AD-A273010] p 233 N94-21284
- LASER DAMAGE**
- Aircraft windcreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892
- LASER DOPPLER VELOCIMETERS**
- The evolution of whole field optical diagnostics for external transonic testing
p 154 A94-10429
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
p 127 A94-10438
- Fiber optic based velocimetry for the investigation of high velocity turbulence
p 165 A94-12982
- In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349
- Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers
[BTN-94-EIX94311330092] p 590 A94-61127
- An experimental study of a turbulent boundary layer in the trailing edge region of a curvilinear-control airfoil
[NASA-CR-194522] p 35 N94-14541
- Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973
- Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field
[NASA-TM-4485] p 180 N94-15445
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149
- LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603
- Microspheres for laser velocimetry in high temperature wind tunnel
p 345 N94-27903
- Data reduction procedures for laser velocimeter measurements in turbomachinery rotors
[NASA-CR-195343] p 552 N94-35224
- LASER GUIDANCE**
- Laser designation pods optimized concept for day/night operations
p 594 N94-36620
- LASER GYROSCOPES**
- Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements
p 64 A94-12560
- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar
p 94 A94-12565
- LASER INDUCED FLUORESCENCE**
- Advanced diagnostics research for high speed aerodynamic testing
[SAE PAPER 922007] p 158 A94-12011
- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266
- Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607
- LASER INTERFEROMETRY**
- Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns
[BTN-94-EIX94421374974] p 593 A94-61872
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- LASER MATERIALS**
- Holographic interferometry and moiré deflectometry for visualization and analysis of low-gravity experiments on laser materials processing
p 155 A94-11090
- LASER OUTPUTS**
- Compact lightweight CO₂ laser for SDIO application
[AD-A273010] p 233 N94-21284
- LASER RANGE FINDERS**
- An evaluation of the use of GPS and laser ranging to position stationary objects from a distance
p 66 A94-12576
- LASER RANGER/TRACKER**
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking
p 576 N94-36618
- LASER SPECTROSCOPY**
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- LASER TARGET DESIGNATORS**
- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- Laser designation pods optimized concept for day/night operations
p 594 N94-36620
- LASER TARGET INTERACTIONS**
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- LASER TARGETS**
- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- LATERAL CONTROL**
- Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
- Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 116 N94-13300
- Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347
- Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- LATERAL STABILITY**
- Significance of the dihedral effect in rapid fuselage-reorientation maneuvers
[BTN-94-EIX94401358971] p 571 A94-61627
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle
[AD-A268741] p 122 N94-18401
- The dynamic stability of the helicopter
[LR-772] p 123 N94-19615
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- X-31 aerodynamic characteristics determined from flight data
p 320 N94-25109
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329
- LATITUDE**
- Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
- LAUNCH VEHICLES**
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965
- HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- LAUNCHING**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 N94-33423
- Marker beacon case
[AD-D016322] p 602 N94-37830
- LAW (JURISPRUDENCE)**
- Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238
- LAY-UP**
- The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- Manufacture and properties of sigma fibre reinforced titanium
p 585 N94-36655
- LEADING EDGE FLAPS**
- A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch
[NASA-TM-107743] p 28 N94-12421
- High-lift design for large civil aircraft
p 89 N94-18445
- LEADING EDGE SLATS**
- Unsteady aerodynamic characteristics of a dual-element airfoil
[BTN-94-EIX94401358968] p 565 A94-61624
- Where is high-lift today? A review of past UK research programmes
p 5 N94-18416
- Experimental investigation of flow around a multielement airfoil
p 46 N94-18417
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids
p 47 N94-18423
- High Reynolds number configuration development of a high-lift airfoil
p 47 N94-18424
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions
p 47 N94-18425
- Navier-Stokes simulation of flow field around a blown-flap high-lift system
p 48 N94-18429
- An experimental investigation of the optimum slat setting on a combat aircraft model
p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model
p 89 N94-18432
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development
p 48 N94-18433
- Forty years of high-lift R/D: An aircraft manufacturer's experience
p 5 N94-18441
- High-lift design for large civil aircraft
p 89 N94-18445
- High lift systems for transport aircraft with advanced airfoils
p 90 N94-18446
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993
[PB93-910408] p 254 N94-23579
- The quest for stall-free dynamic lift
p 525 N94-34986
- LEADING EDGE SWEEP**
- Inviscid parametric analysis of three-dimensional inlet performance
[BTN-94-EIX94401358980] p 578 A94-61636
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition
p 21 N94-10452

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221

Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140

Control of leading-edge separation on a cambered delta wing
p 539 N94-34616

LEADING EDGE THRUST

Control of leading-edge separation on a cambered delta wing
p 539 N94-34616

LEADING EDGES

Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704

An investigation of dynamic stall through the application of leading edge roughness
p 17 A94-12117

Leading-edge vortex breakdown for wing planforms with the same slenderness ratio
[BTN-94-EIX94401358991] p 566 A94-61647

Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate
p 205 N94-12615

Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180

Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340

Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061

Suppression of dynamic stall with a leading-edge slot on a VR-7 airfoil
[NASA-TP-3357] p 38 N94-15657

Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221

A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack
[FFA-TN-1992-14] p 45 N94-17722

Calculation of maximum and high lift characteristics of multi element airfoils
p 46 N94-18419

Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512

Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522

Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975

Lift augmentation on a delta wing via leading edge fences and the Gurney flap
[NASA-CR-194793] p 251 N94-24103

Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape
[NASA-TM-106504] p 281 N94-24481

Effect of an extendable slot on the stall behavior of a VR-12 airfoil
[NASA-TP-3407] p 291 N94-25187

Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517

Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161

Composite leading edge/spar member for an aircraft control surface
[CA-PATENT-1-325-765] p 327 N94-27273

Control of leading-edge separation on an airfoil by localized excitation
[DLR-FB-93-16] p 296 N94-27592

A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608

Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system
p 297 N94-27929

Effects, limits, and limitations of spanwise blowing
p 298 N94-28027

Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029

First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032

Program for calculation of maximum lift coefficient of plain airfoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076

Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes
p 400 N94-29728

An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion
[NASA-CR-195330] p 381 N94-30152

Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus
p 424 N94-31880

Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042

Status of F16XL SSLFC numerical design validation
p 462 N94-33527

Control of leading-edge separation on a cambered delta wing
p 539 N94-34616

Control of leading-edge vortices on a delta wing
p 524 N94-34971

Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529

LEAKAGE

Liquid tight insulation for high temperature aircraft ducting
[SAE PAPER 921914] p 98 A94-11967

STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806

Brush seal bristle flexure and hard-rub characteristics
p 235 N94-21791

Compliant seal development
p 235 N94-21795

Development of hypersonic engine seals: Flow effects of preload and engine pressures
[NASA-TM-106333] p 357 N94-27599

Whirl measurements on leakage flows in turbomachine models
p 502 N94-34185

Rotordynamic forces in labyrinth seals: Theory and experiment
p 503 N94-34186

LEAR JET AIRCRAFT

The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft
p 182 N94-16078

LEAST SQUARES METHOD

Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108

Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method
[NAL-TR-1150] p 30 N94-13392

Development of a gridless CFD method
p 243 N94-22361

MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493

LECTURES

Research and Development of Ram/Scramjets and Turboramjets in Russia
[AD-A275588] p 397 N94-29291

Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors
p 398 N94-29292

LEE WAVES

Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725

LENGTH

Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681

LEVITATION

Development of passive superconducting bearings. Phase 3
[AD-A266050] p 169 N94-10706

Improvement of azimuthal homogeneity in permanent-magnet bearing rotors
[DE93-009954] p 171 N94-11607

Future ultra-speed tube-flight
p 555 N94-35918

LIAPUNOV FUNCTIONS

Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672

Continuous gust response and sensitivity derivatives using state-space models
p 268 N94-24287

LIBRARIES

NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics
[NASA-CR-195686] p 371 N94-25541

LIFE (DURABILITY)

Trends in air turbine starters for large turbofan engines
[SAE PAPER 921975] p 98 A94-11996

A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance
[NASA-TM-106294] p 179 N94-14727

Computational Methods for Failure Analysis and Life Prediction
[NASA-CP-3230] p 239 N94-22608

Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance
p 239 N94-22609

NASA Langley developments in response calculations needed for failure and life prediction
p 240 N94-22621

Service life prediction of composite structures through fiber testing
[AD-A275661] p 403 N94-28654

The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442

Rotorcraft fatigue life-prediction: Past, present, and future
p 551 N94-34590

Damage tolerance management of the X-29 vertical tail
p 531 N94-34595

Propulsion system technologies for long range and long endurance aircraft
p 578 N94-36334

Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649

LIFE CYCLE COSTS

Selecting the correct hydraulic component material for minimum life cycle cost
[SAE PAPER 922031] p 74 A94-12024

In-flight aircraft structure health monitoring based on smart structures technology
p 55 N94-11333

New Technologies for Space Avionics, 1993

[NASA-CR-188272] p 351 N94-25193

Aircraft age impact on individual operating and support cost elements
[AD-A275739] p 373 N94-28732

Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743

An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0)
[AD-A276251] p 435 N94-31290

The development of an auxiliary power unit for a fighter aircraft
p 484 N94-34442

LIFE SCIENCES

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342

Director's discretionary fund
[NASA-TM-103997] p 561 N94-35370

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385

JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387

Research and technology, 1993
[NASA-TM-108816] p 561 N94-36117

LIFE SPAN

Single crystal faceplate evaluation
[AD-A277922] p 500 N94-33399

LIFT

Finite element analysis of lift build-up due to airfoil indicial motion
p 12 A94-11922

Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts
p 15 A94-12062

The influence of variable flow velocity on unsteady airfoil behavior
p 15 A94-12065

Wake curvature and airfoil lift
[BTN-94-EIX94311329147] p 517 A94-60153

Vortex-wing interaction of a close-coupled canard configuration
[BTN-94-EIX94311329121] p 519 A94-60179

Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182

Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626

New airfoil-design concept with improved aerodynamic characteristics
[BTN-94-EIX94401372110] p 567 A94-61810

In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734

Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059

- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322
- High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415
- Calculation of maximum and high lift characteristics of multi element aerofoils p 46 N94-18419
- Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
- High lift and the forward swept wing p 89 N94-18436
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings p 49 N94-18440
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- High-lift research: Application to the design of the ATR72 flap p 89 N94-18442
- High-lift design for large civil aircraft p 89 N94-18445
- High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
- Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- A numerical study of airplanes flying in proximity
[AD-A273373] p 255 N94-24718
- Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- An investigation into the aerodynamic effects of wing patches
[ISBN-0-315-84121-4] p 294 N94-26672
- High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554
- Numerical simulation of a powered-lift landing p 328 N94-28033
- Program for calculation of maximum lift coefficient of plain airfoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076
- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- First Annual High-Speed Research Workshop, part 4
[NASA-CP-10087-PT-4] p 461 N94-33517
- Overview of NASA HSR high-lift program p 461 N94-33518
- Status of LaRC HSCT high-lift research p 461 N94-33519
- Status of CFD for LaRC's HSR high-lift program p 461 N94-33520
- HSR high lift research program: Status and plans p 461 N94-33521
- HSCT high lift system aerodynamic requirements p 461 N94-33522
- HSCT high-lift technology requirements p 462 N94-33523
- Lift enhancement by trapped vortex p 462 N94-33524
- Supersonic HLFC: Potential benefits and technology development requirements p 463 N94-33531
- Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- LIFT AUGMENTATION**
- Lift augmentation on a delta wing via leading edge fences and the Gurney flap
[NASA-CR-194793] p 251 N94-24103
- Numerical study of the trailing vortex of a wing with wing-tip blowing
[NASA-CR-195803] p 378 N94-29760
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- STOVL
[NASA-TM-109845] p 473 N94-33790
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- LIFT DEVICES**
- Stall warning using contamination detecting aerodynamics
[SAE PAPER 922010] p 14 A94-12014
- Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626
- Lift enhancement device
[AD-D015668] p 88 N94-17704
- High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415
- Where is high-lift today? A review of past UK research programmes p 5 N94-18416
- A design procedure for slotted flaps p 88 N94-18418
- Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
- High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425
- High-lift system analysis method using unstructured meshes p 47 N94-18426
- Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver p 48 N94-18427
- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- The GARTEUR high lift research programme p 48 N94-18430
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- High lift and the forward swept wing p 89 N94-18436
- A fast computing method for the flow over high-lift wings p 49 N94-18437
- Calculation of multielement airfoils and wings at high lift p 49 N94-18438
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- High-lift research: Application to the design of the ATR72 flap p 89 N94-18442
- The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
- High-lift design for large civil aircraft p 89 N94-18445
- High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- Eagle RTS: A design of a regional transport p 322 N94-25709
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies
[AD-A278640] p 581 N94-36384
- LIFT DRAG RATIO**
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
- Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- New airfoil-design concept with improved aerodynamic characteristics
[BTN-94-EIX94401372110] p 567 A94-61810
- The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- Numerical analysis of supersonic transport wings p 375 N94-28959
- Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- LIFT FANS**
- The lift-fan powered-lift aircraft concept: Lessons learned
[NASA-CR-177616] p 85 N94-15718
- Survey of lift-fan aerodynamic technology
[NASA-CR-177615] p 224 N94-21592
- Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- LIFTING BODIES**
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems p 12 A94-10956
- Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20
[BTN-94-EIX94351137056] p 544 A94-60396
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
- HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
- Preliminary structural evaluation and design of the HL-20
[BTN-94-EIX94351137060] p 545 A94-60400
- Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
- Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628
- Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284
- Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)
[NASA-TM-105974] p 220 N94-21590
- Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62
[NASA-TM-4528] p 295 N94-26693
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 N94-31677
- LIFTING REENTRY VEHICLES**
- Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20
[BTN-94-EIX94351137056] p 544 A94-60396
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
- HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
- Preliminary structural evaluation and design of the HL-20
[BTN-94-EIX94351137060] p 545 A94-60400
- Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405

LIFTING ROTORS

- The ISL rotor bench
[ISL-R-108/92] p 321 N94-25301
A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957

LIGHT AIRCRAFT

- Tail load calculations for light airplanes
[BTN-94-EIX94311329148] p 517 A94-60152
Design project: Viper
[NASA-CR-195484] p 319 N94-25021
Solar powered multipurpose remotely powered aircraft p 323 N94-25719

EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft
[NASA-TM-104013] p 324 N94-26091

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497

Perseus: Global watcher
[NASA-TM-109813] p 473 N94-33565

Crash impact survival in light planes
[NASA-TM-109799] p 468 N94-33749
High Altitude Long Endurance aircraft design studies p 572 N94-36322

LIGHT AMPLIFIERS

Compact lightweight CO₂ laser for SDIO application
[AD-A273010] p 233 N94-21284

LIGHT GAS GUNS

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687

LIGHT HELICOPTERS

Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599
Planning German Army helicopter maintenance and mission assignment
[AD-A280483] p 564 N94-37352

LIGHT SCATTERING

Surface interference in Rayleigh scattering measurements near forebodies
[BTN-94-EIX94301315999] p 516 A94-60035

Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366

Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042

LIGHT SOURCES

Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042

LIGHT TRANSPORT AIRCRAFT

SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615

LIGHTELL GAS MODEL

Sound radiation due to boundary layer transition p 285 N94-24163

LIGHTNING

Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification p 77 A94-12226

LINEAR ACCELERATORS

Fluid dynamic linear accelerometer
[AD-D016042] p 339 N94-27112

LINEAR EQUATIONS

Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867

LINEAR EVOLUTION EQUATIONS

Curvature effects in three-dimensional boundary layers p 173 N94-12623

LINEAR FILTERS

A comparative robustness evaluation of feedforward neurofilters
[NASA-TM-106440] p 227 N94-21742

A novel approach to noise-filtering based on a gain-scheduling neural network architecture
[NASA-TM-106563] p 401 N94-30204

LINEAR PROGRAMMING

Multiojective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX94381311168] p 597 A94-61255

Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814

Gate assignment using linear programming
[LR-698] p 200 N94-13987

LINEAR QUADRATIC GAUSSIAN CONTROL

H(infinity) robust control design for linear feedback systems p 194 A94-10819
Order reduction of linear-quadratic-Gaussian-designed controllers p 194 A94-10822

Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679

Flight controller design using mixed H₂/H infinity optimization with a singular H infinity constraint
[AD-A273831] p 338 N94-25525

A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853

LINEAR QUADRATIC REGULATOR

H(infinity) robust control design for linear feedback systems p 194 A94-10819
Order reduction of linear-quadratic-Gaussian-designed controllers p 194 A94-10822

An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094

LINEAR SYSTEMS

Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806

Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680

Optimization-based controller design for rotorcraft p 121 N94-14642
A new treatment of periodic systems with applications to helicopter rotor blade dynamics
[AD-A266770] p 36 N94-14784

LINEAR VIBRATION

Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183

LINEARIZATION

Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680

LINGUISTICS

An error-resistant linguistic protocol for air traffic control
[NASA-CR-196098] p 570 N94-37013

LININGS

A repair patching system for aircraft cargo liners p 54 N94-10771
Combustor technology for future small gas turbine aircraft p 485 N94-34452

Composite matrix experimental combustor
[AD-280344] p 538 N94-34679

LIQUID ATOMIZATION

A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803

Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282

Liquid atomization in supersonic flows p 414 N94-29839

LIQUID COOLING

Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536

Cold-start minidiesel engine development
[AD-A271064] p 232 N94-20567

Heat transfer studies on a rectangular channel with offset plate fins p 452 N94-32043
Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541

LIQUID CRYSTALS

Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203

Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291

Color head down display program
[AD-A274807] p 330 N94-26340

LIQUID FILLED SHELLS

Simplified method for evaluating the flight stability of liquid-filled projectiles
[BTN-94-EIX94311322905] p 544 A94-60191

LIQUID FLOW

Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267

LIQUID FUELS

A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803

Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels p 397 N94-29267
Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294

LIQUID HELIUM

Superfluid turbulence p 172 N94-12307
Three-stage linear, split-Stirling cryocooler for 1 to 2K magnetic cold stage p 207 N94-13897

LIQUID HYDROGEN

An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945

LIQUID INJECTION

Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust
[NASA-TM-106270] p 102 N94-13143

Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282

Liquid atomization in supersonic flows p 414 N94-29839

LIQUID NITROGEN

The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587

LIQUID PROPELLANT ROCKET ENGINES

Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746

LIQUID ROCKET PROPELLANTS

A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803

Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292

Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297

LIQUID SURFACES

Liquid atomization in supersonic flows p 414 N94-29839

LIQUID-VAPOR INTERFACES

Liquid atomization in supersonic flows p 414 N94-29839

LITHIUM

Status of developing a multifunctional aviation grease
[AD-A276755] p 443 N94-32184

LITHIUM ALLOYS

Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature
[BTN-94-EIX94301320164] p 546 A94-60873

Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
NASA-JVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851

LITHOGRAPHY

Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821

Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907

LOAD DISTRIBUTION (FORCES)

Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050

Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068

Investigations of helicopter tail rotor loading in hovering turns p 78 A94-12248

Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method p 161 A94-12531

- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 N94-24295
- LOAD TESTS**
- Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics
[SAE PAPER 922012] p 73 A94-12016
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer
[ISBN-0-315-86210-6] p 439 N94-31710
- Structural testing of the technology integration box beam
p 494 N94-33125
- Technology integration box beam failure study
p 494 N94-33126
- LOADING OPERATIONS**
- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter
[AD-A277533] p 474 N94-34080
- LOADS (FORCES)**
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring
[AD-A267115] p 85 N94-15651
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117
- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter
[AD-A277533] p 474 N94-34080
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- Predicting defect behaviour
p 596 N94-37331
- Dynamics of a split torque helicopter transmission
[NASA-TM-106410] p 596 N94-37457
- LOCI**
- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus
p 424 N94-31880
- LOGIC DESIGN**
- Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
- Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
- LOGISTICS**
- Monte Carlo simulation of commercial aircraft reliability
p 193 A94-10103
- A comparison of air force data systems
[AD-A269691] p 210 N94-18575
- The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
[AD-A279036] p 383 N94-29445
- Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283
- A mean value analysis heuristic for analysis of aircraft sortie generation
[AD-A278578] p 598 N94-36970
- LOGISTICS MANAGEMENT**
- Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft
p 208 A94-10111
- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- LONGITUDE**
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
- LONGITUDINAL CONTROL**
- Computation of a controlled store separation from a cavity
p 41 N94-16513
- Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660
- LONGITUDINAL STABILITY**
- A systematic computation scheme of PAR-WIG cruising performance
p 155 A94-10799
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances
p 113 N94-11492
- The dynamic stability of the helicopter
[LR-772] p 123 N94-19615
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle
p 320 N94-25113
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660
- An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473
- X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384
- Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- LORAN C**
- Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation
p 62 A94-12121
- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493
- Realtime mitigation of GPS SA errors using Loran-C
p 314 N94-27291
- Loran-C time management
p 427 N94-30644
- LOUDNESS**
- Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
- Experimental studies of loudness and annoyance response to sonic booms
p 370 N94-28195
- Subjective response to sonic booms having different shapes, rise times, and durations
p 417 N94-29464
- A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610
- LOUVERS**
- Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
- Solution of mixed convection heat transfer from isothermal in-line fins
p 276 N94-23644
- LOW ALTITUDE**
- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- Regulated drag area parachute
[AD-D015892] p 290 N94-25051
- Accurate estimation of object location in an image sequence using helicopter flight data
p 537 N94-35055
- Minimum performance standards: Airborne low-range radar altimeters
[RTCA-DO-155] p 537 N94-35344
- LOW ASPECT RATIO**
- Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- Program to develop a performance and heat load prediction system for multistage turbines
[NASA-CR-195223] p 332 N94-26588
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- LOW ASPECT RATIO WINGS**
- An experimental investigation of the optimum slat setting on a combat aircraft model
p 89 N94-18431
- Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds
[ESDU-93034] p 297 N94-27955
- LOW COST**
- L-band mobile terminal antennas for helicopters
p 273 N94-22835
- An x ray diffraction investigation of alpha-AI₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409
- LOW DENSITY MATERIALS**
- Environmental effects in titanium aluminides alloys
p 141 A94-10678
- LOW FREQUENCIES**
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- LOW NOISE**
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX9432133312] p 548 A94-60044
- Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451
- High resolution SQUID magnetometry for non-destructive evaluation
[AD-A268884] p 185 N94-18225
- NASA HSR phase 1 low noise nozzle technology program overview
p 478 N94-33463
- LOW PASS FILTERS**
- Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
- Third order LPF type compensator for flexible rotor suspension
p 554 N94-35863
- LOW REYNOLDS NUMBER**
- Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- Aerodynamic drag of droplets in turbulent flow fields
[ISBN-0-315-75827-9] p 457 N94-32491
- An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques
[NASA-CR-195302] p 458 N94-32926
- LOW SPEED**
- Quantitative low-speed wake surveys
[BTN-94-EIX94311329113] p 520 A94-60187
- Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling
p 421 N94-30865
- Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- LOW SPEED STABILITY**
- HSCT high lift system aerodynamic requirements
p 461 N94-33522
- LOW SPEED WIND TUNNELS**
- Future test facility requirements and the role of heavy gas
p 124 A94-10402
- A new low speed wind tunnel for acoustic measurements
p 124 A94-10407
- A semi-analytical method to correct for support effects on wind tunnel models
p 124 A94-10412
- Minimization of strut interference in a low speed wind tunnel by a new strut design concept
p 125 A94-10413
- A low speed wind-tunnel with extreme flow quality - Design and tests
p 128 A94-10445
- Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen
p 128 A94-10447
- Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade
p 72 A94-11392
- A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility
[AD-A267739] p 133 N94-14876
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual
[NASA-TM-106247] p 134 N94-15819
- Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft
p 238 N94-22604
- Installation of models in the 2 m x 3 m low speed wind tunnel
[LTR-LA-286] p 345 N94-27594
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352

- Cylinder drag experiment: An upgraded laboratory
[AD-A277841] p 464 N94-33835
- Three-dimensional force data acquisition and boundary
corrections for the Walter H. Beech Memorial 7 x 10 foot
low speed wind tunnel
[AR93-2] p 582 N94-36437
- LOW TEMPERATURE ENVIRONMENTS**
- Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
- LOW VISIBILITY**
- MMW technology for enhanced situation
awareness/enhanced vision systems
[SAE PAPER 921929] p 93 A94-11711
- Synthetic vision for enhancing poor visibility flight
operations
[BTN-94-EIX94331335531] p 557 A94-60212
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- Development and evaluation of a near infrared reflecting
and low visibility paint scheme for RAAF P-3C Orion
aircraft
[AD-A274881] p 326 N94-26864
- Extremely Low Visibility IFR Rotorcraft Approach
(ELVIRA) operational concept development. Volume 1:
Executive Summary
[AD-A278651] p 389 N94-30189
- Vision-based aircraft guidance
[NASA-CR-195937] p 488 N94-34264
- LOW WEIGHT**
- The NASA sponsored HSCT propulsion studies
p 479 N94-33476
- LUBRICANT TESTS**
- Liquid lubricants for advanced aircraft engines
p 142 A94-12653
- LUBRICANTS**
- Accelerated screening methods for predicting lubricant
performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
- Integrity testing of brush seal in a T-700 engine
p 235 N94-21792
- Navy GTE seal development activity
p 235 N94-21794
- LUBRICATING OILS**
- Liquid lubricants for advanced aircraft engines
p 142 A94-12653
- Synthetic lubricants and high-performance functional
fluids: Phosphazenes
[ARL-TR-45] p 149 N94-14126
- A colour image processing algorithm to identify
copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
- Status of developing a multifunctional aviation grease
[AD-A276755] p 443 N94-32184
- LUBRICATION**
- Influence of high rotational speeds on heat transfer and
oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- Accelerated screening methods for predicting lubricant
performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
- Navy GTE seal development activity
p 235 N94-21794
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
- LUBRICATION SYSTEMS**
- Liquid lubricants for advanced aircraft engines
p 142 A94-12653
- AGBT advanced counter-rotating gearbox detailed
design report
[NASA-CR-180883] p 166 N94-10400
- LUMINAIRES**
- Design of a multi-channel true flat fluorescent lamp for
avionics AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- An analysis of the maintenance performance
measurement system for LAMPS MK 3 helicopter
squadrons
[AD-A276421] p 419 N94-31332
- Evaluation for the development of taxiway lighting
intensity standards
[AD-A276706] p 440 N94-32120
- LUMINESCENCE**
- Design of a multi-channel true flat fluorescent lamp for
avionics AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- Image quality and the display modulation transfer
function: Experimental findings
[AD-A274061] p 342 N94-25773
- LUMINESCENCE**
- Application of luminescence quenching for pressure field
measurements on the model surface in a wind tunnel
p 154 A94-10408
- Flight testing of a luminescent surface pressure
sensor
[NASA-TM-103970] p 522 N94-35394

- LUMINOSITY**
- Design of a multi-channel true flat fluorescent lamp for
avionics AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- LUNAR LANDING**
- Load-limiting landing gear footpad energy absorption
system
p 491 N94-33323
- LUNAR ORBITS**
- Nasa Langley Research Center seventy-fifth anniversary
publications, 1992
[NASA-TM-109691] p 372 N94-27431
- LUNAR SPACECRAFT**
- Load-limiting landing gear footpad energy absorption
system
p 491 N94-33323
- LUNAR SURFACE**
- Load-limiting landing gear footpad energy absorption
system
p 491 N94-33323
- M**
- MACH NUMBER**
- A modernised HST of NLR — High Speed Tunnel
p 124 A94-10405
- The concept of the Kryo-Kanal-Koeln (KKK) -
Operational experience, test results of flow quality and
force measurements at AGARD-calibration model
p 126 A94-10421
- Design features of a low-disturbance supersonic wind
tunnel for transition research at low supersonic Mach
numbers
p 126 A94-10424
- Recent enhancements to the DRA shock tunnel
p 127 A94-10426
- Evolution of a turbulent boundary layer under the effect
of a shock wave followed by rarefaction waves
p 11 A94-10953
- Technology and staging effects on two-stage-to-orbit
systems
[BTN-94-EIX94311322891] p 520 A94-60205
- Incipient torsional stall flutter aerodynamic experiments
on three-dimensional wings
[BTN-94-EIX94341338362] p 522 A94-60354
- Unsteady blade pressures on a propfan: Predicted and
measured compressibility effects
[BTN-94-EIX94401358996] p 578 A94-61652
- Implementation of a full-envelope controller for a
high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- Numerical calculation of scramjet inlet flow
[NAL-TR-1174T] p 100 N94-10370
- Improved aeroprediction code. Part 1: Summary of new
methods and comparison with experiment
[AD-A266015] p 28 N94-12989
- A comparison of computational and experimental data
for a subscale high speed propulsive nozzle at low mach
numbers
[AD-A266543] p 32 N94-13705
- Flight-determined engine exhaust characteristics of an
F404 engine in an F-18 airplane
[NASA-TM-4538] p 104 N94-15141
- Numerical investigations in three-dimensional internal
flows
[NASA-CR-194594] p 180 N94-15551
- Wind tunnel investigation of three axisymmetric cowls
of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681
- Wind tunnel investigation with an operational turbojet
engine
[TABES PAPER 93-662] p 104 N94-16157
- Aerothermoelastic analysis of a NASP demonstrator
model
[NASA-TM-109007] p 87 N94-17055
- Error propagation equations and tables for estimating
the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- A comparative study of turbulence models in predicting
hypersonic inlet flows
p 50 N94-18553
- Acoustic intensity measurements in the presence of low
Mach number flow
[AD-A269995] p 208 N94-18664
- Evaluation of turbulence models in the PARC code for
transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Direct simulation of isothermal-wall supersonic channel
flow
p 252 N94-24164
- Effects of shock strength on shock turbulence
interaction
p 278 N94-24165
- An experimental investigation of a Mach 3.0 high-speed
civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- The radiated noise from isotropic turbulence revisited
[AD-A276712] p 280 N94-24356
- Experimental cavity pressure measurements at subsonic
and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464

- Validation of the ROTAC code for the rotor noise
prediction
[PB93-204311] p 287 N94-24514
- Development and implementation of a scramjet cycle
analysis code with a finite-rate-chemistry combustion
model for use on a personal computer
[AD-A273834] p 331 N94-25617
- Experimental and theoretical study of aerodynamic
characteristics of some lifting bodies at angles of attack
from -10 degrees to 53 degrees at Mach numbers from
2.30 to 4.62
[NASA-TM-4528] p 295 N94-26693
- The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587
- Normal force of low aspect ratio cropped-delta wings
at pre-stall angles of attack and subsonic speeds
[ESDU-93034] p 297 N94-27955
- Wing lift increment at zero angle of attack due to
deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140
- Analysis of fluctuating static pressure measurements in
a large high Reynolds number transonic cryogenic wind
tunnel
p 438 N94-30788
- Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- Hotwire measurements of the turbulent flow into a
cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- A new method for calculating wing along aerodynamics
to angle of attack 180 deg
[AD-A277965] p 460 N94-33263
- Sonic boom configuration minimization
p 472 N94-33473
- Status of an inlet configuration trade study for the
Douglas HSCT
p 473 N94-33506
- Subsonic aerodynamic characteristic of semispan
commercial transport model with wing-mounted advanced
ducted propeller operating in reverse thrust — conducted
in the Langley 14 by 22 foot subsonic wind tunnel
[NASA-TP-3427] p 601 N94-37505
- MACHINE LEARNING**
- Enhancing functionality of real time systems through
machine learning
[AIAA PAPER 93-4662] p 197 A94-11532
- Toward intelligent flight control
p 114 N94-11503
- Using discovery-based learning to prove the behavior
of an autonomous agent
[AD-A274131] p 368 N94-27121
- MAGNESIUM ALLOYS**
- Effect of coarse second phase particles on fatigue crack
propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag
alloy as a function of thermal exposure time and
temperature
[BTN-94-EIX94301320164] p 546 A94-60873
- Aircraft carrier exposure tests of cast magnesium
alloys
[AD-A268260] p 151 N94-17418
- MAGNETIC BEARINGS**
- Magnetic bearings - State of the art
p 162 A94-12657
- Development of passive superconducting bearings.
Phase 3
[AD-A266050] p 169 N94-10706
- Improvement of azimuthal homogeneity in
permanent-magnet bearing rotors
[DE93-009954] p 171 N94-11607
- Influence of backup bearings and support structure
dynamics on the behavior of rotors with active supports
[NASA-CR-196119] p 553 N94-35500
- Aerospace applications of magnetic bearings
p 554 N94-35837
- Design, construction, and testing of a five active axes
magnetic bearing system
p 554 N94-35846
- Modelling and control of a rotor supported by magnetic
bearings
p 554 N94-35858
- Third order LPF type compensator for flexible rotor
suspension
p 554 N94-35863
- Second International Symposium on Magnetic
Suspension Technology, part 2
[NASA-CP-3247-PT-2] p 546 N94-35902
- Integration of magnetic bearings in the design of
advanced gas turbine engines
p 554 N94-35903
- Electromechanical simulation and test of rotating
systems with magnetic bearing or piezoelectric actuator
active vibration control
p 555 N94-35905
- Planar rotational magnetic micromotors with integrated
shaft encoder and magnetic rotor levitation
p 555 N94-35907
- Rotor dynamic behaviour of a high-speed oil-free motor
compressor with a rigid coupling supported on four radial
magnetic bearings
p 555 N94-35911
- Magnetically suspended stepping motors for clean room
and vacuum environments
p 555 N94-35915

- Large angle magnetic suspension test fixture
[NASA-CR-196138] p 583 N94-37450
- MAGNETIC COMPASSES**
The application of magnetic variation - Past, present, future (?) p 63 A94-12556
- MAGNETIC COMPRESSION**
Compact lightweight CO₂ laser for SDIO application [AD-A273010] p 233 N94-21284
Use of magnetic compression to support turbine engine rotors p 444 N94-30484
- MAGNETIC CONTROL**
Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858
- MAGNETIC EFFECTS**
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations [AD-A278873] p 382 N94-29862
- MAGNETIC FIELDS**
Arterial heat pipe performance in a transient heat flux and body force environment [SAE PAPER 921944] p 157 A94-11983
Magnetic bearings - State of the art p 162 A94-12657
Magnetic power piston fluid compressor [NASA-CASE-GSC-13565-1] p 276 N94-23831
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations [AD-A278873] p 382 N94-29862
- MAGNETIC FILMS**
NRL review for 1993 [AD-A265666] p 211 N94-12334
- MAGNETIC LEVITATION VEHICLES**
Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways [ETN-94-95734] p 446 N94-31575
Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
Second International Symposium on Magnetic Suspension Technology, part 2 [NASA-CP-3247-PT-2] p 546 N94-35902
Future ultra-speed tube-flight p 555 N94-35918
- MAGNETIC MEASUREMENT**
High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225
Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
- MAGNETIC PERMEABILITY**
High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225
- MAGNETIC POLES**
The application of magnetic variation - Past, present, future (?) p 63 A94-12556
- MAGNETIC RESONANCE**
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations [AD-A278873] p 382 N94-29862
- MAGNETIC SUSPENSION**
Magnetic bearings - State of the art p 162 A94-12657
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system [NAL-TR-1164] p 120 N94-13347
Preliminary eddy current modelling for the large angle magnetic suspension test fixture [NASA-CR-194772] p 268 N94-23539
Neural control of magnetic suspension systems p 345 N94-27905
System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
Vibration Isolation Technology (VIT) ATD project [NASA-TM-106496] p 455 N94-33064
Aerospace applications of magnetic bearings p 554 N94-35837
The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
Second International Symposium on Magnetic Suspension Technology, part 2 [NASA-CP-3247-PT-2] p 546 N94-35902
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915
Future ultra-speed tube-flight p 555 N94-35918
- Large angle magnetic suspension test fixture [NASA-CR-196138] p 583 N94-37450
- MAGNETIC VARIATIONS**
The application of magnetic variation - Past, present, future (?) p 63 A94-12556
- MAGNETOHYDRODYNAMIC GENERATORS**
The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695
- MAGNETOHYDRODYNAMICS**
The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695
- MAGNETOMETERS**
High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225
- MAINTAINABILITY**
EH101 - The optimum naval helicopter p 75 A94-12080
Techniques in the design of aircraft for maintainability p 2 A94-12614
- MAINTENANCE**
Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434
Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
The maintenance of operational flight program [AD-A276363] p 419 N94-31367
Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions [AD-A277918] p 477 N94-33283
- MAN MACHINE SYSTEMS**
The TIGER cockpit and its simulator p 77 A94-12232
Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter p 109 A94-12233
Cognitive engineering in aerospace application: Pilot interaction with cockpit automation [NASA-CR-177617] p 55 N94-13247
Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307
Future developments of the NLR research flight simulator [NLR-TP-92143-U] p 132 N94-13498
Intervention strategies for the management of human error [NASA-CR-4547] p 220 N94-22373
Engineering of systems for application of scientific computing in industry p 415 N94-28947
Cognitive approach to specifications on air traffic controllers' decision assistance systems p 386 N94-29571
On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
Effects of checklist interface on non-verbal crew communications [NASA-CR-177639] p 528 N94-34915
- MANAGEMENT ANALYSIS**
An evaluation of aircraft maintenance performance factors in the objective wing [AD-A276010] p 419 N94-31362
- MANAGEMENT INFORMATION SYSTEMS**
Denver TMA assessment [NASA-CR-4554] p 59 N94-18844
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft [AD-A271322] p 211 N94-19571
A comparison Air Force data systems - Comments on IDA Paper P-2863 [AD-A270662] p 211 N94-19780
Aviation system safety risk management tool analysis. Volume 2: Appendices [AD-A273502] p 305 N94-24864
Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1 [AD-A276144] p 419 N94-31830
Modular Simulator System (MSS). Executive report [AD-A276966] p 440 N94-32241
- MANAGEMENT METHODS**
Control strategies for space boosters using air collection systems [BTN-94-EIX94311330685] p 543 A94-60106
Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF) [NASA-TM-106357] p 58 N94-16520
Early manufacturing considerations in design p 259 N94-24315
- MANAGEMENT PLANNING**
Testing and management of flight instruments and their data [NASA-CR-194332] p 96 N94-15187
- Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727
Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
National facilities study. Volume 5: Space research and development facilities task group [NASA-TM-109859] p 542 N94-34637
The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262
Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan [NASA-CR-189362] p 596 N94-36919
- MANAGEMENT SYSTEMS**
Load management p 156 A94-11374
The J85 cost/benefit engine study [AD-A269280] p 105 N94-18333
An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
Object oriented design of the autonomous fixtating management system p 383 N94-29323
DLR's ATM demonstration programme p 386 N94-29575
ARC2000: Automatic radar control p 388 N94-29583
Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727
Model borne data management system for wind tunnel testing, phase 2 [AD-A276296] p 438 N94-31295
- MANEUVERABILITY**
Overview of high performance aircraft propulsion research [SAE PAPER 921983] p 99 A94-12001
Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
Contribution to performance assessment of helicopter rotor speed control by numerical optimization p 109 A94-12113
Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
Comparing aircraft agility using mahalnobis distances [PB93-175446] p 82 N94-11464
Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
An investigation of fighter aircraft agility [NASA-CR-194608] p 91 N94-19448
Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics [NASA-CR-195228] p 324 N94-26235
Exploring QDES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
Engine characteristics for agile aircraft p 538 N94-34608
Aerodynamic design of super maneuverable aircraft p 533 N94-34617
Application of current departure resistance criteria to the post-stall manoeuvring envelope p 533 N94-34622
Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
Operational agility: An overview of AGARD Working Group 19 p 534 N94-34625
Operational agility assessment with the AM-X aircraft p 534 N94-34626
The influence of flying qualities on operational agility p 534 N94-34628
An agility metric structure for operational agility p 534 N94-34629
Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E p 541 N94-34630
Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- MANIPULATORS**
Mechanical analysis of parallel manipulators with simulation, design, and control applications [ISBN-0-315-72013-1] p 170 N94-11156
Development of a prototype kinesthetic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905
Design and construction of the Aerobot Robotic Manipulator (ARM) [AD-A275362] p 409 N94-28894

- Six-degree-of-freedom parallel minimanipulator with three inextensible limbs
[NASA-CASE-GSC-13485-1] p 413 N94-29726
Development of a robotic simulator for studying interference and contact problems
[ISBN-0-315-86705-1] p 439 N94-31747

MANNED SPACE FLIGHT

- PILOT - An intelligent distributed system manager
[AIAA PAPER 93-4474] p 195 A94-11411
Future of aerospace
[PB94-120185] p 326 N94-26906
Load-limiting landing gear footpad energy absorption system
p 491 N94-33323
Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899

MANUAL CONTROL

- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target
[FFA-TN-1992-18] p 133 N94-13588

MANUALS

- A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility
[AD-A267739] p 133 N94-14876
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176
Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401

MANUFACTURING

- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313
Early manufacturing considerations in design
p 259 N94-24315
Applications of CFD codes and supercomputers to aircraft design activities
p 259 N94-24316
Frameworks for integrated airframe design
p 259 N94-24318

- The Blue Emu
[NASA-CR-195535] p 317 N94-24817
Study on utilization of super clean, high vacuum space
p 342 N94-25586

- Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978

- Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860

- Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863

- Second NASA Advanced Composites Technology Conference
[NASA-CR-3154] p 493 N94-33121

- Optimisation of composite aircraft structures by direct manufacturing approaches
p 574 N94-36327
Manufacture and properties of sigma fibre reinforced titanium
p 585 N94-36655

- The control of cleanliness in powder metallurgy materials for turbine disks
p 586 N94-37325
Maintaining constant standards during the forging process
p 586 N94-37326

MAPPING

- Error analysis of real time and post processed or bit determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238

- Perception for outdoor navigation
[AD-A266867] p 68 N94-14919

MAPS

- Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453

MARINE ENVIRONMENTS

- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246

MARINE METEOROLOGY

- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246

MARINE PROPULSION

- Increased use of gas turbines as commercial marine engines
[BTN-94-EIX94311331080] p 588 A94-61098
Mashproekt scientific and production association: A designer of gas turbines for marine and industrial applications
[BTN-94-EIX94311331079] p 588 A94-61099
Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
Experimental and computational studies on propeller noise due to inflow distortion
p 452 N94-31846

MARITIME SATELLITES

- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels
[AD-A278143] p 499 N94-33160

MARKET RESEARCH

- Powerful selling and sales strategy
p 311 N94-28245
NASA Annual HSR Workshop: Boeing HSCST program summary
p 471 N94-33449
Update on Douglas' high-speed civil transport studies
p 471 N94-33450

MARKETING

- Coping with the defense cutback
[BTN-94-EIX94401216109] p 563 A94-61788
Powerful selling and sales strategy
p 311 N94-28245
World jet airplane inventory at year-end 1993
[PB94-164993] p 569 N94-36530

MARKOV CHAINS

- On analyzing the effect of near-coincident faults on flight control computers
[AIAA PAPER 93-4575] p 196 A94-11481
Control algorithms for effective operation of variable-speed wind turbines
[DE94-002607] p 282 N94-23704

MASERS

- Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations
p 232 N94-20427

MASKING

- Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise
p 286 N94-24214

MASS DISTRIBUTION

- Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code
[AD-A267000] p 181 N94-15632

MASS FLOW

- An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust
p 127 A94-10440

- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
System and method for cancelling expansion waves in a wave rotor
p 232 N94-20588

- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts
[NASA-TM-106434] p 265 N94-24082

- Ethylene trace-gas techniques for high-speed flows
[NASA-TM-106491] p 253 N94-24335

MASS FLOW RATE

- Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX9432133316] p 520 A94-60267

- Simplified, inverse, ejector design tool
[NASA-CR-194438] p 248 N94-23511

- Ethylene trace-gas techniques for high-speed flows
[NASA-TM-106491] p 253 N94-24335

- Control of hypersonic aerodynamic forces with surface blowing
p 422 N94-31216

MASS TRANSFER

- Heat and mass transfer in the structural elements of aircraft engines
p 164 A94-12825
Research on chemical vapor deposition processes for advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089

- Computational study of simultaneous heat and mass transfer in turbulent separated flows
p 447 N94-31843

MASSIVELY PARALLEL PROCESSORS

- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204

- Turbulence modeling of free shear layers for high performance aircraft
[NASA-CR-196137] p 594 N94-36808

MATCHED FILTERS

- Further studies using matched filter theory and stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587
A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378

MATERIALS

- Development of the gas turbine. Part 1: Design philosophy and performance
p 362 N94-28080

MATERIALS SCIENCE

- JPRS Report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523

MATERIALS TESTS

- Acoustic emission measurements of aerospace materials and structures
p 162 A94-12665
Materials characterization by ultrasonic methods
p 162 A94-12666

- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems
p 143 N94-10769

- Flight service evaluation of composite components on the Bell helicopter model 206L
[NASA-CR-191499] p 148 N94-13267

- On the deformation kinetics constitutive law of plastic deformation: The rate equation
p 280 N94-24289

MATHEMATICAL MODELS

- Modelling of the hot-working of high performance alloys
p 141 A94-10670
Modeling the dynamics of a high-velocity rotating elastic flight vehicle
p 138 A94-12883

- Axial compressor performance during surge
[BTN-94-EIX94321333308] p 548 A94-60040
New two-temperature dissociation model for reacting flows
p 560 A94-60430

- Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox
[BTN-94-EIX94311331047] p 586 A94-61050

- Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106

- Fault diagnosis in gas turbines using a model-based technique
[BTN-94-EIX94311331071] p 589 A94-61107

- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses
[BTN-94-EIX94401358993] p 572 A94-61649

- Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672

- Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675

- Adaptive model architecture and extended Kalman-Bucy filters
[BTN-94-EIX94401377806] p 592 A94-61767

- Equivalent plate structural modeling for wing shape optimization including transverse shear
[BTN-94-EIX94421374979] p 564 A94-61877

- Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94331337183] p 606 A94-62186

- Applications of a model to predict flame spread over interior finish materials in a compartment
p 144 N94-10783

- Practical hazard assessment: An approach to the fire safety
p 145 N94-10785

- Developments needed to expand the role of fire modeling in material fire hazard assessment
p 145 N94-10787

- Blading models for TURBAN and CSPAN turbomachine design codes
[NASA-CR-191164] p 26 N94-11203

- A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255

- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances
p 113 N94-11492

- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis
p 114 N94-11499

- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign
p 190 N94-11711

- The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888

- A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- A model for rotorcraft flying qualities studies
p 118 N94-13308
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities
p 118 N94-13311
- An analytic modeling and system identification study of rotor/fuselage dynamics at hover
p 118 N94-13312
- Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436
- Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2
[NASA-CR-191189] p 103 N94-14448
- Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951
- Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959
- Predicted and real development in the aviation in the period 1961-1991
p 4 N94-15122
- Rotary engine performance computer program (RCEMAP and RCEMAPPC): User's guide
[NASA-CR-191192] p 104 N94-15192
- On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates
[NASA-CR-191546] p 207 N94-15487
- Aerodynamic/dynamic/control interaction
[AD-A266187] p 122 N94-16107
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- Modeling and new equipment definition for the vibration isolation box equipment system
[NASA-CR-193185] p 184 N94-17763
- Non-linear flight dynamics
p 88 N94-18240
- Design for cyclic loading endurance of composites
[NASA-TM-106407] p 187 N94-19351
- Numerical prediction of transition of the F-16 wing at supersonic speeds
[NASA-CR-194407] p 51 N94-19433
- Impact analysis of composite aircraft structures
p 187 N94-19468
- Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology
p 188 N94-19469
- Explicit solution techniques for impact with contact constraints
p 188 N94-19470
- Survey of lift-fan aerodynamic technology
[NASA-CR-177615] p 224 N94-21592
- Modeling bristle lift-off in idealized brush seal configurations
p 236 N94-21797
- Preliminary eddy current modelling for the large angle magnetic suspension test fixture
[NASA-CR-194772] p 268 N94-23539
- An analytic study of a two-phase laminar airfoil in simulated heavy rain
p 250 N94-23661
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI
p 279 N94-24249
- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure
p 258 N94-24261
- Aerodynamic models for performance calculations of modern technology propellers
p 252 N94-24285
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY
p 260 N94-24320
- Trends of design methodology of airframe
p 261 N94-24327
- Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026
- Parametric uncertainty modeling for application to robust control
p 336 N94-25103
- A study of roll attractor and wing rock of delta wings at high angles of attack
p 337 N94-25111
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- Development of hypersonic engine seals: Flow effects of preload and engine pressures
[NASA-TM-106333] p 357 N94-27599
- Numerical simulation of a powered-lift landing
p 328 N94-28033
- Gas Turbine Engine Transient Behaviour
[VKI-LS-1993-06] p 360 N94-28043
- Transient model applications. 2: Compressor stall modeling methods
p 361 N94-28049
- Engine simulation technology
p 361 N94-28051
- Nonequilibrium radiation and chemistry models for aerospace vehicle flowfields
[NASA-CR-195706] p 299 N94-28071
- An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients
[NASA-CR-195705] p 299 N94-28072
- Interaction of the sonic boom with atmospheric turbulence
p 301 N94-28191
- The propagation of spark-produced N waves through turbulence
p 301 N94-28193
- Flowfield prediction of NO(x) and smoke production in aircraft engines
p 404 N94-29252
- Numerical modelling of turbine combustion chambers
p 396 N94-29254
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor
p 399 N94-29300
- Models for vibration-dissociation coupling in high-temperature gases
p 413 N94-29675
- An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826
- Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683
- A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930
- Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models
[NASA-TM-109120] p 487 N94-32951
- Designer's unified cost model
p 493 N94-33122
- Similarity in separated flow fields producing large-scale vortices
p 460 N94-33382
- Stratospheric models and measurements: A critical comparison
p 506 N94-33457
- Experimental and analytical study on fluid whirl and fluid whip modes
p 503 N94-34191
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model
p 489 N94-34337
- An assessment of fatigue crack growth prediction models for aerospace structures
p 551 N94-34586
- Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-196119] p 553 N94-35500
- Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes
[AD-A280998] p 528 N94-35994
- Analysis of high speed flow, thermal and structural interactions
[NASA-CR-196017] p 593 N94-36420
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993
[JPRS-UAC-94-004] p 583 N94-37000
- Predicting defect behaviour
p 596 N94-37331
- Dynamics of a split torque helicopter transmission
[NASA-TM-106410] p 596 N94-37457
- MATHEMATICAL PROGRAMMING**
- Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006
- MATRICES (MATHEMATICS)**
- Modeling and control of a rotor supported by magnetic bearings
p 554 N94-35858
- MATRIX MATERIALS**
- Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
- Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- MAXIMUM LIKELIHOOD ESTIMATES**
- Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- X-31 aerodynamic characteristics determined from flight data
p 320 N94-25109
- MCDONNELL AIRCRAFT**
- Numerical flow simulation for complete vehicle configurations
[AD-A273588] p 290 N94-24849
- MCDONNELL DOUGLAS AIRCRAFT**
- MD-11 in-flight thrust reverser simulation
p 72 A94-11358
- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993
[PB93-910408] p 254 N94-23579
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992
[PB94-910403] p 467 N94-32938
- MD 11 AIRCRAFT**
- MD-11 in-flight thrust reverser simulation
p 72 A94-11358
- Aircraft incident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992
[PB94-910403] p 467 N94-32938
- MEASURING INSTRUMENTS**
- Recommendations for future research in hypersonic instrumentation
p 20 N94-10433
- Pressure and force measurements on models set in hypersonic flows: A review
p 20 N94-10435
- Overview of the 1989 Wind Tunnel Calibration Workshop
[NASA-TP-3393] p 131 N94-11869
- Perspective on the National Aero-Space Plane Program instrumentation development
[NASA-TM-4505] p 95 N94-13256
- The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
- Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 N94-16157
- Recent developments in fast response aerodynamic probe technology
p 186 N94-18645
- User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176
- Continuous measurement of aircraft wing icing
p 467 N94-32454
- Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter
[AD-A277533] p 474 N94-34080
- MECHANICAL DEVICES**
- Preload release mechanism
[NASA-CASE-MS-22327-1] p 594 N94-36839
- MECHANICAL DRIVES**
- Electric drives on the LV100 gas turbine engine
[BTN-94-EIX94311331077] p 588 A94-61101
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 N94-20014
- MECHANICAL MEASUREMENT**
- Materials characterization by ultrasonic methods
p 162 A94-12666
- MECHANICAL PROPERTIES**
- Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics
[SAE PAPER 922012] p 73 A94-12016
- AerMet 100 Alloy for landing gear applications - A summary of forging studies
[SAE PAPER 922041] p 142 A94-12031
- Experience in fabricating polymeric composite rotor blades
p 2 A94-12114
- Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature
[BTN-94-EIX94301320164] p 546 A94-60873
- Primaset (tm): A safer material for aircraft interior applications
p 54 A94-10772
- Fire resistance and mechanical properties for phenolic preregs
p 145 N94-10786
- Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436
- Metals 2000
[DE93-016761] p 151 N94-17752
- New aircraft materials and structures
[MBB-LME-202-S-PUB-502-A] p 91 N94-19496

- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649
- Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655

MEDICAL PERSONNEL

- Technical evaluation of the UH-60C: Aircraft in typical aeromedical evacuation missions
[AD-A276944] p 437 N94-32217

MEDICAL SERVICES

- Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
- Technical evaluation of the UH-60C: Aircraft in typical aeromedical evacuation missions
[AD-A276944] p 437 N94-32217

MELTING

- Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602
- Alternate melting and refining routes p 585 N94-37323
- Process enhancements of superalloy material p 585 N94-37324

MELTING POINTS

- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223
- Microspheres for laser velocimetry in high temperature wind tunnel p 345 N94-27903

MELTS (CRYSTAL GROWTH)

- Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598

MEMBRANE STRUCTURES

- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183

MEMORY

- Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197

MENTAL PERFORMANCE

- The influence of ATC message length and timing on pilot communication
[NASA-CR-177621] p 57 N94-14744

MESOSCALE PHENOMENA

- Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302

MESSAGE PROCESSING

- The influence of ATC message length and timing on pilot communication
[NASA-CR-177621] p 57 N94-14744
- Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- Analysis of the effect of routing strategies for parallel implementations of a selected avionics application
[AD-A276069] p 434 N94-31458

MESSAGES

- The influence of ATC message length and timing on pilot communication
[NASA-CR-177621] p 57 N94-14744

METAL COATINGS

- JPRS report: Science and technology. Central Eurasia: Materials science
[JPRS-UMS-93-006] p 149 N94-14573

METAL FATIGUE

- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- Fatigue life program using strain-life methods
[AD-A267310] p 182 N94-16943
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-26830
- Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091

- The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900

- Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914
- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675
- Thermal-mechanical fatigue crack growth in aircraft engine materials
[ISBN-0-315-86543-1] p 447 N94-31707
- Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592
- The role of fatigue analysis for design of military aircraft p 531 N94-34594
- An overview of the F-16 service life approach p 532 N94-34599

METAL FIBERS

- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201

METAL FOILS

- Foil bearing research at Penn State p 274 N94-23058

METAL JOINTS

- Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091
- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance
[REPT-932-600-104] p 412 N94-29474

METAL MATRIX COMPOSITES

- Powder metallurgy of advanced titanium alloys p 141 A94-10660
- Damage assessment in MMC composites using thermoelastic techniques p 142 A94-12993
- NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 N94-13138
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- Metals 2000
[DE93-016761] p 151 N94-17752
- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials
[PB94-126471] p 326 N94-26969
- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- Characterisation of Fibre Reinforced Titanium Matrix Composites
[AGARD-R-796] p 585 N94-36649
- Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- SCS-6 (tm) fiber reinforced titanium p 585 N94-36652
- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655

METAL POWDER

- Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978
- Substantiating powder metal life methodologies for engines p 595 N94-37330

METAL SHEETS

- Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590

METAL SHELLS

- Foil bearing research at Penn State p 274 N94-23058

METAL SURFACES

- Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
[AD-A273666] p 349 N94-25406

METALS

- Metals 2000
[DE93-016761] p 151 N94-17752

METEOROLOGICAL PARAMETERS

- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851
- Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283

- Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
- Some results gained from JAPE: An overview p 286 N94-24209
- The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655
- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498

METEOROLOGICAL RADAR

- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- Signal processing aspects of windshear detection p 190 A94-12361
- Impact of shutting down en route primary radars within CONUS interior p 67 N94-11626
- The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison
[REPT-93W0000145] p 180 N94-15439
- Description and availability of airborne Doppler radar data p 231 N94-20419
- Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E) p 240 N94-21519
- Observations of multi-layered clouds using K-band radar p 242 N94-22311
- ASR-9 microburst detection algorithm p 364 N94-24850
- Machine intelligent gust front algorithm
[AD-A273695] p 343 N94-26196
- Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- Encoding approaches for data link transmission of weather graphics
[AD-A274497] p 355 N94-26963
- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807

METEOROLOGICAL SATELLITES

- Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299

METEOROLOGICAL SERVICES

- Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
- Organized track system: Air ways above the ocean p 193 N94-19702
- Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E) p 240 N94-21519
- Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871] p 556 N94-35596
- Data requirements for ceiling and visibility products development
[AD-A278959] p 556 N94-35720

METEOROLOGY

- Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450] p 68 N94-13703
- Surface roughness lengths
[AD-A274550] p 365 N94-26846

METHOD OF CHARACTERISTICS

- Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3
[NASA-CR-194359] p 131 N94-12824
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- Cylinder drag experiment: An upgraded laboratory
[AD-A277841] p 464 N94-33835

METHOD OF MOMENTS

- Hybrid techniques for complex aerospace electromagnetics problems p 358 N94-27894

METHYL COMPOUNDS

- Effects of plastic media blasting on aircraft skin
[AD-A274817] p 325 N94-26488

MICROBALANCES

- A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275

MICROBURSTS (METEOROLOGY)

- Optimal recovery from microburst wind shear
p 107 A94-10803
- Case study of a low-reflectivity pulsating microburst - Numerical simulation of the Denver, 8 July 1989, storm
p 189 A94-10875
- Optimal lateral escape maneuvers for microburst encounters during final approach
[LR-691] p 56 N94-13534
- Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283
- The relationship of an integral wind shear hazard to aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593
- A data fusion algorithm for multi-sensor microburst hazard assessment
p 307 N94-27287
- Investigation of air transportation technology at Princeton University, 1992-1993
p 307 N94-27294
- Optimal nonlinear estimation for aircraft flight control in wind shear
p 307 N94-27296
- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807

MICROCHANNEL PLATES

- Testing and management of flight instruments and their data
[NASA-CR-194332] p 96 N94-15187

MICROCLIMATOLOGY

- Cold-start minidiesel engine development
[AD-A271064] p 232 N94-20567

MICROCOMPUTERS

- Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056

MICROCRYSTALS

- Materials processing apparatus development for fluoride glass
[NASA-CR-193963] p 498 N94-34388

MICROELECTRONICS

- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements
p 154 A94-10430

MICROGRAVITY

- Holographic interferometry and moiré deflectometry for visualization and analysis of low-gravity experiments on laser materials processing
p 155 A94-11090
- Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane
p 157 A94-11602
- Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane
p 157 A94-11603
- Parabolic flight by MU-300
p 1 A94-11624
- The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft
p 182 N94-16078
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- The second giant leap
[NASA-TM-109827] p 514 N94-33581

MICROGRAVITY APPLICATIONS

- Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft
p 182 N94-16078
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- Materials processing apparatus development for fluoride glass
[NASA-CR-193963] p 498 N94-34388

MICROMECHANICS

- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation
p 555 N94-35907

MICROMOTORS

- Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821
- Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation
p 555 N94-35907

MICROPARTICLES

- Microspheres for laser velocimetry in high temperature wind tunnel
p 345 N94-27903
- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170

MICROPHONES

- Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664

MICROPROCESSORS

- Embedded computer systems: Status of C-17 software
[AD-A267307] p 201 N94-16993
- Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
- Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
- On ground system integration and testing: A modern approach
p 394 N94-29334

MICROSTRIP ANTENNAS

- Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
- Microwave sensor for ice detection
p 475 N94-32457

MICROSTRUCTURE

- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
- Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914

MICROWAVE ANTENNAS

- SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902

MICROWAVE EQUIPMENT

- Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan
[NASA-CR-189362] p 596 N94-36919

MICROWAVE HOLOGRAPHY

- Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575

MICROWAVE IMAGERY

- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 N94-36812

MICROWAVE LANDING SYSTEMS

- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- MLS signal-in-space category 3 landing hazard analysis
p 221 N94-22134
- Application of scattering by arrays of cylinders to MLS signal propagation error estimation
p 221 N94-22135
- Testing of DME/P equipment performance for complex MLS procedures
p 221 N94-22136
- MLS pointing angle error sources and effects
p 222 N94-22154
- Developing software to RTCA DO-178A
p 222 N94-22155
- A flight test system design for the microwave landing system
p 222 N94-22156
- Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275
- Ground independent landing system
p 385 N94-29564
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915

- An analysis of operational suitability for test and evaluation of highly reliable systems
[AD-A278573] p 530 N94-36184

- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 N94-36812

MICROWAVE RADIOMETERS

- Feasibility of detecting aircraft wake vortices using passive microwave radiometers
[NASA-CR-191553] p 275 N94-23498
- Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890

MICROWAVE SCATTERING

- Application of scattering by arrays of cylinders to MLS signal propagation error estimation
p 221 N94-22135

MICROWAVE SENSORS

- Microwave sensor for ice detection
p 475 N94-32457

MICROWAVE SOUNDING

- Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan
[NASA-CR-189362] p 596 N94-36919

MICROWAVES

- Infrared imaging of microwave sources
p 160 A94-12422

MIDAIR COLLISIONS

- National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989
[PB93-160687] p 58 N94-16464
- Aircraft accident report: Midair collision, Mitsubishi MU-2B-60, N74FB, and PIPER PA-32-301, N82419, Greenwood Municipal Airport, Greenwood, Indiana, 11 September 1992
[PB93-910406] p 59 N94-19352
- Annual review of aircraft accident data: US general aviation calendar year 1991
[PB94-127982] p 528 N94-34991

MILITARY AIR FACILITIES

- The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245

MILITARY AIRCRAFT

- Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft
p 208 A94-10111
- SOXO Air SIG S7 ILS, from early development to an enduring world standard
p 61 A94-12119
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters
[AD-A268002] p 87 N94-17472
- Naval aviation: Consider all alternatives before proceeding with the F/A-18E/F
[AD-A269302] p 4 N94-18279
- JPRS report: Central Eurasia: Aviation and cosmonautics, no. 12, December 1992
[JPRS-UAC-93-006] p 212 N94-19148
- JPRS report: Central Eurasia: Aviation and cosmonautics, no. 11, November 1992
[JPRS-UAC-93-005] p 212 N94-19208
- Audit report: Navy's aircraft structural life surveillance program data recorders
[AD-A270391] p 92 N94-20040
- A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet
[AD-A274012] p 371 N94-25796
- Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062
- A comparison of military and commercial aircraft development
[AD-A276830] p 427 N94-32168
- Aircraft battle damage repair for the 1990's and beyond
[AD-A278635] p 576 N94-36465
- MILITARY AVIATION**
- Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters
[AD-A268002] p 87 N94-17472

MILITARY HELICOPTERS

- Gyroscopic test for the T800-LHT-800 turboshaft engine
[SAE PAPER 921955] p 98 A94-11992
- Development of the BK 117 C-1 with Ariel 1-E engines p 75 A94-12078
- EH101 - The optimum naval helicopter p 75 A94-12080
- Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088
- Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- Bird strike hazards to helicopters p 54 A94-12116
- The night vision capability of the Tiger helicopter p 93 A94-12227
- Helicopter radio communication - General trend p 62 A94-12228
- On the track of the Tiger - The navigation system for the Tiger missions p 62 A94-12230
- The TIGER cockpit and its simulator p 77 A94-12232
- The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's' p 130 A94-12234
- Artificial neural networks for predicting nonlinear dynamic helicopter loads
[BTN-94-EIX94301315989] p 515 A94-60025
- Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 A94-13295
- MIL-H-8501B: Application to shipboard terminal operations p 116 A94-13296
- Some lessons learned in three years with ADS-33C — rotorcraft handling qualities specification p 116 A94-13299
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 A94-13300
- Improvements in hover display dynamics for a combat helicopter p 118 A94-13310
- Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 A94-13321
- Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 A94-13322
- An analysis of helicopter attrition using a low level combat simulation
[DSIS-93-00282] p 84 A94-13839
- HELSCAM V2.0: Development and application guide
[DSIS-93-00137] p 84 A94-13867
- Research and design activities and the economic balance of MBB
[ETN-93-94909] p 5 A94-19383
- Evaluation of the UH-1N instrument panel
[AD-A273145] p 263 A94-24774
- Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 A94-25026
- An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons
[AD-A276421] p 419 A94-31332
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 A94-32363
- Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 A94-34624
- Planning German Army helicopter maintenance and mission assignment
[AD-A280483] p 564 A94-37352
- MILITARY OPERATIONS**
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 A94-15506
- A comparison of air force data systems
[AD-A269691] p 210 A94-18575
- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND
[DSIS-93-00343] p 508 A94-33335
- Future tanker considerations and requirements p 575 A94-36342
- MILITARY TECHNOLOGY**
- Maritime applications and helicopter technology p 2 A94-12045
- GPS in the Gulf War p 65 A94-12574
- Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
- Working group activities of AGARD propulsion and energetics panel
[BTN-94-EIX94311331062] p 589 A94-61116
- Coping with the defense cutback
[BTN-94-EIX94401216109] p 563 A94-61788

- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- Expectations for the future of military aviation p 4 A94-15128
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970
[DLR-MITT-92-08] p 244 A94-20543
- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics technology. Volume 2: Avionics systems engineering
[AD-A273630] p 263 A94-24733
- Information systems strategy in air transport
[AD-A273125] p 256 A94-24781
- A disciplined approach to software test and evaluation p 416 A94-29339
- MILLIMETER WAVES**
- MMW technology for enhanced situation awareness/enhanced vision systems
[SAE PAPER 921929] p 93 A94-11711
- Synthetic vision technology demonstration. Volume 1: Executive summary p 475 A94-33076
- Synthetic vision technology demonstration. Volume 2: Sensor round testing
[DOT/FAA/RD-93/40-VOL-2] p 476 A94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 A94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices
[AD-A281052] p 476 A94-33079
- MIMD (COMPUTERS)**
- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 A94-13204
- MIMO (CONTROL SYSTEMS)**
- Flight-determined multivariable stability analysis and comparison of a control system p 107 A94-10805
- Utilizing quantitative feedback theory design technique for flight control system p 114 A94-11501
- Control system design for flexible structures using data models p 121 A94-14646
- Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 A94-20042
- Flight controller design using mixed H₂/H_∞ infinity optimization with a singular H_∞ constraint
[AD-A273831] p 338 A94-25525
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory
[AD-A274057] p 338 A94-25771
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory
[AD-A274118] p 324 A94-25905
- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 A94-26493
- Antiwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 A94-32075
- Mixed H₂/H_∞ optimization with multiple H_∞ constraints
[AD-A280572] p 581 A94-36733
- MINIMUM DRAG**
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 A94-24106
- Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 A94-28092
- MINORITIES**
- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide
[AD-A264947] p 209 A94-11288
- MISS DISTANCE**
- Capture region for true proportional navigation guidance with nonzero miss-distance
[BTN-94-EIX94401358176] p 570 A94-61682
- MISSILE CONFIGURATIONS**
- Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 A94-23545
- User's guide for an interactive personal computer interface for the aeroprediction code
[NSWCDD/TR-94/107] p 559 A94-35958
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 A94-36729
- MISSILE CONTROL**
- Gain scheduling for H_∞ controllers - A flight control example p 106 A94-10281

- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679
- Capture region for true proportional navigation guidance with nonzero miss-distance
[BTN-94-EIX94401358176] p 570 A94-61682
- Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 A94-16157
- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 A94-28030
- MISSILE DESIGN**
- An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 A94-29473
- MISSILE RANGES**
- Joint Acoustic Propagation Experiment (JAPE-91) Workshop
[NASA-CP-3231] p 285 A94-24207
- MISSILE STRUCTURES**
- Metals 2000
[DE93-016761] p 151 A94-17752
- MISSILE SYSTEMS**
- Wind-tunnel evaluation of mid-airframe installed turbojet engines p 71 A94-10859
- MISSILE VIBRATION**
- Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 A94-31677
- MISSILES**
- Determination of slender body aerodynamics using discrete vortex methods
[BTN-94-EIX94311330679] p 543 A94-60112
- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679
- Electromagnetic wave test p 177 A94-14173
- The effect of the nose shape and wing location toward the wing vortex breakdown p 37 A94-14942
- Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 A94-16157
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows p 50 A94-18571
- Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 A94-18760
- Aerospace: Facts and figures, 1992-1993 p 215 A94-21419
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 A94-28899
- Compact diffusers for small transonic compressors p 485 A94-34449
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 A94-36729
- MISSION ADAPTIVE WINGS**
- Mission adaptive wing
[NASA-TM-109448] p 85 A94-15321
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 A94-24295
- MISSION PLANNING**
- Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane p 138 A94-10423
- AIRSAF South American deployment: Operation plan, version 3.0 p 201 A94-15919
- Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 A94-25200
- A capacity planning model for Canadian military airlift requests
[ISBN 0-315-86079-0] p 382 A94-30144
- Planning German Army helicopter maintenance and mission assignment
[AD-A280483] p 564 A94-37352
- MIXING**
- Ethylene trace-gas techniques for high-speed flows
[NASA-TM-106491] p 253 A94-24335
- MIXING LAYERS (FLUIDS)**
- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack p 12 A94-10954
- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer
[ONERA-NT-1992-11] p 149 A94-14194

- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257
- A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
- Numerical simulation of non-Newtonian free shear flows
p 278 N94-24160
- Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 N94-33966
- MIXING LENGTH FLOW THEORY**
On memory effects in turbulence
[DLR-FB-93-03] p 184 N94-18124
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer
[AD-A273834] p 331 N94-25617
- Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131
- MIXING RATIOS**
Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592
- MOBILE COMMUNICATION SYSTEMS**
ATM and FIS data link services
[BTN-94-EIX94331335533] p 530 A94-60214
- Mobile terminal antennas for helicopters
p 232 N94-20458
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- The FAA satellite communications program
p 272 N94-22772
- Canadian aeronautical mobile data trials
p 272 N94-22773
- Cockpit weather graphics using mobile satellite communications
p 273 N94-22775
- L-band mobile terminal antennas for helicopters
p 273 N94-22835
- Communications networks in stressed environments
[AD-A275967] p 446 N94-31384
- MODAL RESPONSE**
Transient response of accelerating rotor systems
p 162 A94-12544
- MODEL REFERENCE ADAPTIVE CONTROL**
System observer techniques in robust control systems design synthesis
p 198 A94-12764
- MODELS**
An experimental investigation of the effect of upper surface blowing on dynamic stall
[NASA-CR-194863] p 247 N94-22894
- MODES (STANDING WAVES)**
Experiments on the aerodynamic generation of noise in centrifugal turbomachinery
p 451 N94-30804
- MODULARITY**
Avionics for new generation helicopters
p 94 A94-12229
- Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 N94-32394
- MODULATION TRANSFER FUNCTION**
Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- MODULES**
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313
- MODULUS OF ELASTICITY**
FR/GE/UK/US International Test Operations Procedure (ITOP) 1-1-050 development of laboratory vibration test schedules
[AD-A273887] p 352 N94-25732
- MOIRE FRINGES**
Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing
p 155 A94-11090
- MOISTURE CONTENT**
Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne
p 126 A94-10422
- Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel
[NASA-TM-106471] p 248 N94-23299
- Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- MOLDING MATERIALS**
Improved ceramic slip casting technique — application to aircraft model fabrication
[NASA-CASE-LAR-14471-1] p 230 N94-20377
- MOLECULAR ABSORPTION**
The effect of turbulence and molecular relaxation on sonic boom signatures
p 512 N94-33497
- MOLECULAR DYNAMICS**
Computer-aided molecular design of fire resistant aircraft materials
p 144 N94-10779
- MOLECULAR INTERACTIONS**
Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model
p 409 N94-28948
- Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- MOLECULAR OSCILLATIONS**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium
p 5 A94-10329
- MOLECULAR RELAXATION**
Progress in modeling atmospheric propagation of sonic booms
p 300 N94-28189
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows
p 424 N94-31958
- Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- The effect of turbulence and molecular relaxation on sonic boom signatures
p 512 N94-33497
- MOMENT DISTRIBUTION**
Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment
p 165 A94-13144
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- MONATOMIC GASES**
Calculation of hypersonic shock structure using flux-split algorithms
[NASA-CR-194296] p 32 N94-13607
- On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases
[NASA-CR-4612] p 527 N94-35864
- MONITORS**
Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275
- MONOMERS**
Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- MONTE CARLO METHOD**
Investigation of Monte Carlo simulation in FAA program KRASH
[BTN-94-EIX94311329128] p 536 A94-60172
- Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method
p 21 N94-10449
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194599] p 39 N94-15678
- Particle simulation of hypersonic flow
[AD-A267185] p 40 N94-15787
- Modeling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248
- Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions
[DLR-FB-93-01] p 357 N94-27588
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics
[NAL-SP-19] p 375 N94-28946
- Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model
p 409 N94-28948
- Variable soft sphere molecular model in the Monte Carlo simulation of air species
p 409 N94-28949
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893
- Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056
- MORTALITY**
Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- MOTION SIMULATION**
Mechanical analysis of parallel manipulators with simulation, design, and control applications
[ISBN-0-315-72013-1] p 170 N94-11156
- Vertical motion simulator familiarization guide
[NASA-TM-103923] p 131 N94-13008
- Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E
p 541 N94-34630
- MOTION SIMULATORS**
Future developments of the NLR research flight simulator
[NLR-TP-92143-U] p 132 N94-13498
- Future directions in flight simulation: A user perspective
p 341 N94-25101
- ANOPP/VMS HSCT ground contour system
p 511 N94-33492
- MOTION STABILITY**
Simplified method for evaluating the flight stability of liquid-filled projectiles
[BTN-94-EIX94311322905] p 544 A94-60191
- MOTOR VEHICLES**
Dead reckoning navigation
[VTT-TIED-1402] p 312 N94-25808
- MSAT**
SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902
- MULTIGRID METHODS**
Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299
- New multigrid approach for three-dimensional unstructured, adaptive grids
[BTN-94-EIX94301315973] p 559 A94-60009
- Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642
- Analysis of the Hamier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
- Development of a general purpose multigrid accelerated Navier-Stokes solver
p 179 N94-14613
- Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack
[NASA-CR-189103] p 44 N94-17558
- Numerical calculations of high lift flows using structured and unstructured methods
p 48 N94-18428
- The block adaptive multigrid method applied to the solution of the Euler equations
p 216 N94-21472
- Multigrid schemes for viscous hypersonic flows
p 217 N94-21473
- A multigrid multiblock solver for compressible turbulent flow
[MEMO-1125] p 272 N94-22713
- Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
- Compressible turbulent flow simulation with a multigrid multiblock method
p 276 N94-23694
- Toward large eddy simulation of turbulent flow over an airfoil
p 251 N94-24150
- ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956
- An elliptic-hyperbolic grid generation method and application to compressor flows
p 395 N94-28981
- RNS optimization procedure for three-dimensional composite velocity multi-block applications
p 412 N94-29534
- Prediction of transonic potential flow with slipstreams around configurations
[FFA-TN-1992-15] p 422 N94-31220
- Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2
p 423 N94-31759
- TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide
[NASA-TM-106586] p 481 N94-33974
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes
[AD-A280998] p 528 N94-35994
- A method for flow simulation about complex geometries using both structured and unstructured grids
[NASA-TM-106633] p 569 N94-37283
- Prediction of film cooling on gas turbine airfoils
[NASA-TM-106653] p 579 N94-37448
- MULTIMEDIA**
Development of a hypermedia knowledge base of aircraft fire safety regulations
p 209 N94-10793
- MULTIPATH TRANSMISSION**
GPS multipath and satellite interference
p 63 A94-12557
- ATCRBS reply environment at Memphis International Airport
[AD-A266322] p 69 N94-16439
- Ground station siting considerations for DGPS
p 315 N94-27293
- MULTIPHASE FLOW**
Nonlinear aspects of transonic aeroelasticity
p 19 N94-10357
- Nonlinear aspects of transonic aeroelasticity
[UTIAS-345] p 27 N94-11857

Aerodynamic design and investigation of a mixed flow compressor stage p 504 N94-34450
 Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459

MULTIPLE TARGET TRACKING
 Method for inferring sensor attitude through multi-feature tracking p 94 A94-12598

MULTIPLEXING
 VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
 [AD-A268632] p 185 N94-18495
 A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus
 [AD-A273734] p 367 N94-26009
 Comparative analysis of different configurations of PLC-based safety systems from reliability point of view p 358 N94-27925

MULTIPROGRAMMING
 Ada multiple-programming for hard real time applications in space systems p 368 N94-26730

MULTISENSOR APPLICATIONS
 Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
 Radar E-O image fusion p 352 N94-25503
 An analysis of multiple sensor system payloads for unmanned aerial vehicles
 [AD-A274905] p 324 N94-26182
 A data fusion algorithm for multi-sensor microburst hazard assessment p 307 N94-27287
 ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
 Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633

MULTISPECTRAL BAND SCANNERS
 A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes p 192 N94-16597

MULTIVARIABLE CONTROL
 Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
 A reliable algorithm for optimal control synthesis [NASA-CR-194809] p 283 N94-23332
 On-line evaluation of multiloop digital controller performance p 336 N94-25105

MULTIVARIATE STATISTICAL ANALYSIS
 Examples of flight path optimisation using a multivariate gradient-search method [ESDU-93021] p 328 N94-28092

N

NACELLES
 The application of advanced materials to aircraft nacelle structures p 142 N94-10011
 Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control
 [NASA-TM-106371] p 41 N94-16571
 Supersonic flow visualization of a nacelle in close proximity to a simulated wing
 [NASA-CR-194675] p 43 N94-17260
 Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape
 [NAL-TM-653] p 295 N94-27235
 Propeller off-axis loads due to thrust axis incidence and nacelle magnus force p 334 N94-28319
 A new approach to turboprop forward nacelle design p 335 N94-28336

NAP-OF-THE-EARTH NAVIGATION
 The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's' p 130 A94-12234
 Accurate estimation of object location in an image sequence using helicopter flight data p 537 N94-35055
 Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962

NASA PROGRAMS
 NASA tests defining ASTOVL flow field p 1 A94-10850
 NASA aerospace database subject scope: An overview
 [NASA-SP-7107] p 209 N94-13401
 NASA images 6
 [NASA-TM-109437] p 57 N94-15336
 Back to propellers
 [NASA-TM-109445] p 104 N94-15344
 Better airplane wings
 [NASA-TM-109446] p 150 N94-15345
 NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992 [NASA-TM-109335] p 4 N94-15798

Mission management aircraft operations manual [NHB-7900.3] p 210 N94-16729
 Aircraft operations management manual [NHB-7900.3(V1)] p 210 N94-16730
 An overview of the radiation component of the NASA TOGA-COARE experiment p 242 N94-22344
 NASA high performance computing and communications program
 [NASA-TM-4554] p 287 N94-24337
 NASA Langley Research Center seventy-fifth anniversary publications, 1992
 [NASA-TM-109691] p 372 N94-27431
 NASA SBIR abstracts of 1992, phase 1 projects
 [NASA-TM-109694] p 371 N94-27772
 NASA HSR phase 1 low noise nozzle technology program overview p 478 N94-33463
 LeRC in-house experimental research p 497 N94-33484
 NASA historical data book. Volume 4: NASA resources 1969-1978
 [NASA-SP-4012-VOL-4] p 514 N94-33949
 NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
 [NASA-TM-109863] p 560 N94-34730
 Director's discretionary fund
 [NASA-TM-103997] p 561 N94-35370
 Aerospace Safety Advisory Panel
 [NASA-TM-109840] p 545 N94-35390
 Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's
 [NASA-TM-109250] p 545 N94-35591
 Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
 [NASA-TM-109791] p 560 N94-35899
 Research and technology, 1993
 [NASA-TM-108816] p 561 N94-36117
 Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501

NASTRAN
 NASTRAN modeling of flight test components for UH-60A airloads program test configuration
 [NASA-CR-193614] p 170 N94-10937

NATIONAL AEROSPACE PLANE PROGRAM
 An environmental study of the National Aerospace Plane
 [AD-A266071] p 80 N94-10945
 Perspective on the National Aero-Space Plane Program instrumentation development
 [NASA-TM-4505] p 95 N94-13256
 Fluid flow and heat convection studies for actively cooled airframes
 [NASA-CR-194624] p 182 N94-16491
 Trajectory optimization for the National Aerospace Plane
 [NASA-CR-194618] p 86 N94-16498
 A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
 [NASA-CR-195550] p 331 N94-25085
 A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
 Hypervelocity Tunnel 9 Mach 10/14 Calibration
 [AD-A275960] p 439 N94-31318
 High temperature NASP engine seal development
 [NASA-TM-109750] p 447 N94-31804
 The National Aerospace Plane (NASP): Development issues for the follow-on vehicle
 [AD-A278417] p 471 N94-33329
 High Heat Flux Facility
 [NASA-TM-109834] p 490 N94-33570
 National aerospace plane
 [NASA-TM-109843] p 497 N94-33750

NATIONAL AIRSPACE SYSTEM
 RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting - receiver autonomous integrity monitoring p 62 A94-12124
 National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933
 FAA air traffic activity
 [AD-A266043] p 55 N94-12397
 Conflict-free trajectory planning for air traffic control automation
 [NASA-TM-108790] p 306 N94-25272
 Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
 [AD-A274241] p 313 N94-26826
 Optical communications for transport aircraft p 356 N94-27298
 The 1993 Federal Aviation Administration plan for research, engineering and development
 [AD-A279037] p 290 N94-27960

The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
 [AD-A279036] p 383 N94-29445
 Loran-C time management p 427 N94-30644
 Civil tiltrotor market penetration: Effects on Northeast corridor airport delay
 [AD-A277534] p 467 N94-32955
 The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262

NATIONAL AVIATION SYSTEM
 FAA aviation forecasts, fiscal years 1994-2005
 [AD-A277808] p 455 N94-33016

NATIONAL PARKS
 Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
 [PB94-151941] p 513 N94-34380

NATURAL GAS
 Raman measurements at the exit of a combustor sector
 [BTN-94-EIX94341338356] p 546 A94-60348
 Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
 [PB94-109873] p 265 N94-23709

NATURAL LANGUAGE (COMPUTERS)
 A real-time spoken-language system for interactive problem solving
 [AD-A266046] p 199 N94-11104

NATURAL LANGUAGE PROCESSING
 An error-resistant linguistic protocol for air traffic control
 [NASA-CR-196098] p 570 N94-37013

NAVIER-STOKES EQUATION
 Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
 Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
 Turbulence modeling for hypersonic flows p 7 A94-10760
 Full Navier-Stokes analysis of an axisymmetric scramjet inlet p 10 A94-10855
 Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy p 10 A94-10856
 Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957
 Structure of local pressure-driven three-dimensional transient boundary-layer separation
 [BTN-94-EIX94301315979] p 515 A94-60015
 Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics
 [BTN-94-EIX94321333305] p 516 A94-60037
 Navier-Stokes solver for hypersonic flow over a slender cone
 [BTN-94-EIX94311330681] p 543 A94-60110
 Applications of computational fluid dynamics to the aerodynamics of Army projectiles
 [BTN-94-EIX94311330678] p 516 A94-60113
 Transfer of heat by self-induced flow in a rotating tube
 [BTN-94-EIX94311330098] p 587 A94-61060
 Advanced transonic fan design procedure based on a Navier-Stokes method
 [BTN-94-EIX94311330095] p 587 A94-61063
 Unsteady aerodynamic characteristics of a dual-element airfoil
 [BTN-94-EIX94401358968] p 565 A94-61624
 Computation of three-dimensional hypersonic flows in chemical nonequilibrium
 [BTN-94-EIX94401358982] p 566 A94-61638
 Navier-Stokes computations for oscillating control surfaces
 [BTN-94-EIX94401358983] p 566 A94-61639
 Numerical calculation of scramjet inlet flow
 [NAL-TR-11747] p 100 N94-10370
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
 [PAPER-2D-2] p 22 N94-10468
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
 [PAPER-2D-3] p 22 N94-10469
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model
 [PAPER-2D-4] p 22 N94-10470
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model
 [PAPER-2D-5] p 22 N94-10471
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft
 [PAPER-2D-7] p 22 N94-10472
 Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
 [PAPER-2D-9] p 23 N94-10474
 Flow analysis around ONERA model M5 configuration
 [PAPER-3D-1] p 23 N94-10477

Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478

Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480

Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481

Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758

Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014

Computation of hypersonic nosetip heat transfer rates for an M829-like projectile [AD-A263226] p 27 N94-11870

Turbulence modeling of free shear layers for high-performance aircraft [NASA-CR-193659] p 114 N94-12799

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3 [NAL-TR-1168-PT-3] p 28 N94-12948

Averaging techniques for steady and unsteady calculations of a transonic fan stage [NASA-TM-106231] p 3 N94-13108

Analysis of the Harrier forebody/inlet design using computational techniques [NASA-CR-193616] p 31 N94-13463

A computational study of the base region flow field for the M865 projectile [ARL-TR-109] p 33 N94-13795

CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel [NASA-CR-194259] p 33 N94-14030

A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599

An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603

Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606

Hypersonic viscous flow computations p 35 N94-14612

Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613

Computation of a controlled store separation from a cavity p 41 N94-16513

Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571

Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling [AD-A266542] p 42 N94-16798

Adaptive Navier-Stokes calculations for vertical flow [AD-A266236] p 183 N94-16966

Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074

Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack [NASA-CR-189103] p 44 N94-17558

Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles [AD-A268858] p 185 N94-18391

Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420

Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421

Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422

Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423

Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver p 48 N94-18427

Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428

Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429

Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433

Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications [NASA-CR-194520] p 51 N94-19621

Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows [NASA-TM-106399] p 216 N94-20534

Prediction and control of vortex-dominated and vortex-wake flows [NASA-CR-194722] p 216 N94-21054

An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411

A study of the compressible flow through a diffusing S-duct [NASA-TM-106411] p 217 N94-21591

A multigrid multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713

Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades [PB93-226223] p 274 N94-23114

POISS3: A 3D poisson smoother of structured grids [PB93-226231] p 275 N94-23115

Computational study of GA(W)-1: Airfoil near stall [PB93-226249] p 247 N94-23116

Unsteady jet flow computation towards noise prediction [NASA-CR-194449] p 247 N94-23553

Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver [NASA-TM-106481] p 271 N94-24301

Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640

Numerical solutions of the complete Navier-Stokes equations [NASA-CR-194780] p 350 N94-24858

Two-dimensional CFD modeling of wave rotor flow dynamics [NASA-TM-106261] p 331 N94-25185

A numerical determination of bifurcation points for low Reynolds number conical flows [AD-A273984] p 352 N94-25991

Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids [NASA-TM-109078] p 292 N94-26154

Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90 [NASA-TM-4506] p 294 N94-26547

Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030

Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329

A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340

Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341

Solution-adaptive simulation of transonic cascade flows p 305 N94-28344

Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952

ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956

A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957

Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A275416] p 377 N94-29197

Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438

RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534

Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760

Algorithm and code development for unsteady three-dimensional Navier-Stokes equations [NASA-CR-195774] p 414 N94-29942

Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973

Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756

Information system for flow simulation based on the Navier-Stokes equations vectorization [AD-B179293] p 444 N94-30763

CFD-based drag prediction: State-of-the-art, theory, prospects [AD-B179297] p 422 N94-31180

A solution adaptive structured-unstructured grid procedure for unsteady flows p 446 N94-31217

Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714

Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields [NASA-TM-106551] p 459 N94-32984

Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159

Semi-span model testing in the national transonic facility [NASA-CR-195952] p 504 N94-34300

Combined LAURA-UPS solution procedure for chemically-reacting flows [NASA-TM-107964] p 551 N94-34721

Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974

Computation of unsteady flows over airfoils p 525 N94-34977

Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980

A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994

Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394

An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile [AD-A280631] p 568 N94-36729

An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914

An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922

Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment [NASA-TM-4566] p 569 N94-36966

A fundamental study of hypersonic unstarts [AD-A280506] p 595 N94-37128

Prediction of film cooling on gas turbine airfoils [NASA-TM-106653] p 579 N94-37448

NAVIGATION

Capture region for true proportional navigation guidance with nonzero miss-distance [BTN-94-EIX94401358176] p 570 N94-61682

On the generalization of true proportional navigation [BTN-94-EIX94401377808] p 570 N94-61769

Helicopter approach capability using the differential Global Positioning System [NASA-CR-177618] p 67 N94-12355

Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis [DOT/FAA/SE-93/3] p 69 N94-16906

NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 [NASA-CP-10127] p 289 N94-25096

A study of navigation in virtual space p 470 N94-34026

NAVIGATION AIDS

Structure and utilization of databases for navigation p 208 N94-10333

Adaptive structural control and isolation of simple structural members p 62 N94-12533

Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 N94-12551

Low altitude navigation and approach requirements V/STOL and CTOL p 63 N94-12553

Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 N94-12565

GPS relative navigation - An alternative precision approach aid p 64 N94-12568

Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft p 110 N94-12618

National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933

Toward intelligent flight control p 114 N94-11503

Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344

Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations [AD-A270713] p 202 N94-19969

Expansion-based passive ranging p 312 N94-25504

A simulation of GPS and differential GPS sensors p 316 N94-27918

- Ground independent landing system
GPS/GNSS for ATM p 385 N94-29564
A study of navigation in virtual space p 470 N94-34026
- NAVIGATION INSTRUMENTS**
Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results [NAL-TM-649] p 68 N94-13346
Perception for outdoor navigation [AD-A266867] p 68 N94-14919
An overview of a generic multi-sensor integrated navigation system design [CTN-94-60916] p 256 N94-24120
Application of aircraft navigation sensors to enhanced vision systems p 312 N94-25495
Dead reckoning navigation [VTT-TIED-1402] p 312 N94-25808
A simulation of GPS and differential GPS sensors p 316 N94-27918
- NAVIGATION SATELLITES**
A GPS coverage model p 64 A94-12567
GNSS integrity for aircraft precision approach p 65 A94-12569
GPS in the Gulf War p 65 A94-12574
A GPS coverage model p 314 N94-27292
GPS/GNSS for ATM p 385 N94-29565
- NAVSTAR SATELLITES**
Cesium and rubidium frequency standards status and performance on the GPS program p 429 N94-30663
A review of the status and capabilities of Navstar GPS [AD-B174629] p 430 N94-30854
- NAVY**
Maritime applications and helicopter technology p 2 A94-12045
Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1 [AD-A267833] p 135 N94-17405
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1 [AD-A268176] p 135 N94-17432
Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters [AD-A268002] p 87 N94-17472
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2 [AD-A268177] p 135 N94-17508
Audit report. Navy's aircraft structural life surveillance program data recorders [AD-A270391] p 92 N94-20040
- NEAR FIELDS**
Toward modeling wingtip vortices p 251 N94-24142
Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307
Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
- NEAR INFRARED RADIATION**
Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft [AD-A274881] p 326 N94-26864
- NEAR WAKES**
Boundary-layer influences on the subsonic near-wake of bluff bodies [BTN-94-EIX94311329138] p 517 A94-60162
Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel [PB93-215382] p 217 N94-22260
Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026
An experimental study of wing tip vortex in the near wake of a rectangular wing [AD-A275389] p 377 N94-29306
- NETHERLANDS**
Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
- NETS**
Studies of Shuttle orbiter arrestment system [NASA-TP-3370] p 258 N94-24304
- NETWORK CONTROL**
Communications networks in stressed environments [AD-A275967] p 446 N94-31384

NEURAL NETS

- Aircraft failure detection and identification using neural networks p 71 A94-10802
Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
Neural networks as optimal nonlinear controllers - Concepts and flight control applications [AIAA PAPER 93-4615] p 197 A94-11499
Artificial neural networks for predicting nonlinear dynamic helicopter loads [BTN-94-EIX94301315989] p 515 A94-60025
Nonlinear stability and control study of highly maneuverable high performance aircraft [NASA-CR-193480] p 79 N94-10344
Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
Toward intelligent flight control p 114 N94-11503
Unsteady separated flows: Empirical model and control [AD-A267282] p 37 N94-14959
Preliminary structural design: Defining the design space [AD-A268898] p 88 N94-18227
Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator [AD-A271769] p 242 N94-20926
A comparative robustness evaluation of feedforward neurofitters [NASA-TM-106440] p 227 N94-21742
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction [NASA-CR-189645] p 284 N94-23698
A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780
Neural networks for dynamic flight control [AD-A274089] p 338 N94-25785
Zernike moments and rotation invariant object recognition. A neural network oriented case study [AD-A273749] p 353 N94-26011
Smart structures, an overview [AD-A274147] p 368 N94-27093
Neural control of magnetic suspension systems p 345 N94-27905
An overview on development of neural network technology p 369 N94-27913
Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance [REPT-932-600-104] p 412 N94-29474
A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
Undergraduate robotics projects in support of research on neural networks [AD-A277331] p 451 N94-32281
Fuzzy-neural control of an aircraft tracking camera platform p 507 N94-32423
A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587
- NEUROPHYSIOLOGY**
NRL review for 1993 [AD-A265666] p 211 N94-12334
- NEUTRON COUNTERS**
Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709
- NEUTRONS**
Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709
- NICKEL ALLOYS**
An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy [SAE PAPER 922040] p 141 A94-12030
AerMet 100 Alloy for landing gear applications - A summary of forging studies [SAE PAPER 922041] p 142 A94-12031
Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707
Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
Process enhancements of superalloy material p 585 N94-37324
Maintaining constant standards during the forging process p 586 N94-37326
Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328
Substantiating powder metal life methodologies for engines p 595 N94-37330

NICKEL CADMIUM BATTERIES

- Handbook for handling and storage of nickel-cadmium batteries: Lessons learned p 347 N94-26613
[NASA-RP-1326] Summary of NASA Aerospace Flight Battery Systems Program activities p 366 N94-28101

NICKEL HYDROGEN BATTERIES

- Summary of NASA Aerospace Flight Battery Systems Program activities p 366 N94-28101
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

NIGHT

- Laser designation pods optimized concept for day/night operations p 594 N94-36620

NIGHT FLIGHTS (AIRCRAFT)

- The night vision capability of the Tiger helicopter p 93 A94-12227

NIGHT VISION

- Useable Cue Environment (UCE) and its application to simulator testing p 76 A94-12089
Helicopter NVG compatible cockpit illumination assessments p 94 A94-12231
Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations [AD-A276843] p 435 N94-32223
An evaluation framework for designing a night vision, computer-based trainer [AD-A278005] p 490 N94-33139
Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264

NITRIC OXIDE

- Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252

NITROGEN

- Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958

NITROGEN OXIDES

- Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies [DE93-041130] p 237 N94-21938
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion [PB94-109873] p 265 N94-23709
Fuels and Combustion Technology for Advanced Aircraft Engines [AD-A275679] p 404 N94-29246
On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247
Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels p 397 N94-29267
Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481
HSR combustion analytical research p 497 N94-33483
Combustor technology for future small gas turbine aircraft p 485 N94-34452
Stratospheric emissions effects database [NASA-CR-4592] p 605 N94-37607

NOBLE METALS

- Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311

NOISE (SOUND)

- Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
Noise measurements on two types of airplanes used for spraying in agriculture [LR-706] p 92 N94-19796
Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- NOISE GENERATORS**
A new low speed wind tunnel for acoustic measurements p 124 A94-10407
Control of jet noise [NASA-CR-193612] p 205 N94-11176
Acoustic intensity measurements in the presence of low Mach number flow [AD-A269995] p 208 N94-18664
Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804

NOISE INTENSITY

- Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise [NLR-TP-91445-U] p 207 N94-15506
- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
- Exercise keevit: Noise levels of six military helicopters [PB93-210722] p 369 N94-25026
- Subjective response to sonic booms having different shapes, rise times, and durations [NASA-TM-109090] p 417 N94-29464
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491
- A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers [NASA-TM-109113] p 513 N94-33610
- Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- NOISE MEASUREMENT**
- A summary of noise measurements in a slotted cryogenic wind tunnel p 125 A94-10419
- Helicopter noise certification - Past-present-future p 203 A94-12043
- An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft [NPL-RSA(EXT)-0039] p 206 N94-13885
- Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115
- Noise measurement flight test of five light helicopters [AD-A268566] p 208 N94-17599
- Noise measurements on two types of airplanes used for spraying in agriculture [LR-706] p 92 N94-19796
- Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514
- Fan noise research at NASA [NASA-TM-106512] p 369 N94-25172
- The ISL rotor bench [ISL-R-108/92] p 321 N94-25301
- HSCT design for reduced sonic boom p 472 N94-33471
- P and W propulsion systems studies results/status p 479 N94-33480
- Community noise technology needs: Boeing's perspective p 511 N94-33490
- High performance jet-engine flight test data base for HSR p 511 N94-33493
- Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
- Sonic boom acceptability studies p 512 N94-33500
- Georgia Tech sonic boom simulator p 512 N94-33501
- Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502
- Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- NOISE POLLUTION**
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278
- Transport policy options for reducing noise at airports; Hamburg airport taken as an example [DLR-FB-92-40] p 135 N94-18123
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography [PB93-205334] p 244 N94-22054
- Silence amenity engineering: Past and present p 370 N94-27283
- The single European market: Economical advance, ecological problem? p 309 N94-28235

- Common property resources and low-level flying in Labrador: Flight, fight or fancy? [ISBN-0-315-87318-3] p 453 N94-31732
- First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
- Headquarters summary reports p 471 N94-33452
- Community noise sources and noise control issues p 509 N94-33467
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
- Aeroacoustics analysis and community noise overview p 461 N94-33488
- Flying on the ground [NASA-TM-109825] p 513 N94-33579
- A review of an updated synthesis of noise/annoyance relationships [NASA-CR-194950] p 513 N94-34303
- Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- NOISE PREDICTION**
- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream [ISVR-TR-226] p 284 N94-22959
- Unsteady jet flow computation towards noise prediction [NASA-CR-194449] p 247 N94-23553
- Silence amenity engineering: Past and present p 370 N94-27283
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies [NASA-CR-4506-VOL-1] p 481 N94-34146
- Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions [NASA-CR-195824] p 466 N94-34207
- NOISE PREDICTION (AIRCRAFT)**
- Simulated high speed flight effects on supersonic jet noise [AIAA PAPER 93-4388] p 203 A94-11351
- The effect of velocity profiles on supersonic jet noise [AIAA PAPER 93-4410] p 203 A94-11353
- Advanced takeoff procedures for high-speed civil transport community noise reduction [SAE PAPER 921939] p 73 A94-11979
- Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
- Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053
- Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054
- Fluid dynamics and noise emission associated with supersonic jets p 204 A94-12394
- Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle [BTN-94-EIX94401358979] p 599 A94-61635
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278
- Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514
- INM, Integrated Noise Model. Version 4.11: User's guide, supplement [AD-A273885] p 370 N94-25731
- Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise [NASA-CR-4561] p 412 N94-29552
- Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- Sonic boom predictions using a modified Euler code p 510 N94-33474
- Aeroacoustics analysis and community noise overview p 461 N94-33488
- Community noise technology needs: Boeing's perspective p 511 N94-33490
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491
- ANOPP/VMS HSCT ground contour system p 511 N94-33492
- High performance jet-engine flight test data base for HSR p 511 N94-33493
- Status and plans for the ANOPP/HSR prediction system p 511 N94-33494

- Overview of NASA HSR high-lift program p 461 N94-33518
- Status of LaRC HSCT high-lift research p 461 N94-33519
- Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963
- NOISE PROPAGATION**
- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
- Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study [NASA-CR-194905] p 509 N94-33023
- ANOPP/VMS HSCT ground contour system p 511 N94-33492
- Computation of helicopter rotor acoustics in forward flight [NASA-CR-196132] p 560 N94-36031
- NOISE REDUCTION**
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet [AIAA PAPER 93-4338] p 155 A94-11349
- Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352
- The effect of velocity profiles on supersonic jet noise [AIAA PAPER 93-4410] p 203 A94-11353
- Supersonic gasdispersional jets and jet noise [AIAA PAPER 93-4389] p 203 A94-11354
- HHC effects on hub and blade loads p 78 A94-12245
- An impedance approach to vibro-acoustic modelling p 204 A94-12483
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
- Control of jet noise [NASA-CR-193612] p 205 N94-11176
- Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874
- Noise levels from a model turbofan engine with simulated noise control measures applied [NASA-TM-106318] p 102 N94-14036
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing [NASA-TM-106364] p 34 N94-14208
- Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise [NLR-TP-91445-U] p 207 N94-15506
- Transport policy options for reducing noise at airports; Hamburg airport taken as an example [DLR-FB-92-40] p 135 N94-18123
- Supersonic jets from bevelled rectangular nozzles [NASA-TM-106403] p 51 N94-19484
- Survey of lift-fan aerodynamic technology [NASA-CR-177615] p 224 N94-21592
- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
- Fan noise research at NASA [NASA-TM-106512] p 369 N94-25172
- Silence amenity engineering: Past and present p 370 N94-27283
- On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175
- Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
- Boundary layer control device for duct silencers [NASA-CASE-ARC-12030-1] p 417 N94-29362
- A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
- A mathematical model for simulating noise suppression of lined ejectors [NASA-TP-3425] p 509 N94-32930
- First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448
- General Electric/Pratt and Whitney summary report p 478 N94-33451
- Headquarters summary reports p 471 N94-33452
- Airframe systems studies review p 472 N94-33453
- Douglas Aircraft HSCT status and future research needs p 472 N94-33454
- Overview of Langley systems studies p 472 N94-33456
- First Annual High-Speed Research Workshop, part 2 [NASA-CP-10087-PT-2] p 460 N94-33462
- NASA HSR phase 1 low noise nozzle technology program overview p 478 N94-33463
- High speed jet noise research at NASA Lewis p 509 N94-33464

- HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- Community noise sources and noise control issues p 509 N94-33467
- NASA/LaRC jet plume research p 478 N94-33468
- HSCT design for reduced sonic boom p 472 N94-33471
- Sonic boom configuration minimization p 472 N94-33473
- P and W propulsion systems studies results/status p 479 N94-33480
- Community noise technology needs: Boeing's perspective p 511 N94-33490
- Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491
- HSCT integrated propulsion control issues p 480 N94-33510
- Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
- Overview of NASA HSR high-lift program p 461 N94-33518
- Status of LaRC HSCT high-lift research p 461 N94-33519
- HSCT high lift system aerodynamic requirements p 461 N94-33522
- HSCT high-lift technology requirements p 462 N94-33523
- Improvements in spiral-bevel gears to reduce noise and increase strength p 500 N94-33609
- [NASA-TM-106613]
- Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767
- NOISE SPECTRA**
- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream [ISVR-TR-226] p 284 N94-22959
- Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463
- NONDESTRUCTIVE TESTS**
- Processing infrared images of aircraft lapjoints p 160 A94-12413
- Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE [ISBN 0-7918-0662-6] p 162 A94-12651
- Introduction - The science and technology of NDE p 162 A94-12658
- Acoustic emission measurements of aerospace materials and structures p 162 A94-12665
- Materials characterization by ultrasonic methods p 162 A94-12666
- Implementation of NDE technology on flight structures p 163 A94-12673
- Damage assessment in MMC composites using thermoelastic techniques p 142 A94-12993
- Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Quantifying disbond area p 166 N94-10038
- A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience [AGARD-LS-190] p 100 N94-11022
- NDE of titanium alloy MMC rings for gas turbine engines [NASA-TM-106188] p 148 N94-13138
- The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
- JPRS report: Science and technology. Central Eurasia: Materials science [JPRS-UMS-93-006] p 149 N94-14573
- High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool [DE93-018088] p 187 N94-19252
- New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
- The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194

- An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136
- A comparison of Probability Of Detection (POD) data determined using different statistical methods [LTR-ST-1947] p 353 N94-26644
- Optical surface contouring for non-destructive inspection of turbomachinery [NASA-CR-195245] p 354 N94-26691
- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance [REPT-932-600-104] p 412 N94-29474
- Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130
- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer [ISBN-0-315-86210-6] p 439 N94-31710
- Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
- Location of impact damage sites in composite aircraft structures, task 3.4.1 [DSIS-94-01590] p 443 N94-31892
- Shearographic inspection of a DeHavilland DHC-7 [AD-A276716] p 419 N94-32157
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649
- Process enhancements of superalloy material p 585 N94-37324
- NONEQUILIBRIUM CONDITIONS**
- A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation p 18 A94-12795
- Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders [BTN-94-EIX94351142135] p 521 A94-60428
- Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157
- Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields [NASA-CR-195706] p 299 N94-28071
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- NONEQUILIBRIUM FLOW**
- A review of European hypersonic facilities p 126 A94-10423
- Modeling of hypersonic nonequilibrium flows p 8 A94-10764
- Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications p 8 A94-10765
- Physical aspects of hypersonic flow - Fluid dynamics and non-equilibrium phenomena p 8 A94-10766
- A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation p 18 A94-12795
- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
- Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge [NASA-TM-108994] p 172 N94-12571
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows [NASA-CR-194662] p 183 N94-17215
- Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow p 376 N94-28963
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211
- Development and application of computational aerothermodynamics flowfield computer codes [NASA-CR-196136] p 526 N94-35498
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687
- NONEQUILIBRIUM IONIZATION**
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248

NONEQUILIBRIUM RADIATION

- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
- Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields [NASA-CR-195706] p 299 N94-28071
- NONEQUILIBRIUM THERMODYNAMICS**
- Modeling of hypersonic reacting flows p 8 A94-10763

NONFLAMMABLE MATERIALS

- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [DOT/FAA/CT-93/3] p 54 N94-10766
- Future material development trends for commercial airplane interiors p 145 N94-10792
- Future needs in the development of materials for aircraft interiors and equipment p 145 N94-10794
- Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [AD-A266057] p 55 N94-12384
- Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability [AD-A274421] p 307 N94-27081

NONINTRUSIVE MEASUREMENT

- Surface interference in Rayleigh scattering measurements near forebodies [BTN-94-EIX94301315999] p 516 A94-60035
- Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434
- Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167
- Studies on high pressure and unsteady flame phenomena: Revision [AD-A269138] p 152 N94-18257
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360
- Temperature measurement using infrared imaging systems during turbine engine altitude testing [NASA-TM-105871] p 342 N94-25184

NONLINEAR EQUATIONS

- Nonlinear and dynamic analysis of flight p 113 N94-11496
- SAND contact in DYNA3D [DE93-016451] p 152 N94-18113
- Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789
- Nonlinear solvers p 361 N94-28053
- A non-linear simulation for an autonomous unmanned air vehicle [AD-A275062] p 391 N94-29200
- Design and Monte Carlo analysis of an unmanned aerial vehicle [AD-A277648] p 470 N94-33056

NONLINEAR FEEDBACK

- Nonlinear model-following control application to airplane control [BTN-94-EIX94401358166] p 580 A94-61672
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction [NASA-CR-189645] p 284 N94-23698

NONLINEAR FILTERS

- A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 N94-21742
- A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204

NONLINEAR OPTICS

- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets [AD-A274023] p 352 N94-25757

NONLINEAR SYSTEMS

- The use of a generic non-linear simulation environment for accident investigation p 53 A94-11365
- Nonlinear model-following control application to airplane control [BTN-94-EIX94401358166] p 580 A94-61672
- Analysis and control of bifurcation phenomena in aircraft flight [BTN-94-EIX94401358169] p 572 A94-61675
- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489

- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436
- A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784
- Stability analysis through bifurcation theory, 1 p 208 N94-18238
- Non-linear flight dynamics p 88 N94-18240
- The block adaptive multigrid method applied to the solution of the Euler equations p 216 N94-21472
- Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory p 337 N94-25112
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- The deterministic power-spectral-density method [AD-B175894] p 340 N94-27395
- Neural control of magnetic suspension systems p 345 N94-27905
- The deterministic power-spectral-density-method for nonlinear systems [AD-B179687] p 369 N94-28353
- A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method [NASA-TM-109768] p 487 N94-33378
- The tracking control of nonlinear uncertain systems p 489 N94-34331
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- NONLINEARITY**
- Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
- Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- A non-linear simulation for an autonomous unmanned air vehicle [AD-A275062] p 391 N94-29200
- Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787
- NONSTABILIZED OSCILLATION**
- F-16 uncommanded pitch oscillation p 106 A94-10328
- NONUNIFORM FLOW**
- Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth [AD-A276424] p 446 N94-31333
- Inlet distortion in engines on VSTOL aircraft [NASA-CR-195841] p 477 N94-33035
- NONUNIFORMITY**
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- NORMAL DENSITY FUNCTIONS**
- A random distribution reacting mixing layer model [NASA-CR-194445] p 264 N94-23552
- Simulating high-frequency wind for long durations [DE94-002739] p 346 N94-27997
- NORMAL SHOCK WAVES**
- An experimental investigation of shock wave/vortex interaction p 175 N94-13574
- Laser Doppler velocimetry measurements across a normal shock in transonic flow [AD-A267240] p 38 N94-14973
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248
- A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 N94-35945
- NORTH ATLANTIC TREATY ORGANIZATION (NATO)**
- AGARD highlights 92/2, September 1992 [AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
- Activities report to NATO [ETN-94-95047] p 275 N94-23227
- AGARD highlights 93/2 [AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- NORTH SEA**
- Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716
- NOSE CONES**
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942
- Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167
- NOSE TIPS**
- Computation of hypersonic nosetip heat transfer rates for an M829-like projectile [AD-A263226] p 27 N94-11870
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile [AD-A280631] p 568 N94-36729
- NOSE WHEELS**
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- NOSES (FOREBODIES)**
- A theoretical investigation of unsteady separation phenomena related to dynamic stall [AD-A271865] p 215 N94-20465
- Controlled oscillation of forebody vortices by nozzle jet blowing [ISBN-0-315-84134-6] p 340 N94-27648
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- NOTCH SENSITIVITY**
- Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
- NOTCHES**
- Off-design performance of crenulated blades in a linear compressor cascade [AD-A273744] p 352 N94-25534
- Effects of crenulations on three dimensional losses in a linear compressor cascade [AD-A273778] p 352 N94-25862
- NOWCASTING**
- Data requirements for ceiling and visibility products development [AD-A278959] p 556 N94-35720
- NOZZLE DESIGN**
- CFD-based three-dimensional turbofan exhaust nozzle analysis system p 98 N94-10857
- Fluid dynamics and noise emission associated with supersonic jets p 204 A94-12394
- Control of jet noise [NASA-CR-193612] p 205 N94-11176
- Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3 [NASA-CR-194359] p 131 N94-12824
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-194628] p 52 N94-20014
- Development of phased twin flip-flap jets [NASA-TM-106404] p 216 N94-20563
- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles [NASA-CR-194857] p 250 N94-23625
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- Controlled oscillation of forebody vortices by nozzle jet blowing [ISBN-0-315-84134-6] p 340 N94-27648
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
- Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- Community noise sources and noise control issues p 509 N94-33467
- NASA/LaRC jet plume research p 478 N94-33468
- Results of GEAE HSCT propulsion system studies p 479 N94-33479
- P and W propulsion systems studies results/status p 479 N94-33480
- NOZZLE EFFICIENCY**
- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap [NASA-TP-3385] p 217 N94-21569
- NOZZLE FLOW**
- The boundary layer p 164 A94-12888
- Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters p 19 A94-12893
- Numerical simulation of the flow through a scramjet engine p 100 N94-10425
- Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability [NASA-TM-4450] p 24 N94-10675
- Control of jet noise [NASA-CR-193612] p 205 N94-11176
- An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade [ISBN-0-315-60791-2] p 30 N94-13369
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow [NAL-TR-1184] p 148 N94-13458
- Numerical investigations in three-dimensional internal flows [NASA-CR-194594] p 180 N94-15551
- Design of round-to-square transition section; analysis and computer code [AD-A267173] p 134 N94-15847
- Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle [NASA-TP-3369] p 41 N94-16572
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles [NASA-TM-106450] p 249 N94-23592
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893
- Evaluation of flip-flap jet nozzles for use as practical excitation devices [NASA-TM-106377] p 421 N94-30949
- Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
- Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields [NASA-TM-106551] p 459 N94-32984
- Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277
- Nozzle guide vane flow in radial inflow turbines p 486 N94-34460
- Tipjet 80-inch model rotor hover test: Test no. 1198 [AD-A279680] p 567 N94-36261
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687
- NOZZLE GEOMETRY**
- HSCT engine research makes steady gains p 97 A94-10347
- Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy p 10 A94-10856
- Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258
- Supersonic gasdispersional jets and jet noise [AIAA PAPER 93-4389] p 203 A94-11354
- Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- Effects of nozzle exit geometry on forebody vortex control using blowing [BTN-94-EI94401358964] p 564 A94-61620
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing [NASA-TM-106364] p 34 N94-14208

- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592
- Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547
- Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172

NOZZLE INSERTS

- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686

NOZZLE THRUST COEFFICIENTS

- An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust
p 127 A94-10440
- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569

NOZZLE WALLS

- Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551
- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625
- Boundary layer study on nozzle wall at hypersonic velocities
p 424 N94-31882

NOZZLES

- Propulsion-induced aerodynamic effects measured with a full-scale STOV model
[BTN-94-EIX94311329120] p 519 A94-60180
- Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- Gas-turbine engine steady-state behavior
p 360 N94-28044

NUCLEAR ELECTRIC PROPULSION

- Brayton power conversion system parametric design modelling for nuclear electric propulsion
[NASA-CR-191135] p 229 N94-21874

NUCLEAR ENERGY

- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-005] p 553 N94-35342

NUCLEAR EXPLOSIONS

- Feasibility study of a contained pulsed nuclear propulsion engine
[BTN-94-EIX94341338369] p 559 A94-60361

NUCLEAR MAGNETIC RESONANCE

- Measurement of diffusion in fluid systems: Applications to the supercritical fluid region
[BTN-94-EIX94311330660] p 548 A94-60131
- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen
[DE94-011609] p 606 N94-37629

NUCLEAR PROPULSION

- Feasibility study of a contained pulsed nuclear propulsion engine
[BTN-94-EIX94341338369] p 559 A94-60361

NUCLEAR WEAPONS

- A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292

NUCLEATE BOILING

- Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139

NUCLEATION

- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125

NUMERICAL ANALYSIS

- Numerical analysis of the flow field through a turbine stage with tip clearance
p 6 A94-10356
- Numerical methods in structural mechanics
p 163 A94-12776
- Transfer of heat by self-induced flow in a rotating tube
[BTN-94-EIX94311330098] p 587 A94-61060
- Summary of research in progress at ICASE
[NASA-CR-191481] p 199 N94-11198

- Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142

- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705

- Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)
[NASA-TM-105974] p 220 N94-21590

- Solution of mixed convection heat transfer from isothermal in-line fins
p 276 N94-23644

- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering
[AD-A276215] p 367 N94-25090

- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958

- Analysis of wavelet technology for NASA applications
[NASA-CR-195929] p 522 N94-34704

NUMERICAL CONTROL

- F-16 uncommanded pitch oscillation
p 106 A94-10328

- Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855

- A reliable algorithm for optimal control synthesis
[NASA-CR-194809] p 283 N94-23332

- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments
[NASA-TM-106508] p 351 N94-25181

- Experimental apparatus for optimization of flap position for a three-element airfoil model
p 346 N94-27912

- Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200

- Integrated control and management of advanced aircraft electrical power system
p 504 N94-34333

- Computational methods for HSCAT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352

NUMERICAL FLOW VISUALIZATION

- Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data
p 15 A94-12060

- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422

- Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608

- Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results
[MBB-LME-211-S-PUB-507] p 36 N94-14710

- The 1988 computational fluid dynamics highlights
[NASA-TM-109645] p 180 N94-15431

- NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992
[NASA-TM-109335] p 4 N94-15798

- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations
p 524 N94-34974

NUMERICAL INTEGRATION

- Calculation of three-dimensional flow of a viscous gas in a straight cascade
p 11 A94-10927

- Time domain computational techniques - integration methods in aeronautical engineering
p 198 A94-12679

NUMERICAL STABILITY

- Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492

**OBJECT PROGRAMS**

- A distributed, visual object system using aggregation objects with a local namespace
[IME-MET-TR-007] p 200 N94-13860

- Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880

OBJECT-ORIENTED PROGRAMMING

- Impacts of object-oriented technologies: Seven years of SEL studies
p 199 N94-11425

- A distributed, visual object system using aggregation objects with a local namespace
[IME-MET-TR-007] p 200 N94-13860

- Aerospace Software Engineering for Advanced Systems Architectures
[AD-A277101] p 415 N94-29315

- Object oriented design of the autonomous fixturing management system
p 383 N94-29323

- A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909

- Ada developers' supplement to the recommended approach
[NASA-CR-189345] p 557 N94-34921

- Impact of Ada in the Flight Dynamics Division: Excitement and frustration
p 597 N94-36501

OBLIQUE SHOCK WAVES

- Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370

- An experimental investigation of shock wave/vortex interaction
p 175 N94-13574

- An investigation of oblique shock/boundary layer interaction control
[AD-A268106] p 44 N94-17574

- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

- Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B
[NASA-CR-195958] p 523 N94-34965

- Investigation of Burnett equations for two-dimensional hypersonic flow
[AD-A278942] p 527 N94-35717

- A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945

OBLIQUE WINGS

- High-speed research program systems analysis activities at Ames Research Center
p 472 N94-33455

OBSERVABILITY (SYSTEMS)

- System observer techniques in robust control systems design synthesis
p 198 A94-12764

OBSERVATION

- Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062

OBSTACLE AVOIDANCE

- Measures for simulator evaluation of a helicopter obstacle avoidance system
p 131 N94-11535

- Perception for outdoor navigation
[AD-A266867] p 68 N94-14919

- Safe navigation and active vision for autonomous vehicles: A purposive and direct solution
p 450 N94-31842

- Accurate estimation of object location in an image sequence using helicopter flight data
p 537 N94-35055

OCEAN SURFACE

- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign
p 190 N94-11711

- Calibration of ERS-1 altimetry over the North Sea
p 191 N94-11716

- Error analysis of real time and post processed or bit determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238

- The effects of altimeter sampling characteristics: Some Geosat examples
[AD-A276899] p 449 N94-32214

OCEANOGRAPHIC PARAMETERS

- The effects of altimeter sampling characteristics: Some Geosat examples
[AD-A276899] p 449 N94-32214

OCEANOGRAPHY

- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system
p 191 N94-12503

- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research
[AD-A273103] p 224 N94-21507

- Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140

- The effects of altimeter sampling characteristics: Some Geosat examples
[AD-A276899] p 449 N94-32214

OCEANS

- Error analysis of real time and post processed or bit determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238

OCULOMETERS

- Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629

OGIVES

- Effects of nozzle exit geometry on forebody vortex control using blowing
[BTN-94-EIX94401358964] p 564 A94-61620

- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028

OH-6 HELICOPTER

- Advanced rotorcraft flight simulation: Model development, validation and parallel implementation
p 80 N94-11056

OILS

- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- New technique for oil backstreaming contamination measurements p 227 N94-20511
- Navy GTE seal development activity p 235 N94-21794

OMNIDIRECTIONAL ANTENNAS

- Mobile terminal antennas for helicopters p 232 N94-20458
- L-band mobile terminal antennas for helicopters p 273 N94-22835

ON-LINE SYSTEMS

- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
- On-line evaluation of multiloop digital controller performance p 336 N94-25105
- Decision Making Aids (DMA) in on-line ATC systems p 386 N94-29570
- A hypertext system that learns from user feedback p 514 N94-32428
- Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063

ONBOARD DATA PROCESSING

- Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft p 110 A94-12618
- Cockpit weather graphics using mobile satellite communications p 273 N94-22775
- GPS/GNSS for ATM p 385 N94-29565

ONE DIMENSIONAL FLOW

- A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255
- Dynamic response of a compressor research facility
[AD-A273836] p 342 N94-25740

OPERATING COSTS

- Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft p 208 A94-10111
- PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984
- Aircraft age impacts on maintenance requirements
[AD-A275701] p 373 N94-28666
- Aircraft age impact on individual operating and support cost elements
[AD-A275739] p 373 N94-28732
- The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
[AD-A279036] p 383 N94-29445
- Specifications of auxiliary power units for conformity with helicopter turboshaft engines p 484 N94-34441
- Future ultra-speed tube-flight p 555 N94-35918

OPERATING SYSTEMS (COMPUTERS)

- Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
- Ada multiple-programming for hard real time applications in space systems p 368 N94-26730

OPERATING TEMPERATURE

- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984

OPERATIONAL HAZARDS

- Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendixes
[SCT-93RR-17-VOL-2] p 567 N94-36467

OPERATIONAL PROBLEMS

- The airline quality report 1993
[NIAR-93-11] p 58 N94-17262
- An examination of the operational error database for air route traffic control centers
[AD-A275986] p 256 N94-24472

OPERATIONS RESEARCH

- Gate assignment using linear programming
[LR-698] p 200 N94-13987
- A capacity planning model for Canadian military airlift requests
[ISBN-0-315-86079-0] p 382 N94-30144
- National facilities study. Volume 3: Mission and requirements model report
[NASA-TM-109857] p 542 N94-34635
- National facilities study. Volume 4: Space operations facilities task group
[NASA-TM-109858] p 542 N94-34636
- National facilities study. Volume 5: Space research and development facilities task group
[NASA-TM-109859] p 542 N94-34637

OPERATOR PERFORMANCE

- SATORI: Situation Assessment Through the Re-creation of Incidents
[DOT/FAA/AM-93/12] p 138 N94-12567
- OPERATORS (PERSONNEL)
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 N94-32318

OPTICAL COMMUNICATION

- Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- Investigation of air transportation technology at Princeton University, 1992-1993 p 307 N94-27294
- Optical communications for transport aircraft p 356 N94-27298

OPTICAL DATA PROCESSING

- Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338

OPTICAL EQUIPMENT

- The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN-0-315-83580-X] p 238 N94-22577

OPTICAL FIBERS

- Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338

OPTICAL FLOW (IMAGE ANALYSIS)

- Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307
- Safe navigation and active vision for autonomous vehicles: A purposive and direct solution p 450 N94-31842

OPTICAL MEASUREMENT

- Optical surface pressure measurement - Initial experience in the MCAIR PSWT --- Polysonic Wind Tunnel p 154 A94-10409
- The evolution of whole field optical diagnostics for external transonic testing p 154 A94-10429
- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349
- Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435
- A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964] p 170 N94-11132
- The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
- Pressure sensitive paint technique p 186 N94-18647
- Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366
- Calibration and validation studies in the LENS facility
[AD-A278403] p 490 N94-33167
- Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744

OPTICAL MEASURING INSTRUMENTS

- Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434
- Recent flight-test results of optical airdata techniques
[NASA-TM-4504] p 96 N94-13791
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912

- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280

- Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691

OPTICAL PROPERTIES

- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297

OPTICAL RADAR

- Trial of a slant visual range measuring device p 159 A94-12287
- Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
- Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
- Observations of multi-layered clouds using K-band radar p 242 N94-22311
- An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
- Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575
- Remote sensor observations during WISPR1: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890

OPTICAL THICKNESS

- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460

OPTICAL TRACKING

- Electromagnetic wave test p 177 N94-14173
- Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773

OPTIMAL CONTROL

- Minimum time 3-D flight trajectory computation p 106 A94-10115
- Optimal reentry trajectories by asymptotic matching
[IAF PAPER 93-012] p 136 A94-11104
- Neural networks as optimal nonlinear controllers - Concepts and flight control applications
[AIAA PAPER 93-4615] p 197 A94-11499
- Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 A94-12247
- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design
[ISBN 0-12-012752-0] p 2 A94-12611
- Multiobjective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX94381311168] p 597 A94-61255
- Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
- Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- Nonlinear stability and control study of highly maneuverable high performance aircraft
[NASA-CR-193480] p 79 N94-10344
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOV aircraft
[NASA-TM-106265] p 112 N94-11251
- Optimal lateral escape maneuvers for microburst encounters during final approach
[LR-691] p 56 N94-13534
- Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- On the estimation algorithm used in adaptive performance optimization of turbofan engines
[NASA-TM-4551] p 226 N94-21879
- A reliable algorithm for optimal control synthesis
[NASA-CR-194809] p 283 N94-23332
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106

Flight controller design using mixed H2/H infinity optimization with a singular H infinity constraint [AD-A273831] p 338 N94-25525

Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071

On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175

Application of digital control theory to adaptive grid generation p 415 N94-28980

Calculus of variations applied to 2D multi-point airfoil design [PB94-125457] p 381 N94-30401

A stochastic control approach to flight path monitoring [AD-B174630] p 430 N94-30853

Aircraft optimal variable structure control system p 488 N94-34328

Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329

Mixed H2/H-infinity optimization with multiple H infinity constraints [AD-A280572] p 581 N94-36733

OPTIMIZATION

The methods of systems analysis and optimization for the aneroid barometric altimeter p 92 A94-10114

Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413

Post-optimality analysis in aerospace vehicle design [AIAA PAPER 93-3932] p 71 A94-10717

Optimal aerodynamic shapes in rarefied gas p 12 A94-11040

Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352

Application of advanced technologies to very large subsonic transports [SAE PAPER 921938] p 73 A94-11978

EH101 - The optimum naval helicopter p 75 A94-12080

Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241

Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249

Using optimization for balancing flexible rotors p 161 A94-12516

Integrated technologies in aircraft design optimization p 79 A94-12612

Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems [ISBN 0-1212754-7] p 2 A94-12701

Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods p 79 A94-12702

Investigation on the use of optimization techniques for helicopter airframe vibrations design studies p 79 A94-12706

Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708

Progress in multidisciplinary design optimization at NASA Langley [NASA-TM-107754] p 198 N94-10814

Multidisciplinary design techniques applied to conceptual aerospace vehicle design [NASA-CR-194409] p 83 N94-13618

Mathematical optimization: A tool for aircraft design [MBB-LME-251-S-PUB-0492] p 200 N94-14006

Preliminary structural design: Defining the design space [AD-A268898] p 88 N94-18227

An engineering code to analyze hypersonic thermal management systems p 276 N94-23636

Application of concurrent engineering principles to aircraft structural design p 260 N94-24321

Current and future design methods for large transport aircraft p 261 N94-24324

Trends of design methodology of airframe p 261 N94-24327

A technique for integrating engine cycle and aircraft configuration optimization [NASA-CR-191602] p 325 N94-26606

Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual [NASA-CR-194461] p 357 N94-27776

Examples of flight path optimisation using a multivariate gradient-search method [ESDU-93021] p 328 N94-28092

Aerodynamic design using parallel processors [AD-A275470] p 374 N94-28674

Thermal/structural tailoring of engine blades (T/STAEBL). Theoretical manual [NASA-CR-194462] p 409 N94-28815

Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881

Local design optimization for composite transport fuselage crown panels p 495 N94-33132

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades [NASA-TM-109084] p 474 N94-33900

Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327

OPTOELECTRONIC DEVICES

Radar E-O image fusion p 352 N94-25503

ORBIT CALCULATION

Error analysis of real time and post processed or bit determination of GFO using GPS tracking [NASA-CR-193646] p 67 N94-13238

Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605

ORBIT TRANSFER VEHICLES

Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774

ORBITAL MANEUVERS

Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver [AD-A272532] p 224 N94-21418

ORBITAL RENDEZVOUS

Nasa Langley Research Center seventy-fifth anniversary publications, 1992 [NASA-TM-109691] p 372 N94-27431

ORDNANCE

Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide [DE94-002980] p 313 N94-26309

ORGANIC ALUMINUM COMPOUNDS

Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868

ORGANIC COMPOUNDS

Advanced fuel properties: A computer program for estimating property values [AD-A275248] p 403 N94-28901

ORGANIC MATERIALS

Test methods for composites: A status report. Volume 1: Tension test methods [AD-A273501] p 348 N94-24942

Test methods for composites: A status report. Volume 3: Shear test methods [AD-A273561] p 348 N94-25163

ORGANIZATIONS

AGARD highlights 92/2, September 1992 [AGARD-HIGHLIGHTS-92/2] p 211 N94-11820

Fifty years of the Netherlands Association of Aeronautical Engineers p 4 N94-15121

ORIFICE FLOW

Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel [PB94-103660] p 255 N94-23810

Transonic expanding flow through axially symmetric orifices [AD-A273561] p 410 N94-28985

ORIFICES

CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082

ORTHOGONAL FUNCTIONS

Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110

ORTHOTROPIC PLATES

Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773

OSCILLATING CYLINDERS

Vortex-induced forces on oscillating bluff cylinders [AD-A265056] p 171 N94-11865

OSCILLATING FLOW

Development of phased twin flip-flop jets [NASA-TM-106404] p 216 N94-20563

Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211

Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus p 424 N94-31880

Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883

OSCILLATION DAMPERS

Tuned mass damper for integrally bladed turbine rotor [NASA-CASE-MFS-28697-1] p 411 N94-29353

OSCILLATIONS

Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785

Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 N94-15866

Close-coupled oscillating canard effects on post-stall lift enhancement [AD-A268938] p 123 N94-18541

The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108

Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614

OSCILLATORS

Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects [LR-707] p 121 N94-13906

OUTLET FLOW

Non-isoenergetic inviscid slot flow p 303 N94-28333

OVERPRESSURE

Variability of measured sonic boom signatures. Volume 1: Technical report [NASA-CR-191483-VOL-1] p 285 N94-24172

Variability of measured sonic boom signatures. Volume 2: Data report [NASA-CR-191483-VOL-2] p 285 N94-24173

Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336

Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337

OXIDATION

Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy [AD-A269035] p 152 N94-18489

OXIDATION RESISTANCE

Liquid lubricants for advanced aircraft engines p 142 A94-12653

Oxidation resistant protective coating system for gas turbine components and process for penetration thereof [CA-PATENT-1,294,155] p 230 N94-21143

OXIDE FILMS

Evaluation of the Hughes conversion coating touch-up pen [AD-A278398] p 496 N94-33166

Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306

OXYGEN CONSUMPTION

The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784

OZONE

Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479

OZONE DEPLETION

Airborne Arctic stratospheric expedition: Ozone [NASA-TM-109312] p 83 N94-13606

Headquarters summary reports p 471 N94-33452

A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477

Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481

HSR combustion analytical research p 497 N94-33483

OZONOMETRY

STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745

OZONOSPHERE

HSR combustion analytical research p 497 N94-33483

P**P-3 AIRCRAFT**

Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft [AD-A274881] p 326 N94-26864

PACKET SWITCHING

Communications networks in stressed environments [AD-A275967] p 446 N94-31384

PACKET TRANSMISSION

Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle [NASA-TM-109071] p 315 N94-27423

PADE APPROXIMATION

Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553

PAINTS

Environmentally Safe and Effective Processes for Paint Removal
[AGARD-R-791] p 166 N94-10613
Paint removal activities in the US Navy p 166 N94-10614

Paint removal activities in Canada p 167 N94-10615

Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint p 167 N94-10616

Paint removal activities in Germany p 167 N94-10617

The development of alternative paint removal techniques in the RAF p 167 N94-10618

Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619

Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620

German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621

Plastic media blasting activities at Hill Air Force Base p 167 N94-10622

Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623

Automated Laser Paint Stripping (ALPS) update p 168 N94-10624

Aquastrip (tm): An innovative paint removal technology p 168 N94-10625

Paint removal and surface cleaning using ice particles p 168 N94-10626

Paint removal using wheat starch blast media p 168 N94-10627

IATA taskforce: Paintstripping p 169 N94-10628

Selectively strippable paint schemes p 169 N94-10629

Pressure sensitive paint technique p 186 N94-18647

Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft [AD-A274881] p 326 N94-26864

The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900

PANEL METHOD (FLUID DYNAMICS)

Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026

Precision requirement for potential-based panel methods [BTN-94-EIX94301315995] p 515 A94-60031

VSAERO analysis of a Piper Cub aircraft p 85 N94-14616

Panel codes for aerodynamic analysis at NAL p 35 N94-14617

Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571

Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074

A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems [AD-A268748] p 46 N94-18402

ADAS implementation of a panel method for the prediction of aerodynamic loads [LR-723] p 51 N94-19667

Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D) [NASA-TM-105974] p 220 N94-21590

A numerical study of airplanes flying in proximity [AD-A273373] p 255 N94-24718

Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil [AD-A274867] p 292 N94-26191

Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334

Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973

Computation of wind tunnel wall effects for complex models using a low-order panel method [NASA-TM-104019] p 380 N94-30151

Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations [AD-B173651] p 421 N94-30916

Computation of unsteady flows over airfoils p 525 N94-34977

Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment [NASA-TM-4566] p 569 N94-36966

PANELS

On acoustic radiation from a vibrating panel [AIAA PAPER 93-4367] p 156 A94-11350

Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892

Buckling and vibration analysis of laminated panels using VICONOPT [BTN-94-EIX94401372105] p 592 A94-61805

Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction [NASA-CR-189645] p 284 N94-23698

Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260

Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773

Evaluation of the UH-1N instrument panel [AD-A273145] p 263 N94-24774

Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load [PB94-126547] p 355 N94-26911

Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961

Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels [AD-A275755] p 408 N94-28646

Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842

Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674

Local design optimization for composite transport fuselage crown panels p 495 N94-33132

Composite fuselage crown panel manufacturing technology p 495 N94-33133

Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974

Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602

Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603

Parabolic flight by MU-300 p 1 A94-11624

The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 N94-16078

PARACHUTES Prediction method for unsteady axisymmetric flow over parachutes [BTN-94-EIX94401358984] p 566 A94-61640

Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260

Radially constructed cruciform parachute [CA-PATENT-1323021] p 252 N94-24182

A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578

PARAFOILS Wind tunnel testing and research [NASA-CR-188273] p 402 N94-29052

Wind tunnel testing and research [NASA-CR-188273] p 402 N94-29052

PARALLEL COMPUTERS Turbulence modeling of free shear layers for high-performance aircraft [NASA-CR-193659] p 114 N94-12799

Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers [NASA-CR-193168] p 40 N94-16510

Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver [NASA-TM-106481] p 271 N94-24301

Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458

Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962

PARALLEL FLOW

Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 N94-23464

PARALLEL PROCESSING (COMPUTERS)

Turbomachinery CFD on parallel computers p 194 A94-10298

Parallel turbine engine instrumentation system [AIAA PAPER 93-4529] p 195 A94-11452

Parallel processing for jet engine control [ISBN 0-387-19747-8] p 98 A94-11675

A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm p 77 A94-12098

Advanced rotorcraft flight simulation: Model development, validation and parallel implementation p 80 N94-11056

Summary of research in progress at ICASE [NASA-CR-191481] p 199 N94-11198

Implementation of ADI: Schemes on MIMD parallel computers [NASA-CR-193720] p 200 N94-13204

Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787

Expert system rule-base evaluation using real-time parallel processing [AD-A273701] p 367 N94-25454

Aerodynamic design using parallel processors [AD-A275470] p 374 N94-28674

Performance evaluation of the NWT with parallel Fortran p 415 N94-28992

A method of user interface for NWT p 415 N94-28993

Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458

Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966

MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219

High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195883] p 481 N94-34216

Runtime support for data parallel tasks [AD-A280899] p 558 N94-35240

Turbulence modeling of free shear layers for high performance aircraft [NASA-CR-196137] p 594 N94-36808

PARALLEL PROGRAMMING

Advanced rotorcraft flight simulation: Model development, validation and parallel implementation p 80 N94-11056

NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337

PARAMETER IDENTIFICATION

The reliability parameter estimation of field information p 153 A94-10108

Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488

Evaluation of parameter estimation methods for unstable aircraft [BTN-94-EIX94401358965] p 580 A94-61621

Adaptive model architecture and extended Kalman-Bucy filters [BTN-94-EIX94401377806] p 592 A94-61767

A learning autopilot for automatically controlled robust regulation [ETN-93-95075] p 123 N94-19711

Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data [NASA-CR-194838] p 335 N94-24804

A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789

Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197

Adaptive autopilot [AD-D016193] p 489 N94-34406

PARAMETERIZATION

A simple and efficient solution for the Riemann problem p 155 A94-10749

PARKING ORBITS

Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654

PARTIAL DIFFERENTIAL EQUATIONS

Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966

Analysis of wavelet technology for NASA applications [NASA-CR-195929] p 522 N94-34704

PARTICLE BEAMS

Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706

PARTICLE DIFFUSION

Turbulent particle dispersion in confined swirling flows [DLR-FB-92-32] p 177 N94-14045

PARTICLE EMISSION

Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170

PARTICLE IMAGE VELOCIMETRY

Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
Unsteady flow past a NACA 0012 airfoil pitching at constant rates p 27 N94-11889
Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
A qualitative and quantitative laser-based computer-aided flow visualization method
[NASA-CR-195300] p 466 N94-34391
Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
Data reduction procedures for laser velocimeter measurements in turbomachinery rotors
[NASA-CR-195343] p 552 N94-35224

PARTICLE LADEN JETS

Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354

PARTICLE SIZE DISTRIBUTION

A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045

Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170

PARTICLE TRAJECTORIES

Ice accretion on aircraft wings p 311 N94-28345

PARTICULATE SAMPLING

Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170

PARTICULATES

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366

PARTITIONS (MATHEMATICS)

Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414

PASSENGER AIRCRAFT

JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study p 261 N94-24462
The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837
The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975
The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
Design of the advanced regional aircraft, the DART-75 p 321 N94-25708

The design of a long-range megatransport aircraft p 323 N94-25718
A symbol of reliability: Ju 52 p 329 N94-28250
Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis p 433 N94-32015
[PB94-152808]
A comparison of military and commercial aircraft development
[AD-A276830] p 427 N94-32168
NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
Update on Douglas' high-speed civil transport studies p 471 N94-33450
Douglas Aircraft HSCT status and future research needs p 472 N94-33454
A review of computer evacuation models and their data needs
[AD-280707] p 528 N94-35236

PASSENGERS

Russian sub-orbital commercial passenger transport system
[SAE PAPER 922056] p 74 A94-12038
Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578
Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423
Aircraft evacuation testing: Research and technology issues
[PB94-107620] p 255 N94-24750
Powerful selling and sales strategy p 311 N94-28245
Lufthansa long range services: More simplicity p 311 N94-28246
Crash impact survival in light planes
[NASA-TM-109799] p 468 N94-33749
Future ultra-speed tube-flight p 555 N94-35918

PATTERN RECOGNITION

Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756
A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 N94-36812

PAVEMENTS

Friction evaluation of concrete paver blocks for airport pavement applications
[SAE PAPER 922013] p 129 A94-12017
Performance of prefabricated geocomposite subdrainage system in an airport runway
[DOT/FAA/RD-93/23] p 268 N94-23303
Airport pavement test machine design and cost study
[DOT/FAA/CT-93/51] p 268 N94-24072
Asphaltic concrete performance under heavy fighter aircraft loading
[AD-A275046] p 402 N94-29151
Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer
[ISBN-0-315-86210-6] p 439 N94-31710

PAYLOAD DELIVERY (STS)

Engine's parameters complex optimization in aerospace systems
[IAF PAPER 93-462] p 194 A94-11249

PAYLOADS

Russian sub-orbital commercial passenger transport system
[SAE PAPER 922056] p 74 A94-12038
Non-lethal Unmanned Aerial Vehicles (UAVs)
[AD-A267139] p 85 N94-15692
Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200

PEGASUS AIR-LAUNCHED BOOSTER

Pegasus hypersonic flight research
[SAE PAPER 921995] p 137 A94-12007
Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648

PENETRATION

Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333308] p 549 A94-60268
SAND contact in DYNA3D
[DE93-016451] p 152 N94-18113

PERCEPTION

Perception for outdoor navigation
[AD-A266867] p 68 N94-14919

PERCEPTUAL TIME CONSTANT

The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474

PERFLUORO COMPOUNDS

Halon 1211 replacement agent
evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385

PERFORATED PLATES

Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photostress and strain gauges p 165 A94-12936

PERFORMANCE PREDICTION

A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
Hypersonic boundary-layer transition p 9 A94-10783
Axial compressor performance during surge
[BTN-94-EIX94321333308] p 548 A94-60040
Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
Accelerated screening methods for predicting lubricant performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255
Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434
Aeropropulsion test and evaluation methods p 102 N94-14165
Rotary engine performance computer program (RCMAP and RCEMAPPC): User's guide
[NASA-CR-191192] p 104 N94-15192
A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
Take-off performance monitoring system algorithm and display development p 88 N94-17734
Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver p 48 N94-18427
Turbulence modeling in aircraft icing p 185 N94-18555
Foil bearing research at Penn State p 274 N94-23058
Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
Program to develop a performance and heat load prediction system for multistage turbines
[NASA-CR-195223] p 332 N94-26588
Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test p 361 N94-28050
A340 testing p 310 N94-28242
Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons
[AD-A276421] p 419 N94-31332
Communications networks in stressed environments
[AD-A275967] p 446 N94-31384
Civil tiltrotor market penetration: Effects on Northeast corridor airport delay p 467 N94-32955
Airframe systems studies review p 472 N94-33453

PERFORMANCE TESTS

Modelling of the hot-working of high performance alloys p 141 A94-10670
Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements p 64 A94-12560
AGBT advanced counter-rotating gearbox detailed design report p 166 N94-10400
Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability
[NASA-TM-4450] p 24 N94-10675
Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades
[NASA-TM-104000] p 2 N94-10936
Accelerated screening methods for predicting lubricant performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
Aeropropulsion test and evaluation methods p 102 N94-14165
Roles, uses, and benefits of general aviation aircraft in aerospace engineering education p 247 N94-24100
Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271

- Digital Altitude Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures [AD-A274100] p 329 N94-26030
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide [DE94-002980] p 313 N94-26309
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE) [AD-A274218] p 314 N94-27071
- Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test p 361 N94-28050
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
- A disciplined approach to software test and evaluation p 416 N94-29339
- Testing Operational Flight Programs (OFP's) [AD-A276361] p 432 N94-31387
- Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341
- CC-130H(T) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- PERIODIC VARIATIONS**
- A grid generation method to calculate the flow field in a three-dimensional cascade of blades [NAL-TR-1158] p 166 N94-10364
- PERMANENT MAGNETS**
- Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
- PERSONAL COMPUTERS**
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363
- Development of an automated film-reading system for ballistic ranges [NASA-CR-194398] p 176 N94-13815
- Evaluation of access/navigation features of a graphical-user interface installed on a portable maintenance aid [AD-A275791] p 383 N94-28744
- PERSONNEL**
- Activities of National Inst. for Aviation Research [NIAR-93-16] p 212 N94-20150
- Aircraft digital flight control technical review p 336 N94-25106
- Report of the workshops: Automated generation of electronic technical manuals [AD-A278046] p 514 N94-33401
- PERSONNEL DEVELOPMENT**
- Aircraft communication and navigation systems and communication and navigation systems [AD-A277309] p 435 N94-32328
- PERSONNEL MANAGEMENT**
- The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- PERTURBATION**
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs [BTN-94-EIX94401358168] p 572 A94-61674
- PERTURBATION THEORY**
- Decoupled flight control system design using the singular perturbation method p 400 N94-29850
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- PESTICIDES**
- Compatibility and efficacy of biocides qualified under military specification MIL-S-53021 [AD-A271496] p 230 N94-20551
- PH**
- Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603
- PHASE CONTROL**
- Active control of vaneless diffuser rotating stall p 502 N94-34178
- PHASE VELOCITY**
- Modeling and new equipment definition for the vibration isolation box equipment system [NASA-CR-193185] p 184 N94-17763
- PHASED ARRAYS**
- Infrared imaging of microwave sources p 160 A94-12422
- PHENOL FORMALDEHYDE**
- Primaset (tm): A safer material for aircraft interior applications p 54 N94-10772
- Advanced phenolic systems for aircraft interiors p 143 N94-10776
- Fire resistance and mechanical properties for phenolic prepregs p 145 N94-10786
- PHENOLIC RESINS**
- Primaset (tm): A safer material for aircraft interior applications p 54 N94-10772
- Advanced phenolic systems for aircraft interiors p 143 N94-10776
- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material [DOT/FAA/CT-TN93/7] p 270 N94-23335
- Soft ground arresting system for airports [DOT/FAA/CT-93/80] p 343 N94-26202
- PHOSPHAZENE**
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- PHOSPHORS**
- Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399
- High definition TV projection via single crystal faceplate technology [DOT/FAA/CT-93/80] p 501 N94-33768
- PHOTOCHEMICAL REACTIONS**
- NRL review for 1993 [AD-A265666] p 211 N94-12334
- PHOTODISSOCIATION**
- Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205
- PHOTOELASTIC ANALYSIS**
- Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photoelastic and strain gauges p 165 A94-12936
- Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- Contribution of photoelasticity to the design of jet turbo engine parts p 99 A94-12953
- Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954
- PHOTOGRAMMETRY**
- Photogrammetric methods for trajectory measurements [NLR-TP-91166-U] p 174 N94-13527
- PHOTOGRAPHIC FILM**
- Development of an automated film-reading system for ballistic ranges [NASA-CR-194398] p 176 N94-13815
- PHOTOGRAPHIC RECORDING**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956
- PHOTOGRAPHS**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423
- PHOTOGRAPHY**
- Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 N94-23523
- PHOTOINTERPRETATION**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956
- PHOTOLUMINESCENCE**
- Pressure sensitive paint technique p 186 N94-18647
- PHOTOVOLTAIC CELLS**
- Effect of power system technology and mission requirements on high altitude long endurance aircraft [NASA-CR-194455] p 331 N94-25200
- PHYSICAL PROPERTIES**
- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- PHYSICAL WORK**
- Complex terrain wind model evaluation [AD-A266467] p 192 N94-16589
- PHYSIOLOGICAL EFFECTS**
- The problem of the sonic boom for future high-speed transport aircraft [ESA-TT-1286] p 206 N94-13692
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction [AD-A272695] p 230 N94-21165
- PHYSIOLOGICAL FACTORS**
- JPRS report: Central Eurasia: Aviation and cosmonautics, no. 11, November 1992 [JPRS-UAC-93-005] p 212 N94-19208
- PIEZOELECTRIC CERAMICS**
- Smart structures at Aastra Corporation p 146 N94-11326
- PIEZOELECTRIC GAGES**
- Free flight experiment with a laminar wing glove p 219 N94-22600
- PIEZOELECTRICITY**
- Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384
- PILOT ERROR**
- Altitude deviations: Breakdowns of an error-tolerant system [NASA-TM-108788] p 57 N94-15550
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993 [PB94-910402] p 308 N94-27766
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance [PB94-142734] p 431 N94-31680
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993 [PB94-910405] p 468 N94-34390
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990 [PB94-917001] p 529 N94-35482
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993 [PB94-910406] p 529 N94-35521
- PILOT INDUCED OSCILLATION**
- A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
- Aircraft digital flight control technical review p 336 N94-25106
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543
- PILOT PERFORMANCE**
- Cognitive engineering in aerospace application: Pilot interaction with cockpit automation [NASA-CR-177617] p 55 N94-13247
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors [NASA-CP-3220] p 115 N94-13294
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- Improvements in hover display dynamics for a combat helicopter p 118 N94-13310
- Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
- The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- VMC left turn curved approaches, test results — (visual meteorological conditions) [AD-A269476] p 70 N94-18728
- Modelling decision-making by pilots [NASA-CR-194767] p 244 N94-21821

- Combined 1991 and 1992 Robinson-22B (R-22) parking test results
[AD-A273550] p 269 N94-24559
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602
- Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993
[PB94-910404] p 382 N94-29402
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance
[PB94-142734] p 431 N94-31680
- The effects of Above Real-Time Training (ARTT) in an F-16 simulator
p 489 N94-32474
- Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618
- Effects of checklist interface on non-verbal crew communications
[NASA-CR-177639] p 528 N94-34915
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990
[PB94-917001] p 529 N94-35482
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993
[PB94-910406] p 529 N94-35521
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604
- Synthetic vision display evaluation studies
[NASA-CR-194963] p 603 N94-37658
- PILOT PLANTS**
- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111
- PILOT TRAINING**
- Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733
- Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- Modelling decision-making by pilots
[NASA-CR-194767] p 244 N94-21821
- Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- The effects of Above Real-Time Training (ARTT) in an F-16 simulator
p 489 N94-32474
- Operational agility assessment with the AM-X aircraft
p 534 N94-34626
- PILOTLESS AIRCRAFT**
- Conceptual design of a stopped rotor with flap controls
p 108 A94-12108
- Wind-tunnel test techniques for unmanned aerial vehicle separation investigations
[BTN-94-EIX94401358976] p 571 A94-61632
- Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
[NASA-CR-195550] p 331 N94-25085
- An analysis of multiple sensor system payloads for unmanned aerial vehicles
[AD-A274905] p 324 N94-26182
- Payload central control for unmanned aircraft
p 401 N94-30284
- Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056
- Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- Technological challenges of High Altitude Long Endurance unmanned configurations
p 573 N94-36323

PILOTS

- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- PIPE FLOW**
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components
[ECL-92-35] p 352 N94-25654
- PIPER AIRCRAFT**
- VSAERO analysis of a Piper Cub aircraft
p 85 N94-14616
- PIPES (TUBES)**
- An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe
p 410 N94-28986
- PISTON ENGINES**
- Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874
- Internal combustion engine with a central crankshaft and integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine
p 266 N94-24253
- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft
p 578 N94-36335
- PISTON THEORY**
- Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- PISTONS**
- Cooled spool piston compressor
[NASA-CASE-MS-C-22020-1] p 169 N94-10674
- Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- PITCH**
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances
p 113 N94-11492
- PITCH (INCLINATION)**
- Some basic considerations on angles describing airplane flight maneuvers
[BTN-94-EIX94381311179] p 570 A94-61266
- Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572
- LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- The influence of elastic pitch variations on helicopter flight mechanics
p 258 N94-24286
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- Comparison of pitch rate history effects on dynamic stall
p 535 N94-34968
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate
p 526 N94-34989
- Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993
[AD-A278859] p 527 N94-35826
- PITCH (MATERIAL)**
- Variation in Hover aeromechanical stability trends with bearingless main rotor design
[HTN-94-00304] p 603 A94-62277
- PITCHING MOMENTS**
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[AD-A280310] p 127 A94-10438
- Effects of thrust line offset on neutral point determination in flight testing
[BTN-94-EIX94311329127] p 518 A94-60173
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates
[AD-A265159] p 27 N94-11889
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil
[NASA-TP-3357] p 38 N94-15657
- Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826

- Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage
[AD-A269206] p 46 N94-18413
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
p 90 N94-18577
- [AD-A269700] p 90 N94-18577
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
p 90 N94-18733
- [AD-A269816] p 90 N94-18733
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975
- A numerical study of airplanes flying in proximity
[AD-A273373] p 255 N94-24718
- Reconfigurable aircraft stick control
[AD-D016043] p 344 N94-27113
- Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7
p 301 N94-28316
- An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473
- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis
[NASA-TM-104006] p 523 N94-34948
- Comparison of pitch rate history effects on dynamic stall
p 535 N94-34968
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil
p 524 N94-34972
- PITOT TUBES**
- Free flight experiment with a laminar wing glove
p 219 N94-22600
- Riblet boundary layer measurements of an A-310 fuselage with Pitot combs
p 219 N94-22605
- PLANE WAVES**
- Active control of fan-generated plane wave noise
[NASA-TM-109008] p 207 N94-14481
- The propagation of spark-produced N waves through turbulence
p 301 N94-28193
- PLANETARY ATMOSPHERES**
- Optimal body shapes with limits on local heat flux
p 11 N94-10942
- PLANFORMS**
- Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574
- Numerical solution of inverse problem in aerodynamics
p 376 N94-28965
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- PLANNING**
- A time reasoning system based on the event calculus for scheduling in aeronautic maintenance
[REPT-932-710-101] p 374 N94-29463
- Interactive analysis and planning tools for air traffic and airspace management
p 386 N94-29573
- PLASMA PROPULSION**
- The Lightcraft project: Flight technology for a hypersonic mass transit system
p 321 N94-25695
- PLASTIC AIRCRAFT STRUCTURES**
- New aircraft materials and structures
[MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- PLASTIC DEFORMATION**
- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front
p 279 N94-24246
- On the deformation kinetics constitutive law of plastic deformation: The rate equation
p 280 N94-24289
- Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125
- PLASTIC PROPERTIES**
- Mean stress models for low cycle fatigue of a nickel-base superalloy
p 279 N94-24276
- A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- PLATE THEORY**
- Equivalent plate structural modeling for wing shape optimization including transverse shear
[BTN-94-EIX94421374979] p 564 A94-61877
- Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- PLATES**
- Response of a cantilevered plate in supersonic flow
[AD-A277487] p 471 N94-33107

PLATES (STRUCTURAL MEMBERS)

- Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 A94-60256
- Stability of skew plates subjected to aerodynamic and in-plane forces
[BTN-94-EIX94321331202] p 592 A94-61615
- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478
- The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- Design oriented structural analysis
[NASA-TM-109124] p 551 N94-34722

PLUMES

- Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 N94-20014
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032
- NASA/LaRC jet plume research
p 478 N94-33468
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687

PLUTONIUM

- A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292

PNEUMATIC CONTROL

- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028
- The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380

PNEUMATIC EQUIPMENT

- Trends in air turbine starters for large turbofan engines
[SAE PAPER 921975] p 98 A94-11996
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- Tipjet 80-inch model rotor hover test: Test no. 1198
[AD-A279680] p 567 N94-36261

PNEUMATIC PROBES

- The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498

PNEUMATICS

- Lift enhancement of a wing/stroke using pneumatic blowing
[AD-A265074] p 82 N94-11872
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028

PODS (EXTERNAL STORES)

- Spare parts analysis of the MK.32B-751 AAR pod
[DSIS-93-00737] p 200 N94-13549
- Aerial refueling interoperability from a receiver flying qualities perspective
p 575 N94-36343

POINT SOURCES

- Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854

POINTING CONTROL SYSTEMS

- Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target
[FFA-TN-1992-18] p 133 N94-13588
- Aeroservoelastic stabilization considerations for pointing and tracking systems
p 594 N94-36627
- Large angle magnetic suspension test fixture
[NASA-CR-196138] p 583 N94-37450

POLICIES

- Mission management aircraft operations manual
[NHB-7900.3] p 210 N94-16729
- Aircraft operations management manual
[NHB-7900.3(V1)] p 210 N94-16730
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960

POLLUTION CONTROL

- Control of jet noise
[NASA-CR-193612] p 205 N94-11176
- The 11th annual report of accomplishments under the airport improvement program: Fiscal year 1992
[AD-A268328] p 69 N94-17458
- Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft
[AD-A274016] p 365 N94-25755
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future
p 406 N94-29272
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860
- Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166
- First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport
p 479 N94-33477
- Low emissions combustor technology for high-speed civil transport engines
p 479 N94-33481
- Low emission combustor technology for small aircraft gas turbines
p 485 N94-34454
- POLYCARBONATES**
- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- POLYESTERS**
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- POLYIMIDES**
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems
p 143 N94-10769
- POLYMER MATRIX COMPOSITES**
- Experience in fabricating polymeric composite rotor blades
p 2 A94-12114
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- Computational Methods for Failure Analysis and Life Prediction
[NASA-CP-3230] p 239 N94-22608
- An overview of computational simulation methods for composite structures failure and life analysis
p 239 N94-22617
- Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961
- POLYMERIC FILMS**
- The fire properties of insulation bags, as installed and after aircraft operations
p 144 N94-10778
- POLYMERS**
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- POLYNOMIALS**
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- POLYSTYRENE**
- Microspheres for laser velocimetry in high temperature wind tunnel
p 345 N94-27903
- POLYSULFIDES**
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- POPULATIONS**
- Sonic boom predictions using a modified Euler code
p 510 N94-33474
- POROSITY**
- Alleviation of side force on tangent-ogive forebodies using passive porosity
[BTN-94-EIX94311329126] p 536 A94-60174
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748
- POROUS BOUNDARY LAYER CONTROL**
- Boundary layer control device for duct silencers
[NASA-CASE-ARC-12030-1] p 417 N94-29362
- POROUS MATERIALS**
- Alleviation of side force on tangent-ogive forebodies using passive porosity
[BTN-94-EIX94311329126] p 536 A94-60174
- POROUS PLATES**
- Boundary layer control device for duct silencers
[NASA-CASE-ARC-12030-1] p 417 N94-29362

POROUS WALLS

- Wall interference studies: Revisited
p 178 N94-14604
- A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes
[NASA-CR-195699] p 409 N94-28724

PORTABLE EQUIPMENT

- Status report for the development of the Antarctic penetrator: 1990-year program
p 366 N94-27973
- Evaluation of access/navigation features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744

POSITION (LOCATION)

- Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings
p 63 A94-12551
- Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study
p 65 A94-12570
- GPS in the Gulf War
p 65 A94-12574
- An evaluation of the use of GPS and laser ranging to position stationary objects from a distance
p 66 A94-12576
- Localization of aeroelastic modes in mistuned high-energy turbines
[BTN-94-EIX94321333307] p 547 A94-60039
- Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
- Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
- Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652
- Aerial refueling interoperability from a receiver flying qualities perspective
p 575 N94-36343

POSITION ERRORS

- The application of magnetic variation - Past, present, future (?)
p 63 A94-12556
- GPS multipath and satellite interference
p 63 A94-12557
- Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559
- Wide Area Differential GPS-potential for accurate global navigation
p 64 A94-12561
- An evaluation of the use of GPS and laser ranging to position stationary objects from a distance
p 66 A94-12576
- Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451
- About the accuracy of an image-based navigation system during the runway approach
[DLR-MITT-93-01] p 69 N94-18146
- Ground station siting considerations for DGPS
p 315 N94-27293
- Differential GPS methods and performance for marine applications
[DREP-93-09] p 315 N94-27667
- A simulation of GPS and differential GPS sensors
p 316 N94-27918
- Time and position accuracy using codeless GPS
p 428 N94-30650

POSITION SENSING

- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar
p 94 A94-12565
- Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346
- Integration of magnetic bearings in the design of advanced gas turbine engines
p 554 N94-35903

POSITIONING

- The potential of a nonsolicited position report
p 60 A94-10331
- Aircraft landing gear positioning concerning abnormal landing cases
[BTN-94-EIX94311329140] p 536 A94-60160
- Design and analysis of a Kalman filter for terrain-referenced positioning and guidance
[BTN-94-EIX94311329124] p 557 A94-60176
- Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis
[DOT/FAA/SE-93/3] p 69 N94-16906
- Differential GPS for air transport: Status
p 311 N94-25100
- Status report for the development of the Antarctic penetrator: 1990-year program
p 366 N94-27973

Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

POSITIONING DEVICES (MACHINERY)

System for automatic transportation of aircraft on the ground

[CA-PATENT-1-322-361] p 341 N94-24785

POTENTIAL FLOW

Finite element analysis of lift build-up due to aerofoil indicial motion p 12 A94-11922

A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051

Solving the inverse problem for incompressible potential flow through two-dimensional cascades

[NAL-TR-1162] p 166 N94-10365

A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations

[NLR-TP-91397-U] p 31 N94-13531

Modelling stalled airfoils

[ISBN-0-315-59525-6] p 218 N94-22382

Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field

[NASA-CR-191490] p 280 N94-24360

Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model

p 303 N94-28334

A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design

[NLR-TP-92524-U] p 420 N94-30493

Prediction of transonic potential flow with slipstreams around configurations

[FFA-TN-1992-15] p 422 N94-31220

A novel potential/viscous flow coupling technique for computing helicopter flow fields

[NASA-CR-193272] p 457 N94-32476

POTENTIAL THEORY

Precision requirement for potential-based panel methods

[BTN-94-EIX94301315995] p 515 A94-60031

Navier-Stokes and potential theory solutions for a helicopter fuselage and comparison with experiment

[NASA-TM-4566] p 569 N94-36966

POWDER (PARTICLES)

Magnetic power piston fluid compressor

[NASA-CASE-GSC-13565-1] p 276 N94-23831

POWDER METALLURGY

Powder metallurgy of advanced titanium alloys

p 141 A94-10660

Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2

[AD-A274410] p 349 N94-26978

The control of cleanliness in powder metallurgy materials for turbine disks

p 586 N94-37325

Defects and their effects on the integrity of nickel based aeroengine discs

p 586 N94-37328

Substantiating powder metal life methodologies for engines

p 595 N94-37330

POWER CONDITIONING

High flux heat exchanger

[AD-A266341] p 175 N94-13730

POWER CONVERTERS

Matching today's technology to the electric power requirement — of aircraft

p 156 A94-11370

POWER EFFICIENCY

The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine

p 266 N94-24253

POWER SPECTRA

Continuous gust response and sensitivity derivatives using state-space models

p 268 N94-24287

The deterministic power-spectral-density method

[AD-B175894] p 340 N94-27395

The deterministic power-spectral-density-method for nonlinear systems

[AD-B179687] p 369 N94-28353

POWERED LIFT AIRCRAFT

Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft

p 116 N94-13297

Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing

[NASA-CR-194260] p 121 N94-14322

The lift-fan powered-lift aircraft concept: Lessons learned

[NASA-CR-177616] p 85 N94-15718

Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft

p 89 N94-18444

Survey of lift-fan aerodynamic technology

[NASA-CR-177615] p 224 N94-21592

Summary of lift and lift/cruise fan powered lift concept technology

[NASA-CR-177619] p 257 N94-23489

Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory

[NASA-TM-106577] p 491 N94-33604

STOVL

[NASA-TM-109845] p 473 N94-33790

PREBURNERS

STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak

[NASA-CR-193830] p 138 N94-12806

PRECIPITATION (METEOROLOGY)

A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)

[DLR-MITT-92-10] p 240 N94-22280

PRECIPITATION HARDENING

Substantiating powder metal life methodologies for engines

p 595 N94-37330

PRECISION

Precision requirement for potential-based panel methods

[BTN-94-EIX94301315995] p 515 A94-60031

Time and position accuracy using codeless GPS

p 428 N94-30650

PRECONDITIONING

Preconditioning and the limit to the incompressible flow equations

[NASA-CR-191500] p 200 N94-13717

PREDICTION ANALYSIS TECHNIQUES

Artificial neural networks for predicting nonlinear dynamic helicopter loads

[BTN-94-EIX94301315989] p 515 A94-60025

Axial compressor performance during surge

[BTN-94-EIX94321333308] p 548 A94-60040

Navier-Stokes solver for hypersonic flow over a slender cone

[BTN-94-EIX94311330681] p 543 A94-60110

Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows

[BTN-94-EIX94351142128] p 550 A94-60421

Detailed flow measurements and predictions for a three-stage transonic fan

[BTN-94-EIX94311330096] p 587 A94-61062

Models for predicting the performance of Brayton-cycle engines

[BTN-94-EIX94311331072] p 589 A94-61106

A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors

[NASA-TM-106279] p 100 N94-11255

A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades

[NASA-TM-106278] p 170 N94-11256

Boundary layer transition: Prediction and wind tunnel simulation

p 171 N94-11498

Further studies using matched filter theory and stochastic simulation for gust loads prediction

[NASA-TM-109010] p 82 N94-11587

A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations

[NASA-TM-109009] p 82 N94-12850

Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment

[AD-A266015] p 28 N94-12989

Transition prediction and control in subsonic flow over a hump

[NASA-CR-4543] p 173 N94-13066

Research on chemical vapor deposition processes for advanced ceramic coatings

[NASA-CR-193613] p 148 N94-13089

Piston engine intake and exhaust system design

[ISVR-TR-222] p 176 N94-13874

Extrapolation of ground test data to flight

p 34 N94-14170

Electromagnetic wave test

p 177 N94-14173

Nonlinear wave predictions in ceramics

[DE93-016516] p 149 N94-14436

Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code

[AD-A267000] p 181 N94-15632

Survey of lift-fan aerodynamic technology

[NASA-CR-177615] p 224 N94-21592

Life prediction systems for critical rotating components

p 239 N94-22615

Transient Ejector Analysis (TEA) code user's guide

[NASA-TM-106310] p 264 N94-23466

Proceedings of the Non-Linear Aero Prediction Requirements Workshop

[NASA-CP-10138] p 327 N94-27439

Methodology development of forecasting inter-regional air transport demand in China

[DLR-FB-93-24] p 308 N94-27746

Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft

[NLR-TP-92210-U] p 341 N94-27798

Variability of measured sonic boom signatures

p 370 N94-28197

Role of microstructure on the fatigue durability of aluminum aircraft alloys

[AD-A275814] p 403 N94-28830

Spray combustion experiments and numerical predictions

p 407 N94-29277

Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)

[NLR-TP-92156-U] p 393 N94-30342

Prediction of transonic potential flow with slipstreams around configurations

[FFA-TN-1992-15] p 422 N94-31220

Development of a three-dimensional icing model for predicting ice accretion on aircraft

[ONERA-NT-1993-5] p 426 N94-31230

Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis

[PB94-152608] p 433 N94-32015

Aircraft weight prediction capability. Volume 1: Weight study and results

[AD-A277206] p 434 N94-32062

User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN

[NASA-TM-104139] p 458 N94-32873

Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study

[NASA-CR-194905] p 509 N94-33023

HSC noise reduction technology development at GE Aircraft Engines

p 509 N94-33466

Sonic boom prediction and minimization using computational fluid dynamics

p 510 N94-33472

An Assessment of Fatigue Damage and Crack Growth Prediction Techniques

[AD-280273] p 550 N94-34581

An assessment of fatigue crack growth prediction models for aerospace structures

p 551 N94-34586

A combined approach to buffet response analyses and fatigue life prediction

p 551 N94-34587

An empirical comparison of a dynamic software testability metric to static cyclomatic complexity

p 597 N94-36498

Characterisation of Fibre Reinforced Titanium Matrix Composites

[AGARD-R-796] p 585 N94-36649

Substantiating powder metal life methodologies for engines

p 595 N94-37330

Predicting defect behaviour

p 596 N94-37331

PREDICTIONS

Predicted and real development in the aviation in the period 1961-1991

p 4 N94-15122

NASA Langley developments in response calculations needed for failure and life prediction

p 240 N94-22621

Effects of historical and predictive information on ability of transport pilot to predict an alert

[NASA-TM-4547] p 330 N94-27864

Experimental studies of loudness and annoyance response to sonic booms

p 370 N94-28195

Comparison of methods of predicting community response to impulsive and nonimpulsive noise

p 370 N94-28196

PREDICTOR-CORRECTOR METHODS

Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)

[NASA-TM-105974] p 220 N94-21590

PREFORMS

An overview of the NASA textile composites program

p 150 N94-16846

Second NASA Advanced Composites Technology Conference

[NASA-CP-3154] p 493 N94-33121

Recent progress in NASA Langley Research Center textile reinforced composites program

p 495 N94-33134

Advanced textile applications for primary aircraft structures

p 496 N94-33135

Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure

p 496 N94-33136

SCS-6 (tm) fiber reinforced titanium

p 585 N94-36652

PREMIXED FLAMES

Studies on high pressure and unsteady flame phenomena: Revision

[AD-A269138] p 152 N94-18257

Ducted kerosene spray flames

p 407 N94-29276

PREMIXING

Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames

[BTN-94-EIX94321333324] p 546 A94-60275

Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257

Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor
[NASA-TM-106479] p 332 N94-26573

The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275

LeRC in-house experimental research p 497 N94-33484

PREPOLYMERS

Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107

PREPREGS

Advanced phenolic systems for aircraft interiors p 143 N94-10776

Fire resistance and mechanical properties for phenolic prepgs p 145 N94-10786

PREPROCESSING

Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX9438131167] p 579 A94-61254

PRESIDENTIAL REPORTS

Aeronautics and space report of the President: Fiscal year 1993 activities p 514 N94-32854

PRESSURE

Unsteady blade pressures on a propfan: Predicted and measured compressibility effects
[BTN-94-EIX94401358996] p 578 A94-61652

Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547

PRESSURE DEPENDENCE

The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253

PRESSURE DISTRIBUTION

The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747

Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056

Cavity drag at transonic speeds p 17 A94-12199

Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818

Determination of tire-wheel interface loads for aircraft wheels
[BTN-94-EIX94311329136] p 517 A94-60164

Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents
[BTN-94-EIX94311330091] p 590 A94-61128

Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626

Fluctuating wall pressures near separation in highly swept turbulent interactions
[BTN-94-EIX94421374958] p 563 A94-61856

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965

Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292

Numerical simulations of unsteady flows in turbomachines p 175 N94-13569

Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031

VSAERO analysis of a Piper Cub aircraft p 85 N94-14616

Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973

Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681

In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435

Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536

A comparative study of turbulence models in predicting hypersonic inlet flows p 50 N94-18553

Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388

Numerical investigation of the incompressible flow around a wing with a fixed spoiler
[ISL-R-109/91] p 51 N94-19524

A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591

Modeling stalled airfoils
[ISBN-0-315-59525-6] p 218 N94-22382

The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658

Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084

Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586

Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342

Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976

Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine
[DLR-FB-93-17] p 333 N94-27593

Examples of excrecence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144

Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320

The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321

Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323

Wall pressure fluctuations in the reattachment region of a supersonic free shear layer
[NASA-CR-195790] p 379 N94-29920

Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151

Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401

Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333

Shock impingement near mild hypersonic expansion corners p 424 N94-31879

In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859

Cylinder drag experiment: An upgraded laboratory
[AD-A277841] p 464 N94-33835

Control of leading-edge separation on a cambered delta wing p 539 N94-34616

Combined LAURA-UPS solution procedure for chemically-reacting flows
[NASA-TM-107964] p 551 N94-34721

The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972

Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987

A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945

Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950

Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944

PRESSURE DRAG

Numerical investigation of cylinder wake flow with a rear stagnation jet
[BTN-94-EIX94301315998] p 547 A94-60034

Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547

PRESSURE DROP

Solution of mixed convection heat transfer from isothermal in-line fins p 276 N94-23644

Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717

PRESSURE EFFECTS

Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111

Examples of excrecence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144

Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271

The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer p 444 N94-30807

Computational study of single-expansion-ramp nozzles with external burning
[NASA-TM-106550] p 446 N94-31229

Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150

Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124

PRESSURE GRADIENTS

The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747

Structure of local pressure-driven three-dimensional transient boundary-layer separation
[BTN-94-EIX94301315979] p 515 A94-60015

Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673

A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556

Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780

The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer p 444 N94-30807

PRESSURE ICE

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

PRESSURE MEASUREMENT

Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408

Optical surface pressure measurement - Initial experience in the MCAIR PSWT --- Polysonic Wind Tunnel p 154 A94-10409

Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section p 125 A94-10415

Pressure measurements on a forward-swept wing-canard configuration
[BTN-94-EIX94311329149] p 516 A94-60151

Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059

Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435

Wall interference correction based on interface measurements in subsonic wind tunnel testing p 26 N94-11154

Overview of the 1989 Wind Tunnel Calibration Workshop
[NASA-TP-3393] p 131 N94-11869

Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1
[NASA-CR-167690] p 139 N94-12810

A wall interference assessment/correction system
[NASA-CR-194174] p 28 N94-13076

Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221

Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274

An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction
[AD-A268394] p 44 N94-17461

Pressure sensitive paint technique p 186 N94-18647

Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280

Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597

Free flight experiment with a laminar wing glove p 219 N94-22600

Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605

- Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel
[NASA-TM-106470] p 280 N94-24362
- Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464
- The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587
- Steady pressure measurements on an Aeroelastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel
p 438 N94-30788
- The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDC) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945
- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- Guide to the measurement of the transient performance of aircraft turbine engines and components
[AD-280272] p 480 N94-33874
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- PRESSURE OSCILLATIONS**
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802
- Wall pressure fluctuations in the reattachment region of a supersonic free shear layer
[NASA-CR-195790] p 379 N94-29920
- Shock impingement near mild hypersonic expansion corners
p 424 N94-31879
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines
p 505 N94-34463
- PRESSURE PULSES**
- Magnetic power piston fluid compressor
[NASA-CASE-GSC-13565-1] p 276 N94-23831
- PRESSURE RATIO**
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705
- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling
p 334 N94-28018
- Transitional flight characteristics of a geometrically simplified STOVL model
p 328 N94-28035
- Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949
- Advanced concepts for next generation small gas turbine engine compressors
p 484 N94-34443
- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444
- The centrifugal compressor, an essential component of small and medium power engines
p 484 N94-34445
- Flow field analysis in a high pressure ratio centrifugal compressor
p 504 N94-34447
- PRESSURE RECOVERY**
- Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet
[BTN-94-EIX94381353570] p 577 A94-61460
- Improving diffusing S-duct performance by secondary flow control
[NASA-TM-106492] p 291 N94-25182
- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept
p 473 N94-33508
- PRESSURE REDUCTION**
- Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD
p 164 A94-12871
- Effects of crenulations on three dimensional losses in a linear compressor cascade
[AD-A273778] p 352 N94-25862
- PRESSURE REGULATORS**
- A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255
- PRESSURE SENSORS**
- Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408
- Recent developments in fast response aerodynamic probe technology
p 186 N94-18645
- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394
- PRESSURE VESSELS**
- Effect of localized bending at through-flaws in pressurized composite cylinders
p 159 A94-12346
- Feasibility study of a contained pulsed nuclear propulsion engine
[BTN-94-EIX94341338369] p 559 A94-60361
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- PRESSURIZED CABINS**
- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
- PRESSURIZING**
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- PRETREATMENT**
- Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166
- PROBABILITY DENSITY FUNCTIONS**
- On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates
[NASA-CR-191546] p 207 N94-15487
- Quantification of uncertainties in the performance of smart composite structures
[NASA-TM-106335] p 188 N94-20171
- Evaluation of a nonlinear method for the enhancement of tonal signal detection
[NASA-CR-191562] p 244 N94-21741
- Numerical solutions of the complete Navier-Stokes equations
[NASA-CR-194780] p 350 N94-24858
- Probabilistic assessment of smart composite structures
[NASA-TM-106358] p 351 N94-25188
- The deterministic power-spectral-density method
[AD-B175894] p 340 N94-27395
- PROBABILITY DISTRIBUTION FUNCTIONS**
- A comparison of Probability Of Detection (POD) data determined using different statistical methods
[LTR-ST-1947] p 353 N94-26644
- A moment plotting method for characterizing aircraft fatigue data population distributions
[AD-A275500] p 390 N94-28660
- PROBABILITY THEORY**
- Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559
- A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292
- Quantification of uncertainties in the performance of smart composite structures
[NASA-TM-106335] p 188 N94-20171
- Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure
p 269 N94-23653
- Probabilistic simulation of concurrent engineering of propulsion systems
p 259 N94-24317
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- Assessment of in-service aircraft fatigue monitoring process
p 531 N94-34593
- PROBLEM SOLVING**
- A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
- A hypertext system that learns from user feedback
p 514 N94-32428
- PROCEDURES**
- Aircraft digital flight control technical review
p 336 N94-25106
- Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030
- PROCESS CONTROL (INDUSTRY)**
- Maintaining constant standards during the forging process
p 586 N94-37326
- PROCUREMENT**
- Audit report. Navy's aircraft structural life surveillance program data recorders
[AD-A270391] p 92 N94-20040
- Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- PROCUREMENT MANAGEMENT**
- Activities of National Inst. for Aviation Research
[NIAR-93-16] p 212 N94-20150
- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899
- PRODUCT DEVELOPMENT**
- The reliability parameter estimation of field information
p 153 A94-10108
- Future material development trends for commercial airplane interiors
p 145 N94-10792
- Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134
- Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519
- The RB211: The first 25 years
[PNR-90977] p 264 N94-23570
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- Early manufacturing considerations in design
p 259 N94-24315
- Frameworks for integrated airframe design
p 259 N94-24318
- High-order technology: Applying technical excellence to new airplane development
p 320 N94-25069
- New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193
- Future of aerospace
[PB94-120185] p 326 N94-26906
- The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960
- Development of the gas turbine. Part 1: Design philosophy and performance
p 362 N94-28080
- PRODUCTION ENGINEERING**
- Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134
- PRODUCTION MANAGEMENT**
- The integration of design and manufacturing processes at Alenia DVD
p 261 N94-24325
- PRODUCTIVITY**
- Technical excellence and productivity - The ETW challenge
p 125 A94-10417
- PROGRAM VERIFICATION (COMPUTERS)**
- F-16 uncommanded pitch oscillation
[BTN-94-EIX94331337501] p 530 A94-60336
- Progress in computational unsteady aerodynamics
[NASA-CR-177630] p 43 N94-17081
- Integrated formal verification and validation of safety critical software
p 416 N94-29338
- Cleanroom engineering handbook. Volume 6: Certification team practices
[AD-A275951] p 439 N94-31346
- The maintenance of operational flight program
[AD-A276363] p 419 N94-31367

- Testing Operational Flight Programs (OFP's)
[AD-A276361] p 432 N94-31387
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations
[NASA-CR-195918] p 598 N94-36914
- PROGRAMMING ENVIRONMENTS**
- SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344
- Considerations on graphical user interfaces for intelligent ATM support systems p 386 N94-29572
- MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program-synthesis, version 1.00.00
[AD-A276949] p 451 N94-32219
- PROJECT MANAGEMENT**
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- Frameworks for integrated airframe design p 259 N94-24318
- NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704
- SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344
- The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
[AD-A279036] p 383 N94-29445
- National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex
[NASA-TM-109856] p 542 N94-34634
- PROJECT PLANNING**
- The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960
- An Operational Control Segment (OCS) update on GPS constellation status and future program directions p 427 N94-30643
- Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256
- PROJECTILES**
- Applications of computational fluid dynamics to the aerodynamics of Army projectiles
[BTN-94-EIX94311330678] p 516 A94-60113
- Simplified method for evaluating the flight stability of liquid-filled projectiles
[BTN-94-EIX94311322905] p 544 A94-60191
- Drag reduction for turbulent flow over a projectile, part 2
[BTN-94-EIX94311322900] p 520 A94-60196
- Drag reduction of turbulent flow over a projectile, part 1
[BTN-94-EIX94311322899] p 557 A94-60197
- A computational study of the base region flow field for the M865 projectile
[ARL-TR-109] p 33 N94-13795
- An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
- PROLATE SPHEROIDS**
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- PROP-FAN TECHNOLOGY**
- Experimental investigation of counter-rotating propfan flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
- AGBT advanced counter-rotating gearbox detailed design report
[NASA-CR-180883] p 166 N94-10400
- Back to propellers
[NASA-TM-109445] p 104 N94-15344
- Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 N94-23545
- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual
[NASA-CR-187105] p 399 N94-29438
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859
- PROPELLANT ADDITIVES**
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860

PROPELLANT CHEMISTRY

- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction
[AD-A272695] p 230 N94-21165
- Fuels combustion research
[AD-A275122] p 404 N94-29004

PROPELLANT COMBUSTION

- Preliminary investigations on improving air-augmented rocket performance
[BTN-94-EIX94321333323] p 544 A94-60274
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames
[BTN-94-EIX94321333324] p 546 A94-60275
- A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- Fuel-rich catalytic combustion of a high density fuel
[NASA-TP-3281] p 407 N94-29356
- Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366

PROPELLANT PROPERTIES

- Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901

PROPELLANT TESTS

- Coating the boron particles to increase the combustion efficiency of boron fuel
[BTN-94-EIX94381353577] p 584 A94-61473
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication
[AD-A267667] p 149 N94-14962

PROPELLER BLADES

- Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115
- Counterrotating aircraft propulsor blades
[CA-PATENT-1-319-357] p 264 N94-23255
- Wing mounted unducted fan engine
[CA-PATENT-1323353] p 265 N94-24180
- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwinglie, Iowa, 19 April 1993
[PB93-910409] p 306 N94-25175
- The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859

PROPELLER EFFICIENCY

- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285

PROPELLER FANS

- Experimental investigation of counter-rotating propfan flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
- Whirl-flutter suppression in advanced turboprops and propfans by active control techniques
[BTN-94-EIX94401358994] p 578 A94-61650
- Unsteady blade pressures on a propfan: Predicted and measured compressibility effects
[BTN-94-EIX94401358996] p 578 A94-61652
- Back to propellers
[NASA-TM-109445] p 104 N94-15344
- Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 N94-23545
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859

PROPELLER NOISE

- An experimental investigation of the sources of propeller noise due to turbulence ingestion p 205 N94-11057
- Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115
- A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft
[CTH-F-93-03] p 452 N94-31090
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846

PROPELLER SLIPSTREAMS

- Wall correction method for models with propeller induced slipstream p 7 A94-10437

PROPULSION SYSTEM CONFIGURATIONS

- An experimental investigation of the sources of propeller noise due to turbulence ingestion p 205 N94-11057
- Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7 p 301 N94-28316
- Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7 p 302 N94-28317
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- PROPELLERS**
- Effects of propeller on the turning flight of old fighters p 106 A94-10798
- Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
- On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics
[NLR-TP-91307-U] p 31 N94-13528
- Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115
- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478
- Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force p 334 N94-28319
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- PROPORTIONAL CONTROL**
- Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837
- PROPULSION**
- Working group activities of AGARD propulsion and energetics panel
[BTN-94-EIX94311331062] p 589 A94-61116
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft
[NASA-CR-186028] p 333 N94-27432
- Institute for Computational Mechanics in Propulsion (ICOMP)
[NASA-TM-106542] p 499 N94-32969
- AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746
- PROPULSION SYSTEM CONFIGURATIONS**
- Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
- STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745
- Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle
[IAF PAPER 93-480] p 137 A94-11259
- Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001
- Propulsion-induced aerodynamic effects measured with a full-scale STOVL model
[BTN-94-EIX94311329120] p 519 A94-60180
- Distributed simulation using a real-time shared memory network
[NASA-TM-106239] p 198 N94-10724
- Active control of fan-generated plane wave noise
[NASA-TM-109008] p 207 N94-14481
- Overview of STOVL aircraft propulsion research offakes and vertical lift systems
[NASA-TM-106387] p 105 N94-19353
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- Navy GTE seal development activity p 235 N94-21794
- Brayton power conversion system parametric design modelling for nuclear electric propulsion
[NASA-CR-191135] p 229 N94-21874
- On the estimation algorithm used in adaptive performance optimization of turbofan engines
[NASA-TM-4551] p 226 N94-21879
- Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135

Probabilistic simulation of concurrent engineering of propulsion systems p 259 N94-24317
Multi-disciplinary coupling for integrated design of propulsion systems p 266 N94-24326
VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803
The Blue Emu [NASA-CR-195535] p 317 N94-24817
Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program [NASA-CR-195118] p 371 N94-25665
Eagle RTS: A design of a regional transport p 322 N94-25709
Tesseract supersonic business transport p 322 N94-25713
The design of four hypersonic reconnaissance aircraft p 323 N94-25716
A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789
A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center [NASA-TP-3406] p 363 N94-28227
Research and Development of Ram/Scramjets and Turboramjets in Russia [AD-A275588] p 397 N94-29291
Turboramjet engines: Types and performances p 398 N94-29293
First Annual High-Speed Research Workshop, part 2 [NASA-CP-10087-PT-2] p 460 N94-33462
The NASA sponsored HSCT propulsion studies p 479 N94-33476
P and W/GE propulsion systems studies introduction p 479 N94-33478
Results of GEAE HSCT propulsion system studies p 479 N94-33479
P and W propulsion systems studies results/status p 479 N94-33480
First Annual High-Speed Research Workshop, part 3 [NASA-CP-10087-PT-3] p 460 N94-33487
Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333
Propulsion system technologies for long range and long endurance aircraft p 578 N94-36334
The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft p 578 N94-36335

PROPULSION SYSTEM PERFORMANCE
Transonic propulsion aerodynamics research at NASA Langley Research Center [SAE PAPER 921937] p 72 A94-11977
Overview of high performance aircraft propulsion research [SAE PAPER 921983] p 99 A94-12001
Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX9432133323] p 544 A94-60274
Models for predicting the performance of Brayton-cycle engines [BTN-94-EIX94311331072] p 589 A94-61106
Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874
Aeropropulsion test and evaluation methods p 102 N94-14165
Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle [NASA-TP-3369] p 41 N94-16572
Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle [NASA-TM-106418] p 226 N94-21759
Navy GTE seal development activity p 235 N94-21794
Brayton power conversion system parametric design modelling for nuclear electric propulsion [NASA-CR-191135] p 229 N94-21874
On the estimation algorithm used in adaptive performance optimization of turbofan engines [NASA-TM-4551] p 226 N94-21879

Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies [DE93-041130] p 237 N94-21938
A conceptual design of an unmanned test vehicle using an airbreathing propulsion system [NASA-CR-195550] p 331 N94-25085
Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789
A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center [NASA-TP-3406] p 363 N94-28227
Fuels combustion research [AD-A275122] p 404 N94-29004
Combustion for future supersonic transport propulsion p 404 N94-29249
Research and Development of Ram/Scramjets and Turboramjets in Russia [AD-A275588] p 397 N94-29291
Turboramjet engines: Types and performances p 398 N94-29293
Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features p 398 N94-29295
CIAM experimental turboramjets p 399 N94-29299
Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
First Annual High-Speed Research Workshop, part 2 [NASA-CP-10087-PT-2] p 460 N94-33462
A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
P and W/GE propulsion systems studies introduction p 479 N94-33478
Results of GEAE HSCT propulsion system studies p 479 N94-33479
P and W propulsion systems studies results/status p 479 N94-33480
Compact diffusers for small transonic compressors p 485 N94-34449
Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
Engine characteristics for agile aircraft p 538 N94-34608
Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321
Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650

PULSIVE EFFICIENCY
Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle [NASA-TM-106448] p 225 N94-21563

PROTECTIVE CLOTHING
Cold-start minidiesel engine development [AD-A271064] p 232 N94-20567

PROTECTIVE COATINGS
A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
Selectively strippable paint schemes p 169 N94-10629
Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311
JPFS report: Science and technology. Central Eurasia: Materials science [JPFS-UMS-93-006] p 149 N94-14573
Oxidation resistant protective coating system for gas turbine components and process for penetration thereof [CA-PATENT-1,294,155] p 230 N94-21143
Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255
Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues [AD-A273666] p 349 N94-25406
Evaluation of the Hughes conversion coating touch-up pen [AD-A278398] p 496 N94-33166

PROTOCOL (COMPUTERS)
A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
Refinement for fault-tolerance: An aircraft hand-off protocol [AD-A278004] p 315 N94-27768
Communications networks in stressed environments [AD-A275967] p 446 N94-31384
Building fault-tolerant distributed computing systems using standard components [PB94-148889] p 508 N94-34125
An error-resistant linguistic protocol for air traffic control [NASA-CR-196098] p 570 N94-37013

PROTON BEAMS
The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen [DE94-011609] p 606 N94-37629

PROTOTYPES
Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft p 78 A94-12240
Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system [AD-A276160] p 431 N94-31080
Model borne data management system for wind tunnel testing, phase 2 [AD-A276296] p 438 N94-31295
Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903
Technical evaluation of the UH-60C: Aircraft in typical aeromedical evacuation missions [AD-A276944] p 437 N94-32217
Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory [NASA-SP-4216] p 455 N94-32793

PROTUBERANCES
Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-167690] p 139 N94-12810

PSYCHOACOUSTICS
Subjective response to sonic booms having different shapes, rise times, and durations [NASA-TM-109090] p 417 N94-29464
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380

PUBLIC LAW
Loran-C time management p 427 N94-30644

PULSE COMMUNICATION
VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384

PULSE DOPPLER RADAR
History of Doppler radar navigation p 61 A94-12120
Description and availability of airborne Doppler radar data p 231 N94-20419

PULSE GENERATORS
Compact lightweight CO2 laser for SDIO application [AD-A273010] p 233 N94-21284
TEM cell safety report [DREO-TN-93-9] p 269 N94-24123

PULSED LASERS
The evolution of whole field optical diagnostics for external transonic testing p 154 A94-10429
Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205

PUMP IMPELLERS
Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage [BTN-94-EIX94311330093] p 590 A94-61126
Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers [BTN-94-EIX94311330092] p 590 A94-61127
Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804

PUMPS
Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036

PURIFICATION
Study on utilization of super clean, high vacuum space p 342 N94-25586

PURSUIT TRACKING
Two-axis camera platform for machine vision p 597 N94-36628

PYLONS

Aircraft accident report: In-flight engine separation. Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993 [PB93-410407] p 255 N94-24062

PYRANOMETERS

A technique to account for the misalignment of pyranometers installed on aircraft p 159 A94-12290

PYROLYSIS

Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783

Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996

Endothermic fuels for hypersonic aviation p 407 N94-29285

PYROPHORIC MATERIALS

Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868

Q

Q FACTORS

Aperture excitation of electrically large, lossy cavities [PB94-145711] p 447 N94-31683

QUADRATIC PROGRAMMING

Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966

QUALIFICATIONS

NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704

Organized wiring systems p 408 N94-28705

Fire behavior of aeronautical materials [REPT-932-600-105] p 408 N94-29457

QUALITATIVE ANALYSIS

Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311

QUALITY

The airline quality report 1993 [NIAR-93-11] p 58 N94-17262

QUALITY CONTROL

Unstructured mesh quality assessment and upwind Euler solution algorithm validation [BTN-94-ElX94401358985] p 592 A94-61641

Mission management aircraft operations manual [NHB-7900.3] p 210 N94-16729

A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427

NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704

Organized wiring systems p 408 N94-28705

Cleanroom engineering handbook. Volume 6: Certification team practices [AD-A275951] p 439 N94-31346

Differential GPS positioning: DGPS modelling using pseudo range observations [PB94-149697] p 470 N94-34113

Impact of Materials Defects on Engine Structures Integrity [AGARD-R-790] p 595 N94-37321

The control of cleanliness in powder metallurgy materials for turbine disks p 586 N94-37325

Maintaining constant standards during the forging process p 586 N94-37326

NASA Lewis wind tunnel model systems criteria [NASA-TM-106565] p 604 N94-37522

QUANTITATIVE ANALYSIS

A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes p 192 N94-16597

Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy [AD-A269035] p 152 N94-18489

QUANTUM THEORY

Superfluid turbulence p 172 N94-12307

QUARTZ CRYSTALS

A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275

QUATERNIONS

NPSNET - Flight simulation dynamic modeling using quaternions p 197 A94-11770

Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858

QUESTOL AIRCRAFT

An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 N94-10350

Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data [DE93-767967] p 79 N94-10728

Flight simulator experiment of the cockpit advisory system [NAL-TR-1151] p 131 N94-10733

QUEUEING THEORY

A mean value analysis heuristic for analysis of aircraft sortie generation [AD-A278578] p 598 N94-36970

R

RADAR ANTENNAS

Infrared imaging of microwave sources p 160 A94-12422

Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959

RADAR APPROACH CONTROL

SATORI: Situation Assessment Through the Re-creation of Incidents [DOT/FAA/AM-93/12] p 138 N94-12567

Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336

Design of Center-TRACON Automation System p 385 N94-29568

Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587

RADAR ATTENUATION

Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959

RADAR BEACONS

ATCRBS reply environment at Memphis International Airport [AD-A266322] p 69 N94-16439

RADAR CROSS SECTIONS

RCS of ships and aircraft at HF frequencies p 237 N94-22128

Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets [AD-A274023] p 352 N94-25757

RADAR DATA

SATORI: Situation Assessment Through the Re-creation of Incidents [DOT/FAA/AM-93/12] p 138 N94-12567

RADAR DETECTION

ASR-9 microburst detection algorithm [AD-A273591] p 364 N94-24850

Radar E-O image fusion p 352 N94-25503

Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196

Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport [AD-A278957] p 557 N94-35807

RADAR EQUIPMENT

MMW technology for enhanced situation awareness/enhanced vision systems [SAE PAPER 921929] p 93 A94-11711

Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8 [AD-A276975] p 440 N94-32314

RADAR IMAGERY

MMW technology for enhanced situation awareness/enhanced vision systems [SAE PAPER 921929] p 93 A94-11711

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

Radar E-O image fusion p 352 N94-25503

Encoding approaches for data link transmission of weather graphics [AD-A274497] p 355 N94-26963

Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076

Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077

Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078

Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079

RADAR MEASUREMENT

Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959

RADAR NAVIGATION

History of Doppler radar navigation p 61 A94-12120

Ground independent landing system p 385 N94-29564

ARC2000: Automatic radar control p 388 N94-29583

RADAR NETWORKS

A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780

A novel near-range radar network for airport surface control p 389 N94-29586

A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439

RADAR RECEIVERS

Ground independent landing system p 385 N94-29564

An evaluation of three GPS receivers for use in the GPS sounder [AD-A278157] p 469 N94-33253

An analysis of operational suitability for test and evaluation of highly reliable systems [AD-A278573] p 530 N94-36184

RADAR REFLECTORS

All-weather precision landing system for aircraft in remote areas [AD-D015924] p 70 N94-20197

RADAR RESOLUTION

A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion [DE94-008456] p 507 N94-34382

RADAR SCANNING

The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

RADAR SCATTERING

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

RCS of ships and aircraft at HF frequencies p 237 N94-22128

RADAR SIGNATURES

Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130

RADAR TARGETS

RCS of ships and aircraft at HF frequencies p 237 N94-22128

RADAR TRACKING

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

Simulation of fully automated air traffic control concepts p 386 N94-29569

A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439

RADAR TRANSMITTERS

S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980

Ground independent landing system p 385 N94-29564

The CF-18 diagnostic and maintenance expert system project p 456 N94-33338

RADARSOPES

Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control [NASA-TP-3399] p 529 N94-36048

RADIAL FLOW

Turbine wheel relative temperature at freerun conditions [SAE PAPER 921949] p 158 A94-11988

Development of passive superconducting bearings. Phase 3 [AD-A266050] p 169 N94-10706

Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades [PB93-226223] p 274 N94-23114

Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461

An air bearing system for small high speed gas turbines p 505 N94-34466

RADIANCE

Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298

RADIATION ABSORPTION

The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen [DE94-011609] p 606 N94-37629

RADIATION DETECTORS

Backscatter haze device for measurement of haze in aircraft transparencies [AD-A275127] p 391 N94-29042

RADIATION DOSAGE

Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709

RADIATION EFFECTS

- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099

RADIATION HARDENING

- Specification and testing for power by wire aircraft [NASA-TM-106232] p 138 N94-10765

RADIATION MEASUREMENT

- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709

RADIATION PRESSURE

- The two-body problem with drag and radiation pressure [HTN-94-00330] p 606 A94-62291

RADIATIVE HEAT TRANSFER

- Studies on nonequilibrium phenomena in supersonic chemically reacting flows [NASA-CR-194662] p 183 N94-17215

RADIATIVE TRANSFER

- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
An overview of the radiation component of the NASA TOGA-COARE experiment p 242 N94-22344

RADIO ALTIMETERS

- RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting — receiver autonomous integrity monitoring p 62 A94-12124
Minimum performance standards: Airborne low-range radar altimeters [RTCA-DO-155] p 537 N94-35344

RADIO BEACONS

- Marker beacon case [AD-D016322] p 602 N94-37830
System for broadcasting marker beacon signals and processing responses from seeking entities [AD-D016313] p 602 N94-37839

RADIO COMMUNICATION

- Certification of airborne data link equipment [SAE PAPER 922003] p 61 A94-11719
Helicopter radio communication - General trend p 62 A94-12228
ATC/pilot voice communications: A survey of the literature [DOT/FAA/AM-93/20] p 233 N94-21201
Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle [NASA-TM-109071] p 315 N94-27423
An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels [AD-A278143] p 499 N94-33160

RADIO CONTROL

- NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589

RADIO DIRECTION FINDERS

- Algorithms for a digital radio direction finding system in the HF band [PB94-149176] p 470 N94-34093

RADIO EQUIPMENT

- Minimum performance standards: Airborne low-range radar altimeters [RTCA-DO-155] p 537 N94-35344

RADIO FREQUENCIES

- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter [AD-A274820] p 313 N94-26493

RADIO FREQUENCY INTERFERENCE

- Analysis and surveillance performance at Chicago O'Hare Airport [DOT/FAA/RD-92/29] p 256 N94-24127
Aperture excitation of electrically large, lossy cavities [PB94-145711] p 447 N94-31683

RADIO FREQUENCY SHIELDING

- Aperture excitation of electrically large, lossy cavities [PB94-145711] p 447 N94-31683

RADIO NAVIGATION

- The potential of a nonsolicited position report p 60 A94-10331
Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 A94-12551
Wide Area Differential GPS-potential for accurate global navigation p 64 A94-12561
Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564
GPS relative navigation - An alternative precision approach aid p 64 A94-12568
Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571
FM interference in radio navigation receivers p 222 N94-22219

- A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427
The use of low cost differential mode GPS receivers in unmanned vehicles p 389 N94-30285
An Operational Control Segment (OCS) update on GPS constellation status and future program directions p 427 N94-30643

RADIO RECEIVERS

- Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops [AD-A274037] p 313 N94-25810
The use of low cost differential mode GPS receivers in unmanned vehicles p 389 N94-30285

RADIO TELEMETRY

- Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest [DREA-TC-93-304] p 270 N94-24121

RADIO TRANSMISSION

- Optical communications for transport aircraft p 356 N94-27298

RADIO TRANSMITTERS

- Aircraft fire sentry. Volume 1: Summary [AD-A270087] p 59 N94-18822
Aircraft fire sentry. Volume 2: Appendices A, B, C and D [AD-A270088] p 59 N94-18823
MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter [AD-A274820] p 313 N94-26493

RADIOGRAPHY

- An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136
The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

RADIOMETERS

- A technique to account for the misalignment of pyranometers installed on aircraft p 159 A94-12290
Progress in multidisciplinary design optimization at NASA Langley [NASA-TM-107754] p 198 N94-10814
Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296

RADIOTELEPHONES

- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels [AD-A278143] p 499 N94-33160

RAIL TRANSPORTATION

- Activities of Bombardier, Inc. [ISBN-2-921393-11-5] p 3 N94-13520
Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways [ETN-94-95734] p 446 N94-31575
Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842

RAIN

- Wind shear and heavy rain — effects on flight stability [NASA-TM-109453] p 191 N94-15326
Observations of multi-layered clouds using K-band radar p 242 N94-22311
An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661

RAINSTORMS

- Wind shear and heavy rain — effects on flight stability [NASA-TM-109453] p 191 N94-15326

RAM ACCELERATORS

- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction [AD-A269715] p 105 N94-18748

RAMAN SPECTRA

- Raman measurements at the exit of a combustor sector [BTN-94-EIX94341338356] p 546 A94-60348

RAMJET ENGINES

- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931
Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle [IAF PAPER 93-480] p 137 A94-11259
Comments on the development of the early Westinghouse turbojets, 1941-1946 [BTN-94-EIX94311331063] p 577 A94-61115
Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435
Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 N94-27599

- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294

- Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297
Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors p 398 N94-29298
CIAM experimental turboramjets p 399 N94-29299
Potential of the ramjet engine for hypersonic flight speeds p 435 N94-30935

RAMPS (STRUCTURES)

- Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952

RANDOM ACCESS

- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384

RANDOM LOADS

- Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325
Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974

RANDOM NOISE

- Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121

RANDOM VIBRATION

- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345

RANGE ERRORS

- A simulation of GPS and differential GPS sensors p 316 N94-27918

RANGE FINDERS

- Expansion-based passive ranging p 312 N94-25504

RANGEFINDING

- Trial of a slant visual range measuring device p 159 A94-12287
Expansion-based passive ranging p 312 N94-25504
Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
A simulation of GPS and differential GPS sensors p 316 N94-27918
Simulation of fully automated air traffic control concepts p 386 N94-29569

RAPID TRANSIT SYSTEMS

- Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways [ETN-94-95734] p 446 N94-31575
First Annual High-Speed Research Workshop, part 4 [NASA-CP-10087-PT-4] p 461 N94-33517
Overview of NASA HSR high-lift program p 461 N94-33518
Status of LaRC HSCT high-lift research p 461 N94-33519
Status of CFD for LaRC's HSR high-lift program p 461 N94-33520
HSR high lift research program: Status and plans p 461 N94-33521
HSCT high-lift technology requirements p 462 N94-33523
NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525

RAREFACTION

- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020

RAREFIED GAS DYNAMICS

- The finite pointset method for hypersonic flows in the rarefied gas regime p 9 A94-10773
Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678
Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248
Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow [AD-A277322] p 448 N94-32256

RAREFIED GASES

- Low density facilities p 129 A94-10782
Optimal aerodynamic shapes in rarefied gas p 12 A94-11040

- Monte Carlo simulation or normal shock wave. Part 2:
VHS model and VSS model p 409 N94-28948
- RASTER SCANNING**
Simultaneous raster and calligraphic CRT projection
system for flight simulation p 159 A94-12267
- RATINGS**
The airline quality report 1993
[NIAR-93-11] p 58 N94-17262
- RAWINSONDES**
Overview of microphysical and state parameter
measurements from FIRE 2 p 240 N94-22293
Cloud fields derived from satellite and surface data
during FIRE cirrus phase 2 p 241 N94-22302
- RAY TRACING**
Refraction of high frequency noise in an arbitrary jet
flow [NASA-TM-106465] p 284 N94-23464
- RAYLEIGH DISTRIBUTION**
Control algorithms for effective operation of
variable-speed wind turbines [DE94-002607] p 282 N94-23704
- RAYLEIGH SCATTERING**
NASA tests defining ASTOVL flow field p 1 A94-10850
Advanced diagnostics research for high speed
aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
Surface interference in Rayleigh scattering
measurements near forebodies [BTN-94-EIX94301315999] p 516 A94-60035
- REACTING FLOW**
Three-dimensional non-reacting turbulent mixing
phenomena in a side-dump combustor with dual opposite
inlets p 97 A94-10318
Computation and discussion of a nearly constant degree
of reaction turbine stage p 7 A94-10704
Modeling of hypersonic reacting flows p 8 A94-10763
A study of chemically nonequilibrium flow past bodies
with allowance for vibrational relaxation p 18 A94-12795
Heat and mass transfer in the structural elements of
aircraft engines p 164 A94-12825
New two-temperature dissociation model for reacting
flows [BTN-94-EIX94351142137] p 560 A94-60430
Computation of three-dimensional hypersonic flows in
chemical nonequilibrium [BTN-94-EIX94401358982] p 566 A94-61638
Stability of hypersonic boundary-layer flows with
chemistry p 21 N94-10451
Theories of turbulent combustion in high speed flows
[AD-A265735] p 147 N94-12403
Hypersonic overview p 34 N94-14154
Simulation of hypersonic, reacting flow around reentry
bodies: Comparisons of numerical and experimental
results [MBB-LME-211-S-PUB-507] p 36 N94-14710
Studies on nonequilibrium phenomena in supersonic
chemically reacting flows [NASA-CR-194662] p 183 N94-17215
Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580
Instantaneous velocity field imaging instrument for
supersonic reacting flows [NASA-CR-191162] p 234 N94-21607
Comparison of mixing calculations for reacting and
non-reacting flows in a cylindrical duct p 226 N94-21758
A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
Numerical solutions of the complete Navier-Stokes
equations [NASA-CR-194780] p 350 N94-24858
Modelling of ionisation reactions and of the resulting
electric fields in one-dimensional hypersonic shock waves
with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248
Direct simulation Monte-Carlo of near continuum
hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588
Turbulent reacting flows and supersonic combustion
[AD-A277462] p 496 N94-33242
Combined LAURA-UPS solution procedure for
chemically-reacting flows [NASA-TM-107964] p 551 N94-34721
- REACTION CONTROL**
First experimental assessment of RCS plume-flow field
interaction on Hermes leading edge thruster
configuration p 348 N94-28032
- REACTION KINETICS**
Modeling of hypersonic nonequilibrium flows p 8 A94-10764
Heat and mass transfer in the structural elements of
aircraft engines p 164 A94-12825
- Research on chemical vapor deposition processes for
advanced ceramic coatings [NASA-CR-193613] p 148 N94-13089
Chemical reactions in scramjet engines: Reduced kinetic
models for ignition, combustion and nozzle flow [NAL-TR-1184] p 148 N94-13458
Hypersonic overview p 34 N94-14154
Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
Development and implementation of a scramjet cycle
analysis code with a finite-rate-chemistry combustion
model for use on a personal computer [AD-A273834] p 331 N94-25617
Theoretical determination of chemical rate constants
using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205
High temperature resistant jet fuels p 405 N94-29260
Development of global/chemistry model for jet-fuel
thermal stability based on observations from static and
flowing experiments p 405 N94-29262
Ignition delays, heats of combustion, and reaction rates
of aluminum alkyl derivatives used as ignition and
combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868
Theoretical study of thermodynamic properties and
reaction rates of importance in the high-speed research
program p 510 N94-33482
- REACTION TIME**
Evaluation of the C/EC/KC-135 ground collision
avoidance system (GCAS), Study 2 [AD-A265193] p 67 N94-11879
- READERS**
Development of an automated film-reading system for
ballistic ranges [NASA-CR-194398] p 176 N94-13815
- REAL GASES**
Hypersonic testing in the Aachen shock tunnel p 126 A94-10425
Up-to-date gasdynamic models of hypersonic
aerodynamics and heat transfer with real gas properties p 10 A94-10888
Calculation of real-gas effects on airfoil aerodynamic
characteristics [BTN-94-EIX94351142143] p 521 A94-60436
Issues and approach to develop validated analysis tools
for hypersonic flows: One perspective p 20 N94-10446
Real gas and surface transpiration effects upon swept
leading edge high speed flow including transition p 21 N94-10452
An efficient numerical method for three-dimensional
hypersonic flow [AD-A272506] p 216 N94-21411
- REAL TIME OPERATION**
PILOT - An intelligent distributed system manager
[AIAA PAPER 93-4474] p 195 A94-11411
The R-Shell approach - Using scheduling agents in
complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447
Enhancing functionality of real time systems through
machine learning [AIAA PAPER 93-4662] p 197 A94-11532
Distributed simulation using a real-time shared memory
network [NASA-TM-106239] p 198 N94-10724
A real-time spoken-language system for interactive
problem solving [AD-A266046] p 199 N94-11104
Error analysis of real time and post processed or bit
determination of GFO using GPS tracking [NASA-CR-193646] p 67 N94-13238
VHF air/ground communications for air traffic control:
A decision tree approach to system innovations, volume
2 [AD-A268632] p 185 N94-18495
Doppler global velocimetry: Development of a flight
research instrumentation system for application to
non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360
ASR-9 microburst detection algorithm [AD-A273591] p 364 N94-24850
Expert system rule-base evaluation using real-time
parallel processing [AD-A273701] p 367 N94-25454
Differential global positioning system for the
surface-towed ordnance locating system: Testing, results,
and user's guide [DE94-002980] p 313 N94-26309
PRONAOS flight software: A real-time application for a
balloonborne scientific gondola p 368 N94-26725
Ada multiple-programming for hard real time applications
in space systems p 368 N94-26730
- Use of HOOD coupled to real time monitors p 368 N94-26742
- Information presentation for expert systems in future
fighter aircraft [AD-A275126] p 394 N94-29005
GPS/GNSS for ATM p 385 N94-29565
ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
The use of the AOA TTR-4P GPS receiver in operation
at the BIPM for real-time restitution of GPS time p 428 N94-30651
'Real time' and the NLR aerodynamic facilities
[AD-B173626] p 438 N94-30856
Results of real-time testing and demonstration of the
US Army Corps of Engineers real-time on-the-fly
positioning system [AD-A276160] p 431 N94-31080
Photothermal laser deflection, an innovative technique
to measure particles in exhausts [AD-A277151] p 448 N94-32366
Real-time centimeter positioning with GPS: A system
developed by the US Army Corps of Engineers [AD-A278152] p 469 N94-33095
Vista goes online: Decision-analytic systems for real-time
decision-making in mission control p 558 N94-35063
- REATTACHED FLOW**
Reattachment studies of an oscillating airfoil dynamic
stall flowfield [BTN-94-EIX94301315980] p 515 A94-60016
Computation of turbulent flows over backward and
forward-facing steps using a near-wall Reynolds stress
model p 251 N94-24145
An experimental study of the flowfield on a semispan
rectangular wing with a simulated glaze ice accretion p 378 N94-29674
- RECEIVERS**
A simulation of GPS and differential GPS sensors p 316 N94-27918
Time and position accuracy using codeless GPS p 428 N94-30650
The use of the AOA TTR-4P GPS receiver in operation
at the BIPM for real-time restitution of GPS time p 428 N94-30651
Pilot GPS/LORAN receiver programming performance:
A laboratory evaluation [AD-A28258] p 469 N94-33412
- RECESSION**
Financial crisis in the aviation industry - United States p 209 A94-13148
Financial crisis in the aviation industry - France p 209 A94-13149
Air traffic in recession p 310 N94-28240
- RECIRCULATIVE FLUID FLOW**
Experiments into the scaling parameters required for
exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
Influence of headwind on hot gas reingestion and
consideration of pressure ratio scaling p 334 N94-28018
Unsteady aspects of hot gas reingestion and statistical
analysis p 334 N94-28019
An experimental study of the flowfield on a semispan
rectangular wing with a simulated glaze ice accretion p 378 N94-29674
Computational study of simultaneous heat and mass
transfer in turbulent separated flows p 447 N94-31843
An experimental study of the flowfield on a semispan
rectangular wing with a simulated glaze ice accretion
[NASA-CR-195301] p 456 N94-32475
- RECOMBINATION REACTIONS**
Wall catalytic recombination and boundary conditions
in nonequilibrium hypersonic flows - With applications p 8 A94-10765
- RECONNAISSANCE AIRCRAFT**
Design and pilot evaluation of the RAH-66 Comanche
Core AFCS p 119 N94-13321
Design and pilot evaluation of the RAH-66 Comanche
selectable control modes p 119 N94-13322
An analysis of helicopter attrition using a low level
combat simulation [DSIS-93-00282] p 84 N94-13839
S-2E Tracker maritime patrol aircraft re-engine and
system upgrade program p 266 N94-24270
The design of four hypersonic reconnaissance aircraft p 323 N94-25716
- RECONSTRUCTION**
Unitary plan wind tunnel landmark dedication and
revitalization [NASA-TM-109649] p 212 N94-15434
The renewing of the test section of the NAL transonic
wind tunnel. Part 1: Reconstruction of the 1st corner turning
vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247

RECORDS MANAGEMENT

- A comparison Air Force data systems — Comments on
IDA Paper P-2863
[AD-A270662] p 211 N94-19780
- RECOVERY PARACHUTES**
Regulated drag area parachute
[AD-D015992] p 290 N94-25051
Further development and flight test of an autonomous
precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995
- RECRYSTALLIZATION**
Materials processing apparatus development for fluoride
glass
[NASA-CR-193963] p 498 N94-34388
- RECTANGULAR PANELS**
Nonlinear equations of motion for a panel subject to
external loads
[AD-A273142] p 254 N94-24773
Response of a cantilevered plate in supersonic flow
[AD-A277487] p 471 N94-33107
- RECTANGULAR PLATES**
Numerical methods in structural mechanics
p 163 A94-12776
- RECTANGULAR WINGS**
Tail load calculations for light airplanes
[BTN-94-EIX94311329148] p 517 A94-60152
Viscous-inviscid calculation of high-lift separated
compressible flows over airfoils and wings
p 49 N94-18440
An experimental study of wing tip vortex in the near
wake of a rectangular wing
[AD-A275389] p 377 N94-29306
An experimental study of the flowfield on a semispan
rectangular wing with a simulated glaze ice accretion
p 378 N94-29674
An experimental study of the flowfield on a semispan
rectangular wing with a simulated glaze ice accretion
[NASA-CR-195301] p 456 N94-32475
- RECURSIVE FUNCTIONS**
MIMO recursive least squares control algorithm for the
AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493
- REDUCED ORDER FILTERS**
Order reduction of linear-quadratic-Gaussian-designed
controllers
p 194 A94-10822
Reduced-order H(INF) compensator design for an
aircraft control problem
[BTN-94-EIX94381311174] p 579 A94-61261
- REDUNDANT COMPONENTS**
Fault detection and isolation for the Bluebird test bed
aircraft
[AD-A277979] p 487 N94-33086
- REENTRY**
Characteristics of the Shuttle Orbiter leeside flow during
a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
First experimental assessment of RCS plume-flow field
interaction on Hermes leading edge thruster
configuration
p 348 N94-28032
- REENTRY GUIDANCE**
Six-degree-of-freedom guidance and control-entry
analysis of the HL-20
[BTN-94-EIX94351137056] p 544 A94-60396
- REENTRY SHIELDING**
Aerodynamic heating environment definition/thermal
protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
High-temperature behavior of advanced spacecraft
TPS
[NASA-CR-195832] p 492 N94-34063
- REENTRY TRAJECTORIES**
Aerodynamic and aerothermal challenges for the design
of the Hermes spaceplane
p 138 N94-10423
Effects of thrust vector control on the performance of
the aerobang orbital plane change maneuver
[AD-A272532] p 224 N94-21418
- REENTRY VEHICLES**
Adaptive model architecture and extended Kalman-Bucy
filters
[BTN-94-EIX94401377806] p 592 A94-61767
Local aerothermal problems during Hermes re-entry
p 21 N94-10464
Simulation of hypersonic, reacting flow around reentry
bodies: Comparisons of numerical and experimental
results
[MBB-LME-211-S-PUB-507] p 36 N94-14710
Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590
Development and application of an empirical probability
distribution for the prediction error of re-entry body
maximum dynamic pressure
p 269 N94-23653
- REFINING**
Alternate melting and refining routes
p 585 N94-37323

REFLECTANCE

- Long-range laser imaging
[AD-A273020] p 233 N94-21253
Bi-directional reflectance and other radiation parameters
of cirrus from ER-2 observations p 241 N94-22296

REFLECTED WAVES

- System and method for cancelling expansion waves in
a wave rotor
[NASA-CASE-LEW-15218-1] p 232 N94-20588
Method for cancelling expansion waves in a wave
rotor
[NASA-CASE-LEW-15218-2] p 413 N94-29740

REFLECTION

- ATCRBS reply environment at Memphis International
Airport
[AD-A266322] p 69 N94-16439
Development and evaluation of a near infrared reflecting
and low visibility paint scheme for RAAF P-3C Orion
aircraft
[AD-A274881] p 326 N94-26864

REFLECTOR ANTENNAS

- Mobile terminal antennas for helicopters
p 232 N94-20458

REFRACTION

- Refraction of high frequency noise in an arbitrary jet
flow
[NASA-TM-106465] p 284 N94-23464

REFRACTORY COATINGS

- Research on chemical vapor deposition processes for
advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089
Composite matrix experimental combustor
[AD-280344] p 538 N94-34679

REFRACTORY MATERIALS

- Powder metallurgy of advanced titanium alloys
p 141 A94-10660
High temperature materials for hypersonic transport
p 142 N94-10003
Thermal stability of sealants for military aircraft:
Modification of polysulfide prepolymers with ether and
thioether monomers
[AD-A264079] p 146 N94-11107
The 6th Japan-U.S. conference on composite
materials
[AD-A268535] p 152 N94-18630
High temperature NASP engine seal development
[NASA-TM-109750] p 447 N94-31804
Enabling propulsion materials for high-speed civil
transport engines p 480 N94-33511
Combustor materials requirements and status of ceramic
matrix composites p 497 N94-33512
HSCF airframe materials: The Boeing perspective
p 497 N94-33515
Expendable gas turbine engine technology advances
p 483 N94-34438
Possibilities and pitfalls in aerospace applications of
titanium matrix composites p 585 N94-36650

REFRACTORY METAL ALLOYS

- Structural material, manufacture, and design
requirements for high-temperature fasteners for space
plane technologies p 166 N94-10055
JPRS report: Science and technology. Central Eurasia:
Materials science
[JPRS-UMS-93-006] p 149 N94-14573

REFRIGERANTS

- Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853
Accelerated screening methods for predicting lubricant
performance in refrigerant compressors
[DE93-014773] p 146 N94-11146

REFRIGERATING

- Performance and economic enhancement of
cogeneration gas turbines through compressor inlet air
cooling
[BTN-94-EIX94311331069] p 589 A94-61109
Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877

REFRIGERATING MACHINERY

- Accelerated screening methods for predicting lubricant
performance in refrigerant compressors
[DE93-014773] p 146 N94-11146

REFRIGERATORS

- Three-stage linear, split-Stirling cryocooler for 1 to 2K
magnetic cold stage
[NASA-CR-4538] p 207 N94-13897
Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877

REGENERATION (ENGINEERING)

- Performance calculations and research direction for a
water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983

REGENERATIVE COOLING

- Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541

REGENERATIVE FUEL CELLS

- Regenerative fuel cells for High Altitude Long Endurance
Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
Effect of power system technology and mission
requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200

REGENERATORS

- Performance calculations and research direction for a
water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983

REGIONAL PLANNING

- The advantages of the location Germany must not be
jeopardized in air traffic p 309 N94-28236

REGULATIONS

- Civil application of helicopters p 1 A94-12042
Aircraft material fire testing and the creation of an
international working group p 145 N94-10790
Development of a hypermedia knowledge base of
aircraft fire safety regulations p 209 N94-10793
The future of aircraft cabin fire safety
p 54 N94-10797
Airport activity statistics of certificated route air carriers,
1992 p 59 N94-18490
[AD-A269042] p 59 N94-18490
Lufthansa Yearbook 1992 p 308 N94-28230
[DSK-9734-H-92] p 308 N94-28231
The single European market and air traffic chances and
risks p 308 N94-28231
Air traffic of the European Community with European
neighbors p 309 N94-28233
Air traffic administration enroute to Europe
p 309 N94-28238
Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647
Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799
Federal aviation regulations. Part 91: General operating
and flight rules, change 4 p 468 N94-34401
[PB94-159944] p 468 N94-34401
Federal aviation regulations. Part 91: General operating
and flight rules, change 3 p 468 N94-34410
[PB94-159910] p 468 N94-34410
- REINFORCED PLASTICS**
Applications of continuous fiber reinforced
thermoplastics in aircraft interiors p 143 N94-10775
- REINFORCED PLATES**
Bidirectional stringer-stiffened panel buckling
procedures and application to optimum aircraft
structures p 158 A94-12027
[SAE PAPER 922036] p 158 A94-12027
Post buckling behaviour of stiffened composite panels
loaded in cyclic compression and shear p 279 N94-24260
- REINFORCED SHELLS**
Post buckling behaviour of stiffened composite panels
loaded in cyclic compression and shear p 279 N94-24260
Influence of an asymmetric ring on the modeling of an
orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262
- REINFORCEMENT (STRUCTURES)**
Investigation of the bond strength of a discrete
skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
Test and analysis results for composite transport
fuselage and wing structures p 495 N94-33129
- REINFORCEMENT RINGS**
Influence of an asymmetric ring on the modeling of an
orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262
- REINFORCING FIBERS**
Interface evaluation in ceramic composites
p 271 N94-24231
Comparison of resin film infusion, resin transfer molding,
and consolidation of textile preforms for primary aircraft
structure p 496 N94-33136
Contingency airfield construction: Mechanical
stabilization using monofilament and fibrillated fibers
[AD-A277732] p 490 N94-33444
SCS-6 (tm) fiber reinforced titanium p 585 N94-36652

REINFORCED SHELLS

- Post buckling behaviour of stiffened composite panels
loaded in cyclic compression and shear p 279 N94-24260

- Influence of an asymmetric ring on the modeling of an
orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262

REINFORCEMENT (STRUCTURES)

- Investigation of the bond strength of a discrete
skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
Test and analysis results for composite transport
fuselage and wing structures p 495 N94-33129

REINFORCEMENT RINGS

- Influence of an asymmetric ring on the modeling of an
orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262

REINFORCING FIBERS

- Interface evaluation in ceramic composites
p 271 N94-24231
Comparison of resin film infusion, resin transfer molding,
and consolidation of textile preforms for primary aircraft
structure p 496 N94-33136
Contingency airfield construction: Mechanical
stabilization using monofilament and fibrillated fibers
[AD-A277732] p 490 N94-33444
SCS-6 (tm) fiber reinforced titanium p 585 N94-36652

RELAXATION METHOD (MATHEMATICS)

- Numerical analysis of two dimensional/axisymmetric
non-equilibrium hypersonic flow p 376 N94-28963

RELIABILITY

- Army aircraft fire-detection systems operation and
reliability
[AD-A271327] p 219 N94-20912
Efficiency and reliability enhancements in propulsion
flowfield modeling p 274 N94-23055
Comparative analysis of different configurations of
PLC-based safety systems from reliability point of view
p 358 N94-27925
Summary of NASA Aerospace Flight Battery Systems
Program activities p 366 N94-28101

The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442

RELIABILITY ANALYSIS

The reliability parameter estimation of field information p 153 A94-10108

A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 A94-11480

Aircraft fleet maintenance based on structural reliability analysis

[BTN-94-EIX94311329134] p 517 A94-60166

New high-efficiency heavy-duty combustion turbine 701F

[BTN-94-EIX94311331073] p 588 A94-61105

Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434

Handbook, Volume 3: Digital systems validation book plan

[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053

Recent advances in computational structural reliability analysis methods p 239 N94-22616

Aviation system safety risk management tool analysis, Volume 2: Appendices

[AD-A273502] p 305 N94-24864

An evaluation of aircraft maintenance performance factors in the objective wing

[AD-A276010] p 419 N94-31362

Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650

RELIABILITY ENGINEERING

The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101

The application of simulation in aero-reliability engineering p 153 A94-10102

Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088

Techniques in the design of aircraft for maintainability p 2 A94-12614

A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience

[AGARD-LS-190] p 100 N94-11022

Handbook, Volume 3: Digital systems validation book plan

[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053

Intervention strategies for the management of human error

[NASA-CR-4547] p 220 N94-22373

Aviation system safety risk management tool analysis, Volume 2: Appendices

[AD-A273502] p 305 N94-24864

RELIEF MAPS

Detecting topographical regions in digital terrain maps [AD-A272889] p 240 N94-21453

REMOTE CONTROL

A wind tunnel model control surface actuator interface [AD-A268729] p 135 N94-18324

Control vane guidance for a ducted-fan unmanned air vehicle

[AD-A271957] p 223 N94-20561

Generic drone control system

[AD-D015993] p 320 N94-25052

Perseus: Global watcher

[NASA-TM-109813] p 473 N94-33565

REMOTE HANDLING

System for automatic transportation of aircraft on the ground

[CA-PATENT-1-322-361] p 341 N94-24785

REMOTE SENSING

STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745

A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 N94-11711

Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503

Environmental characterization for target acquisition, Report 1: Site descriptions and measurements

[AD-A267192] p 191 N94-15851

AIRSAAR South American deployment: Operation plan, version 3.0 p 201 N94-15919

A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes p 192 N94-16597

Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

CIMSS FIRE research activities p 242 N94-22307

Roles, uses, and benefits of general aviation aircraft in aerospace engineering education

[NASA-TM-106463] p 247 N94-24100

Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system [AD-A273818] p 337 N94-25516

Zernike moments and rotation invariant object recognition. A neural network oriented case study [AD-A273749] p 353 N94-26011

REMOTE SENSORS

Observations of multi-layered clouds using K-band radar p 242 N94-22311

An analysis of multiple sensor system payloads for unmanned aerial vehicles

[AD-A274905] p 324 N94-26182

Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions

[PB94-142106] p 426 N94-30890

Aerial robotic data acquisition system

[DE94-009114] p 506 N94-33938

REMOTELY PILOTED VEHICLES

Ornithopter wing design

[BTN-94-EIX94331337499] p 521 A94-60334

Non-lethal Unmanned Aerial Vehicles (UAVs)

[AD-A267139] p 85 N94-15692

Control vane guidance for a ducted-fan unmanned air vehicle

[AD-A271957] p 223 N94-20561

Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle

[AD-A273003] p 223 N94-21283

Low-cost Unmanned Air Vehicle (UAV) for oceanographic research

[AD-A273103] p 224 N94-21507

Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle

[AD-A272499] p 224 N94-21548

Generic drone control system

[AD-D015993] p 320 N94-25052

Design study to simulate the development of a commercial freight transportation system

p 323 N94-25715

Solar powered multipurpose remotely powered aircraft p 323 N94-25719

An analysis of multiple sensor system payloads for unmanned aerial vehicles

[AD-A274905] p 324 N94-26182

Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter

[AD-A275546] p 390 N94-28837

A non-linear simulation for an autonomous unmanned air vehicle

[AD-A275062] p 391 N94-29200

The use of low cost differential mode GPS receivers in unmanned vehicles p 389 N94-30285

HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293

REMOVAL

Environmentally Safe and Effective Processes for Paint Removal

[AGARD-R-791] p 166 N94-10613

Paint removal activities in the US Navy

p 166 N94-10614

Paint removal activities in Canada

p 167 N94-10615

Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint

p 167 N94-10616

Paint removal activities in Germany

p 167 N94-10617

The development of alternative paint removal techniques in the RAF p 167 N94-10618

Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services

p 167 N94-10619

Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620

German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621

Plastic media blasting activities at Hill Air Force Base

p 167 N94-10622

Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process

p 168 N94-10623

Automated Laser Paint Stripping (ALPS) update

p 168 N94-10624

Aquastrip (tm): An innovative paint removal technology p 168 N94-10625

Paint removal and surface cleaning using ice particles

p 168 N94-10626

Paint removal using wheat starch blast media

p 168 N94-10627

IATA taskforce: Paintstripping p 169 N94-10628

Selectively strippable paint schemes

p 169 N94-10629

RENORMALIZATION GROUP METHODS

Performance of renormalization group algebraic turbulence model on boundary layer transition simulation [NASA-CR-194466] p 292 N94-26131

REPORTS

Activities report to NATO

[ETN-94-95047] p 275 N94-23227

REQUIREMENTS

Lighting and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification p 77 A94-12226

Steam plant: Steam turbines for combined cycles p 362 N94-28085

RESCUE OPERATIONS

The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360

SATCOM feasibility study for search and rescue aircraft

[DSIS-94-01083] p 426 N94-31902

Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter

[AD-A277533] p 474 N94-34080

EH101: A new helicopter capable of long range missions p 574 N94-36330

RESEARCH

Bibliography of Lewis Research Center technical publications announced in 1992

[NASA-TM-106035] p 287 N94-23562

Aviation human factors research in US universities: Potential contributions to national needs

[NASA-TM-108814] p 467 N94-32927

RESEARCH AIRCRAFT

High speed Dauphin (DGV) 200 knots toward the future p 75 A94-12081

Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system p 95 A94-12622

Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325

Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results

[NAL-TM-649] p 68 N94-13346

Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451

Flight validation of a pulsed smoke flow visualization system

[NASA-CR-186026] p 84 N94-14106

The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 N94-16078

X-29: Research aircraft

[NASA-TM-109370] p 91 N94-18962

The world's largest wind tunnel

[NASA-TM-109371] p 135 N94-18963

Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601

Close-up analysis of inflight ice accretion

[NASA-TM-106457] p 254 N94-23523

A conceptual design of an unmanned test vehicle using an airbreathing propulsion system

[NASA-CR-195550] p 331 N94-25085

X-31 aerodynamic characteristics determined from flight data p 320 N94-25109

Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110

Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification

[AD-A274078] p 367 N94-25992

Description of the Experimental Avionics Systems Integration Laboratory (EASILY)

[NASA-TM-109072] p 344 N94-27425

The radiocarbon hydroxyl technique

p 414 N94-28600

Design and construction of the Aerobot Robotic Manipulator (ARM)

[AD-A275362] p 409 N94-28894

HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293

Fault detection and isolation for the Bluebird test bed aircraft

[AD-A277979] p 487 N94-33086

Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972

The reduction of takeoff ground roll by the application of a nose gear jump strut

[NASA-TM-108822] p 576 N94-36380

Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment

[NASA-TM-4548] p 582 N94-37059

RESEARCH AND DEVELOPMENT

Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411

- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
- Aerodynamics of horizontal-axis wind turbines p 10 A94-10887
- The test, evaluation, development, and use of a manned flight simulator to support Navy developmental testing of the V-22 Osprey [SAE PAPER 921978] p 129 A94-11998
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- Recommendations for future research in hypersonic instrumentation p 20 N94-10433
- Future material development trends for commercial airplane interiors p 145 N94-10792
- Advanced aircraft materials research and development plan p 145 N94-10796
- The future of aircraft cabin fire safety p 54 N94-10797
- AGARD highlights 92/2, September 1992 [AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
- The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791
- Expectations for the future of military aviation p 4 N94-15128
- Expectations for the future of the National Aerospace Laboratory p 134 N94-15129
- NASA images 6 [NASA-TM-109437] p 57 N94-15336
- Back to propellers [NASA-TM-109445] p 104 N94-15344
- Mechanical Systems Technology Branch research summary, 1985 - 1992 [AD-A276450] p 184 N94-17583
- Research and design activities and the economic balance of MBB [ETN-93-94909] p 5 N94-19383
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 N94-20543
- Aerospace: Facts and figures, 1992-1993 [AD-A272571] p 215 N94-21419
- Activities report to NATO [ETN-94-95047] p 275 N94-23227
- Bibliography of Lewis Research Center technical publications announced in 1992 [NASA-TM-106035] p 287 N94-23562
- The RB211: The first 25 years [PNR-90977] p 264 N94-23570
- NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994 [NASA-TM-109036] p 253 N94-24576
- Technical and scientific research for aeronautics and astronautics [ETN-94-95392] p 289 N94-26212
- NASA SBIR abstracts of 1992, phase 1 projects [NASA-TM-109694] p 371 N94-27772
- The 1993 Federal Aviation Administration plan for research, engineering and development [AD-A279037] p 290 N94-27960
- Development of the gas turbine. Part 1: Design philosophy and performance p 362 N94-28080
- The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611
- National facilities study [NASA-TM-109851] p 491 N94-34071
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report [NASA-TM-109855] p 542 N94-34633
- National facilities study. Volume 3: Mission and requirements model report [NASA-TM-109857] p 542 N94-34635
- National facilities study. Volume 4: Space operations facilities task group [NASA-TM-109858] p 542 N94-34636
- National facilities study. Volume 5: Space research and development facilities task group [NASA-TM-109859] p 542 N94-34637
- NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry [NASA-TM-109863] p 560 N94-34730
- The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-005] p 553 N94-35342
- Director's discretionary fund [NASA-TM-103997] p 561 N94-35370
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-010] p 553 N94-35385

- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-012] p 553 N94-35387
- AGARD highlights 93/2 [AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
- Challenging the Future - Journey to Excellence. Aeropropulsion strategic plan for the 1990's [NASA-TM-109250] p 545 N94-35591
- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology [NASA-TM-109791] p 560 N94-35899
- Research and technology, 1993 [NASA-TM-108816] p 561 N94-36117
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment [JPRS-UEQ-93-007] p 604 N94-37523
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment [JPRS-UEQ-93-008] p 605 N94-37524
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment [JPRS-UEQ-93-005] p 605 N94-37538

RESEARCH FACILITIES

- Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007
- Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan [NAL-TM-6487] p 169 N94-10861
- Vertical motion simulator familiarization guide [NASA-TM-103923] p 131 N94-13008
- Activities of Institute for Aerospace Research, Flight Research Laboratory [CTN-93-60832] p 212 N94-13519
- A future view of computational science in aircraft [NASA-TM-109284] p 32 N94-13621
- A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility [AD-A267739] p 133 N94-14876
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication [AD-A267667] p 149 N94-14962
- Expectations for the future of the National Aerospace Laboratory p 134 N94-15129
- NASA images 6 [NASA-TM-109437] p 57 N94-15336
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696
- The world's largest wind tunnel [NASA-TM-109371] p 135 N94-18963
- Activities of National Inst. for Aviation Research [NIAR-93-16] p 212 N94-20150
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility [AD-A273827] p 342 N94-25522
- Technical and scientific research for aeronautics and astronautics [ETN-94-95392] p 289 N94-26212
- Research and test facilities [NASA-TM-109685] p 344 N94-26684
- Fishermans Bend: A centre of Australian aviation [AD-A274981] p 373 N94-29090
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory [NASA-SP-4216] p 455 N94-32793
- National Facilities study [NASA-TM-109851] p 491 N94-34071
- National facilities study. Volume 1: Facilities inventory [NASA-TM-109854] p 541 N94-34632
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report [NASA-TM-109855] p 542 N94-34633
- National facilities study. Volume 3: Mission and requirements model report [NASA-TM-109857] p 542 N94-34635
- National facilities study. Volume 4: Space operations facilities task group [NASA-TM-109858] p 542 N94-34636
- National facilities study. Volume 5: Space research and development facilities task group [NASA-TM-109859] p 542 N94-34637

RESEARCH MANAGEMENT

- Low-expansion ceramics initiative [DE93-011860] p 146 N94-11106
- Aviation human factors research in US universities: Potential contributions to national needs [NASA-TM-108814] p 467 N94-32927
- NASA historical data book. Volume 4: NASA resources 1969-1978 [NASA-SP-4012-VOL-4] p 514 N94-33949
- National facilities study. Volume 5: Space research and development facilities task group [NASA-TM-109859] p 542 N94-34637
- The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262

RESEARCH PROJECTS

- Low-expansion ceramics initiative [DE93-011860] p 146 N94-11106
- Where is high-lift today? A review of past UK research programmes p 5 N94-18416
- The GARTEUR high lift research programme p 48 N94-18430
- FAA/NASA Joint University Program for Air Transportation Research, 1992-1993 [NASA-CP-3246] p 290 N94-27284
- NASA SBIR abstracts of 1992, phase 1 projects [NASA-TM-109694] p 371 N94-27772
- NASA HSR phase 1 low noise nozzle technology program overview p 478 N94-33463
- HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
- NASA Ames Fluid Mechanics Laboratory research briefs [NASA-TM-108818] p 465 N94-33997
- Director's discretionary fund [NASA-TM-103997] p 561 N94-35370
- RESEARCH VEHICLES
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft [SAE PAPER 921996] p 14 A94-12008
- Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory [AD-A274049] p 338 N94-25833
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification [AD-A274078] p 367 N94-25992
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory [NASA-SP-4216] p 455 N94-32793
- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study [NASA-CR-195297] p 459 N94-33119
- The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- RESIDUAL STRENGTH
- Fight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage [LR-708] p 176 N94-13803
- The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657
- RESIDUAL STRESS
- Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501
- Birdstrike resistant crew enclosure program [AD-A273700] p 367 N94-25453
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile [NASA-TM-109026] p 403 N94-28823
- RESIDUES
- Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy [AD-A269035] p 152 N94-18489
- Interferometric JFTOT tube deposit measuring device [AD-D016295] p 604 N94-37768
- RESIN TRANSFER MOLDING
- Weaving new strength into composites p 141 A94-10084
- An overview of the NASA textile composites program p 150 N94-16846
- Development of stitched/RTM composite primary structures p 494 N94-33127
- Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
- Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- Composite fuselage crown panel manufacturing technology p 495 N94-33133
- Advanced textile applications for primary aircraft structures p 496 N94-33135
- Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136

RESINS

- Development of stitched/RTM composite primary structures p 494 N94-33127

RESONANT FREQUENCIES

- Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239

- Dynamic analysis of open membrane structures interacting with air [BTN-94-EIX94331337180] p 606 A94-62183

- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 N94-21757

- A vibration model for centrifugal contactors [DE93-040645] p 236 N94-21927

- Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel [NASA-TM-108801] p 290 N94-26596

- Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809

- Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911

RESONANT VIBRATION

- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118

- Blade and hub loads of ballistically damaged helicopter rotors [AD-A270663] p 92 N94-19781

RESOURCES MANAGEMENT

- Common property resources and low-level flying in Labrador: Flight, fight or fancy? [ISBN-0-315-87318-3] p 453 N94-31732

RETIREMENT FOR CAUSE

- Artificial neural networks for predicting nonlinear dynamic helicopter loads [BTN-94-EIX94301315989] p 515 A94-60025

RETURN TO EARTH SPACE FLIGHT

- Cooperative GN&C development in a rapid prototyping environment — flight software design for space vehicles [AIAA PAPER 93-4622] p 197 A94-11505

- HOPE real time flight operations analyses for return to earth phase, part A [NASDA-CNT-930010-PT-A] p 140 N94-13645

REUSABLE LAUNCH VEHICLES

- Research and development of space transportation systems in ISAS p 140 N94-14277

REVENUE

- Survey to determine the value of DYNA [DE93-012390] p 198 N94-10267

- Federal Aviation Administration aviation forecasts [AD-A265611] p 3 N94-12578

REVERSE ENGINEERING

- Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495

REYNOLDS EQUATION

- Unsteady fluid and optical simulation of transonic aero-windows [AIAA PAPER 93-3017] p 41 N94-16512

- Computation of a controlled store separation from a cavity p 41 N94-16513

- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143

REYNOLDS NUMBER

- Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057

- Numerical calculation of scramjet inlet flow [NAL-TR-1174T] p 100 N94-10370

- Lifted turbulent jet flames [AD-A267911] p 151 N94-17381

- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275

- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432

- Semi-span model testing in the National Transonic Facility [NASA-CR-194479] p 50 N94-19388

- Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433

- Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

- Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape [NASA-TM-106504] p 281 N94-24481

- Active control of oscillatory lift forces on a circular cylinder [AD-A273243] p 350 N94-25140

- Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026

- The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 N94-27587

- A modernised HST of NLR [AD-B179220] p 402 N94-30423

- Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318

- Heat transfer studies on a rectangular channel with offset plate fins [AD-A277300] p 452 N94-32043

- Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941

- Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430

- Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394

- Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel [NASA-TP-3427] p 601 N94-37505

REYNOLDS STRESS

- Turbulence modeling for hypersonic flows p 7 A94-10760

- Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298

- On memory effects in turbulence [DLR-FB-93-03] p 184 N94-18124

- Toward modeling wingtip vortices p 251 N94-24142

- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143

- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145

- Sound radiation due to boundary layer transition p 285 N94-24163

- Effects of shock strength on shock turbulence interaction p 278 N94-24165

- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640

- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack [AD-A276485] p 446 N94-31476

RIBLETS

- Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286

- Measurement Technology for Flight Tests [ILR-MITT-256(1991)] p 218 N94-22597

- Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605

- Flight test results of riblets at supersonic speeds [NASA-TM-4387] p 458 N94-32880

RICCATI EQUATION

- Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method p 161 A94-12531

- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem [BTN-94-EIX94401358173] p 583 A94-61679

RICHARDSON NUMBER

- Lifted turbulent jet flames [AD-A267911] p 151 N94-17381

- Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026

RIDING QUALITY

- Active landing gear control for improved ride quality during ground roll p 81 N94-11345

- Examples of flight path optimisation using a multivariate gradient-search method [ESDU-93021] p 328 N94-28092

- Lufthansa long range services: More simplicity p 311 N94-28246

- Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842

RIGID ROTOR HELICOPTERS

- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958

RIGID STRUCTURES

- Computation of a controlled store separation from a cavity p 41 N94-16513

- Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435

- Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment [NASA-TM-4548] p 582 N94-37059

RING LASERS

- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565

- An investigation of airborne GPS/INS for high accuracy position and velocity determination [DE94-006139] p 431 N94-31306

RING WINGS

- Simulated wake characteristics of tapered annular wings by a discrete vortex method [NAL-TR-1156] p 25 N94-10855

- Simulated and experimental aerodynamic characteristics of tapered annular wings [NAL-TR-1157] p 25 N94-10856

RISK

- Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571

- MLS signal-in-space category 3 landing hazard analysis p 221 N94-22134

- Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592

RIVETED JOINTS

- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft p 163 A94-12784

- Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669

- Multiple-site damage in aircraft fuselage structures [LR-729] p 433 N94-31675

RIVETS

- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657

ROBOT ARMS

- Design and construction of the Aerobot Robotic Manipulator (ARM) [AD-A275362] p 409 N94-28894

ROBOT CONTROL

- Development of a prototype kinematic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905

- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms [DE93-019221] p 70 N94-19300

ROBOT DYNAMICS

- Development of a prototype kinematic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905

ROBOT SENSORS

- Undergraduate robotics projects in support of research on neural networks [AD-A277331] p 451 N94-32281

ROBOTICS

- Mechanical analysis of parallel manipulators with simulation, design, and control applications [ISBN-0-315-72013-1] p 170 N94-11156

- Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189

- Design and construction of the Aerobot Robotic Manipulator (ARM) [AD-A275362] p 409 N94-28894

- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572

- The Automated Aircraft Rework System (AARS): A system integration approach [AIAA PAPER 94-1225-CP] p 450 N94-30574

- Undergraduate robotics projects in support of research on neural networks [AD-A277331] p 451 N94-32281

- Aerial robotic data acquisition system [DE94-009114] p 506 N94-33938

- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1 p 508 N94-34308

ROBOTS

- Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619

- Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620

- Plastic media blasting activities at Hill Air Force Base p 167 N94-10622

- Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623

- Perception for outdoor navigation [AD-A266867] p 68 N94-14919

- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms [DE93-019221] p 70 N94-19300

- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572

- Development of a robotic simulator for studying interference and contact problems
[ISBN-0-315-86705-1] p 439 N94-31747
- ROBUSTNESS (MATHEMATICS)**
- Robust flight control design using dynamic inversion and structured singular value synthesis p 106 A94-10282
- Flight-determined multivariable stability analysis and comparison of a control system p 107 A94-10805
- Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806
- (Infinite) robust control design for linear feedback systems p 194 A94-10819
- System observer techniques in robust control systems design synthesis p 198 A94-12764
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- A learning autopilot for automatically controlled robust regulation [ETN-93-95075] p 123 N94-19711
- A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 N94-21742
- Robust unstructured grid generation with VGRID p 243 N94-22359
- A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427
- A reliable algorithm for optimal control synthesis [NASA-CR-194809] p 283 N94-23332
- Parametric uncertainty modeling for application to robust control p 336 N94-25103
- Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
- Robust variable structure flight control system p 488 N94-34327
- ROCKET ENGINES**
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX94321333307] p 547 A94-60039
- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX94321333323] p 544 A94-60274
- Comments on the development of the early Westinghouse turbojets, 1941-1946 [BTN-94-EIX94311331063] p 577 A94-61115
- Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- ROCKET NOZZLES**
- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX94321333323] p 544 A94-60274
- ROCKET OXIDIZERS**
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak [NASA-CR-193830] p 138 N94-12806
- ROCKET THRUST**
- Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle [IAF PAPER 93-480] p 137 A94-11259
- ROADS**
- A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
- ROLL**
- Some basic considerations on angles describing airplane flight maneuvers [BTN-94-EIX94381311179] p 570 A94-61266
- Unique high-alpha roll dynamics of a sharp-edged 65 deg delta wing [BTN-94-EIX94401358966] p 571 A94-61622
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 N94-13300
- Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435
- A study of roll attractor and wing rock of delta wings at high angles of attack p 337 N94-25111
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905
- Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
- Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993 [AD-A278859] p 527 N94-35826

- The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- ROLL FORMING**
- Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860
- ROLLER BEARINGS**
- Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide [NASA-CR-191183] p 178 N94-14445
- Mechanical Systems Technology Branch research summary, 1985 - 1992 [AD-A276450] p 184 N94-17583
- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments [NASA-TM-106508] p 351 N94-25181
- ROLLING MOMENTS**
- Spoiler actuator - Problem investigation [SAE PAPER 922005] p 107 A94-12009
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 108 A94-12093
- Forebody vortex control for wing rock suppression [BTN-94-EIX94311329119] p 530 A94-60181
- Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- Significance of the dihedral effect in rapid fuselage-reorientation maneuvers [BTN-94-EIX94401358971] p 571 A94-61627
- Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system [NAL-TR-1164] p 120 N94-13347
- Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio [ESDU-93007] p 298 N94-28057
- Yaw control by tangential forebody blowing p 539 N94-34615
- ROOFS**
- Rooftop emergency heliports [AD-A278872] p 402 N94-29754
- ROTARY ENGINES**
- Rotary engine performance computer program (RCEMAP and RCEMAPPC): User's guide [NASA-CR-191192] p 104 N94-15192
- Stratified charge rotary engine critical technology enablement, volume 1 [NASA-CR-189106-VOL-1] p 482 N94-34231
- Stratified charge rotary engine critical technology enablement, Volume 2: Appendixes [NASA-CR-189106-VOL-2] p 482 N94-34233
- ROTARY STABILITY**
- Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809
- F/A-18 forebody vortex control, Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430
- ROTARY WING AIRCRAFT**
- Smart materials for helicopter rotor active control p 81 N94-11321
- MIL-H-8501B: Application to shipboard terminal operations p 116 N94-13296
- A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- Some lessons learned in three years with ADS-33C - rotorcraft handling qualities specification p 116 N94-13299
- A model for rotorcraft flying qualities studies p 118 N94-13308
- Visual cueing aids for rotorcraft landings p 119 N94-13313
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations p 119 N94-13317
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- Rotorcraft research [NASA-TM-109452] p 134 N94-15325
- Center for Rotorcraft Education and Research progress report, 1987 - 1992 [AD-A266760] p 40 N94-15824
- Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523
- The future of rotary-wing aircraft p 320 N94-25070
- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments [NASA-TM-106508] p 351 N94-25181

- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight, Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight, Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight, Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight, Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
- S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
- Future of aerospace [PB94-120185] p 326 N94-26906
- Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787
- Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203
- Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2 [AD-A276473] p 426 N94-31246
- Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590
- Rotorwash analysis handbook, Volume 1: Development and analysis [SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook, Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467
- TRENDS: A flight test relational database user's guide and reference manual [NASA-TM-108806] p 564 N94-37332
- Advanced distributed simulation technology advanced rotary wing aircraft. Software programmer's manual visual system module [AD-A280260] p 604 N94-37755
- Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification, Volume 4: Simulation system module RAH-66 Kit [AD-A280261] p 604 N94-37756
- ROTARY WINGS**
- Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade p 72 A94-11392
- Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
- Computation of the loads on the AH-1/OJS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050
- A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055
- Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
- Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061
- Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts p 15 A94-12062
- The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
- Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067
- The application of finite difference techniques to helicopter rotor blade response calculations p 76 A94-12086
- A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm p 77 A94-12098
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099
- Conceptual design of a stopped rotor with flap controls p 108 A94-12108

Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118

Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239

Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241

Individual blade control of hinged blades using smart structures p 78 A94-12246

Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519

Rotary-wing aeroelasticity with application to VTOL vehicles p 111 A94-12696

Survey and comparison of engineering beam theories for helicopter rotor blades [BTN-94-EIX94401358960] p 571 A94-61616

Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419

Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425

Quantifying disbond area p 166 N94-10038

Determining XV-15 aeroelastic modes from flight data with frequency-domain methods [NASA-TP-3330] p 80 N94-10935

Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades [NASA-TM-104000] p 2 N94-10936

Smart materials for helicopter rotor active control p 81 N94-11321

Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781

A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784

Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799

Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage [AD-A269206] p 46 N94-18413

Blade and hub loads of ballistically damaged helicopter rotors [AD-A270663] p 92 N94-19781

An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight [AD-A270201] p 215 N94-20486

Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523

The modern rotor aerodynamic limits survey: A report and data survey [NASA-TM-4446] p 215 N94-21490

Bent-tip blade for aircraft rotary-wing [CA-PATENT-1-315-259] p 257 N94-23254

An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299

The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286

Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514

Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796

Dynamic analysis of pretwisted elastically-coupled rotor blades [NASA-TM-109070] p 350 N94-24839

Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463

Correlation of airloads on a two-bladed helicopter rotor [NASA-TM-103982] p 292 N94-26143

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497

Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim [AD-A274924] p 325 N94-26531

A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535

Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A275416] p 377 N94-29197

Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594

Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760

Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787

Experimental and numerical simulation of helicopter rotor fuselage interaction [ONERA-NT-1993-8] p 423 N94-31421

A critical assessment of UH-60 main rotor blade airfoil data [NASA-TM-103985] p 425 N94-32063

User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN [NASA-TM-104139] p 458 N94-32873

The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades [NASA-TM-109084] p 474 N94-33900

Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A278000] p 465 N94-34159

Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337

An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis [NASA-TM-104006] p 523 N94-34948

Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967

Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978

Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980

The quest for stall-free dynamic lift p 525 N94-34986

Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874

Computation of helicopter rotor acoustics in forward flight [NASA-CR-196132] p 560 N94-36031

Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767

ROTATING BODIES

Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD p 164 A94-12871

ROTATING CYLINDERS

In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing [NASA-TM-4512] p 86 N94-15783

ROTATING FLUIDS

Axial compressor performance during surge [BTN-94-EIX9432133308] p 548 A94-60040

Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060

Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

ROTATING SHAFTS

A novel rotary actuator for spacecraft p 277 N94-24034

A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041

Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force p 334 N94-28319

Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907

ROTATING STALLS

Axial compressor performance during surge [BTN-94-EIX9432133308] p 548 A94-60040

Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130

Stall inception and development in an axial flow aeroengine [BTN-94-EIX94311330088] p 591 A94-61131

Review of nonsteady flow models for compressor stability [BTN-94-EIX94311330087] p 591 A94-61132

Unstable behavior of low and high-speed compressors [BTN-94-EIX94311330086] p 591 A94-61133

Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor [AD-A273820] p 291 N94-25517

An investigation of the surge behavior of a high-speed ten-stage axial flow compressor [AD-A274910] p 332 N94-26345

Active control of vaneless diffuser rotating stall p 502 N94-34178

ROTATION

Similarity between turbulent flows through curved pipe and orthogonal rotating pipe p 410 N94-28986

Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858

ROTOR AERODYNAMICS

Aerodynamics of horizontal-axis wind turbines p 10 A94-10887

A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051

Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056

Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057

Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059

Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063

An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064

An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066

Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068

Factor analysis of coaxial rotors aerodynamics in hover p 16 A94-12069

Influence of non-planar blade tips on rotor performance p 16 A94-12071

High speed Dauphin (DGV) 200 knots toward the future p 75 A94-12081

Some comments on tail rotor ground resonance problem p 76 A94-12085

Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110

Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118

Investigation of individual blade pitch control in time domain p 109 A94-12243

Aeroelastic analysis of rotor blades with flap control p 78 A94-12244

Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 A94-12247

Three-dimensional closure of the passage-averaged vorticity-potential formulation [BTN-94-EIX94301315991] p 547 A94-60027

Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers [BTN-94-EIX94311330094] p 590 A94-61125

Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage [BTN-94-EIX94311330093] p 590 A94-61126

Whirl-flutter suppression in advanced turboprops and propfans by active control techniques [BTN-94-EIX94401358994] p 578 A94-61650

Analysis of rotor blade dynamics using model scale UH-60A airfoils [HTN-94-00300] p 601 A94-62276

Variation in Hover aeromechanical stability trends with bearingless main rotor design [HTN-94-00304] p 603 A94-62277

A grid generation method to calculate the flow field in a three-dimensional cascade of blades [NAL-TR-1158] p 166 N94-10364

Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365

On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics
[NLR-TP-91307-U] p 31 N94-13528

New vortex dynamics methods for rotor free wake analysis
[AD-A266656] p 36 N94-14774

Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781

Center for Rotorcraft Education and Research progress report, 1987 - 1992
[AD-A266760] p 40 N94-15824

Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470

The fluid mechanics of vortex cutting by a blade
[AD-A270932] p 52 N94-20043

An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486

Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
[ISL-CO-230/92] p 257 N94-23146

The influence of elastic pitch variations on helicopter flight mechanics
[NASA-TM-4481] p 104 N94-17386

Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514

A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726

Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185

Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463

A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes
[NASA-TM-106471] p 248 N94-23299

Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958

Verification of a three-dimensional viscous flow analysis for a single stage compressor
p 410 N94-28976

International collaborative research in wind turbine rotor aerodynamics
[DE94-000244] p 448 N94-30602

An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics
p 422 N94-31204

Experimental and numerical simulation of helicopter rotor fuselage interaction
[ONERA-NT-1993-8] p 423 N94-31421

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900

Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbfans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model
p 489 N94-34337

Aerodynamic design and investigation of a mixed flow compressor stage
p 504 N94-34450

An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis
[NASA-TM-104006] p 523 N94-34948

Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions
p 541 N94-35972

Computation of helicopter rotor acoustics in forward flight
[NASA-CR-196132] p 560 N94-36031

ROTOR BLADES

Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army
p 52 N94-10514

Calculation of rotor blade air loads from measured structural response data
p 155 N94-10743

Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85
p 158 N94-12109

Experience in fabricating polymeric composite rotor blades
p 2 N94-12114

Aeroelastic modeling of composite rotor blades with straight and swept tips
p 78 N94-12249

Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 N94-61059

Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 N94-61063

The fluid mechanics of vortex cutting by a blade
[AD-A270932] p 52 N94-20043

The influence of elastic pitch variations on helicopter flight mechanics
p 258 N94-24286

Dynamic analysis of pretwisted elastically-coupled rotor blades
[NASA-TM-109070] p 350 N94-24839

Numerical study of the trailing vortex of a wing with wing-tip blowing
[NASA-CR-195803] p 378 N94-29760

ROTOR BLADES (TURBOMACHINERY)

The research and establishment of graphics library of aero-engine rotor system structure scheme
p 194 A94-10119

A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364

Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365

Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342

A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471

Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386

Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260

Verification of a three-dimensional viscous flow analysis for a single stage compressor
p 410 N94-28976

Tuned mass damper for integrally bladed turbine rotor
[NASA-CASE-MFS-28697-1] p 411 N94-29353

Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026

ROTOR BODY INTERACTIONS

Experimental and computational analysis of a helicopter circulation controlled tail boom
p 14 A94-12058

Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274

Analysis of rotor blade dynamics using model scale UH-60A airloads
[HTN-94-00300] p 601 A94-62276

An analytic modeling and system identification study of rotor/fuselage dynamics at hover
p 118 N94-13312

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751

An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826

Experimental and numerical simulation of helicopter rotor fuselage interaction
[ONERA-NT-1993-8] p 423 N94-31421

Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbfans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

ROTOR DYNAMICS

The application of finite difference techniques to helicopter rotor blade response calculations
p 76 A94-12086

The use of pilot models in dynamic performance and rotor load prediction studies
p 76 A94-12087

Experimental evaluation of the EH101 tail rotor dynamics in flight
p 76 A94-12095

Survey and comparison of engineering beam theories for helicopter rotor blades
[BTN-94-EIX94401358960] p 571 A94-61616

Analysis of rotor blade dynamics using model scale UH-60A airloads
[HTN-94-00300] p 601 A94-62276

An analytic modeling and system identification study of rotor/fuselage dynamics at hover
p 118 N94-13312

A new treatment of periodic systems with applications to helicopter rotor blade dynamics
[AD-A266770] p 36 N94-14784

Center for Rotorcraft Education and Research progress report, 1987 - 1992
[AD-A266760] p 40 N94-15824

A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751

Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953

Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim
[AD-A274924] p 325 N94-26531

Rotor instability induced by dead band clearance in bearing supports
p 445 N94-30809

Rotor dynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900

Rotor dynamic forces in labyrinth seals: Theory and experiment
p 503 N94-34186

An experimental study of dynamic characteristics of labyrinth seal
p 503 N94-34188

Experimental and analytical study on fluid whirl and fluid whip modes
p 503 N94-34191

An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery
p 503 N94-34192

Stability and stability degree of a cracked flexible rotor supported on journal bearings
p 503 N94-34193

Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings
p 555 N94-35911

ROTOR LIFT

A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes
p 391 N94-28957

The quest for stall-free dynamic lift
p 525 N94-34986

ROTOR SPEED

An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover
p 76 A94-12094

Contribution to performance assessment of helicopter rotor speed control by numerical optimization
p 109 A94-12113

An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel
[NASA-TM-106471] p 248 N94-23299

A new method for torsional critical speed calculation of practical industrial rotors
[IMR-T&M-TR-001] p 360 N94-28041

ROTORS

"Will rotor hubs lose their bearings"? - A survey of bearingless main rotor development
p 74 A94-12047

Using optimization for balancing flexible rotors
p 161 A94-12516

Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method
p 161 A94-12531

Transient response of accelerating rotor systems
p 162 A94-12544

Three-dimensional closure of the passage-averaged vorticity-potential formulation
[BTN-94-EIX94301315991] p 547 A94-60027

Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058

Ingestion into the upstream wheel-space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059

Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669

Development of passive superconducting bearings. Phase 3
[AD-A266050] p 169 N94-10706

A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255

Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608

Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring
[AD-A267115] p 85 N94-15651

Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470

A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159

System and method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-1] p 232 N94-20588

An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator
[AD-A271769] p 242 N94-20926

Brush seal bristle flexure and hard-rub characteristics
p 235 N94-21791

Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 N94-21830

Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports [NASA-CR-195106] p 282 N94-24751

Two-dimensional CFD modeling of wave rotor flow dynamics [NASA-TM-106261] p 331 N94-25185

Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor [AD-A273820] p 291 N94-25517

Laser Doppler velocimetry in a low speed multistage compressor p 353 N94-26498

A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535

Gas fired advanced turbine system [DE94-003193] p 358 N94-27874

A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041

Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837

Method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-2] p 413 N94-29740

Use of magnetic compression to support turbine engine rotors p 444 N94-30484

Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809

Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth [AD-A276424] p 446 N94-31333

Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191

An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192

Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193

Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197

Advanced concepts for next generation small gas turbine engine compressors p 484 N94-34443

Data reduction procedures for laser velocimeter measurements in turbomachinery rotors [NASA-CR-195343] p 552 N94-35224

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports [NASA-CR-196119] p 553 N94-35500

Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846

Third order LPF type compensator for flexible rotor suspension p 554 N94-35863

Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905

Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907

Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911

Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

Tipjet 80-inch model rotor hover test: Test no. 1198 [AD-A279680] p 567 N94-36261

ROUTES

Federal Aviation Administration aviation forecasts [AD-A265611] p 3 N94-12578

Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278

Airport activity statistics of certificated route air carriers, 1992 [AD-A269042] p 59 N94-18490

Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E) [AD-A273075] p 240 N94-21519

Genetic algorithms applied to a mission routing problem [AD-A274130] p 368 N94-27120

RUDDERS

Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551

RULES

An expert system class library for Audition [IME-MET-TR-008] p 210 N94-14196

RUN TIME (COMPUTERS)

Runtime support for data parallel tasks [AD-A280899] p 558 N94-35240

RUNGE-KUTTA METHOD

Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics [BTN-94-EIX9432133305] p 516 A94-60037

A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599

Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606

A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784

Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428

Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D) [NASA-TM-105974] p 220 N94-21590

A multigrad multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713

Compressible turbulent flow simulation with a multigrad multiblock method p 276 N94-23694

High-lift system analysis method using unstructured meshes [NLR-TP-92351-U] p 296 N94-27554

Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931

Fourth-order 2N-storage Runge-Kutta schemes [NASA-TM-109112] p 458 N94-32950

Third-order 2N-storage Runge-Kutta schemes with error control [NASA-TM-109111] p 466 N94-34204

RUNWAY CONDITIONS

The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029

RUNWAY LIGHTS

Improved taxiway exit identification system [AD-A277892] p 490 N94-33538

RUNWAYS

The Memphis Precision Runway Monitor Program Instrument Landing System final approach study [AD-A266035] p 66 N94-11103

Evaluation of infrared sensors for autonomous landing guidance [AD-A266450] p 68 N94-13703

Notes on Antarctic aviation [AD-A273018] p 228 N94-21239

Parallel runway requirement analysis study. Volume 1: The analysis [NASA-CR-191549-VOL-1] p 222 N94-22277

Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278

Performance of prefabricated geocomposite subdrainage system in an airport runway [DOT/FAA/RD-93/23] p 268 N94-23303

Airport pavement test machine design and cost study [DOT/FAA/CT-93/51] p 268 N94-24072

Soft ground arresting system for airports [DOT/FAA/CT-93/80] p 343 N94-26202

Tests of highly loaded skids on a concrete runway [NASA-TP-3435] p 326 N94-26608

Methods for experimentally determining commercial jet aircraft landing parameters from video image data [AD-A274207] p 326 N94-27105

Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993 [PB94-910402] p 308 N94-27766

Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567

Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer [ISBN-0-315-86210-6] p 439 N94-31710

Evaluation for the development of taxiway lighting intensity standards [AD-A276706] p 440 N94-32120

Improved taxiway exit identification system [AD-A277892] p 490 N94-33538

A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera [NASA-CR-196424] p 594 N94-36812

RUPERTING

Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501

RURAL LAND USE

Common property resources and low-level flying in Labrador: Flight, fight or fancy? [ISBN-0-315-87318-3] p 453 N94-31732

RUSSIAN FEDERATION

Research and Development of Ram/Scramjets and Turboramjets in Russia [AD-A275588] p 397 N94-29291

S**S-2 AIRCRAFT**

S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270

SAFETY

Comparative analysis of different configurations of PLC-based safety systems from reliability point of view p 358 N94-27925

Safety enhancement of composites via periodic proof testing [AD-A275662] p 403 N94-28655

SAFETY DEVICES

Studies of Shuttle orbiter arrestment system [NASA-TP-3370] p 258 N94-24304

Aircraft command in emergency situations prototype development users manual [DOT/FAA/CT-94/24] p 602 N94-37706

SAFETY FACTORS

The contribution of the EH101 to improving public transport helicopter safety levels p 53 A94-12083

Technology drivers for flight telerobotic system software p 367 N94-26289

SAFETY MANAGEMENT

The future of aircraft cabin fire safety p 54 N94-10797

TEM cell safety report [DREG-TN-93-9] p 269 N94-24123

Impact of weather on flight operations at a major airport [PB94-127990] p 507 N94-34408

Aerospace Safety Advisory Panel [NASA-TM-109840] p 545 N94-35390

NASA Lewis wind tunnel model systems criteria [NASA-TM-106565] p 604 N94-37522

SAMPLERS

Analytical method for water vapor collection and analysis in aircraft cabin fires [DOT/FAA/CT-TN93/33] p 55 N94-12575

SAMPLING

Analytical method for water vapor collection and analysis in aircraft cabin fires [DOT/FAA/CT-TN93/33] p 55 N94-12575

The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214

SANDWICH STRUCTURES

Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674

SATELLITE ALTIMETRY

Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716

Use of ERS-1 wind and wave products in operational meteorology p 191 N94-12502

The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214

SATELLITE COMMUNICATION

GPS multipath and satellite interference p 63 A94-12557

A GPS coverage model p 64 A94-12567

The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791

Satellite communications installation plan [AD-A266303] p 182 N94-16965

ACTS broadband aeronautical experiment p 272 N94-22771

The FAA satellite communications program p 272 N94-22772

Cockpit weather graphics using mobile satellite communications p 273 N94-22775

Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834

The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241

A GPS coverage model p 314 N94-27292

SATCOM feasibility study for search and rescue aircraft [DSIS-94-01083] p 426 N94-31902

SATELLITE CONSTELLATIONS

An Operational Control Segment (OCS) update on GPS constellation status and future program directions p 427 N94-30643

SATELLITE CONTROL

Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834

SATELLITE DESIGN

The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241

SATELLITE IMAGERY

Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299

SATELLITE INSTRUMENTS

Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299

SATELLITE NAVIGATION SYSTEMS

Inst. of Navigation, Annual Meeting, 48th, Washington, June 29-July 1, 1992, Proceedings p 63 A94-12551
Issues for GNSS-based precision approach p 63 A94-12552

The application of magnetic variation - Past, present, future (?) p 63 A94-12556
GPS multipath and satellite interference p 63 A94-12557

GNSS integrity for aircraft precision approach p 65 A94-12569
Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570

Differential GPS for air transport: Status p 311 N94-25100
Satellite navigation system GPS: A review of principles and performance and developments in general [PB94-124534] p 314 N94-27210

Differential GPS methods and performance for marine applications [DREP-93-09] p 315 N94-27667
Use of GPS in automated air traffic control p 384 N94-29563

An Operational Control Segment (OCS) update on GPS constellation status and future program directions p 427 N94-30643
A review of the status and capabilities of Navstar GPS [AD-B174629] p 430 N94-30854

SATELLITE NETWORKS

The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791

SATELLITE OBSERVATION

Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

CIMSS FIRE research activities p 242 N94-22307
Error analysis of the step drag-free system with respect to gravity field determination [PB94-149804] p 506 N94-34115

SATELLITE ORBITS

A GPS coverage model p 64 A94-12567
A GPS coverage model p 314 N94-27292

SATELLITE ORIENTATION

Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605

SATELLITE SOUNDING

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

SATELLITE TRACKING

Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
Worldwide vessel locating and tracking system, volume 1 [PB93-193217] p 257 N94-24474

A comparison of GPS broadcast and DMA precise ephemerides p 429 N94-30660
Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605

SATELLITE-BORNE INSTRUMENTS

Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716

SATELLITE-BORNE PHOTOGRAPHY

JPRS report: Central Eurasia. Aviation and cosmonautics, no. 1, January 1993 [JPRS-UAC-93-007] p 212 N94-19147

SCALARS

Numerical modelling of turbine combustion chambers p 396 N94-29254

SCALE EFFECT

An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432

SCALE MODELS

Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-167690] p 139 N94-12810

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 [NASA-CR-185697] p 139 N94-12965

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191

Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115

A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
Development and operation of the F/A-18 model control surface actuators p 92 N94-19914

Improved ceramic slip casting technique - application to aircraft model fabrication [NASA-CASE-LAR-14471-1] p 230 N94-20377

Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 N94-26604
Yaw control by tangential forebody blowing p 539 N94-34615

Design of scaled down structural models p 605 N94-37797

SCALING LAWS

Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods p 180 N94-15197
Rime-, mixed- and glaze-ice evaluations of three scaling laws [NASA-TM-106461] p 255 N94-24047

On the aging of sonic booms p 301 N94-28194
Experiments and theoretical considerations regarding the allowable roughness height in laminar flow [PB94-125556] p 381 N94-30389

Design of scaled down structural models p 605 N94-37797

SCANNERS

Color head down display program [AD-A274807] p 330 N94-26340
The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

SCANNING

Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521

SCATTERING

Radiation and scattering by cavity-backed antennas on a circular cylinder [NASA-CR-193409] p 170 N94-11084
Scattering by cavity-backed antennas on a circular cylinder p 236 N94-21886

SCATTEROMETERS

A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 N94-11711
Use of ERS-1 wind and wave products in operational meteorology p 191 N94-12502

SCENE ANALYSIS

Safe navigation and active vision for autonomous vehicles: A purposive and direct solution p 450 N94-31842

SCHEDULES

AIRSAF South American deployment: Operation plan, version 3.0 p 201 N94-15919

SCHEDULING

Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
The R-Shell approach - Using scheduling agents in complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447

Scheduled maintenance optimization system [BTN-94-EIX94311329145] p 517 A94-60155
Conflict-free trajectory planning for air traffic control automation [NASA-TM-108790] p 306 N94-25272

Ada multiple-programming for hard real time applications in space systems p 368 N94-26730
A time reasoning system based on the event calculus for scheduling in aeronautic maintenance [REPT-932-710-101] p 374 N94-29463

Cost and schedule estimation study report [NASA-CR-189344] p 558 N94-35256
Planning German Army helicopter maintenance and mission assignment [AD-A280483] p 564 N94-37352

SCHLIEREN PHOTOGRAPHY

Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel [BTN-94-EIX94421374975] p 593 A94-61873

Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 N94-13117

Supersonic flow visualization of a nacelle in close proximity to a simulated wing [NASA-CR-194675] p 43 N94-17260

Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 N94-26573

A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 N94-35945

SCHMIDT NUMBER

A random distribution reacting mixing layer model [NASA-CR-194445] p 264 N94-23552

SCIENTIFIC VISUALIZATION

A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889
The 1988 computational fluid dynamics highlights [NASA-TM-109645] p 180 N94-15431

SCIENTISTS

NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry [NASA-TM-109863] p 560 N94-34730

SCOUT LAUNCH VEHICLE

Nasa Langley Research Center seventy-fifth anniversary publications, 1992 [NASA-TM-109691] p 372 N94-27431

SEA ICE

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

SEA STATES

Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503

SEALERS

Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers [AD-A264079] p 146 N94-11107

Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378

SEALING

Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104

SEALS (STOPPERS)

Dynamic tester for rotor seals and bearings [NASA-CASE-MFS-28493-1] p 130 N94-10669
A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 N94-14727

The 1992 Seals Flow Code Development Workshop [NASA-CP-10124] p 229 N94-21790
Navy GTE seal development activity p 235 N94-21794

Seal assembly [CA-PATENT-1,312,888] p 277 N94-24128
Simulation of cryogenic turbopump annular seals p 281 N94-24440

Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 N94-27599
High temperature NASP engine seal development [NASA-TM-109750] p 447 N94-31804

Engine seal technology requirements to meet NASA's advanced subsonic technology program goals [NASA-TM-106582] p 502 N94-33960
Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

Whirl measurements on leakage flows in turbomachine models p 502 N94-34185
Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911

Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306

SEAT BELTS

Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799

SEATS

- Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
- Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799

SECONDARY FLOW

- Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates p 27 N94-11889
- Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964
- Improving diffusing S-duct performance by secondary flow control p 291 N94-25182
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components
[ECL-92-35] p 352 N94-25654
- Visualization of secondary flow development in high aspect ratio channels with curvature
[NASA-TM-106658] p 501 N94-33941
- The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219

SECONDARY RADAR

- Activities report of the Federal Administration for Flight Safety (Germany)
[ETN-93-94208] p 56 N94-14008

SECURITY

- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen
[DE94-011609] p 606 N94-37629

SEGMENTS

- Selection criteria for plain and segmented finned tubes for heat recovery systems
[BTN-94-EIX94311331076] p 588 A94-61102

SEISMOGRAPHS

- Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973

SEISMOLOGY

- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534

SELF INDUCED VIBRATION

- Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191

SELF LUBRICATING MATERIALS

- Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306

SEMICONDUCTOR DEVICES

- Recent developments in fast response aerodynamic probe technology p 186 N94-18645

SEMISPAN MODELS

- Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300

SENSITIVITY

- Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

SEPARATED FLOW

- Jet boundaries - New type of self-streamlining wind tunnel wall p 6 A94-10434
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems p 12 A94-10956
- Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows
[SAE PAPER 921926] p 13 A94-11975
- Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
- The boundary layer p 164 A94-12888
- Using the boundary layer theory for calculating separated flows p 19 A94-12894
- Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897

- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment p 165 A94-13144
- Crossflow topology of vortical flows
[BTN-94-EIX94301315993] p 515 A94-60029
- Effects of the roll angle on cruciform wing-body configurations at high incidences p 520 A94-60193
- Computation of transonic flows around a wing-fuselage configuration taking viscous effects and a thin separated region into account p 563 A94-61783
- [BTN-94-EIX94401367450]
- Fluctuating wall pressures near separation in highly swept turbulent interactions p 563 A94-61856
- [BTN-94-EIX94421374958]
- Low-dimensional description of the dynamics in separated flow past thick airfoils p 563 A94-61865
- [BTN-94-EIX94421374967]
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates p 27 N94-11889
- [AD-A265159]
- Measurements of wing and fin buffeting on the standard dynamics model p 120 N94-13859
- [IAR-AN-76]
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations p 33 N94-14061
- [DE93-767970]
- Unsteady separated flows: Empirical model and control p 37 N94-14959
- [AD-A267282]
- Unsteady phenomena in shock wave/boundary layer interaction p 180 N94-15200
- Study into the limits of an Euler equation method applied to leading-edge vortex flow p 184 N94-17627
- [NLR-TP-91350-U]
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings p 49 N94-18440
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions p 186 N94-18796
- [AD-A270059]
- Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil p 50 N94-19119
- [NASA-TM-109380]
- A theoretical investigation of unsteady separation phenomena related to dynamic stall p 215 N94-20465
- [AD-A271865]
- Modelling stalled airfoils p 218 N94-22382
- [ISBN-0-315-59525-6]
- Measurement of kinematically unstationary separated flows p 273 N94-22854
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques p 249 N94-23512
- [NASA-TP-3374]
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145
- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis p 281 N94-24640
- [NASA-CR-194795]
- Control of leading-edge separation on an airfoil by localized excitation p 296 N94-27592
- [DLR-FB-93-16]
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions p 357 N94-27802
- [NASA-CR-195170]
- Investigation of aerodynamic design issues with regions of separated flow p 296 N94-27902
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
- Potential flow modelling of airfoil stall p 303 N94-28332
- Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340
- Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- Aspects of the modeling and numerical simulation of leading-edge vortex flow p 420 N94-30492
- [AD-B179108]

- Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- Computational study of simultaneous heat and mass transfer in turbulent separated flows p 447 N94-31843
- Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- Control of leading-edge separation on a cambered delta wing p 539 N94-34616
- Physics of Forced Unsteady Separation
[NASA-CP-3144] p 552 N94-34966
- Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967
- Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Will the real dynamic instability mechanism please be recognized! p 552 N94-34976
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219

SEPARATION

- Wind-tunnel test techniques for unmanned aerial vehicle separation investigations
[BTN-94-EIX94401358976] p 571 A94-61632
- Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics
[ESDU-93024-PT-1] p 362 N94-28095
- Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft
[ESDU-93026-PT-3] p 362 N94-28096

SEQUENCING

- A time reasoning system based on the event calculus for scheduling in aeronautic maintenance
[REPT-932-710-101] p 374 N94-29463

SERVICE LIFE

- Health and Usage Monitoring systems p 2 A94-12046
- Life prediction of helicopter engines fitted with dust filters p 99 A94-12115
- Helicopter structural integrity monitoring p 77 A94-12238
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173
- The 1992 USAF structural integrity program conference p 215 N94-21194
- [AD-A272876]
- Ceramic Technology Project p 231 N94-21822
- [DE94-001011]
- Life prediction systems for critical rotating components p 239 N94-22615
- General aviation activity survey
[AD-A273284] p 289 N94-24923
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- Service life prediction of composite structures through fiber testing p 403 N94-28654
- [AD-A275661]
- Aircraft age impacts on maintenance requirements
[AD-A275701] p 373 N94-28666
- Aircraft age impact on individual operating and support cost elements p 373 N94-28732
- [AD-A275739]
- Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157
- Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283
- The role of fatigue analysis for design of military aircraft p 531 N94-34594
- An overview of the F-16 service life approach p 532 N94-34599
- Impact of Materials Defects on Engine Structures Integrity
[AGARD-R-790] p 595 N94-37321
- Alternate melting and refining routes p 585 N94-37323

SERVICES

- Passenger terminal level of service measurement: A utility theoretic approach
[ISBN-0-315-59037-8] p 228 N94-22418

SERVOCONTROL

- Analytical evaluation of servovalves for flight simulator motion bases
[SAE PAPER 921952] p 158 A94-11990
The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN-0-315-83580-X] p 238 N94-22577

SERVOMECHANISMS

- The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN-0-315-83580-X] p 238 N94-22577

SEWING

- Development of stitched/RTM composite primary structures p 494 N94-33127
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129

SHADOWGRAPH PHOTOGRAPHY

- Structure and penetration of a supersonic fluid jet in supersonic flow
[BTN-94-EIX9432133317] p 549 A94-60268
Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815

SHAFTS (MACHINE ELEMENTS)

- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
Compliant seal development p 235 N94-21795
Modeling bristle lift-off in idealized brush seal configurations p 236 N94-21797
An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel
[NASA-TM-106471] p 248 N94-23299
The analysis of wake-induced unsteady aerodynamics related to higher harmonic control
[AD-A277914] p 459 N94-33108
Experimental investigation and performance analysis of the turbojet engine T117 p 483 N94-34439
Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911

SHAKING

- Shake test results of the MDHC test stand in the 40-by-80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596

SHAPE CONTROL

- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493

SHAPE FUNCTIONS

- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117

SHAPE MEMORY ALLOYS

- Smart airfoils for helicopter control p 77 A94-12237

SHAPES

- Optimal aerodynamic shapes in rarefied gas
p 12 A94-11040
A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964] p 170 N94-11132
Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966

SHARP LEADING EDGES

- Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492
Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871

SHEAR FLOW

- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865
Turbulent diffusion in homogeneous shear flow with stable density stratification
[DLR-FB-92-26] p 178 N94-14443
The turbulent wall jet
[AD-A267675] p 37 N94-14963
On memory effects in turbulence
[DLR-FB-93-03] p 184 N94-18124
Research and training activities of the Joint Institute for Aeronautics and Acoustics
[NASA-CR-194742] p 188 N94-19493
Development of phased twin flip-flop jets
[NASA-TM-106404] p 216 N94-20563
Numerical simulation of non-Newtonian free shear flows p 278 N94-24160

Surface roughness lengths

- [AD-A274550] p 365 N94-26846
Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744

SHEAR LAYERS

- Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
Turbulence modeling of free shear layers for high-performance aircraft
[NASA-CR-193659] p 114 N94-12799
Selected computations of transonic cavity flows
p 40 N94-16511
Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512
Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580
A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
Wall pressure fluctuations in the reattachment region of a supersonic free shear layer
[NASA-CR-195790] p 379 N94-29920
Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 N94-33966
Control of leading-edge vortices on a delta wing
p 524 N94-34971
Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations
p 524 N94-34974
Turbulence modeling of free shear layers for high performance aircraft
[NASA-CR-196137] p 594 N94-36808

SHEAR PROPERTIES

- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565
Dynamic analysis of pretwisted elastically-coupled rotor blades
[NASA-TM-109070] p 350 N94-24839
Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163

SHEAR STRAIN

- Equivalent plate structural modeling for wing shape optimization including transverse shear
[BTN-94-EIX94421374979] p 564 A94-61877
Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide
[NASA-CR-191183] p 178 N94-14445

SHEAR STRENGTH

- Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 A94-60256
Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers
[AD-A277732] p 490 N94-33444

SHEAR STRESS

- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer
[BTN-94-EIX94421374974] p 593 A94-61872

- Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291
Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260

- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911
Fatigue in single crystal nickel superalloys
[AD-A276662] p 443 N94-32047
Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157
Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074

SHELL STABILITY

- A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures
[LR-681] p 177 N94-13929

SHELLS (STRUCTURAL FORMS)

- Counterrotating aircraft propulsor blades
[CA-PATENT-1-319-357] p 264 N94-23255

SHELTERS

- Safety standards for aircraft shelter
[FFI-92/4003] p 343 N94-26305

SHIP HULLS

- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478

SHIP TO SHORE COMMUNICATION

- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels
[AD-A278143] p 499 N94-33160

SHIPS

- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking
p 576 N94-36618

SHOCK ABSORBERS

- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
Landing gear energy absorption system
[NASA-CASE-MSC-22277-1] p 411 N94-29448

SHOCK FRONTS

- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front
p 279 N94-24246
Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

SHOCK HEATING

- Numerical simulation of unsteady aerodynamic heating induced by shock reflections
p 375 N94-28952
A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860

SHOCK LAYERS

- Approximate two layer (inviscid/viscous) methods to model aerodynamic environments
p 8 A94-10768

- Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071

- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026

SHOCK LOADS

- Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436

SHOCK SPECTRA

- Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377

SHOCK TESTS

- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014

SHOCK TUBES

- High-enthalpy testing in hypersonic shock tunnels
p 129 A94-10781
An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247
Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow
[AD-A278550] p 464 N94-33782

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687

SHOCK TUNNELS

Hypersonic testing in the Aachen shock tunnel p 126 A94-10425

Recent enhancements to the DRA shock tunnel p 127 A94-10426

HEG - A new shock tunnel for high enthalpies p 127 A94-10427

High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781

Gaseous detonation driver for a shock tunnel p 130 A94-13072

Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy [BTN-94-EIX94311330650] p 516 A94-60141

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3 [NAL-TR-1168-PT-3] p 28 N94-12948

Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-194628] p 52 N94-20014

Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513

Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532

An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247

A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911

Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022

Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687

SHOCK WAVE INTERACTION

Physical aspects of hypersonic flow - Fluid dynamics and non-equilibrium phenomena p 8 A94-10766

Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities p 11 A94-10932

Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves p 11 A94-10953

Inviscid parametric analysis of three-dimensional inlet performance [BTN-94-EIX94401358980] p 578 A94-61636

Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872

Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 A94-13117

Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers [NASA-TM-103740] p 36 N94-14780

Laser Doppler velocimetry measurements across a normal shock in transonic flow [AD-A267240] p 38 N94-14973

Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-R-792] p 179 N94-15196

Swept shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods p 180 N94-15197

Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199

Unsteady phenomena in shock wave/boundary layer interaction p 180 N94-15200

An investigation of oblique shock/boundary layer interaction control [AD-A268106] p 44 N94-17574

Effects of shock strength on shock turbulence interaction p 278 N94-24165

Two-dimensional CFD modeling of wave rotor flow dynamics [NASA-TM-106261] p 331 N94-25185

Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions [NASA-CR-195170] p 357 N94-27802

Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics [ESDU-93024-PT-1] p 362 N94-28095

Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft [ESDU-93026-PT-3] p 362 N94-28096

Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328

Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920

Development of a cascade simulation of fan-passage flow [AD-A277234] p 436 N94-32026

Numerical analysis of transonic wing buffet p 487 N94-32713

An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques [NASA-CR-195302] p 458 N94-32926

Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964

Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965

Investigation of Burnett equations for two-dimensional hypersonic flow [AD-A278942] p 527 N94-35717

Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420

SHOCK WAVE PROFILES

Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952

Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953

SHOCK WAVE PROPAGATION

High-Speed Research: Sonic Boom, Volume 1 [NASA-CP-10132] p 300 N94-28188

Progress in modeling atmospheric propagation of sonic booms p 300 N94-28189

Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953

New broadband shock noise model and computer code for ANOPP p 511 N94-33489

SHOCK WAVES

Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329

A simple and efficient solution for the Riemann problem p 155 A94-10749

Simulated high speed flight effects on supersonic jet noise [AIAA PAPER 93-4388] p 203 A94-11351

Detailed flow measurements and predictions for a three-stage transonic fan [BTN-94-EIX94311330096] p 587 A94-61062

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473

Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014

Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857

Computational methods for problems in aerodynamics using parallel and vector architectures [AD-A265626] p 27 N94-12377

Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 N94-13117

Nonlinear wave predictions in ceramics [DE93-016516] p 149 N94-14436

Adaptive algorithm for aircraft configuration in turbulent flow [AD-A266188] p 86 N94-16122

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction [AD-A267656] p 43 N94-17221

Numerical solution of SUPG finite-element method for supersonic viscous flow [AD-A267762] p 43 N94-17222

Supersonic flow visualization of a nacelle in close proximity to a simulated wing [NASA-CR-194675] p 43 N94-17260

An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction [AD-A268394] p 44 N94-17461

Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions [AD-A270059] p 186 N94-18796

Transonic flow calculations: Integral method [ISBN-0-315-83538-9] p 218 N94-22586

Effects of shock strength on shock turbulence interaction p 278 N94-24165

Inclined air-jets used as vortex generators to suppress shock-induced separation p 298 N94-28040

Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields [NASA-CR-195706] p 299 N94-28071

Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known) [ESDU-93020] p 299 N94-28091

Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920

Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216

A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828

Shock impingement near mild hypersonic expansion corners p 424 N94-31879

Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496

The effect of turbulence and molecular relaxation on sonic boom signatures p 512 N94-33497

Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964

SHORT HAUL AIRCRAFT

The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380

SHORT TAKEOFF AIRCRAFT

Application of multiple model adaptive algorithms to reconfigurable flight control p 110 A94-12617

Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451

Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA [NAL-TR-1183] p 68 N94-13457

An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments [TT-9203] p 181 N94-15645

Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444

Lift and pitching moment induced on jet STOL aircraft by the ground vortex [AD-A269816] p 90 N94-18733

Aircraft digital flight control technical review p 336 N94-25106

Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape [NAL-TM-653] p 295 N94-27235

A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034

Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611

Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD) [AD-A278675] p 540 N94-35796

The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380

SHOT PEENING

Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125

SHRINKAGE

Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954

SHROUDED PROPELLERS

Noise levels from a model turbofan engine with simulated noise control measures applied [NASA-TM-106318] p 102 N94-14036

Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571

Flying on the ground [NASA-TM-109825] p 513 N94-33579

Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel [NASA-TP-3427] p 601 N94-37505

SHUTDOWNS

Impact of shutting down en route primary radars within CONUS interior [DOT-VNTSC-FAA-93-1] p 67 N94-11626

- Aircraft turbine engine reliability and inspection investigations [AD-A274660] p 332 N94-26176
- SIDE INLETS**
- Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets p 97 A94-10318
- SIDESLIP**
- The role of simulation in accident investigation at the NTSB - A case study p 53 A94-11361
- Significance of the dihedral effect in rapid fuselage-reorientation maneuvers [BTN-94-EIX94401358971] p 571 A94-61627
- Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip [AD-A267722] p 43 N94-17274
- Utilization of lasers for air data measurements p 238 N94-22603
- Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio [ESDU-93007] p 298 N94-28057
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot — conducted in the Ames 80 by 120 foot wind tunnel p 527 N94-35965
- SIGNAL ANALYSIS**
- Dyadic wavelet features for isolated word speaker dependent speech recognition [AD-A278492] p 500 N94-33756
- SIGNAL DETECTION**
- Evaluation of a nonlinear method for the enhancement of tonal signal detection [NASA-CR-191562] p 244 N94-21741
- Some applications of GPS timing information p 429 N94-30661
- SIGNAL DISTORTION**
- NRL review for 1993 [AD-A265666] p 211 N94-12334
- SIGNAL PROCESSING**
- Model-based software synthesis for large systems [AIAA PAPER 93-4531] p 196 A94-11454
- Signal processing aspects of windshear detection p 190 A94-12361
- Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
- Adaptive model architecture and extended Kalman-Bucy filters [BTN-94-EIX94401377806] p 592 A94-61767
- Data acquisition in aerodynamic research p 186 N94-18644
- A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 N94-21742
- Cockpit weather graphics using mobile satellite communications p 273 N94-22775
- Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops [AD-A274037] p 313 N94-25810
- Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- Backscatter haze device for measurement of haze in aircraft transparencies [AD-A275127] p 391 N94-29042
- A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
- Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458
- SIGNAL RECEPTION**
- Some applications of GPS timing information p 429 N94-30661
- An evaluation of three GPS receivers for use in the GPS sounder [AD-A278157] p 469 N94-33253
- SIGNAL TO NOISE RATIOS**
- Evaluation of a nonlinear method for the enhancement of tonal signal detection [NASA-CR-191562] p 244 N94-21741
- SIGNAL TRANSMISSION**
- Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
- NRL review for 1993 [AD-A265666] p 211 N94-12334
- Some applications of GPS timing information p 429 N94-30661
- SIGNATURES**
- Experimental studies of loudness and annoyance response to sonic booms p 370 N94-28195
- Variability of measured sonic boom signatures p 370 N94-28197
- Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPVs p 510 N94-33475

SIGNIFICANCE

- Example of statistical techniques applied to analysis of effects of small changes [ESDU-93023] p 328 N94-28094
- SIKORSKY AIRCRAFT**
- Flight service evaluation of composite helicopter components [HTN-94-00295] p 609 A94-62424
- Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796
- S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
- S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980
- SILENCERS**
- Boundary layer control device for duct silencers [NASA-CASE-ARC-12030-1] p 417 N94-29362
- SILICON POLYMERS**
- Color head down display program [AD-A274807] p 330 N94-26340
- SILICONES**
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials [DE94-010105] p 584 N94-36474
- SILVER ALLOYS**
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- SIMILARITY NUMBERS**
- Design of scaled down structural models p 605 N94-37797
- SIMILITUDE LAW**
- Design of scaled down structural models p 605 N94-37797
- SIMULATION**
- The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
- Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
- SIMULATORS**
- Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
- The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation [DLR-FB-93-20] p 333 N94-27739
- Simulating high-frequency wind for long durations [DE94-002739] p 346 N94-27997
- Experimental studies of loudness and annoyance response to sonic booms p 370 N94-28195
- Simulation of fully automated air traffic control concepts p 386 N94-29569
- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems p 388 N94-29582
- A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
- Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
- Georgia Tech sonic boom simulator p 512 N94-33501
- SINE WAVES**
- Vortex-induced forces on oscillating bluff cylinders [AD-A265056] p 171 N94-11865
- Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- SINGLE CRYSTALS**
- The simulation of single crystal turbine blade solidification p 141 A94-10671
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399
- High definition TV projection via single crystal faceplate technology [AD-A277850] p 501 N94-33768
- Hot section materials for small turbines p 486 N94-34465
- SINGLE STAGE TO ORBIT VEHICLES**
- Post-optimality analysis in aerospace vehicle design [AIAA PAPER 93-3932] p 71 A94-10717
- Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
- Hypersonic aerodynamic characteristics of SSTD-type aerospace planes. Part 1: The NAL O-th configuration [NAL-TR-1186] p 83 N94-13459
- Multidisciplinary design techniques applied to conceptual aerospace vehicle design [NASA-CR-194409] p 83 N94-13618

- Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system [NASA-CR-195550] p 331 N94-25085
- Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789
- The National Aerospace Plane (NASP): Development issues for the follow-on vehicle [AD-A278417] p 471 N94-33329
- SINGULARITY (MATHEMATICS)**
- Robust flight control design using dynamic inversion and structured singular value synthesis p 106 A94-10282
- SISO (CONTROL SYSTEMS)**
- Flight controller design using mixed H2/H infinity optimization with a singular H infinity constraint [AD-A273831] p 338 N94-25525
- Mixed H2/H-infinity optimization with multiple H infinity constraints [AD-A280572] p 581 N94-36733
- SITE SELECTION**
- National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex [NASA-TM-109856] p 542 N94-34634
- SKEWNESS**
- Static performance investigation of a skewed-throat multiaxis thrust-vectoring nozzle concept [NASA-TP-3411] p 465 N94-34172
- SKID LANDINGS**
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993 [PB94-910404] p 382 N94-29402
- SKIDDING**
- Tests of highly loaded skids on a concrete runway [NASA-TP-3435] p 326 N94-26608
- SKIN (STRUCTURAL MEMBER)**
- Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
- Investigation of the bond strength of a discrete skin-stiffener interface [NLR-TP-92183-U] p 327 N94-27796
- SKIN FRICTION**
- Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition p 21 N94-10452
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- Analytical skin friction and heat transfer formula for compressible internal flows [NASA-CR-191185] p 291 N94-25173
- Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90 [NASA-TM-4506] p 294 N94-26547
- Flight test results of riblets at supersonic speeds [NASA-TM-4387] p 458 N94-32880
- Active thermal isolation for temperature responsive sensors [NASA-CASE-LAR-14612-1] p 552 N94-35074
- SKIRTS**
- Heave dynamics of an air cushion vehicle bag and finger skirt [ISBN-0-315-87053-2] p 423 N94-31734
- SLEDS**
- The development of a horizontal impact sled facility and subsequent crashworthiness experiments [NIAR-93-15] p 343 N94-26200
- SLENDER BODIES**
- Determination of slender body aerodynamics using discrete vortex methods [BTN-94-EIX94311330679] p 543 A94-60112
- A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263
- SLENDER CONES**
- Symmetry breaking in vortical flows over cones: Theory and numerical experiments [BTN-94-EIX94301315981] p 547 A94-60017

Navier-Stokes solver for hypersonic flow over a slender cone
[BTN-94-EIX94311330681] p 543 A94-60110

Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028

SLENDER WINGS

Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698

A grid generation package for high aspect ratio wings p 35 N94-14608

SLIDING FRICTION

Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306

SLIP CASTING

Improved ceramic slip casting technique — application to aircraft model fabrication
[NASA-CASE-LAR-14471-1] p 230 N94-20377

SLIPSTREAMS

Prediction of transonic potential flow with slipstreams around configurations
[FFA-TN-1992-15] p 422 N94-31220

SLITS

Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898

SLOPES

Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140

SLOTS

Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section
[NASA-TP-3334] p 134 N94-15794

High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415

Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183

Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987

SLOTTED WIND TUNNELS

Interference corrections in wind tunnels with slotted walls p 125 A94-10414

A summary of noise measurements in a slotted cryogenic wind tunnel p 125 A94-10419

Evaluation of the buoyancy drag on automobile models in low speed wind tunnels p 364 N94-28352

Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545

SMART STRUCTURES

Smart airfoils for helicopter control p 77 A94-12237

Individual blade control of hinged blades using smart structures p 78 A94-12246

Smart Structures for Aircraft and Spacecraft
[AGARD-CP-531] p 146 N94-11317

Smart structures: A technology for next generation aircraft p 81 N94-11318

Smart materials for helicopter rotor active control p 81 N94-11321

Smart structures at Aastra Corporation p 146 N94-11326

In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333

Structural health monitoring using embedded fibre optic sensors p 55 N94-11334

Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337

Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340

Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343

Multidimensional intelligent control for superlight air vehicles p 81 N94-11347

Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424

Aeroelastic airfoil smart spar p 87 N94-16865

The 6th Japan-U.S. conference on composite materials
[AD-A268535] p 152 N94-18630

Quantification of uncertainties in the performance of smart composite structures
[NASA-TM-106335] p 188 N94-20171

Probabilistic assessment of smart composite structures
[NASA-TM-106358] p 351 N94-25188

Smart structures, an overview
[AD-A274147] p 368 N94-27093

Structural integrity of intelligent materials and structures
[AD-A278397] p 496 N94-33165

SMOKE

New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767

A new low smoke, low heat release structural foam p 143 N94-10768

Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106

Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252

The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274

SMOKE DETECTORS

Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912

Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706

SMOKE TRAILS

Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855

SMOOTHING

Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894

POISS3: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115

The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651

SNOW

Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94331337183] p 606 A94-62186

Observations of multi-layered clouds using K-band radar p 242 N94-22311

Close-up analysis of inflight ice accretion
[NASA-TM-106457] p 254 N94-23523

SOCIAL FACTORS

Predicted and real development in the aviation in the period 1961-1991 p 4 N94-15122

SOCIOLOGY

The contribution of aeronautics and astronautics to the quality of life on Earth
[ILR-MITT-283(1993)] p 449 N94-31611

NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730

SOFIA (AIRBORNE OBSERVATORY)

Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510

Selected computations of transonic cavity flows p 40 N94-16511

Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512

Aircraft system aft telescope cavity configuration study for Stratospheric Observatory for Infrared Astronomy (SOFIA), phase 2
[NASA-CR-194266] p 392 N94-29685

SOFT LANDING

Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995

SOFTENING

Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276

SOFTWARE ENGINEERING

Experimental software engineering: Seventeen years of lessons in the SEL p 199 N94-11423

Impacts of object-oriented technologies: Seven years of SEL studies p 199 N94-11425

Flight instrument software for the F/A-18 research simulator
[AD-A267170] p 134 N94-15856

An introduction to structural models
[AD-A268151] p 202 N94-17429

Developing software to RTCA DO-178A p 222 N94-22155

New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314

Evaluation of the efficiency and fault density of software generated by code generators p 284 N94-24445

Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478

Future directions in flight simulation: A user perspective p 341 N94-25101

Use of HOOD coupled to real time monitors p 368 N94-26742

Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743

Aerospace Software Engineering for Advanced Systems Architectures
[AD-A277101] p 415 N94-29315

Experiences with the HOOD design method on avionics software development p 415 N94-29325

Testing Operational Flight Programs (OFFPs) p 416 N94-29337

Integrated formal verification and validation of safety critical software p 416 N94-29338

A disciplined approach to software test and evaluation p 416 N94-29339

SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344

Software Management Environment (SME) concepts and architecture, revision 1
[NASA-CR-189293] p 416 N94-29727

Cleanroom engineering handbook. Volume 6: Certification team practices
[AD-A275951] p 439 N94-31346

Cleanroom engineering handbook. Volume 1: Cleanroom engineering process introduction and overview
[AD-A275949] p 439 N94-31356

Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 N94-32394

Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270] p 442 N94-32403

A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909

Engineering large-scale agent-based systems with consensus p 558 N94-35071

Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256

An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498

Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501

Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan
[NASA-CR-189362] p 596 N94-36919

SOFTWARE RELIABILITY

Software testability and its application to avionics software
[AIAA PAPER 93-4542] p 196 A94-11462

Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434

Evaluation of the efficiency and fault density of software generated by code generators p 284 N94-24445

Engine simulation systems p 362 N94-28054

Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743

Cleanroom engineering handbook. Volume 6: Certification team practices
[AD-A275951] p 439 N94-31346

A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909

Building fault-tolerant distributed computing systems using standard components p 508 N94-34125

Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495

Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501

SOFTWARE REUSE

A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909

Ada developers' supplement to the recommended approach
[NASA-CR-189345] p 557 N94-34921

SOFTWARE TOOLS

Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453

Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454

Cooperative GN&C development in a rapid prototyping environment — flight software design for space vehicles
[AIAA PAPER 93-4622] p 197 A94-11505

- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503
- Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260
- Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
- Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation [AD-A269921] p 96 N94-18658
- Evaluation of the efficiency and fault density of software generated by code generators p 284 N94-24445
- SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344
- A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430

SOIL MECHANICS

- Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers [AD-A277732] p 490 N94-33444

SOLAR ARRAYS

- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

SOLAR CELLS

- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

SOLAR POWERED AIRCRAFT

- Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft [DE93-016991] p 192 N94-17853
- Effect of power system technology and mission requirements on high altitude long endurance aircraft [NASA-CR-194455] p 331 N94-25200
- NASA powered multipurpose remotely powered aircraft p 323 N94-25719

SOLAR RADIATION

- Terrestrial volcanism in space and time p 189 A94-10882

SOLAR REFLECTORS

- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

SOLID LUBRICANTS

- Solid lubricants for aeronautics p 142 A94-12655
- Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306

SOLID PROPELLANT COMBUSTION

- AFOSR Contractors Propulsion Meeting [AD-A279028] p 539 N94-35746

SOLID PROPELLANT ROCKET ENGINES

- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
- AFOSR Contractors Propulsion Meeting [AD-A279028] p 539 N94-35746

SOLID ROCKET PROPELLANTS

- Coating the boron particles to increase the combustion efficiency of boron fuel [BTN-94-EIX94381353577] p 584 A94-61473
- Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292
- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294

SOLID STATE DEVICES

- Matching today's technology to the electric power requirement — of aircraft p 156 A94-11370
- Recent advances in no-break power transfer (NBPT) [SAE PAPER 921964] p 98 A94-11993
- Compact lightweight CO₂ laser for SDIO application [AD-A273010] p 233 N94-21284

SOLID SURFACES

- Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408
- Optical surface pressure measurement - Initial experience in the MCAIR PSWT --- Polysonic Wind Tunnel p 154 A94-10409
- Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957

SOLID-SOLID INTERFACES

- Interface evaluation in ceramic composites p 271 N94-24231

SOLIDIFICATION

- The simulation of single crystal turbine blade solidification p 141 A94-10671
- Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602

SOLVENTS

- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488

SONIC BOOMS

- The problem of the sonic boom for future high-speed transport aircraft [ESA-TT-1286] p 206 N94-13692
- Variability of measured sonic boom signatures. Volume 1: Technical report [NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report [NASA-CR-191483-VOL-2] p 285 N94-24173
- Preliminary design of nine high speed civil transports p 322 N94-25710
- High-Speed Research: Sonic Boom, Volume 1 [NASA-CP-10132] p 300 N94-28188
- Progress in modeling atmospheric propagation of sonic booms p 300 N94-28189
- Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence p 300 N94-28190
- Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191
- Sonic boom propagation through turbulence: A ray theory approach p 301 N94-28192
- The propagation of spark-produced N waves through turbulence p 301 N94-28193
- On the aging of sonic booms p 301 N94-28194
- Experimental studies of loudness and annoyance response to sonic booms p 370 N94-28195
- Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196
- Variability of measured sonic boom signatures p 370 N94-28197
- Numerical analysis of sonic boom in the near field p 376 N94-28962
- Subjective response to sonic booms having different shapes, rise times, and durations [NASA-TM-109090] p 417 N94-29464
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- First Annual High-Speed Research Workshop, part 1 [NASA-CP-10087-PT-1] p 460 N94-33447
- Update on Douglas' high-speed civil transport studies p 471 N94-33450
- Headquarters summary reports p 471 N94-33452
- Airframe systems studies review p 472 N94-33453
- High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455
- Overview of Langley systems studies p 472 N94-33456
- First Annual High-Speed Research Workshop, part 2 [NASA-CP-10087-PT-2] p 460 N94-33462
- Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- HSCT design for reduced sonic boom p 472 N94-33471
- Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- Sonic boom configuration minimization p 472 N94-33473
- Sonic boom predictions using a modified Euler code p 510 N94-33474
- Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's p 510 N94-33475
- Aeroacoustics analysis and community noise overview p 461 N94-33488
- Atmospheric effects on sonic boom: A program review p 512 N94-33495
- Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
- The effect of turbulence and molecular relaxation on sonic boom signatures p 512 N94-33497
- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- Sonic boom acceptability studies p 512 N94-33500
- Georgia Tech sonic boom simulator p 512 N94-33501
- Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502
- Transonic airframe propulsion integration p 480 N94-33507
- A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers [NASA-TM-109113] p 513 N94-33610

SONIC NOZZLES

- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
- Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept [NASA-TP-3411] p 465 N94-34172

SOOT

- Photothermal laser deflection, an innovative technique to measure particles in exhausts [AD-A277151] p 448 N94-32366

SOUND DETECTING AND RANGING

- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214

SOUND FIELDS

- Acoustic intensity measurements in the presence of low Mach number flow [AD-A269995] p 208 N94-18664
- Beamforming in an acoustic shadow p 286 N94-24219

SOUND GENERATORS

- Direct numerical simulation of hot jets p 172 N94-12295
- Joint Acoustic Propagation Experiment (JAPE-91) Workshop [NASA-CP-3231] p 285 N94-24207
- Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
- Some results gained from JAPE: An overview p 286 N94-24209
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804

SOUND INTENSITY

- Subjective response to sonic booms having different shapes, rise times, and durations [NASA-TM-109090] p 417 N94-29464

SOUND PRESSURE

- Vibro-acoustic analysis of an aircraft maintenance dock [AD-A266778] p 133 N94-14908
- Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115
- Variability of measured sonic boom signatures. Volume 1: Technical report [NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report [NASA-CR-191483-VOL-2] p 285 N94-24173
- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
- Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91 p 416 N94-29175
- [PB94-137411] p 416 N94-29175
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502

SOUND PROPAGATION

- The problem of the sonic boom for future high-speed transport aircraft [ESA-TT-1286] p 206 N94-13692
- Some results gained from JAPE: An overview p 286 N94-24209
- Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
- Progress in modeling atmospheric propagation of sonic booms p 300 N94-28189
- New broadband shock noise model and computer code for ANOPP p 511 N94-33489

SOUND RANGING

- Some results gained from JAPE: An overview p 286 N94-24209

SOUND WAVES

- Sound radiation and caustic formation from a point source in a wall shear layer [BTN-94-EIX94421374956] p 599 A94-61854
- NRL review for 1993 [AD-A265666] p 211 N94-12334
- On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates [NASA-CR-191546] p 207 N94-15487
- Acoustic intensity measurements in the presence of low Mach number flow [AD-A269995] p 208 N94-18664
- Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307
- On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175

- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations [NASA-CR-4599] p 501 N94-33897
- SPACE BASED RADAR**
- Ground independent landing system p 385 N94-29564
- SPACE COMMERCIALIZATION**
- Future of aerospace [PB94-120185] p 326 N94-26906
- The second giant leap [NASA-TM-109827] p 514 N94-33581
- SPACE DEBRIS**
- Space Station trash removal system [NASA-CASE-MSC-21723-1] p 229 N94-20367
- SPACE ENVIRONMENT SIMULATION**
- New technique for oil backstreaming contamination measurements p 227 N94-20511
- SPACE EXPLORATION**
- NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program [NASA-CR-195118] p 371 N94-25665
- SPACE FLIGHT**
- Adaptive model architecture and extended Kalman-Bucy filters [BTN-94-EIX94401377806] p 592 A94-61767
- Future of aerospace [PB94-120185] p 326 N94-26906
- Nasa Langley Research Center seventy-fifth anniversary publications, 1992 [NASA-TM-109691] p 372 N94-27431
- SPACE MISSIONS**
- Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834
- Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- SPACE NAVIGATION**
- The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611
- SPACE PERCEPTION**
- Synthetic vision display evaluation studies [NASA-CR-194963] p 603 N94-37658
- SPACE PROCESSING**
- 1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion [NASA-CP-10134] p 561 N94-35961
- SPACE PROGRAMS**
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes [GTS-92063] p 209 N94-10145
- Aerospace: Facts and figures, 1992-1993 [AD-A272571] p 215 N94-21419
- Aeronautics and space report of the President: Fiscal year 1993 activities p 514 N94-32854
- SPACE SHUTTLE ASCENT STAGE**
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 [NASA-CR-185697] p 139 N94-12965
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191
- SPACE SHUTTLE BOOSTERS**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423
- SPACE SHUTTLE MAIN ENGINE**
- The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX9432133307] p 547 A94-60039
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak [NASA-CR-193830] p 138 N94-12806
- SPACE SHUTTLE MISSIONS**
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak p 138 N94-12806
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- SPACE SHUTTLE ORBITERS**
- The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029
- Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition [BTN-94-EIX94311322888] p 520 A94-60208
- Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 [NASA-CR-185697] p 139 N94-12965
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191
- Studies of Shuttle orbiter arrestment system [NASA-TP-3370] p 258 N94-24304
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- SPACE SHUTTLES**
- Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle [IAF PAPER 93-480] p 137 A94-11259
- Aerodynamic characteristics of the HL-20 [BTN-94-EIX94351137055] p 544 A94-60395
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20 [BTN-94-EIX94351137056] p 544 A94-60396
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task [BTN-94-EIX94351137057] p 544 A94-60397
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20 [BTN-94-EIX94351137058] p 544 A94-60398
- HL-20 computational fluid dynamics analysis [BTN-94-EIX94351137059] p 545 A94-60399
- Preliminary structural evaluation and design of the HL-20 [BTN-94-EIX94351137060] p 545 A94-60400
- Human factors evaluation of the HL-20 full-scale model [BTN-94-EIX94351137065] p 545 A94-60405
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820
- Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434
- Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-187690] p 139 N94-12810
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191
- Wind tunnel testing and research [NASA-CR-188273] p 402 N94-29052
- Aerospace Safety Advisory Panel [NASA-TM-109840] p 545 N94-35390
- SPACE STATION FREEDOM**
- The R-Shell approach - Using scheduling agents in complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447
- A hypertext system that learns from user feedback p 514 N94-32428
- Aerospace Safety Advisory Panel [NASA-TM-109840] p 545 N94-35390
- SPACE STATIONS**
- Space Station trash removal system [NASA-CASE-MSC-21723-1] p 229 N94-20367
- Research and technology, 1993 [NASA-TM-106376] p 455 N94-33046
- SPACE STORAGE**
- Handbook for handling and storage of nickel-cadmium batteries: Lessons learned [NASA-PP-1326] p 347 N94-26613
- SPACE TRANSPORTATION SYSTEM**
- Russian sub-orbital commercial passenger transport system [SAE PAPER 922056] p 74 A94-12038
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak [NASA-CR-193830] p 138 N94-12806
- Research and development of space transportation systems in ISAS p 140 N94-14277
- Future space transportation system architecture avionics requirements p 346 N94-25098
- SPACE TRANSPORTATION SYSTEM FLIGHTS**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423
- SPACEBORNE EXPERIMENTS**
- Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program [NASA-CR-195118] p 371 N94-25665
- SPACECRAFT BREAKUP**
- The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029
- SPACECRAFT CABINS**
- Human factors evaluation of the HL-20 full-scale model [BTN-94-EIX94351137065] p 545 A94-60405
- SPACECRAFT COMMUNICATION**
- Communications networks in stressed environments [AD-A275967] p 446 N94-31384
- SPACECRAFT COMPONENTS**
- Aerospace applications of magnetic bearings p 554 N94-35837
- SPACECRAFT CONSTRUCTION MATERIALS**
- Weaving new strength into composites p 141 A94-10084
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE [ISBN 0-7918-0662-6] p 162 A94-12651
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055
- NASA Lewis Research Center learn-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles p 358 N94-27920
- National aerospace plane [NASA-TM-109843] p 497 N94-33750
- Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- SPACECRAFT CONTROL**
- Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- HOPE real time flight operations analyses for return to earth phase, part A [NASDA-CNT-930010-PT-A] p 140 N94-13645
- The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 N94-28032
- Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- SPACECRAFT DEFENSE**
- An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
- SPACECRAFT DESIGN**
- Weaving new strength into composites p 141 A94-10084
- Post-optimality analysis in aerospace vehicle design [AIAA PAPER 93-3932] p 71 A94-10717
- Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
- Russian sub-orbital commercial passenger transport system [SAE PAPER 922056] p 74 A94-12038
- Preliminary structural evaluation and design of the HL-20 [BTN-94-EIX94351137060] p 545 A94-60400

- Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628
High temperature materials for hypersonic transport p 142 N94-10003
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055
Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814
Research and development of space transportation systems in ISAS p 140 N94-14277
Flight testing of airbreathing hypersonic vehicles [NASA-TM-4524] p 140 N94-15753
Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- SPACECRAFT GUIDANCE**
Cooperative GN&C development in a rapid prototyping environment — flight software design for space vehicles [AIAA PAPER 93-4622] p 197 A94-11505
HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
- SPACECRAFT INSTRUMENTS**
Perspective on the National Aero-Space Plane Program instrumentation development
[NASA-TM-4505] p 95 N94-13256
- SPACECRAFT LANDING**
Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590
Landing gear energy absorption system
[NASA-CASE-MSC-22277-1] p 411 N94-29448
Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995
- SPACECRAFT LAUNCHING**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956
- SPACECRAFT MANEUVERS**
Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- SPACECRAFT MODELS**
Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191
Wind tunnel testing and research
[NASA-CR-188273] p 402 N94-29052
- SPACECRAFT PERFORMANCE**
Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814
- SPACECRAFT POWER SUPPLIES**
Futurepath 2
[NASA-TM-109285] p 102 N94-13623
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- SPACECRAFT PROPULSION**
Turbine design p 140 N94-20075
Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241
Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features p 398 N94-29295
Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297
Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors p 398 N94-29298
Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- SPACECRAFT RECOVERY**
Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995
- SPACECRAFT REENTRY**
Optimal reentry trajectories by asymptotic matching [IAF PAPER 93-012] p 136 A94-11104
Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
Six-degree-of-freedom guidance and control-entry analysis of the HL-20
[BTN-94-EIX94351137056] p 544 A94-60396
Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434
HOPE real time flight operations analyses for return to earth phase, part A
[NASDA-CNT-930010-PT-A] p 140 N94-13645
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653
Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles p 375 N94-28955
Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- SPACECRAFT RELIABILITY**
Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- SPACECRAFT SHIELDING**
High-temperature behavior of advanced spacecraft TPS
[NASA-CR-195832] p 492 N94-34063
- SPACECRAFT STABILITY**
Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- SPACECRAFT STRUCTURES**
Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
Smart Structures for Aircraft and Spacecraft
[AGARD-CP-531] p 146 N94-11317
Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993
[NASA-TM-107752] p 183 N94-17479
- SPACECRAFT SURVIVABILITY**
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653
- SPANWISE BLOWING**
Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643
Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover
[NASA-CR-4532] p 25 N94-10758
Effects, limits, and limitations of spanwise blowing p 298 N94-28027
Numerical study of the trailing vortex of a wing with wing-tip blowing
[NASA-CR-195803] p 378 N94-29760
- SPARE PARTS**
Spare parts analysis of the MK.32B-751 AAR pod
[DSIS-93-00737] p 200 N94-13549
- SPARKS**
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
- SPATIAL FILTERING**
Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
- SPECIFIC HEAT**
Endothermic fuels for hypersonic aviation p 407 N94-29285
- SPECIFICATIONS**
Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit
[AD-A280261] p 604 N94-37756
- SPECKLE INTERFEROMETRY**
Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957
Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- SPECTRAL BANDS**
Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377
- SPECTRAL ENERGY DISTRIBUTION**
Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664
Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- SPECTRAL METHODS**
Low-dimensional description of the dynamics in separated flow past thick airfoils
[BTN-94-EIX94421374967] p 563 A94-61865
Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377
- SPECTROMETERS**
Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719
- SPECTRORADIOMETERS**
Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- SPECTROSCOPIC ANALYSIS**
Raman measurements at the exit of a combustor sector
[BTN-94-EIX94341338356] p 546 A94-60348
Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- SPECTRUM ANALYSIS**
On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates
[NASA-CR-191546] p 207 N94-15487
Evaluation of a nonlinear method for the enhancement of tonal signal detection
[NASA-CR-191562] p 244 N94-21741
An investigation into acceleration determination for airborne gravimetry using the global positioning system [ISBN-0-315-59470-5] p 256 N94-24176
A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587
- SPEECH RECOGNITION**
A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756
- SPEED CONTROL**
Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- SPEED INDICATORS**
Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451
- SPIN TESTS**
The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- SPINDLES**
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
- SPLASHING**
Improvement of helicopter attitude stability by active control of the conventional swash plate
[NASA-CR-194786] p 227 N94-20524
- SPLINE FUNCTIONS**
Aeroelastic airfoil smart spar p 87 N94-16865
Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914
- SPOILERS**
A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch
[NASA-TM-107743] p 28 N94-12421
High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
Numerical investigation of the incompressible flow around a wing with a fixed spoiler
[ISLR-109/91] p 51 N94-19524
- SPRAY CHARACTERISTICS**
Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045

SPRAY NOZZLES

Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186

SPRAYERS

Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267

A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803

Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186

Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818

Development of a droplet breakup model considering aerodynamic and droplet collision effects
p 274 N94-23045

Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081

Ducted kerosene spray flames
p 407 N94-29276

Spray combustion experiments and numerical predictions
p 407 N94-29277

Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887

SPRAYING

Droplet turbulence interactions under subcritical and supercritical conditions
p 274 N94-23036

Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions
p 411 N94-29282

SPREAD SPECTRUM TRANSMISSION

Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops
[AD-A274037] p 313 N94-25810

Communications networks in stressed environments
[AD-A275967] p 446 N94-31384

SQUEEZE FILMS

Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method
p 161 A94-12531

Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD
p 164 A94-12871

SQUID (DETECTORS)

High resolution SQUID magnetometry for non-destructive evaluation
[AD-A268884] p 185 N94-18225

STABILITY

Unsteady aspects of hot gas reingestion and statistical analysis
p 334 N94-28019

STABILITY AUGMENTATION

Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283

The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329

YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994

STABILITY DERIVATIVES

Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623

Extraction of stability and control derivatives from orbiter flight data
[NASA-TM-4500] p 24 N94-10707

Nonlinear aspects of transonic aeroelasticity
[UTIAS-345] p 27 N94-11857

LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557

Linear modeling of rotorcraft for stability analysis and preliminary design
[AD-A274869] p 339 N94-26192

A finite wake theory for two-dimensional rotary wing unsteady aerodynamics
[AD-A274921] p 294 N94-26535

Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model
p 489 N94-34337

STABILITY TESTS

Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672

Stability analysis and aerospace vehicle dynamics
p 113 N94-11491

Stability model of the atmosphere
p 190 N94-11500

Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868

Stability analysis of an F/A-18 E/F cable mount m model
[NASA-TM-108989] p 602 N94-37636

STABILIZATION

Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar
p 94 A94-12565

Active stabilization of rotating stall in a three-stage axial compressor
[BTN-94-EIX94311330089] p 591 A94-61130

Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675

Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers
[AD-A27732] p 490 N94-33444

Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370

STABILIZERS (FLUID DYNAMICS)

Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779

Apparatus and method for improving spin recovery on aircraft
[NASA-CASE-LAR-14747-1] p 227 N94-20556

Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224

STAGNATION FLOW

Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters
p 19 A94-12893

STAGNATION POINT

Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape
[NASA-TM-106504] p 281 N94-24481

STAGNATION PRESSURE

Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268

STAGNATION TEMPERATURE

A comparative study of turbulence models in predicting hypersonic inlet flows
p 50 N94-18553

STANDARD DEVIATION

Example of statistical techniques applied to analysis of effects of small changes
[ESDU-93023] p 328 N94-28094

STANDARDIZATION

Discussions of standardization systems engineering and its research (working) objects
p 193 A94-10112

NAVAIR aircraft wiring standardization and qualification program
p 408 N94-28704

Organized wiring systems
p 408 N94-28705

Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125

STANDARDS

SOXO Air SIG S7 ILS, from early development to an enduring world standard
p 61 A94-12119

Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements
p 64 A94-12560

Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF)
[NASA-TM-106357] p 58 N94-16520

Air traffic administration enroute to Europe
p 309 N94-28238

NAVAIR aircraft wiring standardization and qualification program
p 408 N94-28704

Evaluation for the development of taxiway lighting intensity standards
[AD-A276706] p 440 N94-32120

Minimum performance standards: Airborne low-range radar altimeters
[RTCA-DO-155] p 537 N94-35344

STARCHES

Paint removal using wheat starch blast media
p 168 N94-10627

STARTING

Engine starting and stopping
p 360 N94-28047

STATE ESTIMATION

Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations
[AD-A270713] p 202 N94-19969

STATE VECTORS

Nonlinear and dynamic analysis of flight
p 113 N94-11496

STATIC CHARACTERISTICS

A hydrodynamic journal bearing test rig with dynamic measurement capabilities
p 164 A94-12866

STATIC LOADS

Spectrum fatigue testing of T-shaped tension clips
[FFA-TN-1992-22] p 184 N94-17970

Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773

STATIC PRESSURE

Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408

Ingestion into the upstream wheel space of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059

Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669

A wall interference assessment/correction system
[NASA-CR-194174] p 28 N94-13076

Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292

Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681

Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464

Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known)
[ESDU-93020] p 299 N94-28091

Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel
p 438 N94-30788

Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026

STATIC STABILITY

Static and dynamic flight-path stability of airplanes
p 107 A94-10800

Static and dynamic flight-path stability of airplanes
[BTN-94-EIX94361135428] p 522 A94-60625

X-29: Longitudinal instability at high angle-of-attack
p 114 N94-11504

Development of a prototype kinematic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling
[NASA-CR-194036] p 140 N94-16905

An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473

X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384

An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729

STATIC TESTS

Approximate similarity principle for a full-scale STOVLE ejector
[BTN-94-EIX94341338360] p 550 A94-60352

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677

Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572

Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489

Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172

STATIC THRUST

Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569

STATISTICAL ANALYSIS

General aviation aircraft-normal acceleration data analysis and collection project
[AD-A265055] p 82 N94-11858

The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267448] p 192 N94-17245

Attachment methods in composite joints - analysis of test results by controlled experiments method
p 271 N94-24269

Annual review of aircraft accident data. US general aviation calendar year 1990
[PB94-126869] p 305 N94-24841

Unsteady aspects of hot gas reingestion and statistical analysis
p 334 N94-28019

Predicting defect behaviour
p 596 N94-37331

STATISTICAL DISTRIBUTIONS

Variability of measured sonic boom signatures
p 370 N94-28197

STATISTICAL TESTS

- Example of statistical techniques applied to analysis of effects of small changes
[ESDU-93023] p 328 N94-28094
- A moment plotting method for characterizing aircraft fatigue data population distributions
[AD-A275500] p 390 N94-28660
- Fault detection and isolation for the Bluebird test bed aircraft
[AD-A277979] p 487 N94-33086
- STATORS**
- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- Three-dimensional closure of the passage-averaged vorticity-potential formulation
[BTN-94-EIX94301315991] p 547 A94-60027
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
- Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608
- Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 N94-21830
- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components
[ECL-92-35] p 352 N94-25654
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Numerical study on internal flows of centrifugal compressors
p 395 N94-28977
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- STEADY FLOW**
- Super low turbulence subsonic wind tunnels p 128 A94-10448
- Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage
[BTN-94-EIX94311330093] p 590 A94-61126
- Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204
- Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108
- A new Lagrangian method for three-dimensional steady supersonic flows
[NASA-TM-106068] p 37 N94-14847
- Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
- Two-dimensional boundary surfaces for axisymmetric external transonic flows
[AD-A269678] p 50 N94-18571
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592
- Steady pressure measurements on an Aeroelastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades
[NASA-CR-195786] p 399 N94-30013
- Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- CFD-based drag prediction: State-of-the-art, theory, prospects
[AD-B179297] p 422 N94-31180
- STEADY STATE**
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems p 12 A94-10956
- Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- Gas-turbine engine steady-state behavior p 360 N94-28044
- Transient performance p 360 N94-28045
- Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec p 483 N94-34437

- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- STEAM FLOW**
- Steam plant: Steam turbines for combined cycles p 362 N94-28085
- STEAM TURBINES**
- Steam plant: Steam turbines for combined cycles p 362 N94-28085
- STEELS**
- Alternate melting and refining routes p 585 N94-37323
- STEERABLE ANTENNAS**
- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- STEERING**
- Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
- Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
- Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
- STEPPING MOTORS**
- Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915
- STEREOSCOPIC VISION**
- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536
- STIFFENING**
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262
- STIFFNESS**
- Time simulation of flutter with large stiffness changes
[BTN-94-EIX94311329132] p 518 A94-60168
- A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911
- An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
- STIRLING CYCLE**
- Three-stage linear, split-Stirling cryocooler for 1 to 2K magnetic cold stage
[NASA-CR-4538] p 207 N94-13897
- STIRLING ENGINES**
- Futurepath 2
[NASA-TM-109285] p 102 N94-13623
- STOCHASTIC PROCESSES**
- Localization of aeroelastic modes in mistuned high-energy turbines
[BTN-94-EIX94321333307] p 547 A94-60039
- Further studies using matched filter theory and stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587
- A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- Differential GPS positioning: DGPS modelling using pseudo range observations p 470 N94-34113
- Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- STOCKPILING**
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- STORAGE STABILITY**
- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- STORMS**
- Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890

STOVL AIRCRAFT

- Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
- Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 A94-10801
- NASA tests defining ASTOVL flow field p 1 A94-10850
- Overview of high performance aircraft propulsion research p 99 A94-12001
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- The lift-fan powered-lift aircraft concept: Lessons learned
[NASA-CR-177616] p 85 N94-15718
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
- Overview of STOVL aircraft propulsion research offakes and vertical lift systems p 105 N94-19353
- Survey of lift-fan aerodynamic technology
[NASA-CR-177615] p 224 N94-21592
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
- Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- Antiwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 N94-32075
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory
[NASA-TM-106577] p 491 N94-33604
- STOVL**
- [NASA-TM-109845] p 473 N94-33790
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994
- STRAIN DISTRIBUTION**
- Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346
- Spectrum fatigue testing of T-shaped tension clips
[FFA-TN-1992-22] p 184 N94-17970
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- STRAIN ENERGY METHODS**
- Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860
- STRAIN GAGE BALANCES**
- Monopiece strain gauge sting mounted wind tunnel balance
[CA-PATENT-1-311-626] p 181 N94-15697
- STRAIN GAGES**
- Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
- Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photostress and strain gauges p 165 A94-12936
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- A laboratory study of multiple site damage in fuselage lap splices
[PB94-151230] p 432 N94-31078
- STRAIN HARDENING**
- Fatigue life program using strain-life methods
[AD-A267310] p 182 N94-16943

STRAIN MEASUREMENT

- Application of the strain gage-hole drilling method to aircraft transparencies p 164 A94-12918
- Smart structures at Aastra Corporation p 146 N94-11326
- Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- Strain sensing technology for high temperature applications [NASA-TM-4498] p 173 N94-12874
- Aircraft wheel life assessment [AD-A274378] p 355 N94-26976
- Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588

STRAIN RATE

- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289

STRAKES

- Lift enhancement of a wing/strake using pneumatic blowing [AD-A265074] p 82 N94-11872
- Measurements of wing and fin buffeting on the standard dynamics model [IAR-AN-76] p 120 N94-13859
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds [NASA-TP-3360] p 42 N94-16573
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430
- F/A-18 forebody vortex control. Volume 1: Static tests [NASA-CR-4582-VOL-1] p 528 N94-35991

STRATEGY

- Powerful selling and sales strategy p 311 N94-28245

STRATIFICATION

- Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443

STRATIFIED FLOW

- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-006] p 553 N94-35226

STRATOSPHERE

- STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745
- Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- Airborne Arctic stratospheric expedition: Ozone [NASA-TM-109312] p 83 N94-13606
- The atmospheric effects of stratospheric aircraft: A third program report [NASA-RP-1313] p 282 N94-24104
- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft [NASA-CR-195908] p 506 N94-33170
- Stratospheric models and measurements: A critical comparison p 506 N94-33457
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460
- High resolution infrared datasets useful for validating stratospheric models p 506 N94-33461
- Project report: Aircraft - atmospheric effects of stratospheric aircraft [DE94-011759] p 596 N94-37155
- Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607

STRATUS CLOUDS

- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation) [DLR-MITT-92-10] p 240 N94-22280

STREAM FUNCTIONS (FLUIDS)

- Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

STREAMLINED BODIES

- Jet boundaries - New type of self-streamlining wind tunnel wall p 6 A94-10434

STREAMLINING

- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3 [NASA-CR-193673] p 29 N94-13292

STRESS ANALYSIS

- Damage assessment in MMC composites using thermoelastic techniques p 142 A94-12993
- Analysis of multifastener composite joints [BTN-94-EIX94311330690] p 548 A94-60101
- PT6 engine: 30 years of gas turbine technology evolution [BTN-94-EIX94311331064] p 577 A94-61114
- Influence of aerodynamic forces in ice shedding [BTN-94-EIX94401358967] p 564 A94-61623
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity [DE93-011597] p 190 N94-11173
- Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures [FFA-TN-1993-05] p 84 N94-13690
- Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
- Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations [LR-694] p 177 N94-13931
- A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 [AD-A267532] p 87 N94-17117
- The 6th Japan-U.S. conference on composite materials [AD-A268535] p 152 N94-18630
- Audit report. Navy's aircraft structural life surveillance program data recorders [AD-A270391] p 92 N94-20040
- Life prediction systems for critical rotating components p 239 N94-22615
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load [PB94-126547] p 355 N94-26911
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles p 358 N94-27920
- Fatigue management and verification of airframes [FFA-TN-1993-55] p 432 N94-30947
- A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
- A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581
- Fatigue management and verification of airframes p 531 N94-34591

STRESS CONCENTRATION

- Fatigue life program using strain-life methods [AD-A267310] p 182 N94-16943
- Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
- Structural integrity of intelligent materials and structures [AD-A278397] p 496 N94-33165

STRESS CORROSION CRACKING

- Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy [BTN-94-EIX94301320144] p 546 A94-60853

STRESS DISTRIBUTION

- Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures [SAE PAPER 922036] p 158 A94-12027
- Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photostress and strain gauges p 165 A94-12936
- Interface evaluation in ceramic composites p 271 N94-24231

- A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
- Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130

STRESS INTENSITY FACTORS

- Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590
- Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974
- Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

STRESS MEASUREMENT

- Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872
- Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501
- The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247
- Shearographic inspection of a DeHavilland DHC-7 [AD-A276716] p 419 N94-32157

STRESS RELAXATION

- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
- Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials [DE94-010105] p 584 N94-36474

STRESS-STRAIN RELATIONSHIPS

- Fatigue life program using strain-life methods [AD-A267310] p 182 N94-16943
- A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
- A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993 [FFA-TN-1993-22] p 187 N94-19358
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Test methods for composites: A status report. Volume 3: Shear test methods [AD-A273561] p 348 N94-25163
- Aircraft wheel life assessment [AD-A274378] p 355 N94-26976
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile [NASA-TM-109026] p 403 N94-28823

STRINGERS

- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet [AIAA PAPER 93-4338] p 155 A94-11349

STRIPPING

- Environmentally Safe and Effective Processes for Paint Removal [AGARD-R-791] p 166 N94-10613
- Paint removal activities in the US Navy p 166 N94-10614
- Paint removal activities in Canada p 167 N94-10615
- Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint p 167 N94-10616
- Paint removal activities in Germany p 167 N94-10617
- The development of alternative paint removal techniques in the RAF p 167 N94-10618
- Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619
- Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620
- German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621
- Plastic media blasting activities at Hill Air Force Base p 167 N94-10622
- Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
- Automated Laser Paint Stripping (ALPS) update p 168 N94-10624
- Aquastrap (tm): An innovative paint removal technology p 168 N94-10625
- Paint removal and surface cleaning using ice particles p 168 N94-10626
- Paint removal using wheat starch blast media p 168 N94-10627
- IATA taskforce: Paintstripping p 169 N94-10628

- Selectively strippable paint schemes p 169 N94-10629
- STRUCTURAL ANALYSIS**
- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft p 163 A94-12784
- Analysis of multifastener composite joints [BTN-94-EIX94311330690] p 548 A94-60101
- Effects of model scale on flight characteristics and design parameters [BTN-94-EIX94311329143] p 517 A94-60157
- Joined-wing model vibrations using PC-based modal testing and finite element analysis [BTN-94-EIX94311329141] p 517 A94-60159
- Modal coordinates for aeroelastic analysis with large local structural variations [BTN-94-EIX94311329131] p 518 A94-60169
- Preliminary structural evaluation and design of the HL-20 [BTN-94-EIX94351137060] p 545 A94-60400
- Three-dimensional thermal analysis for laser-structural interactions [BTN-94-EIX94351142117] p 560 A94-60410
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
- Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
- The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
- Control system design for flexible structures using data models p 121 N94-14646
- ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
- Preliminary structural design: Defining the design space [AD-A268898] p 88 N94-18227
- The 6th Japan-U.S. conference on composite materials [AD-A268535] p 152 N94-18630
- Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- Quantification of uncertainties in the performance of smart composite structures [NASA-TM-106335] p 188 N94-20171
- Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
- The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 N94-21757
- Nonlinear aerodynamics and the design of wing tips [NASA-CR-194732] p 217 N94-21833
- Recent advances in computational structural reliability analysis methods p 239 N94-22616
- An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
- A prediction method for the compressive strength of impact damaged composite laminates [CTN-94-60925] p 270 N94-24137
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- Hydro-elastic analysis using a selection of commercial analysis programs [PB94-118734] p 281 N94-24478
- Pre-design study of a general purpose vehicle simulator platform [PB93-215366] p 269 N94-24739
- Conceptual design proposal: HUGO global range/mobility transport aircraft [NASA-CR-195501] p 316 N94-24787
- Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- Probabilistic assessment of smart composite structures [NASA-TM-106358] p 351 N94-25188
- Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual [NASA-CR-194461] p 357 N94-27776
- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- Service life prediction of composite structures through fiber testing [AD-A275661] p 403 N94-28654
- Thermal/structural tailoring of engine blades (T/SEABL). Theoretical manual [NASA-CR-194462] p 409 N94-28815
- Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0 [NASA-CR-194460] p 395 N94-29103
- Study of bridge design and technology [PB94-137916] p 373 N94-29160
- Performing specifications for complex systems' software p 400 N94-29317
- Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525
- A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
- Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877
- Institute for Computational Mechanics in Propulsion (ICOMP) [NASA-TM-106542] p 499 N94-32969
- HSCT airframe materials: The Boeing perspective p 497 N94-33515
- HSCT materials and structures: An MDC perspective p 497 N94-33516
- Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590
- Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell [NASA-CR-195953] p 504 N94-34262
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- Analysis of wavelet technology for NASA applications [NASA-CR-195929] p 522 N94-34704
- Design oriented structural analysis [NASA-TM-109124] p 551 N94-34722
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment [JPRS-UEQ-93-005] p 605 N94-37538
- STRUCTURAL DESIGN**
- Integrated technologies in aircraft design optimization p 79 A94-12612
- Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems [ISBN 0-12-012754-7] p 2 A94-12701
- Aircraft fleet maintenance based on structural reliability analysis [BTN-94-EIX94311329134] p 517 A94-60166
- Preliminary structural evaluation and design of the HL-20 [BTN-94-EIX94351137060] p 545 A94-60400
- Equivalent plate structural modeling for wing shape optimization including transverse shear [BTN-94-EIX94421374979] p 564 A94-61877
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
- Advanced Turbine Technology Applications Project (ATTAP) [NASA-CR-195366] p 209 N94-12931
- Mathematical optimization: A tool for aircraft design [MBB-LME-251-S-PUB-0492] p 200 N94-14006
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling [AD-A266542] p 42 N94-16798
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
- Preliminary structural design: Defining the design space [AD-A268898] p 88 N94-18227
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle [AD-A273003] p 223 N94-21283
- Recent advances in computational structural reliability analysis methods p 239 N94-22616
- Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
- Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- Current and future design methods for large transport aircraft p 261 N94-24324
- Pre-design study of a general purpose vehicle simulator platform [PB93-215366] p 269 N94-24739
- Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components [DE94-000231] p 353 N94-26117
- Study of bridge design and technology [PB94-137916] p 373 N94-29160
- Review of sonic fatigue technology [NASA-CR-4587] p 417 N94-29407
- Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades [NASA-TM-109084] p 474 N94-33900
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581
- Harrier 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596
- Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597
- High Altitude Long Endurance aircraft design studies p 572 N94-36322
- Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- STRUCTURAL DESIGN CRITERIA**
- Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413
- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
- A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb p 128 A94-10446
- Some viscous interactions affecting the design of hypersonic intakes and nozzles p 10 A94-10784
- Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft [LR-693] p 83 N94-13687
- ADAS implementation of a panel method for the prediction of aerodynamic loads [LR-723] p 51 N94-19667
- Continuous gust response and sensitivity derivatives using state-space models p 268 N94-24287
- STRUCTURAL ENGINEERING**
- Smart Structures for Aircraft and Spacecraft [AGARD-CP-531] p 146 N94-11317
- Frameworks for integrated airframe design p 259 N94-24318
- STRUCTURAL FAILURE**
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage [LR-697] p 177 N94-13986
- Impact analysis of composite aircraft structures p 187 N94-19468
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- Effects of repair on structural integrity [PB94-143336] p 390 N94-28647

- Structural integrity of intelligent materials and structures
[AD-A278397] p 496 N94-33165
- Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593
- History and prognosis of material discontinuity effects on engine components structural integrity p 595 N94-37322
- Turbine disks: Lifting against defects and materials development p 595 N94-37329
- STRUCTURAL MEMBERS**
- Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 N94-18760
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 N94-24295
- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
- STRUCTURAL RELIABILITY**
- Helicopter structural integrity monitoring p 77 A94-12238
- Aircraft fleet maintenance based on structural reliability analysis
[BTN-94-EIX94311329134] p 517 A94-60166
- Overview of the FAA/DCA/NLR programs related to ageing aircraft p 4 N94-17614
- The 1992 USAF structural integrity program conference
[AD-A272876] p 215 N94-21194
- Recent advances in computational structural reliability analysis methods p 239 N94-22616
- Structural integrity of intelligent materials and structures
[AD-A278397] p 496 N94-33165
- An Assessment of Fatigue Damage and Crack Growth Prediction Techniques
[AD-280273] p 550 N94-34581
- Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590
- STRUCTURAL STABILITY**
- Aeroelasticity p 163 A94-12691
- The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160
- Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls
[NASA-CR-196103] p 581 N94-36436
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- STRUCTURAL STRAIN**
- A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993
[AD-A267532] p 87 N94-17117
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- STRUCTURAL VIBRATION**
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
- On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- Some comments on tail rotor ground resonance problem p 76 A94-12085
- Active control of vibrations in helicopters - From HHC to OBC - higher-harmonic control regulator vs. observer-based controller p 109 A94-12112
- Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
- Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- Individual blade control of hinged blades using smart structures p 78 A94-12246
- Investigation on the use of optimization techniques for helicopter airframe vibrations design studies p 79 A94-12706
- Joined-wing model vibrations using PC-based modal testing and finite element analysis
[BTN-94-EIX94311329141] p 517 A94-60159
- Modal coordinates for aeroelastic analysis with large local structural variations
[BTN-94-EIX94311329131] p 518 A94-60169
- Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183

- Analysis of rotor blade dynamics using model scale UH-60A airloads
[HTN-94-00300] p 601 A94-62276
- Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing
[NASA-TM-4512] p 86 N94-15783
- Hop bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- Control algorithms for effective operation of variable-speed wind turbines p 282 N94-23704
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751
- Proceedings of Damping 1993, volume 1
[AD-A274226] p 355 N94-26922
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878
- Rotorcraft effects driven by fluid forces from a geometrically imperfect labyrinth p 446 N94-31333
- Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study
[NASA-CR-194905] p 509 N94-33023
- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- Response of a cantilevered plate in supersonic flow
[AD-A277487] p 471 N94-33107
- Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118
- Improvements in spiral-bevel gears to reduce noise and increase strength
[NASA-TM-106613] p 500 N94-33609
- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- Frequency domain analysis of the random loading of cracked panels
[NASA-CR-196021] p 556 N94-35974
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- STRUCTURAL WEIGHT**
- Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917
- Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062
- STRUTS**
- Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413
- Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380

- STUDENTS**
- Center of excellence in rotary wing technology
[AD-A266655] p 37 N94-14799
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- SUBCRITICAL FLOW**
- Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- SUBROUTINES**
- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis
[NASA-CR-194795] p 281 N94-24640
- SUBSONIC AIRCRAFT**
- Application of advanced technologies to very large subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- Advanced takeoff procedures for high-speed civil transport community noise reduction
[SAE PAPER 921939] p 73 A94-11979
- Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144
- SUBSONIC FLOW**
- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
- Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697
- A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils p 18 A94-12799
- Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow p 18 A94-12800
- Using the boundary layer theory for calculating separated flows p 19 A94-12894
- Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182
- Unsteady blade pressures on a propfan: Predicted and measured compressibility effects
[BTN-94-EIX94401358996] p 578 A94-61652
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613
- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics p 104 N94-15866
- Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
- A fast computing method for the flow over high-lift wings p 49 N94-18437
- A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116
- Refraction of high frequency noise in an arbitrary jet flow p 284 N94-23464
- Unsteady jet flow computation towards noise prediction
[NASA-CR-194449] p 247 N94-23553
- Three dimensional study of an airplane wing and its wake in the subsonic regime
[ISBN-0-315-58963-9] p 252 N94-24178
- Sub-sonic flow about a slender profile in a tunnel having perforated walls
[AD-A273184] p 291 N94-25137
- Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991

- Influence of the transonic doublet in the farfield of a lifting airfoil p 295 N94-26702
 [IAR-AN-78] p 295 N94-26702
 Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
 The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion p 380 N94-30124
 [NASA-CR-195327] p 380 N94-30124
 Numerical investigation into high-angle-of-attack leading-edge vortex flow p 381 N94-30388
 [PB94-125564] p 381 N94-30388
 Aspects of the modeling and numerical simulation of leading-edge vortex flow p 420 N94-30492
 [AD-B179108] p 420 N94-30492
 A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design p 420 N94-30493
 [NLR-TP-92524-U] p 420 N94-30493
 An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 456 N94-32475
 [NASA-CR-195301] p 456 N94-32475
 Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion p 498 N94-32867
 [NASA-CR-182296-VOL-1] p 498 N94-32867
 Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data p 498 N94-32869
 [NASA-CR-182296-VOL-2] p 498 N94-32869
 Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations p 568 N94-36950
 [NASA-TM-4573] p 568 N94-36950
- SUBSONIC FLUTTER**
 Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
 Aeroelastic vibrations of lifting surfaces p 437 N94-31677
 [ECL-91-01] p 437 N94-31677
 Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls p 581 N94-36436
 [NASA-CR-196103] p 581 N94-36436
- SUBSONIC SPEED**
 Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435
 Simulated high speed flight effects on supersonic jet noise p 203 A94-11351
 [AIAA PAPER 93-4388] p 203 A94-11351
 Aerodynamic characteristics of the HL-20 p 544 A94-60395
 [BTN-94-EIX9431137055] p 544 A94-60395
 Performance seeking control: Program overview and future directions p 103 N94-14855
 [NASA-TM-4531] p 103 N94-14855
 Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92 p 39 N94-15681
 [NASA-TM-4488] p 39 N94-15681
 Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control p 41 N94-16571
 [NASA-TM-106371] p 41 N94-16571
 Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds p 42 N94-16573
 [NASA-TP-3360] p 42 N94-16573
 Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line p 42 N94-16574
 [NASA-TP-3359] p 42 N94-16574
 Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results p 253 N94-24464
 [NASA-TP-3358] p 253 N94-24464
 Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
 Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds p 297 N94-27955
 [ESDU-93034] p 297 N94-27955
 Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds p 299 N94-28076
 [ESDU-93015] p 299 N94-28076
 Examples of flight path optimisation using a multivariate gradient-search method p 328 N94-28092
 [ESDU-93021] p 328 N94-28092
 Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study p 459 N94-33119
 [NASA-CR-195297] p 459 N94-33119
 HSCT high-lift technology requirements p 462 N94-33523
 Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot -- conducted in the Ames 80 by 120 foot wind tunnel p 527 N94-35965
 Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust -- conducted in the Langley 14 by 22 foot subsonic wind tunnel p 601 N94-37505
 [NASA-TP-3427] p 601 N94-37505

SUBSONIC WIND TUNNELS

- Super low turbulence subsonic wind tunnels p 128 A94-10448
 Wall interference correction based on interface measurements in subsonic wind tunnel testing p 26 N94-11154
 Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade p 42 N94-16913
 [AD-A267208] p 42 N94-16913
 User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system p 44 N94-17639
 [NASA-TM-109027] p 44 N94-17639
 Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels p 295 N94-26706
 [NASA-TM-4514] p 295 N94-26706
 Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel p 344 N94-26815
 [PB94-126539] p 344 N94-26815
 The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility p 401 N94-28749
 [NASA-TM-106495] p 401 N94-28749
 User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel p 381 N94-30176
 [NASA-TM-109062] p 381 N94-30176
 Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades p 448 N94-32042
 [AD-A277297] p 448 N94-32042
 National facilities study. Volume 2: Task group on aeronautical research and development facilities report p 542 N94-34633
 [NASA-TM-109855] p 542 N94-34633
 Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel p 543 N94-34919
 [NASA-TM-106545] p 543 N94-34919
 Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual p 526 N94-35246
 [NASA-TM-4563] p 526 N94-35246
- SUBSTRATES**
 High definition TV projection via single crystal faceplate technology p 501 N94-33768
 [AD-A277850] p 501 N94-33768
- SUCTION**
 Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade p 42 N94-16913
 [AD-A267208] p 42 N94-16913
 Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model p 491 N94-32870
 [NASA-TM-107582] p 491 N94-32870
 Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations p 501 N94-33897
 [NASA-CR-4599] p 501 N94-33897
 Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
 The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
 [AD-A280444] p 524 N94-34972
 Unsteady flow field of large-amplitude pitching airfoils p 569 N94-37219
 [AD-A280444] p 569 N94-37219
- SUD AVIATION AIRCRAFT**
 Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system p 337 N94-25516
 [AD-A273818] p 337 N94-25516
- SULFIDES**
 Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers p 146 N94-11107
 [AD-A264079] p 146 N94-11107
- SULFUR**
 Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460
- SUPERCHARGERS**
 Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine p 237 N94-22391
 [DE94-000907] p 237 N94-22391
 Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1 p 359 N94-27984
 [NASA-CR-187158] p 359 N94-27984
 Nozzle guide vane flow in radial inflow turbines p 486 N94-34460
- SUPERCOMPUTERS**
 Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan p 169 N94-10861
 [NAL-TM-648T] p 169 N94-10861
 Introduction to the LaRC central scientific computing complex p 243 N94-22100
 [NASA-TM-104092-REV-1] p 243 N94-22100
 Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316
 A method of user interface for NWT p 415 N94-28993

- Information system for flow simulation based on the Navier-Stokes equations vectorization p 444 N94-30763
 [AD-B179293] p 444 N94-30763
- SUPERCONDUCTING DEVICES**
 Improvement of azimuthal homogeneity in permanent-magnet bearing rotors p 171 N94-11607
 [DE93-009954] p 171 N94-11607
- SUPERCONDUCTING MAGNETS**
 Operation of a test bed axial-gap brushless dc rotor with a superconducting stator p 236 N94-21830
 [DE93-019167] p 236 N94-21830
 Second International Symposium on Magnetic Suspension Technology, part 2 p 546 N94-35902
 [NASA-CP-3247-PT-2] p 546 N94-35902
- SUPERCONDUCTIVITY**
 Processing yttrium barium copper oxide superconductor in near-zero gravity p 550 A94-60951
 [BTN-94-EIX94311332378] p 550 A94-60951
- SUPERCONDUCTORS (MATERIALS)**
 Processing yttrium barium copper oxide superconductor in near-zero gravity p 550 A94-60951
 [BTN-94-EIX94311332378] p 550 A94-60951
 Development of passive superconducting bearings. Phase 3 p 169 N94-10706
 [AD-A266050] p 169 N94-10706
 Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993 p 527 N94-35826
 [AD-A278859] p 527 N94-35826
- SUPERCritical AIRFOILS**
 Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
 [J8-300: An advanced medium size transport for 2005] p 261 N94-24401
 [NASA-CR-195499] p 261 N94-24401
 Calculation of viscous drag of two low angle of attack supercritical profiles p 292 N94-26104
 [FFA-TN-1984-22] p 292 N94-26104
 Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil p 292 N94-26191
 [AD-A274867] p 292 N94-26191
 Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility p 363 N94-28350
 Steady pressure measurements on an Aeroelastic Research Wing (ARW-2) p 374 N94-28658
 [NASA-TM-109046] p 374 N94-28658
- SUPERCritical FLUIDS**
 Measurement of diffusion in fluid systems: Applications to the supercritical fluid region p 548 A94-60131
 [BTN-94-EIX94311330660] p 548 A94-60131
 Structure and penetration of a supercritical fluid jet in supersonic flow p 549 A94-60268
 [BTN-94-EIX94321333317] p 549 A94-60268
- SUPERCritical WINGS**
 X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
 Physical properties of the benchmark models program p 85 N94-15722
 [NASA-TM-4457] p 85 N94-15722
 High lift and the forward swept wing p 89 N94-18436
 Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing p 252 N94-24295
 [NASA-TM-4526] p 252 N94-24295
 Wind tunnel investigation of propan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7 p 301 N94-28316
- SUPERFLUIDITY**
 Superfluid turbulence p 172 N94-12307
- SUPERHERMODYNE RECEIVERS**
 FM interference in radio navigation receivers p 222 N94-22219
- SUPERHIGH FREQUENCIES**
 Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results p 181 N94-15649
 [AD-A267105] p 181 N94-15649
- SUPERSONIC AIRCRAFT**
 Overview of high performance aircraft propulsion research p 99 A94-12001
 [SAE PAPER 921983] p 99 A94-12001
 Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows p 550 A94-60421
 [BTN-94-EIX94351142128] p 550 A94-60421
 Turbulence modeling of free shear layers for high-performance aircraft p 114 N94-12799
 [NASA-CR-193659] p 114 N94-12799
 High flux heat exchanger p 175 N94-13730
 [AD-A266341] p 175 N94-13730
 Advanced fuel properties: A computer program for estimating property values p 403 N94-28901
 [AD-A275248] p 403 N94-28901

- Numerical analysis of supersonic transport wings
p 375 N94-28959
- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- HSR combustion analytical research
p 497 N94-33483
- High performance jet-engine flight test data base for HSR
p 511 N94-33493
- Overview of NASA HSR high-lift program
p 461 N94-33518
- HSR high lift research program: Status and plans
p 461 N94-33521
- HSCT high lift system aerodynamic requirements
p 461 N94-33522
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- SUPERSONIC AIRFOILS**
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- SUPERSONIC BOUNDARY LAYERS**
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139
- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292
- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression
p 32 N94-13556
- Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code
[AD-A267000] p 181 N94-15632
- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257
- Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- SUPERSONIC COMBUSTION**
- Experimental investigation on supersonic combustion.
II p 97 A94-10702
- Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion
p 159 A94-12397
- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266
- Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames
[BTN-94-EIX94321333324] p 546 A94-60275
- Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields
[BTN-94-EIX94351142134] p 521 A94-60427
- Direct simulation of compressible wall-bounded turbulence
p 172 N94-12294
- Theories of turbulent combustion in high speed flows
[AD-A265735] p 147 N94-12403
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- A technique for direct measurement of skin friction in supersonic combustion flow
p 32 N94-13555
- Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer
[ONERA-NT-1992-11] p 149 N94-14194
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication
[AD-A267667] p 149 N94-14962
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215
- Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580
- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748
- Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607
- Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion
[AD-A272808] p 273 N94-22914
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model
p 358 N94-27911
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor
p 399 N94-29300
- Fuel-rich catalytic combustion of a high density fuel
[NASA-TP-3281] p 407 N94-29356
- Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion
[NASA-CR-189581] p 493 N94-32868
- Turbulent reacting flows and supersonic combustion
[AD-A277462] p 496 N94-33242
- Low emissions combustor technology for high-speed civil transport engines
p 479 N94-33481
- LeRC in-house experimental research
p 497 N94-33484
- Rich burn combustor technology at Pratt and Whitney
p 479 N94-33486
- AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746
- SUPERSONIC COMBUSTION RAMJET ENGINES**
- A review of European hypersonic facilities
p 126 A94-10423
- Full Navier-Stokes analysis of an axisymmetric scramjet inlet
p 10 A94-10855
- Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle
[IAF PAPER 93-480] p 137 A94-11259
- Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- Inviscid parametric analysis of three-dimensional inlet performance
[BTN-94-EIX94401358980] p 578 A94-61636
- Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370
- Numerical simulation of the flow through a scramjet engine
p 100 N94-10425
- An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- A technique for direct measurement of skin friction in supersonic combustion flow
p 32 N94-13555
- Flight testing of airbreathing hypersonic vehicles
[NASA-TM-4524] p 140 N94-15753
- Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532
- NASA/USRA advanced design program
[NASA-CR-195548] p 262 N94-24492
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle
p 320 N94-25113
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer
[AD-A273834] p 331 N94-25617
- A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model
p 358 N94-27911
- Numerical study on the interaction between scramjet engine modules caused by thermal choke
p 395 N94-28960
- Research and Development of Ram/Scramjets and Turboramjets in Russia
[AD-A275588] p 397 N94-29291
- Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors
p 398 N94-29292
- Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features
p 398 N94-29295
- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct
p 398 N94-29296
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor
p 399 N94-29300
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems
p 399 N94-29301
- Liquid atomization in supersonic flows
p 414 N94-29839
- Computational study of generic hypersonic vehicle flow fields
[NASA-CR-195938] p 466 N94-34277
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687
- SUPERSONIC COMMERCIAL AIR TRANSPORT**
- The evolution of the high-speed civil transport
[NASA-TM-109089] p 372 N94-26155
- SUPERSONIC CRUISE AIRCRAFT RESEARCH**
- Status of the variable diameter centerbody inlet program
p 473 N94-33509
- SUPERSONIC DRAG**
- Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions
[NASA-TM-109016] p 29 N94-13172
- Overview of NASA HSR high-lift program
p 461 N94-33518
- SUPERSONIC FLIGHT**
- Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001
- Preliminary supersonic flight test evaluation of performance seeking control
[NASA-TM-4494] p 100 N94-11205
- The problem of the sonic boom for future high-speed transport aircraft
[ESA-TT-1286] p 206 N94-13692
- Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855
- An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899
- Design and analysis of low boom concepts at Langley Research Center
p 510 N94-33470
- Sonic boom prediction and minimization using computational fluid dynamics
p 510 N94-33472
- Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's
p 510 N94-33475
- SUPERSONIC FLOW**
- Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry
p 11 A94-10934
- Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body
p 11 A94-10935
- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer
p 11 A94-10936
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems
p 12 A94-10956
- Supersonic flow of a viscous gas past the front surface of plane blunt bodies
p 12 A94-10957
- Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows
[SAE PAPER 921926] p 13 A94-11975
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- Propulsion streamtubes in supersonic flow and supercritical intake cowl
p 17 A94-12200
- Multiple-zone potential solutions around wing-body configurations
p 17 A94-12343
- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Fluid dynamics and noise emission associated with supersonic jets
p 204 A94-12394
- Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow
p 17 A94-12649
- A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation
p 18 A94-12795
- Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177
- Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268
- Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields
[BTN-94-EIX94351142134] p 521 A94-60427
- Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363

High speed transition prediction
[NASA-CR-194125] p 31 N94-13422

An experimental investigation of shock wave/vortex interaction
p 175 N94-13574

Development of a general purpose multidig accelerated Navier-Stokes solver
p 179 N94-14613

A new Lagrangian method for three-dimensional steady supersonic flows
[NASA-TM-106068] p 37 N94-14847

Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows
[AGARD-R-792] p 179 N94-15196

Unsteady phenomena in shock wave/boundary layer interaction
p 180 N94-15200

Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551

Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222

Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260

Single block three-dimensional volume grids about complex aerodynamic vehicles
[NASA-TM-108986] p 183 N94-17476

Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack
[NASA-CR-189103] p 44 N94-17558

An investigation of oblique shock/boundary layer interaction control
[AD-A268106] p 44 N94-17574

Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609

Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607

Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114

Direct simulation of isothermal-wall supersonic channel flow
p 252 N94-24164

Effects of shock strength on shock turbulence interaction
p 278 N94-24165

Numerical solutions of the complete Navier-Stokes equations
[NASA-CR-194780] p 350 N94-24858

Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592

A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991

Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow
p 298 N94-28039

Solution of the Euler equations using unstructured grids
p 304 N94-28338

Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

Higher-order accurate numerical simulation of 3D supersonic mixing layers
p 375 N94-28954

Numerical simulation of supersonic flow around space plane with engine installed
p 376 N94-28961

Study on mixing and injection of hydrogen into a supersonic flow
p 377 N94-28975

Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor
p 399 N94-29300

Liquid atomization in supersonic flows
p 414 N94-29839

Shock-dependent, optimum thrust wings in supersonic flow
p 425 N94-32027

Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867

Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869

Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883

An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques
[NASA-CR-195302] p 458 N94-32926

A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930

Response of a cantilevered plate in supersonic flow
[AD-A277487] p 471 N94-33107

Turbulent reacting flows and supersonic combustion
[AD-A277462] p 496 N94-33242

New broadband shock noise model and computer code for ANOPP
p 511 N94-33489

First Annual High-Speed Research Workshop, part 4
[NASA-CP-10087-PT-4] p 461 N94-33517

NASA F-16XL supersonic laminar flow control program overview
p 462 N94-33525

Supersonic LFC: Challenges and opportunities
p 462 N94-33526

Status of F16XL SSLFC numerical design validation
p 462 N94-33527

Code validation for the simulation of supersonic viscous flow about the F-16XL
p 463 N94-33528

Inviscid and viscous flow calculations for the F16XL configuration
p 463 N94-33529

Supersonic HLFC: Potential benefits and technology development requirements
p 463 N94-33531

A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow
[AD-A278550] p 464 N94-33782

A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360

A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945

Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511

SUPERSONIC FLUTTER

Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342

Aerothrustelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055

Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 N94-31677

SUPERSONIC HEAT TRANSFER

Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles
p 375 N94-28955

SUPERSONIC INLETS

Research on the engineering application of the anti-swirl measures in engine/inlet compatibility
[BTN-94-EIX94381353571] p 577 A94-61459

Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet
[BTN-94-EIX94381353570] p 577 A94-61460

Boundary conditions for unsteady supersonic inlet analyses
[BTN-94-EIX94421374964] p 593 A94-61862

Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551

Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept
p 473 N94-33508

Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352

SUPERSONIC JET FLOW

Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349

Simulated high speed flight effects on supersonic jet noise
[AIAA PAPER 93-4388] p 203 A94-11351

The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353

Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354

Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635

Control of jet noise
[NASA-CR-193612] p 205 N94-11176

Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208

Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484

Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274

Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464

The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177

Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow
p 298 N94-28039

Liquid atomization in supersonic flows
p 414 N94-29839

Theoretical aspects of supersonic jet noise
p 510 N94-33469

Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686

SUPERSONIC NOZZLES

Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy
p 10 A94-10856

Control of jet noise
[NASA-CR-193612] p 205 N94-11176

Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458

Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208

Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215

Supersonic minimum length nozzle design for dense gases
p 250 N94-23656

NASA HSR phase 1 low noise nozzle technology program overview
p 478 N94-33463

HSCT nozzle source noise programs at Pratt and Whitney
p 509 N94-33465

HSCT noise reduction technology development at GE Aircraft Engines
p 509 N94-33466

A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945

SUPERSONIC SPEED

Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395

A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705

A computational study of the base region flow field for the M865 projectile
p 33 N94-13795

Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117

Numerical prediction of transition of the F-16 wing at supersonic speeds
[NASA-CR-194407] p 51 N94-19433

Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759

Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336

Flight test results of riblets at supersonic speeds
[NASA-TM-4387] p 458 N94-32880

New broadband shock noise model and computer code for ANOPP
p 511 N94-33489

Status of an inlet configuration trade study for the Douglas HSCT
p 473 N94-33506

HSCT high-lift technology requirements
p 462 N94-33523

Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950

An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729

SUPERSONIC TRANSPORTS

HSCT engine research makes steady gains
p 97 A94-10347

Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006

Mach 2 and more
[BTN-94-EIX94401216108] p 569 A94-61787

Supersonic airplane study and design
[NASA-CR-193219] p 80 N94-11150

Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572

Proceedings of the Twentieth Annual Technologyfest
p 92 N94-20188

Simplified, inverse, ejector design tool
[NASA-CR-194438] p 248 N94-23511

The atmospheric effects of stratospheric aircraft: A third program report
[NASA-RP-1313] p 282 N94-24104

- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301
- An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- Integrated design and manufacturing for the high speed civil transport
[NASA-CR-195511] p 318 N94-24968
- High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
- Preliminary design of nine high speed civil transports p 322 N94-25710
- Supercruiser Arrow HS-8 p 322 N94-25711
- Tesseract supersonic business transport p 322 N94-25713
- Combustion for future supersonic transport propulsion p 404 N94-29249
- A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields
[NASA-TM-106551] p 459 N94-32984
- First Annual High-Speed Research Workshop, part 1
[NASA-CP-10087-PT-1] p 460 N94-33447
- First Annual HSR Program Workshop: Headquarters perspective p 471 N94-33448
- NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
- Update on Douglas' high-speed civil transport studies p 471 N94-33450
- General Electric/Pratt and Whitney summary report p 478 N94-33451
- Headquarters summary reports p 471 N94-33452
- Airframe systems studies review p 472 N94-33453
- Douglas Aircraft HSCT status and future research needs p 472 N94-33454
- High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455
- Overview of Langley systems studies p 472 N94-33456
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460
- First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462
- NASA HSR phase 1 low noise nozzle technology program overview p 478 N94-33463
- HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- HSCT design for reduced sonic boom p 472 N94-33471
- Sonic boom configuration minimization p 472 N94-33473
- The NASA sponsored HSCT propulsion studies p 479 N94-33476
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport p 479 N94-33477
- P and W/GE propulsion systems studies introduction p 479 N94-33478
- Results of GEAE HSCT propulsion system studies p 479 N94-33479
- P and W propulsion systems studies results/status p 479 N94-33480
- Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485
- Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept p 473 N94-33508
- Status of the variable diameter centerbody inlet program p 473 N94-33509
- HSCT integrated propulsion control issues p 480 N94-33510
- Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- Airframe materials for HSR p 497 N94-33514
- HSCT airframe materials: The Boeing perspective p 497 N94-33515
- HSCT materials and structures: An MDC perspective p 497 N94-33516
- Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352
- Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324
- Project report: Aircraft -- atmospheric effects of stratospheric aircraft
[DE94-011759] p 596 N94-37155
- Synthetic vision display evaluation studies
[NASA-CR-194963] p 603 N94-37658
- SUPERSONIC TURBINES**
- Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics
[BTN-94-EIX9432133305] p 516 A94-60037
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades [PB93-226223] p 274 N94-23114
- Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- SUPERSONIC WAKES**
- Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- SUPERSONIC WIND TUNNELS**
- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
- Advanced diagnostics research for high speed aerodynamic testing
[SAE PAPER 922007] p 158 A94-12011
- Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel
[NASA-CR-194259] p 33 N94-14030
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication
[AD-A267667] p 149 N94-14962
- Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
- Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel
[NASA-TM-106470] p 280 N94-24362
- A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945
- SUPERSONICS**
- Integrated design and manufacturing for the high speed civil transport
[NASA-CR-195511] p 318 N94-24968
- SUPPORT INTERFERENCE**
- Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- SUPPORT SYSTEMS**
- FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual
[NASA-TM-106247] p 134 N94-15819
- Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
- Flight command software development: RAFALE studies p 415 N94-29320
- Training and operations support system (TOPS) p 599 N94-37344
- SUPPORTS**
- A semi-analytical method to correct for support effects on wind tunnel models p 124 A94-10412
- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
- Installation of models in the 2 m x 3 m low speed wind tunnel
[LTR-LA-286] p 345 N94-27594
- Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809
- Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- SUPPRESSORS**
- High speed jet noise research at NASA Lewis p 509 N94-33464
- SURFACE CRACKS**
- Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691
- Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- SURFACE DEFECTS**
- Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691
- SURFACE ENERGY**
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- SURFACE FINISHING**
- Oxidation resistant protective coating system for gas turbine components and process for penetration thereof [CA-PATENT-1,294,155] p 230 N94-21143
- Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
- Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320
- SURFACE GEOMETRY**
- Automatic procedures for computing complete configuration geometry from individual component descriptions
[NASA-TM-4607] p 568 N94-36942
- SURFACE LAYERS**
- A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465
- SURFACE NAVIGATION**
- Perception for outdoor navigation
[AD-A266867] p 68 N94-14919
- Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474
- Automatic control steps for aircraft taxi guidance p 388 N94-29584
- SURFACE NOISE INTERACTIONS**
- Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
- SURFACE PROPERTIES**
- Friction evaluation of concrete paver blocks for airport pavement applications
[SAE PAPER 922013] p 129 A94-12017
- SURFACE ROUGHNESS**
- Influence of two-dimensional imperfections on laminar flow
[SAE PAPER 921990] p 13 A94-12004
- An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117
- Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results
[AD-A267105] p 181 N94-15649
- Turbulence modeling in aircraft icing p 185 N94-18555
- Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
- Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522
- Interface evaluation in ceramic composites p 271 N94-24231
- Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion
[NASA-CR-195330] p 381 N94-30152
- Experiments and theoretical considerations regarding the allowable roughness height in laminar flow [PB94-125556] p 381 N94-30389
- SURFACE ROUGHNESS EFFECTS**
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- SURFACE TEMPERATURE**
- Analysis of the effect of heat strips on boundary layer development over a flat plate
[SAE PAPER 921923] p 12 A94-11972
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104

- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194599] p 39 N94-15678
- Aerodynamic heating in hypersonic flows p 296 N94-27919
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
- Dual-band infrared imaging for quantitative corrosion detection in aging aircraft [DE94-004187] p 431 N94-30687
- Heat transfer studies on a rectangular channel with offset plate fins [AD-A277300] p 452 N94-32043
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations [NASA-CR-4599] p 501 N94-33897
- Correlation of analytical and experimental hot structure vibration results [NASA-TM-104269] p 576 N94-36644
- SURFACE TREATMENT**
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900
- Evaluation of the Hughes conversion coating touch-up pen [AD-A278398] p 496 N94-33166
- SURFACE VEHICLES**
- Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- SURFACE WATER**
- Performance of prefabricated geocomposite subdrainage system in an airport runway [DOT/FAA/RD-93/23] p 268 N94-23303
- SURFACE WAVES**
- Hydro-elastic analysis using a selection of commercial analysis programs [PB94-118734] p 281 N94-24478
- SURFACES**
- Staff warning using contamination detecting aerodynamics [SAE PAPER 922010] p 14 A94-12014
- Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677
- SURGES**
- Development of a pressure wave simulator for surge interaction testing p 127 A94-10441
- Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129
- Stall inception and development in an axial flow aeroengine [BTN-94-EIX94311330088] p 591 A94-61131
- Unstable behavior of low and high-speed compressors [BTN-94-EIX94311330086] p 591 A94-61133
- An investigation of the surge behavior of a high-speed ten-stage axial flow compressor [AD-A274910] p 332 N94-26345
- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- SURVEILLANCE**
- Cockpit video: A low cost BDA source [AD-A275228] p 395 N94-29389
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Airside ground movements surveillance p 388 N94-29585
- Aerial robotic data acquisition system [DE94-009114] p 506 N94-33938
- SURVEILLANCE RADAR**
- Analysis and surveillance performance at Chicago O'Hare Airport [DOT/FAA/RD-92/29] p 256 N94-24127
- Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- GPS/GNSS for ATM p 385 N94-29565
- Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- SURVEYS**
- Quantitative low-speed wake surveys [BTN-94-EIX94311329113] p 520 A94-60187
- Survey to determine the value of DYNA [DE93-012390] p 198 N94-10267
- Maximizing participation of women in collegiate aviation education [NIAR-93-14] p 210 N94-17261
- A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159
- Evaluation of the UH-1N instrument panel [AD-A273145] p 263 N94-24774
- General aviation activity survey [AD-A273284] p 289 N94-24923
- Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system [AD-A276160] p 431 N94-31080
- Aircraft communication and navigation systems and communication and navigation systems [AD-A277309] p 435 N94-32328
- A review of an updated synthesis of noise/annoyance relationships [NASA-CR-194950] p 513 N94-34303
- SURVIVAL**
- Aircraft evacuation testing: Research and technology issues [PB94-107620] p 255 N94-24750
- SUSPENDING (HANGING)**
- Behavior of a cargo suspended under a helicopter p 71 A94-11041
- SUSPENSION SYSTEMS (VEHICLES)**
- Decoupling system for Airbus A340 G.V.T p 79 A94-12482
- Vibration isolating engine mount [CA-PATENT-1-320-710] p 275 N94-23215
- Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- SWEAT COOLING**
- Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965
- SWEEP EFFECT**
- Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds [ESDU-93019] p 300 N94-28140
- SWEEP FREQUENCY**
- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- SWEPT FORWARD WINGS**
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Pressure measurements on a forward-swept wing-canard configuration [BTN-94-EIX94311329149] p 516 A94-60151
- X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
- X-29: Experiment in flight [NASA-TM-109454] p 85 N94-15327
- High lift and the forward swept wing p 89 N94-18436
- X-29: Research aircraft [NASA-TM-109370] p 91 N94-18962
- Experimental study on interference aerodynamics of close-coupled canard configuration [AD-A267760] p 52 N94-19963
- Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767
- SWEPT WINGS**
- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- Numerical simulation of entry flow over blunt swept-wing planes p 9 A94-10772
- Streamline-curvature effect in three-dimensional boundary layers [SAE PAPER 921987] p 13 A94-12003
- Three-dimensional boundary layer stability and transition [SAE PAPER 921991] p 13 A94-12005
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2 [SAE PAPER 921994] p 13 A94-12006
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- Calculation of three-dimensional low Reynolds number flows [BTN-94-EIX94401358973] p 565 A94-61629
- Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- Physics of forebody flow control [NASA-CR-193626] p 26 N94-11195
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control p 174 N94-13073
- [NASA-CR-4531] p 174 N94-13073
- Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-R-792] p 179 N94-15196
- Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments [NASA-CR-177626] p 40 N94-15780
- Comparison between swept and delta canards on a model of a combat aircraft [AD-A269561] p 88 N94-17826
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings p 49 N94-18440
- Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
- Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing [NASA-TM-4526] p 252 N94-24295
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Steady pressure measurements on an Aeroelastic Research Wing (ARW-2) [NASA-TM-109046] p 374 N94-28658
- The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion [NASA-CR-195327] p 380 N94-30124
- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion [NASA-CR-195330] p 381 N94-30152
- Numerical analysis of transonic wing buffet p 487 N94-32713
- NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525
- Supersonic LFC: Challenges and opportunities p 462 N94-33526
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- Will the real dynamic instability mechanism please be recognized! p 552 N94-34976
- The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- SWEPTBACK WINGS**
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
- Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing [NASA-CR-191193] p 401 N94-28510
- SWING WINGS**
- Supercruiser Arrow HS-8 p 322 N94-25711
- SWIRLING**
- Research on the engineering application of the anti-swirl measures in engine/inlet compatibility [BTN-94-EIX94381353571] p 577 A94-61459
- SWITCHES**
- Two dimensional simulation of the electric arc behavior in a cut-off device [ECL-92-41] p 233 N94-20595
- SWITCHING**
- An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator [AD-A271769] p 242 N94-20926
- SYMBOLS**
- A comparison of three aircraft attitude display symbology structures [AD-A275172] p 394 N94-29048
- SYMMETRICAL BODIES**
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- SYMMETRY**
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- SYNCHRONISM**
- Structural modeling: An application framework and development process for flight simulators [AD-A271348] p 136 N94-19880
- Loran-C time management p 427 N94-30644
- Runtime support for data parallel tasks [AD-A280899] p 558 N94-35240

SYNCHRONOUS MOTORS

- Flow and heat transfer model for a rotating cryogenic motor
[DE94-001151] p 238 N94-22405
- Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways
[ETN-94-95734] p 446 N94-31575

SYNCHRONOUS PLATFORMS

- Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814

SYNCHRONOUS SATELLITES

- Commonality of flight control systems for support of European telecommunications missions
p 277 N94-23834

SYNOPTIC METEOROLOGY

- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
- The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271

SYNTHESIS (CHEMISTRY)

- Primaset (tm): A safer material for aircraft interior applications
p 54 N94-10772

SYNTHETIC APERTURE RADAR

- Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar
p 94 A94-12565
- AIRSAT South American deployment: Operation plan, version 3.0
p 201 N94-15919
- Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations
p 232 N94-20427

- A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion
[DE94-008456] p 507 N94-34382

SYNTHETIC RUBBERS

- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107

SYSTEM EFFECTIVENESS

- Denver TMA assessment
[NASA-CR-4554] p 59 N94-18844
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- Operational agility
[AGARD-AR-314] p 474 N94-33875
- The Federal Aviation Administration plan for research, engineering and development
p 561 N94-35262
- An analysis of operational suitability for test and evaluation of highly reliable systems
[AD-A278573] p 530 N94-36184

SYSTEM FAILURES

- Future concepts for maintenance and the increasing role of on-board maintenance
[SAE PAPER 921921] p 93 A94-11971
- Spoiler actuator - Problem investigation
[SAE PAPER 922005] p 107 A94-12009
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258

SYSTEM GENERATED ELECTROMAGNETIC PULSES

- TEM cell safety report
[DREO-TN-93-9] p 269 N94-24123

SYSTEM IDENTIFICATION

- An analytic modeling and system identification study of rotor/fuselage dynamics at hover
p 118 N94-13312
- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics
p 120 N94-13324
- Improved modeling of GPS selective availability
p 314 N94-27290
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF)
p 346 N94-27908
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring
p 540 N94-34619
- An overview of recent advances in system identification
p 546 N94-35880

SYSTEMS ANALYSIS

- The methods of systems analysis and optimization for the aneroid barometric altimeter
p 92 A94-10114
- Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010

- System dynamics simulation based on structural modification analysis using response techniques
p 161 A94-12536

- Design implementation and testing of a Helicopter Integrated Navigation System (HINS)
p 64 A94-12564
- Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack
p 533 N94-34614

- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126

SYSTEMS ENGINEERING

- Discussions of standardization systems engineering and its research (working) objects
p 193 A94-10112
- Developing a framework for concurrency by capturing systems engineering rational using a Process Modelling Methodology
[AIAA PAPER 93-4489] p 195 A94-11422
- System dynamics simulation based on structural modification analysis using response techniques
p 161 A94-12536

- New techniques for aircraft flight control reconfiguration
p 110 A94-12615
- Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062

- Progress in multidisciplinary design optimization at NASA Langley
[NASA-TM-107754] p 198 N94-10814

- National Airspace System operational concept
[DOT/FAA/SE-93/1] p 66 N94-10933
- Hypersonic overview
p 34 N94-14154
- Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684

- An overview of a generic multi-sensor integrated navigation system design
[CTN-94-60916] p 256 N94-24120
- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics technology. Volume 2: Avionics systems engineering
[AD-A273630] p 263 N94-24733

- Integrated design and manufacturing for the high speed civil transport
[NASA-CR-195511] p 318 N94-24968
- New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193

- Appendix A: Proposed statement of work, 1994
p 351 N94-25194
- Technology drivers for flight telerobotic system software
p 367 N94-26289

- Compressor stability
p 360 N94-28046
- Transient model applications. 1: Compressor heat soak/clearance effects modeling
p 361 N94-28048
- Development of the gas turbine. Part 1: Design philosophy and performance
p 362 N94-28080

- Steam plant: Steam turbines for combined cycles
p 362 N94-28085

- On ground system integration and testing: A modern approach
p 394 N94-29334
- A disciplined approach to software test and evaluation
p 416 N94-29339

- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems
p 388 N94-29582
- A review of the status and capabilities of Navstar GPS
[AD-B174629] p 430 N94-30854

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313
- Research and technology, 1993
[NASA-TM-106376] p 455 N94-33046

- Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095

- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543

- Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762

SYSTEMS INTEGRATION

- Partitioning of centralized integrated flight/pulsion control design for decentralized implementation
p 97 A94-10283
- Design and piloted simulation of integrated flight/pulsion controls for STOVL aircraft
p 107 A94-10801

- Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010

- Technology integration in advanced commercial aircraft cockpits and operational systems
p 95 A94-12621

- On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05] p 69 N94-17921

- Integrated Airframe Design Technology
[AGARD-R-794] p 259 N94-24313

- Multi-disciplinary coupling for integrated design of propulsion systems
p 266 N94-24326
- On ground system integration and testing: A modern approach
p 394 N94-29334

- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance
[REPT-932-600-104] p 412 N94-29474

- Air-ground integration of the ATM system in PHARE
p 388 N94-29579

- The Automated Aircraft Rework System (AARS): A system integration approach
[AIAA PAPER 94-1225-CP] p 450 N94-30574

- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 N94-32312

- Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270] p 442 N94-32403

- Overview of Langley systems studies
p 472 N94-33456

- Propulsion airframe integration session overview and review of Lewis PAI efforts
p 479 N94-33503

- HSCT inlet development issues
p 472 N94-33505
- Transonic airframe propulsion integration
p 480 N94-33507

- HSCT integrated propulsion control issues
p 480 N94-33510

- Specifications of auxiliary power units for conformity with helicopter turboshaft engines
p 484 N94-34441

- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807

SYSTEMS MANAGEMENT

- PILOT - An intelligent distributed system manager
[AIAA PAPER 93-4474] p 195 A94-11411
- Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373

SYSTEMS SIMULATION

- The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services
p 195 A94-11360

- NPSNET - Flight simulation dynamic modeling using quaternions
p 197 A94-11770
- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems
p 388 N94-29582

SYSTEMS STABILITY

- Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method
p 161 A94-12531

- System observer techniques in robust control systems design synthesis
p 198 A94-12764
- New output feedback design in variable structure systems
[BTN-94-EIX94381311173] p 597 A94-61260

- Stability and stability degree of a cracked flexible rotor supported on journal bearings
p 503 N94-34193

T**T TAIL SURFACES**

- Experimental and theoretical studies of T-tail configurations for commuter aircraft applications
p 329 N94-28322

T-38 AIRCRAFT

- Static aerelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951

T-39 AIRCRAFT

- Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128

T-53 ENGINE

- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes
[NASA-CR-191047] p 538 N94-34993

TABS (CONTROL SURFACES)

- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles
[NASA-TM-106450] p 249 N94-23592

- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
- Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
- Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394
- TAIL ASSEMBLIES**
- Low-speed wind tunnel tests on four types of joined-wing aircraft models [NAL-TR-1167] p 29 N94-13340
- Apparatus and method for improving spin recovery on aircraft [NASA-CASE-LAR-14747-1] p 227 N94-20556
- Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332
- Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- Experimental and theoretical studies of T-tail configurations for commuter aircraft applications p 329 N94-28322
- A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587
- Damage tolerance management of the X-29 vertical tail p 531 N94-34595
- Aerodynamic design of super maneuverable aircraft p 533 N94-34617
- TAIL ROTORS**
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837
- TAIL SURFACES**
- Tail load calculations for light airplanes [BTN-94-EIX94311329148] p 517 A94-60152
- TAILLESS AIRCRAFT**
- NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589
- TAKEOFF**
- Advanced takeoff procedures for high-speed civil transport community noise reduction [SAE PAPER 921939] p 73 A94-11979
- Takeoff performance monitoring system display options [BTN-94-EIX94401358988] p 577 A94-61644
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling p 334 N94-28018
- Overview of NASA HSR high-lift program p 461 N94-33518
- Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD) [AD-A278675] p 540 N94-35796
- The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- TAKEOFF RUNS**
- Take-off performance monitoring system algorithm and display development [NLR-TP-91395-U] p 88 N94-17734
- System for generating, aboard an aircraft, during takeoff, of a signal capable of producing an alert or an alarm, in case of malfunction [CA-PATENT-APPL-SN-2,018,94] p 306 N94-26293
- TANDEM ROTOR HELICOPTERS**
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- TANKER AIRCRAFT**
- Spare parts analysis of the MK.32B-751 AAR pod [DSIS-93-00737] p 200 N94-13549
- Future tanker considerations and requirements p 575 N94-36342
- Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344
- The KDC-10 programme of the Royal Netherlands Air Force p 575 N94-36346
- CC-130(H) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- TARGET ACQUISITION**
- Cooperative Area Passive Tracking Systems (CAPTS) p 63 A94-12558
- Aircraft windscreens enhance visual search disruption produced by laser glare [AD-A265167] p 82 N94-11892
- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements [AD-A267192] p 191 N94-15851
- Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 N94-24220
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Effective declutter of complex flight displays using stereoscopic 3-D cueing [AD-A279764] p 473 N94-33536
- Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618
- Laser designation pods optimized concept for day/night operations p 594 N94-36620
- Infrared search and track demonstrator programme p 599 N94-36622
- TARGET DRONE AIRCRAFT**
- AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
- TARGET RECOGNITION**
- Cooperative Area Passive Tracking Systems (CAPTS) p 63 A94-12558
- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements [AD-A267192] p 191 N94-15851
- Zernike moments and rotation invariant object recognition. A neural network oriented case study [AD-A273749] p 353 N94-26011
- ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- TASKS**
- Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator p 107 A94-12090
- Cognitive approach to specifications on air traffic controllers' decision assistance systems p 386 N94-29571
- Considerations on graphical user interfaces for intelligent ATM support systems p 386 N94-29572
- TAXIING**
- A study of parallel pier finger airport terminal configuration [ISBN-0-315-83128-6] p 229 N94-22425
- System for automatic transportation of aircraft on the ground [CA-PATENT-1-322-361] p 341 N94-24785
- Automatic control steps for aircraft taxi guidance p 388 N94-29584
- Airside ground movements surveillance p 388 N94-29585
- A novel near-range radar network for airport surface control p 389 N94-29586
- Evaluation for the development of taxiway lighting intensity standards p 440 N94-32120
- Improved taxiway exit identification system [AD-A277892] p 490 N94-33538
- TAYLOR SERIES**
- A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275
- TECHNOLOGICAL FORECASTING**
- Future test facility requirements and the role of heavy gas p 124 A94-10402
- Current status and some future test directions for the U.S. National Transonic Facility p 124 A94-10404
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE [ISBN 0-7918-0662-6] p 162 A94-12651
- Expectations for the future of Fokker p 4 N94-15127
- Expectations for the future of military aviation p 4 N94-15128
- Expectations for the future of the National Aerospace Laboratory p 134 N94-15129
- TECHNOLOGIES**
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-006] p 553 N94-35226
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-005] p 553 N94-35342
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia [JPRS-UST-94-012] p 553 N94-35387
- TECHNOLOGY ASSESSMENT**
- Subsystem integration technology assessment methodology [SAE PAPER 922006] p 197 A94-12010
- Data, decisions, and cockpit technology [SAE PAPER 922049] p 93 A94-12035
- Introduction - The science and technology of NDE p 162 A94-12658
- Implementation of NDE technology on flight structures p 163 A94-12673
- Tactical cockpits: The coming revolution [BTN-94-EIX94331335530] p 530 A94-60211
- Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129
- Expectations for the future of the National Aerospace Laboratory p 134 N94-15129
- An overview of the NASA textile composites program p 150 N94-16846
- Metals 2000 [DE93-016761] p 151 N94-17752
- Survey of lift-fan aerodynamic technology [NASA-CR-177615] p 224 N94-21592
- Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics technology. Volume 2: Avionics systems engineering [AD-A273630] p 263 N94-24733
- The future of rotary-wing aircraft p 320 N94-25070
- US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities p 289 N94-25097
- Combustion technology needs for advanced high pressure cycle engines p 404 N94-29248
- A review of the status and capabilities of Navstar GPS [AD-B174629] p 430 N94-30854
- Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
- Combustor technology for small aircraft engines p 485 N94-34453
- Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344
- TECHNOLOGY TRANSFER**
- Survey to determine the value of DYNA [DE93-012390] p 198 N94-10267
- Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799
- Wind climate and urban geometry [ISBN-9-03-860132-8] p 364 N94-25261
- Cleanroom engineering handbook. Volume 1: Cleanroom engineering process introduction and overview [AD-A275949] p 439 N94-31356
- Research and technology, 1993 [NASA-TM-106376] p 455 N94-33046
- TECHNOLOGY UTILIZATION**
- Radio Technical Commission for Aeronautics, Technical Symposium, Phoenix, AZ, Nov. 16-18, 1992. Proceedings p 1 A94-11625
- The autonomous airplane concept [SAE PAPER 921918] p 53 A94-11968
- What kind of evolution for the helicopter p 1 A94-12041
- Avionics for new generation helicopters p 94 A94-12229
- Adaptive structural control and isolation of simple structural members p 62 A94-12533
- Issues for GNSS-based precision approach p 63 A94-12552
- Low altitude navigation and approach requirements V/STOL and CTOL p 63 A94-12553
- GPS relative navigation - An alternative precision approach aid p 64 A94-12568
- High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
- The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611
- Research and technology, 1993 [NASA-TM-106376] p 455 N94-33046
- TECTONICS**
- Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia [NASA-CR-195897] p 470 N94-33534
- TELECOMMUNICATION**
- The increasing role of communication satellites in commercial aircraft operations [SAE PAPER 921920] p 61 A94-11970
- TELEMETRY**
- Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084
- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- TELEROBOTICS**
- Technology drivers for flight telerebotic system software p 367 N94-26289
- TELESCOPES**
- Aircraft system aft telescope cavity configuration study for Stratospheric Observatory for Infrared Astronomy (SOFIA), phase 2 [NASA-CR-194266] p 392 N94-29685
- TELSTAR SATELLITES**
- Charge efficiency of Ni/H2 cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

TEMPERATURE CONTROL

- A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- Evaluation of cooling concepts for high power avionics applications
[SAE PAPER 921942] p 157 A94-11981
- Turbine wheel relative temperature at freerun conditions
[SAE PAPER 921949] p 158 A94-11988
- An engineering code to analyze hypersonic thermal management systems
p 276 N94-23636
- Fuels combustion research
[AD-A275122] p 404 N94-29004
- Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200
- Airframe materials for HSR
p 497 N94-33514
- Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074

TEMPERATURE DEPENDENCE

- Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature
p 203 A94-11029
- Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94341338360] p 550 A94-60352
- Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893

TEMPERATURE DISTRIBUTION

- Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
- Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-015757] p 202 N94-20316
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
- The mixing process in the quenching zone of the rich-lean-combustion concept
p 407 N94-29281
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines
p 485 N94-34455

TEMPERATURE EFFECTS

- The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels
p 128 A94-10443
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- Fault diagnosis in gas turbines using a model-based technique
[BTN-94-EIX94311331071] p 589 A94-61107
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280
- NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow
p 298 N94-28039
- Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271
- Computational study of single-expansion-ramp nozzles with external burning
[NASA-TM-106550] p 446 N94-31229
- Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378

TEMPERATURE GRADIENTS

- NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- TEMPERATURE MEASUREMENT**
- Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow
p 17 A94-12649
- Raman measurements at the exit of a combustor sector
[BTN-94-EIX94341338356] p 546 A94-60348
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- Local measurement of temperatures and concentrations: A review for hypersonic flows
p 20 N94-10434
- Overview of the 1989 Wind Tunnel Calibration Workshop
[NASA-TP-3393] p 131 N94-11869
- An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade
[ISBN-0-315-60791-2] p 30 N94-13369
- Recent flight-test results of optical airdata techniques
[NASA-TM-4504] p 96 N94-13791
- Overview of microphysical and state parameter measurements from FIRE 2
p 240 N94-22293
- Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
- Surface hot film measurements at ATTAS laminar glove
p 224 N94-22598
- Testing of a multisensor hot film technique in wind tunnel and free flight
p 218 N94-22599
- Droplet turbulence interactions under subcritical and supercritical conditions
p 274 N94-23036
- Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 N94-25184
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401
- TEMPERATURE SENSORS**
- Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912
- Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401
- TENSILE PROPERTIES**
- Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- TENSILE STRENGTH**
- An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy
[SAE PAPER 922040] p 141 A94-12030
- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft
p 163 A94-12784
- Development of stitched/RTM composite primary structures
p 494 N94-33127
- TENSILE TESTS**
- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results
p 164 A94-12906
- Development of test methods for textile composites
p 150 N94-16862
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance
p 239 N94-22609
- Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
- Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- TERCOM**
- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831

TERMINAL FACILITIES

- Airport terminals: Optimum configurations and gate position requirement
[ISBN-0-315-61722-5] p 132 N94-13544
- Terminal area forecasts, FY 1993-2005
[AD-A269855] p 70 N94-18336
- Passenger terminal level of service measurement: A utility theoretic approach
[ISBN-0-315-59037-8] p 228 N94-22418
- Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423
- A study of parallel pier finger airport terminal configuration
[ISBN-0-315-83128-6] p 229 N94-22425
- The design of a long-range megatransport aircraft
p 323 N94-25718
- Cockpit Electronic Display Workshop: A synopsis
[AD-A277728] p 477 N94-33280

TERMINAL GUIDANCE

- Evaluation of the capacity and delay benefits of terminal air traffic control automation
[AD-A265323] p 67 N94-11863

TERMINOLOGY

- Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425

TERMS

- Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425

TERRAIN

- Digital terrain modelling for research and development simulations
[SAE PAPER 921979] p 1 A94-11999
- Measures for simulator evaluation of a helicopter obstacle avoidance system
p 131 N94-11535
- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results
[AD-A267105] p 181 N94-15649
- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851
- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300
- Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069

TERRAIN ANALYSIS

- Design and analysis of a Kalman filter for terrain-referenced positioning and guidance
[BTN-94-EIX94311329124] p 557 A94-60176
- Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453

TERRAIN FOLLOWING AIRCRAFT

- Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962

TEST CHAMBERS

- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- Unitary plan wind tunnel landmark dedication and revitalization
[NASA-TM-109649] p 212 N94-15434
- Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076
- A modernised HST of NLR
[AD-B179220] p 402 N94-30423

TEST EQUIPMENT

- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
- Airport pavement test machine design and cost study
[DOT/FAA/CT-93/51] p 268 N94-24072

TEST FACILITIES

- Future test facility requirements and the role of heavy gas
p 124 A94-10402
- Review of TsAGI wind tunnels
p 124 A94-10403
- Current status and some future test directions for the U.S. National Transonic Facility
p 124 A94-10404
- The new Italian transonic pilot tunnel
p 124 A94-10406
- Recent enhancements to the DRA shock tunnel
p 127 A94-10426

- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities p 6 A94-10436
- A unique facility to support cryogenic wind tunnel operations p 128 A94-10444
- Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator p 107 A94-12090
- Aircraft material fire testing and the creation of an international working group p 145 N94-10790
- A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility [AD-A267739] p 133 N94-14876
- Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication [AD-A267667] p 149 N94-14962
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1 [AD-A267833] p 135 N94-17405
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings [AD-A268386] p 135 N94-17569
- TEM cell safety report [DREO-TN-93-9] p 269 N94-24123
- NASA Lewis Research Center lean-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141
- The development of a horizontal impact sled facility and subsequent crashworthiness experiments [NIAR-93-15] p 343 N94-26200
- Research and test facilities [NASA-TM-109685] p 344 N94-26684
- Description of the Experimental Avionics Systems Integration Laboratory (EASILY) [NASA-TM-109072] p 344 N94-27425
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems p 359 N94-28010
- CIAM experimental turboramjets High Heat Flux Facility [NASA-TM-109834] p 490 N94-33570
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory [NASA-TM-106577] p 491 N94-33604
- National Facilities study [NASA-TM-109851] p 491 N94-34071
- National facilities study. Volume 1: Facilities inventory [NASA-TM-109854] p 541 N94-34632
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report [NASA-TM-109855] p 542 N94-34633
- TEST FIRING**
- A computational study of the base region flow field for the M865 projectile [ARL-TR-109] p 33 N94-13795
- TEST STANDS**
- A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- Advanced Turbine Technology Applications Project (ATTAP) [NASA-CR-195366] p 209 N94-12931
- The ISL rotor bench [ISL-R-108/92] p 321 N94-25301
- Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel [NASA-TM-108801] p 290 N94-26596
- Technology rigs: A tool for afterburner development p 397 N94-29270
- TETRAGONS**
- Low-speed wind tunnel tests on four types of joined-wing aircraft models [NAL-TR-1167] p 29 N94-13340
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin [NAL-TR-1169] p 30 N94-13341
- TETRAHEDRONS**
- Tetrahedral lander [NASA-CASE-MSC-22082-1] p 229 N94-20590
- Dynamic mesh adaption for triangular and tetrahedral grids p 243 N94-22363
- TEXTILES**
- Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- An overview of the NASA textile composites program p 150 N94-16846
- Development of test methods for textile composites p 150 N94-16862
- Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121
- Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134
- Advanced textile applications for primary aircraft structures p 496 N94-33135
- Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136
- Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- TEXTS**
- Report of the workshops: Automated generation of electronic technical manuals [AD-A278046] p 514 N94-33401
- TEXTURES**
- Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- THEODORSEN TRANSFORMATION**
- Conceptual design of a stopped rotor with flap controls p 108 A94-12108
- THERMAL ANALYSIS**
- Three-dimensional thermal analysis for laser-structural interactions [BTN-94-EIX94351142117] p 560 A94-60410
- New two-temperature dissociation model for reacting flows [BTN-94-EIX94351142137] p 560 A94-60430
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine [BTN-94-EIX94311330100] p 587 A94-61058
- Fire resistance and mechanical properties for phenolic preregs p 145 N94-10786
- Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide [NASA-CR-191183] p 178 N94-14445
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
- The Fifth Annual Thermal and Fluids Analysis Workshop [NASA-CP-10122] p 276 N94-23634
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495
- Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual [NASA-CR-194461] p 357 N94-27776
- Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual [NASA-CR-194462] p 409 N94-28815
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster [NASA-TM-104272] p 564 N94-36648
- THERMAL BUCKLING**
- Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420
- THERMAL CONDUCTIVITY**
- Three-dimensional thermal analysis for laser-structural interactions [BTN-94-EIX94351142117] p 560 A94-60410
- Low-expansion ceramics initiative [DE93-011860] p 146 N94-11106
- THERMAL CONTROL COATINGS**
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072
- High-temperature behavior of advanced spacecraft TPS [NASA-CR-195832] p 492 N94-34063
- THERMAL DEGRADATION**
- Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- THERMAL EMISSION**
- Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- THERMAL ENERGY**
- Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 N94-29262
- THERMAL ENVIRONMENTS**
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000
- THERMAL EXPANSION**
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
- JPRS report: Science and technology. Central Eurasia: Materials science [JPRS-UMS-93-006] p 149 N94-14573
- THERMAL FATIGUE**
- Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- THERMAL INSULATION**
- A unique facility to support cryogenic wind tunnel operations p 128 A94-10444
- Liquid tight insulation for high temperature aircraft ducting [SAE PAPER 921914] p 98 A94-11967
- A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems p 143 N94-10769
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank [NASA-TM-104273] p 281 N94-24495
- High-temperature behavior of advanced spacecraft TPS [NASA-CR-195832] p 492 N94-34063
- THERMAL PROTECTION**
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20 [BTN-94-EIX94351137058] p 544 A94-60398
- NASA/USRA advanced design program [NASA-CR-195548] p 262 N94-24492
- Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- High-temperature behavior of advanced spacecraft TPS [NASA-CR-195832] p 492 N94-34063
- Active cooling from the sixties to NASP [NASA-TM-109079] p 605 N94-37541
- THERMAL RADIATION**
- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
- THERMAL RESISTANCE**
- Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649
- THERMAL STABILITY**
- Liquid lubricants for advanced aircraft engines p 142 A94-12653
- Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers [AD-A264079] p 146 N94-11107
- A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy [AD-A269035] p 152 N94-18489
- Broad specification fuels combustion technology program, phase 2 [NASA-CR-191066] p 350 N94-27854
- High temperature resistant jet fuels p 405 N94-29260
- Research and development of high thermal stability fuels p 405 N94-29261
- Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 N94-29262

- Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505
- Interferometric JFTOT tube deposit measuring device
[AD-D016295] p 604 N94-37768
- THERMAL STRESSES**
- HEG - A new shock tunnel for high enthalpies
p 127 A94-10427
- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
- A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles
p 358 N94-27920
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- Research and development of high thermal stability fuels
p 405 N94-29261
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- THERMOCHEMICAL PROPERTIES**
- Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901
- Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion
[NASA-CR-189581] p 493 N94-32868
- THERMOCHEMISTRY**
- Particle simulation of hypersonic flow
[AD-A267185] p 40 N94-15787
- THERMOCOUPLES**
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
- Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186
- Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 N94-16157
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow
[AD-A278550] p 464 N94-33782
- THERMODYNAMIC CYCLES**
- Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142
- Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- A technique for integrating engine cycle and aircraft configuration optimization
[NASA-CR-191602] p 325 N94-26606
- Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874
- THERMODYNAMIC EFFICIENCY**
- New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- Materials performance in advanced combustion systems
[BTN-94-EIX94311331065] p 584 A94-61113
- Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470
- Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine
p 266 N94-24253
- Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874
- THERMODYNAMIC PROPERTIES**
- Primaset (tm): A safer material for aircraft interior applications
p 54 N94-10772
- Development of methodologies for the estimation of thermal properties associated with aerospace vehicles
p 358 N94-27920
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program
p 510 N94-33482
- THERMODYNAMICS**
- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204
- Lewis Research Center R and D Facilities
[NASA-TM-109400] p 287 N94-23135
- THERMOELASTICITY**
- Damage assessment in MMC composites using thermoelastic techniques
p 142 A94-12993
- THERMOGRAPHY**
- Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system
p 160 A94-12415
- Desirable features of an infrared imaging system for aerodynamic research
p 160 A94-12423
- Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
- Perspective and future possibilities
p 186 N94-18651
- Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
- Dual-band infrared imaging for quantitative corrosion detection in aging aircraft
[DE94-004187] p 431 N94-30687
- THERMOGRAVIMETRY**
- Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575
- THERMOMECHANICAL TREATMENT**
- Maintaining constant standards during the forging process
p 586 N94-33726
- THERMOPLASTIC RESINS**
- Applications of continuous fiber reinforced thermoplastics in aircraft interiors
p 143 N94-10775
- Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry
p 144 N94-10777
- Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860
- Characterization and manufacture of braided composites for large commercial aircraft structures
p 496 N94-33137
- THERMOPLASTICITY**
- New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission
p 143 N94-10767
- Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
- THESES**
- Automation of formation flight control
[AD-A274137] p 340 N94-27132
- THICK PLATES**
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- THICKNESS**
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
- THIN AIRFOILS**
- Robust control design techniques for active flutter suppression
p 541 N94-35875
- THIN FILMS**
- NRL review for 1993
[AD-A265666] p 211 N94-12334
- Aerodynamic heating in hypersonic flows
p 296 N94-27919
- THIN PLATES**
- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results
p 164 A94-12906
- Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A266350] p 149 N94-13697
- THIN WALLED SHELLS**
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist
[HTN-94-00296] p 609 A94-62425
- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front
p 279 N94-24246
- THIN WINGS**
- Precision requirement for potential-based panel methods
[BTN-94-EIX94301315995] p 515 A94-60031
- Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855
- Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856
- THREAT EVALUATION**
- Sensor data fusion for air to air situation awareness beyond visual range
p 598 N94-36633
- THREE DIMENSIONAL BODIES**
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems
p 12 A94-10956
- The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques
p 475 N94-34356
- THREE DIMENSIONAL BOUNDARY LAYER**
- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack
p 12 A94-10954
- Streamline-curvature effect in three-dimensional boundary layers
[SAE PAPER 921987] p 13 A94-12003
- Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005
- Transition correlations in three-dimensional boundary layers
[BTN-94-EIX94301315968] p 547 A94-60004
- Curvature effects in three-dimensional boundary layers
p 173 N94-12623
- Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180
- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422
- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression
p 32 N94-13556
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings
p 49 N94-18440
- Transition for three-dimensional, compressible boundary layers
p 363 N94-28327
- Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft
p 302 N94-28329
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature
[NASA-CR-4579] p 412 N94-29460
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages
[NASA-CR-4269] p 498 N94-32871
- Linear stability theory and three-dimensional boundary layer transition
p 463 N94-33530
- THREE DIMENSIONAL COMPOSITES**
- Weaving new strength into composites
p 141 A94-10084
- THREE DIMENSIONAL FLOW**
- Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets
p 97 A94-10318
- Numerical analysis of the flow field through a turbine stage with tip clearance
p 6 A94-10356
- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio
p 6 A94-10357
- A simple and efficient solution for the Riemann problem
p 155 A94-10749
- Numerical simulation of three-dimensional hypersonic viscous flows
p 9 A94-10771
- Calculation of three-dimensional flow of a viscous gas in a straight cascade
p 11 A94-10927

Comparative study of McCormack and TVD McCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows [SAE PAPER 921926] p 13 A94-11975

An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066

Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889

A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe p 18 A94-12892

New multigrid approach for three-dimensional unstructured, adaptive grids [BTN-94-EIX94301315973] p 559 A94-60009

Three-dimensional closure of the passage-averaged vorticity-potential formulation [BTN-94-EIX94301315991] p 547 A94-60027

Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields [BTN-94-EIX94351142134] p 521 A94-60427

Calculation of three-dimensional low Reynolds number flows [BTN-94-EIX94401358973] p 565 A94-61629

Computation of three-dimensional hypersonic flows in chemical nonequilibrium [BTN-94-EIX94401358982] p 566 A94-61638

Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449

Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014

Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298

VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades [CUEDE/A-TURBO/TR.128] p 173 N94-12777

Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control [NASA-CR-4531] p 174 N94-13073

Three-dimensional structure of straight and curved plane wakes [NASA-CR-194420] p 29 N94-13266

An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541

Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606

A new Lagrangian method for three-dimensional steady supersonic flows [NASA-TM-106068] p 37 N94-14847

Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199

Numerical investigations in three-dimensional internal flows [NASA-CR-194594] p 180 N94-15551

Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074

Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows [NASA-TM-106399] p 216 N94-20534

An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411

Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D) [NASA-TM-105974] p 220 N94-21590

The 3D Euler solutions using automated Cartesian grid generation p 243 N94-22367

Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055

Effects of crenulations on three dimensional losses in a linear compressor cascade [AD-A273778] p 352 N94-25862

Program to develop a performance and heat load prediction system for multistage turbines [NASA-CR-195223] p 332 N94-26588

An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients [NASA-CR-195705] p 299 N94-28072

Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665

Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics [NAL-SP-19] p 375 N94-28946

Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976

Application of flow field simulation to turbine vane design p 395 N94-28978

Three-dimensional external flow computations using prismatic grid p 410 N94-28979

An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981

A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall [AD-A275416] p 377 N94-29197

Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255

Time-resolved measurements in a three dimensional model combustor p 411 N94-29283

RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534

Unsteady transonic aerodynamics in frequency domain for flutter analysis p 379 N94-29879

The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion [NASA-CR-195327] p 380 N94-30124

The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387

Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack [AD-A276485] p 446 N94-31476

A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828

Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931

A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971

An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion [NASA-CR-195301] p 456 N94-32475

Inlet distortion in engines on VSTOL aircraft [NASA-CR-195841] p 477 N94-33035

Some aspects of unsteady separation p 525 N94-34979

A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994

THREE DIMENSIONAL MODELS

Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofol testing through the speed of sound p 6 A94-10435

CFD-based three-dimensional turbofan exhaust nozzle analysis system p 98 A94-10857

CFD analysis of ejection seat escape systems [SAE PAPER 921924] p 12 A94-11973

Numerical analysis of turbine blade tip treatments [SAE PAPER 921928] p 13 A94-11976

Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3 [NAL-TR-1168-PT-3] p 28 N94-12948

Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 [NASA-CR-191189] p 103 N94-14448

Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278

Single block three-dimensional volume grids about complex aerodynamic vehicles [NASA-TM-108986] p 183 N94-17476

The GARTEUR high lift research programme p 48 N94-18430

Robust unstructured grid generation with VGRID p 243 N94-22359

Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954

Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967

Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

Development of a three-dimensional icing model for predicting ice accretion on aircraft [ONERA-NT-1993-5] p 426 N94-31230

Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464

Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel [AR93-2] p 582 N94-36437

THREE DIMENSIONAL MOTION

A study of the compressible flow through a diffusing S-duct [NASA-TM-106411] p 217 N94-21591

THROATS

Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept [NASA-TP-3411] p 465 N94-34172

THROTTLING

Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane [NASA-TM-4590] p 540 N94-35258

THRUST

Effects of thrust line offset on neutral point determination in flight testing [BTN-94-EIX94311329127] p 518 A94-60173

Shock-dependent, optimum thrust wings in supersonic flow p 425 N94-32027

Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874

Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients [NASA-TM-4591] p 535 N94-35241

THRUST AUGMENTATION

Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle [NASA-TM-106448] p 225 N94-21563

Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle [NASA-TM-106418] p 226 N94-21759

THRUST BEARINGS

Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607

An air bearing system for small high speed gas turbines p 505 N94-34466

THRUST CONTROL

Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane [NASA-TM-4503] p 115 N94-13254

Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297

A four-axis hand controller for helicopter flight control p 117 N94-13305

Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory [NASA-TM-106577] p 491 N94-33604

Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326

THRUST MEASUREMENT

An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust p 127 A94-10440

Simulating indirect thrust measurement methods as used on modern high-bypass turbofans [ISBN-0-315-84123-0] p 332 N94-26673

THRUST REVERSAL

MD-11 in-flight thrust reverser simulation p 72 A94-11358

A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034

Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel [NASA-TP-3427] p 601 N94-37505

THRUST VECTOR CONTROL

Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744

Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics p 17 A94-12074

Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability [NASA-TM-4450] p 24 N94-10675

Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502

Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle [NASA-TP-3369] p 41 N94-16572

Equations of motion of a hinged body over a spherical earth [AD-A268408] p 87 N94-17435

Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver [AD-A27532] p 224 N94-21418

Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap [NASA-TP-3385] p 217 N94-21569

Thrust vectoring theory, laboratory and flight tests p 266 N94-24251

Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107

Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905

Vectored jets-induced interference on aircraft, prediction and verification p 359 N94-28012

Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013

A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034

Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept [NASA-TM-34111] p 465 N94-34172

Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611

Aerodynamic design of super maneuverable aircraft p 533 N94-34617

X-31A control law design p 540 N94-34618

X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619

X-31 tactical utility: Initial results p 533 N94-34620

Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD) [AD-A278675] p 540 N94-35796

THRUST-WEIGHT RATIO

Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability [NASA-TM-4450] p 24 N94-10675

The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380

TILT ROTOR AIRCRAFT

The tilt wing advantage - For high speed VSTOL aircraft [SAE PAPER 921911] p 72 A94-11966

Merging the two ends of the VTOL spectrum p 75 A94-12082

EUROFAR simulation trials on EPOPEE simulator p 77 A94-12097

A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm p 77 A94-12098

Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture [HTN-94-00290] p 609 A94-62419

Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758

Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320

Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323

XV-15: Tiltrotor [NASA-TM-109455] p 85 N94-15328

Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796

Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953

Design optimization of high-speed prop rotor aircraft [NASA-TM-103988] p 324 N94-26151

Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917

Civil tiltrotor market penetration: Effects on Northeast corridor airport delay [AD-A277534] p 467 N94-32955

The convertible (helicopter/airplane) EUROFAR: General considerations on the technical progress and on future advances p 574 N94-36331

Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls [NASA-CR-196103] p 581 N94-36436

Analysis of vertiport studies funded by the Airport Improvement Program (AIP) [SCT-93RR-21] p 583 N94-37424

TILT ROTOR RESEARCH AIRCRAFT PROGRAM

XV-15: Tiltrotor [NASA-TM-109455] p 85 N94-15328

TILT WING AIRCRAFT

The tilt wing advantage - For high speed VSTOL aircraft [SAE PAPER 921911] p 72 A94-11966

Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320

Design optimization of high-speed prop rotor aircraft [NASA-TM-103988] p 324 N94-26151

Piloted simulation study of two tilt-wing flap control concepts, phase 2 [NASA-TM-108817] p 488 N94-33998

1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion [NASA-CP-10134] p 561 N94-35961

Piloted simulation study of two tilt-wing control concepts p 541 N94-35962

TILTING ROTORS

Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758

XV-15: Tiltrotor [NASA-TM-109455] p 85 N94-15328

Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades [NASA-TM-108758] p 317 N94-24953

Design optimization of high-speed prop rotor aircraft [NASA-TM-103988] p 324 N94-26151

TILTMETERS

Evaluation of the prototype dual-axis wall attitude measurement sensor [NASA-TM-109056] p 354 N94-26707

TIME

A time reasoning system based on the event calculus for scheduling in aeronautic maintenance [REPT-932-710-101] p 374 N94-29463

TIME CONSTANT

Rime-, mixed- and glaze-ice evaluations of three scaling laws [NASA-TM-106461] p 255 N94-24047

Automation of formation flight control [AD-A274137] p 340 N94-27132

TIME DEPENDENCE

Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205

TIME DIVISION MULTIPLEXING

VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384

TIME LAG

Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 N94-13300

Handling qualities effects of display latency p 95 N94-13316

Primary display latency criteria based on flying qualities and performance data p 119 N94-13318

Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued) [NLR-TP-92156-U] p 393 N94-30342

Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655

A comparison of several GPS data reduction methods p 429 N94-30662

Ionospheric corrections to precise time transfer using GPS p 429 N94-30677

TIME MARCHING

Multiple-zone potential solutions around wing-body configurations p 17 A94-12343

Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877

TIME MEASUREMENT

Loran-C time management p 427 N94-30644

GPS common-view time transfer p 428 N94-30648

Time and position accuracy using codeless GPS p 428 N94-30650

Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655

Some applications of GPS timing information p 429 N94-30661

A comparison of several GPS data reduction methods p 429 N94-30662

Cesium and rubidium frequency standards status and performance on the GPS program p 429 N94-30663

Comparison of LASSO and GPS time transfers p 429 N94-30665

TIME OPTIMAL CONTROL

Significance of the dihedral effect in rapid fuselage-reorientation maneuvers [BTN-94-EIX94401358971] p 571 A94-61627

TIME SERIES ANALYSIS

Structural analysis of airborne flux estimates over a region [HTN-94-00748] p 609 A94-62441

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345

MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter [AD-A274820] p 313 N94-26493

A combined approach to buffet response analyses and fatigue life prediction p 551 N94-34587

TIME SHARING

Ada multiple-programming for hard real time applications in space systems p 368 N94-26730

TIME SIGNALS

Comparison of LASSO and GPS time transfers p 429 N94-30665

Ionospheric corrections to precise time transfer using GPS p 429 N94-30677

TIME TEMPERATURE PARAMETER

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366

TIP SPEED

Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel [PB93-215382] p 217 N94-22260

An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299

Tipjet 80-inch model rotor hover test: Test no. 1198 [AD-A279680] p 567 N94-36261

TIRES

The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029

A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266

Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151

TITANIUM

Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649

Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650

Applications of Titanium Matrix Composite to large aircraft structure p 585 N94-36651

SCS-6 (tm) fiber reinforced titanium p 585 N94-36652

Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655

TITANIUM ALLOYS

Advances in cost effective processing of titanium p 141 A94-10659

Powder metallurgy of advanced titanium alloys p 141 A94-10660

Modelling of the hot-working of high performance alloys p 141 A94-10670

Environmental effects in titanium aluminides alloys p 141 A94-10678

NDE of titanium alloy MMC rings for gas turbine engines [NASA-TM-106188] p 148 N94-13138

Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2 [AD-A274410] p 349 N94-26978

Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings [AD-B174765] p 435 N94-30914

Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707

Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649

Alternate melting and refining routes p 585 N94-37323

Maintaining constant standards during the forging process p 586 N94-37326

TITANIUM COMPOUNDS

Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines [AD-A272998] p 225 N94-21268

TOLERANCES (MECHANICS)

A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 [AD-A267532] p 87 N94-17117

Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation [AD-A274777] p 353 N94-26186

Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation [AD-A274778] p 353 N94-26357

NASA-UVA light aerospace alloy and structures technology program (LA2ST) [NASA-CR-195275] p 357 N94-27851

Assessment of impact damage in composite structures [AD-A277063] p 444 N94-32265

Tension fracture of laminates for transport fuselage, Part 1: Material screening p 495 N94-33130

Damage tolerance management of the X-29 vertical tail p 531 N94-34595

- Turbine disks: Lifting against defects and materials development p 595 N94-37329
- TOLUENE**
- Fuels combustion research [AD-A275122] p 404 N94-29004
- TOMOGRAPHY**
- Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
- The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen [DE94-011609] p 606 N94-37629
- TOOLING**
- Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2 [AD-A274410] p 349 N94-26978
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877
- TOPOGRAPHY**
- Error analysis of real time and post processed or bit determination of GFO using GPS tracking [NASA-CR-193646] p 67 N94-13238
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 1, January 1993 [JPRS-UAC-93-007] p 212 N94-19147
- Detecting topographical regions in digital terrain maps [AD-A272889] p 240 N94-21453
- Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport [AD-A274213] p 366 N94-27069
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13 [AD-A276980] p 441 N94-32319
- TOPOLOGY**
- WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721
- TORQUE**
- Effects of propeller on the turning flight of old fighters p 106 A94-10798
- Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- Effects of propeller on the turning of old fighters [BTN-94-EIX94361135426] p 537 A94-60623
- A novel rotary actuator for spacecraft p 277 N94-24034
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- Dynamics of a split torque helicopter transmission [NASA-TM-106410] p 596 N94-37457
- TORQUE MOTORS**
- Reconfigurable aircraft stick control [AD-D016043] p 344 N94-27113
- TORSION**
- On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061
- Technology integration box beam failure study p 494 N94-33126
- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis [NASA-TM-104006] p 523 N94-34948
- TORSIONAL STRESS**
- Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85 p 158 A94-12109
- TORSIONAL VIBRATION**
- A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- TOTAL ENERGY SYSTEMS**
- Optimum flight trajectory guidance based on total energy control of aircraft [BTN-94-EIX94381311167] p 579 A94-61254
- TOUCH**
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms [DE93-019221] p 70 N94-19300

TOUGHNESS

- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223

TOWED BODIES

- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task [AD-A278464] p 487 N94-33543

TOWERS

- Study of bridge design and technology [PB94-137916] p 373 N94-29160

TOXICITY

- Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126
- Toxic emissions from aircraft engines: A search of available literature [PB94-156486] p 482 N94-34400
- Toxic emissions from aircraft firefighting training: A search of available literature [NASA-156783] p 507 N94-34409

TOXICITY AND SAFETY HAZARD

- Environmentally Safe and Effective Processes for Paint Removal [AGARD-R-791] p 166 N94-10613
- Fire behavior of aeronautical materials [REPT-932-600-105] p 408 N94-29457
- Toxic emissions from aircraft firefighting training: A search of available literature [PB94-156783] p 507 N94-34409

TRACE CONTAMINANTS

- Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335

TRACE ELEMENTS

- Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335

TRACKING (POSITION)

- Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
- Cooperative Area Passive Tracking Systems (CAPTS) p 63 A94-12558
- On the generalization of true proportional navigation [BTN-94-EIX94401377808] p 570 A94-61769
- Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
- A flight test system design for the microwave landing system p 222 N94-22156
- ACCOS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Fuzzy-neural control of an aircraft tracking camera platform p 507 N94-32423
- Effective declutter of complex flight displays using stereoptic 3-D cueing [AD-A279764] p 473 N94-33536
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
- Aeroservoelastic stabilization considerations for pointing and tracking systems p 594 N94-36627
- Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633

TRACKING PROBLEM

- The tracking control of nonlinear uncertain systems p 489 N94-34331

TRAFFIC CONTROL

- The potential of a nonsolicited position report p 60 A94-10331

TRAILING EDGE FLAPS

- Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts p 15 A94-12062
- Conceptual design of a stopped rotor with flap controls p 108 A94-12108
- Unsteady lift of a flapped airfoil by indicial concepts [BTN-94-EIX94311329118] p 519 A94-60182
- Control effectiveness at hypersonic speeds p 112 N94-10426
- Calculation of maximum and high lift characteristics of multi element aerofoils p 46 N94-18419
- Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
- High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425

- Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver p 48 N94-18427
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- High lift and the forward swept wing p 89 N94-18436
- A fast computing method for the flow over high-lift wings p 49 N94-18437
- Calculation of multielement airfoils and wings at high lift p 49 N94-18438
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- High-lift research: Application to the design of the ATR72 flap p 89 N94-18442
- The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
- High-lift design for large civil aircraft p 89 N94-18445
- High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing [NASA-TM-4526] p 252 N94-24295
- Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- TRAILING EDGES**
- An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117
- Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
- Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897
- New aerodynamic information obtained from the solution of the inverse problem for aerofoils [NAL-TR-1172] p 25 N94-10860
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541
- The effect of the nose shape and wing location toward the wing vortex breakdown [AD-A267724] p 37 N94-14942
- Lift enhancement device [AD-D015868] p 88 N94-17704
- A design procedure for slotted flaps p 88 N94-18418
- Off-design performance of crenulated blades in a linear compressor cascade [AD-A273744] p 352 N94-25534
- Effects of crenulations on three dimensional losses in a linear compressor cascade [AD-A273778] p 352 N94-25862
- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020
- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds [ESDU-93015] p 299 N94-28076
- Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds [ESDU-93019] p 300 N94-28140
- Potential flow modelling of airfoil stall p 303 N94-28332
- Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339
- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
- Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394
- TRAINING AIRCRAFT**
- Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- Aircraft wing structure detail design [NASA-CR-195485] p 262 N94-24498
- Cockpit control system [NASA-CR-195488] p 336 N94-24957
- Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974

- Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- Fatigue design, test and in-service experience of the BAE Hawk p 531 N94-34597
- TRAINING ANALYSIS**
- SATORI: Situation Assessment Through the Re-creation of Incidents p 138 N94-12567
- [DOT/FAA/AM-93/12] p 138 N94-12567
- Modelling decision-making by pilots p 244 N94-21821
- [NASA-CR-194767] p 244 N94-21821
- The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474
- TRAINING DEVICES**
- Aircraft empennage structural detail design p 261 N94-24332
- [NASA-CR-195496] p 261 N94-24332
- Cockpit control system conceptual design p 268 N94-24551
- [NASA-CR-195543] p 268 N94-24551
- Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
- Modular Simulator System (MSS). Executive report [AD-A276966] p 440 N94-32241
- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1 p 440 N94-32312
- [AD-A276968] p 440 N94-32312
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2 p 440 N94-32313
- [AD-A276969] p 440 N94-32313
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8 p 440 N94-32314
- [AD-A276975] p 440 N94-32314
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9 p 441 N94-32315
- [AD-A276976] p 441 N94-32315
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10 p 441 N94-32316
- [AD-A276977] p 441 N94-32316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11 p 441 N94-32317
- [AD-A276978] p 441 N94-32317
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12 p 441 N94-32318
- [AD-A276979] p 441 N94-32318
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13 p 441 N94-32319
- [AD-A276980] p 441 N94-32319
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 p 442 N94-32395
- [AD-A276970] p 442 N94-32395
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 p 442 N94-32396
- [AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5 p 442 N94-32397
- [AD-A276972] p 442 N94-32397
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 p 442 N94-32398
- [AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7 p 442 N94-32399
- [AD-A276974] p 442 N94-32399
- Modular Simulator System (MSS): Interface design document for the generic MSS p 442 N94-32403
- [AD-A277270] p 442 N94-32403
- An evaluation framework for designing a night vision, computer-based trainer p 490 N94-33139
- [AD-A278005] p 490 N94-33139
- TRAINING EVALUATION**
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training p 438 N94-31179
- [AD-B179300] p 438 N94-31179
- TRAINING SIMULATORS**
- The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's' p 130 A94-12234
- An introduction to structural models p 202 N94-17429
- [AD-A268151] p 202 N94-17429
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training p 438 N94-31179
- [AD-B179300] p 438 N94-31179
- TRAJECTORIES**
- Significance of the dihedral effect in rapid fuselage-reorientation maneuvers p 571 A94-61627
- [BTN-94-EIX94401358971] p 571 A94-61627
- Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260
- Application of the A* algorithm to aircraft trajectory generation p 88 N94-18315
- [AD-A268728] p 88 N94-18315
- TRAJECTORY ANALYSIS**
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20 p 544 A94-60396
- [BTN-94-EIX94351137056] p 544 A94-60396
- Nonlinear model-following control application to airplane control p 580 A94-61672
- [BTN-94-EIX94401358166] p 580 A94-61672
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs p 572 A94-61674
- [BTN-94-EIX94401358168] p 572 A94-61674
- On the generalization of true proportional navigation p 570 A94-61769
- [BTN-94-EIX94401377808] p 570 A94-61769
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- NASA/USRA advanced design program p 262 N94-24492
- [NASA-CR-195548] p 262 N94-24492
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 p 289 N94-25096
- [NASA-CR-10127] p 289 N94-25096
- Advanced air traffic control and flight management system concepts p 387 N94-29576
- Experimental flight management system p 388 N94-29580
- TRAJECTORY CONTROL**
- Optimum flight trajectory guidance based on total energy control of aircraft p 579 A94-61254
- [BTN-94-EIX94381311167] p 579 A94-61254
- Range optimal trajectories for an aircraft flying in the vertical plane p 571 A94-61268
- [BTN-94-EIX94381311181] p 571 A94-61268
- On the generalization of true proportional navigation p 570 A94-61769
- [BTN-94-EIX94401377808] p 570 A94-61769
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle [AD-A268741] p 122 N94-18401
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29576
- The tracking control of nonlinear uncertain systems p 489 N94-34331
- Yaw control by tangential forebody blowing p 539 N94-34615
- TRAJECTORY MEASUREMENT**
- Photogrammetric methods for trajectory measurements p 174 N94-13527
- [NLR-TP-91166-U] p 174 N94-13527
- About the accuracy of an image-based navigation system during the runway approach p 69 N94-18146
- [DLR-MITT-93-01] p 69 N94-18146
- A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
- TRAJECTORY OPTIMIZATION**
- Minimum time 3-D flight trajectory computation p 106 A94-10115
- Optimal recovery from microburst wind shear p 107 A94-10803
- Optimal reentry trajectories by asymptotic matching [IAF PAPER 93-012] p 136 A94-11104
- Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- Engine's parameters complex optimization in aerospace systems p 194 A94-11249
- [IAF PAPER 93-462] p 194 A94-11249
- Optimum flight trajectory guidance based on total energy control of aircraft p 579 A94-61254
- [BTN-94-EIX94381311167] p 579 A94-61254
- Multiobjective trajectory optimization by goal programming with fuzzy decisions p 597 A94-61255
- [BTN-94-EIX94381311168] p 597 A94-61255
- Progress in multidisciplinary design optimization at NASA Langley p 198 N94-10814
- [NASA-TM-107754] p 198 N94-10814
- Trajectory optimization for the National Aerospace Plane p 86 N94-16498
- [NASA-CR-194618] p 86 N94-16498
- Application of the A* algorithm to aircraft trajectory generation p 88 N94-18315
- [AD-A268728] p 88 N94-18315
- Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization p 347 N94-27789
- [NASA-CR-195703] p 347 N94-27789
- Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29576
- TRAJECTORY PLANNING**
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation p 221 N94-21606
- [NASA-TM-4360] p 221 N94-21606
- Conflict-free trajectory planning for air traffic control automation p 306 N94-25272
- [NASA-TM-108790] p 306 N94-25272
- A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization p 347 N94-27789
- [NASA-CR-195703] p 347 N94-27789
- Air-ground integration of the ATM system in PHARE p 388 N94-29579
- Experimental flight management system p 388 N94-29580
- The PHARE advanced tools p 388 N94-29581
- The experimental flight management system: An air traffic management research tool [NLR-TP-92253-U] p 430 N94-30943
- TRANSATMOSPHERIC VEHICLES**
- Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion p 137 A94-11258
- [IAF PAPER 93-482] p 137 A94-11258
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs p 572 A94-61674
- [BTN-94-EIX94401358168] p 572 A94-61674
- Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge p 172 N94-12571
- [NASA-TM-108994] p 172 N94-12571
- Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960
- The National Aerospace Plane (NASP): Development issues for the follow-on vehicle p 471 N94-33329
- [AD-A278417] p 471 N94-33329
- TRANSDUCERS**
- Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox p 586 A94-61050
- [BTN-94-EIX94311331047] p 586 A94-61050
- TRANSFER FUNCTIONS**
- System observer techniques in robust control systems design synthesis p 198 A94-12764
- TRANSFER ORBITS**
- Optimal reentry trajectories by asymptotic matching [IAF PAPER 93-012] p 136 A94-11104
- Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- TRANSIENT HEATING**
- Arterial heat pipe performance in a transient heat flux and body force environment p 157 A94-11983
- [SAE PAPER 921944] p 157 A94-11983
- TRANSIENT PRESSURES**
- Guide to the measurement of the transient performance of aircraft turbine engines and components p 480 N94-33874
- [AD-280272] p 480 N94-33874
- TRANSIENT RESPONSE**
- Transient response of accelerating rotor systems p 162 A94-12544
- Gas Turbine Engine Transient Behaviour [VKI-LS-1993-06] p 360 N94-28043
- Transient performance p 360 N94-28045
- Transient engine simulation p 361 N94-28052
- Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269
- TRANSITION FLIGHT**
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle [AD-A272499] p 224 N94-21548
- Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- YAV-8B reaction control system bleed and control power usage in hover and transition p 540 N94-34994
- [NASA-TM-104021] p 540 N94-34994
- TRANSITION FLOW**
- Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades p 170 N94-11256
- [NASA-TM-106278] p 170 N94-11256
- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498
- Transition prediction and control in subsonic flow over a hump p 173 N94-13066
- [NASA-CR-4543] p 173 N94-13066
- High speed transition prediction p 31 N94-13422
- [NASA-CR-194125] p 31 N94-13422
- Numerical prediction of transition of the F-16 wing at supersonic speeds p 51 N94-19433
- [NASA-CR-194407] p 51 N94-19433
- Sound radiation due to boundary layer transition p 285 N94-24163
- Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature p 412 N94-29460
- [NASA-CR-4579] p 412 N94-29460

- Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885

TRANSITION POINTS

- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
Transition for three-dimensional, compressible boundary layers p 363 N94-28327

TRANSITION TEMPERATURE

- Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX9431133378] p 550 A94-60951

TRANSMISSION LINES

- Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94311337183] p 606 A94-62186
Development of an accurate transmission line fault locator using the global positioning system satellites p 428 N94-30652

TRANSMISSION LOSS

- Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results
[AD-A267105] p 181 N94-15649

TRANSMISSIONS (MACHINE ELEMENTS)

- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX94321333312] p 548 A94-60044
Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox
[BTN-94-EIX94311331047] p 586 A94-61050
Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture
[HTN-94-00290] p 609 A94-62419
Mechanical Systems Technology Branch research summary, 1985 - 1992
[AD-A276450] p 184 N94-17583
NASA/Army rotorcraft transmission research, a review of recent significant accomplishments
[NASA-TM-106508] p 351 N94-25181
Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications
[NASA-CR-195287] p 357 N94-27657
Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
Improvements in spiral-bevel gears to reduce noise and increase strength
[NASA-TM-106613] p 500 N94-33609
Comparison of transmission error predictions with noise measurements for several spur and helical gears
[NASA-TM-106647] p 502 N94-33954
Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148
Dynamics of a split torque helicopter transmission
[NASA-TM-106410] p 596 N94-37457

TRANSMITTANCE

- Materials processing apparatus development for fluoride glass
[NASA-CR-193963] p 498 N94-34388

TRANSMITTER RECEIVERS

- Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
Ground independent landing system p 385 N94-29564

TRANSMITTERS

- S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836

TRANSOCEANIC FLIGHT

- Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
p 387 N94-29577

TRANSONIC COMPRESSORS

- Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517

- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
Compact diffusers for small transonic compressors
p 485 N94-34449
Design and analysis of a highly loaded transonic compressor cascade p 505 N94-34451

TRANSONIC FLIGHT

- Transonic propulsion aerodynamics research at NASA Langley Research Center
[SAE PAPER 921937] p 72 A94-11977
The problem of the sonic boom for future high-speed transport aircraft
[ESA-TT-1286] p 206 N94-13692
Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft
[ESDU-93026-PT-3] p 362 N94-28096

TRANSONIC FLOW

- A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
Cavity drag at transonic speeds p 17 A94-12199
Nonlinear aeroelasticity p 163 A94-12694
Experimental investigation of counter-rotating propfan flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
Navier-Stokes computations for oscillating control surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
Numerical investigations on two-dimensional canard-wing aerodynamic interference
[BTN-94-EIX94401358989] p 566 A94-61645
Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783
Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204
Nonlinear aspects of transonic aeroelasticity p 19 N94-10357
Flow analysis around ONERA model M5 configuration
[PAPER-3D-2] p 23 N94-10478
Flow analysis around ONERA model M5 configuration
[PAPER-3D-3] p 23 N94-10479
Flow analysis around ONERA model M5 configuration
[PAPER-3D-4] p 23 N94-10480
Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
Nonlinear aspects of transonic aeroelasticity
[UTIAS-345] p 27 N94-11857
Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows
[ESA-TT-1278] p 174 N94-13117
An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade
[ISBN-0-315-60791-2] p 30 N94-13369
Analysis of the Harrier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
Clebbsch variable model for unsteady, transonic flow; application to 2D airfoils p 31 N94-13530
[NLR-TP-91387-U] p 31 N94-13530
A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973
Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510
Selected computations of transonic cavity flows p 40 N94-16511
Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512
Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571

- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications
[NASA-CR-194520] p 51 N94-19621
Transonic flow calculations: Integral method
[ISBN-0-315-83538-9] p 218 N94-22586
Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
Issac, Jason Cherian ses in transonic flow
[NASA-CR-194837] p 250 N94-24052
Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime
[ISBN-0-315-57633-2] p 279 N94-24177
An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade
[ISBN-0-315-84107-9] p 354 N94-26671
Influence of the transonic doublet in the farfield of a lifting airfoil
[IAR-AN-78] p 295 N94-26702
Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654
Computation of transonic viscous flow past the NTF 65-degree Delta Wing p 297 N94-27930
An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients
[NASA-CR-195705] p 299 N94-28072
Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191
Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
Solution-adaptive simulation of transonic cascade flows p 305 N94-28344
Steady pressure measurements on an Aeroelastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658
Numerical solution of inverse problem in aerodynamics p 376 N94-28965
Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual
[NASA-CR-187105] p 399 N94-29438
Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545
Unsteady transonic aerodynamics in frequency domain for flutter analysis p 379 N94-29879
Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design
[NLR-TP-92524-U] p 420 N94-30493
Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816
Prediction of transonic potential flow with slipstreams around configurations
[FFA-TN-1992-15] p 422 N94-31220
Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759
Numerical analysis of transonic wing buffet p 487 N94-32713
A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation
[NASA-TP-3129] p 458 N94-32865
Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447

TRANSONIC FLUTTER

- Aeroelastic problems in turbomachines p 99 A94-12695
Computational aeroelasticity p 111 A94-12697
Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816
Numerical analysis of transonic wing buffet p 487 N94-32713

TRANSONIC NOZZLES

- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625

TRANSONIC SPEED

- Drag reduction of turbulent flow over a projectile, part 1
[BTN-94-EIX94311322899] p 557 A94-60197
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-2] p 22 N94-10468
- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360] p 42 N94-16573
- A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack
[FFA-TN-1992-14] p 45 N94-17722
- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759
- Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464
- Investigation of aerodynamic design issues with regions of separated flow
p 296 N94-27902
- Statistical and numerical study of the relation between weather and sonic boom characteristics
p 512 N94-33498

TRANSONIC WIND TUNNELS

- Current status and some future test directions for the U.S. National Transonic Facility
p 124 A94-10404
- The new Italian transonic pilot tunnel
p 124 A94-10406
- Optical surface pressure measurement - Initial experience in the MCAIR PSWT --- Polysonic Wind Tunnel
p 154 A94-10409
- Transonic wall interference corrections for small wind tunnels
p 125 A94-10416
- New testing techniques in the T2 cryogenic wind tunnel
p 126 A94-10420
- The evolution of whole field optical diagnostics for external transonic testing
p 154 A94-10429
- The cryogenic A310 DA wind tunnel model development and wind tunnel test results
p 127 A94-10442
- A unique facility to support cryogenic wind tunnel operations
p 128 A94-10444
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
p 128 A94-10446
- Transonic propulsion aerodynamics research at NASA Langley Research Center
[SAE PAPER 921937] p 72 A94-11977
- Experimental aeroelasticity in wind tunnels - History, status, and future in brief
p 130 A94-12692
- Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel
[BTN-94-EIX94421374975] p 593 A94-61873
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894
- The evolution of whole field optical diagnostics for external transonic testing
p 205 N94-11887
- [ARA-MEMO-379]
- Physical properties of the benchmark models program supercritical wing
[NASA-TM-4457] p 85 N94-15722
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section
[NASA-TP-3334] p 134 N94-15794
- Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 N94-16157
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706
- Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815
- The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247
- Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545

- A modernised HST of NLR
[AD-B179220] p 402 N94-30423
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel
p 438 N94-30788
- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- National facilities study. Volume 2: Task group on aeronautical research and development facilities report
[NASA-TM-109855] p 542 N94-34633
- TRANSPAREENCE**
- Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- TRANSPARATION**
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition
p 21 N94-10452
- TRANSPONDERS**
- Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
- Impact of shutting down en route primary radars within CONUS interior
[DOT-VNTSC-FAA-93-1] p 67 N94-11626
- TRANSPORT AIRCRAFT**
- Optimal recovery from microburst wind shear
p 107 A94-10803
- Identification of aerodynamic coefficients using computational neural networks
p 10 A94-10804
- Application of advanced technologies to very large subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- Advanced takeoff procedures for high-speed civil transport community noise reduction
[SAE PAPER 921939] p 73 A94-11979
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- Quantitative low-speed wake surveys
[BTN-94-EIX94311329113] p 520 A94-60187
- Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- High temperature materials for hypersonic transport
p 142 N94-10003
- AGBT advanced counter-rotating gearbox detailed design report
[NASA-CR-180883] p 166 N94-10400
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
- Embedded computer systems: Status of C-17 software
[AD-A267307] p 201 N94-16993
- Metals 2000
[DE93-016761] p 151 N94-17752
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section
p 49 N94-18435
- High-lift design for large civil aircraft
p 89 N94-18445
- High lift systems for transport aircraft with advanced airfoils
p 90 N94-18446
- Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779
- Influence of active controls on the design process of a large transport aircraft
p 260 N94-24323
- Current and future design methods for large transport aircraft
p 261 N94-24324
- JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- The cetaceopteryx: A global range military transport aircraft
[NASA-CR-195519] p 263 N94-24711
- Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975

- The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- C-17 lot 3 production contract
[AD-A273180] p 306 N94-25153
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Supercruiser Arrow HS-8
p 322 N94-25711
- The evolution of the high-speed civil transport
[NASA-TM-109089] p 372 N94-26155
- Optical communications for transport aircraft
p 356 N94-27298
- Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660
- Wing design for a civil tiltrotor transport aircraft: A preliminary study
p 327 N94-27917
- Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 N94-28092
- Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144
- Numerical analysis of supersonic transport wings
p 375 N94-28959
- CFD-based drag prediction: State-of-the-art, theory, prospects
[AD-B179297] p 422 N94-31180
- Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory
[NASA-SP-4216] p 455 N94-32793
- Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
- Designer's unified cost model
p 493 N94-33122
- COINS: A composites information database system
p 494 N94-33123
- Composite fuselage shell structures research at NASA Langley Research Center
p 494 N94-33124
- Structural testing of the technology integration box beam
p 494 N94-33125
- Local design optimization for composite transport fuselage crown panels
p 495 N94-33132
- Recent progress in NASA Langley Research Center textile reinforced composites program
p 495 N94-33134
- First Annual HSR Program Workshop: Headquarters perspective
p 471 N94-33448
- Update on Douglas' high-speed civil transport studies
p 471 N94-33450
- Status of an inlet configuration trade study for the Douglas HSCT
p 473 N94-33506
- The future of large capacity/long range multipurpose air cargo fleets
p 573 N94-36326
- Tanker system and technology requirements definition: A tanker technology road map
p 575 N94-36344
- Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust - conducted in the Langley 14 by 22 foot subsonic wind tunnel
[NASA-TP-3427] p 601 N94-37505
- TRANSPORT PROPERTIES**
- Research on chemical vapor deposition processes for advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089
- On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases
[NASA-CR-4612] p 527 N94-35864
- TRANSPORTATION**
- Activities of Bombardier, Inc.
[ISBN-2-921393-11-5] p 3 N94-13520
- Future ultra-speed tube-flight
p 555 N94-35918
- TRAPPED VORTICES**
- Lift enhancement by trapped vortex
p 462 N94-33524
- TRAVELING WAVES**
- Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652
- TREADS**
- Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032
- TRIANGULATION**
- Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- Computational geometry issues
p 243 N94-22370
- Expansion-based passive ranging
p 312 N94-25504
- TRIBOLOGY**
- Integrity testing of brush seal in a T-700 engine
p 235 N94-21792
- Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306

TROPOSPHERE

Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections

p 429 N94-30655

TROPOSPHERIC SCATTERING

Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results [AD-A267105]

p 181 N94-15649

TRUSSES

A comparative study of analog and digital control laws for the UMCSL truss [AD-A267980]

p 122 N94-17412

TUNING

Localization of aeroelastic modes in mistuned high-energy turbines

[BTN-94-EIX94321333307]

p 547 A94-60039

TUNNELS

Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel

p 376 N94-28967

TURBINE BLADES

Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio

p 6 A94-10357

The simulation of single crystal turbine blade solidification

p 141 A94-10671

Computation and discussion of a nearly constant degree of reaction turbine stage

p 7 A94-10704

Calculation of three-dimensional flow of a viscous gas in a straight cascade

p 11 A94-10927

Numerical analysis of turbine blade tip treatments [SAE PAPER 921928]

p 13 A94-11976

Modal analysis for disordered periodic or nearly periodic structures

p 161 A94-12504

Aeroelastic problems in turbomachines

p 99 A94-12695

Sinusoidal phase modulating in ESPI for vibration pattern measurement

p 165 A94-12957

Localization of aeroelastic modes in mistuned high-energy turbines

[BTN-94-EIX94321333307]

p 547 A94-60039

Experimental investigation of counter-rotating propfan flutter at cruise conditions

[BTN-94-EIX94321333310]

p 516 A94-60042

Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity

[BTN-94-EIX94321333311]

p 548 A94-60043

Inverse design of super-elliptic cooling passages in coated turbine blade airfoils

[BTN-94-EIX94311330654]

p 548 A94-60137

Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity

[DE93-011597]

p 190 N94-11173

Blading models for TURBAN and CSPAN turbomachine design codes

[NASA-CR-191164]

p 26 N94-11203

Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use

[ARL-TR-27]

p 146 N94-11311

VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades

[CUED/A-TURBO/TR.128]

p 173 N94-12777

Numerical simulations of unsteady flows in turbomachines

p 175 N94-13569

JPRS report: Science and technology. Central Eurasia: Materials science

[JPRS-UMS-93-006]

p 149 N94-14573

Turbine blade tip film cooling measurements

[AD-A267686]

p 103 N94-14964

SAND contact in DYNA3D

[DE93-016451]

p 152 N94-18113

Turbine design

p 140 N94-20075

Oxidation resistant protective coating system for gas turbine components and process for penetration thereof

[CA-PATENT-1.294.155]

p 230 N94-21143

Integrity testing of brush seal in a T-700 engine

p 235 N94-21792

Recent advances in computational structural reliability analysis methods

p 239 N94-22616

An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade

[ISBN-0-315-84107-9]

p 354 N94-26671

Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual

[NASA-CR-194461]

p 357 N94-27776

Analysis of cooling jets near the leading edge of turbine blades

p 334 N94-28037

Effect of surface finish on turbine airfoil cascade losses

p 335 N94-28320

The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade

p 335 N94-28321

Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing

[NASA-CR-191193]

p 401 N94-28510

Thermal/structural tailoring of engine blades (T/STAEBL). Theoretical manual

[NASA-CR-194462]

p 409 N94-28815

Application of flow field simulation to turbine vane design

p 395 N94-28978

Automated inspection of turbine blades: Challenges and opportunities

[AIAA PAPER 94-1226-CP]

p 450 N94-30575

Computational study of simultaneous heat and mass transfer in turbulent separated flows

p 447 N94-31843

Development of a HP-turbine for a small helicopter engine

p 486 N94-34456

Effect of tip clearance on the performance of a highly loaded turbine stage

p 486 N94-34458

Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage

p 486 N94-34459

Nozzle guide vane flow in radial inflow turbines

p 486 N94-34460

Turbine blade dynamics and blade-vane interaction in a radial inflow turbine

p 486 N94-34461

Engine static structures behaviour under impact load using 3D modelling

p 505 N94-34464

Hot section materials for small turbines

p 486 N94-34465

Process enhancements of superalloy material

p 585 N94-37324

TURBINE ENGINES

Parallel turbine engine instrumentation system

[AIAA PAPER 93-4529]

p 195 A94-11452

Model-based software synthesis for large systems

[AIAA PAPER 93-4531]

p 196 A94-11454

Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes

[NASA-TP-3383]

p 26 N94-11133

A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades

[NASA-TM-106278]

p 170 N94-11256

Turbulent particle dispersion in confined swirling flows

[DLR-FB-92-32]

p 177 N94-14045

Integrity testing of brush seal in a T-700 engine

p 235 N94-21792

Modeling bristle lift-off in idealized brush seal configurations

p 236 N94-21797

Aircraft turbine engine reliability and inspection investigations

[AD-A274860]

p 332 N94-26176

Community noise sources and noise control issues

p 509 N94-33467

Engine seal technology requirements to meet NASA's advanced subsonic technology program goals

[NASA-TM-106582]

p 502 N94-33960

An experimental and theoretical study of structural damping in compliant foil bearings

p 504 N94-34194

Vibrations of structures with cyclic symmetry: Application to the case of turbine engines

p 505 N94-34463

Propulsion system selection for a High Altitude Long Endurance aircraft

p 578 N94-36333

TURBINE PUMPS

Localization of aeroelastic modes in mistuned high-energy turbines

[BTN-94-EIX94321333307]

p 547 A94-60039

Turbine design

p 140 N94-20075

The 1992 Seals Flow Code Development Workshop

[NASA-CP-10124]

p 229 N94-21790

Simulation of cryogenic turbopump annular seals

p 281 N94-24440

Experimental contribution to the study of secondary flows in centrifugal turbopump stator components

[ECL-92-35]

p 352 N94-25654

Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery

[AD-A276515]

p 436 N94-31931

An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery

p 503 N94-34192

TURBINE WHEELS

Full range pawl and ratchet clutch

[SAE PAPER 921946]

p 157 A94-11985

Turbine wheel relative temperature at freerun conditions

[SAE PAPER 921949]

p 158 A94-11988

Study of rotor cavities and heat transfer in a cooling process in a gas turbine

[BTN-94-EIX94311330100]

p 587 A94-61058

JPRS report: Science and technology. Central Eurasia:

Materials science

[JPRS-UMS-93-006]

p 149 N94-14573

Expendable gas turbine engine technology advances

p 483 N94-34438

TURBINES

Method of reducing drag in aerodynamic systems

[NASA-CASE-LEW-14791-1]

p 24 N94-10672

Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility

[RAE-TM-AERO/PROP-19]

p 39 N94-15696

Turbine design

p 140 N94-20075

Program to develop a performance and heat load prediction system for multistage turbines

[NASA-CR-195223]

p 332 N94-26588

Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor

p 478 N94-33365

Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine

[NASA-TM-106594]

p 480 N94-33706

Tipjet 80-inch model rotor hover test: Test no. 1198

[AD-A279680]

p 567 N94-36261

TURBOCOMPRESSORS

Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor

p 99 A94-12048

Axial compressor performance during surge

[BTN-94-EIX94321333308]

p 548 A94-60040

Active stabilization of rotating stall in a three-stage axial compressor

[BTN-94-EIX94311330089]

p 591 A94-61130

Review of nonsteady flow models for compressor stability

[BTN-94-EIX94311330087]

p 591 A94-61132

Unstable behavior of low and high-speed compressors

[BTN-94-EIX94311330086]

p 591 A94-61133

Vane optimization for maximum efficiency using Design Of Experiments (DOX)

[AD-A270270]

p 105 N94-18907

Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine

[DE94-000907]

p 237 N94-22391

Turbine engine with induced pre-swirl at the compressor inlet

[CA-PATENT-1-317-467]

p 263 N94-23253

The 3-D numerical study of airflow in the compressor/compressor prediffuser and dump diffuser of an industrial gas turbine

p 276 N94-23660

Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor

[AD-A273820]

p 291 N94-25517

Off-design performance of crenulated blades in a linear compressor cascade

[AD-A273744]

p 352 N94-25534

Effects of crenulations on three dimensional losses in a linear compressor cascade

[AD-A273778]

p 352 N94-25862

An investigation of the surge behavior of a high-speed ten-stage axial flow compressor

[AD-A274910]

p 332 N94-26345

Laser Doppler velocimetry in a low speed multistage compressor

[AD-A274836]

p 353 N94-26498

Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1

[NASA-CR-187158]

p 359 N94-

- Design of the advanced regional aircraft, the DART-75
p 321 N94-25708
- P and W propulsion systems studies results/status
p 479 N94-33480
- TURBOFAN ENGINES**
- Trends in air turbine starters for large turbofan engines
[SAE PAPER 921975] p 98 A94-11996
- Fault diagnosis in gas turbines using a model-based technique
[BTN-94-EIX94311331071] p 589 A94-61107
- Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust
[NASA-TM-106270] p 102 N94-13143
- Noise levels from a model turbofan engine with simulated noise control measures applied
[NASA-TM-106318] p 102 N94-14036
- New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573
- On the estimation algorithm used in adaptive performance optimization of turbofan engines
[NASA-TM-4551] p 226 N94-21879
- Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519
- The RB211: The first 25 years
[PNR-90977] p 264 N94-23570
- A comparison of two multi-variable integrator windup protection schemes
[NASA-CR-194436] p 267 N94-23590
- JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
- Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
- The design of a long-range megatransport aircraft
p 323 N94-25718
- Simulating indirect thrust measurement methods as used on modern high-bypass turbofans
[ISBN-0-315-84123-0] p 332 N94-26673
- Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine
[DLR-FB-93-17] p 333 N94-27593
- Broad specification fuels combustion technology program, phase 2
[NASA-CR-191066] p 350 N94-27854
- Spray combustion experiments and numerical predictions
p 407 N94-29277
- Integrated propulsion-airframe dynamics and control
p 392 N94-29854
- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283
- Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443
- Community noise sources and noise control issues
p 509 N94-33467
- P and W propulsion systems studies results/status
p 479 N94-33480
- Technology Requirements for Small Gas Turbines
[AD-280274] p 482 N94-34431
- TURBOFANS**
- CFD-based three-dimensional turbofan exhaust nozzle analysis system
p 98 A94-10857
- Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
- Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
- Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine
[DLR-FB-93-17] p 333 N94-27593
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 2: Documentation for computer code CUP2D
[NASA-CR-4506-VOL-2] p 334 N94-27778
- Gas-turbine engine steady-state behavior
p 360 N94-28044
- Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146
- TURBOJET ENGINE CONTROL**
- Wind-tunnel evaluation of mid-airframe installed turbojet engines
p 71 A94-10859
- TURBOJET ENGINES**
- Conceptual study of separated core ultrahigh bypass engine
p 98 A94-10860
- Liquid lubricants for advanced aircraft engines
p 142 A94-12653
- Contribution of photoelasticity to the design of jet turbo engine parts
p 99 A94-12953
- Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
- Comments on the development of the early Westinghouse turbojets, 1941-1946
[BTN-94-EIX94311331063] p 577 A94-61115
- Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust
[NASA-TM-106270] p 102 N94-13143
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode [NAL-TR-1170] p 30 N94-13342
- A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance
[NASA-TM-106294] p 179 N94-14727
- Wind tunnel investigation with an operational turbojet engine
[TABS PAPER 93-662] p 104 N94-16157
- Aerothermochemical calculations in afterburners
p 396 N94-29258
- CIAM experimental turbofanjets
p 399 N94-29299
- Community noise sources and noise control issues
p 509 N94-33467
- Experimental investigation and performance analysis of the turbojet engine T117
p 483 N94-34439
- Compact diffusers for small transonic compressors
p 485 N94-34449
- Aerodynamic design and investigation of a mixed flow compressor stage
p 504 N94-34450
- TURBOMACHINE BLADES**
- Unsteady blade pressures on a propfan: Predicted and measured compressibility effects
[BTN-94-EIX94401358996] p 578 A94-61652
- Vortex cutting by a blade. Part 1: General theory and a simple solution
[BTN-94-EIX94421374957] p 563 A94-61855
- Blade row interaction effects on flutter and forced response
[NASA-TM-106438] p 226 N94-21586
- Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0
[NASA-CR-194460] p 395 N94-29103
- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades
[NASA-CR-195786] p 399 N94-30013
- Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade
p 445 N94-30816
- Computational prediction of stall flutter in spanwise-finite blade cascades
p 436 N94-31967
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- TURBOMACHINERY**
- Turbomachinery CFD on parallel computers
p 194 A94-10298
- VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades
[CUED/A-TURBO/TR.128] p 173 N94-12777
- Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108
- Residual contact restraints in cryogenics
[ETN-93-94375] p 174 N94-13501
- Numerical simulations of unsteady flows in turbomachines
p 175 N94-13569
- Foil bearing research at Penn State
p 274 N94-23058
- An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691
- Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654
- A solution adaptive structured-unstructured grid procedure for unsteady flows
p 446 N94-31217
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery
[AD-A276515] p 436 N94-31931
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide
[NASA-TM-106586] p 481 N94-33974
- Eccentricity effects upon the flow field inside a whirling annular seal
p 502 N94-34181
- Whirl measurements on leakage flows in turbomachine models
p 502 N94-34185
- Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques
p 552 N94-34980
- TURBOPROP AIRCRAFT**
- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602
- TURBOPROP ENGINES**
- Whirl-flutter suppression in advanced turboprops and propfans by active control techniques
[BTN-94-EIX94401358994] p 578 A94-61650
- Futurepath 2
[NASA-TM-109285] p 102 N94-13623
- Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- Wing mounted unducted fan engine
[CA-PATENT-1323353] p 265 N94-24180
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program
p 266 N94-24270
- The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- Eagle RTS: A design of a regional transport
p 322 N94-25709
- Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- TURBORAMJET ENGINES**
- Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- Research and Development of Ram/Scramjets and Turboramjets in Russia
[AD-A275588] p 397 N94-29291
- Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors
p 398 N94-29292
- Turboramjet engines: Types and performances
p 398 N94-29293
- Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors
p 398 N94-29298
- TURBOSHAPTS**
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshaft engine, volume 1
[AD-A268176] p 135 N94-17432
- Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshaft engine-code documentation and listings, volume 2
[AD-A268177] p 135 N94-17508
- Technology Requirements for Small Gas Turbines
[AD-280274] p 482 N94-34431
- MTR390, the new generation turboshaft engine
p 482 N94-34434
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit
p 483 N94-34436
- Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec
p 483 N94-34437
- The centrifugal compressor, an essential component of small and medium power engines
p 484 N94-34445
- TURBULENCE**
- Alleviation of side force on tangent-ogive forebodies using passive porosity
[BTN-94-EIX94311329126] p 536 A94-60174
- One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782
- An experimental investigation of the sources of propeller noise due to turbulence ingestion
p 205 N94-11057
- Control of jet noise
[NASA-CR-193612] p 205 N94-11176
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil
[NASA-CR-194522] p 35 N94-14541
- An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645
- Active turbulence control in wall bounded flows using direct numerical simulation
[AD-A267261] p 183 N94-17286
- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381
- Turbulence modeling in aircraft icing
p 185 N94-18555

- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows
[NASA-TM-106399] p 216 N94-20534
- Long-range laser imaging
[AD-A273020] p 233 N94-21253
- Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
- Computational study of GA(W)-1: Airfoil near stall [PB93-226249] p 247 N94-23116
- Aircraft accident report: In-flight engine separation, Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062
- Sound radiation due to boundary layer transition p 285 N94-24163
- Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Analysis of cooling jets near the leading edge of turbine blades p 334 N94-28037
- Lift-curve slope for structural response calculations [ESDU-93013] p 298 N94-28063
- Sonic boom propagation through turbulence: A ray theory approach p 301 N94-28192
- Correction of X hot-wire measurements for gradients normal to the plane of the wires
[PB94-125473] p 402 N94-30399
- Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor p 478 N94-33365
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- Computational study of generic hypersonic vehicle flow fields
[NASA-CR-195938] p 466 N94-34277
- Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950
- TURBULENCE EFFECTS**
- Fluctuating wall pressures near separation in highly swept turbulent interactions
[BTN-94-EIX94421374958] p 563 A94-61856
- Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
- Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape
[NASA-TM-106504] p 281 N94-24481
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160
- Atmospheric effects on sonic boom: A program review p 512 N94-33495
- Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498

TURBULENCE MODELS

- Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- Turbulence modeling for hypersonic flows p 7 A94-10760
- Full Navier-Stokes analysis of an axisymmetric scramjet inlet p 10 A94-10855
- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Using the boundary layer theory for calculating separated flows p 19 A94-12894
- One-equation turbulence model for aerodynamic flows [BTN-94-EIX94401367449] p 563 A94-61782
- Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model
[PAPER-2D-4] p 22 N94-10470
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model
[PAPER-2D-5] p 22 N94-10471
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft
[PAPER-2D-7] p 22 N94-10472
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-8] p 23 N94-10473
- Flow analysis around ONERA model M5 configuration
[PAPER-3D-1] p 23 N94-10477
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades
[NASA-TM-106278] p 170 N94-11256
- Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
- Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108
- Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199
- Selected computations of transonic cavity flows p 40 N94-16511
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422
- A comparative study of turbulence models in predicting hypersonic inlet flows p 50 N94-18553
- Turbulence modeling in aircraft icing p 185 N94-18555
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows
[NASA-TM-106399] p 216 N94-20534
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Toward modeling wingtip vortices p 251 N94-24142
- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145
- Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis
[NASA-CR-194795] p 281 N94-24640
- Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
- Sonic boom propagation through turbulence: A ray theory approach p 301 N94-28192
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields
[NASA-TM-106551] p 459 N94-32984
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- TURBULENCE BOUNDARY LAYER**
- Milestones in boundary-layer transition research with infrared imaging p 6 A94-10410
- Super low turbulence subsonic wind tunnels p 128 A94-10448
- The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747

- Evolution of a turbulent boundary layer under the effect of a shock wave followed by refraction waves p 11 A94-10953
- Conditionally sampled vorticities and near-wall turbulence structure p 160 A94-12402
- Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow p 17 A94-12649
- Using the boundary layer theory for calculating separated flows p 19 A94-12894
- Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
- Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns
[BTN-94-EIX94421374974] p 593 A94-61872
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014
- Three-dimensional structure of straight and curved plane wakes
[NASA-CR-194420] p 29 N94-13266
- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292
- A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil
[NASA-CR-194522] p 35 N94-14541
- Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780
- Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221
- Active turbulence control in wall bounded flows using direct numerical simulation p 183 N94-17286
- An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction
[AD-A268394] p 44 N94-17461
- An investigation of oblique shock/boundary layer interaction control p 44 N94-17574
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows
[NASA-TM-106399] p 216 N94-20534
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
- An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661
- Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143
- Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime
[ISBN 0-315-57633-2] p 279 N94-24177
- Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464
- Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028

On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175

The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer p 444 N94-30807

Shock impingement near mild hypersonic expansion corners p 424 N94-31879

Flight test results of riblets at supersonic speeds [NASA-TM-4387] p 458 N94-32880

An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques [NASA-CR-195302] p 458 N94-32926

A review and development of correlations for base pressure and base heating in supersonic flow [SAND93-0280] p 526 N94-35360

The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803

Expansion effects on supersonic turbulent boundary layers [AD-A278989] p 527 N94-35950

TURBULENT COMBUSTION

Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion p 159 A94-12397

Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames [BTN-94-EIX94321333324] p 546 A94-60275

Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403

A random distribution reacting mixing layer model [NASA-CR-194445] p 264 N94-23552

Study of streamwise vorticity-stirred combustion [NASA-CR-194450] p 271 N94-24565

Numerical solutions of the complete Navier-Stokes equations [NASA-CR-194780] p 350 N94-24858

AFOSR Contractors Propulsion Meeting [AD-A279028] p 539 N94-35746

TURBULENT DIFFUSION

Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames [BTN-94-EIX94321333324] p 546 A94-60275

Spanwise transport in axial-flow turbines. Part 2: Throughflow calculations including spanwise transport [BTN-94-EIX94311330085] p 591 A94-61134

Spanwise transport in axial-flow turbines. Part 1: The multistage environment [BTN-94-EIX94311330084] p 592 A94-61135

Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403

Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443

TURBULENT FLOW

Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299

Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356

Second-order effects in hypersonic boundary layers p 8 A94-10769

Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140

Studies in turbulence [ISBN 0-387-97613-2] p 159 A94-12376

Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818

Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900

Fiber optic based velocimetry for the investigation of high velocity turbulence p 165 A94-12982

Drag reduction for turbulent flow over a projectile, part 2 [BTN-94-EIX94311322900] p 520 A94-60196

Drag reduction of turbulent flow over a projectile, part 1 [BTN-94-EIX94311322899] p 557 A94-60197

Structure and penetration of a supercritical fluid jet in supersonic flow [BTN-94-EIX94321333317] p 549 A94-60268

One-equation turbulence model for aerodynamic flows [BTN-94-EIX94401367449] p 563 A94-61782

A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades [NASA-TM-106278] p 170 N94-11256

Direct simulation of compressible wall-bounded turbulence p 172 N94-12294

Superfluid turbulence p 172 N94-12307

Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403

Transition prediction and control in subsonic flow over a hump [NASA-CR-4543] p 173 N94-13066

An experimental investigation of shock wave/vortex interaction p 175 N94-13574

Turbulent particle dispersion in confined swirling flows [DLR-FB-92-32] p 177 N94-14045

An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603

Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight [ILR-MITT-280(1993)] p 37 N94-14800

Selected computations of transonic cavity flows p 40 N94-16511

Adaptive Navier-Stokes calculations for vortical flow [AD-A266236] p 183 N94-16966

Active turbulence control in wall bounded flows using direct numerical simulation [AD-A267261] p 183 N94-17286

Lifted turbulent jet flames [AD-A267911] p 151 N94-17381

Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack [NASA-CR-189103] p 44 N94-17558

Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9 [AD-A268596] p 44 N94-17609

On memory effects in turbulence [DLR-FB-93-03] p 184 N94-18124

Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420

A comparative study of turbulence models in predicting hypersonic inlet flows p 50 N94-18553

Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739

Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow [AD-A270242] p 186 N94-18906

Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433

Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows [NASA-TM-106399] p 216 N94-20534

A multigrid multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713

Measurement of kinematically unstationary separated flows p 273 N94-22854

Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055

The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658

Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694

Toward modeling wingtip vortices p 251 N94-24142

Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145

Toward large eddy simulation of turbulent flow over an airfoil p 251 N94-24150

Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164

Effects of shock strength on shock turbulence interaction p 278 N94-24165

Joint Acoustic Propagation Experiment (JAPE-91) Workshop [NASA-CP-3231] p 285 N94-24207

Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640

Numerical solutions of the complete Navier-Stokes equations [NASA-CR-194780] p 350 N94-24858

The effects of profiles on supersonic jet noise [NASA-CR-195184] p 369 N94-25177

The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components [DE94-000231] p 353 N94-26117

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rocketcraft, and propulsive applications p 360 N94-28030

Analysis of cooling jets near the leading edge of turbine blades p 334 N94-28037

Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039

Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339

A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340

Similarity between turbulent flows through curved pipe and orthogonal rotating pipe p 410 N94-28986

Numerical modelling of turbine combustion chambers p 396 N94-29254

Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255

Time-resolved measurements in a three dimensional model combustor p 411 N94-29283

Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920

The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer p 444 N94-30807

Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865

Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211

Computational study of simultaneous heat and mass transfer in turbulent separated flows p 447 N94-31843

Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades [AD-A277297] p 448 N94-32042

Aerodynamic drag of droplets in turbulent flow fields [ISBN-0-315-75827-9] p 457 N94-32491

Numerical analysis of transonic wing buffet p 487 N94-32713

An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques [NASA-CR-195302] p 458 N94-32926

Control of low-speed turbulent separated flow over a backward-facing ramp [NASA-TM-109740] p 459 N94-33071

Turbulent reacting flows and supersonic combustion [AD-A277462] p 496 N94-33242

Control and management of unsteady and turbulent flows [AD-A278474] p 500 N94-33396

Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885

Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941

Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277

Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462

Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964

Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965

Active thermal isolation for temperature responsive sensors [NASA-CASE-LAR-14612-1] p 552 N94-35074

A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes [AD-A280998] p 528 N94-35994

Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster [NASA-TM-104272] p 564 N94-36648

TURBULENT HEAT TRANSFER

Study of rotor cavities and heat transfer in a cooling process in a gas turbine [BTN-94-EIX94311330100] p 587 A94-61058

TURBULENT JETS

Fluid dynamics and noise emission associated with supersonic jets p 204 A94-12394

The turbulent wall jet [AD-A267675] p 37 N94-14963

Lifted turbulent jet flames [AD-A267911] p 151 N94-17381

Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-1] p 225 N94-21582

Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-2] p 225 N94-21583

Transient Ejector Analysis (TEA) code user's guide [NASA-TM-106310] p 264 N94-23466

Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029

Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039

TURBULENT MIXING

Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets p 97 A94-10318

- Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635
- One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782
- Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer
[ONERA-NT-1992-11] p 149 N94-14194
- Turbulent diffusion in homogeneous shear flow with stable density stratification
[DLR-FB-92-26] p 178 N94-14443
- Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580
- A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
- Higher-order accurate numerical simulation of 3D supersonic mixing layers
p 375 N94-28954
- Study on mixing and injection of hydrogen into a supersonic flow
p 377 N94-28975
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields
[NASA-TM-106551] p 459 N94-32984
- Turbulent reacting flows and supersonic combustion
[AD-A277462] p 496 N94-33242
- Theoretical aspects of supersonic jet noise
p 510 N94-33469

TURBULENT WAKES

- Super low turbulence subsonic wind tunnels
p 128 A94-10448
- NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054
- LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268

TURNING FLIGHT

- Effects of propeller on the turning flight of old fighters
p 106 A94-10798
- Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
- VMC left turn curved approaches, test results — (visual meteorological conditions)
[AD-A269476] p 70 N94-18728

TVD SCHEMES

- Modeling of hypersonic nonequilibrium flows
p 8 A94-10764
- Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-2] p 22 N94-10468
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft
[PAPER-2D-7] p 22 N94-10472
- Flow analysis around ONERA model M5 configuration
[PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration
[PAPER-3D-4] p 23 N94-10480
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- Hypersonic viscous flow computations
p 35 N94-14612
- A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes
p 391 N94-28957
- Numerical analysis of sonic boom in the near field
p 376 N94-28962
- Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow
p 376 N94-28963
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD
p 410 N94-28964

TWILIGHT GLOW

- Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892

TWISTING

- Dynamic testing and analysis of extension-twist-coupled composite tubular spars
p 161 A94-12519
- Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist
[HTN-94-00296] p 609 A94-62425

TWO BODY PROBLEM

- The two-body problem with drag and radiation pressure
[HTN-94-00330] p 606 A94-62291

TWO DIMENSIONAL BODIES

- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer
p 11 A94-10936
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571

TWO DIMENSIONAL FLOW

- Analysis of the effect of heat strips on boundary layer development over a flat plate
[SAE PAPER 921923] p 12 A94-11972
- Incompressible flow in contracting ducts
p 159 A94-12198
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method
[BTN-94-EIX94301315990] p 515 A94-60026
- Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Review of nonsteady flow models for compressor stability
[BTN-94-EIX94311330087] p 591 A94-61132
- Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642
- Numerical investigations on two-dimensional canard-wing aerodynamic interference
[BTN-94-EIX94401358989] p 566 A94-61645
- Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate
p 205 N94-12615
- Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- Clebsch variable model for unsteady, transonic flow; application to 2D airfoils
[NLR-TP-91387-U] p 31 N94-13530
- Development of a general purpose multigrid accelerated Navier-Stokes solver
p 179 N94-14613
- A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
- Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913
- Calculation of multi-element airfoils and wings at high lift
p 49 N94-18438
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- Numerical simulation of non-Newtonian free shear flows
p 278 N94-24160
- Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185
- Nominally 2-dimensional flow about a normal flat plate
[AD-A274472] p 356 N94-27026
- High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554
- A study on heat transfer in a scramjet leading edge model
[NAL-TR-11877] p 333 N94-27608
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream
p 297 N94-28021
- Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility
p 363 N94-28350
- Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code
p 363 N94-28351
- Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401
- A solution adaptive structured-unstructured grid procedure for unsteady flows
p 446 N94-31217
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow
[AD-A277322] p 448 N94-32256
- Lift enhancement by trapped vortex
p 462 N94-33524
- Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
- Investigation of Burnett equations for two-dimensional hypersonic flow
[AD-A278942] p 527 N94-35717

- A method for flow simulation about complex geometries using both structured and unstructured grids
[NASA-TM-106633] p 569 N94-37283

TWO DIMENSIONAL JETS

- Direct numerical simulation of hot jets
p 172 N94-12295

TWO DIMENSIONAL MODELS

- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations
p 178 N94-14603
- The GARTEUR high lift research programme
p 48 N94-18430
- Robust unstructured grid generation with VGRID
p 243 N94-22359
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD
p 410 N94-28964
- On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822
- Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394

TWO PHASE FLOW

- Supersonic gasdispersal jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354
- Simulation of the secondary air system of aero engines
[BTN-94-EIX94311330097] p 587 A94-61061
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- Turbulent particle dispersion in confined swirling flows
[DLR-FB-92-32] p 177 N94-14045
- An analytic study of a two-phase laminar airfoil in simulated heavy rain
p 250 N94-23661
- Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries
p 396 N94-29255
- Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions
p 411 N94-29282

TWO STAGE TURBINES

- Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228

U**U-2 AIRCRAFT**

- Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719
- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations
p 241 N94-22296

UH-1 HELICOPTER

- Aviation system safety risk management tool analysis. Volume 2: Appendices
[AD-A273502] p 305 N94-24864

UH-60A HELICOPTER

- Analysis of rotor blade dynamics using model scale UH-60A airfoils
[HTN-94-00300] p 601 A94-62276
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator
[NASA-CR-193240] p 112 N94-10895
- Helicopter approach capability using the differential Global Positioning System
[NASA-CR-177618] p 67 N94-12355
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator
p 132 N94-13325
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator
[NASA-TM-104016] p 122 N94-15793
- Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage
[AD-A269206] p 46 N94-18413
- The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- Aviation system safety risk management tool analysis. Volume 2: Appendices
[AD-A273502] p 305 N94-24864
- A critical assessment of UH-60 main rotor blade airfoil data
[NASA-TM-103985] p 425 N94-32063
- ULTRAHIGH FREQUENCIES**
- Mobile terminal antennas for helicopters
p 232 N94-20458

- L-band mobile terminal antennas for helicopters p 273 N94-22835
- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets [AD-A274023] p 352 N94-25757
- ULTRAHIGH VACUUM**
- Study on utilization of super clean, high vacuum space p 342 N94-25586
- ULTRASONIC FLAW DETECTION**
- Materials characterization by ultrasonic methods p 162 A94-12666
- Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool [DE93-018088] p 187 N94-19252
- Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
- ULTRASONIC SCANNERS**
- Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
- ULTRASONIC TESTS**
- Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool [DE93-018088] p 187 N94-19252
- ULTRASONICS**
- Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788
- UNCAMBERED WINGS**
- Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds [ESDU-93034] p 297 N94-27955
- UNDAMPED OSCILLATIONS**
- Flutter analysis using transversality theory [NASA-TM-106382] p 183 N94-17481
- UNDERWATER ACOUSTICS**
- Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
- UNDERWATER STRUCTURES**
- Idea of underground airplane p 82 N94-12630
- UNIFORM FLOW**
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb p 128 A94-10446
- Hypervelocity Tunnel 9 Mach 10/14 Calibration [AD-A275960] p 439 N94-31318
- UNITED KINGDOM**
- Where is high-lift today? A review of past UK research programmes p 5 N94-18416
- UNITED STATES**
- Terminal area forecasts, FY 1993-2005 [AD-A269855] p 70 N94-18336
- National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990 [PB94-126869] p 382 N94-29185
- Aeronautics and space report of the President: Fiscal year 1993 activities p 514 N94-32854
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410
- UNIVERSAL TIME**
- Loran-C time management p 427 N94-30644
- UNIVERSITIES**
- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
- Maximizing participation of women in collegiate aviation education [NIAR-93-14] p 210 N94-17261
- Aviation human factors research in US universities: Potential contributions to national needs [NASA-TM-108814] p 467 N94-32927
- UNIVERSITY PROGRAM**
- Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education [NASA-TM-106463] p 247 N94-24100
- VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803
- Design of an airborne launch vehicle for an air launched space booster [NASA-CR-195534] p 346 N94-24860
- The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
- FAA/NASA Joint University Program for Air Transportation Research, 1992-1993 [NASA-CP-3246] p 290 N94-27284
- An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993 p 307 N94-27285
- Investigation of air transportation technology at Ohio University, 1992-1993 p 307 N94-27288
- Investigation of air transportation technology at Princeton University, 1992-1993 p 307 N94-27294
- UNSTEADY AERODYNAMICS**
- Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931
- Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body p 11 A94-10935
- Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts p 15 A94-12062
- The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- Dynamic stall study of a multi-element airfoil p 16 A94-12072
- Aeroservoelasticity p 110 A94-12693
- Rotary-wing aeroelasticity with application to VTOL vehicles p 111 A94-12696
- Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 A94-12707
- Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX94321333307] p 547 A94-60039
- Ornithopter wing design [BTN-94-EIX94331337499] p 521 A94-60334
- Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment [BTN-94-EIX94401358963] p 571 A94-61619
- Unique high-alpha roll dynamics of a sharp-edged 65 deg delta wing [BTN-94-EIX94401358966] p 571 A94-61622
- Unsteady aerodynamic characteristics of a dual-element airfoil [BTN-94-EIX94401358968] p 565 A94-61624
- Numerical investigations on two-dimensional canard-wing aerodynamic interference [BTN-94-EIX94401358989] p 566 A94-61645
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850
- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-104493] p 115 N94-13255
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations [DE93-767970] p 33 N94-14061
- Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326
- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 N94-15866
- Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107
- Aeroelastic airfoil smart spar p 87 N94-16865
- Progress in computational unsteady aerodynamics [NASA-CR-177630] p 43 N94-17081
- Comparison between swept and delta canards on a model of a combat aircraft [AD-A269561] p 88 N94-17826
- ISAC: A tool for aeroservoelastic modeling and analysis [NASA-TM-109031] p 123 N94-19316
- Blade row interaction effects on flutter and forced response [NASA-TM-106438] p 226 N94-21586
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion [NASA-TM-109681] p 250 N94-23975
- Isaac, Jason Chierian ses in transonic flow [NASA-CR-194837] p 250 N94-24052
- An analysis for high Reynolds number inviscid/viscid interactions in cascades [NASA-CR-4519] p 254 N94-24606
- Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- Methods in unsteady aerodynamics [DLR-FB-93-21] p 296 N94-27741
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 2: Documentation for computer code CUP2D [NASA-CR-4506-VOL-2] p 334 N94-27778
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft [NLR-TP-92210-U] p 341 N94-27798
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle [NASA-TM-4544] p 347 N94-27868
- Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191
- Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Unsteady transonic aerodynamics in frequency domain for flutter analysis p 379 N94-29879
- Algorithm and code development for unsteady three-dimensional Navier-Stokes equations [NASA-CR-195774] p 414 N94-29942
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued) [NLR-TP-92156-U] p 393 N94-30342
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics p 422 N94-31204
- Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677
- Experimental and computational studies on propeller noise due to inflow distortion p 452 N94-31846
- Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- Numerical analysis of transonic wing buffet p 487 N94-32713
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714
- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft [NASA-CR-187096] p 477 N94-32859
- A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation [NASA-TP-3129] p 458 N94-32865
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models [NASA-TM-109120] p 487 N94-32951
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control [AD-A277914] p 459 N94-33108
- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies [NASA-CR-4506-VOL-1] p 481 N94-34146
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- Robust control design techniques for active flutter suppression p 541 N94-35875
- UNSTEADY FLOW**
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry p 127 A94-10438
- A simple and efficient solution for the Riemann problem p 155 A94-10749
- Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026
- Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage [BTN-94-EIX94311330093] p 590 A94-61126

- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers [BTN-94-EIX94311330092] p 590 A94-61127
- Review of nonsteady flow models for compressor stability [BTN-94-EIX94311330087] p 591 A94-61132
- Unstable behavior of low and high-speed compressors [BTN-94-EIX94311330086] p 591 A94-61133
- Prediction method for unsteady axisymmetric flow over parachutes [BTN-94-EIX94401358984] p 566 A94-61640
- Numerical investigations on two-dimensional canard-wing aerodynamic interference [BTN-94-EIX94401358989] p 566 A94-61645
- Unsteady blade pressures on a propfan: Predicted and measured compressibility effects [BTN-94-EIX94401358996] p 578 A94-61652
- Boundary conditions for unsteady supersonic inlet analyses [BTN-94-EIX94421374964] p 593 A94-61862
- Low-dimensional description of the dynamics in separated flow past thick airfoils [BTN-94-EIX94421374967] p 563 A94-61865
- Implicit schemes for unsteady Euler equations on triangular meshes [BTN-94-EIX94331337252] p 604 A94-62204
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates [AD-A265159] p 27 N94-11889
- VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades [CUED/A-TURBO/TR.128] p 173 N94-12777
- Averaging techniques for steady and unsteady calculations of a transonic fan stage [NASA-TM-106231] p 3 N94-13108
- Clebsch variable model for unsteady, transonic flow; application to 2D airfoils [NLR-TP-91387-U] p 31 N94-13530
- Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers [AD-A266543] p 32 N94-13705
- Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing [NASA-CR-194260] p 121 N94-14322
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Unsteady separated flows: Empirical model and control [AD-A267282] p 37 N94-14959
- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers p 40 N94-16510
- An investigation of oblique shock/boundary layer interaction control [AD-A268106] p 44 N94-17574
- Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil [NASA-TM-109380] p 50 N94-19119
- Rotorwash wind sensor evaluation [AD-A268987] p 189 N94-20203
- System and method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-1] p 232 N94-20588
- An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411
- Measurement of kinematically unstationary separated flows p 273 N94-22854
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry [ISL-CO-229/92] p 248 N94-23149
- Unsteady jet flow computation towards noise prediction [NASA-CR-194449] p 247 N94-23553
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion [NASA-TM-109681] p 250 N94-23975
- Sound radiation due to boundary layer transition p 285 N94-24163
- Two-dimensional CFD modeling of wave rotor flow dynamics [NASA-TM-106261] p 331 N94-25185
- Dynamic response of a compressor research facility [AD-A273836] p 342 N94-25740
- Laser Doppler velocimetry in a low speed multistage compressor [AD-A274836] p 353 N94-26498
- Program to develop a performance and heat load prediction system for multistage turbines [NASA-CR-195223] p 332 N94-26586
- Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids [NASA-CR-195285] p 333 N94-27654
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions [NASA-CR-195170] p 357 N94-27802
- Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334
- Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665
- An experimental study of wing tip vortex in the near wake of a rectangular wing [AD-A275389] p 377 N94-29306
- Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity [PB94-126224] p 420 N94-30740
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics p 422 N94-31204
- A solution adaptive structured-unstructured grid procedure for unsteady flows p 446 N94-31217
- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor p 478 N94-33365
- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382
- Control and management of unsteady and turbulent flows [AD-A278474] p 500 N94-33396
- Numerical simulation of the edge tone phenomenon [NASA-CR-4581] p 464 N94-33898
- Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967
- Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- Control of leading-edge vortices on a delta wing p 524 N94-34971
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Computation of unsteady flows over airfoils p 525 N94-34977
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- The quest for stall-free dynamic lift p 525 N94-34986
- Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987
- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- Unsteady structure of leading-edge vortices on a delta wing [AD-A278988] p 526 N94-35529
- Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds [NASA-CR-195829] p 568 N94-36687
- Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219
- UNSWEPT WINGS**
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion [NASA-CR-195330] p 381 N94-30152
- UPGRADING**
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- UPPER ATMOSPHERE**
- Low density facilities p 129 A94-10782
- Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- UPPER SURFACE BLOWING**
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA [NAL-TR-1183] p 68 N94-13457
- Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
- An experimental investigation of the effect of upper surface blowing on dynamic stall [NASA-CR-194863] p 247 N94-22894
- The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- UPSTREAM**
- Ingestion into the upstream wheel-space of an axial turbine stage [BTN-94-EIX94311330099] p 587 A94-61059
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction [AD-A267656] p 43 N94-17221
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- UPWIND SCHEMES (MATHEMATICS)**
- Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- Multiple-zone potential solutions around wing-body configurations p 17 A94-12343
- Unstructured mesh quality assessment and upwind Euler solution algorithm validation [BTN-94-EIX94401358985] p 592 A94-61641
- Hypersonic viscous flow computations p 35 N94-14612
- Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- High-lift system analysis method using unstructured meshes p 47 N94-18426
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration [MBS-LME-211-S-PUB-511-A] p 91 N94-19500
- Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877
- URBAN PLANNING**
- Wind climate and urban geometry [ISBN-9-03-860132-8] p 364 N94-25261
- URBAN TRANSPORTATION**
- Electromechanical battery research and development at the Lawrence Livermore National Laboratory [DE93-019159] p 234 N94-21620
- URETHANES**
- Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry p 144 N94-10777
- USER MANUALS (COMPUTER PROGRAMS)**
- Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
- VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades [CUED/A-TURBO/TR.128] p 173 N94-12777
- HELSCAM V2.0: Development and application guide [DSIS-93-00137] p 84 N94-13867
- ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
- ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- User's manual for the Langley Research Center 14-by 22-foot subsonic tunnel static data acquisition system [NASA-TM-109027] p 44 N94-17639
- WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721
- Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278

- INM, Integrated Noise Model. Version 4.11: User's guide, supplement
[AD-A273885] p 370 N94-25731
- EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft [NASA-TM-104013] p 324 N94-26091
- Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414
- Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual
[NASA-CR-194461] p 357 N94-27776
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbomachinery. Volume 2: Documentation for computer code CUP2D
[NASA-CR-4506-VOL-2] p 334 N94-27778
- Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual
[NASA-CR-194462] p 409 N94-28815
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab
[AD-A275077] p 391 N94-28870
- Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0
[NASA-CR-194460] p 395 N94-29103
- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- Heliprot Noise Model (HNM) version 2.2 (user's guide)
[AD-A277072] p 452 N94-32418
- User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN
[NASA-TM-104139] p 458 N94-32873
- A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378
- TIGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide
[NASA-TM-106586] p 481 N94-33974
- Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual
[NASA-TM-4563] p 526 N94-35246
- User's guide for an interactive personal computer interface for the aeroprediction code
[NSWCDD/TR-94/107] p 559 N94-35958
- Rotorwash analysis handbook. Volume 2: Appendixes [SCT-93RR-17-VOL-2] p 567 N94-36467
- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922
- TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332
- USER REQUIREMENTS**
- Development of the BK 117 C-1 with Ariel 1-E engines p 75 A94-12078
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- Canadian aeronautical mobile data trials p 272 N94-22773
- Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474
- Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561
- A hypertext system that learns from user feedback p 514 N94-32428
- UTILITY AIRCRAFT**
- Idea of underground airplane p 82 N94-12630
- V**
- V-22 AIRCRAFT**
- The test, evaluation, development, and use of a manned flight simulator to support Navy developmental testing of the V-22 Osprey
[SAE PAPER 921978] p 129 A94-11998
- Handling qualities effects of display latency p 95 N94-13316
- Organized wiring systems p 408 N94-28705
- V-22: Dual-use technology or red herring?
[AD-A276577] p 434 N94-32058
- V/STOL AIRCRAFT**
- Propulsion-induced aerodynamic effects measured with a full-scale STOVL model
[BTN-94-EIX94311329120] p 519 A94-60180
- Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94341338360] p 550 A94-60352
- Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Hamier aircraft [NASA-TM-104008] p 113 N94-11259
- Some VTOL head-up display drive-law problems and solutions
[NASA-TM-104027] p 5 N94-20035
- Transient Ejector Analysis (TEA) code user's guide [NASA-TM-106310] p 264 N94-23466
- Optimal control of helicopters following power failure [NAL-TR-1190] p 340 N94-27206
- Vectorized jets-induced interference on aircraft, prediction and verification p 359 N94-28012
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling p 334 N94-28018
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151
- Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035
- VACUUM APPARATUS**
- Study on utilization of super clean, high vacuum space p 342 N94-25586
- VACUUM CHAMBERS**
- New technique for oil backstreaming contamination measurements p 227 N94-20511
- Study on utilization of super clean, high vacuum space p 342 N94-25586
- VACUUM PUMPS**
- A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- VALIDITY**
- Handbook. Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- VALVES**
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak
[NASA-CR-193830] p 138 N94-12806
- VANELESS DIFFUSERS**
- Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Active control of vaneless diffuser rotating stall p 502 N94-34178
- Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- VANES**
- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades
[NASA-TM-106278] p 170 N94-11256
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing
[NASA-TM-4512] p 86 N94-15783
- Vane optimization for maximum efficiency using Design Of Experiments (DOX)
[AD-A270270] p 105 N94-18907
- Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual
[NASA-CR-194461] p 357 N94-27776
- Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics [ESDU-93024-PT-1] p 362 N94-28095
- Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual
[NASA-CR-194462] p 409 N94-28815
- Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- VAPOR DEPOSITION**
- Research on chemical vapor deposition processes for advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089
- High-temperature behavior of advanced spacecraft TPS
[NASA-CR-195832] p 492 N94-34063
- SCS-6 (tm) fiber reinforced titanium p 585 N94-36652
- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655
- VAPOR PHASES**
- Research on chemical vapor deposition processes for advanced ceramic coatings
[NASA-CR-193613] p 148 N94-13089
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- VAPOR PRESSURE**
- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- VAPORIZING**
- Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
- VAPORS**
- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- VARIABILITY**
- Variability of measured sonic boom signatures p 370 N94-28197
- VARIABLE CYCLE ENGINES**
- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759
- Supercruiser Arrow HS-8 p 322 N94-25711
- Tesseract supersonic business transport p 322 N94-25713
- Transient model applications. 2: Compressor stall modeling methods p 361 N94-28049
- Status of an inlet configuration trade study for the Douglas HSCCT p 473 N94-33506
- VARIABLE GEOMETRY STRUCTURES**
- Status of the variable diameter centerbody inlet program p 473 N94-33509
- VARIABLE PITCH PROPELLERS**
- Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100
- VARIABLE SWEEP WINGS**
- Overview of Langley systems studies p 472 N94-33456
- VATOL AIRCRAFT**
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- VECTOR PROCESSING (COMPUTERS)**
- Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- A method of user interface for NWT p 415 N94-28993
- Information system for flow simulation based on the Navier-Stokes equations vectorization
[AD-B179293] p 444 N94-30763
- VECTOR SPACES**
- Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948
- VEHICLE WHEELS**
- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
- VELOCITY DISTRIBUTION**
- The effect of velocity profiles on supersonic jet noise [AIAA PAPER 93-4410] p 203 A94-11353
- Computation of high resolution unsteady airflows using a constant vorticity contour free wake model p 16 A94-12070
- A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe p 18 A94-12892
- Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- A study of the compressible flow through a diffusing S-duct p 217 N94-21591
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
- A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
- Solution of mixed convection heat transfer from isothermal in-line fins p 276 N94-23644
- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084
- Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape
[NASA-TM-106504] p 281 N94-24481
- The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177

- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor
p 478 N94-33365
- Experimental and computational results from a large low-speed centrifugal impeller
p 484 N94-34446
- Data reduction procedures for laser velocimeter measurements in turbomachinery rotors
[NASA-CR-195343] p 552 N94-35224
- VELOCITY MEASUREMENT**
- Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow
p 17 A94-12649
- A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe
p 18 A94-12892
- Fiber optic based velocimetry for the investigation of high velocity turbulence
p 165 A94-12982
- In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers
[BTN-94-EIX94311330092] p 590 A94-61127
- Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction
[NASA-CR-193623] p 204 N94-10752
- Wall interference correction based on interface measurements in subsonic wind tunnel testing
p 26 N94-11154
- The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression
p 32 N94-13556
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645
- Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609
- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607
- Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
- Utilization of lasers for air data measurements
p 238 N94-22603
- Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft
p 238 N94-22604
- Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492

- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
- Visualization of secondary flow development in high aspect ratio channels with curvature
[NASA-TM-106658] p 501 N94-33941
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- VENTILATION**
- Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
- VENTILATORS**
- Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91
[PB94-137411] p 416 N94-29175
- VERBAL COMMUNICATION**
- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- VERTICAL DISTRIBUTION**
- An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
- VERTICAL FLIGHT**
- Precision aircraft height estimation with multiple radars
p 62 A94-12122
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft
p 116 N94-13297
- Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050
- Safe heliports through design and planning
[AD-A279034] p 491 N94-34104
- VERTICAL LANDING**
- Merging the two ends of the VTOL spectrum
p 75 A94-12082
- Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-88 Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
- MIL-H-8501B: Application to shipboard terminal operations
p 116 N94-13296
- Evaluation of two cockpit display concepts for civil titrotor instrument operations on steep approaches
p 95 N94-13323
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle
[AD-A272499] p 224 N94-21548
- Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
p 327 N94-28017
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling
p 334 N94-28018
- VERTICAL MOTION**
- New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573
- VERTICAL MOTION SIMULATORS**
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-88 Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
- Vertical motion simulator familiarization guide
[NASA-TM-103923] p 131 N94-13008
- Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317

- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator
[NASA-TM-104016] p 122 N94-15793
- Some VTOL head-up display drive-law problems and solutions
[NASA-TM-104027] p 5 N94-20035
- VERTICAL TAKEOFF**
- Maneuverability aspects for helicopter takeoff and landing
p 108 A94-12092
- Overview of STOVL aircraft propulsion research oftakes and vertical lift systems
p 105 N94-19353
- Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- VERTICAL TAKEOFF AIRCRAFT**
- Conceptual study of separated core ultrahigh bypass engine
p 98 A94-10860
- Merging the two ends of the VTOL spectrum
p 75 A94-12082
- Adaptive structural control and isolation of simple structural members
p 62 A94-12533
- Low altitude navigation and approach requirements V/STOL and CTOL
p 63 A94-12553
- Rotary-wing aeroelasticity with application to VTOL vehicles
p 111 A94-12696
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle
[AD-A272499] p 224 N94-21548
- Safe heliports through design and planning
[AD-A279034] p 491 N94-34104
- Tipjet 80-inch model rotor hover test: Test no. 1198
[AD-A279680] p 567 N94-36261
- Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- VERY HIGH FREQUENCIES**
- VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632] p 185 N94-18495
- Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle
[NASA-TM-109071] p 315 N94-27423
- VERY LOW FREQUENCIES**
- Applied. Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183
- VHSIC (CIRCUITS)**
- Japanese aerospace science and technology 1992. A bibliography with indexes
[NASA-SP-7104] p 288 N94-24585
- VIABILITY**
- The NASA sponsored HSCT propulsion studies
p 479 N94-33476
- VIBRATION**
- Time simulation of flutter with large stiffness changes
[BTN-94-EIX94311329132] p 518 A94-60168
- Direct simulation with vibration-dissociation coupling
[BTN-94-EIX94351142136] p 521 A94-60429
- Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox
[BTN-94-EIX94311331047] p 586 A94-61050
- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
- Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865
- Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781
- A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
- Aeroelastic, aeromechanical and vibration problems in helicopters
p 267 N94-24244
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system
[AD-A273818] p 337 N94-25516
- FR/GE/UK/US International Test Operations Procedure (ITOP) 1-1-050 development of laboratory vibration test schedules
[AD-A273887] p 352 N94-25732
- An algorithm for determination of bearing health through automated vibration monitoring
[AD-A274591] p 356 N94-26986

- Silence amenity engineering: Past and present
p 370 N94-27283
- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809
- Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- VIBRATION DAMPING**
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
- Foil bearings for gas turbine engines p 157 A94-11850
- "Will rotor hubs lose their bearings"? - A survey of bearingless main rotor development p 74 A94-12047
- Some comments on tail rotor ground resonance problem p 76 A94-12085
- Active control of vibrations in helicopters - From HHC to OBC - higher-harmonic control regulator vs. observer-based controller p 109 A94-12112
- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92 p 109 A94-12118
- Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- HHC effects on hub and blade loads p 78 A94-12245
- An impedance approach to vibro-acoustic modeling p 204 A94-12483
- Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- Active flutter suppression techniques in aircraft wings p 110 A94-12613
- Structural dynamics in rotorcraft p 163 A94-12682
- Experimental aeroelasticity in wind tunnels - History, status, and future in brief p 130 A94-12692
- Aeroelastic problems in turbomachines p 99 A94-12695
- Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD p 164 A94-12871
- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183
- Variation in Hover aeromechanical stability trends with bearingless main rotor design
[HTN-94-00304] p 603 A94-62277
- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Smart structures at Aastra Corporation p 146 N94-11326
- Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- Multidimensional intelligent control for supersonic air vehicles p 81 N94-11347
- Kinematics and constraints associated with swashplate blade pitch control
[NASA-TM-102265] p 115 N94-12820
- Hop bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215
- Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
- On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer
[ISVR-TR-227] p 362 N94-28175
- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- Study of bridge design and technology
[PB94-137916] p 373 N94-29160
- Tuned mass damper for integrally bladed turbine rotor
[NASA-CASE-MFS-28697-1] p 411 N94-29353
- Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118
- Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993
[AD-A278859] p 527 N94-35826
- Flutter suppression digital control law design and testing for the AFW wind tunnel model p 540 N94-35873
- Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- Robust control design techniques for active flutter suppression p 541 N94-35875
- Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing
[NASA-CR-196112] p 581 N94-36965
- VIBRATION EFFECTS**
- On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071
- VIBRATION ISOLATORS**
- Whirl-flutter suppression in advanced turboprops and propfans by active control techniques
[BTN-94-EIX94401358994] p 578 A94-61650
- Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture
[HTN-94-00290] p 609 A94-62419
- Modeling and new equipment definition for the vibration isolation box equipment system
[NASA-CR-193185] p 184 N94-17763
- Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215
- Proceedings of Damping 1993, volume 1
[AD-A274226] p 355 N94-26922
- Tuned mass damper for integrally bladed turbine rotor
[NASA-CASE-MFS-28697-1] p 411 N94-29353
- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- VIBRATION MEASUREMENT**
- Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO₂-laser system
[AD-A273818] p 337 N94-25516
- VIBRATION MODE**
- Modal analysis for disordered periodic or nearly periodic structures p 161 A94-12504
- High frequency power flow in structures p 161 A94-12510
- Localization of aeroelastic modes in mistuned high-energy turbines
[BTN-94-EIX94321333307] p 547 A94-60039
- Experimental investigation of counter-rotating propfan flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
- Time simulation of flutter with large stiffness changes
[BTN-94-EIX94311329132] p 518 A94-60168
- Modal coordinates for aeroelastic analysis with large local structural variations
[BTN-94-EIX94311329131] p 518 A94-60169
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
- NASTRAN modeling of flight test components for UH-60A airloads program test configuration
[NASA-CR-193614] p 170 N94-10937
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- VIBRATION TESTS**
- Decoupling system for Airbus A340 G.V.T p 79 A94-12482
- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX94321333312] p 548 A94-60044
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO₂-laser system
[AD-A273818] p 337 N94-25516
- FR/GE/UK/US International Test Operations Procedure (ITOP) 1-1-050 development of laboratory vibration test schedules
[AD-A273887] p 352 N94-25732
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972
- VIBRATIONAL STATES**
- Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958
- VIBRATORY LOADS**
- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades
[NASA-TM-104000] p 2 N94-10936
- Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
- A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726
- VIDEO DATA**
- The night vision capability of the Tiger helicopter p 93 A94-12227
- Close-up analysis of inflight ice accretion
[NASA-TM-106457] p 254 N94-23523
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data
[AD-A274207] p 326 N94-27105
- VIDEO EQUIPMENT**
- Image processing as a tool in flight testing evaluation p 239 N94-22606
- VIDEO SIGNALS**
- Color head down display program
[AD-A274807] p 330 N94-26340
- VIDEO TAPE RECORDERS**
- Cockpit video: A low cost BDA source
[AD-A275228] p 395 N94-29389
- VIOLENCE**
- Criminal acts against civil aviation, fiscal year 1992
[AD-A268014] p 58 N94-17586
- VIRTUAL REALITY**
- A study of navigation in virtual space p 470 N94-34026
- VISCOELASTIC DAMPING**
- Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680
- VISCOELASTICITY**
- A finite strain ring dynamical model for pneumatic tires
[AD-A269286] p 185 N94-18266
- Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
- VISCOPLASTICITY**
- Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- VISCOSITY**
- One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782
- Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
- Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164
- Numerical modelling of turbine combustion chambers p 396 N94-29254
- Status of developing a multifunctional aviation grease
[AD-A276755] p 443 N94-32184
- VISCOUS DAMPING**
- An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
- An experimental and theoretical study of structural damping in compliant foil bearings p 504 N94-34194
- VISCOUS DRAG**
- Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059
- Calculation of viscous drag of two low angle of attack supercritical profiles
[FFA-TN-1984-22] p 292 N94-26104
- VISCOUS FLOW**
- Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments p 8 A94-10768
- Some viscous interactions affecting the design of hypersonic intakes and nozzles p 10 A94-10784
- Perspectives on hypersonic viscous flow research p 11 A94-10892
- Calculation of three-dimensional flow of a viscous gas in a straight cascade p 11 A94-10927
- The boundary layer p 164 A94-12888
- Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897
- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783

- Low-dimensional description of the dynamics in separated flow past thick airfoils
[BTN-94-EIX94421374967] p 563 A94-61865
- Calculations of viscous nonequilibrium flows in nozzles
p 21 N94-10455
- Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180
- A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
- Numerical simulations of unsteady flows in turbomachines
p 175 N94-13569
- Hypersonic flow phenomenology
p 34 N94-14155
- Extrapolation of ground test data to flight
p 34 N94-14170
- Hypersonic viscous flow computations
p 35 N94-14612
- Hop bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Computational aerodynamics with icing effects
[AD-A267509] p 43 N94-17074
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Efficient simulation of incompressible viscous flow over multi-element airfoils
p 46 N94-18421
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development
p 48 N94-18433
- A fast computing method for the flow over high-lift wings
p 49 N94-18437
- Multigrid schemes for viscous hypersonic flows
p 217 N94-21473
- Robust unstructured grid generation with VGRID
p 243 N94-22359
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- Transient Ejector Analysis (TEA) code user's guide
[NASA-TM-106310] p 264 N94-23466
- An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- Computation of transonic viscous flow past the NTF 65-degree Delta Wing
p 297 N94-27930
- Viscous airfoil computations using adaptive structured grids
p 304 N94-28337
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D
p 304 N94-28340
- Verification of a three-dimensional viscous flow analysis for a single stage compressor
p 410 N94-28976
- Three-dimensional external flow computations using prismatic grid
p 410 N94-28979
- Hop bifurcation in viscous, low-speed flows about an airfoil with structural coupling
p 421 N94-30865
- A solution adaptive structured-unstructured grid procedure for unsteady flows
p 446 N94-31217
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- A novel potential/viscous flow coupling technique for computing helicopter flow fields
[NASA-CR-193272] p 457 N94-32476
- Code validation for the simulation of supersonic viscous flow about the F-16XL
p 463 N94-33528
- Inviscid and viscous flow calculations for the F16XL configuration
p 463 N94-33529
- Computation of unsteady flows over airfoils
p 525 N94-34977
- Some aspects of unsteady separation
p 525 N94-34979

VISCOUS FLUIDS

- Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459

VISIBILITY

- Trial of a slant visual range measuring device
p 159 A94-12287
- Synthetic vision technology demonstration. Volume 1: Executive summary
[AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 2: Sensor tower testing
[DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 N94-33078

- Synthetic vision technology demonstration. Volume 4: Appendices
[AD-A281052] p 476 N94-33079
- Vision-based aircraft guidance
[NASA-CR-195937] p 488 N94-34264
- Data requirements for ceiling and visibility products development
[AD-A278959] p 556 N94-35720
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604
- VISUAL ACUITY**
Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- VISUAL AIDS**
Use of computer graphic simulation for analysis of a wind shear accident - A case study of Delta flight 191
p 53 A94-11356
- Computer graphic recreations of aircraft accidents
p 194 A94-11357
- Integration of simulation and visualization aids in aircraft accident investigation
p 195 A94-11359
- Useable Cue Environment (UCE) and its application to simulator testing
p 76 A94-12089
- Visual cueing aids for rotorcraft landings
p 119 N94-13313
- Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
- VISUAL CONTROL**
Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
- Compatibility of information and mode of control: The case for natural control systems
p 117 N94-13307
- Primary display latency criteria based on flying qualities and performance data
p 119 N94-13318
- VISUAL DISCRIMINATION**
Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
- VISUAL FIELDS**
Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317
- Variable-resolution imagery for flight simulation
[AD-A276199] p 438 N94-31058
- VISUAL FLIGHT**
VMC left turn curved approaches, test results - (visual meteorological conditions)
[AD-A269476] p 70 N94-18728
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- VISUAL FLIGHT RULES**
Federal aviation regulations. Part 91: General operating and flight rules, change 3
[PB94-159910] p 468 N94-34410
- VISUAL OBSERVATION**
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2
p 241 N94-22302
- VISUAL PERCEPTION**
Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- Color head down display program
[AD-A274807] p 330 N94-26340
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 N94-32317
- Synthetic vision technology demonstration. Volume 2: Sensor tower testing
[DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 N94-33078
- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536
- VISUAL SIGNALS**
Synthetic vision for enhancing poor visibility flight operations
[BTN-94-EIX94331335531] p 557 A94-60212
- Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536
- VISUAL STIMULI**
Primary display latency criteria based on flying qualities and performance data
p 119 N94-13318
- VISUAL TASKS**
Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933

VOICE COMMUNICATION

- Airline perspective on data link
[SAE PAPER 922001] p 60 A94-11717
- Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
- Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618
- VOICE CONTROL**
Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756
- VOICE DATA PROCESSING**
Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- VOLCANOES**
Terrestrial volcanism in space and time
p 189 A94-10882
- Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere
p 506 N94-33460
- VOLTAGE CONVERTERS (AC TO AC)**
Matching today's technology to the electric power requirement - of aircraft
p 156 A94-11370
- VOLTAGE CONVERTERS (DC TO DC)**
Matching today's technology to the electric power requirement - of aircraft
p 156 A94-11370
- VOLTERRA EQUATIONS**
Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory
p 337 N94-25112
- VON KARMAN EQUATION**
Nonlinear aeroelasticity
p 163 A94-12694
- VORTEX ALLEVIATION**
Flight testing of pneumatic forebody vortex control on the X-29 technology demonstrator
[SAE PAPER 922008] p 73 A94-12012
- Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
- Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054
- Controlled oscillation of forebody vortices by nozzle jet blowing
[ISBN-0-315-84134-6] p 340 N94-27648
- A study of the development and attenuation of wing-generated, vortical wakes
p 425 N94-31971
- VORTEX AVOIDANCE**
Optimal lateral escape maneuvers for microburst encounters during final approach
[LR-691] p 56 N94-13534
- VORTEX BREAKDOWN**
Effects of the roll angle on cruciform wing-body configurations at high incidences
[BTN-94-EIX94311322903] p 520 A94-60193
- Leading-edge vortex breakdown for wing planforms with the same slenderness ratio
[BTN-94-EIX94401358991] p 566 A94-61647
- Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
- The phenomenon of vortex breakdown
p 35 N94-14609
- The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942
- Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966
- Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications
[NASA-CR-194520] p 51 N94-19621
- Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054
- Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
- Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492
- Control of leading-edge vortices on a delta wing
p 524 N94-34971
- Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529

VORTEX FILAMENTS

- Vortex cutting by a blade. Part 1: General theory and a simple solution
[BTN-94-EIX94421374957] p 563 A94-61855
New vortex dynamics methods for rotor free wake analysis
[AD-A266656] p 36 N94-14774

VORTEX FLAPS

- Experimental studies of vortex flaps and vortex plates
[BTN-94-EIX94311329122] p 518 A94-60178
Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454
Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059

VORTEX GENERATORS

- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements
p 154 A94-10430
Effects of propeller on the turning flight of old fighters
p 106 A94-10798
Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626
Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454
Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
Improving diffusing S-duct performance by secondary flow control
[NASA-TM-106492] p 291 N94-25182
Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040
Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics
[ESDU-93024-PT-1] p 362 N94-28095
Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft
[ESDU-93026-PT-3] p 362 N94-28096
Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
The effects of vortex ingestion on the flow in a diffusing S-duct
[NASA-TM-106652] p 481 N94-33955
Control of leading-edge separation on a cambered delta wing
p 539 N94-34616

VORTEX LATTICE METHOD

- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
p 14 A94-12050
Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests [ISL-CO-230/92] p 257 N94-23146
LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557

VORTEX SHEDDING

- Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction
[NASA-CR-193623] p 204 N94-10752
Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865
Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959
Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
Nominally 2-dimensional flow about a normal flat plate
[AD-A274472] p 356 N94-27026
The effect of an axial flow component on a circular cylinder wake
p 445 N94-31209
Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
Similarity in separated flow fields producing large-scale vortices
p 460 N94-33382
Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898
Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions
[NASA-CR-195824] p 466 N94-34207
Yaw control by tangential forebody blowing
p 539 N94-34615
Unsteady flow past an airfoil pitched at constant rate
p 524 N94-34969

VORTEX SHEETS

- The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177
- VORTICES**
- NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development
p 15 A94-12059
Conditionally sampled vorticities and near-wall turbulence structure
p 160 A94-12402
Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows
p 163 A94-12817
Dynamics of swirling gas flow between disks in the case of a rotating bladeless diffuser
p 18 A94-12818
Symmetry breaking in vortical flows over cones: Theory and numerical experiments
[BTN-94-EIX94301315981] p 547 A94-60017
Crossflow topology of vortical flows
[BTN-94-EIX94301315993] p 515 A94-60029
Navier-Stokes solver for hypersonic flow over a slender cone
[BTN-94-EIX94311330681] p 543 A94-60110
Determination of slender body aerodynamics using discrete vortex methods
p 543 A94-60112
Experimental studies of vortex flaps and vortex plates
[BTN-94-EIX94311329122] p 518 A94-60178
Vortex-wing interaction of a close-coupled canard configuration
[BTN-94-EIX94311329121] p 519 A94-60179
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
Simulation of the secondary air system of aero engines
[BTN-94-EIX94311330097] p 587 A94-61061
Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage
[BTN-94-EIX94311330093] p 590 A94-61126
Effects of nozzle exit geometry on forebody vortex control using blowing
[BTN-94-EIX94401358964] p 564 A94-61620
Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
Multidomain method for several bodies in relative motion
[BTN-94-EIX94401367452] p 563 A94-61785
Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853
Vortex cutting by a blade. Part 1: General theory and a simple solution
[BTN-94-EIX94421374957] p 563 A94-61855
Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
Control of jet noise
[NASA-CR-193612] p 205 N94-11176
Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195
Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865
An experimental investigation of shock wave/vortex interaction
p 175 N94-13574
Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106
Navier-Stokes simulation of transonic vortex flow over a delta wing
p 179 N94-14606
The phenomenon of vortex breakdown
p 35 N94-14609
New vortex dynamics methods for rotor free wake analysis
[AD-A266656] p 36 N94-14774
Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781
Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959
The turbulent wall jet
[AD-A267675] p 37 N94-14963
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677
Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720

- Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360] p 42 N94-16573
Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966
Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609
Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect
p 49 N94-18439
Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A268938] p 123 N94-18541
Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
Research and training activities of the Joint Institute for Aeronautics and Acoustics
[NASA-CR-194742] p 188 N94-19493
Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500
Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
The fluid mechanics of vortex cutting by a blade
[AD-A270932] p 52 N94-20043
A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465
Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054
Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
Feasibility of detecting aircraft wake vortices using passive microwave radiometers
[NASA-CR-191553] p 275 N94-23498
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557
Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975
Toward modeling wingtip vortices
p 251 N94-24142
Large eddy simulation of a boundary layer with concave streamwise curvature
p 278 N94-24146
Toward large eddy simulation of turbulent flow over an airfoil
p 251 N94-24150
Numerical simulation of non-Newtonian free shear flows
p 278 N94-24160
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161
Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
Experiments on the ground vortex formed by an impinging jet in cross flow
p 359 N94-28016
Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream
p 297 N94-28021
Effects, limits, and limitations of spanwise blowing
p 298 N94-28027
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications
p 360 N94-28030
Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040

- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
- Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature [NASA-CR-4579] p 412 N94-29460
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760
- Numerical investigation into high-angle-of-attack leading-edge vortex flow [PB94-125564] p 381 N94-30388
- Aspects of the modeling and numerical simulation of leading-edge vortex flow [AD-B179108] p 420 N94-30492
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- Numerical simulation of leading-edge vortex flow [AD-B175154] p 421 N94-30871
- Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971
- Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974
- Control of low-speed turbulent separated flow over a backward-facing ramp p 459 N94-33071
- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study [NASA-CR-195297] p 459 N94-33119
- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382
- The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- Yaw control by tangential forebody blowing p 539 N94-34615
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- Control of leading-edge vortices on a delta wing p 524 N94-34971
- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- Unsteady structure of leading-edge vortices on a delta wing [AD-A278988] p 526 N94-35529
- F/A-18 forebody vortex control. Volume 1: Static tests [NASA-CR-4582-VOL-1] p 528 N94-35991
- VORTICITY**
- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420
- Experimental studies of vortex flaps and vortex plates [BTN-94-EIX94311329122] p 518 A94-60178
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates p 27 N94-11889
- Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator [NASA-TM-106468] p 248 N94-23465
- LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method [NASA-TM-108786] p 249 N94-23557
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles [NASA-TM-106450] p 249 N94-23592

- Study of streamwise vorticity-stirred combustion [NASA-CR-194450] p 271 N94-24565
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- Unsteady structure of leading-edge vortices on a delta wing [AD-A278988] p 526 N94-35529
- VORTICITY EQUATIONS**
- Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781

W

WAKES

- Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- Numerical investigation of cylinder wake flow with a rear stagnation jet [BTN-94-EIX94301315998] p 547 A94-60034
- Quantitative low-speed wake surveys [BTN-94-EIX94311329113] p 520 A94-60187
- Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
- One-equation turbulence model for aerodynamic flows [BTN-94-EIX94401367449] p 563 A94-61782
- Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785
- Three-dimensional structure of straight and curved plane wakes [NASA-CR-194420] p 29 N94-13266
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Modelling stalled airfoils [ISBN-0-315-59525-6] p 218 N94-22382
- Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator [NASA-TM-106468] p 248 N94-23465
- Three dimensional study of an airplane wing and its wake in the subsonic regime [ISBN-0-315-58963-9] p 252 N94-24178
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics [AD-A274921] p 294 N94-26535
- Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588
- Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665
- The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- Real-time adaptive control of mixing in a plane shear layer [AD-A278379] p 508 N94-33744
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- WALL FLOW**
- Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435
- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofolios tested in wind tunnel facilities p 6 A94-10436
- Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications p 8 A94-10765
- Studies in turbulence [ISBN 0-387-97613-2] p 159 A94-12376
- Conditionally sampled vorticities and near-wall turbulence structure p 160 A94-12402

- Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889
- Wall interference correction based on interface measurements in subsonic wind tunnel testing p 26 N94-11154
- Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
- A wall interference assessment/correction system [NASA-CR-194174] p 28 N94-13076
- An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section [NASA-TP-3334] p 134 N94-15794
- Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them [RAE-LIB-TRANS-2201] p 42 N94-16583
- Active turbulence control in wall bounded flows using direct numerical simulation p 183 N94-17286
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow [AD-A270242] p 186 N94-18906
- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles [NASA-CR-194857] p 250 N94-23625
- Supersonic minimum length nozzle design for dense gases p 250 N94-23656
- Sub-sonic flow about a slender profile in a tunnel having perforated walls [AD-A273184] p 291 N94-25137
- Analytical skin friction and heat transfer formula for compressible internal flows p 291 N94-25173
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016
- Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility p 363 N94-28350
- Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code p 363 N94-28351
- A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes [NASA-CR-195699] p 409 N94-28724
- Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall [NASA-TP-3392] p 378 N94-29545
- Response of wall turbulence to high frequency streamwise and spanwise oscillations p 445 N94-31211
- Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803
- WALL JETS**
- The turbulent wall jet [AD-A267675] p 37 N94-14963
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
- Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964
- WALL PRESSURE**
- Fluctuating wall pressures near separation in highly swept turbulent interactions [BTN-94-EIX94421374958] p 563 A94-61856
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section [NASA-TP-3334] p 134 N94-15794
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction [AD-A267656] p 43 N94-17221
- An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction [AD-A268394] p 44 N94-17461
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions [AD-A270059] p 186 N94-18796
- Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow [AD-A270242] p 186 N94-18906

- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802
- Wall pressure fluctuations in the reattachment region of a supersonic free shear layer
[NASA-CR-195790] p 379 N94-29920
- WALL TEMPERATURE**
Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Composite matrix experimental combustor
[AD-280344] p 538 N94-34679
- WALLS**
Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- Some aspects of unsteady separation
p 525 N94-34979
- WARNING SYSTEMS**
Airborne windshear system alert principle study
p 189 A94-10123
- Future concepts for maintenance and the increasing role of on-board maintenance
[SAE PAPER 921921] p 93 A94-11971
- Stall warning using contamination detecting aerodynamics
[SAE PAPER 922010] p 14 A94-12014
- A.R.M.S. - A HUMS on Eurocopter France helicopter --- Health-Usage Monitoring System p 2 A94-12079
- The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
- Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- Army aircraft fire-detection systems operation and reliability
[AD-A271327] p 219 N94-20912
- Windshear detection for aircraft using temperature lapse rate
[CA-PATENT-1,295,736] p 219 N94-21030
- A feasibility study on bird classification with neural network
[AD-A273753] p 306 N94-25780
- System for generating, aboard an aircraft, during takeoff, of a signal capable of producing an alert or an alarm, in case of malfunction
[CA-PATENT-APPL-SN-2,018,94] p 306 N94-26293
- Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275
- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- WASTE DISPOSAL**
Space Station trash removal system
[NASA-CASE-MSC-21723-1] p 229 N94-20367
- WASTE ENERGY UTILIZATION**
Selection criteria for plain and segmented finned tubes for heat recovery systems
[BTN-94-EIX94311331076] p 588 A94-61102
- WATER**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- Widened cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186
- Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405
- WATER FLOW**
Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536
- Performance of prefabricated geocomposite subdrainage system in an airport runway
[DOT/FAA/RD-93/23] p 268 N94-23303
- Visualization of secondary flow development in high aspect ratio channels with curvature
[NASA-TM-106658] p 501 N94-33941
- WATER IMMERSION**
Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791
- WATER INJECTION**
Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust
[NASA-TM-106270] p 102 N94-13143
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle
[NASA-TM-106448] p 225 N94-21563
- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759
- Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- WATER TUNNEL TESTS**
Unsteady flow past a NACA 0012 airfoil pitching at constant rates
[AD-A265159] p 27 N94-11889
- Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
- Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems
p 359 N94-28010
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate
p 526 N94-34989
- WATER VAPOR**
Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575
- On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- WATER WAVES**
The effects of altimeter sampling characteristics: Some Geosat examples
[AD-A276899] p 449 N94-32214
- WATERWAYS**
Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095
- WAVE ATTENUATION**
Method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-2] p 413 N94-29740
- WAVE DIFFRACTION**
Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis
[ISBN-0-315-84643-7] p 356 N94-27308
- WAVE EQUATIONS**
Introduction to generalized functions with applications in aerodynamics and aeroacoustics
[NASA-TP-3428] p 513 N94-34393
- WAVE INTERACTION**
Theoretical investigation of 3-D shock wave turbulent boundary layer interactions
[AD-A265275] p 170 N94-11014
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
- WAVE PACKETS**
JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- WAVE PROPAGATION**
Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436
- Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664
- Observations of multi-layered clouds using K-band radar p 242 N94-22311
- Sonic boom propagation through turbulence: A ray theory approach p 301 N94-28192
- The propagation of spark-produced N waves through turbulence p 301 N94-28193
- On the aging of sonic booms p 301 N94-28194
- Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- WAVE REFLECTION**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- WAVEFORMS**
Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence p 300 N94-28190
- Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- WAVEGUIDES**
Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183
- WAVELET ANALYSIS**
Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756
- Analysis of wavelet technology for NASA applications
[NASA-CR-195929] p 522 N94-34704
- WAVERIDERS**
Computational analysis of off-design waveriders
[BTN-94-EIX94311329125] p 549 A94-60175
- Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516
- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739] p 474 N94-34118
- WEAPON SYSTEM MANAGEMENT**
Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592
- WEAPON SYSTEMS**
Early manufacturing considerations in design p 259 N94-24315
- Smart structures, an overview p 368 N94-27093
- Testing Operational Flight Programs (OFFPs) p 416 N94-29337
- A disciplined approach to software test and evaluation p 416 N94-29339
- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7
[AD-A276974] p 442 N94-32399
- Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401
- Operational agility
[AGARD-AR-314] p 474 N94-33875
- WEAPONS**
Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- WEAPONS DEVELOPMENT**
Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- Operational agility: An overview of AGARD Working Group 19 p 534 N94-34625
- WEAR**
Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032
- Life prediction of helicopter engines fitted with dust filters p 99 A94-12115
- Brush seal bristle flexure and hard-rub characteristics p 235 N94-21791
- Integrity testing of brush seal in a T-700 engine p 235 N94-21792

- Tests of highly loaded skids on a concrete runway
[NASA-TP-3435] p 326 N94-26608
- WEAR RESISTANCE**
- Solid lubricants for aeronautics p 142 A94-12655
- Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306
- WEAR TESTS**
- The effect of runway surface and braking on Shuttle
Orbiter main gear tire wear
[SAE PAPER 922038] p 137 A94-12029
- A colour image processing algorithm to identify
copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
- WEATHER**
- New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573
- Parallel runway requirement analysis study. Volume 1:
The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277
- Cockpit weather graphics using mobile satellite
communications p 273 N94-22775
- Aircraft accident report: In-flight engine separation.
Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV,
Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062
- Aviation Weather Program (AWP) p 282 N94-24380
- ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- Encoding approaches for data link transmission of
weather graphics
[AD-A274497] p 355 N94-26963
- Aircraft accident report: Runway departure following
landing American Airlines flight 102, McDonnell Douglas
DC-10-30, N139AA, Dallas/Fort Worth International
Airport, Texas, April 14, 1993
[PB94-910402] p 308 N94-27766
- Technical evaluation of the UH-60Q: Aircraft in typical
aeromedical evacuation missions
[AD-A276944] p 437 N94-32217
- Impact of weather on flight operations at a major
airport
[PB94-127990] p 507 N94-34408
- WEATHER FORECASTING**
- Signal processing aspects of windshear detection
p 190 A94-12361
- Use of ERS-1 wind and wave products in operational
meteorology p 191 N94-12502
- Use of SAR-wave, altimeter, and wind-scatterometer
data in an operational swell forecasting system
p 191 N94-12503
- The Next Generation Weather Radar (NEXRAD)/Air
Route Surveillance Radar (ARSR) operational
comparison
[REPT-93W0000145] p 180 N94-15439
- The use of the Air Force Academy high wind alert system
in forecasting moderate intensity wind events for military
bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- Organized track system: Air ways above the ocean
p 193 N94-19702
- Aviation Weather Program (AWP) p 282 N94-24380
- Encoding approaches for data link transmission of
weather graphics
[AD-A274497] p 355 N94-26963
- WEATHER STATIONS**
- Cloud fields derived from satellite and surface data
during FIRE cirrus phase 2 p 241 N94-22302
- WEAVING**
- Processing, properties and applications of composites
using powder-coated epoxy towpreg technology
p 150 N94-15277
- Characterization and manufacture of braided
composites for large commercial aircraft structures
p 496 N94-33137
- WEDGE FLOW**
- Experimental analysis of Goertler vortices in hypersonic
wedge flow p 17 A94-12420
- WEDGES**
- Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853
- Control of hypersonic aerodynamic forces with surface
blowing p 422 N94-31216
- Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898
- WEIBULL DENSITY FUNCTIONS**
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- WEIGHT (MASS)**
- Development and application of a comprehensive,
design-sensitive weight prediction method for wing
structures of transport category aircraft
[LR-693] p 83 N94-13687

WEIGHT ANALYSIS

- Development and application of a comprehensive,
design-sensitive weight prediction method for wing
structures of transport category aircraft
[LR-693] p 83 N94-13687
- Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- NASA/USRA advanced design program
[NASA-CR-195548] p 262 N94-24492
- Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 N94-26151
- Aircraft weight prediction capability. Volume 1: Weight
study and results
[AD-A277206] p 434 N94-32062

WEIGHT REDUCTION

- Regenerative fuel cells for High Altitude Long Endurance
Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- Use of magnetic compression to support turbine engine
rotors p 444 N94-30484
- HSCT integrated propulsion control issues
p 480 N94-33510

WEIGHTING FUNCTIONS

- Experimental design of $H(\text{sub infinity})$ weighting
functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669

WETLANDS

- Structural analysis of airborne flux estimates over a
region
[HTN-94-00748] p 609 A94-62441

WETTING

- An analytic study of a two-phase laminar airfoil in
simulated heavy rain p 250 N94-23661

WHEAT

- Paint removal using wheat starch blast media
p 168 N94-10627

WHEELS

- Determination of tire-wheel interface loads for aircraft
wheels
[BTN-94-EIX94311329136] p 517 A94-60164
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976

WHITE NOISE

- A comparative robustness evaluation of feedforward
neurofilters
[NASA-TM-106440] p 227 N94-21742

WILDLIFE

- Sonic boom predictions using a modified Euler code
p 510 N94-33474

WIND (METEOROLOGY)

- Structural analysis of airborne flux estimates over a
region
[HTN-94-00748] p 609 A94-62441
- Stability model of the atmosphere
p 190 N94-11500
- A C-band wind scatterometer model derived from the
data obtained during the ERS-1 calibration/validation
campaign p 190 N94-11711
- The use of the Air Force Academy high wind alert system
in forecasting moderate intensity wind events for military
bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- Wind climate and urban geometry
[ISBN-9-03-860132-8] p 364 N94-25261
- Machine intelligent gust front algorithm
[AD-A273695] p 343 N94-26196

WIND DIRECTION

- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- Combined 1991 and 1992 Robinson-22B (R-22) parking
test results
[AD-A273550] p 269 N94-24559
- Lift-curve slope for structural response calculations
[ESDU-93013] p 298 N94-28063

WIND EFFECTS

- The effects of tailwinds and control cross coupling on
rotorcraft handling qualities for steep, decelerating
instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- Lift-curve slope for structural response calculations
[ESDU-93013] p 298 N94-28063

WIND MEASUREMENT

- A C-band wind scatterometer model derived from the
data obtained during the ERS-1 calibration/validation
campaign p 190 N94-11711
- Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203
- Integrated display of multi-sensor geophysical and
electromagnetic flight data p 231 N94-20418
- Description and availability of airborne Doppler radar
data p 231 N94-20419

- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- An automated method for Low Level Windshear Alert
System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126

WIND PROFILES

- The gust-front detection and wind-shift algorithms for
the Terminal Doppler Weather Radar system
p 189 A94-12286

WIND SHEAR

- Airborne windshear system alert principle study
p 189 A94-10123
- Optimal recovery from microburst wind shear
p 107 A94-18083
- Case study of a low-reflectivity pulsating microburst -
Numerical simulation of the Denver, 8 July 1989, storm
p 189 A94-10875
- Use of computer graphic simulation for analysis of a
wind shear accident - A case study of Delta flight 191
p 53 A94-11356
- Signal processing aspects of windshear detection
p 190 A94-12361
- On non-linear longitudinal stability of an aircraft in a dive
in the presence of atmospheric disturbances
p 113 N94-11492
- Wind shear and heavy rain — effects on flight stability
[NASA-TM-109453] p 191 N94-15326
- Windshear database for forward-looking systems
certification
[NASA-TM-109012] p 192 N94-17283
- Integrated display of multi-sensor geophysical and
electromagnetic flight data p 231 N94-20418
- Description and availability of airborne Doppler radar
data p 231 N94-20419
- Windshear detection for aircraft using temperature lapse
rate
[CA-PATENT-1,295,736] p 219 N94-21030
- Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050
- ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- Machine intelligent gust front algorithm
[AD-A273695] p 343 N94-26196
- The relationship of an integral wind shear hazard to
aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- Nominal $H(\text{exp } 2)$ -optimization and strong stabilization:
A practical example of U-parameterization design
p 508 N94-34370
- Terminal Doppler Weather Radar (TDWR) Low Level
Wind Shear Alert System 3 (LLWAS 3) integration studies
at Orlando International Airport
[AD-A278957] p 557 N94-35807
- An automated method for Low Level Windshear Alert
System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- WIND TUNNEL APPARATUS**
- Identifying the NAL spaceplane aerodynamic model
using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
- Control system design of a cable-mounted model used
for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- Monopiece strain gauge sting mounted wind tunnel
balance
[CA-PATENT-1-311-626] p 181 N94-15697
- NASA Lewis 9- by 15-foot low-speed wind tunnel user
manual
[NASA-TM-106247] p 134 N94-15819
- Doppler global velocimetry: Development of a flight
research instrumentation system for application to
non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- Shake test results of the MDHC test stand in the 40-
by 80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596
- Installation of models in the 2 m x 3 m low speed wind
tunnel
[LTR-LA-286] p 345 N94-27594
- 'Real time' and the NLR aerodynamic facilities
[AD-B173626] p 438 N94-30856
- Langley 14- by 22-foot subsonic tunnel test engineer's
data acquisition and reduction manual
[NASA-TM-4563] p 526 N94-35246
- Three-dimensional force data acquisition and boundary
corrections for the Walter H. Beech Memorial 7 x 10 foot
low speed wind tunnel
[AR93-2] p 582 N94-36437
- WIND TUNNEL CALIBRATION**
- A new low speed wind tunnel for acoustic
measurements p 124 A94-10407
- Transonic wall interference corrections for small wind
tunnels p 125 A94-10416

- Technical excellence and productivity - The ETW challenge p 125 A94-10417
- The concept of the Kryo-Kanal-Koeln (KKK) - Operational experience, test results of flow quality and force measurements at AGARD-calibration model p 126 A94-10421
- The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443
- Overview of the 1989 Wind Tunnel Calibration Workshop [NASA-TP-3393] p 131 A94-11869
- Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel [NASA-TM-106470] p 280 A94-24362
- Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall [NASA-TP-3392] p 378 A94-29545
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel [NASA-TM-106545] p 543 A94-34919
- Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel [AR93-2] p 582 A94-36437
- WIND TUNNEL MODELS**
- A semi-analytical method to correct for support effects on wind tunnel models p 124 A94-10412
- The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697
- Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-167690] p 139 A94-12810
- Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 A94-13127
- Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 A94-13337
- Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 A94-14158
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 A94-15819
- Design of round-to-square transition section; analysis and computer code [AD-A267173] p 134 A94-15847
- A wind tunnel model control surface actuator interface [AD-A268729] p 135 A94-18324
- A study of the use of half-models in high-lift wind-tunnel testing p 48 A94-18434
- High lift systems for transport aircraft with advanced airfoils p 90 A94-18446
- Survey on the application of a 3D general purpose wind-tunnel research model [LR-713] p 136 A94-19372
- Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 A94-19914
- Improved ceramic slip casting technique - application to aircraft model fabrication [NASA-CASE-LAR-14471-1] p 230 A94-20377
- Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 A94-23545
- Installation of models in the 2 m x 3 m low speed wind tunnel [LTR-LA-286] p 345 A94-27594
- Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 A94-27912
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels p 364 A94-28352
- Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 A94-28949
- Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 A94-28950
- Numerical simulation of arc heated wind tunnel flow p 402 A94-28951
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles p 375 A94-28955
- Wind tunnel testing and research [NASA-CR-188273] p 402 A94-29052
- Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration [NASA-TM-109045] p 377 A94-29443
- Miniature linear-to-rotary motion actuator p 413 A94-29647
- Model borne data management system for wind tunnel testing, phase 2 [AD-A276296] p 438 A94-31295
- Status of LaRC HSCT high-lift research p 461 A94-33519
- Vehicle integration effects on hypersonic waveriders [NASA-TM-109739] p 474 A94-34118
- A combined approach to buffet response analyses and fatigue life prediction p 551 A94-34587
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 A94-34613
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 A94-35855
- Flutter suppression digital control law design and testing for the AFW wind tunnel model p 540 A94-35873
- Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel [AR93-2] p 582 A94-36437
- NASA Lewis wind tunnel model systems criteria [NASA-TM-106565] p 604 A94-37522
- Stability analysis of an F/A-18 E/F cable mount model [NASA-TM-108989] p 602 A94-37636
- WIND TUNNEL NOZZLES**
- Conjugate conduction-convection heat transfer with a high-speed boundary layer [BTN-94-EIX94311330652] p 549 A94-60139
- Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3 [NASA-CR-194359] p 131 A94-12824
- Design of round-to-square transition section; analysis and computer code p 134 A94-15847
- [AD-A267173] p 134 A94-15847
- A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 A94-35945
- WIND TUNNEL STABILITY TESTS**
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 A94-13345
- WIND TUNNEL TESTS**
- Wind tunnels and wind tunnel test techniques; Proceedings of the Conference, Southampton, United Kingdom, Sept. 14-17, 1992 [ISBN 1-85678-050-2] p 123 A94-10401
- Future test facility requirements and the role of heavy gas p 124 A94-10402
- Review of TsAGI wind tunnels p 124 A94-10403
- Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408
- Optical surface pressure measurement - Initial experience in the MCAIR PSWT --- Polysonic Wind Tunnel p 154 A94-10409
- Milestones in boundary-layer transition research with infrared imaging p 6 A94-10410
- Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section p 125 A94-10415
- Technical excellence and productivity - The ETW challenge p 125 A94-10417
- The use of the ETW for tests at high Reynolds number p 125 A94-10418
- A summary of noise measurements in a slotted cryogenic wind tunnel p 125 A94-10419
- New testing techniques in the T2 cryogenic wind tunnel p 126 A94-10420
- The concept of the Kryo-Kanal-Koeln (KKK) - Operational experience, test results of flow quality and force measurements at AGARD-calibration model p 126 A94-10421
- New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities p 6 A94-10436
- Wall correction method for models with propeller induced slipstream p 7 A94-10437
- A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
- Development of a pressure wave simulator for surge interaction testing p 127 A94-10441
- The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445
- Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
- Calculation of rotor blade air loads from measured structural response data p 155 A94-10743
- Hypersonic wind tunnel testing p 128 A94-10779
- NASA tests defining ASTOVL flow field p 1 A94-10850
- Wind-tunnel evaluation of mid-airframe installed turbojet engines p 71 A94-10859
- Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade p 72 A94-11392
- Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics [SAE PAPER 921925] p 107 A94-11974
- Advanced diagnostics research for high speed aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050
- Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions p 203 A94-12052
- HHC effects on hub and blade loads p 78 A94-12245
- Experimental aeroelasticity in wind tunnels - History, status, and future in brief p 130 A94-12692
- Experimental investigation of counter-rotating propfan flutter at cruise conditions [BTN-94-EIX94321333310] p 516 A94-60042
- Alleviation of side force on tangent-ogive forebodies using passive porosity [BTN-94-EIX94311329126] p 536 A94-60174
- Propulsion-induced aerodynamic effects measured with a full-scale STOV model [BTN-94-EIX94311329120] p 519 A94-60180
- Quantitative low-speed wake surveys [BTN-94-EIX94311329113] p 520 A94-60187
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
- Aerodynamic characteristics of the HL-20 [BTN-94-EIX94351137055] p 544 A94-60395
- Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet [BTN-94-EIX94381353570] p 577 A94-61460
- Lift enhancement of an airfoil using a Gurney flap and vortex generators [BTN-94-EIX94401358970] p 565 A94-61626
- Wind-tunnel test techniques for unmanned aerial vehicle separation investigations [BTN-94-EIX94401358976] p 571 A94-61632
- Active control of wing rock using tangential leading-edge blowing [BTN-94-EIX94401358987] p 571 A94-61643
- An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 A94-10350
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 A94-10424
- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 A94-10431
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 A94-10445
- Simulated wake characteristics of tapered annular wings by a discrete vortex method [NAL-TR-1156] p 25 A94-10855
- Simulated and experimental aerodynamic characteristics of tapered annular wings [NAL-TR-1157] p 25 A94-10856
- An experimental investigation of the sources of propeller noise due to turbulence ingestion p 205 A94-11057
- A preliminary study on ice shape tracing with a laser light sheet [NASA-TM-105964] p 170 A94-11132
- Supersonic airplane study and design [NASA-CR-193219] p 80 A94-11150
- Boundary layer transition: Prediction and wind tunnel simulation p 171 A94-11498
- Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 A94-11499
- Computation of hypersonic nosetip heat transfer rates for an M829-like projectile [AD-A263226] p 27 A94-11870
- Lift enhancement of a wing/strake using pneumatic blowing [AD-A265074] p 82 A94-11872
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests [NAL-TR-1171] p 28 A94-12951
- Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 A94-13127

Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions
[NASA-TM-109016] p 29 N94-13172

Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-QTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191

Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292

Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340

Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341

Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347

Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180-PT-2] p 31 N94-13454

Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration
[NAL-TR-1186] p 83 N94-13459

An experimental investigation of shock wave/vortex interaction
[NAL-TR-1164] p 175 N94-13574

Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859

Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031

Noise levels from a model turbofan engine with simulated noise control measures applied
[NASA-TM-106318] p 102 N94-14036

Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059

Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels
p 133 N94-14158

An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil
[NASA-CR-194522] p 35 N94-14541

An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105

Rotorcraft research
[NASA-TM-109452] p 134 N94-15325

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677

Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681

Physical properties of the benchmark models program supercritical wing
[NASA-TM-4457] p 85 N94-15722

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780

Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section
[NASA-TP-3334] p 134 N94-15794

NASA Lewis 9- by 15-foot low-speed wind tunnel user manual
[NASA-TM-106247] p 134 N94-15819

Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 N94-16157

Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572

Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds
[NASA-TP-3360] p 42 N94-16573

Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574

Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221

Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260

Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284

User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system
[NASA-TM-109027] p 44 N94-17639

Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage
[AD-A269206] p 46 N94-18413

Experimental investigation of flow around a multielement airfoil
p 46 N94-18417

High Reynolds number configuration development of a high-lift airfoil
p 47 N94-18424

The GARTEUR high lift research programme
p 48 N94-18430

An experimental investigation of the optimum slat setting on a combat aircraft model
p 89 N94-18431

An experimental investigation of attachment-line transition on the slat of a combat aircraft model
p 89 N94-18432

A study of the use of half-models in high-lift wind-tunnel testing
p 48 N94-18434

High-lift design for large civil aircraft
p 89 N94-18445

High lift systems for transport aircraft with advanced airfoils
p 90 N94-18446

The world's largest wind tunnel
[NASA-TM-109371] p 135 N94-18963

Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914

Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany)
[DLR-FB-92-24] p 228 N94-21280

A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591

Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260

Testing of a multisensor hot film technique in wind tunnel and free flight
p 218 N94-22599

Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489

Holographic testing of composite propfans for a cruise missile wind tunnel model
[NASA-TM-105271] p 264 N94-23545

Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975

Lift augmentation on a delta wing via leading edge fences and the Gurney flap
[NASA-CR-194793] p 251 N94-24103

An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311

Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586

Wind tunnel test of a variable-diameter tiltrotor (VDTR) model
[NASA-CR-177629] p 316 N94-24796

Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534

Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilizers of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497

The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel
[NASA-CR-4571] p 294 N94-26548

Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596

Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604

Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815

Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape
[NAL-TM-653] p 295 N94-27235

Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802

Microspheres for laser velocimetry in high temperature wind tunnel
p 345 N94-27903

Experimental apparatus for optimization of flap position for a three-element airfoil model
p 346 N94-27912

Experiments on the ground vortex formed by an impinging jet in cross flow
p 359 N94-28016

Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel
p 297 N94-28022

Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics
[ESDU-93024-PT-1] p 362 N94-28095

Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack
p 302 N94-28323

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner
p 302 N94-28328

Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft
p 302 N94-28330

Aerodynamic performance of novel ducted-tip wings
p 303 N94-28331

Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility
p 363 N94-28350

Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code
p 363 N94-28351

Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352

Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing
[NASA-CR-191193] p 401 N94-28510

Steady pressure measurements on an Aeroleastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658

A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes
[NASA-CR-195699] p 409 N94-28724

Wind tunnel testing and research
[NASA-CR-188273] p 402 N94-29052

An experimental study of wing tip vortex in the near wake of a rectangular wing
[AD-A275389] p 377 N94-29306

Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545

An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
p 378 N94-29674

An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes
p 400 N94-29728

Algorithm and code development for unsteady three-dimensional Navier-Stokes equations
[NASA-CR-195774] p 414 N94-29942

The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion
[NASA-CR-195327] p 380 N94-30124

Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151

The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer
p 444 N94-30807

The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARD) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945

Wind tunnel tests of a 5.3 m diameter yaw controlled turbine
[FFA-TN-1993-20] p 449 N94-30946

Model borne data management system for wind tunnel testing, phase 2
[AD-A276296] p 438 N94-31295

Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318

- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter
[NASA-TM-108237] p 452 N94-31337
- Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- Boundary layer study on nozzle wall at hypersonic velocities
p 424 N94-31882
- A critical assessment of UH-60 main rotor blade airfoil data
[NASA-TM-103985] p 425 N94-32063
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
[NASA-CR-195301] p 456 N94-32475
- Aerodynamic drag of droplets in turbulent flow fields
[ISBN-0-315-75827-9] p 457 N94-32491
- Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870
- Control of low-speed turbulent separated flow over a backward-facing ramp
[NASA-TM-109740] p 459 N94-33071
- Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118
- Calibration and validation studies in the LENS facility
[AD-A278403] p 490 N94-33167
- Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424
- HSC nozzle source noise programs at Pratt and Whitney
p 509 N94-33465
- Nacelle-wing integration
p 472 N94-33504
- HSR high lift research program: Status and plans
p 461 N94-33521
- Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- NASA Ames Fluid Mechanics Laboratory research briefs
[NASA-TM-108818] p 465 N94-33997
- Static performance investigation of a skewed-throat multi-axis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
- Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451
- A combined approach to buffet response analyses and fatigue life prediction
p 551 N94-34587
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors
p 524 N94-34967
- Mechanisms of flow control with the unsteady bleed technique
p 525 N94-34987
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model
p 527 N94-35855
- Flutter suppression digital control law design and testing for the AFW wind tunnel model
p 540 N94-35873
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot — conducted in the Ames 80 by 120 foot wind tunnel
p 527 N94-35965
- F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust — conducted in the Langley 14 by 22 foot subsonic wind tunnel
[NASA-TP-3427] p 601 N94-37505
- NASA Lewis wind tunnel model systems criteria
[NASA-TM-106565] p 604 N94-37522
- Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- WIND TUNNEL WALLS**
- A semi-analytical method to correct for support effects on wind tunnel models
p 124 A94-10412
- Interference corrections in wind tunnels with slotted walls
p 125 A94-10414
- Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section
p 125 A94-10415
- Transonic wall interference corrections for small wind tunnels
p 125 A94-10416
- A summary of noise measurements in a slotted cryogenic wind tunnel
p 125 A94-10419
- Jet boundaries - New type of self-streamlining wind tunnel wall
p 6 A94-10434
- Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound
p 6 A94-10435
- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities
p 6 A94-10436
- Wall correction method for models with propeller-induced slipstream
p 7 A94-10437
- A wall interference assessment/correction system
[NASA-CR-194174] p 28 N94-13076
- Wall interference studies: Revisited
p 178 N94-14604
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section
[NASA-TP-3334] p 134 N94-15794
- Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them
[RAE-LIB-TRANS-2201] p 42 N94-16583
- Evaluation of the prototype dual-axis wall attitude measurement sensor
[NASA-TM-109056] p 354 N94-26707
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352
- A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes
[NASA-CR-195699] p 409 N94-28724
- Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151
- WIND TUNNELS**
- Wind tunnels and wind tunnel test techniques: Proceedings of the Conference, Southampton, United Kingdom, Sept. 14-17, 1992
[ISBN 1-85678-050-2] p 123 A94-10401
- A modernised HST of NLR — High Speed Tunnel
p 124 A94-10405
- Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves
p 11 A94-10953
- Incompressible flow in contracting ducts
p 159 A94-12198
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
- The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing
p 130 N94-10432
- New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860
- Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan
[NAL-TM-648T] p 169 N94-10861
- Overview of the 1989 Wind Tunnel Calibration Workshop
[NASA-TP-3393] p 131 N94-11869
- Superfluid turbulence
p 172 N94-12307
- Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127
- Unitary plan wind tunnel landmark dedication and revitalization
[NASA-TM-109649] p 212 N94-15434
- Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them
[RAE-LIB-TRANS-2201] p 42 N94-16583
- A wind tunnel model control surface actuator interface
[AD-A268729] p 135 N94-18324
- Perspective and future possibilities
p 186 N94-18651
- Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664
- The world's largest wind tunnel
[NASA-TM-109371] p 135 N94-18963
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Research and test facilities
[NASA-TM-109685] p 344 N94-26684
- Comparative analysis of different configurations of PLC-based safety systems from reliability point of view
p 358 N94-27925
- Holographic interferometry: A user's guide
[DE94-003136] p 408 N94-28466
- Performance evaluation of the NWT with parallel Fortran
p 415 N94-28992
- Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200
- The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer
p 444 N94-30807
- Icing research tunnel
[NASA-TM-109844] p 491 N94-33751
- Control of leading-edge separation on a cambered delta wing
p 539 N94-34616
- National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex
[NASA-TM-109856] p 542 N94-34634
- WIND TURBINES**
- Aerodynamics of horizontal-axis wind turbines
p 10 A94-10887
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity
[BTN-94-EIX94321333311] p 548 A94-60043
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173
- Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
- Control algorithms for effective operation of variable-speed wind turbines
[DE94-002607] p 282 N94-23704
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117
- Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- International collaborative research in wind turbine rotor aerodynamics
[DE94-000244] p 448 N94-30602
- The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARD) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945
- Wind tunnel tests of a 5.3 m diameter yaw controlled turbine
[FFA-TN-1993-20] p 449 N94-30946
- WIND VANES**
- Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203
- WIND VELOCITY**
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity
[BTN-94-EIX94321333311] p 548 A94-60043
- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport
[NLR-TP-91384-U] p 58 N94-17733
- Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203
- Control algorithms for effective operation of variable-speed wind turbines
[DE94-002607] p 282 N94-23704
- Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- WINDOWS**
- Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows
[BTN-94-EIX94351142128] p 550 A94-60421
- WINDSHIELDS**
- Aerodynamics of horizontal-axis wind turbines
p 10 A94-10887
- The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARD) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945
- Wind tunnel tests of a 5.3 m diameter yaw controlled turbine
[FFA-TN-1993-20] p 449 N94-30946
- WINDSHIELDS**
- Application of the strain gage-hole drilling method to aircraft transparencies
p 164 A94-12918
- Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405

- Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892
- Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425
- Explicit solution techniques for impact with contact constraints
p 188 N94-19470
- Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- Canopy breaking device
[AD-D016294] p 602 N94-37767
- WING CAMBER**
Mission adaptive wing
[NASA-TM-109448] p 85 N94-15321
- WING FLAPS**
Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322
- High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415
- Where is high-lift today? A review of past UK research programmes
p 5 N94-18416
- Experimental investigation of flow around a multielement airfoil
p 46 N94-18417
- A design procedure for slotted flaps
p 88 N94-18418
- Aircraft wing structural detail design (wing, aileron, flaps, and subsystems)
[NASA-CR-195487] p 318 N94-24974
- WING FLOW METHOD TESTS**
Numerical simulation of a powered-lift landing
p 328 N94-28033
- WING LOADING**
Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment
[BTN-94-EIX94401358963] p 571 A94-61619
- The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380
- WING NACELLE CONFIGURATIONS**
Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow
p 7 A94-10697
- Supersonic airplane study and design
[NASA-CR-193219] p 80 N94-11150
- Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260
- An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling
p 433 N94-31881
- HSCAT inlet development issues
p 472 N94-33505
- WING OSCILLATIONS**
Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow
p 7 A94-10697
- A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils
p 18 A94-12799
- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment
p 165 A94-13144
- Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182
- Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings
[BTN-94-EIX94341338362] p 522 A94-60354
- Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment
[BTN-94-EIX94401358963] p 571 A94-61619
- Lift enhancement device
[AD-D015868] p 88 N94-17704
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
- Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors
p 524 N94-34967
- Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing
[NASA-CR-196112] p 581 N94-36965
- WING PANELS**
Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
- Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- Active vortex control for a high performance wing
[AD-D016140] p 458 N94-32974
- WING PLANFORMS**
Conceptual design of a stopped rotor with flap controls
p 108 A94-12108
- Tail load calculations for light airplanes
[BTN-94-EIX94311329148] p 517 A94-60152
- Aerodynamic properties of crescent wing planforms
[BTN-94-EIX94311329146] p 517 A94-60154
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951
- Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
- The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- WING PROFILES**
Fatigue test by random loading of a training aeroplane wing spar
p 123 A94-10325
- Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities
p 11 A94-10932
- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer
p 11 A94-10936
- Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow
p 18 A94-12800
- Equivalent plate structural modeling for wing shape optimization including transverse shear
[BTN-94-EIX94421374979] p 564 A94-61877
- New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860
- Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft
[LR-693] p 83 N94-13687
- Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight
[ILR-MITT-280(1993)] p 37 N94-14800
- Mission adaptive wing
[NASA-TM-109448] p 85 N94-15321
- The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- Numerical analysis of supersonic transport wings
p 375 N94-28959
- Numerical solution of inverse problem in aerodynamics
p 376 N94-28965
- Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages
[NASA-CR-4269] p 498 N94-32871
- Status of F16XL SSLFC numerical design validation
p 462 N94-33527
- WING SLOTS**
Fluid flow and heat convection studies for actively cooled airframes
[NASA-CR-194624] p 182 N94-16491
- A design procedure for slotted flaps
p 88 N94-18418
- WING SPAN**
Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section
p 125 A94-10415
- Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856
- Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340

WING TANKS

Flight test certification of a 480 gallon composite fuel tank on CF-18
p 574 N94-36340

WING TIP VORTICES

Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856

Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

An experimental study of wing tip vortex in the near wake of a rectangular wing
[AD-A275389] p 377 N94-29306

Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522

WING TIPS

Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833

Bent-tip blade for aircraft rotary-wing
[CA-PATENT-1-315-259] p 257 N94-23254

Toward modeling wingtip vortices
p 251 N94-24142

Aerodynamic performance of novel ducted-tip wings
p 303 N94-28331

Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

WING-FUSELAGE STORES

Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft
p 302 N94-28330

WINGLETS

Influence of non-planar blade tips on rotor performance
p 16 A94-12071

WINGS

Active flutter suppression techniques in aircraft wings
p 110 A94-12613

Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177

Vortex-wing interaction of a close-coupled canard configuration
[BTN-94-EIX94311329121] p 519 A94-60179

Ornithopter wing design
[BTN-94-EIX94331337499] p 521 A94-60334

Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment
[BTN-94-EIX94401358963] p 571 A94-61619

Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783

Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover
[NASA-CR-4532] p 25 N94-10758

A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations
[NASA-TM-109009] p 82 N94-12850

Numerical study of the effects of icing on viscous flow over wings
[NASA-CR-193306] p 29 N94-13180

Better airplane wings
[NASA-TM-109446] p 150 N94-15345

Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574

Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966

Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260

Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274

Lift enhancement device
[AD-D015868] p 88 N94-17704

High-Lift System Aerodynamics
[AGARD-CP-515] p 4 N94-18415

Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver
p 48 N94-18427

The GARTEUR high lift research programme
p 48 N94-18430

Viscous phenomena affecting high-lift systems and suggestions for future CFD development
p 48 N94-18433

In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section
p 49 N94-18435

A fast computing method for the flow over high-lift wings
p 49 N94-18437

Calculation of multielement airfoils and wings at high lift
p 49 N94-18438

Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441

High-lift research: Application to the design of the ATR72 flap p 89 N94-18442

The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443

High lift systems for transport aircraft with advanced airfoils p 90 N94-18446

Dynamic response analysis of composite structural members during missile launch [AD-A270023] p 140 N94-18760

Airflow research [NASA-TM-109372] p 50 N94-18964

Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351

Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

Experimental study on interference aerodynamics of close-coupled canard configuration [AD-A267760] p 52 N94-19963

Nonlinear aerodynamics and the design of wing tips [NASA-CR-194732] p 217 N94-21833

Dynamic mesh adaption for triangular and tetrahedral grids p 243 N94-22363

An experimental investigation of the effect of upper surface blowing on dynamic stall [NASA-CR-194863] p 247 N94-22894

POISs3: A 3D poisson smoother of structured grids [PB93-226231] p 275 N94-23115

Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques [NASA-TP-3374] p 249 N94-23512

LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method [NASA-TM-108786] p 249 N94-23557

Aircraft wing structure detail design [NASA-CR-195485] p 262 N94-24498

Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974

An investigation into the aerodynamic effects of wing patches [ISBN-0-315-84121-4] p 294 N94-26672

Automation of formation flight control [AD-A274137] p 340 N94-27132

Investigation of aerodynamic design issues with regions of separated flow p 296 N94-27902

Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917

Effects, limits, and limitations of spanwise blowing p 298 N94-28027

Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds [ESDU-93015] p 299 N94-28076

Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds [ESDU-93019] p 300 N94-28140

Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334

Ice accretion on aircraft wings p 311 N94-28345

Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899

Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760

Aerodynamic characteristics of a propeller-powered high-lift semispan wing [NASA-TM-4541] p 380 N94-29937

Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287

Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264

Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974

Structural testing of the technology integration box beam p 494 N94-33125

Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128

Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129

A new method for calculating wing along aerodynamics to angle of attack 180 deg [AD-A277965] p 460 N94-33263

Lift enhancement by trapped vortex p 462 N94-33524

Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592

Design oriented structural analysis [NASA-TM-109124] p 551 N94-34722

Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972

Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384

WIRE CLOTH

A constitutive model for layered wire mesh and aramid cloth fabric [DE94-003275] p 349 N94-26796

WIRING

Specification and testing for power by wire aircraft [NASA-TM-106232] p 138 N94-10765

Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791

NAVAIR aircraft wiring standardization and qualification program p 408 N94-28704

Organized wiring systems p 408 N94-28705

WORK FUNCTIONS

Engineering of systems for application of scientific computing in industry p 415 N94-28947

WORKING FLUIDS

System and method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-1] p 232 N94-20588

The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695

Method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-2] p 413 N94-29740

Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436

WORKLOADS (PSYCHOPHYSIOLOGY)

Knowledge-based system techniques for pilot aiding p 111 A94-12704

A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298

The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744

Integrated Terminal Weather System (ITWS) [AD-A269884] p 193 N94-18684

An examination of the operational error database for air route traffic control centers [AD-A275986] p 256 N94-24472

Information presentation for expert systems in future fighter aircraft [AD-A275126] p 394 N94-29005

The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474

The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596

Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD) [AD-A278675] p 540 N94-35796

Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control [NASA-TP-3399] p 529 N94-36048

WORKSTATIONS

A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays p 330 N94-27286

ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566

Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12 [AD-A276979] p 441 N94-32318

Design and Monte Carlo analysis of an unmanned aerial vehicle [AD-A277648] p 470 N94-33056

WOVEN COMPOSITES

Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277

X**X RAY ANALYSIS**

X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590

X RAY DIFFRACTION

An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure [AD-A273403] p 348 N94-25072

X RAY INSPECTION

An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136

The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

X RAY IRRADIATION

Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating [DE93-012856] p 173 N94-12821

X-29 AIRCRAFT

A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft [SAE PAPER 921996] p 14 A94-12008

Flight testing of pneumatic forebody vortex control on the X-29 technology demonstrator [SAE PAPER 922008] p 73 A94-12012

Buffet-induced structural/flight-control system interaction of the X-29A aircraft [BTN-94-EIX94311329137] p 517 A94-60163

X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504

X-29: Experiment in flight [NASA-TM-109454] p 85 N94-15327

High lift and the forward swept wing p 89 N94-18436

X-29: Research aircraft [NASA-TM-109370] p 91 N94-18962

X-29 flight control system: Lessons learned [NASA-TM-4598] p 466 N94-34384

Damage tolerance management of the X-29 vertical tail p 531 N94-34595

X-30 VEHICLE

An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945

The National Aerospace Plane (NASP): Development issues for the follow-on vehicle [AD-A278417] p 471 N94-33329

X-31 AIRCRAFT

Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744

X-31 aerodynamic characteristics determined from flight data p 320 N94-25109

X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619

X-31 tactical utility: Initial results p 533 N94-34620

Controlling forebody asymmetries in flight: Experience with boundary layer transition strips [NASA-TM-4595] p 568 N94-36944

XV-15 AIRCRAFT

Determining XV-15 aeroelastic modes from flight data with frequency-domain methods [NASA-TP-3330] p 80 N94-10935

XV-15: Tiltrotor [NASA-TM-109455] p 85 N94-15328

Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions p 541 N94-35972

Y**YAW**

Some basic considerations on angles describing airplane flight maneuvers [BTN-94-EIX94381311179] p 570 A94-61266

Static internal performance of a single expansion ramp nozzle with multiaxis thrust vectoring capability [NASA-TM-4450] p 24 N94-10675

The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan [RAE-TM-AERO/PROP-22] p 179 N94-14827

Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle [NASA-TP-3369] p 41 N94-16572

Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds [NASA-TP-3360] p 42 N94-16573

The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDCC) and The Aeronautical Research Institute of Sweden (FFA) [FFA-TN-1993-19] p 449 N94-30945

Wind tunnel tests of a 5.3 m diameter yaw controlled turbine [FFA-TN-1993-20] p 449 N94-30946

Yaw control by tangential forebody blowing p 539 N94-34615

Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624

YAWING MOMENTS

Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio [ESDU-93007] p 298 N94-28057

YC-14 AIRCRAFT

Yaw control by tangential forebody blowing

p 539 N94-34615

Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot --- conducted in the Ames 80 by 120 foot wind tunnel

p 527 N94-35965

Controlling forebody asymmetries in flight: Experience with boundary layer transition strips

[NASA-TM-4595] p 568 N94-36944

YC-14 AIRCRAFT

Design, development, and flight evaluation of the Boeing

YC-14 USB powered lift aircraft p 89 N94-18444

YOKES

Reconfigurable aircraft stick control

[AD-D016043] p 344 N94-27113

YTTRIA-STABILIZED ZIRCONIA

An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure

[AD-A273403] p 348 N94-25072

YTTRIUM OXIDES

Processing yttrium barium copper oxide superconductor in near-zero gravity

[BTN-94-EIX94311332378] p 550 A94-60951

An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure

[AD-A273403] p 348 N94-25072

YTTRIUM-ALUMINUM GARNET

Single crystal faceplate evaluation

[AD-A277922] p 500 N94-33399

Z**ZERO ANGLE OF ATTACK**

Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds

[ESDU-93034] p 297 N94-27955

Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds

[ESDU-93019] p 300 N94-28140

ZINC ALLOYS

Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy

[BTN-94-EIX94301320144] p 546 A94-60853

ZIRCONIUM OXIDES

An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure


[AD-A273403] p 348 N94-25072

PERSONAL AUTHOR INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography
1994 Cumulative Index

December 1994

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document is used to provide a brief description of the subject matter. The report number helps to indicate the type of document (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence.

A

- AALFS, DAVID D.**
Signal processing aspects of windshear detection
[AIAA PAPER 93-4529] p 190 N94-12361
- AANSTOOS, J. V.**
Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283
- ABBE, BRIAN S.**
ACTS broadband aeronautical experiment
[NASA-TP-3395] p 272 N94-22771
- ABBOTT, BEN**
Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00
[AD-A276949] p 451 N94-32219
- ABBOTT, DAVID R.**
Seal assembly
[CA-PATENT-1,312,888] p 277 N94-24128
- ABBOTT, DEAN W.**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- ABBOTT, KATHY H.**
Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882
- ABDOL-HAMID, KHALED S.**
Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy
p 10 A94-10856
- ABDULAZIZ, M.**
Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267
- ABDULHUSSAIN, U. S.**
Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267

- ABE, TETSUYA**
A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- ABERLE, JAMES T.**
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- ABERLE, JIM**
Hybrid techniques for complex aerospace electromagnetics problems
p 358 N94-27894
- ABEYOUNIS, WILLIAM K.**
Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92
[NASA-TM-4488] p 39 N94-15681
- ABGRALL, REMI**
Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- ABKOWITZ, STANLEY**
Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978
- ABKOWITZ, SUSAN M.**
Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978
- ABOBO, JOEY B.**
Supercruiser Arrow HS-8
p 322 N94-25711
- ABOURAHMA, AHMED A.**
The analysis of wake-induced unsteady aerodynamics related to higher harmonic control
[AD-A277914] p 459 N94-33108
- ABOWD, GREGORY D.**
Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880
- ABRAHAM, I. DAVID**
Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
- ABRAMIAN, M.**
Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage
[BTN-94-EIX94311330093] p 590 A94-61126
Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers
[BTN-94-EIX94311330092] p 590 A94-61127
- ABREGO, ANITA**
Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions
p 541 N94-35972
- ABSI, ANTHONY E.**
Evaluation of infrared sensors for autonomous landing guidance
[AD-A266450] p 68 N94-13703
- ABUMERI, GALIB H.**
Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- ACHARYA, M.**
Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
Mechanisms of flow control with the unsteady bleed technique
p 525 N94-34987
- ACHARYA, MUKUND**
The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil
p 524 N94-34972
- ACHENBACH, J. D.**
Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE
[ISBN 0-7918-0662-6] p 162 A94-12651
Introduction - The science and technology of NDE
p 162 A94-12658
- ACKERMAN, S. A.**
CIMSS FIRE research activities
p 242 N94-22307
- ACKERMAN, T. P.**
Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303
- ACKERMAN, THOMAS**
An overview of the radiation component of the NASA TOGA-COARE experiment
p 242 N94-22344
- ACREE, C. W., JR.**
Determining XV-15 aeroelastic modes from flight data with frequency-domain methods
[NASA-TP-3330] p 80 N94-10935
- ADACHI, NAOKITO**
Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958
- ADAM, EUGENE C.**
Tactical cockpits: The coming revolution
[BTN-94-EIX94331335530] p 530 A94-60211
- ADAM, V.**
DLR's ATM demonstration programme
p 386 N94-29575
Experimental flight management system
p 388 N94-29580
- ADAMCZAK, DAVID W.**
Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779
- ADAMS, CATHERINE A.**
Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189
- ADAMS, D.**
Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- ADAMS, J. W.**
Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683
- ADAMS, MARY S.**
Design and analysis of low boom concepts at Langley Research Center
p 510 N94-33470
Automatic procedures for computing complete configuration geometry from individual component descriptions
[NASA-TM-4607] p 568 N94-36942
Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations
[NASA-TM-4573] p 568 N94-36950
- ADAMS, RICHARD J.**
Robust flight control design using dynamic inversion and structured singular value synthesis
p 106 A94-10282
Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX94381311174] p 579 A94-61261
Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle
p 337 N94-25108
Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189
- ADAMS, WILLIAM M., JR.**
ISAC: A tool for aeroservoelastic modeling and analysis
[NASA-TM-109031] p 123 N94-19316
- ADAMSON, A. P.**
Wing mounted unducted fan engine
[CA-PATENT-1323353] p 265 N94-24180
- ADARE, I.**
A new approach to turboprop forward nacelle design
p 335 N94-28336
- ADOLESEE, A. J.**
Whirl measurements on leakage flows in turbomachine models
p 502 N94-34185
- ADELMAN, HENRY G.**
A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860

ADELMAN, HOWARD M.

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900

ADIBNAZARI, SAEED

Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125

ADIGA, B. S.

PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077

ADJARDOUZOV, P. A. K.

CIAM experimental turboramjets p 399 N94-29299

ADRIAN, KENNETH

Aircraft wing structural detail design (wing, aileron, flaps, and subsystems)
[NASA-CR-195487] p 318 N94-24974

AESCHLIAM, DANIEL P.

Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445

AFFES, H.

Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665

AFOLABI, D.

Flutter analysis using transversality theory
[NASA-TM-106382] p 183 N94-17481

AGAN, MARTIN J.

ACTS broadband aeronautical experiment p 272 N94-22771

AGATANOVIC, P.

Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 N94-10055

AGGARWAL, ARUN K.

Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide
[NASA-CR-191183] p 178 N94-14445

AGNES, GREGORY S.

Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343

AGRAWAL, AJAY K.

The 3-D numerical study of airflow in the compressor/compressor prediffuser and dump diffuser of an industrial gas turbine p 276 N94-23660

AGRAWAL, S.

Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974

AGRAWAL, SATISH K.

Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202

AGRAWAL, SHREEKANT

Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422

AGUIAR, JOHN

A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972

AHLRICH, RANDY C.

Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers
[AD-A277732] p 490 N94-33444

AHMED, S.

Reattachment studies of an oscillating airfoil dynamic stall flowfield
[BTN-94-EIX94301315980] p 515 A94-60016
Comparison of pitch rate history effects on dynamic stall p 535 N94-34968

AHN, KYUNG H.

Performance of renormalization group algebraic turbulence model on boundary layer transition simulation
[NASA-CR-194466] p 292 N94-26131

AHUJA, K. K.

Strategic planning for aircraft noise route impact analysis: A three dimensional approach
[NASA-CR-191484] p 207 N94-17278
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869
Enhancement of mixing in a rectangular jet by mechanical tabs
[NASA-CR-185207] p 498 N94-32872

AHUJA, KRISH K.

Georgia Tech sonic boom simulator p 512 N94-33501

AIBEL, DAVID W.

New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193

AIKEN, EDWIN W.

Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325

AINGE, STEPHEN

Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756

AINSWORTH, R. W.

Data acquisition in aerodynamic research p 186 N94-18644
Recent developments in fast response aerodynamic probe technology p 186 N94-18645

AJMANI, KUMUD

Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301

AKHRAS, GEORGES

Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND
[DSIS-93-00343] p 508 N94-33335

AKIAN, R. A.

Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228

AL-HASHEE, WALEED ISA

Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571

AL-MOUFADI, S.

Drag reduction of airplane fuselages through shaping by the inverse method
[BTN-94-EIX94311329117] p 536 A94-60183

AL-SAAD, JASSIM A.

Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section
[NASA-TP-3334] p 134 N94-15794

ALAMERI, MOHAMED

Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498

ALATY, L.

Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408

ALCENIUS, TIMOTHY

Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625

ALCORIN, CHARLES W.

Boundary-layer influences on the subsonic near-wake of bluff bodies
[BTN-94-EIX94311329138] p 517 A94-60162

ALDANA, JOSE F.

Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010

ALDO, ANDREW C.

Supersonic minimum length nozzle design for dense gases p 250 N94-23656

ALEMDAROGLU, NAFIZ

Experimental investigation of flow around a multielement airfoil p 46 N94-18417

ALEXAN, KARIM

Controlled oscillation of forebody vortices by nozzle jet blowing
[ISBN-0-315-84134-6] p 340 N94-27648

ALEXANDER, M. L.

Compatibility and efficacy of biocides qualified under military specification MIL-S-53021
[AD-A271496] p 230 N94-20551

ALEXANDER, MICHAEL G.

Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002

ALEXANDROU, A. N.

Solar powered multipurpose remotely powered aircraft p 323 N94-25719

ALFORD, R. E.

Risk analysis of the C-141 WS405 inner-to-outer wing joint p 531 N94-34592

ALFREDSSON, P. H.

A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445

ALISHAH, M. M.

Multiple-zone potential solutions around wing-body configurations p 17 A94-12343

ALIZADEH, S.

Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252

ALKABIE, H. S.

Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels p 397 N94-29267

ALKEMA, KEVIN

Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975

ALLAN, W. D. E.

An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339

ALLEGRE, J.

Control jets in interaction with hypersonic rarefied flow p 347 N94-28020

ALLEMANG, R. J.

Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488

ALLEN, CARL L.

The design of a long-range megatransport aircraft p 323 N94-25718

ALLEN, G. A.

Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532

ALLEN, G. A., JR.

Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513

ALLEN, M. G.

Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607

ALLISON, DENNIS O.

Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586

ALLISON, S. W.

Metals 2000
[DE93-016761] p 151 N94-17752

ALLMARAS, S. R.

One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782

ALLOUCHE, R.

DAISY: A decision aid for an air situation interpretation system p 386 N94-29574

ALMAHROOS, HUSSAIN MOHAMED HASAN

RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534

ALPARY, S. P.

Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853

ALSUP, JOHN S.

Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592

ALTER, STEPHEN J.

Single block three-dimensional volume grids about complex aerodynamic vehicles
[NASA-TM-108986] p 183 N94-17476

ALTEROVITZ, S. A.

New technique for oil backstreaming contamination measurements p 227 N94-20511

ALTHAUS, D.

The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747

ALTIPARMAK, D.

Whirl measurements on leakage flows in turbomachine models p 502 N94-34185

ALTMAN, SYLVIA I.

Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127

ALVAREZ, J.

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

AMANO, KANICHI

Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964

AMANO, R. S.

Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058

AMBUR, D. R.

Technology integration box beam failure study p 494 N94-33126

AMOS, DAVID A.

Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474

AMRO, JOE P.

The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900

ANANDA, MOHAN

Wide Area Differential GPS-potential for accurate global navigation p 64 A94-12561

ANANDAN, MUNISAMY

Design of a multi-channel true flat fluorescent lamp for avionics AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203

- ANANTHASWAMY, V.**
Influence of aerodynamic forces in ice shedding
[BTN-94-EIX94401358967] p 564 A94-61623
- ANDERBERG, NILS-ERIC**
System for automatic transportation of aircraft on the ground
[CA-PATENT-1-322-361] p 341 N94-24785
- ANDERSEN, GERALD**
The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- ANDERSON, A.**
Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels
p 133 N94-14158
- ANDERSON, BIANCA**
Status of F16XL SSLFC numerical design validation
p 462 N94-33527
- ANDERSON, BIANCA T.**
Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- Flight test results of riblets at supersonic speeds
[NASA-TM-4387] p 458 N94-32880
- ANDERSON, C. J.**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- ANDERSON, DAVID N.**
Rime-, mixed- and glaze-ice evaluations of three scaling laws
[NASA-TM-106461] p 255 N94-24047
- ANDERSON, GRANT S.**
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
[PB94-151941] p 513 N94-34380
- ANDERSON, K. D.**
An evaluation of three GPS receivers for use in the GPS sounder
[AD-A278157] p 469 N94-33253
- ANDERSON, LARS Q.**
ETOPS and service ready standards and processes
[SAE PAPER 921919] p 53 A94-11969
- ANDERSON, MELVIN S.**
Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- ANDERSON, R. C.**
Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
- ANDERSON, RAYMOND J.**
Scheduled maintenance optimization system
[BTN-94-EIX94311329145] p 517 A94-60155
- ANDERSON, ROBERT E.**
First Annual HSR Program Workshop: Headquarters perspective
p 471 N94-33448
- ANDERSON, S. D.**
Research and development of high thermal stability fuels
p 405 N94-29261
- ANDERSSON, BOERJE**
Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures
[FFA-TN-1993-05] p 84 N94-13690
- ANDERSSON, PER**
Turbine design
p 140 N94-20075
- ANDO, SHIGENORI**
A systematic computation scheme of PAR-WIG cruising performance
p 155 A94-10799
- Systematic computation scheme of PAR-WIG cruising performance
[BTN-94-EIX94361135427] p 521 A94-60624
- ANDOU, YASUKATSU**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- ANDRE, ANTHONY D.**
Visual cueing aids for rotorcraft landings
p 119 N94-13313
- ANDRESEN, G.**
Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91
[PB94-137411] p 416 N94-29175
- ANDREW, WILLIAM V.**
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- ANDREWS, AUSTIN L.**
Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- ANDREWS, G. E.**
Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267
- ANDREWS, HAL**
Interpreted Cooper-Harper for broader use
p 118 N94-13309
- ANDREWS, K. J.**
EH101 - The optimum naval helicopter
p 75 A94-12080
- ANDREWS, MELISSA S.**
Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238
- ANDRISANI, DOMINICK, II**
A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator
[NASA-CR-193240] p 112 N94-10895
- Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820
- ANGERS, D.**
FM interference in radio navigation receivers
p 222 N94-22219
- ANIKIN, V. A.**
Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics
p 17 A94-12074
- ANIL, K. N.**
Preliminary investigations on improving air-augmented rocket performance
[BTN-94-EIX9432133323] p 544 A94-60274
- ANKENEY, DEWEY P.**
Adaptive autopilot
[AD-C016193] p 489 N94-34406
- ANNIS, CHARLES**
Fatigue in single crystal nickel superalloys
[AD-A276662] p 443 N94-32047
- ANOLL, ROBERT K.**
Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
[AD-A274241] p 313 N94-26826
- ANSCHUETZ, ROBERT R., II**
Advanced distributed simulation technology advanced rotary wing aircraft. Software programmer's manual visual system module
[AD-A280260] p 604 N94-37755
- Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit
[AD-A280261] p 604 N94-37756
- ANSELL, H.**
Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- ANSELL, HANS**
Fatigue management and verification of airframes
p 531 N94-34591
- ANTANI, D. L.**
HSCT high-lift technology requirements
p 462 N94-33523
- ANTOUN, SAMI JAMIL**
Potential of the ramjet engine for hypersonic flight speeds
p 435 N94-30935
- AOKI, S.**
New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- AOWELL, G. L.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- AOYAMA, K.**
New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- AOYAMA, TAKASHI**
Unsteady calculation for flowfield of helicopter rotor with various tip shape
p 14 A94-12056
- APPLIN, ZACHARY T.**
Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust
[NASA-TP-3427] p 601 N94-37505
- ARAI, TAKAKAGE**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- ARAVIND**
PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077
- ARBUCKLE, P. DOUGLAS**
Profile negotiation: An air/ground automation integration concept for managing arrival traffic
p 387 N94-29578
- ARCARA, PHILIP C., JR.**
Application of advanced technologies to very large subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- ARCHER, D. H.**
Performance calculations and research direction for a water enhanced regenerative gas turbine cycle
[DE93-019866] p 237 N94-21983
- ARDONCEAU, P. L.**
Aerodynamic properties of crescent wing planforms
[BTN-94-EIX94311329146] p 517 A94-60154
- ARGROW, BRIAN M.**
Supersonic minimum length nozzle design for dense gases
p 250 N94-23656
- ARGUCHINTSEVA, M. A.**
Optimal body shapes with limits on local heat flux
p 11 A94-10942
- ARGUELLO, J. G.**
Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700
- ARMSTRONG, DONALD**
Certification of airborne data link equipment
[SAE PAPER 922003] p 61 A94-11719
- ARNAL, D.**
Boundary layer transition: Prediction and wind tunnel simulation
p 171 N94-11498
- Recent ONERA contributions to the development of flight test measurement techniques
p 219 N94-22607
- Laminar flow studies at Dassault Aviation: Calculations and flight tests
p 593 N94-36328
- ARNAUD, GILLES**
Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85
p 158 A94-12109
- ARNDT, G. D.**
Microwave sensor for ice detection
p 475 N94-32457
- ARNETTE, STEPHEN A.**
Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950
- ARNOLD, G. THOMAS**
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2
p 241 N94-22298
- ARNOLDS-MAYER, G.**
Paint removal activities in Germany
p 167 N94-10617
- ARNZEN, S.**
Satellite navigation system GPS: A review of principles and performance and developments in general
[PB94-124534] p 314 N94-27210
- ARRINGTON, E. ALLEN**
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- ARYA, S. PAL**
Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522
- ASBURY, SCOTT C.**
Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle
[NASA-TP-3369] p 41 N94-16572
- ASENSIO, SANTIAGO**
High temperature resistant jet fuels
p 405 N94-29260
- ASH, L. EDWARD**
Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- ASHBY, DALE L.**
Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151
- ASHE, THOMAS L.**
Brayton power conversion system parametric design modelling for nuclear electric propulsion
[NASA-CR-191135] p 229 N94-21874
- ASHILL, P. R.**
Control of leading-edge separation on a cambered delta wing
p 539 N94-34616
- ASHLEY, A. T.**
Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121

ASHLEY, HOLT

Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224

ASHWILL, T. D.

Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173

ASKEW, ROBERT B.

User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176

ASO, SHIGERU

Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952

ATCLIFFE, P. A.

Control effectiveness at hypersonic speeds
p 112 N94-10426

ATENCIO, ADOLPH, JR.

Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator
[NASA-TM-104016] p 122 N94-15793

ATHOUSAKE, ROXANNE

Cockpit control system
[NASA-CR-195488] p 336 N94-24957
Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969

ATKESON, CHRISTOPHER

Undergraduate robotics projects in support of research on neural networks
[AD-A277331] p 451 N94-32281

ATLURI, S. N.

Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590

ATWOOD, CHRISTOPHER A.

Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510
Selected computations of transonic cavity flows p 40 N94-16511

Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512
Computation of a controlled store separation from a cavity p 41 N94-16513

ATWOOD, DAVID

Unleaded AVGAS program
[AD-A278650] p 547 N94-35795

AUDET, L.

Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080

AUERHEIMER, BRENT

Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495

AUGENSTEIN, B. W.

The National Aerospace Plane (NASP): Development issues for the follow-on vehicle
[AD-A278417] p 471 N94-33329

AUKIN, M.

Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296

AUMAN, LAMAR M.

Wind tunnel investigation with an operational turbojet engine
[TABES PAPER 93-662] p 104 N94-16157

AUPOIX, B.

Second-order effects in hypersonic boundary layers p 8 A94-10769

AURIOL, ANDRE

The problem of the sonic boom for future high-speed transport aircraft
[ESA-TT-1286] p 206 N94-13692

AUSTIN, EDWARD

The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341

AUTH, G.

Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761

AVERARDO, M. A.

Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447

AVERY, W. B.

Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130

AVILA, M.

A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471

AVRAMENKO, A. A.

Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817

AYER, TIMOTHY C.

An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606

AYERS, B.

Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181

AYERS, BERT F.

F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991

AYOUB, P.

CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973

AZAI, J.

Numerical simulation of non-Newtonian free shear flows p 278 N94-24160

AZUMA, HISAO

Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603

B**BAAKLINI, GEORGE Y.**

NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 N94-13138

BAART, DOUGLAS

Civil titrotor market penetration: Effects on Northeast corridor airport delay
[AD-A277534] p 467 N94-32955

BABIYAN, CAROL A.

Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962

BABINEAU, DAVID

MLS pointing angle error sources and effects p 222 N94-22154

BABINSKY, H.

Control effectiveness at hypersonic speeds p 112 N94-10426

BACA, R. G.

Flow and heat transfer model for a rotating cryogenic motor
[DE94-001151] p 238 N94-22405

BACHMANN, GLEN R.

Robust control design techniques for active flutter suppression p 541 N94-35875

BADER, ROBERT M.

The 1992 USAF structural integrity program conference
[AD-A272876] p 215 N94-21194

BADGER, M.

PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114

BAGANOFF, DONALD

Particle simulation of hypersonic flow
[AD-A267185] p 40 N94-15787

BAGOT, KEITH W.

Evaluation for the development of taxiway lighting intensity standards
[AD-A276706] p 440 N94-32120

BAILEY, ALBERT W.

Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410

BAILEY, ELIZABETH K.

A comparison of air force data systems
[AD-A269691] p 210 N94-18575

BAILEY, J. M.

A comparison Air Force data systems
[AD-A270662] p 211 N94-19780

BAILEY, J. M.

Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 N94-21830

BAILEY, JOHN

Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501

BAILEY, MELVIN L.

Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660

BAILEY, R.

Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428

BAILLIE, S. W.

The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710

BAILLIE, STEWART W.

Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter
[BTN-94-EIX94331337502] p 530 A94-60337
ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295

BAIN, D. B.

CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts
[NASA-TM-106434] p 265 N94-24082

BAIZE, DANIEL G.

Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470

BAKER, A. J.

An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations p 598 N94-36914
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide
[NASA-CR-196135] p 598 N94-36922

BAKHLE, M. A.

Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883

BAKHLE, MILIND A.

A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227

BAKOS, R. J.

Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513

Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532

BALAGEAS, D. L.

Perspective and future possibilities p 186 N94-18651

BALAKRISHNAN, G.

Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames
[BTN-94-EIX94321333324] p 546 A94-60275

BALANIS, CONSTANTINE A.

Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699

BALANON, WILL

VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803

BALAS, GARY J.

Feedback control laws for highly maneuverable aircraft
[NASA-CR-195195] p 337 N94-25176

BALDEN, T.

The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442

BALDNER, RICHARD

The new Italian transonic pilot tunnel p 124 A94-10406

BALDWIN, A. W.

Procedures and design data for the formulation of aircraft configurations
[AD-A270150] p 90 N94-18779

BALDWIN, D. E.

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621

BALES, THOMAS T.

Airframe materials for HSR p 497 N94-33514

BALL, G. J.

Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021

BALLMANN, JOSEF

Advances in hypersonics. Vol. 2 - Modeling hypersonic flows
[ISBN 0-8176-3663-3] p 7 A94-10759

Advances in hypersonics. Vol. 3 - Computing hypersonic flows
[ISBN 0-8176-3664-1] p 8 A94-10767

Advances in hypersonics. Vol. 1 - Defining the hypersonic environment
[ISBN 0-8176-3639-0] p 9 A94-10776

- BALOUGH, D.**
The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- BANDA, SIVA S.**
Robust flight control design using dynamic inversion and structured singular value synthesis p 106 A94-10282
Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX9438131174] p 579 A94-61261
Implementation of a full-envelope controller for a high-performance aircraft
[BTN-94-EIX94401358167] p 580 A94-61673
- BANDARA, J. M. S. J.**
Airport terminals: Optimum configurations and gate position requirement
[ISBN-0-315-61722-5] p 132 N94-13544
- BANDOH, SHUNICHI**
Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft
p 78 A94-12240
- BANDOU, TOSHIO**
Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data [DE93-767967] p 79 N94-10728
- BANNEHR, L.**
A technique to account for the misalignment of pyranometers installed on aircraft p 159 A94-12290
- BANSAL, INDAR**
Advanced control for airbreathing engines, volume 2: General Electric aircraft engines
[NASA-CR-189204] p 101 N94-12271
- BANTLE, GERHARD**
GPS/GNSS for ATM p 385 N94-29565
- BAPTY, TED**
Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
- BARANKIEWICZ, WENDY S.**
Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94341338360] p 550 A94-60352
- BARBATO, MARYANN H.**
Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425
- BARBAUX, Y.**
Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- BARBER, D.**
Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force p 334 N94-28319
- BARCIO, JOSEPH**
Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- BARCLAY, REBECCA O.**
NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- BARGER, RAYMOND L.**
Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
Automatic procedures for computing complete configuration geometry from individual component descriptions
[NASA-TM-4607] p 568 N94-36942
Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations
[NASA-TM-4573] p 568 N94-36950
- BARGETTO, R.**
Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
- BARK, LINDLEY W.**
Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2
[AD-A276473] p 426 N94-31246
- BARLAS, M. REMZI**
Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- BARLOW, J.**
Optimization-based controller design for rotorcraft p 121 N94-14642
- BARNETT, M.**
Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- BARNETT, MARK**
An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- BARNIER, CAROLINE**
Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- BARNIV, YAIR**
Expansion-based passive ranging p 312 N94-25504
- BARON, A.**
Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- BARON, J.**
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- BARRETT, P. A.**
Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- BARRETT, PETER A.**
Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571] p 196 A94-11477
- BARRETT, TIM**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
- BARRIE, RONALD E.**
Advanced textile applications for primary aircraft structures p 496 N94-33135
- BARRIOS, J. RENE**
Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050
- BARRON, ROGER L.**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- BARRY, MATTHEW**
Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- BARTELL, RICHARD J.**
Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- BARTHELEMY, J.-F. M.**
Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177
- BARTHOLOMEW, REDGE G.**
Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver p 94 A94-12554
- BARTLETT, DAVE**
New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193
- BARTLETT, DENNIS W.**
Application of advanced technologies to very large subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- BARTRAND, TIMOTHY A.**
Rotary engine performance computer program (RCMAP and RCEMAPPC): User's guide
[NASA-CR-191192] p 104 N94-15192
- BARTSCH, P.**
Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- BASS, CHARLES A.**
Attitude error estimation with a general GPS observation matrix p 64 A94-12562
- BASS, HENRY E.**
Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- BASS, LEN**
Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880
- BATILL, S. M.**
A new low speed wind tunnel for acoustic measurements p 124 A94-10407
- BATILL, STEPHEN M.**
Preliminary structural design: Defining the design space
[AD-A268898] p 88 N94-18227
Design study to simulate the development of a commercial freight transportation system p 323 N94-25715
- BATINA, JOHN T.**
Unstructured mesh quality assessment and upwind Euler solution algorithm validation
[BTN-94-EIX94401358985] p 592 A94-61641
Development of a gridless CFD method p 243 N94-22361
- A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation
[NASA-TP-3129] p 458 N94-32865
- BATMAN, JOE**
An introduction to structural models
[AD-A268151] p 202 N94-17429
- BATTEN, S.**
Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- BATTERTON, PETER G.**
Propulsion airframe integration session overview and review of Lewis PAI efforts p 479 N94-33503
- BATTISSON, C. J.**
EH101: A new helicopter capable of long range missions p 574 N94-36330
- BAUCHAU, O.**
Center of excellence in rotary wing technology
[AD-A266655] p 37 N94-14799
- BAUCON, ROBERT M.**
Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519
- BAUDRILLARD, GILLES**
Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance
[REPT-932-600-104] p 412 N94-29474
- BAUER, BRENT ALAN**
Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics
[NASA-CR-195228] p 324 N94-26235
- BAUER, JEFFERY E.**
X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384
- BAUER, STEVEN X. S.**
Alleviation of side force on tangent-ogive forebodies using passive porosity
[BTN-94-EIX94311329126] p 536 A94-60174
- BAUGHUM, STEVE**
Project report: Aircraft
[DE94-011759] p 596 N94-37155
- BAUGHUM, STEVEN L.**
Stratospheric emissions effects database development
[NASA-CR-4592] p 605 N94-37607
- BAUHOF, CHRISTINA R.**
ATM and FIS data link services
[BTN-94-EIX94331335533] p 530 A94-60214
- BAUM, BRYAN A.**
Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
- BAUMGARTNER, ROBERT M.**
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
[PB94-151941] p 513 N94-34380
- BAUMONT, F.**
Comparison of LASSO and GPS time transfers p 429 N94-30665
- BAUSCHLICHER, CHARLES**
Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- BAVA, RENZO**
Operational agility assessment with the AM-X aircraft p 534 N94-34626
- BAXA, E. G.**
Description and availability of airborne Doppler radar data p 231 N94-20419
- BAXA, ERNEST G., JR.**
Signal processing aspects of windshear detection p 190 A94-12361
- BAYHA, T. D.**
Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- BAYLISS, ALVIN**
On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- BEAL, PAMELA**
VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803
- BEAM, JERRY E.**
Arterial heat pipe performance in a transient heat flux and body force environment
[SAE PAPER 921944] p 157 A94-11983
- BEASLEY, R.**
Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- BECK, CORIN P.**
Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- BECK, WALTER**
HEG - A new shock tunnel for high enthalpies p 127 A94-10427

BECKER, GUNNAR R.

Some results gained from JAPE: An overview
p 286 N94-24209

BECKER, MARK D.

Gyroscopic test for the T800-LHT-800 turboshaft engine
[SAE PAPER 921955] p 98 A94-11992

BECKER, WILHELM

The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587

BEDI, S.

A new approach to turboprop forward nacelle design
p 335 N94-28336

BEECK, A.

Analysis of cooling-jets near the leading edge of turbine blades
p 334 N94-28037

BEELER, R. H.

Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890

BEENEN, J.

Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7
p 302 N94-28317

BEESTEN, B. M. J.

Influence of non-planar blade tips on rotor performance
p 16 A94-12071

BEGAULT, DURAND R.

Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063

BEH, H.

X-31A control law design
p 540 N94-34618

BEHROUZI, P.

An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645
Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems
p 359 N94-28010

BEIER, K. J.

Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines
[BTN-94-EIX94311331078] p 588 A94-61100

BEIGLEMAN, Z.

The influence of elastic pitch variations on helicopter flight mechanics
p 258 N94-24286

BELAYGUE, P.

The centrifugal compressor, an essential component of small and medium power engines
p 484 N94-34445

BELCASTRO, CHRISTINE M.

Parametric uncertainty modeling for application to robust control
p 336 N94-25103

BELCHER, P. J.

Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106

BELL, J. H.

Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394

BELL, R. P.

Risk analysis of the C-141 WS405 inner-to-outer wing joint
p 531 N94-34592

BELL, STUART

Use of ERS-1 wind and wave products in operational meteorology
p 191 N94-12502

BELLAZZI, A.

The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters
p 108 A94-12102

BELLSHAW, D.

Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267

BELLUCCI, V.

Modeling of hypersonic nonequilibrium flows
p 8 A94-10764

BELYANIN, N. M.

The boundary layer
p 164 A94-12888

BENAROYA, HAYM

Investigation of Monte Carlo simulation in FAA program KRASH
[BTN-94-EIX94311329128] p 536 A94-60172

BENCZE, DANIEL P.

Transonic airframe propulsion integration
p 480 N94-33507

BENDA, LESLIE P.

Relative motion pinwheel
[AD-D016107] p 469 N94-32961

BENDER, D. A.

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621

BENDER, STANLEY I.

Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215

BENDIKSEN, ODDVAR O.

Aeroelastic problems in turbomachines
p 99 A94-12695

BENFER, FRIEDRICH WILHELM

Aerodynamic design and investigation of a mixed flow compressor stage
p 504 N94-34450

BENNE, M. E.

Optical surface pressure measurement - Initial experience in the MCAIR PSWT
p 154 A94-10409

BENNETT, GEORGE

Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559

BENNETT, ROBERT M.

Physical properties of the benchmark models program supercritical wing
[NASA-TM-4457] p 85 N94-15722

BENOIT, ANDRE

Machine Intelligence in Air Traffic Management
[AD-A275680] p 383 N94-29558

Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570

BENOIT, BERNARD

Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85
p 158 A94-12109

BENOIT, MICHAEL J.

The Automated Aircraft Rework System (AARS): A system integration approach
[AIAA PAPER 94-1225-CP] p 450 N94-30574

BENSON, S.

Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252

BENT, PAUL HENRY

Experiments on the aerodynamic generation of noise in centrifugal turbomachinery
p 451 N94-30804

BENTLY, DONALD E.

Parameter identification of a rotor supported in a pressurized bearing lubricated with water
p 504 N94-34197

BENZ, E.

Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037

BERARDO, STEPHEN V.

Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424

BERCHTOLD, G.

Optimisation of composite aircraft structures by direct manufacturing approaches
p 574 N94-36327

BERENS, T.

Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows
p 359 N94-28013

BERG, HANS-DIETER

Future needs in the development of materials for aircraft interiors and equipment
p 145 N94-10794

BERG, MARTIN C.

Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing
[NASA-CR-196112] p 581 N94-36965

BERGER, MARSHA J.

The 3D Euler solutions using automated Cartesian grid generation
p 243 N94-22387

BERGMANN, J. W.

Predicting defect behaviour
p 596 N94-37331

BERGNER, WERNER

Development of the BK 117 C-1 with Arriel 1-E engines
p 75 A94-12078

BERKOVITZ, AVRAHAM

Mean stress models for low cycle fatigue of a nickel-base superalloy
p 279 N94-24276

BERKOWITZ, BRIAN

Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185

BERLOWITZ, ILAN

S-2E Tracker maritime patrol aircraft re-engine and system upgrade program
p 266 N94-24270

BERNARD, DENYS

A time reasoning system based on the event calculus for scheduling in aeronautic maintenance
[REPT-932-710-101] p 374 N94-29463

BERNHARDT, J.

Mechanisms of flow control with the unsteady bleed technique
p 525 N94-34987

BERNHART, WALTER D.

The development of a horizontal impact sled facility and subsequent crashworthiness experiments
[NIAR-93-15] p 343 N94-26200

BERNICOT, N.

Investigations on aluminium-lithium alloys for damage tolerant application
p 142 N94-10023

BEROUL, F.

Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation
p 78 A94-12242

BERRIER, BOBBY L.

Transonic propulsion aerodynamics research at NASA Langley Research Center
[SAE PAPER 921937] p 72 A94-11977

BERRY, B. F.

Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026

BERRY, JOHN D.

Navier-Stokes and potential theory solutions for a helicopter fuselage and comparison with experiment
[NASA-TM-4566] p 569 N94-36966

BERRY, TOMMY

Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851

BERTELUD, ARILD

Flight test results of riblets at supersonic speeds
[NASA-TM-4387] p 458 N94-32880

BERTIN, JOHN J.

Advances in hypersonics. Vol. 2 - Modeling hypersonic flows
[ISBN 0-8176-3663-3] p 7 A94-10759

Advances in hypersonics. Vol. 3 - Computing hypersonic flows
[ISBN 0-8176-3664-1] p 8 A94-10767

Advances in hypersonics. Vol. 1 - Defining the hypersonic environment
[ISBN 0-8176-3639-0] p 9 A94-10776

BERTON, E.

An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486

BERTON, JEFFREY J.

A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport
p 479 N94-33477

BEST, R. C.

An expert system application for troubleshooting the CF18 F404 engine
p 478 N94-33339

BETHKE, K.-H.

A novel near-range radar network for airport surface control
p 389 N94-29586

BETTNER, JAMES L.

Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual
[NASA-CR-187105] p 399 N94-29438

BEUKERS, A.

Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments
[LR-728] p 433 N94-31674

BEURRIER, D.

Flight command software development: RAFALE studies
p 415 N94-29320

BEUTNER, THOMAS JOHN

A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes
[NASA-CR-195699] p 409 N94-28724

BEYER, R.

Considerations on graphical user interfaces for intelligent ATM support systems
p 386 N94-29572

BEYERS, M. E.

Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031

BEYHOFF, STEFAN

Transport policy options for reducing noise at airports; Hamburg airport taken as an example
[DLR-FB-92-40] p 135 N94-18123

Air traffic of the European Community with European neighbors
p 309 N94-28233

BHAT, T. R. S.

The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353

Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354

The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177

BHAVNANI, S. H.

Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057

BIAGI, PAUL

Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030

- BIBEL, G.**
A procedure for 3-D contact stress analysis of spiral bevel gears
[NASA-CR-194472] p 499 N94-32929
- BIBEL, GEORGE D.**
Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148
- BIBER, KASIM**
Supersonic flow visualization of a nacelle in close proximity to a simulated wing
[NASA-CR-194675] p 43 N94-17260
- BICCHAT, N.**
DAISY: A decision aid for an air situation interpretation system
p 386 N94-29574
- BICKEL, T. C.**
Flow and heat transfer model for a rotating cryogenic motor
[DE94-001151] p 238 N94-22405
- BIDDLE, TEDO B.**
High temperature fuel requirements and payoffs
p 405 N94-29259
- BIDWELL, COLIN S.**
Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)
[NASA-TM-105974] p 220 N94-21590
- BIEBERICH, MARY JO**
Synthetic lubricants and high-performance functional fluids: Phosphazenes
[ARL-TR-45] p 149 N94-14126
- BIEDERMAN, B. P.**
Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- BIEGL, CSABA**
Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
- BIERS, DAVID W.**
A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048
- BIESIADNY, THOMAS J.**
Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001
Overview of STOVL aircraft propulsion research off-takes and vertical lift systems
[NASA-TM-106387] p 105 N94-19353
- BIEZAD, DANIEL J.**
Modification of ACSYNT aircraft computer program for preliminary design
[NASA-CR-195737] p 390 N94-28817
Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory
[NASA-CR-195765] p 437 N94-31203
- BIGGERS, SHERRILL B.**
Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 A94-60256
- BILL, ROBERT C.**
Integrity testing of brush seal in a T-700 engine
p 235 N94-21792
- BILLET, M. L.**
Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- BIRKELBAW, LOURDES G.**
Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
Piloted simulation study of two tilt-wing control concepts
p 541 N94-35962
- BIRD, GRAEME A.**
Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020
- BIRKAN, M. A.**
AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746
- BIRTCHE, CRAIG R.**
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- BISCHOF, C.**
Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299
- BISWAS, RUPAK**
Dynamic mesh adaption for triangular and tetrahedral grids
p 243 N94-22363
Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise
[NASA-CR-195090] p 287 N94-24307
- Computation of helicopter rotor acoustics in forward flight
[NASA-CR-196132] p 560 N94-36031
- BITTANTI, SERGIO**
Active control of vibrations in helicopters - From HHC to OBC
p 109 A94-12112
- BITTERMANN, VINCENT**
FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- BITTON, D. F.**
Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- BJARKE, L.**
Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394
- BJARKE, LISA J.**
A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- BJORKMAN, W. S.**
TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332
- BLACK, STEVE**
New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193
- BLACKBURN, K.**
Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- BLACKFORD, ROGER W.**
Selectively strippable paint schemes
p 169 N94-10629
- BLAHA, BERNARD J.**
NASA HSR phase 1 low noise nozzle technology program overview
p 478 N94-33463
- BLAHA, F. A.**
Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures
p 147 N94-11337
- BLAIR, JERRY**
S-76 high intensity radiated fields, volume 2
[AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1
[AD-A274571] p 354 N94-26854
S-76 high intensity radiated fields, volume 3
[AD-A274416] p 355 N94-26980
- BLAKE, BILL**
Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
p 387 N94-29577
- BLAKE, WILLIAM B.**
Experiments on the ground vortex formed by an impinging jet in cross flow
p 359 N94-28016
- BLANCHARD, A.**
New testing techniques in the T2 cryogenic wind tunnel
p 126 A94-10420
- BLANDING, DAVID E.**
Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010
- BLANKEN, CHRIS L.**
Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 108 A94-12093
Some lessons learned in three years with ADS-33C
p 116 N94-13299
Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 116 N94-13300
- BLANKEN, CHRISTOPHER L.**
Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
- BLECH, R. A.**
Turbomachinery CFD on parallel computers
p 194 A94-10298
- BLISS, D. B.**
Computation of high resolution unsteady airloads using a constant vorticity contour free wake model
p 16 A94-12070
- BLISS, DONALD B.**
New vortex dynamics methods for rotor free wake analysis
[AD-A266656] p 36 N94-14774
- BLOEBBAUM, CHRISTINA L.**
Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762
- BLOM, A. F.**
Fatigue management and verification of airframes
[FFA-TN-1993-55] p 432 N94-30947
- Fatigue management and verification of airframes
p 531 N94-34591
- BLOM, ANDERS F.**
A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993
[FFA-TN-1993-22] p 187 N94-19358
- BLOM, H. A. P.**
A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- BLOM, HENK A. P.**
The PHARE advanced tools
p 388 N94-29581
- BLOSSER, MAX L.**
Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541
- BLUEMCKE, ERICH WALTER**
Turbulent particle dispersion in confined swirling flows
[DLR-FB-92-32] p 177 N94-14045
- BLUMENTHAL, PHILIP Z.**
Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel
[NASA-TM-106470] p 280 N94-24362
- BOARDMAN, JOHN T.**
Developing a framework for concurrency by capturing systems engineering rational using a Process Modelling Methodology
[AIAA PAPER 93-4489] p 195 A94-11422
- BOBBITT, PERCY J.**
Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545
Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870
Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's
p 510 N94-33475
- BOBO, STEPHEN N.**
Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157
- BOBULA, GEORGE A.**
Integrity testing of brush seal in a T-700 engine
p 235 N94-21792
- BOCHMANN, R.**
The role of fatigue analysis for design of military aircraft
p 531 N94-34594
- BOCK, LAWRENCE A.**
Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115
- BOCK, YEHUDES**
Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia
[NASA-CR-195897] p 470 N94-33534
- BOCVAROV, SPIRO**
Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
Significance of the dihedral effect in rapid fuselage-reorientation maneuvers
[BTN-94-EIX94401358971] p 571 A94-61627
- BOEHM, H.-D. V.**
Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231
- BOENSCH, F. D.**
Metals 2000
[DE93-016761] p 151 N94-17752
- BOER, W. P.**
Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- BOERSTOEL, J. W.**
The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations
[PB94-125598] p 381 N94-30387
- BOETZ, H. E.**
Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system
[AD-A273818] p 337 N94-25516
- BOFFADROSSI, M.**
Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect
p 49 N94-18439
- BOGDONOFF, DAVID W.**
Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 N94-20014
Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687
- BOGDONOFF, SEYMOUR M.**
Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3
[NASA-CR-193673] p 29 N94-13292

BOGUE, RODNEY K.

- Perspective on the National Aero-Space Plane Program instrumentation development [NASA-TM-4505] p 95 N94-13256
- Recent flight-test results of optical airdata techniques [NASA-TM-4504] p 96 N94-13791

BOGUSZ, MICHAEL

- Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126
- Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis [ISBN-0-315-84643-7] p 356 N94-27308

BOHN-MEYER, MARTA

- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2 [SAE PAPER 921994] p 13 A94-12006
- Status of F16XL SSLFC numerical design validation p 462 N94-33527

BOHON, HERMAN L.

- Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121

BOISMOREAU, B.

- Helicopter radio communication - General trend p 62 A94-12228

BOISSET, J. P.

- Theoretical and experimental study of a cylindrical microstrip antenna [REPT-932-440-109] p 412 N94-29456

BOKMA, A.

- Engineering large-scale agent-based systems with consensus p 558 N94-35071

BOLDMAN, D. R.

- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571

BOLLER, C.

- Smart structures: A technology for next generation aircraft p 81 N94-11318
- In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333

BOLLER, CHR.

- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588

BONAFE, JEAN-LOUIS

- System for generating, aboard an aircraft, during takeoff, of a signal capable of producing an alert or an alarm, in case of malfunction [CA-PATENT-APPL-SN-2,018,94] p 306 N94-26293

BOND, THOMAS H.

- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299

BONDI, M. J.

- TRENDS: A flight test relational database user's guide and reference manual [NASA-TM-108806] p 564 N94-37332

BONK, D.

- Effect of pressure on second-generation pressurized fluidized bed combustion plants [BTN-94-EIX94311331067] p 589 A94-61111

BONNARD, M.

- Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561

BOOKER, CECILIA

- A global range military transport: The ostrich [NASA-CR-195494] p 318 N94-24972

BOOKS, MARTIN

- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993

BOONE, ROD

- High lift aerodynamics [NASA-CR-195183] p 321 N94-25268

BORCHARDT, H.

- Trial of a slant visual range measuring device p 159 A94-12287

BORCHERS, PAUL F.

- YAV-8B reaction control system bleed and control power usage in hover and transition [NASA-TM-104021] p 540 N94-34994

BORDANO, ALDO

- Cooperative GN&C development in a rapid prototyping environment [AIAA PAPER 93-4622] p 197 A94-11505

BORE, C. L.

- Propulsion streamtubes in supersonic flow and supercritical intake cowl p 17 A94-12200

BORIES, A.

- DAISY: A decision aid for an air situation interpretation system p 386 N94-29574

BORISOV, I.

- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300

BORN, GEORGE

- The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214

BORTIATYNSKI, J.

- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996

BOSE, NEIL

- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method [BTN-94-EIX94301315990] p 515 A94-60026

BOSSI, RICHARD H.

- X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590

BOSWELL, STEVEN B.

- Evaluation of the capacity and delay benefits of terminal air traffic control automation [AD-A265323] p 67 N94-11863

BOSWORTH, JOHN T.

- X-29 flight control system: Lessons learned [NASA-TM-4598] p 466 N94-34384

BOTROS, K. K.

- Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129

BOTTEMA, MARCEL

- Wind climate and urban geometry [ISBN-9-03-860132-8] p 364 N94-25261

BOTTING, MARY

- Tesseract supersonic business transport p 322 N94-25713

BOTTOMLEY, D. M.

- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour [CAA-PAPER-93008] p 393 N94-29887

BOUCHARD, KENNETH

- The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695

BOUCHARD, MICHEL

- Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing p 155 A94-11090

BOUCHARDY, A.-M.

- Perspective and future possibilities p 186 N94-18651

BOUDREAU, ALBERT H.

- Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157

BOUGH, R. M.

- Advanced controls for airbreathing engines, volume 3: Allison gas turbine [NASA-CR-189205] p 101 N94-12272

BOUIS, X.

- Technical excellence and productivity - The ETW challenge p 125 A94-10417

BOURDAIS, PH.

- Flight command software development: RAFALE studies p 415 N94-29320

BOUSMAN, WILLIAM G.

- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064

- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis [NASA-TM-104006] p 523 N94-34948

BOUZIANE, SAHRAOUI

- Experimental contribution to the study of secondary flows in centrifugal turbopump stator components [ECL-92-35] p 352 N94-25654

BOWEN, BARRY C.

- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956

- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423

BOWEN, BRENT D.

- The airline quality report 1993 [NIAR-93-11] p 58 N94-17262

BOWEN, DAVID

- Intelligent systems for air space control and management p 384 N94-29560

BOWEN, J. H.

- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion [PB94-105873] p 265 N94-23709

BOWLES, R. L.

- The relationship of an integral wind shear hazard to aircraft performance limitations [NASA-TM-109080] p 339 N94-26593

BOWMAN, C. T.

- Turbulent reacting flows and supersonic combustion [AD-A277462] p 496 N94-33242

BOYCE, R. R.

- Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results [MBB-LME-211-S-PUB-507] p 36 N94-14710

BOYD, IAIN

- Particle kinetic simulation of high altitude hypervelocity flight [NASA-CR-194535] p 379 N94-29893

BOYD, L.

- In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft [NASA-CR-187096] p 477 N94-32859

BOYLE, CHARLES

- The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791

BOYLE, DAMON

- Reconfigurable aircraft stick control [AD-D016043] p 344 N94-27113

BOYNTON, J. L.

- Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228

BOYUM, KEVIN E.

- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory [AD-A274118] p 324 N94-25905

BRAASCH, MICHAEL S.

- Improved modeling of GPS selective availability. p 314 N94-27290

BRAASCH, SOO Y.

- Realtime mitigation of GPS SA errors using Loran-C p 314 N94-27291

BRABBS, THEODORE A.

- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356

BRACALENTE, E. M.

- Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418

- Description and availability of airborne Doppler radar data p 231 N94-20419

BRACALENTE, EMEDIO M.

- Signal processing aspects of windshear detection p 190 A94-12361

BRADLEY, P. J.

- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017

BRADLEY, R.

- Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091

- A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm p 77 A94-12098

BRADLEY, ROY

- In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306

- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311

BRADY, C. O.

- Increased use of gas turbines as commercial marine engines [BTN-94-EIX94311331080] p 588 A94-61098

BRADY, FRANK B.

- SOXO Air SIG S7 ILS, from early development to an enduring world standard p 61 A94-12119

BRAGDON, C. R.

- Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278

BRAGDON, CLIFFORD R.

- Analysis of vertiport studies funded by the Airport Improvement Program (AIP) [SCT-93RR-21] p 583 N94-37424

BRAGG, MICHAEL B.

- The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion [NASA-CR-195327] p 380 N94-30124

- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion [NASA-CR-195330] p 381 N94-30152

BRAHIMI, M. T.

- Ice accretion on aircraft wings p 311 N94-28345

- BRAND, ALBERT G.**
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497
- BRANDON, JAY**
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques [NASA-TP-3374] p 249 N94-23512
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques [NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161
- BRANDON, JAY M.**
Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration [NASA-TM-4516] p 294 N94-26602
- BRANDSTORP, JENS**
Safety standards for aircraft shelter [FFI-92/4003] p 343 N94-26305
- BRANSON, ROGER**
Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit [AD-A280261] p 604 N94-37756
- BRASWELL, DOROTHY O.**
Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions [NASA-TM-109016] p 29 N94-13172
An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8 [NASA-TM-109110] p 378 N94-29473
- BRAUN, HANS MARTIN**
Ground independent landing system p 385 N94-29564
- BRAUN, M. JACK**
A qualitative and quantitative laser-based computer-aided flow visualization method [NASA-CR-195300] p 466 N94-34391
- BRAUN, ROBERT D.**
Post-optimality analysis in aerospace vehicle design [AIAA PAPER 93-3932] p 71 A94-10717
- BRAUN, RUDOLF**
Composite leading edge/spar member for an aircraft control surface [CA-PATENT-1-325-765] p 327 N94-27273
- BRAWLEY, STEPHEN C.**
Aerodynamic design using parallel processors [AD-A275470] p 374 N94-28674
- BRAY, RICHARD S.**
Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- BRAZIER, J. PH.**
Second-order effects in hypersonic boundary layers p 8 A94-10769
- BREITBACH, ELMAR**
Individual blade control of hinged blades using smart structures p 78 A94-12246
- BRENNAN, MARTIN J.**
ATCRBS reply environment at Memphis International Airport [AD-A266322] p 69 N94-16439
- BRENNES, A.**
Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- BRENNER, G.**
Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771
- BRENNER, MARTIN J.**
Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity [NASA-TM-4493] p 115 N94-13255
- BRESCIANINI, C.**
Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- BREWER, DENNIS W.**
Computational algorithms or identification of distributed parameter systems [AD-A265252] p 199 N94-11680
- BREZINSKY, KENNETH**
Fuels combustion research [AD-A275122] p 404 N94-29004
- BRIDENBAUGH, JOHN C.**
Definitions of terms relating to aircraft windscreens, canopies, and transparencies [AD-A268403] p 87 N94-17425
- BRIDGES, DAVID HENRY**
Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- BRILLA, J.**
The modern rotor aerodynamic limits survey: A report and data survey [NASA-TM-4446] p 215 N94-21490
- BRINDISI, ANTHONY E.**
Flush head fastener [CA-PATENT-1308581] p 278 N94-24175
- BRINKGREVE, PAUL R.**
The KDC-10 programme of the Royal Netherlands Air Force p 575 N94-36346
- BRINSMEAD, M. D.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- BRITCHER, COLIN**
Preliminary eddy current modelling for the large angle magnetic suspension test fixture [NASA-CR-194772] p 268 N94-23539
- BRITCHER, COLIN P.**
Boundary-layer influences on the subsonic near-wake of bluff bodies [BTN-94-EIX94311329138] p 517 A94-60162
Second International Symposium on Magnetic Suspension Technology, part 2 [NASA-CP-3247-PT-2] p 546 N94-35902
Large angle magnetic suspension test fixture [NASA-CR-196138] p 583 N94-37450
- BRITSCH, M.**
Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
- BRITT, C. L., JR.**
Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- BRITTON, RANDALL K.**
An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299
- BRITTON, THOMAS W.**
ATC/pilot voice communications: A survey of the literature [DOT/FAA/AM-93/20] p 233 N94-21201
- BRIVKALNS, CHAD**
The cetaceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711
- BROADWELL, JAMES E.**
Chemical reactions in turbulent mixing flows [AD-A268287] p 44 N94-17580
- BROCKENBROUGH, J. R.**
Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
- BROEK, D.**
Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
Analysis concerning the inspection threshold for multi-site damage [PB94-142429] p 432 N94-30905
- BROGAN, F. A.**
Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
- BROICHHAUSEN, K.**
Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- BROKOF, U.**
Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- BRONCONI, R.**
Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling [BTN-94-EIX94311331069] p 589 A94-61109
- BROOKS, LORI**
Fiber optic based velocimetry for the investigation of high velocity turbulence p 165 A94-12982
- BROOKS, THOMAS F.**
Forward sweep, low noise rotor blade [NASA-CASE-LAR-14569-1] p 576 N94-36767
- BROSNAAN, STEPHEN J.**
Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360
- BROT, A.**
Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261
- BROUSSET, CHRISTINE**
Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance [REPT-932-600-104] p 412 N94-29474
- BROUWER, H. H.**
On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics [NLR-TP-91307-U] p 31 N94-13528
- BROWN, ALAN S.**
Weaving new strength into composites p 141 A94-10084
- BROWN, CHARLES**
An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945
- BROWN, DANIEL V.**
Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- BROWN, DAVID**
Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502
- BROWN, DON**
GPS relative navigation - An alternative precision approach aid p 64 A94-12568
- BROWN, EUGENE F.**
Inlet drag prediction for aircraft conceptual design [BTN-94-EIX94401358981] p 565 A94-61637
- BROWN, GERALD**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
- BROWN, J.**
Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
Modular Simulator System (MSS). Executive report [AD-A276966] p 440 N94-32241
Modular Simulator System (MSS). Interface requirements specification for the generic MSS [AD-A276965] p 440 N94-32311
Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1 [AD-A276968] p 440 N94-32312
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2 [AD-A276969] p 440 N94-32313
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8 [AD-A276975] p 440 N94-32314
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9 [AD-A276976] p 441 N94-32315
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10 [AD-A276977] p 441 N94-32316
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11 [AD-A276978] p 441 N94-32317
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12 [AD-A276979] p 441 N94-32318
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13 [AD-A276980] p 441 N94-32319
Modular Simulator System (MSS). Engineering design guide [AD-A276967] p 441 N94-32394
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 [AD-A276970] p 442 N94-32395

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5 [AD-A276972] p 442 N94-32397
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7 [AD-A276974] p 442 N94-32399
- Modular Simulator System (MSS): Interface design document for the generic MSS [AD-A277270] p 442 N94-32403
- BROWN, JAMES E.**
Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779
- BROWN, JEFF**
An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil [NASA-CR-194522] p 35 N94-14541
- BROWN, K. W.**
Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual [NASA-CR-194461] p 357 N94-27776
Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual [NASA-CR-194462] p 409 N94-28815
- BROWN, MARTHA C.**
Simulated high speed flight effects on supersonic jet noise [AIAA PAPER 93-4388] p 203 A94-11351
- BROWN, R. C.**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- BROWN, RHONDA**
Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332
Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551
The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
- BROWN, S. E. G.**
Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055
- BROWN, T.**
Composite fuselage crown panel manufacturing technology p 495 N94-33133
- BROWN, T. A.**
Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 326 N94-34989
- BROWN, W. H.**
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion [NASA-CR-182296-VOL-1] p 498 N94-32867
Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data [NASA-CR-182296-VOL-2] p 498 N94-32869
Enhancement of mixing in a rectangular jet by mechanical tabs [NASA-CR-185207] p 498 N94-32872
- BRUCKART, JAMES E.**
Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits [AD-A273250] p 306 N94-25141
Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions [AD-A276944] p 437 N94-32217
Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter [AD-A277533] p 474 N94-34080
- BRUCKNER, ROBERT J.**
A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 N94-35945
- BRUEGGEN, JOB**
The experimental flight management system: An air traffic management research tool [NLR-TP-92253-U] p 430 N94-30943
- BRUNE, G. W.**
Quantitative low-speed wake surveys [BTN-94-EIX94311329113] p 520 A94-60187
- BRUNO, THOMAS J.**
Measurement of diffusion in fluid systems: Applications to the supercritical fluid region [BTN-94-EIX94311330660] p 548 A94-60131
- BRUSNIAK, LEON**
Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions [NASA-CR-195170] p 357 N94-27802
- BRYANSTON-CROSS, P.**
The evolution of whole field optical diagnostics for external transonic testing [ARA-MEMO-379] p 205 N94-11887
- BRYANSTON-CROSS, P. J.**
The evolution of whole field optical diagnostics for external transonic testing p 154 A94-10429
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry) [RAE-TM-AERO/PROP-21] p 35 N94-14706
- BRUCE, J. D.**
The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan [RAE-TM-AERO/PROP-22] p 179 N94-14827
- BRYER, PAUL**
Eagle RTS: A design of a regional transport p 322 N94-25709
- BRYGIER, JACQUES**
Ada run time system certification for avionics applications p 394 N94-29332
- BUBEL, BILL**
Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228
- BUCCI, GREG**
High lift aerodynamics [NASA-CR-195183] p 321 N94-25268
- BUCCI, R. J.**
Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
- BUCHACKER, E.**
EFA flying qualities specification and its utilisation p 533 N94-34621
- BUCHHOLZ, MARK D.**
Lift augmentation on a delta wing via leading edge fences and the Gurney flap [NASA-CR-194793] p 251 N94-24103
- BUCHOLTZ, ANTHONY**
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
- BUCK, GREGORY M.**
Improved ceramic slip casting technique [NASA-CASE-LAR-14471-1] p 230 N94-20377
- BUCKLES, JON**
Eagle RTS: A design of a regional transport p 322 N94-25709
- BUDD, GERALD D.**
Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007
- BUDEKATH, M.**
Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- BUENHLE, RALPH D.**
Structural damping studies at cryogenic temperatures [NASA-TM-109073] p 499 N94-33118
- BUELOW, PHILIP E.**
Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields [BTN-94-EIX94351142134] p 521 A94-60427
- BUELOW, PHILIP E. O.**
Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- BUFFINGTON, JAMES M.**
Implementation of a full-envelope controller for a high-performance aircraft [BTN-94-EIX94401358167] p 580 A94-61673
- BUFFUM, DANIEL H.**
Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 N94-15866
Blade row interaction effects on flutter and forced response [NASA-TM-106438] p 226 N94-21586
- BUI, TRONG T.**
Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows [NASA-TM-106399] p 216 N94-20534
- BUKLEY, ANGELIA P.**
Control system design for flexible structures using data models p 121 N94-14646
- BUKOV, A. P.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408
- BULGUBURE, C.**
Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
- BULLOCK, M.**
A comparison of Probability Of Detection (POD) data determined using different statistical methods [LTR-ST-1947] p 353 N94-26644
- BULZAN, DANIEL L.**
Spray combustion experiments and numerical predictions p 407 N94-29277
- BUNIN, BRUCE L.**
Update on Douglas' high-speed civil transport studies p 471 N94-33450
- BUNKER, DEBORAH**
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- BUR, REYNALD**
Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 N94-13117
- BURALI, B.**
Theoretical and experimental study of a cylindrical microstrip antenna [REPT-932-440-109] p 412 N94-29456
- BURCAT, ALEXANDER**
The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- BURCH, DARREL W.**
Full range pawl and ratchet clutch [SAE PAPER 921946] p 157 A94-11985
- BURCHAM, F. W., JR.**
Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane [NASA-TM-4590] p 540 N94-35258
- BURCHAM, FRANK W., JR.**
Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane [NASA-TM-4503] p 115 N94-13254
Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane [NASA-TM-4538] p 104 N94-15141
- BURCHAM, KAREN L.**
The FAA satellite communications program p 272 N94-22772
- BURDETTE, DANIEL W.**
Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display [NASA-CR-191559] p 221 N94-21629
- BURGESS, C.**
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- BURGESS, DOUGLAS W.**
Analysis and surveillance performance at Chicago O'Hare Airport [DOT/FAA/RD-92/29] p 256 N94-24127
- BURGESS, JON**
Evaluation of GPS on-the-fly ambiguity resolution techniques p 65 A94-12575
- BURGESS, MALCOLM A.**
Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- BURGGRAF, O. R.**
Boundary layers induced by three-dimensional vortex loops [AD-A275678] p 408 N94-28665
- BURGSMEUILLER, W.**
The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- BURKEN, JOHN**
Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane [NASA-TM-4590] p 540 N94-35258
- BURKEN, JOHN J.**
Flight-determined multivariable stability analysis and comparison of a control system p 107 A94-10805
X-29 flight control system: Lessons learned [NASA-TM-4598] p 466 N94-34384
- BURNS, B. L.**
A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion [DE94-008456] p 507 N94-34382

- BURNS, I. F.**
An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust
[NASA-CR-105871] p 127 A94-10440
- BURNS, MAUREEN E.**
Temperature measurement using infrared imaging systems during turbine engine altitude testing
[NASA-TM-105871] p 342 A94-25184
- BURNSIDE, W. D.**
Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 A94-11525
- BURPO, STEVEN J.**
Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 A94-32860
- BURROWS, LEROY T.**
Proposed revisions to MIL-STD-1290 rotary wing aircraft crash resistance p 76 A94-12088
Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 A94-19469
- BURSTER, KATHRYN E.**
Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- BUSACKER, HORST**
The single European market: Economical advance, ecological problem? p 309 A94-28235
- BUSH, LANCE B.**
Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
Preliminary structural evaluation and design of the HL-20
[BTN-94-EIX94351137060] p 545 A94-60400
- BUSSOLARI, STEVEN R.**
The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871] p 556 A94-35596
- BUTLER, BRYAN P.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 A94-36962
- BUTLER, KETHRYN M.**
Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 A94-19661
- BUTLER, LAWRENCE**
Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 A94-23215
- BUTTERFIELD, C. P.**
Aerodynamics of horizontal-axis wind turbines p 10 A94-10887
International collaborative research in wind turbine rotor aerodynamics
[DE94-000244] p 448 A94-30602
- BUTTRILL, CAREY S.**
NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993
[NASA-CP-10127] p 289 A94-25096
- BUTTSWORTH, D.**
Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 A94-23513
- BUTTSWORTH, D. R.**
Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 A94-23532
- BUURMA, L. S.**
Bird strike hazards to helicopters p 54 A94-12116
- BYERS, RICHARD H.**
Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002
- BYRNS, EDWARD V. JR.**
Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation
[BTN-94-EIX94401358152] p 580 A94-61658
- BYUN, CHANSUP**
A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 A94-26538
- CAELLI, TERRY**
Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 A94-21453
- CAI, H. J.**
Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 A94-14031
- CAI, ZHONG**
Development of hypersonic engine seals: Flow effects of preload and engine pressures
[NASA-TM-106333] p 357 A94-27599
- CALISE, A. J.**
Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
Research in robust control for hypersonic aircraft
[NASA-CR-194106] p 121 A94-15416
Research in robust control for hypersonic aircraft
[NASA-CR-195250] p 339 A94-26821
- CALISE, ANTHONY J.**
Approximate recovery of H-infinity loop shapes using fixed-order dynamic compensation
[BTN-94-EIX94401358152] p 580 A94-61658
- CALKINS, D. E.**
Aircraft accident flight path simulation and animation
[BTN-94-EIX94311329129] p 518 A94-60171
- CALOGERO, A. B.**
Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 A94-31830
- CALVERT, J. F.**
Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E p 541 A94-34630
- CALVERT, JEFFREY F.**
Application of current departure resistance criteria to the post-stall maneuvering envelope p 533 A94-34622
- CALVERT, W. J.**
Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- CAMACHO, A.**
Investigations on aluminium-lithium alloys for damage tolerant application p 142 A94-10023
- CAMARERO, RICARDO**
Three-dimensional closure of the passage-averaged vorticity-potential formulation
[BTN-94-EIX94301315991] p 547 A94-60027
- CAMBIAGGIO, E.**
Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 A94-29456
- CAMBIER, JEAN-LUC**
Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 A94-20014
Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 A94-36687
- CAMISO, J. C.**
Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 A94-20427
- CAMPAGNA, DAVE**
New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 A94-25193
- CAMPBELL, BRYAN**
High lift aerodynamics
[NASA-CR-195183] p 321 A94-25268
- CAMPBELL, MALCOLM J.**
The radiocarbon hydroxyl technique p 414 A94-28600
- CAMPBELL, V. W.**
Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 A94-21830
- CAMPO, E.**
The development of an auxiliary power unit for a fighter aircraft p 484 A94-34442
Turbine disks: Lifting against defects and materials development p 595 A94-37329
- CAMPOS, L. M. B. C.**
On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 A94-11492
- CANACCI, VICTOR A.**
A qualitative and quantitative laser-based computer-aided flow visualization method
[NASA-CR-195300] p 466 A94-34391
- CANETTA, D.**
Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- CANNON, M. E.**
An investigation of airborne GPS/INS for high accuracy position and velocity determination
[DE94-006139] p 431 A94-31306
- CANTER, DAVID E.**
X-31 tactical utility: Initial results p 533 A94-34620
- CAPBERN, P.**
High-lift research: Application to the design of the ATR72 flap p 89 A94-18442
- CAPONE, FRANCIS J.**
Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability
[NASA-TM-4450] p 24 A94-10675
- CAPPETTA, A. N.**
MIL-H-8501B: Application to shipboard terminal operations p 116 A94-13296
- CAPPUCCIO, GELSOMINA**
Nacelle-wing integration p 472 A94-33504
- CAPRON, WILLIAM R.**
Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 A94-21629
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 A94-36048
- CARABELLI, STEFANO**
Design, construction, and testing of a five active axes magnetic bearing system p 554 A94-35846
- CARALP, M.**
Maintaining constant standards during the forging process p 586 A94-37326
- CARAMORI, PAULO**
Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- CARBAJAL, KEVIN B.**
Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 A94-26151
- CARDEN, HUEY D.**
Composite impact dynamics research at NASA LaRC: A review p 187 A94-19467
- CARHART, HOMER W.**
Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 A94-32405
- CARLILE, JULIE A.**
Brush seal bristle flexure and hard-rub characteristics p 235 A94-21791
- CARLIN, CHRISTOPHER M.**
HSCT integrated propulsion control issues p 480 A94-33510
- CARLSON, A. B.**
Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 A94-33020
- CARLSON, JOHN R.**
Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy p 10 A94-10856
Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 A94-26547
- CARLSON, LELAND A.**
Nonequilibrium radiation and chemistry models for aerocapture vehicle flowfields
[NASA-CR-195706] p 299 A94-28071
An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients
[NASA-CR-195705] p 299 A94-28072
- CARLSON, RICHARD M.**
The future of rotary-wing aircraft p 320 A94-25070
- CARNE, T. G.**
Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 A94-26700
- CARNEGIE, C.**
Preliminary assessment of aerodynamic effects of wing repair patches p 305 A94-28346
- CARNEGIE, CAMERON LINDSAY**
An investigation into the aerodynamic effects of wing patches
[ISBN-0-315-84121-4] p 294 A94-26672
- CARNES, BENNY L.**
Joint Acoustic Propagation Experiment (JAPE) p 286 A94-24208
Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 A94-24220
- CARNEVALE, E.**
Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling
[BTN-94-EIX94311331069] p 589 A94-61109

- CARNEY, LISA A.**
Evaluation of access/navigational features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744
- CARPENTER, G.**
Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- CARPENTER, MARK H.**
Fourth-order 2N-storage Runge-Kutta schemes
[NASA-TM-109112] p 458 N94-32950
Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204
- CARPINO, MARC**
Foil bearing research at Penn State p 274 N94-23058
- CARR, L. PHILIP**
Radar jet engine health monitoring project
[ASSGI-301] p 400 N94-30130
- CARR, L. W.**
Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
- CARR, LAWRENCE W.**
Physics of Forced Unsteady Separation
[NASA-CP-3144] p 552 N94-34966
Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
The quest for stall-free dynamic lift p 525 N94-34986
- CARR, WILLIAM**
Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- CARRAWAY, DEBRA L.**
Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- CARRE, BRUNO**
Decoupling system for Airbus A340 G.V.T p 79 A94-12482
- CARRIERE, B.**
Fire behavior of aeronautical materials
[REPT-932-600-105] p 408 N94-29457
- CARROLL, J. V.**
Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121
- CARSCALLEN, WILLIAM E.**
Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320
- CARSCALLEN, WILLIAM EDWARD**
An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade
[ISBN-0-315-60791-2] p 30 N94-13369
- CARTA, FRANKLIN O.**
Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings
[BTN-94-EIX94341338362] p 522 A94-60354
Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967
- CARTER, DONALD**
Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle
[NASA-TM-109071] p 315 N94-27423
- CARTER, JASON L.**
Analysis of the effect of routing strategies for parallel implementations of a selected avionics application
[AD-A276069] p 434 N94-31458
- CASSIGNEUL, V.**
How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
- CASSINGHAM, RANDY**
Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- CASTNER, RAYMOND S.**
The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility
[NASA-TM-106495] p 401 N94-28749
- CASWELL, RUTH**
Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- CATLIN, PAUL A.**
Stall warning using contamination detecting aerodynamics
[SAE PAPER 922010] p 14 A94-12014
- CATT, TYRONE F.**
Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- CATTAFESTA, LOUIS NICHOLAS, III**
An experimental investigation of shock wave/vortex interaction p 175 N94-13574
- CATTOLICA, R.**
Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434
- CAUDLE, ERIC W.**
An evaluation framework for designing a night vision, computer-based trainer
[AD-A278005] p 490 N94-33139
- CAUNEAU, F.**
Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503
- CAZES, ALEX**
On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- CAZES, R. J.**
Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593
- CEBECE, TUNCER**
Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629
Calculation of multielement airfoils and wings at high lift p 49 N94-18438
Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- CECH, STEVEN D.**
Modis-N airborne simulator
[NASA-CR-189303] p 206 N94-13719
- CELENIGIL, M. CEVDET**
Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
- CELLA, ALESSANDRO**
A design procedure for slotted flaps p 88 N94-18418
- CELLUCCI, RICHARD L.**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- CERIOTTI, A.**
Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- CHADSEY, H.**
A comparison of several GPS data reduction methods p 429 N94-30662
- CHAFFIN, MARK S.**
Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment
[NASA-TM-4566] p 569 N94-36966
- CHAKRABARTY, S. K.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday
[NAL-SP-9315] p 178 N94-14598
A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599
A grid generation package for high aspect ratio wings p 35 N94-14608
- CHALKLEY, P. D.**
Mathematical modelling of bonded fibre-composite repairs to aircraft
[AD-A268732] p 152 N94-18327
- CHAMIS, C. C.**
Probabilistic simulation of concurrent engineering of propulsion systems p 259 N94-24317
Multi-disciplinary coupling for integrated design of propulsion systems p 266 N94-24326
- CHAMIS, CHRISTOS C.**
Design for cyclic loading endurance of composites
[NASA-TM-106407] p 187 N94-19351
Quantification of uncertainties in the performance of smart composite structures
[NASA-TM-106335] p 188 N94-20171
Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
An overview of computational simulation methods for composite structures failure and life analysis p 239 N94-22617
Probabilistic assessment of smart composite structures
[NASA-TM-106358] p 351 N94-25188
- CHAMPAGNE, GEORGE A.**
P and W propulsion systems studies results/status p 479 N94-33480
- CHAN, AGNES**
Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- CHAN, Y. Y.**
A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities p 6 A94-10436
- CHANA, K. S.**
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility
[RAE-TM-AERO/PROP-19] p 39 N94-15696
- CHANA, WILLIAM F.**
The tilt wing advantage - For high speed VSTOL aircraft
[SAE PAPER 921911] p 72 A94-11966
- CHANDRASEKHAR, RAJNISH**
Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215
- CHANDRASEKHARA, M. S.**
Reattachment studies of an oscillating airfoil dynamic stall flowfield
[BTN-94-EIX94301315980] p 515 A94-60016
Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975
Comparison of pitch rate history effects on dynamic stall p 535 N94-34968
- CHANET, P.**
How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316
- CHANEY, KENNETH**
Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224
- CHANG, B.-C.**
Parametric uncertainty modeling for application to robust control p 336 N94-25103
- CHANG, TERENCE**
Synthetic vision technology demonstration. Volume 1: Executive summary
[AD-280564] p 475 N94-33076
Synthetic vision technology demonstration. Volume 3: Flight tests
[AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices
[AD-A281052] p 476 N94-33079
- CHAO, CHIN**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- CHAPMAN, DEAN R.**
Investigation of Burnett equations for two-dimensional hypersonic flow
[AD-A278942] p 527 N94-35717
- CHARLES, TERRI L.**
Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- CHARLTON, M. T.**
The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- CHARLTON, MALCOLM T.**
Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator p 107 A94-12090
- CHARRIEZ, P.**
Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system p 191 N94-12503
- CHATERJEE, S.**
Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- CHAWLA, KALPANA**
Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322
Numerical simulation of a powered-lift landing p 328 N94-28033
- CHEE, SONNY HANSENG**
The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN-0-315-83580-X] p 238 N94-22577
- CHEN, CHARLES C.**
Effects of plastic media blasting on aircraft skin
[AD-A274817] p 325 N94-26488

- CHEN, CHENG-HONG**
VHF air/ground communications for air traffic control.
Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384
VHF air/ground communications for air traffic control:
A decision tree approach to system innovations, volume 2
[AD-A268632] p 185 N94-18495
- CHEN, CHING I.**
Aircraft failure detection and identification using neural networks p 71 A94-10802
- CHEN, D. Y.**
The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658
- CHEN, F. Y.**
Stability of skew plates subjected to aerodynamic and in-plane forces
[BTN-94-EIX94321331202] p 592 A94-61615
- CHEN, H. H.**
Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- CHEN, HONG C.**
Techniques in the design of aircraft for maintainability p 2 A94-12614
- CHEN, HSUN H.**
Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629
- CHEN, J.-Y.**
Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion p 159 A94-12397
- CHEN, KUO-HUEY**
Spray combustion experiments and numerical predictions p 407 N94-29277
- CHEN, L. T.**
Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642
- CHEN, ROBERT T. N.**
An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover p 76 A94-12094
- CHEN, TSONG-HSIN**
Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- CHEN, TZONG H.**
Design of round-to-square transition section; analysis and computer code
[AD-A267173] p 134 N94-15847
- CHEN, VICTOR L.**
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- CHEN, YU-TAI**
Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- CHEN, Z.**
Enhancing functionality of real time systems through machine learning
[AIAA PAPER 93-4662] p 197 A94-11532
- CHENAULT, CLARENCE F.**
Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer
[AD-A273834] p 331 N94-25617
- CHENG, BETTY H. C.**
Applying formal methods and object-oriented analysis to existing flight software p 597 N94-36495
- CHENG, H. K.**
Perspectives on hypersonic viscous flow research p 11 A94-10892
- CHENG, PETER Y.**
Aeroservoelastic stabilization considerations for pointing and tracking systems p 594 N94-36627
- CHERN, JENG-SHING**
Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- CHEWRETT, M. A.**
The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan [RAE-TM-AERO/PROP-22] p 179 N94-14827
- CHESNAKAS, CHRISTOPHER J.**
Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- CHESNEY, R. H.**
Payload central control for unmanned aircraft p 401 N94-30284
- CHESTA, L.**
The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
- CHESTNUTT, DAVID**
Joint Acoustic Propagation Experiment (JAPE-91) Workshop
[NASA-CP-3231] p 285 N94-24207
- CHEUNG, ANNY S.**
Civil tiltrotor market penetration: Effects on Northeast corridor airport delay
[AD-A277534] p 467 N94-32955
- CHEUNG, KWOK-HUNG**
Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- CHEUNG, SAMSON**
Supersonic airplane study and design
[NASA-CR-193219] p 80 N94-11150
Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- CHEVET, F.**
Maintaining constant standards during the forging process p 586 N94-37326
- CHICATELLI, AMY K.**
Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352
- CHILDERS, BROOKS A.**
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL.] p 295 N94-27161
- CHILDS, P. N.**
Generation and analysis of hybrid structured/unstructured grids
[ARA-MEMO-365] p 198 N94-10893
SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859
- CHIMA, R. V.**
Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108
- CHIMA, RODRICK V.**
Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185
- CHIN, HUBERT H.**
Knowledge-based system techniques for pilot aiding p 111 A94-12704
- CHIN, V.**
Two-dimensional Euler zonal method using composite structured and unstructured meshes
[BTN-94-EIX94401358986] p 566 A94-61642
- CHIN, VINCENT**
Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- CHIN, YAN-SHIN**
Numerical investigations on two-dimensional canard-wing aerodynamic interference
[BTN-94-EIX94401358989] p 566 A94-61645
- CHIOU, CHENG-YI**
Aircraft landing gear positioning concerning abnormal landing cases
[BTN-94-EIX94311329140] p 536 A94-60160
- CHOATE, W. C.**
Method for inferring sensor attitude through multi-feature tracking p 94 A94-12598
- CHOI, HAECHON**
Toward large eddy simulation of turbulent flow over an airfoil p 251 N94-24150
- CHOI, KWING-SO**
Conditionally sampled vorticities and near-wall turbulence structure p 160 A94-12402
- CHOI, RICH**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- CHOKANI, NDAONA**
Effects of nozzle exit geometry on forebody vortex control using blowing
[BTN-94-EIX94401358964] p 564 A94-61620
Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388
Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- CHOPRA, Inderjit**
Center for Rotorcraft Education and Research progress report, 1987 - 1992
[AD-A266760] p 40 N94-15824
- CHOU, JACK C.**
Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures
[NASA-CR-189558] p 493 N94-32877
- CHOUDHARI, MEELAN**
Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature
[NASA-CR-4579] p 412 N94-29460
Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations
[NASA-CR-4599] p 501 N94-33897
- CHOW, CHUEN-YEN**
Analysis of the Harrier forebody/inlet design using computational techniques
[NASA-CR-193616] p 31 N94-13463
- CHOW, R.**
Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- CHOWDHRY, RAJIV S.**
Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- CHRISS, R. M.**
Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- CHRISS, RANDALL M.**
Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- CHRISTENSEN, J. D.**
Plastic media blasting activities at Hill Air Force Base p 167 N94-10622
- CHRISTENSON, T. R.**
Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012858] p 173 N94-12821
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
- CHU, A.**
Microwave sensor for ice detection p 475 N94-32457
- CHU, K.**
Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- CHU, M. L.**
Influence of aerodynamic forces in ice shedding
[BTN-94-EIX94401358967] p 564 A94-61623
- CHUBACHI, TATSUO**
Effects of propeller on the turning flight of old fighters p 106 A94-10798
Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
- CHUECH, S.**
A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- CHUN, K. S.**
Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor
[NASA-TM-106479] p 332 N94-26573
- CHUN, KEN S.**
Parallel runway requirement analysis study. Volume 2: Simulation manual
[NASA-CR-191549-VOL-2] p 223 N94-22278
- CHUNDURU, SRINIVAS**
Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight
[NASA-CR-195822] p 464 N94-33991
- CHUNG, JOON**
Heave dynamics of an air cushion vehicle bag and finger skirt
[ISBN-0-315-87053-2] p 423 N94-31734
- CHUNG, JOONGKEE**
Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352
- CHUNG, KUNG-MING**
Shock impingement near mild hypersonic expansion corners p 424 N94-31879
- CHUNG, W. W.**
A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- CHURCHILL, GARY B.**
Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998

- CICERO, J.**
Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409
- CILKE, J. T.**
Aircraft fire sentry. Volume 1: Summary
[AD-A270087] p 59 N94-18822
Aircraft fire sentry. Volume 2: Appendices A, B, C and D
[AD-A270088] p 59 N94-18823
- CIMBALA, J. M.**
Reduction in size and unsteadiness of VTOL ground vortices by ground fences
[BTN-94-EIX94401358975] p 565 A94-61631
- CINQUE, G.**
Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries
p 396 N94-29255
- CIRES, ALFREDO**
Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD)
[AD-A273209] p 267 N94-24776
- CIRILLO, L.**
Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- CITENO, J. V.**
The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor
p 405 N94-29265
- CITURS, KEVIN D.**
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
[AD-A273685] p 321 N94-25440
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set
[AD-A273913] p 321 N94-25590
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
Flying qualities evaluation maneuvers
p 533 N94-34623
- CIVINSKAS, KESTUTIS C.**
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage
p 486 N94-34459
- CLARK, A. N.**
Airsides ground movements surveillance
p 388 N94-29585
- CLARK, DAVID A.**
An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- CLARK, DOUGLAS S.**
The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area
[AD-A267648] p 192 N94-17245
- CLARK, E. L.**
Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results
[DE93-018685] p 45 N94-18275
- CLARK, EDWIN C.**
Urethane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry
p 144 N94-10777
- CLARK, JAMES M.**
Flight test techniques for aircraft parameter estimation in ground effect
[AD-A270058] p 91 N94-18795
- CLARK, JOHN C.**
The role of simulation in accident investigation at the NTSB - A case study
p 53 A94-11361
- CLARK, WILLIAM S.**
Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654
- CLARKE, AMANDA**
The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- CLARKE, FREDERIC B.**
Practical hazard assessment: An approach to the fire safety
p 145 N94-10785
- CLARKE, ROBERT**
Buffet-induced structural/flight-control system interaction of the X-29A aircraft
[BTN-94-EIX94311329137] p 517 A94-60163
X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384
- CLARKSON, B. L.**
Review of sonic fatigue technology
[NASA-CR-4587] p 417 N94-29407
- CLASEN, ROBERT J.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- CLAUS, R. O.**
Metals 2000
[DE93-016761] p 151 N94-17752
- CLEATOR, BRIAN**
Development of a pressure wave simulator for surge interaction testing
p 127 A94-10441
- CLEVELAND, JEFF L. II**
High performance real-time flight simulation at NASA Langley
p 489 N94-32473
- CLEVINGER, W. B.**
Thermal/structural tailoring of engine blades (T/SEAEBL). Theoretical manual
[NASA-CR-194462] p 409 N94-28815
- CLIFF-HOVEY, SUSAN**
Sonic boom prediction and minimization using computational fluid dynamics
p 510 N94-33472
- CLIFF, EUGENE M.**
Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
Significance of the dihedral effect in rapid fuselage-reorientation maneuvers
[BTN-94-EIX94401358971] p 571 A94-61627
- CLOUSER, S.**
Fuel injector design for high temperature aircraft engine
p 396 N94-29263
- CLOUSER, STEPHEN D.**
Combustion technology needs for advanced high pressure cycle engines
p 404 N94-29248
- COAKLEY, T. J.**
Turbulence modeling for hypersonic flows
p 7 A94-10760
- COBLEIGH, BRENT R.**
Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- COCHRAN, J. B.**
Risk analysis of the C-141 WS405 inner-to-outer wing joint
p 531 N94-34592
- COCHRAN, WILLIAM L.**
Design and construction of the Aerobot Robotic Manipulator (ARM)
[AD-A275362] p 409 N94-28894
- COCKRELL, CHARLES EDWARD, JR.**
Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739] p 474 N94-34118
- CODY, CHARLOTTE K.**
Solar powered multipurpose remotely powered aircraft
p 323 N94-25719
- COE, PAUL L.**
Status of LaRC HSCT high-lift research
p 461 N94-33519
- COEN, P. G.**
Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177
- COEN, PETER G.**
Design and analysis of low boom concepts at Langley Research Center
p 510 N94-33470
- COHEN, D.**
Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- COHEN, GERALD C.**
Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
- COHEN, J. M.**
Evaluation of the transient operation of advanced gas turbine combustors
p 397 N94-29269
- COHEN, MARTIN I.**
A new low smoke, low heat release structural foam
p 143 N94-10768
- COHEN, SCOTT**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- COHN, R. F.**
Solar powered multipurpose remotely powered aircraft
p 323 N94-25719
- COLANTUONI, S.**
Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- COLE, ALISON J.**
Developing a framework for concurrency by capturing systems engineering rational using a Process Modelling Methodology
[AIAA PAPER 93-4489] p 195 A94-11422
- COLE, GARY L.**
Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352
- COLE, JULIAN D.**
Interaction of the sonic boom with atmospheric turbulence
p 301 N94-28191
- COLE, R. L.**
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- COLE, RODNEY E.**
Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807
- COLELLA, N. J.**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- COLELLA, A.**
Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- COLEMAN, GARY N.**
Direct simulation of compressible wall-bounded turbulence
p 172 N94-12294
Direct simulation of isothermal-wall supersonic channel flow
p 252 N94-24164
- COLEMAN, M. M.**
Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282
Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- COLIN, PH.**
Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332
- COLL, J.**
A new approach to turboprop forward nacelle design
p 335 N94-28336
- COLL, J. B.**
Experimental and theoretical studies of T-tail configurations for commuter aircraft applications
p 329 N94-28322
- COLLICOTT, STEVEN H.**
Surface interference in Rayleigh scattering measurements near forebodies
[BTN-94-EIX94301315999] p 516 A94-60035
- COLLINS, CONRAD**
Cold-start minidiesel engine development
[AD-A271064] p 232 N94-20567
- COLLINS, TODD A.**
Supercruiser Arrow HS-8
p 322 N94-25711
- COLOZZA, ANTHONY J.**
Effect of power system technology and mission requirements on high altitude long endurance aircraft
[NASA-CR-194455] p 331 N94-25200
- COLTRIN, ROBERT E.**
Transonic airframe propulsion integration
p 480 N94-33507
- COLUCCI, V.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408
- COMBS, LISA**
Cockpit control system
[NASA-CR-195488] p 336 N94-24957
- COMBS, LISA M.**
Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969
- COMEAX, MICHAEL**
Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975
- COMFORT, RICHARD H.**
Testing and management of flight instruments and their data
[NASA-CR-194332] p 96 N94-15187
- COMPTON, JIM**
Cooperative GN&C development in a rapid prototyping environment
[AIAA PAPER 93-4622] p 197 A94-11505
- CONDON, STEVE**
Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256

- CONLEY, KRISTIN**
Solar powered multipurpose remotely powered aircraft
p 323 N94-25719
- CONLEY, ROB**
GPS relative navigation - An alternative precision approach aid
p 64 A94-12568
- CONLISK, A. T.**
Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665
- CONSTANTINESCU, CRISTIAN**
On analyzing the effect of near-coincident faults on flight control computers
[AIAA PAPER 93-4575] p 196 A94-11481
- CONTET, JACQUES**
On the track of the Tiger - The navigation system for the Tiger missions
p 62 A94-12230
- CONWAY, J. T.**
Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model
p 303 N94-28334
- COOK, A. B.**
Artificial neural networks for predicting nonlinear dynamic helicopter loads
[BTN-94-EIX94301315989] p 515 A94-60025
- COOK, ROBERT E.**
Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202
- COOK, WOODROW L.**
Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- COOKE, D. H.**
Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
- COOKE, JOSEPH M.**
NPSNET - Flight simulation dynamic modeling using quaternions
p 197 A94-11770
- COOPER, B. A.**
High speed jet noise research at NASA Lewis
p 509 N94-33464
- COOPER, DAVID L., JR.**
An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels
[AD-A278143] p 499 N94-33160
- COOPER, L. Y.**
Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel
[PB94-103660] p 255 N94-23810
- COOPER, THOMAS D.**
The 1992 USAF structural integrity program conference
[AD-A272876] p 215 N94-21194
- COQUEL, F.**
Calculations of viscous nonequilibrium flows in nozzles
p 21 N94-10455
- CORBAN, J. E.**
Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- CORD, THOMAS J.**
Flying qualities evaluation maneuvers
p 533 N94-34623
- CORDARO, J. T.**
A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion
[DE94-008456] p 507 N94-34382
- CORKE, T.**
Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- CORKER, KEVIN**
Cockpit data link displays - An evaluation of textual formats
[SAE PAPER 922025] p 93 A94-11722
- CORLISS, G.**
Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299
- CORLISS, LLOYD D.**
Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- CORLISS, LLOYD D.**
Piloted simulation study of two tilt-wing control concepts
p 541 N94-35962
- CORNELIUS, DAVID M.**
Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949
- CORNES, JOHN K.**
The development of an in-motion radiography system for large area aircraft scanning
[DREP-TM-93-53] p 327 N94-27666
- CORRALL, D. R.**
Airside ground movements surveillance
p 388 N94-29585
- COSBY, S. W.**
Experimental and theoretical studies of T-tail configurations for commuter aircraft applications
p 329 N94-28322
- COSTA, PETER J.**
Adaptive model architecture and extended Kalman-Bucy filters
[BTN-94-EIX94401377806] p 592 A94-61767
- COSTELLO, KEVIN**
Design study to simulate the development of a commercial freight transportation system
p 323 N94-25715
- COSTELLO, MARK F.**
A model for rotorcraft flying qualities studies
p 118 N94-13308
- COSTELLO, MICHAEL J.**
Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- COSTES, B.**
Fire behavior of aeronautical materials
[REPT-932-600-105] p 408 N94-29457
- COTTON, MATT**
VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803
- COUCH, MARK A.**
A finite wake theory for two-dimensional rotary wing unsteady aerodynamics
[AD-A274921] p 294 N94-26535
- COUEDOR, C.**
Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds
p 130 N94-10431
- COULTER, YATES**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- COURTNEY, G.**
Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach
p 62 A94-12123
- COURTY, J. C.**
Laminar flow studies at Dassault Aviation: Calculations and flight tests
p 593 N94-36328
- COUSTEIX, J.**
Second-order effects in hypersonic boundary layers
p 8 A94-10769
- COVELL, PETER F.**
An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- COWLING, DAVID**
Active landing gear control for improved ride quality during ground roll
p 81 N94-11345
- COY, E. B.**
Droplet turbulence interactions under subcritical and supercritical conditions
p 274 N94-23036
- COYLE, JOHN M.**
Application of concurrent engineering principles to aircraft structural design
p 260 N94-24321
- CRAFT, JOHN W.**
MD-11 in-flight thrust reverser simulation
p 72 A94-11358
- CRAIG, JEFFREY L.**
Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223
- CRAIG, K. J.**
Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets
p 298 N94-28029
- CRAMER, K. E.**
Processing infrared images of aircraft lapjoints
p 160 A94-12413
- CRANE, C.**
Development of a prototype kinematic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling
[NASA-CR-194036] p 140 N94-16905
- CRAWFORD, DANIEL J.**
Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629
- CRAWFORD, DANIEL J.**
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048
- CRAWFORD, S.**
Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252
- CRAYTON, L.**
Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055
- CREAMER, PAUL M.**
GNSS integrity for aircraft precision approach
p 65 A94-12569
- CREDEUR, LEONARD**
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048
- CREDIT, P. B.**
Selecting the correct hydraulic component material for minimum life cycle cost
[SAE PAPER 922031] p 74 A94-12024
- CRETEGNY, J. F.**
Residual contact restraints in cryogenics
[ETN-93-94375] p 174 N94-13501
- CREWS, ALAN R.**
X ray computed tomography for geometry acquisition
[AD-A268085] p 202 N94-17590
- CRITES, R. C.**
Optical surface pressure measurement - Initial experience in the MCAIR PSWT
p 154 A94-10409
- CRITES, R. C.**
Transonic wall interference corrections for small wind tunnels
p 125 A94-10416
- CRITES, R. C.**
Pressure sensitive paint technique
p 186 N94-18647
- CRIVELLI, PAUL M.**
Solar powered multipurpose remotely powered aircraft
p 323 N94-25719
- CROSS, J.**
The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- CROSS, J. L.**
TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332
- CROSWELL, BENNETT M.**
High temperature fuel requirements and payoffs
p 405 N94-29259
- CROUSE, GILBERT LEWIS, JR.**
An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826
- CROWLEY, JOHN S.**
Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army
p 52 A94-10514
- CROWTHER, W. J.**
Yaw control by tangential forebody blowing
p 539 N94-34615
- CRUZ, CHRISTOPHER I.**
Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395
- CRUZ, CHRISTOPHER I.**
Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284
- CRUZEN, G. S.**
Expendable gas turbine engine technology advances
p 483 N94-34438
- CUCINELLI, G.**
Experimental results in aerodynamic stability and control of a TSTO configuration
p 111 N94-10424
- CUL, JIYA**
Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704
- CULLEN, J. A.**
ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- CUMMINGS, RUSSELL M.**
Numerical prediction of transition of the F-16 wing at supersonic speeds
[NASA-CR-194407] p 51 N94-19433
- CUMMINGS, RUSSELL M.**
Numerical investigation of multi-element airfoils
[NASA-CR-194592] p 567 N94-36394
- CUNNINGHAM, ATLEE M., JR.**
Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- CUNNINGHAM, ATLEE M., JR.**
Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- CUNNINGHAM, D.**
Recent advances in no-break power transfer (NBPT)
[SAE PAPER 921964] p 98 A94-11993
- CUNNINGHAM, SUSAN E.**
Life prediction systems for critical rotating components
p 239 N94-22615
- CURNOCK, BARRY**
Gas-turbine engine steady-state behavior
p 360 N94-28044
- CURNOCK, BARRY**
Transient performance
p 360 N94-28045
- CURNOCK, BARRY**
Compressor stability
p 360 N94-28046
- CURNOCK, BARRY**
Engine starting and stopping
p 360 N94-28047

CURRAN, M. J.

The application of advanced materials to aircraft nacelle structures p 142 N94-10011

CURRIE, T. C.

Solution-adaptive simulation of transonic cascade flows p 305 N94-28344

CURRIER, JEFFREY

Computed unsteady flows of airfoils at high incidence p 525 N94-34975

CURRY, ROBERT E.

Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007

CURTIS, P.

Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017

CURTISS, H. C., JR.

An analytic modeling and system identification study of rotor/fuselage dynamics at hover p 118 N94-13312

CUSANO, C.

Accelerated screening methods for predicting lubricant performance in refrigerant compressors [DE93-014773] p 146 N94-11146

CUSHING, STEVEN

An error-resistant linguistic protocol for air traffic control [NASA-CR-196098] p 570 N94-37013

CUTCHINS, MALCOLM A.

Joined-wing model vibrations using PC-based modal testing and finite element analysis [BTN-94-EIX94311329141] p 517 A94-60159

CUI, MICHAEL D.

Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory [NASA-CR-195323] p 543 N94-35267

CYRUS, JOHN D.

Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333

CZICHOWSKY, W.

Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

D

D'VARI, RON

Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures [SAE PAPER 922036] p 158 A94-12027

DADA, EZEKIEL SUNDAY

A study of parallel pier finger airport terminal configuration [ISBN-0-315-83128-6] p 229 N94-22425

DAGRACA, G. R.

Organized track system: Air ways above the ocean p 193 N94-19702

DAI, YI

Thermal-mechanical fatigue crack growth in aircraft engine materials [ISBN-0-315-86543-1] p 447 N94-31707

DAIDA, J. M.

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

DAIGLE, GILLES

Beamforming in an acoustic shadow p 286 N94-24219

DAIGUJI, HISAAKI

Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954

DALE, ALLEN

Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796

DALEY, P. L.

Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1 [AD-A267833] p 135 N94-17405

Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings [AD-A268386] p 135 N94-17569

DALEY, P. L.

Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1 [AD-A268176] p 135 N94-17432

Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2 [AD-A268177] p 135 N94-17508

DAMODARAN, K. A.

Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX9432133323] p 544 A94-60274

DAMOTTE, S.

Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter p 109 A94-12233

DANDREA, J. A.

Aircraft windscreens enhance visual search disruption produced by laser glare [AD-A265167] p 82 N94-11892

DANEK, GEORGE L.

Vertical motion simulator familiarization guide [NASA-TM-103923] p 131 N94-13008

DANKERT, C.

Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434

DANSBERRY, BRYAN E.

Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722

DAO, B. T.

Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation p 62 A94-12121

DAPRILE, JOHN R.

INM, Integrated Noise Model. Version 4.11: User's guide, supplement [AD-A273885] p 370 N94-25731

DARBANDI, M.

Multiple-zone potential solutions around wing-body configurations p 17 A94-12343

DARDEN, CHRISTINE M.

Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470

DARKEN, RUDY

A study of navigation in virtual space p 470 N94-34026

DARLOW, M.

Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799

DARYABEIGI, KAMRAN

Desirable features of an infrared imaging system for aerodynamic research p 160 A94-12423

DAS, ALOK

PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650

DAS, PURANDAR G.

Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

DAS, SAJAL

Primaset (tm): A safer material for aircraft interior applications p 54 N94-10772

DASH, S. M.

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030

DASILVA, CRESPO M.

Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799

DASS, S. M.

Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151

DASS, W. C.

Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151

DASTIN, S.

Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136

DATEO, CHRISTOPHER E.

Theoretical determination of chemical rate constants using novel time-dependent methods [NASA-CR-195221] p 349 N94-26205

DATTA, A.

Lee waves: Benign and malignant [NASA-CR-186024] p 190 N94-10725

DAUGHERTY, ROBERT H.

The effect of runway surface and braking on Shuttle Orbiter main gear tire wear [SAE PAPER 922038] p 137 A94-12029

Tests of highly loaded skids on a concrete runway [NASA-TP-3435] p 326 N94-26608

DAUNCEY, S. R.

Analysis of the cost evaluation of ESA programmes and comparable national and international programmes [GTS-92063] p 209 N94-10145

DAUTEUIL, MARK

The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837

DAVENPORT, OTHA B.

Aircraft digital flight control technical review p 336 N94-25106

DAVID, D.

Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415

DAVIDSON, JOHN B.

Gain weighted eigenspace assignment [NASA-TM-109130] p 581 N94-36820

Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment [NASA-TM-4548] p 582 N94-37059

DAVIES, P. O. A. L.

Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874

DAVIES, S. J.

An air bearing system for small high speed gas turbines p 505 N94-34466

DAVIS, D. D., JR.

Technology integration box beam failure study p 494 N94-33126

DAVIS, DAVID O.

Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335

DAVIS, J. BRADLEY

Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60 [NASA-TM-109193] p 347 N94-27956

Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62 [NASA-TM-109201] p 492 N94-33423

DAVIS, JOHN G., JR.

Second NASA Advanced Composites Technology Conference [NASA-CP-3154] p 493 N94-33121

DAVIS, LINDA

Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228

DAVIS, PAMELA A.

Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics [SAE PAPER 922012] p 73 A94-12016

Studies of Shuttle orbiter arrestment system [NASA-TP-3370] p 258 N94-24304

DAVIS, RANDALL C.

Technology integration box beam failure study p 494 N94-33126

DAVIS, ROBERT F.

The fire properties of insulation bags, as installed and after aircraft operations p 144 N94-10778

DAVIS, S. J.

Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607

DAVIS, SANFORD

NASA Ames Fluid Mechanics Laboratory research briefs [NASA-TM-108818] p 465 N94-33997

DAVIS, STAN

Aircraft age impact on individual operating and support cost elements [AD-A275739] p 373 N94-28732

DAVIS, THOMAS J.

Design of Center-TRACON Automation System p 385 N94-29568

DAWES, PETER W.

Vibration isolating engine mount [CA-PATENT-1-320-710] p 275 N94-23215

DAY, DELBERT E.

Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598

Processing yttrium barium copper oxide superconductor in near-zero gravity [BTN-94-EIX94311332378] p 550 A94-60951

DAY, L. J.

Axial compressor performance during surge [BTN-94-EIX94321333308] p 548 A94-60040

Unstable behavior of low and high-speed compressors [BTN-94-EIX94311330086] p 591 A94-61133

DAY, R. A.

Future test facility requirements and the role of heavy gas p 124 A94-10402

DCRUZ, JONATHAN

A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch [NASA-TM-107743] p 28 N94-12421

DE ANDRADE, DONIZETI

On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061

DE BERNARDIS, E.

Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054

- DE LUCA, L.**
Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420
- DEAN, GARFIELD**
The PHARE advanced tools p 388 N94-29581
- DEANE, ANIL E.**
Low-dimensional description of the dynamics in separated flow past thick airfoils [BTN-94-EIX94421374967] p 563 A94-61865
- DEATON, JERRY W.**
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- DEATON, VIVIAN C.**
Correlation of analytical and experimental hot structure vibration results [NASA-TM-104269] p 576 N94-36644
- DEBATIN, KURT**
Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834
- DEBONIS, JAMES R.**
A method for flow simulation about complex geometries using both structured and unstructured grids [NASA-TM-106633] p 569 N94-37283
- DEBROUWER, GILES**
JB-300: An advanced medium size transport for 2005 [NASA-CR-195499] p 261 N94-24401
- DEBRUIN, A. C.**
Experiments and theoretical considerations regarding the allowable roughness height in laminar flow [PB94-125556] p 381 N94-30389
- DECHANT, LAWRENCE J.**
Simplified, inverse, ejector design tool [NASA-CR-194438] p 248 N94-23511
Analytical skin friction and heat transfer formula for compressible internal flows [NASA-CR-191185] p 291 N94-25173
- DECKER, WILLIAM A.**
Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- DECKERT, WALLACE H.**
The lift-fan powered-lift aircraft concept: Lessons learned [NASA-CR-177616] p 85 N94-15718
- DECOCK, K.**
High-lift system analysis method using unstructured meshes p 47 N94-18426
- DECOCK, K. M. J.**
High-lift system analysis method using unstructured meshes [NLR-TP-92351-U] p 296 N94-27554
Grid adaption in computational aerodynamics [PB94-126240] p 421 N94-30858
- DECONINCK, H.**
A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- DEES, BILLY R.**
Halon 1211 replacement agent evaluation-perfluorohexane and halotron I [AD-A278194] p 499 N94-33385
- DEFIORE, THOMAS**
Methods for experimentally determining commercial jet aircraft landing parameters from video image data [AD-A274207] p 326 N94-27105
- DEFLORE, THOMAS**
General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858
- DEFREVILLE, CHARLES**
In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341
- DEGANI, ASAF**
On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
- DEGIORGIO, CHRIS**
The Gold Rush: A simulated commercial air transportation study [NASA-CR-195528] p 319 N94-25002
- DEHN, JON**
Refinement for fault-tolerance: An aircraft hand-off protocol [AD-A278004] p 315 N94-27768
- DEHUGUES, P. PLANTIN**
Effect of an extendable slat on the stall behavior of a VR-12 airfoil [NASA-TP-3407] p 291 N94-25187
- DEIBLER, D. T.**
Helicopter structural integrity monitoring p 77 A94-12238
- DEICK, A.**
Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282
- DEITZEL, JOHN**
Evaluation of the Hughes conversion coating touch-up pen [AD-A278398] p 496 N94-33166
- DEIWERT, GEORGE S.**
Issues and approach to develop validated analysis tools for hypersonic flows: One perspective p 20 N94-10446
- DEJARNETTE, FRED R.**
Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments p 8 A94-10768
- DEJEU, C.**
Aerothermochemical calculations in afterburners p 396 N94-29258
- DEJONG, T.**
Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments [LR-728] p 433 N94-31674
- DEJONGE, J. BEN**
Overview of the FAA/DCA/NLR programs related to ageing aircraft [NLR-TR-92119-U] p 4 N94-17614
- DEKER, GUY**
FINDER, A system providing complex decision support for commercial transport replanning operations [BTN-94-EIX94331335529] p 549 A94-60210
- DEKKER, A.**
Bird strike hazards to helicopters p 54 A94-12116
- DEKONING, J. P. F.**
Developments in the European air traffic control p 69 N94-15124
- DEL FRATE, JOHN H.**
A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft [SAE PAPER 921996] p 14 A94-12008
- DELANEY, R. A.**
Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics [BTN-94-EIX94321333305] p 516 A94-60037
- DELANEY, ROBERT A.**
Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438
- DELANOY, RICHARD L.**
Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- DELAURIER, JAMES D.**
Ornithopter wing design [BTN-94-EIX94331337499] p 521 A94-60334
- DELEO, M.**
Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- DELGRANDE, N. K.**
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
Dual-band infrared imaging for quantitative corrosion detection in aging aircraft [DE94-004187] p 431 N94-30687
Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- DELHAYE, F.**
Performing specifications for complex systems' software p 400 N94-29317
- DELNORE, V. E.**
Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- DELPRETE, CRISTIANA**
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
- DELUCA, DANIEL P.**
Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- DELUCIA, M.**
Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling [BTN-94-EIX94311331069] p 589 A94-61109
- DEMAIO, JOE**
Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
A four-axis hand controller for helicopter flight control p 117 N94-13305
- DEMANDANTE, C. G. N.**
Flight testing of a luminescent surface pressure sensor [NASA-TM-103970] p 522 N94-35394
- DEMIER, A.**
Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- DEMMELE, JOHANN**
A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation) [DLR-MITT-92-10] p 240 N94-22280
- DEMONECAULT, J. M.**
Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501
- DEMPSEY, BARRY J.**
Performance of prefabricated geocomposite subdrainage system in an airport runway [DOT/FAA/RD-93/23] p 268 N94-23303
- DENBESTEN, R.**
The future of Schiphol: Growth within boundaries p 134 N94-15123
- DENBRAVEN, WIM**
Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation [NASA-TM-4360] p 221 N94-21606
Simulation of fully automated air traffic control concepts p 386 N94-29569
Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- DENNY, SAMUEL A.**
Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- DENTON, J. D.**
VIBSD: Method for calculating 3-D unsteady flow through turbomachinery blades [CUEO/A-TURBO/TR.128] p 173 N94-12777
- DEOTTE, ROBERT E., JR.**
Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181
- DEPONTE, SERGIO**
A design procedure for slotted flaps p 88 N94-18418
- DERRIEN, MICHEL**
Landing gear with swivelling beam [CA-PATENT-1323020] p 257 N94-24181
- DERSHOWITZ, ADAM**
The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
- DERVIEUX, A.**
Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- DESAI, MIHIR**
Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- DESAI, S. S.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598
Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- DESBILLOLES, J. L.**
The simulation of single crystal turbine blade solidification p 141 A94-10671
- DESCALZI, DOUG**
The Blue Emu [NASA-CR-195535] p 317 N94-24817
- DESIDERI, J.-A.**
Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
- DESIDERI, JEAN-ANTOINE**
Synthesis of the Workshop on Hypersonic Flows for Reentry Problems [INRIA-RR-1721] p 45 N94-17957
- DESJARDINS, RAYMOND**
Structural analysis of airborne flux estimates over a region [HTN-94-00748] p 609 A94-62441
- DESOPPER, ANDRE**
Bent-tip blade for aircraft rotary-wing [CA-PATENT-1-315-259] p 257 N94-23254
- DETHOMAS, ANTHONY**
Multidimensional intelligent control for superlight air vehicles p 81 N94-11347
- DETURRIS, DIANNE JOAN**
A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555
- DETWILER, D. T.**
The design of four hypersonic reconnaissance aircraft p 323 N94-25716
- DEVADIGA, SADASHIVA**
A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera [NASA-CR-196424] p 594 N94-36812

DEVALL, RAY

Cooperative GN&C development in a rapid prototyping environment
[AIAA PAPER 93-4622] p 197 A94-11505

DEVENPORT, WILLIAM J.

Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction
[NASA-CR-193623] p 204 N94-10752

Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions
[NASA-CR-195824] p 466 N94-34207

DEVERS, WAYNARD C.

A comparison of air force data systems
[AD-A269691] p 210 N94-18575

A comparison Air Force data systems
[AD-A270662] p 211 N94-19780

DEVRIES, M.

Metals 2000
[DE93-016761] p 151 N94-17752

DEWITT, J. R.

Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009

DEWOLF, W. B.

Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506

DEXIN, HE

The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDIC) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945

DEXTER, H. BENSON

An overview of the NASA textile composites program
p 150 N94-16846

Recent progress in NASA Langley Research Center textile reinforced composites program
p 495 N94-33134

DEXTER, PETER F.

Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036

DHANALAKSHMI, K.

A vertex-based finite-volume algorithm for the Navier-Stokes equations
p 178 N94-14599

DI FRANCESCANTONIO, P.

Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise
p 204 A94-12054

DICICCO, L. DANIELLE

Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706

DICK, P.

Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft
p 238 N94-22604

DICKMANN, E. D.

Two-axis camera platform for machine vision
p 597 N94-36628

DIDENKO, O. I.

A thermometric method for monitoring the heat insulation coatings of flight vehicles
p 164 A94-12819

DIDION, D. A.

Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853

DIEHL, ROBERT G.

Applications of continuous fiber reinforced thermoplastics in aircraft interiors
p 143 N94-10775

DIEMUNSCH, JOSEPH

Object oriented design of the autonomous fixtating management system
p 383 N94-29323

DIEQIAN, WANG

Prediction of transonic potential flow with slipstreams around configurations
[FFA-TN-1992-15] p 422 N94-31220

DIEROFF, MANFRED

Operational aspects of GPS for precision approach and landing
p 65 A94-12572

DIETRICH, D. A.

CFD-based three-dimensional turbofan exhaust nozzle analysis system
p 98 A94-10857

DIETRICH, STEFAN

Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions
[DLR-FB-93-01] p 357 N94-27588

DIETRICH, H.-J.

Development of a HP-turbine for a small helicopter engine
p 486 N94-34456

DIGIANDOMENICO, B.

On ground system integration and testing: A modern approach
p 394 N94-29334

DIGUMARTHI, RAMARAO

Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224

DILGER, R.

In-flight aircraft structure health monitoring based on smart structures technology
p 55 N94-11333

DIMARTINO, P.

Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries
p 396 N94-29255

DIMOCK, BERT

Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401

DIMOTAKIS, PAUL E.

Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580

DINI, DINO

Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O
p 406 N94-29268

Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit
p 483 N94-34436

DINICOLA, AL J.

Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures
[NASA-CR-189558] p 493 N94-32877

DIPPE, D.

Contributions of DLR to air traffic capacity enhancement within a terminal area
p 385 N94-29567

DIRUSSO, ELISEO

Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control
p 555 N94-35905

DISMUKES, R. KEY

Aviation human factors research in US universities: Potential contributions to national needs
[NASA-TM-108814] p 467 N94-32927

DISTELRATH, DIETER

The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587

DITTMAR, JAMES H.

Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115

DIVSALAR, D.

Mobile terminal antennas for helicopters
p 232 N94-20458

L-band mobile terminal antennas for helicopters
p 273 N94-22835

DJINGHEUZIAN, ROBERT

Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978

DO, DUNG

Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/77] p 270 N94-23335

DOANE, DOUGLAS H.

Preliminary design features of the RASCAL: A NASA/Army rotorcraft in-flight simulator
p 132 N94-13325

DOANE, KENT

Cooperative GN&C development in a rapid prototyping environment
[AIAA PAPER 93-4622] p 197 A94-11505

DODDS, W. J.

Fuel injector design for high temperature aircraft engine
p 396 N94-29263

DODDS, WILLARD J.

Lean burn combustor technology at GE Aircraft Engines
p 497 N94-33485

DOEHLER, HANS-ULLRICH

About the accuracy of an image-based navigation system during the runway approach
[DLR-MITT-93-01] p 69 N94-18146

DOEL, D. L.

Assessment of weighted-least-squares-based gas path analysis
[BTN-94-EIX94311331070] p 589 A94-61108

DOERR, TH.

The mixing process in the quenching zone of the rich-lean-combustion concept
p 407 N94-29281

DOGGILI, M.

Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies
p 166 N94-10055

DOHERTY, PATRICIA H.

Ionospheric corrections to precise time transfer using GPS
p 429 N94-30677

DOHRMANN, C. R.

Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700

DOIRON, M. D.

Attached and separated trailing edge flow measurements with a triple-split hot-film probe
p 304 N94-28339

DOLAN, K. W.

Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316

Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842

DOLLING, D. S.

Unsteady phenomena in shock wave/boundary layer interaction
p 180 N94-15200

DOLLING, DAVID S.

Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802

DOLLYHIGH, SAMUEL D.

Overview of Langley systems studies
p 472 N94-33456

DOMACK, CHRISTOPHER S.

Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept
p 473 N94-33508

DOMANSKI, P. A.

Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853

DOMAS, P. A.

Substantiating powder metal life methodologies for engines
p 595 N94-37330

DOMINIK, CHET J.

High Reynolds number configuration development of a high-lift airfoil
p 47 N94-18424

DONG, BENHAN

Sinusoidal phase modulating in ESPI for vibration pattern measurement
p 165 A94-12957

DONLEY, SHAWN

The impact of active controls technology on the structural integrity of aeronautical vehicles
p 81 N94-11341

DONNER, J. T.

Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901

DONOVAN, J. F.

Optical surface pressure measurement - Initial experience in the MCAIR PSWT
p 154 A94-10409

DOPKER, BERNHARD

Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance
p 239 N94-22609

DOR, J. B.

New testing techniques in the T2 cryogenic wind tunnel
p 126 A94-10420

DORIS, KENNETH R.

Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275

DORNEY, DANIEL JOSEPH

Numerical simulations of unsteady flows in turbomachines
p 175 N94-13569

DORSETT, KENNETH M.

Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106

DOUGHERTY, N. S.

Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898

DOVGAL, ALEXANDER

Control of leading-edge separation on an airfoil by localized excitation
[DLR-FB-93-16] p 296 N94-27592

DOVI, A. R.

Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177

DOVI, AUGUSTINE R.

Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods
p 79 A94-12702

DOW, MARVIN B.

Development of stitched/RTM composite primary structures
p 494 N94-33127

DOWELL, E. H.

Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade
p 72 A94-11392

DOWELL, EARL H.

Nonlinear aeroelasticity
p 163 A94-12694

DOWLER, CONNIE

Air Force brush seal programs
p 235 N94-21793

DOWNER, JAMES

Aerospace applications of magnetic bearings
p 554 N94-35837

- DOWNEY, DAVID A.**
Useable Cue Environment (UCE) and its application to simulator testing p 76 A94-12089
- DOWNING, DAVID R.**
An investigation of fighter aircraft agility [NASA-CR-194608] p 91 N94-19448
- DOWNS, CORNELL**
User's guide for an interactive personal computer interface for the aeroprediction code [NSWCDD/TR-94/107] p 559 N94-35958
- DOWNS, ROBERT**
Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974
- DOYLE, JAMES F.**
Dynamic fracture mechanics analysis for an edge delamination crack [NASA-TM-109106] p 417 N94-29856
Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974
- DOYLE, STACY A.**
A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 A94-11480
- DRAGO, RAYMOND J.**
The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- DRENNAN, S. A.**
Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- DRESCHER, P. K.**
Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen p 128 A94-10447
- DRESNER, MARTIN ELLIOT**
The international regulation of air transport: Changing regimes and price effects [ISBN-0-315-55958-6] p 56 N94-13543
- DREYER, J. J.**
Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931
- DRINNAN, ANDREW M.**
An expert system class library for Audition [IME-MET-TR-008] p 210 N94-14196
- DROEGKAMP, M.**
Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- DROTOS, M. N.**
New technique for oil backstreaming contamination measurements p 227 N94-20511
- DROUGGE, GEORG**
A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack [FFA-TN-1992-14] p 45 N94-17722
- DRUMMOND, COLIN K.**
Transient Ejector Analysis (TEA) code user's guide [NASA-TM-106310] p 264 N94-23466
- DRUMMOND, J. E.**
Evaluation of turbulence models in the PARC code for transonic diffuser flows [NASA-TM-106391] p 250 N94-24084
- DRYFOOS, JAMES B.**
Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
- DUAN, S. Z.**
Aerodynamic performance of novel ducted-tip wings p 303 N94-28331
- DUCKETT, SOPHIE**
1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion [NASA-CP-10134] p 561 N94-35961
- DUDA, H.**
EFA flying qualities specification and its utilisation p 533 N94-34621
- DUDAR, EDUARD N.**
Russian sub-orbital commercial passenger transport system [SAE PAPER 922056] p 74 A94-12038
- DUDGEON, EARL H.**
Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874
- DUECKER, GREGORY T.**
An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945
- DUFFUS, KEITH**
Improved modeling of GPS selective availability p 314 N94-27290
- DUFFY, J.**
Development of a prototype kinestatic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905
- DUFOUT, MARTIAL**
Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836
- DUGAN, JOANNE B.**
A quantitative analysis of the F18 flight control system [AIAA PAPER 93-4574] p 93 A94-11480
- DUGUNDJI, JOHN**
Structural dynamics in rotorcraft p 163 A94-12682
- DUKE, DUANE A.**
SATORI: Situation Assessment Through the Re-creation of Incidents [DOT/FAA/AM-93/12] p 138 N94-12567
- DUKE, M. R., JR.**
Numerical investigation of cylinder wake flow with a rear stagnation jet [BTN-94-EIX94301315998] p 547 A94-60034
- DULIKRAVICH, GEORGE S.**
Inverse design of super-elliptic cooling passages in coated turbine blade airfoils [BTN-94-EIX94311330654] p 548 A94-60137
- DUMITRESCU, LUCIEN Z.**
Wake curvature and airfoil lift [BTN-94-EIX94311329147] p 517 A94-60153
- DUMONT, BRIAN**
Design of an airborne launch vehicle for an air launched space booster [NASA-CR-195534] p 346 N94-24860
- DUNBAR, BRIAN**
The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison [REPT-93W0000145] p 180 N94-15439
- DUNBAR, CHRISTIAN**
The RTL-46: A simulated commercial air transportation study [NASA-CR-195524] p 319 N94-25017
- DUNFORD, DALE E.**
Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- DUNN, C. E.**
Time and position accuracy using codeless GPS p 428 N94-30650
- DUNN, M. G.**
Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics [BTN-94-EIX9432133305] p 516 A94-60037
- DUNNING, J. E.**
New technique for oil backstreaming contamination measurements p 227 N94-20511
- DUQUE, E.**
The quest for stall-free dynamic lift p 525 N94-34986
- DURAN, DAVID**
The AC-120: The advanced commercial transport [NASA-CR-195491] p 317 N94-24966
- DURBIN, P. F.**
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316
Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels [DE94-005700] p 374 N94-29842
Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures [DE94-006047] p 470 N94-32658
- DURBIN, PAUL A.**
Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
- DURGIN, W. W.**
Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- DURHAM, MICHAEL H.**
Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722
- DURHAM, WAYNE C.**
Constrained control allocation: Three-moment problem [BTN-94-EIX94381311172] p 579 A94-61259
Nonlinear model-following control application to airplane control [BTN-94-EIX94401358166] p 580 A94-61672
- DURNAL, K.**
Design improvements in air turbine start systems [SAE PAPER 921947] p 158 A94-11986
- DURSTON, DONALD A.**
LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method [NASA-TM-108786] p 249 N94-23557
- DUTTA, R.**
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- DUTTA, VIMALA**
An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- DWARAKANATH, G. S.**
SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615
- DYER, JOHN C.**
Coping with the defense cutback [BTN-94-EIX94401216109] p 563 A94-61788
- DYKHUIZEN, R. C.**
Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405
- DYMENT, RICHARD J.**
Analysis of vertiport studies funded by the Airport Improvement Program (AIP) [SCT-93RR-21] p 583 N94-37424
- DYMOND, LEE H.**
A comparison of air force data systems [AD-A269691] p 210 N94-18575
A comparison Air Force data systems [AD-A270662] p 211 N94-19780
- DZWILEWSKI, P. T.**
Aircraft fire sentry. Volume 1: Summary [AD-A270087] p 59 N94-18822
Aircraft fire sentry. Volume 2: Appendices A, B, C and D [AD-A270088] p 59 N94-18823

E

- EAGAN, MARY ELLEN**
Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- EARNSHAW, P. B.**
A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
- EASLEY, WESLEY C.**
Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle [NASA-TM-109071] p 315 N94-27423
- EAST, R. A.**
Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
- EATOCK, H. C.**
Low emission combustor technology for small aircraft gas turbines p 485 N94-34454
- EATON, N. C.**
The application of advanced materials to aircraft nacelle structures p 142 N94-10011
- EBERLE, A.**
Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- EBRAHIMI, YAGHOOB S.**
Parallel runway requirement analysis study. Volume 1: The analysis [NASA-CR-191549-VOL-1] p 222 N94-22277
Parallel runway requirement analysis study. Volume 2: Simulation manual [NASA-CR-191549-VOL-2] p 223 N94-22278
- ECKERT, D.**
A semi-analytical method to correct for support effects on wind tunnel models p 124 A94-10412
- ECKSTROM, CLINTON V.**
Steady pressure measurements on an Aeroelastic Research Wing (ARW-2) [NASA-TM-109046] p 374 N94-28658
- EDLOW, RALPH**
COINS: A composites information database system p 494 N94-33123
- EDWARDS, GERALDINE F.**
Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- EDWARDS, JOHN W.**
Computational aeroelasticity p 111 A94-12697
- EDWARDS, MARK B.**
Automation and cognition in air traffic control: An empirical investigation [DOT/FAA/AM-94/3] p 312 N94-25444

EDWARDS, T.

Research and development of high thermal stability fuels p 405 N94-29261

EDWARDS, THOMAS A.

High-Speed Research: Sonic Boom, Volume 1 [NASA-CP-10132] p 300 N94-28188
Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472

EFREMOV, N. L.

Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900

EGAMI, KOICHI

Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964

EGAMI, KOICHI

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model [PAPER-2D-4] p 22 N94-10470
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model [PAPER-2D-5] p 22 N94-10471

EGGERS, ALFRED J., JR.

Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224

EGGLESTON, B.

High lift systems for transport aircraft with advanced airfoils p 90 N94-18446

EGORUSHKIN, S. A.

Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931

EHMAN, D.

Payload central control for unmanned aircraft p 401 N94-30284

EHMER, HANSJOCHEN

Transport policy options for reducing noise at airports; Hamburg airport taken as an example [DLR-FB-92-40] p 135 N94-18123

EHRHART, JOHN E., JR.

KC-135 cockpit modernization study and crew reduction feasibility demonstration [AD-A275230] p 392 N94-29391

EICKHOFF, H.

Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282

EILTS, MICHAEL D.

The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286

EISENLOHR, GERNOT

Experimental investigation and performance analysis of the turbojet engine T117 p 483 N94-34439
Aerodynamic design and investigation of a mixed flow compressor stage p 504 N94-34450

EITELBERG, GEORG

HEG - A new shock tunnel for high enthalpies p 127 A94-10427

EJIRI, HIROSHI

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345

EKATERINARIS, J. A.

Computation of unsteady flows over airfoils p 525 N94-34977

EKLUND, THOR

Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [DOT/FAA/CT-93/3] p 54 N94-10766
Advanced aircraft materials research and development plan p 145 N94-10796

EL-GAMAL, M. Z.

Application of scattering by arrays of cylinders to MLS signal propagation error estimation p 221 N94-22135

EL-SHARAWY, EL-BUDAWY

Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699

ELBAND, DAVID M.

Generic drone control system [AD-D015993] p 320 N94-25052

ELBEL, K.

EFA flying qualities specification and its utilisation p 533 N94-34621

ELBER, W.

Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590

ELDER, ROBIN L.

Nozzle guide vane flow in radial inflow turbines p 486 N94-34460

ELDERD, LLOYD BYRON

Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

ELDRIDGE, DONALD

Pilot GPS/LORAN receiver programming performance: A laboratory evaluation [AD-A278258] p 469 N94-33412

ELIEZER, D.

Environmental effects in titanium aluminides alloys p 141 A94-10678

ELIZAROV, A. M.

Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow p 18 A94-12800

ELLIOT, STEVE

Design of the advanced regional aircraft, the DART-75 p 321 N94-25708

ELLIOTT, GREGORY S.

Expansion effects on supersonic turbulent boundary layers [AD-A278989] p 527 N94-35950

ELLIOTT, JOE W.

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second [NASA-TM-109040-VOL-2] p 293 N94-26492

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-3] p 293 N94-26497

ELLIOTT, M.

An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust p 127 A94-10440

ELLIOTT, THOMAS J.

Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459

ELLIS, COLLEEN

Dumbo heavy lifter aircraft [NASA-CR-195500] p 317 N94-24915

ELLIS, COLLEEN L.

Preliminary design of a water cooled avionics cooling rack [AD-A268826] p 96 N94-18536

ELLIS, DAVID

Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189

ELLIS, DAVID R.

Supersonic flow visualization of a nacelle in close proximity to a simulated wing [NASA-CR-194675] p 43 N94-17260

ELMER, K. R.

Variability of measured sonic boom signatures. Volume 1: Technical report [NASA-CR-191483-VOL-1] p 285 N94-24172
Variability of measured sonic boom signatures. Volume 2: Data report [NASA-CR-191483-VOL-2] p 285 N94-24173
Variability of measured sonic boom signatures p 370 N94-28197

ELSTON, SIDNEY B.

Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255

ELWELL, D.

Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343

EMERSON, JANET M.

KC-135 cockpit modernization study and crew reduction feasibility demonstration [AD-A275230] p 392 N94-29391

ENDE, H.

Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022

ENDOH, M.

Conceptual study of separated core ultrahigh bypass engine p 98 A94-10860

ENDSLEY, MICA R.

Information presentation for expert systems in future fighter aircraft [AD-A275126] p 394 N94-29005

ENGEL, G.

Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285

ENGELBERT, HANS-PETER

Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618

ENGELLAND, SHAWN A.

Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft p 107 A94-10801

ENGELMANN, B. E.

SAND contact in DYNA3D [DE93-016451] p 152 N94-18113

ENGELUND, WALT

Future space transportation system architecture avionics requirements p 346 N94-25098

ENGELUND, WALTER C.

Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
Technology and staging effects on two-stage-to-orbit systems [BTN-94-EIX94311322891] p 520 A94-60205

Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055

ENGLER, R. H.

Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280

ENGLISH, NICOLE

The cetaceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711

ENNIX, KIMBERLY A.

Fight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane [NASA-TM-4538] p 104 N94-15141

Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963

ENOMOTO, FRANCIS Y.

The 3D Euler solutions using automated Cartesian grid generation p 243 N94-22367

EPPARD, W. M.

Calculation of hypersonic shock structure using flux-split algorithms [NASA-CR-194296] p 32 N94-13607

EPPEL, JOSEPH C.

The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380

EPSTEIN, A. H.

Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130

EPSTEIN, B.

New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI p 279 N94-24249

ERAUSQUIN, RICK

High lift aerodynamics [NASA-CR-195183] p 321 N94-25268

ERBLAND, PETER

Perspective on the National Aero-Space Plane Program instrumentation development [NASA-TM-4505] p 95 N94-13256

ERCOLINE, WILLIAM R.

Standardization of aircraft control and performance symbology on the USAF head-up display [AD-A274283] p 330 N94-26989

ERICKSON, GARY E.

Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds [NASA-TP-3360] p 42 N94-16573

Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels [NASA-TM-4514] p 295 N94-26706

ERICSON, MARK

Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618

ERICSSON, L. E.

Unique high-alpha roll dynamics of a sharp-edged 65 deg delta wing [BTN-94-EIX94401358966] p 571 A94-61622
Will the real dynamic instability mechanism please be recognized! p 552 N94-34976

- ERKELENS, L. J. J.**
Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- ERWIN, DANIEL EUGENE**
Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus p 424 N94-31880
- ERZBERGER, HEINZ**
Design of Center-TRACON Automation System p 385 N94-29568
- ESAY, BILL**
Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675
- ESER, S.**
Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282
Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- ESHOW, MICHELLE M.**
Improvements in hover display dynamics for a combat helicopter p 118 N94-13310
Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
- ESKER, BARBARA S.**
Overview of STOVL aircraft propulsion research offtakes and vertical lift systems
[NASA-TM-106387] p 105 N94-19353
- ESPANA, MARTIN D.**
On the estimation algorithm used in adaptive performance optimization of turbofan engines
[NASA-TM-4551] p 226 N94-21879
- ESPARBES, BERNARD**
Internal combustion engine with a central crankshaft and integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055
- ESPINA, J.**
Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394
- ESSER, B.**
High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781
Gaseous detonation driver for a shock tunnel p 130 A94-13072
- ESTABROOK, POLLY**
ACTS broadband aeronautical experiment p 272 N94-22771
- ETLINGER, HANK**
Design of a multi-channel true flat fluorescent lamp for avionic AM-LCD backlighting
[BTN-94-EIX94311330477] p 592 A94-61203
- EUSSEN, B. J. G.**
Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
- EVANS, ALAN G.**
An evaluation of the use of GPS and laser ranging to position stationary objects from a distance p 66 A94-12576
- EVANS, JAMES E.**
Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
- EVANS, R. W.**
Modelling of the hot-working of high performance alloys p 141 A94-10670
- EVANS, RONALD J.**
Image quality and the display modulation transfer function: Experimental findings
[AD-A274061] p 342 N94-25773
- EVERETT, M. E.**
Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633
- EVERETT, RICHARD A., JR.**
Rotorcraft fatigue life-prediction: Past, present, and future p 551 N94-34590
- EVERHART, JOEL L.**
Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545
- EVERS, B.**
Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- EWALD, B.**
Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413
- The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443
- EZZO, MAUREEN B.**
Flight service evaluation of composite helicopter components
[HTN-94-00295] p 609 A94-62424
- ## F
- FACAS, GEORGE N.**
Natural convection in a cavity with fins attached to both vertical walls
[BTN-94-EIX94351142119] p 550 A94-60412
- FAGAN, JOHN R.**
Comparison of optical measurement techniques for turbomachinery flowfields
[BTN-94-EIX94341338357] p 559 A94-60349
- FAHR, A.**
A comparison of Probability Of Detection (POD) data determined using different statistical methods
[LTR-ST-1947] p 353 N94-26644
- FALGOUT, JANE**
Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- FAN, M. K. H.**
Optimization-based controller design for rotorcraft p 121 N94-14642
- FAN, YANG-TA**
New output feedback design in variable structure systems
[BTN-94-EIX9438131173] p 597 A94-61260
- FANG, DAINING**
Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- FANG, W. C.**
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- FARASSAT, F.**
Introduction to generalized functions with applications in aerodynamics and aeroacoustics
[NASA-TP-3428] p 513 N94-34393
- FARAZIAN, K.**
Mobile terminal antennas for helicopters p 232 N94-20458
L-band mobile terminal antennas for helicopters p 273 N94-22835
- FARHAT, C.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- FARLEY, G. L.**
Technology integration box beam failure study p 494 N94-33126
- FARLEY, GARY L.**
Field deployable nondestructive impact damage assessment methodology for composite structures
[BTN-94-EIX94301321378] p 546 A94-60892
- FARMER, MOSES**
Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636
- FARNSWORTH, G. A.**
Design improvements in air turbine start systems
[SAE PAPER 921947] p 158 A94-11986
- FARR, J. L., JR.**
A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- FARRELL, PATRICK**
Financial crisis in the aviation industry - United Kingdom p 208 A94-13147
- FAUCHER, GILLES**
Monopiece strain gauge sting mounted wind tunnel balance
[CA-PATENT-1-311-626] p 181 N94-15697
- FAULKNER, A.**
The application of active side arm controllers in helicopters p 117 N94-13302
- FAURE, SABINE**
Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- FAVIER, D.**
An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486
- FAWCETT, RICHARD K.**
An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons
[AD-A276421] p 419 N94-31332
- FEARNSIDES, JOHN J.**
Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
- FEDOR, HELEN**
NASA historical data book. Volume 4: NASA resources 1969-1978
[NASA-SP-4012-VOL-4] p 514 N94-33949
- FEDOR, L. S.**
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
- FEDOROV, E. V.**
Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow p 18 A94-12800
- FEDOSEEVA, A.**
Engine's parameters complex optimization in aerospace systems
[IAF PAPER 93-462] p 194 A94-11249
- FEDRO, MARK J.**
Development of test methods for textile composites p 150 N94-16862
Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- FEILER, CHARLES E.**
Institute for Computational Mechanics in Propulsion (ICOMP)
[NASA-TM-106542] p 499 N94-32969
- FEJTEK, I.**
Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329
A new approach to turboprop forward nacelle design p 335 N94-28336
- FEJTEK, IAN G.**
Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover
[NASA-CR-4532] p 25 N94-10758
- FELIPPA, C. A.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- FELLENSTEIN, JAMES**
Tesseract supersonic business transport p 322 N94-25713
- FELLERHOFF, JOHN R.**
Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565
- FENG, MINGMING**
Methodology development of forecasting inter-regional air transport demand in China
[DLR-FB-93-24] p 308 N94-27746
- FENG, YACHANG**
A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
- FENTON, R. E.**
Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer
[ISBN-0-315-86210-6] p 439 N94-31710
- FERGUSON, FREDERICK**
Expanding the waverider design space using arbitrary generating flowfields p 431 N94-30516
- FERGUSON, SAMUEL W.**
Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466
Rotorwash analysis handbook. Volume 2: Appendixes
[SCT-93RR-17-VOL-2] p 567 N94-36467
Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- FERNALD, NANCY**
New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193
- FERNANDEZ, FRANCISCO J.**
Correlation of airloads on a two-bladed helicopter rotor
[NASA-TM-103982] p 292 N94-26143
- FERRARA, AUGUSTO**
Unleaded AVGAS program
[AD-A278650] p 547 N94-35795
- FERRIS, JAMES C.**
Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870
- FERTIS, DEMETER G.**
New airfoil-design concept with improved aerodynamic characteristics
[BTN-94-EIX94401372110] p 567 A94-61810

FEYZI, F.

Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599

FEZOU, L.

Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770

FIALA, JIRI

Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325

FICK, GREGORY J.

Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter [AD-A275546] p 390 N94-28837

FIDELL, SANFORD

Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196

FIDRANSKY, JIRI

Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325

FIELD, EDMUND

The application of a C(Star) flight control law to large civil transport aircraft [CRANFIELD-AERO-9303] p 338 N94-25640
Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992 [CRANFIELD-AERO-9305] p 338 N94-25653

FIELD, ROBERT E.

Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421

FIELING, C.

Design of integrated flight and powerplant control systems p 532 N94-34609

FIELDS, DUDLEY

Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779

FIELDS, JAMES M.

A review of an updated synthesis of noise/annoyance relationships [NASA-CR-194950] p 513 N94-34303

FINK, ANNMARIE

Improved modeling of GPS selective availability p 314 N94-27290

FINLAYSON, R. D.

An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136
Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872

FINLAYSON, RICHARD D.

The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

FINNEY, J. M.

Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274982] p 410 N94-29091

FISCHER, A.

Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104

FISCHER, MICHAEL C.

NASA F-16XL supersonic laminar flow control program overview p 462 N94-33525

FISCHL, ROBERT

Parametric uncertainty modeling for application to robust control p 336 N94-25103

FISHER, DAVID F.

A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft [SAE PAPER 921996] p 14 A94-12008
Controlling forebody asymmetries in flight: Experience with boundary layer transition strips [NASA-TM-4595] p 568 N94-36944

FISHER, M. J.

A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream [ISVR-TR-226] p 284 N94-22959

FISHER, W. G.

Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761

FITERMAN, A.

Preconditioning and the limit to the incompressible flow equations [NASA-CR-191500] p 200 N94-13717

FIXLER, RICHARD S.

Roof-top emergency heliports [AD-A278872] p 402 N94-29754

FLACCAVENTO, M.

The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325

FLACK, RONALD D.

A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866

FLAHERTY, KARLA

Army aircraft fire-detection systems operation and reliability [AD-A271327] p 219 N94-20912

FLAHERTY, WILLIAM

Reconfigurable aircraft stick control [AD-D016043] p 344 N94-27113

FLAIG, A.

High-lift design for large civil aircraft p 89 N94-18445

FLEETER, SANFORD

Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858

Comparison of optical measurement techniques for turbomachinery flowfields [BTN-94-EIX94341338357] p 559 A94-60349
Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 N94-15866

FLEISHER, HOWARD J.

Investigation of Monte Carlo simulation in FAA program KRASH [BTN-94-EIX94311329128] p 536 A94-60172

FLEMING, DAVID P.

Magnetic bearings - State of the art p 162 A94-12657

FLEMING, GREGG G.

Noise measurement flight test of five light helicopters [AD-A268566] p 208 N94-17599

INM, Integrated Noise Model. Version 4.11: User's guide, supplement [AD-A273885] p 370 N94-25731
Heliport Noise Model (HNM) version 2.2 (user's guide) [AD-A277072] p 452 N94-32418

FLEMMING, ROBERT J.

An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 N94-23299

FLETCHER, A. R., JR.

Electric drives on the LV100 gas turbine engine [BTN-94-EIX94311331077] p 588 A94-61101

FLIJO, A.

The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's' p 130 A94-12234

FLORAC, WILLIAM A.

A comparison of air force data systems [AD-A269691] p 210 N94-18575

A comparison Air Force data systems [AD-A270662] p 211 N94-19780

FLORES, JOLEN

Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528

FLORES, LOUIS

Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064

FLORIE, C.

The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246

FLOWERS, GEORGE T.

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports [NASA-CR-195106] p 282 N94-24751

Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports [NASA-CR-196119] p 553 N94-35500

FLUECKIGER, KARL

Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842

FLYNN, E. M.

Evaluation of cooling concepts for high power avionics applications [SAE PAPER 921942] p 157 A94-11981

FLYNN, EDWARD M.

High flux heat exchanger [AD-A266341] p 175 N94-13730

FLYNN, TOM

Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564

FLYNN, W. A.

F-16 uncommanded pitch oscillation p 106 A94-10328

F-16 uncommanded pitch oscillation [BTN-94-EIX94331337501] p 530 A94-60336

FOCKE, HORST

Transport policy options for reducing noise at airports; Hamburg airport taken as an example [DLR-FB-92-40] p 135 N94-18123

FOERSCHING, H.

Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697

FOGLER, DONALD L., JR.

Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 N94-13321

FOKIN, D. A.

Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow p 18 A94-12800

FOLLEH, M. I.

Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry p 11 A94-10934

FONSECA, A. A.

On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 N94-11492

FONT, GABRIEL I.

Physics of forebody flow control [NASA-CR-193826] p 26 N94-11195

FONTAINE, SCOTT A.

Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary [AD-A278651] p 389 N94-30189

FOOTE, BRANT

Aviation Weather Program (AWP) p 282 N94-24380

FORD, FLOYD E.

Handbook for handling and storage of nickel-cadmium batteries: Lessons learned [NASA-RP-1326] p 347 N94-26613

FORDHAM, JOSEPH P.

Design and Monte Carlo analysis of an unmanned aerial vehicle [AD-A277648] p 470 N94-33056

FORGET, D.

The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's' p 130 A94-12234

FORSYTH, D.

A comparison of Probability Of Detection (POD) data determined using different statistical methods [LTR-ST-1947] p 353 N94-26644

FOSBURGH, BRYN A.

GPS in the Gulf War p 65 A94-12574

FOSTER, JOHN V.

Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107

FOSTER, N.

Rotorcraft flying qualities improvement using advanced control p 117 N94-13303

FOSTER, TERRY

Paint removal activities in Canada p 167 N94-10615
Paint removal and surface cleaning using ice particles p 168 N94-10626
Paint removal using wheat starch blast media p 168 N94-10627

FOTTNER, L.

Analysis of cooling jets near the leading edge of turbine blades p 334 N94-28037

FOUQUES, B.

High speed Dauphin (DGV) 200 knots toward the future p 75 A94-12081

FOWELL, ANDREW J.

Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787

FOWLER, BRYCE L.

Structural integrity of intelligent materials and structures [AD-A278397] p 496 N94-33165

FOWLER, T. K.

Electromechanical battery research and development at the Lawrence Livermore National Laboratory [DE93-019159] p 234 N94-21620

Electromechanical battery research and development at the Lawrence Livermore National Laboratory [DE94-000391] p 234 N94-21621

FOX, C. H. J.

High frequency power flow in structures p 161 A94-12510

FRADENBURGH, EVAN A.

Merging the two ends of the VTOL spectrum p 75 A94-12082

FRANCINI, R.

Effects of repair on structural integrity [PB94-143336] p 390 N94-28647

FRANCIS, DANIEL

Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618

- FRANK, BERNARD J.**
Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517
- FRANK, DAVID P.**
GNSS integrity for aircraft precision approach
p 65 A94-12569
- FRANK, J.**
Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231
- FRANKE, HUBERTUS**
MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00
[AD-A276949] p 451 N94-32219
- FRANKHAUSER, CHRIS**
Configuration development study of the OSU 1 hypersonic research vehicle
[NASA-CR-195522] p 262 N94-24591
- FRANKLIN, JAMES A.**
Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft
p 107 A94-10801
Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft p 116 N94-13297
- FRANZ, JOSEPH**
Propulsion system selection for a High Altitude Long Endurance aircraft p 578 N94-36333
- FRAZIER, W. GARTH**
Control system design for flexible structures using data models p 121 N94-14646
- FREDELL, ROBERT**
Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
The development of inspection and repair methods for the C-17 aft cargo door
[LR-704] p 3 N94-13904
- FREDIANO, ALDO**
Turbine disks: Lifting against defects and materials development p 595 N94-37329
- FREEMAN, C.**
Stall inception and development in an axial flow aerogenerator
[BTN-94-EIX94311330088] p 591 A94-61131
Unstable behavior of low and high-speed compressors
[BTN-94-EIX94311330086] p 591 A94-61133
- FREEMAN, R. C.**
Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633
- FREEMAN, WILLIAM T.**
Designer's unified cost model p 493 N94-33122
- FREER, HARRISON C.**
An Operational Control Segment (OCS) update on GPS constellation status and future program directions
p 427 N94-30643
- FREESTONE, M. M.**
Interference corrections in wind tunnels with slotted walls p 125 A94-10414
- FRENDI, ABDELKADER**
On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- FREUDINGER, L. C.**
Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- FREUND, J. B.**
Drag and wake modification of axisymmetric bluff bodies using Coanda blowing
[BTN-94-EIX94401358974] p 565 A94-61630
- FREYMUETH, PETER**
Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988
- FRIDELANCE, P.**
Comparison of LASSO and GPS time transfers
p 429 N94-30665
- FRIED, WALTER R.**
History of Doppler radar navigation p 61 A94-12120
- FRIEDMANN, PERETZ P.**
Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
Rotary-wing aeroelasticity with application to VTOL vehicles p 111 A94-12696
Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- FRITZ, WILLY**
Calculation of maximum and high lift characteristics of multi element aerofoils p 46 N94-18419
- FRODGE, SALLY L.**
Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system
[AD-A276160] p 431 N94-31080
Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095
- FROES, F. H.**
Environmental effects in titanium aluminides alloys
p 141 A94-10678
- FRON, XAVIER**
ARC2000: Automatic radar control p 388 N94-29583
- FROST, KENNETH**
The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- FROSTIG, Y.**
Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- FROUNFELKER, BRIAN**
Gyroscopic test for the T800-LHT-800 turboshaft engine
[SAE PAPER 921955] p 98 A94-11992
- FRY, K. A.**
The evolution of whole field optical diagnostics for external transonic testing p 154 A94-10429
The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
- FU, AN-KUO**
An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes p 400 N94-29728
- FU, JAN-KAUNG**
Drag reduction of turbulent flow over a projectile, part 1
[BTN-94-EIX94311322899] p 557 A94-60197
- FU, JAN-KUANG**
Drag reduction for turbulent flow over a projectile, part 2
[BTN-94-EIX94311322900] p 520 A94-60196
- FUERST, RUEDIGER**
Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways
[ETN-94-95734] p 446 N94-31575
- FUERSTENAU, N.**
Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
- FUJARSKI, B.**
A.R.M.S. - A HUMS on Eurocopter France helicopter p 2 A94-12079
- FUJIEDA, HIROTOSHI**
Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340
Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- FUJII, KOZO**
Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- FUJII, SHOICHI**
Numerical analysis of sonic boom in the near field p 376 N94-28962
- FUJIMURA, AKIO**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- FUJITA, HAJIME**
Silence amenity engineering: Past and present p 370 N94-27283
- FUJITA, TOSHIMI**
Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340
Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- FUJIWARA, TOSHI**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
- FUKUDA, MASAHIRO**
Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- FUKUE, I.**
New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105
- FUKUMOTO, KOJI**
An experimental study of dynamic characteristics of labyrinth seal p 503 N94-34188
- FULGHUM, STEPHEN**
Compact lightweight CO2 laser for SDIO application
[AD-A273010] p 233 N94-21284
- FULLER, C. R.**
Artificial neural networks for predicting nonlinear dynamic helicopter loads
[BTN-94-EIX94301315989] p 515 A94-60025
- FULLER, DANA K.**
Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444
- FULLERTON, C. GORDON**
Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254
- FULTON, DAVID**
The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- FUNES-GALLANZI, M.**
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- FUNG, K.-Y.**
Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- FUNK, JOHN D., JR.**
Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- FURA, DAVID A.**
Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
- FUSARO, ROBERT L.**
Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE
[ISBN 0-7918-0662-6] p 162 A94-12651
Liquid lubricants for advanced aircraft engines p 142 A94-12653

G

- GABRIEL, EDWARD A.**
General aviation aircraft-normal acceleration data analysis and collection project
[AD-A265055] p 82 N94-11858
- GAEBLER, K.**
ACCS Surveillance Exploratory Prototype (ASEP)
p 412 N94-29566
- GAGE, PETER J.**
Post-optimality analysis in aerospace vehicle design
[AIAA PAPER 93-3932] p 71 A94-10717
- GAHILL, PATRICIA**
Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941
- GAIGNEBET, J.**
Comparison of LASSO and GPS time transfers p 429 N94-30665
- GAILLARD, R.**
Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039
- GAITA, LIVIU**
Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241
- GAL-OR, BENJAMIN**
Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- GALATOLO, ROBERTO**
Turbine disks: Lifting against defects and materials development p 595 N94-37329
- GALBRAITH, R. A. MCD.**
An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066

- An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117
- GALEA, S. C.**
Assessment of impact damage in composite structures [AD-A277063] p 444 N94-32265
- GALI, S.**
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- GALKA, EDMUND**
The Gold Rush: A simulated commercial air transportation study [NASA-CR-195528] p 319 N94-25002
- GALLAGHER, DONALD W.**
Interpreted Cooper-Harper for broader use p 118 N94-13309
- GALLAGHER, PATRICK**
The Bunny: A simulated commercial air transportation study [NASA-CR-195537] p 319 N94-25001
- GALLERY, J.**
Flight testing of a luminescent surface pressure sensor [NASA-TM-103970] p 522 N94-35394
- GALLIS, M. A.**
Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248
- GALLUS, H. E.**
Measurement of kinematically unstationary separated flows p 273 N94-22854
- GALLY, TOM**
Investigation of aerodynamic design issues with regions of separated flow p 296 N94-27902
- GALVANI, J.-L.**
Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324
- GAME, DAVID**
Prospective communications research to support fly by light/power by wire [NASA-CR-196369] p 606 N94-37657
- GANGLOFF, RICHARD P.**
NASA-UVA light aerospace alloy and structures technology program (LA2ST) [NASA-CR-195275] p 357 N94-27851
- GANYUSHKIN, U. P.**
Experience in fabricating polymeric composite rotor blades p 2 A94-12114
- GAO, BO-CAI**
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- GAO, PENGFEI**
Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957
- GAONKAR, G. H.**
Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- GARANIN, I.**
Engine's parameters complex optimization in aerospace systems [IAF PAPER 93-462] p 194 A94-11249
- GARBER, DONALD P.**
On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates [NASA-CR-191546] p 207 N94-15487
Evaluation of a nonlinear method for the enhancement of tonal signal detection [NASA-CR-191562] p 244 N94-21741
- GARBINSKI, GARY**
Tesseract supersonic business transport p 322 N94-25713
- GARBOS, RAY**
New Technologies for Space Avionics, 1993 [NASA-CR-188272] p 351 N94-25193
- GARBUTT, K. S.**
The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
- GARBUTT, KEITH**
Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
- GARCEA, RALPH**
Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
- GARCEAU, MICHAEL**
Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307
- GARCIA, JOSEPH A.**
Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
- GARDNER, C.**
TEM cell safety report [DREG-TN-93-9] p 269 N94-24123
- GARDNER, CHARLES K.**
Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- GARDONE, G.**
Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420
- GARFIELD, DONALD E.**
Icing of turbine intake louvers [AD-A265714] p 101 N94-12274
- GARFINKLE, MOISHE**
Aeroelastic airfoil smart spar p 87 N94-16865
- GARG, SANJAY**
Partitioning of centralized integrated flight/propulsion control design for decentralized implementation p 97 A94-10283
Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft [NASA-TM-106265] p 112 N94-11251
- GARG, VIJAY K.**
Prediction of film cooling on gas turbine airfoils [NASA-TM-106653] p 579 N94-37448
- GARGESA, G.**
Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954
- GARLAND, DANIEL**
Air traffic controller working memory: Considerations in air traffic control tactical operations [AD-A273722] p 313 N94-26197
- GARNOT-DAO, M. A.**
Contribution to performance assessment of helicopter rotor speed control by numerical optimization p 109 A94-12113
- GARON, ANDRE**
Three-dimensional closure of the passage-averaged vorticity-potential formulation [BTN-94-EIX94301315991] p 547 A94-60027
- GARRARD, WILLIAM L.**
Feedback control laws for highly maneuverable aircraft [NASA-CR-195195] p 337 N94-25176
- GARRISON, T. J.**
Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872
- GARTENBERG, EHUD**
Milestones in boundary-layer transition research with infrared imaging p 6 A94-10410
Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel [BTN-94-EIX94421374975] p 593 A94-61873
- GARTSHORE, I. S.**
Non-isoenergetic inviscid slot flow p 303 N94-28333
- GARWOOD, K. R.**
Engine characteristics for agile aircraft p 538 N94-34608
Propulsion system technologies for long range and long endurance aircraft p 578 N94-36334
- GARY, MOLLY J.**
Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- GASCH, ROBERT**
Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193
- GASPERAS, GEDIMINIS**
High speed transition prediction [NASA-CR-194125] p 31 N94-13422
- GASSER, MAX G.**
Magnetic power piston fluid compressor [NASA-CASE-GSC-13565-1] p 276 N94-23831
- GATLIN, GREGORY M.**
Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration [NASA-TM-109045] p 377 N94-29443
- GATSKI, THOMAS B.**
Studies in turbulence [ISBN 0-387-97613-2] p 159 A94-12376
- GAUGLER, RAYMOND E.**
Prediction of film cooling on gas turbine airfoils [NASA-TM-106653] p 579 N94-37448
- GAUTHIER, PIERRE**
Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint p 167 N94-10616
- GAVERN, JANICE M.**
Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft [AD-A274016] p 365 N94-25755
- GAWDIAK, IHOR Y.**
NASA historical data book. Volume 4: NASA resources 1969-1978 [NASA-SP-4012-VOL-4] p 514 N94-33949
- GE, YUNQI**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- GEBERT, G. A.**
Determination of slender body aerodynamics using discrete vortex methods [BTN-94-EIX9431130679] p 543 A94-60112
- GEBHARD, A.**
Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
- GEFFROY, P.**
Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039
- GEISELHART, KARL A.**
Application of advanced technologies to very large subsonic transports [SAE PAPER 921938] p 73 A94-11978
A technique for integrating engine cycle and aircraft configuration optimization [NASA-CR-191602] p 325 N94-26606
- GEISELMAN, ERIC E.**
A comparison of three aircraft attitude display symbology structures [AD-A275172] p 394 N94-29048
- GEISSLER, W.**
Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- GEISSLER, WOLFGANG**
Methods in unsteady aerodynamics [DLR-FB-93-21] p 296 N94-27741
- GENEROLI, ROBERT M.**
Preload release mechanism [NASA-CASE-MSC-22327-1] p 594 N94-36839
- GENIESSE, PETE**
The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837
- GENNARETTI, M.**
A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- GENOUX, G.**
A.R.M.S. - A HUMS on Eurocopter France helicopter p 2 A94-12079
- GENTA, GIANCARLO**
Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
- GENTRY, GARL L., JR.**
Aerodynamic characteristics of a propeller-powered high-lift semispan wing [NASA-TM-4541] p 380 N94-29937
- GEORGALA, J. M.**
SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids [ARA-MEMO-370] p 171 N94-11859
- GEORGANTAS, ANTONIOS IOANNOU**
Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines [ISBN-0-315-56062-2] p 174 N94-13521
- GEORGE, A.**
Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- GEORGE, ALBERT R.**
Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523
- GEORGE, MIKE**
Status of F16XL SSLFC numerical design validation p 462 N94-33527
- GEORGESON, GARY E.**
X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590
- GEORGIADIS, N. J.**
Evaluation of turbulence models in the PARC code for transonic diffuser flows [NASA-TM-106391] p 250 N94-24084
- GEORGIADIS, NICHOLAS J.**
Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields [NASA-TM-106551] p 459 N94-32984

- GEORGIEVSKI, P. YU.**
Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body p 11 N94-10935
- GERARDI, JOSEPH J.**
Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development [NASA-CR-194252] p 56 N94-13424
- GERGOVA, K.**
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- GERHOLD, CARL H.**
Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481
- GERI, GEORGE A.**
Variable-resolution imagery for flight simulation [AD-A276199] p 438 N94-31058
Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- GERRASSY, J.**
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- GERTZ, JEFFREY L.**
Encoding approaches for data link transmission of weather graphics [AD-A274497] p 355 N94-26963
- GEURTS, BERNARD**
Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694
- GEURTS, BERNARD J.**
A multigrid multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713
- GEYER, E. M.**
GNSS integrity for aircraft precision approach p 65 A94-12569
- GEYER, SHANNON L.**
Helicopter rotor blade injury - A persistent safety hazard in the U.S. Army p 52 A94-10514
- GHIA, K. N.**
Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- GHIA, U.**
Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974
- GHIO, G.**
Theoretical and experimental study of a cylindrical microstrip antenna [REPT-932-440-109] p 412 N94-29456
- GHIRINGHELLI, GIAN L.**
Active flutter suppression techniques in aircraft wings p 110 A94-12613
- GHORIESHI, ANTHONY**
Microspheres for laser velocimetry in high temperature wind tunnel p 345 N94-27903
- GHOSE, D.**
On the generalization of true proportional navigation [BTN-94-EIX94401377808] p 570 A94-61769
- GHOSE, DEBASHISH**
Capture region for true proportional navigation guidance with nonzero miss-distance [BTN-94-EIX94401358176] p 570 A94-61682
- GHOSH, A. K.**
Parameter estimates of an aeroelastic aircraft as affected by model simplifications [BTN-94-EIX94311329142] p 517 A94-60158
- GIBBINGS, J. C.**
Incompressible flow in contracting ducts p 159 A94-12198
- GIBBONS, K. A.**
The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265
- GIBIN, MAURICIUS**
Design of an airborne launch vehicle for an air launched space booster [NASA-CR-195534] p 346 N94-24860
- GIBSON, R. T.**
Analysis of the cost evaluation of ESA programmes and comparable national and international programmes [GTS-92063] p 209 N94-10145
- GIBSON, WARREN C.**
Structural integrity of intelligent materials and structures [AD-A278397] p 496 N94-33165
- GIESING, J. P.**
Current and future design methods for large transport aircraft p 261 N94-24324
- GIESING, JOSEPH P.**
Integrated technologies in aircraft design optimization p 79 A94-12612
- GILBERT, TIMOTHY**
Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft [NASA-CR-195489] p 318 N94-24975
- GILBERT, WILLIAM P.**
Overview of NASA HSR high-lift program p 461 N94-33518
- GILCHRIST, IAN**
VSAERO analysis of a Piper Cub aircraft p 85 N94-14616
- GILE, BRENDA E.**
Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust [NASA-TP-3427] p 601 N94-37505
- GILES, GARY L.**
Design oriented structural analysis [NASA-TM-109124] p 551 N94-34722
- GILHAM, S.**
Transfer of heat by self-induced flow in a rotating tube [BTN-94-EIX94311330098] p 587 A94-61060
- GILINSKY, M. M.**
Supersonic gasdynamic personal jets and jet noise [AIAA PAPER 93-4389] p 203 A94-11354
- GILKEY, SAMUAL C.**
P and W/GE propulsion systems studies introduction p 479 N94-33478
- GILKEY, SAMUEL C.**
General Electric/Pratt and Whitney summary report p 478 N94-33451
- GILLARD, E.**
Use of robots for aircraft dry stripping via plastic media blasting p 167 N94-10620
- GILLET, JOHN**
The Blue Emu [NASA-CR-195535] p 317 N94-24817
- GILLINGHAM, KENT K.**
Standardization of aircraft control and performance symbology on the USAF head-up display [AD-A274283] p 330 N94-26989
- GILMAN, J. A.**
NASA SBIR abstracts of 1992, phase 1 projects [NASA-TM-109694] p 371 N94-27772
- GILYARD, GLENN B.**
Preliminary supersonic flight test evaluation of performance seeking control [NASA-TM-4494] p 100 N94-11205
Performance seeking control: Program overview and future directions [NASA-TM-4531] p 103 N94-14855
On the estimation algorithm used in adaptive performance optimization of turbofan engines [NASA-TM-4551] p 226 N94-21879
- GIONFRIDDO, THOMAS A.**
Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence p 300 N94-28190
- GIRARD, BERTRAND**
Monopiece strain gauge sting mounted wind tunnel balance [CA-PATENT-1-311-626] p 181 N94-15697
- GIRARD, L.**
Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- GIRIDHARAN, M. G.**
A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803
- GISLASON, JASON**
Design of the advanced regional aircraft, the DART-75 p 321 N94-25708
- GITTNER, NATHAN M.**
Effects of nozzle exit geometry on forebody vortex control using blowing [BTN-94-EIX94401358964] p 564 A94-61620
- GIULIANI, JAMES E.**
Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941
- GIURGIUTIU, VICTOR**
Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241
- GLAAB, LOU**
ANOPP/VMS HSCT ground contour system p 511 N94-33492
- GLAAB, LOUIS J.**
Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration [NASA-TM-4516] p 294 N94-26602
- GLAHN, A.**
Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104
- GLASKOV, S. A.**
Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them [RAE-LIB-TRANS-2201] p 42 N94-16583
Sub-sonic flow about a slender profile in a tunnel having perforated walls [AD-A273184] p 291 N94-25137
- GLASS, M. W.**
A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889
- GLASSMAN, ARTHUR J.**
Blading models for TURBAN and CSPAN turbomachine design codes [NASA-CR-191164] p 26 N94-11203
- GLASSMAN, IRVIN**
Fuels combustion research [AD-A275122] p 404 N94-29004
- GLAZKOV, YU. V.**
A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation p 18 A94-12795
- GLEGG, STEWART A. L.**
Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction [NASA-CR-193623] p 204 N94-10752
Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions [NASA-CR-195824] p 466 N94-34207
- GLOSS, BLAIR B.**
Current status and some future test directions for the U.S. National Transonic Facility p 124 A94-10404
- GNEMMI, P.**
Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514
The ISL rotor bench [ISL-R-108/92] p 321 N94-25301
Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463
- GNOFFO, PETER A.**
Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge [NASA-TM-108994] p 172 N94-12571
- GODDARD, P. N.**
Maritime applications and helicopter technology p 2 A94-12045
- GODIN, P.**
Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339
- GOERING, OLAF**
Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites p 137 A94-12471
- GOFORTH, ANDRE**
The R-Shell approach - Using scheduling agents in complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447
- GOHON, THIERRY**
Use of HOOD coupled to real time monitors p 368 N94-26742
- GOJKHENBERG, M. M.**
Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818
- GOL'DFELD, M. A.**
Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves p 11 A94-10953
- GOLD, PHILLIP J.**
Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
- GOLDBERG, ROGER S.**
Future concepts for maintenance and the increasing role of on-board maintenance [SAE PAPER 921921] p 93 A94-11971
- GOLDEY, C. L.**
Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
- GOLDIE, JAMES**
Aerospace applications of magnetic bearings p 554 N94-35837

GOLDMAN, LOUIS J.

Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes
[NASA-TP-3383] p 26 N94-11133

GOLOVACHEV, YU. P.

Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957

GOLSHAN, N.

Mobile terminal antennas for helicopters p 232 N94-20458
L-band mobile terminal antennas for helicopters p 273 N94-22835

GOLUB, ROBERT A.

Aeroacoustics analysis and community noise overview p 461 N94-33488

GOMUC, R.

Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX9431337500] p 550 A94-60335

GONDHALEKAR, VIJAY

Aerospace applications of magnetic bearings p 554 N94-35837

GONG, LESLIE

Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank
[NASA-TM-104273] p 281 N94-24495
Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648

GONZALES, DAVID ALBERT

Models for vibration-dissociation coupling in high-temperature gases p 413 N94-29675

GOOD, D. E.

Helicopter structural integrity monitoring p 77 A94-12238

GOODEN, J. H. M.

Correction of X hot-wire measurements for gradients normal to the plane of the wires
[PB94-125473] p 402 N94-30399

GOODLING, J. S.

Mainstream ingress suppression in gas turbine disk cavities
[BTN-94-EIX94311330101] p 586 A94-61057

GOODMAN, ROBERT K.

Analysis of rotor blade dynamics using model scale UH-60A airloads
[HTN-94-00300] p 601 A94-62276

GOODMAN, WESLEY L.

High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424

GOODRICH, FRED

Cooperative Area Passive Tracking Systems (CAPTS) p 63 A94-12558

GOODWIN, D. J.

SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344

GOODYER, M.

Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127

GOODYER, M. J.

Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435
The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855

GOPALASWAMY, NATH S.

Numerical analysis of turbine blade tip treatments
[SAE PAPER 921928] p 13 A94-11976

GOPALKRISHNAN, RAMNARAYAN

Vortex-induced forces on oscillating bluff cylinders
[AD-A265056] p 171 N94-11865

GOPINATH, R.

Wall interference studies: Revisited p 178 N94-14604

GORADIA, SURESH H.

Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870

GOROGE, DENNIS N.

Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203

GORDNER, RAYMOND E.

Crossflow topology of vortical flows
[BTN-94-EIX94301315993] p 515 A94-60029

GORDON, CARLTON

The Blue Emu
[NASA-CR-195535] p 317 N94-24817

GORDON, EDWARD O.

Discovery learning in autonomous agents using genetic algorithms
[AD-A274083] p 339 N94-25998

GORDON, IAN

Training and operations support system (TOPS) p 599 N94-37344

GORDON, J. LEA

A disciplined approach to software test and evaluation p 416 N94-29339

GORMAN, MICHAEL R.

Acoustic emission measurements of aerospace materials and structures p 162 A94-12665

GORVAD, M. R.

Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842

GOSS, SIMON

Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453

GOTTESMAN, T.

Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269

GOTTLIEB, DAVID

Computational methods for problems in aerodynamics using parallel and vector architectures
[AD-A265626] p 27 N94-12377

GOTTLIEB, J. J.

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328

GOTTMANN, T.

Experimental results in aerodynamic stability and control of a TSTO configuration p 111 N94-10424

GOULD, R.

An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945

GOUTERMAN, M.

Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394

GOVINDARAJU, N.

Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954

GOVINDARAJU, T. V.

Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954

GOWDA, RAGHAVA G.

A framework for developing and managing reusable avionics software
[AD-A276846] p 475 N94-32909

GRABOWSKI, L.

Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

GRAESSER, D.

Local design optimization for composite transport fuselage crown panels p 495 N94-33132

GRAEWE, E.

The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443

GRAF, W. O.

A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348] p 345 N94-27879

GRAHAM, GEORGE

The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341

GRAHAM, KATHERINE

JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401

GRALA, CARL P.

Navy GTE seal development activity p 235 N94-21794

GRAN, M.

Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430

GRANDAGE, J. M.

A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993
[AD-A267532] p 87 N94-17117

GRANDE, DONALD L.

HSCT airframe materials: The Boeing perspective p 497 N94-33515

GRANDHI, R. V.

Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106

GRANDI, E.

Experiences with the HOOD design method on avionics software development p 415 N94-29325

GRANNAN, WILLIAM

The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001

GRANT, C.

Composite fuselage crown panel manufacturing technology p 495 N94-33133

GRANT, JOHN W.

Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197

GRANTHAM, WILLIAM D.

Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660

GRAPPEL, ROBERT D.

Encoding approaches for data link transmission of weather graphics
[AD-A274497] p 355 N94-26963

GRAS'KIN, S. S.

A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems p 12 A94-10956

GRASSO, F.

Modeling of hypersonic nonequilibrium flows p 8 A94-10764

GRAY, DAVID L.

Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074

GRAY, MARK A.

An evaluation of aircraft maintenance performance factors in the objective wing
[AD-A276010] p 419 N94-31362

GRAY, W. STEVEN

Neural control of magnetic suspension systems p 345 N94-27905

GRAYBILL, R.

The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen
[DE94-011609] p 606 N94-37629

GRECO, MICHAEL

Digital Altitude Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030

GREEN, A. K.

Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259

GREEN, A. R.

A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434

GREEN, CORDELL

Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401

GREEN, DAVID L.

A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298

Interpreted Cooper-Harper for broader use p 118 N94-13309

Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604

GREEN, J. E.

Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb p 128 A94-10446

Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894

GREEN, JOHN A.

Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268

GREEN, L.

Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299

GREEN, R. B.

An investigation of dynamic stall through the application of leading edge roughness p 17 A94-12117

GREEN, S. I.

Aerodynamic performance of novel ducted-tip wings p 303 N94-28331

GREEN, STEVE

Conflict-free trajectory planning for air traffic control automation
[NASA-TM-108790] p 306 N94-25272

GREEN, STEVEN

Design of Center-TRACON Automation System p 385 N94-29568

- GREEN, STEVEN M.**
Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- GREEN, T.**
Ingestion into the upstream wheelspace of an axial turbine stage
[BTN-94-EIX94311330099] p 587 A94-61059
- GREENBERG, DONALD P.**
An exploration of three dimensional computer graphics in cockpit avionics p 94 A94-12266
- GREENE, FRANCIS A.**
HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
- GREENE, GEORGE C.**
NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- GREENFIELD, S. C.**
Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
- GREENHALGH, SAMUEL**
Lift enhancement device
[AD-D015868] p 88 N94-17704
- GREENHALGH, SKOTT**
Aerodynamic airfoil smart spar p 87 N94-16865
- GREENWELL, D. I.**
Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
- GRECOREK, G. M.**
The design of four hypersonic reconnaissance aircraft p 323 N94-25716
- GREGORY, IRENE M.**
Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- GREITZER, EDWARD M.**
Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035
- GREVSTAD, KURT**
Multidimensional intelligent control for superlight air vehicles p 81 N94-11347
- GRIEWANK, A.**
Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- GRIFFIN, C. F.**
Structural testing of the technology integration box beam p 494 N94-33125
- GRIFFIN, ERNEST**
The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- GRIFFIN, O. H., JR.**
Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- GRIFFIN, THOMAS A.**
Integrity testing of brush seal in a T-700 engine p 235 N94-21792
- GRIFFITHS, NICHOLAS**
Performance and rotor loads measurements of the Lynx X2170 helicopter with rectangular blades
[NASA-TM-104000] p 2 N94-10936
- GRIGGS, D.**
Holographic interferometry: A user's guide
[DE94-003136] p 408 N94-28466
- GRIMES, R.**
Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- GRIMSTAD, GREGORY E.**
Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- GRINA, KENNETH I.**
Development of helicopter design capability progress from 1970 to 1993: The 1993 Alexander A. Nikolsky lecture
[HTN-94-00290] p 609 A94-62419
- GROCE, JOHN L.**
Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- GRODSINSKY, C. M.**
The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 N94-16078
- GRODSINSKY, CARLOS M.**
Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- GROEGER, HERBERT A.**
Know-how export: Lufthansa technology at Shannon p 311 N94-28248
- GROENEWEG, J.**
Integration of simulation and visualization aids in aircraft accident investigation p 195 A94-11359
- GROENEWEG, JOHN F.**
Fan noise research at NASA
[NASA-TM-106512] p 369 N94-25172
- GROENIG, H.**
Hypersonic testing in the Aachen shock tunnel p 126 A94-10425
High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781
Gaseous detonation driver for a shock tunnel p 130 A94-13072
- GROENLAND, TOR-ARNE**
CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919
- GROESBEEK, CORNELIS**
Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
- GRONDIN, JANET W.**
Dynamic response of a compressor research facility
[AD-A273836] p 342 N94-25740
- GROOM, NELSON J.**
Second International Symposium on Magnetic Suspension Technology, part 2
[NASA-CP-3247-PT-2] p 546 N94-35902
- GROOTENBOER, MARINUS M.**
Structure and utilization of databases for navigation p 208 A94-10333
- GROSSBONGARDT, HEINRICH**
After thirty years: Farewell of Europa jet p 311 N94-28249
- GROSSIN, JEAN**
Technology integration in advanced commercial aircraft cockpits and operational systems p 95 A94-12621
- GROSSMAN, B.**
Calculation of hypersonic shock structure using flux-split algorithms
[NASA-CR-194296] p 32 N94-13607
- GROVES, ALLEN W.**
X-31 tactical utility: Initial results p 533 N94-34620
- GRUBER, MARK R.**
Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication
[AD-A267667] p 149 N94-14962
- GRUDLER, P.**
Comparison of LASSO and GPS time transfers p 429 N94-30665
- GU, XIAOGANG**
Operational aspects of GPS for precision approach and landing p 65 A94-12572
- GU, ZHIPING**
Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method p 161 A94-12531
- GUARD, PETER S.**
Future material development trends for commercial airplane interiors p 145 N94-10792
- GUARINO, THOMAS J.**
Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830
- GUBAREV, B. A.**
Outside vision from a helicopter crew cabin - Approaches to its forming in design process p 75 A94-12075
- GUCKEL, H.**
Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821
- GUCKEL, HENRY**
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
- GUCKENBERGER, DUTCH**
The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474
- GUEDOU, PHILIPPE**
Use of HOOD coupled to real time monitors p 368 N94-26742
- GUELHAN, A.**
The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing p 130 N94-10432
- GUENZEL, UDO**
A340 testing p 310 N94-28242
- GUICHETEAU, P.**
Nonlinear and dynamic analysis of flight p 113 N94-11496
Stability analysis through bifurcation theory, 1 p 208 N94-18238
Non-linear flight dynamics p 88 N94-18240
- GUIDOS, BERNARD J.**
Computation of hypersonic nosetip heat transfer rates for an M829-like projectile
[AD-A263226] p 27 N94-11870
Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- GUILL, FREDERICK C.**
Canopy breaking device
[AD-D016294] p 602 N94-37767
- GULAKOWSKI, STEVE**
Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- GULATI, ANIL**
Raman measurements at the exit of a combustor sector
[BTN-94-EIX94341338356] p 546 A94-60348
- GUMASTE, U.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- GUMLEY, LIAM E.**
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- GUNNING, DAVID R.**
Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254
Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401
- GUO, EDWARD H.**
Airport pavement test machine design and cost study
[DOT/FAA/CT-93/51] p 268 N94-24072
- GUO, R. W.**
Swirl control in an S-duct at high angle of attack
[BTN-94-EIX94421374970] p 563 A94-61868
- GUO, SHUFEN**
The research and establishment of graphics library of aero-engine rotor system structure scheme p 194 A94-10119
- GUO, SUO-FENG**
Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX94381311167] p 579 A94-61254
The decoupling design of aircraft lateral flight control systems with eigenstructure assignment p 488 N94-34329
- GUO, YAO-BIN**
Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267760] p 52 N94-19963
- GUOHUA, BAO**
Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
- GUPTA, HERMAN**
Advanced phenolic systems for aircraft interiors p 143 N94-10776
- GUPTA, K. K.**
Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- GUPTA, S. S.**
Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX94331337500] p 550 A94-60335
- GURBUZ, R.**
Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy
[BTN-94-EIX94301320144] p 546 A94-60853
- GURSUL, ISMET**
Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- GURUMOORTHY, R.**
Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858
- GURUSWAMY, GURU P.**
Navier-Stokes computations for oscillating control surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- GUTOWSKI, T.**
Designer's unified cost model p 493 N94-33122
- GUYOMARD, C.**
The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- GUYTON, R.**
Flight testing of pneumatic forebody vortex control on the X-29 technology demonstrator
[SAE PAPER 922008] p 73 A94-12012
- GWALTNEY, DAVID A.**
Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200

GWINN, K. W.

- Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260
- A novel CFD/structural analysis of a cross parachute
[DE94-005271] p 423 N94-31578

GYARMATHY, G.

- Operational stability of a centrifugal compressor and its dependence on the characteristics of the sub-components
[BTN-94-EIX94311330091] p 590 A94-61128

H

HAAS, BRIAN L.

- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194599] p 39 N94-15678
- Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893

HABCHI, S. D.

- CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973

HAERTIG, J.

- Validation of the ROTAC code for the rotor noise prediction
p 203 A94-12049
- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
p 14 A94-12050

- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
[ISL-CO-230/92] p 257 N94-23146

- Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514

- The ISL rotor bench
[ISL-R-108/92] p 321 N94-25301
- Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463

HAGENIERS, OMER L.

- Location of impact damage sites in composite aircraft structures, task 3.4.1
[DSIS-94-01590] p 443 N94-31892

HAGLUND, GEORGE T.

- HSCT design for reduced sonic boom
p 472 N94-33471

HAGMEIJER, R.

- Grid adaption in computational aerodynamics
[PB94-126240] p 421 N94-30858

HAGUE, COLIN

- The use of EH101 Development Cockpit Simulator for pilot assessment
p 72 A94-11364

HAHN, EDWARD

- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286

HAIGLER, K.

- Automatic differentiation of advanced CFD codes for multidisciplinary design
p 153 A94-10299

HAILEY, C. E.

- Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260

HAINAUT, JEAN-PIERRE

- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181

HAINES, MATTHEW

- Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240

HAISCH, S.

- Helicopter NVG compatible cockpit illumination assessments
p 94 A94-12231

HAITHCOCK, STEPHEN

- Design project: Viper
[NASA-CR-195484] p 319 N94-25021

HAJELA, P.

- Center of excellence in rotary wing technology
[AD-A266555] p 37 N94-14799

HAJJI, H.

- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system
p 191 N94-12503

HAKALA, HANNU

- Dead reckoning navigation
[VTT-TIED-1402] p 312 N94-25808

HALL, CLIFF T. M.

- An investigation into aircraft fuselage fire hardening
p 54 N94-10782

HALL, D. J.

- Viscous airfoil computations using adaptive structured grids
p 304 N94-28337

HALL, DAVID G.

- Noise levels from a model turbofan engine with simulated noise control measures applied
[NASA-TM-106318] p 102 N94-14036

- Cruise noise measurements of a scale model advanced ducted propulsor
[NASA-TM-105808] p 207 N94-15115

HALL, EDWARD J.

- Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual
[NASA-CR-187105] p 399 N94-29438

HALL, KENNETH C.

- Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids
[NASA-CR-195285] p 333 N94-27654
- Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades
[NASA-CR-195786] p 399 N94-30013

HALL, L. E.

- Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177

HALL, MELISSA

- Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332
- Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551

HALLER, HENRY C.

- NASA Lewis wind tunnel model systems criteria
[NASA-TM-106565] p 604 N94-37522

HALLER, WILLIAM J.

- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport
p 479 N94-33477

HALPERN, M. E.

- Application of the A* algorithm to aircraft trajectory generation
[AD-A268728] p 88 N94-18315

HALSKI, P. J.

- ICAAS piloted simulation results
p 593 N94-36617

HALTER, MEGAERA C.

- Equations of motion of a hinged body over a spherical earth
[AD-A268408] p 87 N94-17435

HAM, JOHNNIE A.

- Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics
p 120 N94-13324

HAM, NORMAN D.

- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers
1991-92 p 109 A94-12118

- Improvement of helicopter attitude stability by active control of the conventional swash plate
[NASA-CR-194786] p 227 N94-20524

HAMAZAKI, HIROSHI

- Application of flow field simulation to turbine vane design
p 395 N94-28978

HAMED, A.

- An investigation of oblique shock/boundary layer interaction control
[AD-A268106] p 44 N94-17574

HAMM, J. C.

- The use of pilot models in dynamic performance and rotor load prediction studies
p 76 A94-12087

HAMMER, J.

- Utilization of lasers for air data measurements
p 238 N94-22603

HAMMER, JAY A.

- Lifted turbulent jet flames
[AD-A267911] p 151 N94-17381

HAMMILTON, D. B.

- Aviation system safety risk management tool analysis. Volume 2: Appendices
[AD-A273502] p 305 N94-24864

HAMMOND, D. O.

- Risk analysis of the C-141 WS405 inner-to-outer wing joint
p 531 N94-34592

HAMPTON, LAWRENCE

- Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335

HAN, DONGSUK

- Optimal reentry trajectories by asymptotic matching
[IAF PAPER 93-012] p 136 A94-11104

HANAGUD, S.

- Smart airfoils for helicopter control
p 77 A94-12237

- Aeroelastic analysis of rotor blades with flap control
p 78 A94-12244

HANCOCK, JOHN

- Object oriented design of the autonomous fixtacking management system
p 383 N94-29323

HANCY, J. P.

- A summary of noise measurements in a slotted cryogenic wind tunnel
p 125 A94-10419

HANDSCHUH, ROBERT F.

- Low-noise, high-strength, spiral-bevel gears for helicopter transmissions
[BTN-94-EIX94321333312] p 548 A94-60044

- Improvements in spiral-bevel gears to reduce noise and increase strength
[NASA-TM-106613] p 500 N94-33609

HANFF, E. S.

- Unique high-alpha roll dynamics of a sharp-edged 65 deg delta wing
[BTN-94-EIX94401358966] p 571 A94-61622

HANHELA, P. J.

- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107

HANKEY, W. L.

- Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106

HANNA, CHARLES L.

- Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830

HANNA, GREGORY J.

- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank
[NASA-TM-104273] p 281 N94-24495

HANOTEL, ROLAND

- Experimental and numerical simulation of helicopter rotor fuselage interaction
[ONERA-NT-1993-8] p 423 N94-31421

HANSEN, A. C.

- Aerodynamics of horizontal-axis wind turbines
p 10 A94-10887

HANSEN, CHRIS

- Load-limiting landing gear footpad energy absorption system
p 491 N94-33323

HANSEN, CHRISTOPHER P.

- Landing gear energy absorption system
[NASA-CASE-MSC-22277-1] p 411 N94-29448

HANSEN, FRANK V.

- Surface roughness lengths
[AD-A274550] p 365 N94-26846

HANSEN, IRVING G.

- Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 N94-10765

HANSEN, K.

- Installation of models in the 2 m x 3 m low speed wind tunnel
[LTR-LA-286] p 345 N94-27594

HANSMAN, R. J.

- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991

HANSMAN, R. JOHN

- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286

- A data fusion algorithm for multi-sensor microburst hazard assessment
p 307 N94-27287

HANSON, C. E.

- Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054

HANSON, CARL E.

- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053

HANSON, DONALD B.

- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbopumps. Volume 2: Documentation for computer code CUP2D
[NASA-CR-4506-VOL-2] p 334 N94-27778

- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbopumps. Volume 1: Theory development and parametric studies
[NASA-CR-4506-VOL-1] p 481 N94-34146

HANSON, J. S.

- Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents
[PB93-202885] p 220 N94-21428

HANSON, PALMER O.

- Flight test of the exploratory gimbaled airborne ESG system
p 94 A94-12555

HANSON, R. K.

- Turbulent reacting flows and supersonic combustion
[AD-A277462] p 496 N94-33242

- HARARI, R.**
The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- HARBAUGH, DARCY**
Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
- HARDIN, JAY D.**
In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- HARDY, B. C.**
An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
- HARDY, GORDON H.**
Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
- HARDY, M. B.**
Asphaltic concrete performance under heavy fighter aircraft loading [AD-A275046] p 402 N94-29151
- HARLOWE, W. W.**
Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868
- HARMAN, T. B.**
Reduction in size and unsteadiness of VTOL ground vortices by ground fences [BTN-94-EIX94401358975] p 565 A94-61631
- HARPER, RICHARD E.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- HARRAH, S. D.**
Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
Description and availability of airborne Doppler radar data p 231 N94-20419
- HARRINGTON, RICHARD F.**
Feasibility of detecting aircraft wake vortices using passive microwave radiometers [NASA-CR-191553] p 275 N94-23498
- HARRIS, A. L.**
Exercise keevil: Noise levels of six military helicopters [PB93-210722] p 369 N94-25026
- HARRIS, C. E.**
Tension fracture of laminates for transport fuselage, Part 1: Material screening p 495 N94-33130
- HARRIS, CHARLES E.**
Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134
- HARRIS, CHRIS H.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- HARRIS, DAVID R.**
New Technologies for Space Avionics, 1993 [NASA-CR-188272] p 351 N94-25193
- HARRIS, E. D.**
The National Aerospace Plane (NASP): Development issues for the follow-on vehicle [AD-A278417] p 471 N94-33329
- HARRIS, GEORGE D.**
Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops [AD-A274037] p 313 N94-25810
- HARRIS, SCOTT H.**
Maneuvering technology for advanced fighter aircraft [SAE PAPER 921984] p 107 A94-12002
Computation of wind tunnel wall effects for complex models using a low-order panel method [NASA-TM-104019] p 380 N94-30151
- HARRIS, TERRY**
The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
- HARRISON, CATHERINE**
Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130
- HARRISON, G. F.**
Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328
- HARRISON, L.**
Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343
- HARRISON, W. E.**
Research and development of high thermal stability fuels p 405 N94-29261
- HART, DANIEL C.**
Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations p 119 N94-13317
- HART, GERALD E.**
All-weather precision landing system for aircraft in remote areas [AD-DO15924] p 70 N94-20197
- HART, JAKE**
A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- HARTER, J.**
Damage tolerance management of the X-29 vertical tail p 531 N94-34595
- HARTL, PHILIPP**
Ground independent landing system p 385 N94-29564
- HARTLEY, M.**
The development of alternative paint removal techniques in the RAF p 167 N94-10618
- HARTLEY, TOM T.**
Computational methods for HSCT-inlet controls/CFD interdisciplinary research [NASA-TM-106618] p 539 N94-35352
- HARTMAN, KATHY R.**
Flight Mechanics/Estimation Theory Symposium, 1994 [NASA-CP-3265] p 545 N94-35605
- HARTMANN, K.**
Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280
- HARTNESS, J. T.**
Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- HARTUNG, LIN C.**
Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
- HARTWICH, PETER M.**
Symmetry breaking in vortical flows over cones: Theory and numerical experiments [BTN-94-EIX94301315981] p 547 A94-60017
- HARVEY, BOB**
The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004
- HARVEY, ERIC**
Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing p 155 A94-11090
- HARVEY, J. K.**
Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method [IC-AERO-92-01] p 293 N94-26248
- HARVEY, ROBERT**
Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332
Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551
- HARVEY, T. JEFFREY**
A novel rotary actuator for spacecraft p 277 N94-24034
- HARVEY, WILLIAM D.**
Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model [NASA-TM-107582] p 491 N94-32870
- HARWOOD, KELLY**
Denver TMA assessment [NASA-CR-4554] p 59 N94-18844
- HARY, STEPHEN L.**
Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458
- HAS, DAVID B.**
Direct simulation with vibration-dissociation coupling [BTN-94-EIX94351142136] p 521 A94-60429
- HASEGAWA, RYOSUKE**
Study on utilization of super clean, high vacuum space p 342 N94-25586
- HASELWOOD, JOHN L.**
Infrared imaging of microwave sources p 160 A94-12422
- HASHIMOTO, KEISUKE**
Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
- HASHOLDER, J. M.**
Local aerothermal problems during Hermes re-entry p 21 N94-10464
- HASSA, C.**
Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282
- HASSAN, H. A.**
Direct simulation with vibration-dissociation coupling [BTN-94-EIX94351142136] p 521 A94-60429
New two-temperature dissociation model for reacting flows [BTN-94-EIX94351142137] p 560 A94-60430
Numerical solutions of the complete Navier-Stokes equations [NASA-CR-194780] p 350 N94-24858
- HASSOUN, JOHN A.**
Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2 [AD-A265193] p 67 N94-11879
- HASTINGS, R. R.**
Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- HATA, SATOSHI**
A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159
- HATAMA, HARUO**
A method of user interface for NWT p 415 N94-28993
- HATCHER, P. G.**
Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels [DE94-006760] p 443 N94-32150
- HATHAWAY, M. D.**
Experimental and computational results from a large low-speed centrifugal impeller [NASA-TM-106421] p 52 N94-20136
Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- HATHAWAY, MICHAEL D.**
Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field [NASA-TM-4485] p 180 N94-15445
Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field [NASA-TM-4481] p 104 N94-17386
- HAUSMANN, MARTHA A.**
Definitions of terms relating to aircraft windscreens, canopies, and transparencies [AD-A268403] p 87 N94-17425
- HAVELOCK, DAVID**
Beamforming in an acoustic shadow p 286 N94-24219
- HAWBOLDT, R. J.**
Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328
- HAWKEN, D. F.**
Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code p 363 N94-28351
- HAYAKAWA, JUNJI**
Evaporation and convection from glass melts under low and high g: Drop shaft and aircraft experiments p 156 A94-11598
- HAYAKAWA, MASAHIKO**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- HAYASHI, MASANORI**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952
- HAYES, D. W.**
Aerial robotic data acquisition system [DE94-009114] p 506 N94-33938
- HAYHOE, GORDON F.**
Airport pavement test machine design and cost study [DOT/FAA/CT-93/51] p 268 N94-24072
- HAYNES, GERALD**
Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783
- HAYNES, J. M.**
Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130
- HAYNES, TIMOTHY S.**
Transition correlations in three-dimensional boundary layers [BTN-94-EIX94301315968] p 547 A94-60004

- Stability of hypersonic boundary-layer flows with chemistry p 21 N94-10451
- HE, CHENGJIAN**
A parametric study of harmonic rotor hub loads [NASA-CR-4558] p 263 N94-24726
- HE, GUOFANG**
The reliability parameter estimation of field information p 153 A94-10108
- HE, LI**
VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades [CUED/A-TURBO/TR.128] p 173 N94-12777
- HE, LIANZHU**
Dynamic response analysis of composite structural members during missile launch [AD-A270023] p 140 N94-18760
- HE, X.**
Computational analysis of off-design waveriders [BTN-94-EIX94311329125] p 549 A94-60175
- HEADLY, DEAN E.**
The airline quality report 1993 [NIAR-93-11] p 58 N94-17262
- HEBERT, F.**
Avionics for new generation helicopters p 94 A94-12229
- HEBERT, MARTIAL**
Perception for outdoor navigation [AD-A266867] p 68 N94-14919
- HECHT, LAURA F.**
NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry [NASA-TM-109863] p 560 N94-34730
- HECHT, RALPH J.**
Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- HECK, PATRICK W.**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
- HEDE, THIERRY**
Development of a three-dimensional icing model for predicting ice accretion on aircraft [ONERA-NT-1993-5] p 426 N94-31230
- HEDDERGOTT, A.**
Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section p 125 A94-10415
- HEDMAN, SVEN G.**
WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721
Prediction of transonic potential flow with slipstreams around configurations [FFA-TN-1992-15] p 422 N94-31220
- HEEG, JENNIFER**
Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055
- HEEREMA, F.**
A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
- HEFAZI, H.**
Two-dimensional Euler zonal method using composite structured and unstructured meshes [BTN-94-EIX94401358986] p 566 A94-61642
- HEGARTY, CHRIS**
Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis [DOT/FAA/SE-93/3] p 69 N94-16906
- HEGELS, HERMANN F.**
Use of GPS in automated air traffic control p 384 N94-29563
- HEIDAN, ELISABETH**
Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 N94-28230
- HEISER, TERRY**
Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974
- HEISS, S.**
Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- HELD, T. W.**
Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- HELLAND, STEPHEN M.**
Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel [NASA-TM-106470] p 280 N94-24362
- HELLMUTH, H.**
The TIGER cockpit and its simulator p 77 A94-12232
- HEMSCH, MICHAEL J.**
Alleviation of side force on tangent-ogive forebodies using passive porosity [BTN-94-EIX94311329126] p 536 A94-60174
Leading-edge vortex breakdown for wing planforms with the same slenderness ratio [BTN-94-EIX94401358991] p 566 A94-61647
- HENCKELS, A.**
Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411
- HENDERS, M. G.**
Payload central control for unmanned aircraft p 401 N94-30284
- HENDERSON, ARTHUR, JR.**
Overview of the 1989 Wind Tunnel Calibration Workshop [NASA-TP-3393] p 131 N94-11869
- HENDERSON, GREGORY H.**
Airfoil wake and linear theory gust response including sub- and superresonant flow conditions p 10 A94-10858
- HENDERSON, J. F.**
Developments in centrifugal compressor surge control: A technology assessment [BTN-94-EIX94311330090] p 590 A94-61129
- HENDERSON, MICHAEL L.**
NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
- HENDERSON, STEPHEN C.**
Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- HENDRICK, ROBERT**
Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727
- HENDRICKS, E. W.**
Active control of oscillatory lift forces on a circular cylinder [AD-A273243] p 350 N94-25140
- HENDRICKS, G. J.**
Active stabilization of rotating stall in a three-stage axial compressor [BTN-94-EIX94311330089] p 591 A94-61130
- HENDRICKS, ROBERT C.**
The 1992 Seats Flow Code Development Workshop [NASA-CP-10124] p 229 N94-21790
Brush seal bristle flexure and hard-rub characteristics p 235 N94-21791
Integrity testing of brush seal in a T-700 engine p 235 N94-21792
Compliant seal development p 235 N94-21795
Engine seal technology requirements to meet NASA's advanced subsonic technology program goals [NASA-TM-106582] p 502 N94-33960
- HENKE, R.**
Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601
Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605
- HENNEBERRY, HUGH M.**
Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust [NASA-TM-106270] p 102 N94-13143
- HENNECKE, D. K.**
The mixing process in the quenching zone of the rich-lean-combustion concept p 407 N94-29281
- HENNINGER, SANDRA**
Rooftop emergency heliports [AD-A278872] p 402 N94-29754
- HENNINGS, ELSA J.**
Regulated drag area parachute [AD-DO15992] p 290 N94-25051
- HENRY, ZACHARY S.**
Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
- HENSHAW, JIM**
SCS-6 (tm) fiber reinforced titanium p 585 N94-36652
- HENSYL, J.**
Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343
- HEPP, H.**
Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
- HEPPE, STEPHEN**
Issues for GNSS-based precision approach p 63 A94-12552
- HERBELL, THOMAS P.**
Enabling propulsion materials for high-speed civil transport engines p 480 N94-33511
- HERBERT, T.**
Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391
- HERENDEEN, D. L.**
ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768
ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769
- HERMANSON, J. C.**
Structure and penetration of a supercritical fluid jet in supersonic flow [BTN-94-EIX94321333317] p 549 A94-60268
- HERMES, LAURIE G.**
The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- HERNANDEZ, GLORIA**
An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds [NASA-TP-3365] p 253 N94-24311
- HERRICK, G. T.**
An overview of the F-16 service life approach p 532 N94-34599
- HERRING, ROBERT W.**
HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293
- HERTEL, PETER S.**
Stratospheric emissions effects database development [NASA-CR-4592] p 605 N94-37607
- HERTHER, J. C.**
Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results [AD-A267105] p 181 N94-15649
- HESBACH, THOMAS D., JR.**
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- HESS, BRYAN**
Runtime support for data parallel tasks [AD-A280899] p 558 N94-35240
- HESS, CECIL F.**
Photothermal laser deflection, an innovative technique to measure particles in exhausts [AD-A277151] p 448 N94-32366
- HESTERMAN, T. W.**
Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- HEULER, P.**
Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- HEUSSI, HAROLD**
Material optimization and manufacturing development of reduced cost powder metal titanium alloy component: for gas turbine engine application, phase 2 [AD-A274410] p 349 N94-26971
- HEYMA, P. M.**
ADAS implementation of a panel method for the prediction of aerodynamic loads [LR-723] p 51 N94-1966
- HEYMSFIELD, ANDREW J.**
Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-2229
- HEYNS, P. S.**
Transient response of accelerating rotor systems p 162 A94-1254
- HICKEY, DAVID H.**
Survey of lift-fan aerodynamic technology [NASA-CR-177615] p 224 N94-2159
- HICKEY, M. H.**
Operation of a test bed axial-gap brushless dc rotor with a superconducting stator [DE93-019167] p 236 N94-2183
- HICKEY, SUZANNE C.**
Analysis of Navy aircraft engine and engine component warranties [AD-A276936] p 436 N94-3222

- HICKMAN, GAIL A.**
Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424
- HICKS, JOHN W.**
Flight testing of airbreathing hypersonic vehicles
[NASA-TM-4524] p 140 N94-15753
- HICKS, RAYMOND**
Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- HICKS, RAYMOND M.**
Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336
Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter
[NASA-TM-108237] p 452 N94-31337
- HIGAKI, KYOKO**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-3] p 22 N94-10469
Flow analysis around ONERA model M5 configuration
[PAPER-3D-1] p 23 N94-10477
- HIGH, DOUGLAS D.**
A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow
[AD-A278550] p 464 N94-33782
- HIGMAN, J. P.**
Aeroelastic analysis of rotor blades with flap control p 78 A94-12244
- HIGUCHI, TOSHIRO**
Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915
- HIKIDA, KAZUO**
A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- HILBIG, R.**
High-lift design for large civil aircraft p 89 N94-18445
- HILL, A. G.**
Airside ground movements surveillance p 388 N94-29585
- HILL, D. A.**
Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683
- HILL, R. J.**
An analysis of helicopter attrition using a low level combat simulation
[DSIS-93-00282] p 84 N94-13839
- HILL, RICHARD G.**
Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766
Aircraft material fire testing and the creation of an international working group p 145 N94-10790
The future of aircraft cabin fire safety p 54 N94-10797
- HILL, RICHARD J.**
Progress and purpose of IHPTET program p 538 N94-34607
- HILLEBRAND, HELGA L.**
A sky above Europe p 309 N94-28234
- HILTZ, FREDERICK F.**
Marker beacon case
[AD-DO16322] p 602 N94-37830
System for broadcasting marker beacon signals and processing responses from seeking entities
[AD-DO16313] p 602 N94-37839
- HIMMELSBACH, J.**
Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
- HINDS, MICHAEL F.**
Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410
- HINDSON, WILLIAM S.**
Piloting considerations for terminal area operations of civil tiltwing and tiltrotor aircraft p 119 N94-13320
Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator p 132 N94-13325
Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- HINEDI, S.**
Mobile terminal antennas for helicopters p 232 N94-20458
L-band mobile terminal antennas for helicopters p 273 N94-22835
- HINES, RICHARD W.**
General Electric/Pratt and Whitney summary report p 478 N94-33451
- P and W/GE propulsion systems studies introduction p 479 N94-33478
- HINGST, W. R.**
Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
- HINGST, WARREN R.**
Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780
- HINKLE, A. J.**
Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
- HINNAUT, HOWARD E.**
Dynamic analysis of pretwisted elastically-coupled rotor blades
[NASA-TM-109070] p 350 N94-24839
- HINTON, D. A.**
Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283
The relationship of an integral wind shear hazard to aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593
- HIRABAYASHI, TAKEO**
A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- HIRANO, TOSHIYUKI**
Study on utilization of super clean, high vacuum space p 342 N94-25586
- HIROSE, NAOIKI**
Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475
Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan
[NAL-TM-648T] p 169 N94-10861
Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
- HIRSCHEL, E. H.**
Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes p 71 A94-10777
Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results
[MBB-LME-211-S-PUB-507] p 36 N94-14710
- HIRTZ, NORBERT**
Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future p 484 N94-34440
- HITCHCOCK, MICHAEL F.**
Early manufacturing considerations in design p 259 N94-24315
- HITCHINGS, DENNIS**
Finite element analysis of lift build-up due to aerofoil indicial motion p 12 A94-11922
- HITE, SID W., III**
An algorithm for determination of bearing health through automated vibration monitoring
[AD-A274591] p 356 N94-26986
- HLIBOWICKI, ANDRZEJ**
Intelligent systems for air space control and management p 384 N94-29560
- HO, CHIH-MING**
Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- HOADLEY, D.**
Full-scale testing and analysis of curved aircraft fuselage panels
[AD-A275666] p 390 N94-28657
Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis
[PB94-152808] p 433 N94-32015
- HOADLEY, SHERWOOD TIFFANY**
ISAC: A tool for aeroservoelastic modeling and analysis
[NASA-TM-109031] p 123 N94-19316
- HOANG, P.**
Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-28914
- HOANG, TY**
Preliminary design of nine high speed civil transports p 322 N94-25710
- HOBBS, D. E.**
Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- HOBBY, RICHARD**
The increasing role of communication satellites in commercial aircraft operations
[SAE PAPER 921920] p 61 A94-11970
- HOCKNEY, RICHARD**
Aerospace applications of magnetic bearings p 554 N94-35837
- HODGES, G. S.**
Engine characteristics for agile aircraft p 538 N94-34608
- HODGKINSON, JOHN**
The impact of flying qualities on helicopter operational agility p 117 N94-13304
The influence of flying qualities on operational agility p 534 N94-34628
- HODSON, H. P.**
The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
- HOECHST, PETER**
Experimental investigation and performance analysis of the turbojet engine T117 p 483 N94-34439
- HOEFINGHOFF, DIRK**
Lufthansa Yearbook 1992 p 308 N94-28230
Lufthansa and Europe p 311 N94-28247
- HOEHLER, G.**
Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- HOELJMAKERS, H. W. M.**
Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492
Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- HOEKSTRA, WILLEM E.**
Use of GPS in automated air traffic control p 384 N94-29563
- HOEPPNER, DAVID**
Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125
- HOEPPNER, DAVID W.**
History and prognosis of material discontinuity effects on engine components structural integrity p 595 N94-37322
- HOESLY, R. L.**
ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769
- HOFAKER, SCOTT A.**
Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
- HOFFMAN, ERIC**
A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- HOFFMAN, KRISHNA**
Bidirectional stringer-stiffened panel buckling procedures and application to optimum aircraft structures
[SAE PAPER 922036] p 158 A94-12027
- HOFFMANN, B.**
Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447
- HOFFMANN, HANS-EBERHARD**
A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation)
[DLR-MITT-92-10] p 240 N94-22280
- HOFFREN, J.**
Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116
- HOFINGER, G.**
X-31A control law design p 540 N94-34618
- HOFSTETTER, K. J.**
Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- HOGENDOORN, R. A.**
A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- HOH, ROGER H.**
Some lessons learned in three years with ADS-33C p 116 N94-13299

- Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- HOHEISEL, HEINZ**
The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation [DLR-FB-93-20] p 333 N94-27739
- HOLBEIN, R.**
Paint removal activities in Germany p 167 N94-10617
- HOLCOMB, DARRELL H.**
Aircraft battle damage repair for the 1990's and beyond [AD-A278635] p 576 N94-36465
- HOLCOMB, LEE**
NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- HOLDEMAN, J. D.**
Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct [NASA-TM-106435] p 226 N94-21758
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 N94-24594
- HOLDEN, MICHAEL**
Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167
- HOLDEN, MICHAEL S.**
Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964
- Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965
- HOLLAND, SCOTT D.**
Inviscid parametric analysis of three-dimensional inlet performance [BTN-94-EIX94401358980] p 578 A94-61636
- HOLLIS, P.**
Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- HOLLISTER, KATHERINE M.**
ATCRBS reply environment at Memphis International Airport [AD-A266322] p 69 N94-16439
- HOLLO, S. D.**
Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel [BTN-94-EIX94321333315] p 520 A94-60266
- HOLMES, BRUCE**
US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities p 289 N94-25097
- HOLT, MARTIN**
Use of ERS-1 wind and wave products in operational meteorology p 191 N94-12502
- HOMSY, G. M.**
Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
- HONG, STEVEN W.**
An analytic modeling and system identification study of rotor/tuselage dynamics at hover p 118 N94-13312
- HONG, YANHUA**
Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring [DREP-93-16] p 393 N94-30131
- HONG, ZUU-CHANG**
Approximate chattering arc for minimum time flight [IAF PAPER 93-014] p 136 A94-11105
- HONMA, TOSHIHIRO**
System observer techniques in robust control systems design synthesis p 198 A94-12764
- HOOPER, JOAN**
Tesseract supersonic business transport p 322 N94-25713
- HOOPER, ROSS**
Developing software to RTCA DO-178A p 222 N94-22155
- HOOPER, STEVE**
Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
- HOOVER, ERIC**
Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures [AD-A274100] p 329 N94-26030
- HOOVER, JAMES R.**
Practical hazard assessment: An approach to the fire safety p 145 N94-10785
- HOPKINS, DALE A.**
Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
- HOPKINS, MARK A.**
Nonlinear equations of motion for a panel subject to external loads [AD-A273142] p 254 N94-24773
- Response of a cantilevered plate in supersonic flow [AD-A277487] p 471 N94-33107
- HORNE, WALTER F.**
Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- HORNER, APRIL**
Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials [DOT/FAA/CT-93/3] p 54 N94-10766
- HORNER, M. B.**
An examination of the effects of blade-vortex interaction on flows near the blade tip p 16 A94-12066
- HORONJEFF, RICHARD D.**
Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053
- Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- HOROWITZ, STANLEY A.**
A comparison of air force data systems [AD-A269691] p 210 N94-18575
- A comparison Air Force data systems [AD-A270662] p 211 N94-19780
- HORVITZ, ERIC**
Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- HOSANGADI, A.**
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- HOSHINO, HIDEO**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 N94-10350
- HOSOE, NOBUYUKI**
The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247
- HOU, GENE W.**
Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy [BTN-94-EIX94421374969] p 593 A94-61867
- HOULIHAN, S. R.**
Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-167690] p 139 N94-12810
- HOUNJET, M. H. J.**
Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity [PB94-126224] p 420 N94-30740
- HOUPIS, CONSTANTINE H.**
Utilizing quantitative feedback theory design technique for flight control system p 114 N94-11501
- Introduction to Quantitative Feedback Theory (QFT) technique p 202 N94-18241
- HOUSER, DONALD R.**
Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- HOUSNER, JERROLD M.**
Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
- NASA Langley developments in response calculations needed for failure and life prediction p 240 N94-22621
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- HOUWINK, R.**
Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
- Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- HOVMARK, GUNNAR**
Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target [FFA-TN-1992-18] p 133 N94-13588
- HOWARD, J. H. G.**
Experimental investigation of the steady and unsteady relative flow in a model centrifugal impeller passage [BTN-94-EIX94311330093] p 590 A94-61126
- Rotating laser-Doppler anemometry system for unsteady relative flow measurements in model centrifugal impellers [BTN-94-EIX94311330092] p 590 A94-61127
- HOWARD, LARRY**
An introduction to structural models [AD-A268151] p 202 N94-17429
- Structural modeling: An application framework and development process for flight simulators [AD-A271348] p 136 N94-19880
- HOWE, D. C.**
AGBT advanced counter-rotating gearbox detailed design report [NASA-CR-180883] p 166 N94-10400
- HOWE, HAROLD W.**
Integrity testing of brush seal in a T-700 engine p 235 N94-21792
- HOWE, M. S.**
Structural and acoustic noise produced by turbulent flow over an elastic trailing edge p 204 A94-12140
- HOWE, MICHAEL S.**
Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study [NASA-CR-194905] p 509 N94-33023
- HOWELL, J. R.**
Comparing aircraft agility using mahalanobis distances [PB93-175446] p 82 N94-11464
- HOWELL, NORMAN E.**
Comparing aircraft agility using mahalanobis distances [PB93-175446] p 82 N94-11464
- HOWELL, STEPHEN**
Combustor technology for small aircraft engines p 485 N94-34453
- HOWERTON, EVERETT B.**
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- HOWITT, J.**
Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
- HOWLAND, JAMES W.**
VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384
- VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
- HOY, ERIC**
Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993 [AD-A278859] p 527 N94-35826
- HOZUMI, KOUICHI**
Hypersonic aerodynamic characteristics of SSTD-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- HOZUMI, KOUKI**
Development of an on-board aircraft optical fiber data bus system [NAL-TR-1163] p 83 N94-13338
- HRACH, FRANK J.**
Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 N94-10672
- HREINSSON, G.**
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- HSIA, YEU-CHUAN**
Full Navier-Stokes analysis of an axisymmetric scramjet inlet p 10 A94-10855
- HSIAO, CHINGTENG**
Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816

- HSU, CHIN S.**
Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX94381311174] p 579 A94-61261
- HSU, YU-KAO**
An analytic study of a two-phase laminar airfoil in simulated heavy rain p 250 N94-23661
- HU, T. C. J.**
Recent CFD applications in small gas turbine combustion systems development p 396 N94-29257
Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- HU, YULI**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- HUANG, JEN-KUANG**
System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
- HUANG, JIN-QUAN**
The tracking control of nonlinear uncertain systems p 489 N94-34331
- HUANG, L.-M.**
Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
- HUANG, R. H.**
Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks [AD-A277069] p 434 N94-32378
- HUBBARD, C. W.**
Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide [DE94-002980] p 313 N94-26309
- HUBER, HELMUT**
'Will rotor hubs lose their bearings'? - A survey of bearingless main rotor development p 74 A94-12047
- HUBERSON, S.**
Multidomain method for several bodies in relative motion [BTN-94-EIX94401367452] p 563 A94-61785
- HUBINETTE, SVEIN**
Turbine engine with induced pre-swirl at the compressor inlet [CA-PATENT-1-317-467] p 263 N94-23253
- HUDSON, BRIAN H.**
Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- HUESCHEN, RICHARD M.**
Differential GPS for air transport: Status p 311 N94-25100
- HUFF, D. L.**
Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- HUFFSTETLER, MARK**
Design of the advanced regional aircraft, the DART-75 p 321 N94-25708
- HUGH, M. K.**
Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- HUGHES, C. E.**
Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571
- HUGHES, CHRISTOPHER E.**
Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 N94-15115
- HUGHES, JAMES**
Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974
- HUGHES, MICHAEL**
Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- HUGHES, THOMAS C.**
KC-135 cockpit modernization study and crew reduction feasibility demonstration [AD-A275230] p 392 N94-29391
- HUGHES, WESLEY S.**
Further development and flight test of an autonomous precision landing system using a parafoil [NASA-TM-4599] p 465 N94-33995
- HUGO, RONALD J.**
Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment [BTN-94-EIX94401358963] p 571 A94-61619
- HUGUENIN, YVES**
Laser designation pods optimized concept for day/night operations p 594 N94-36620
- HUI, KEN**
Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337
- HULL, BRIAN J.**
Automatic pressure control system for the Wright Laboratory Compressor Research Facility [AD-A273827] p 342 N94-25522
- HULL, J. R.**
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
- HUMPHRESON, D. V.**
Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- HUMPHREYS, GREGORY L.**
Application of fuzzy logic to the control of wind tunnel settling chamber temperature [NASA-TM-109105] p 402 N94-30200
- HUNDLEY, W.**
Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- HUNG, DO-DUY**
Application of scattering by arrays of cylinders to MLS signal propagation error estimation p 221 N94-22135
- HUNNIFORD, MICHAEL**
The airplane: A simulated commercial air transportation study [NASA-CR-195525] p 317 N94-24837
- HUNT, WILLIAM**
Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- HUNTER, M. H.**
A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility [AD-A267739] p 133 N94-14876
- HUNTER, PAUL**
NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- HUNTER, R. D.**
Air-ground integration of the ATM system in PHARE p 388 N94-29579
- HUNTLEY, M. S.**
Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance [PB94-142734] p 431 N94-31680
- HUNTLEY, M. S., JR.**
Cockpit Electronic Display Workshop: A synopsis [AD-A277728] p 477 N94-33280
Pilot GPS/LORAN receiver programming performance: A laboratory evaluation [AD-A278258] p 469 N94-33412
- HUNZIKER, R.**
Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents [BTN-94-EIX94311330091] p 590 A94-61128
- HUSSEM, J.**
Differential GPS positioning: DGPS modelling using pseudo range observations [PB94-149697] p 470 N94-34113
- HUTCHINS, EDWIN L.**
Altitude deviations: Breakdowns of an error-tolerant system [NASA-TM-108788] p 57 N94-15550
- HUTCHISON, MATTHEW G.**
Low-cost, dual-use platforms for environmental sensing, phase 1 [AD-A272951] p 223 N94-21246
- HUTCHISON, MATTHEW GERRY**
Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881
- HUYNH, H. T.**
FM interference in radio navigation receivers p 222 N94-22219
- HWANG, D. P.**
Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 N94-16571
- HWANG, MYOUNG-SHIN**
Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- HWOSCHINSKY, PETER**
A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
- HYDEN, AAKE**
Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target [FFA-TN-1992-18] p 133 N94-13588
- HYER, M. W.**
Analysis of multifastener composite joints [BTN-94-EIX94311330690] p 548 A94-60101
- HYMER, THOMAS C.**
Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment [AD-A266015] p 28 N94-12989
User's guide for an interactive personal computer interface for the aeroprediction code [NSWCDD/TR-94/107] p 559 N94-35958
- HYUN, YONGHEE**
A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers [AD-A266543] p 32 N94-13705
- IANNELLI, G. S.**
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914
- IANNIELLO, S.**
Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054
- IANOVSKI, LEONID S.**
Endothermic fuels for hypersonic aviation p 407 N94-29285
- IBRAHIM, E.**
A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803
- IBRAHIM, MOUNIR B.**
Approximate similarity principle for a full-scale STOVL ejector [BTN-94-EIX94341338360] p 550 A94-60352
- ICHIHASHI, TAKAHIRO**
Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft p 78 A94-12240
- IDEN, S.**
Recent advances in no-break power transfer (NBPT) [SAE PAPER 921964] p 98 A94-11993
- IDOSOR, FLORENTINO R.**
NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
- IEMMA, U.**
A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- IFJU, PETER G.**
Development of test methods for textile composites p 150 N94-16862
- IGARASHI, YUMINOBU**
Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- IGOE, WILLIAM B.**
Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel p 438 N94-30788
- IKEDA, MASAKAZU**
System observer techniques in robust control systems design synthesis p 198 A94-12764
- IKEDA, NOBUKAZU**
Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system [NAL-TR-1164] p 120 N94-13347
- ILCEWICZ, L.**
Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- ILCEWICZ, L. B.**
Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
Designer's unified cost model p 493 N94-33122
Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- ILIFF, KENNETH W.**
Extraction of stability and control derivatives from orbiter flight data [NASA-TM-4500] p 24 N94-10707
Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results [NASA-TM-4499] p 25 N94-10820

IMAI, KIWAMU

- A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608
- IMAMURA, H.**
Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
- IMWINKELRIED, T.**
The simulation of single crystal turbine blade solidification
p 141 A94-10671
- INAGAKI, TOSHIHARU**
In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734
Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- INENAGA, ANDREW S.**
Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706
- ING, DAN N.**
Computational analysis of a single jet impingement ground effect lift loss
[BTN-94-EIX94311329114] p 519 A94-60186
- INGELS, FRANK**
Determination of the probability density function of GPS (Global Positioning Systems) positioning error
p 64 A94-12559
- INGLE, G.**
Experimental flight management system
p 388 N94-29580
- INGRAFFEA, ANTHONY R.**
Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results
p 164 A94-12906
- INOKUCHI, HAMAKI**
Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451
- INOUE, KENJI**
A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364
Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365
- INOUE, TAKASHI**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350
- INTRIERI, J.**
Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303
- IOSSA, C.**
Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems
p 483 N94-34435
- IPRI, A. C.**
Color head down display program
[AD-A274807] p 330 N94-26340
- IRION, C. E.**
Stratified charge rotary engine critical technology enablement, volume 1
[NASA-CR-189106-VOL-1] p 482 N94-34231
Stratified charge rotary engine critical technology enablement, Volume 2: Appendixes
[NASA-CR-189106-VOL-2] p 482 N94-34233
- IRODOV, R. D.**
Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- IRWIN, R. DENNIS**
Control system design for flexible structures using data models
p 121 N94-14646
- ISHIDA, KIYOMICHI**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- ISHIGAKI, HIROSHI**
Similarity between turbulent flows through curved pipe and orthogonal rotating pipe
p 410 N94-28986
- ISHIGURO, MITSUO**
Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code
p 375 N94-28958

ISHIGURO, TOMIKO

- Numerical calculation of scramjet inlet flow
[NAL-TR-1174T] p 100 N94-10370
- ISHIKAWA, KAZUTOSHI**
Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346
- ISHIKURA, SEIZO**
Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane
p 157 A94-11603
- ISHIZAKA, KOICHI**
Higher-order accurate numerical simulation of 3D supersonic mixing layers
p 375 N94-28954
- ISOGAI, K.**
Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations
p 7 A94-10698
- ISOGAI, KOUJI**
Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061
- ISON, JIM**
JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
- ISSAC, JASON CHERION**
Issac, Jason Cherion ses in transonic flow
[NASA-CR-194837] p 250 N94-24052
- ISSACCI, F.**
A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- ITO, KATSUHIRO**
A study on heat transfer in a scramjet leading edge model
[NAL-TR-1187T] p 333 N94-27608
Numerical simulation of steady Mach reflection by shock capturing schemes
p 375 N94-28953
- ITO, KIYOSHI**
Status report for the development of the Antarctic penetrator: 1990-year program
p 366 N94-27973
- ITOH, RYOZO**
Flow analysis around ONERA model M5 configuration
[PAPER-3D-4] p 23 N94-10480
- IVANOV, M. YA.**
Calculation of three-dimensional flow of a viscous gas in a straight cascade
p 11 A94-10927
- IVEY, P. C.**
Transfer of heat by self-induced flow in a rotating tube
[BTN-94-EIX94311330098] p 587 A94-61060
- IWASAKI, AKIHITO**
Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340
Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- IWATSUBO, TAKUZO**
An experimental study of dynamic characteristics of labyrinth seal
p 503 N94-34188
- IYENGAR, S. S.**
Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300
- IYER, VENKIT**
Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control
[NASA-CR-4531] p 174 N94-13073
Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages
[NASA-CR-4269] p 498 N94-32871
Inviscid and viscous flow calculations for the F16XL configuration
p 463 N94-33529
- IZAPANAH, AMIR P.**
Dynamic testing and analysis of extension-twist-coupled composite tubular spars
p 161 A94-12519

J

JAARSMA, F.

- A modernised HST of NLR
p 124 A94-10405
A modernised HST of NLR
[AD-B179220] p 402 N94-30423

JABLONSKI, D. A.

- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels
[AD-A275755] p 408 N94-28646
- JACKSON, ANTHONY C.**
Advanced textile applications for primary aircraft structures
p 496 N94-33135
- JACKSON, BRUCE**
Future directions in flight simulation: A user perspective
p 341 N94-25101
- JACKSON, E. BRUCE**
Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397
Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628
- JACOB, JONAH**
Compact lightweight CO2 laser for SDIO application
[AD-A273010] p 233 N94-21284
- JACOB, K.**
A fast computing method for the flow over high-lift wings
p 49 N94-18437
- JACOB, MARC C.**
Direct numerical simulation of hot jets
p 172 N94-12295
- JACOB, THOMAS**
GPS/GNSS for ATM
p 385 N94-29565
- JACOBS, H. R.**
Development of a droplet breakup model considering aerodynamic and droplet collision effects
p 274 N94-23045
- JACOBS, J. H.**
A combined approach to buffet response analyses and fatigue life prediction
p 551 N94-34587
- JACOBSEN, ROBERT A.**
Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator
p 132 N94-13325
- JACOBSON, MARTIN D.**
Financial crisis in the aviation industry - United States
p 209 A94-13148
- JACQUIN, L.**
Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow
p 298 N94-28039
- JAFFE, RICHARD**
Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program
p 510 N94-33482
- JAGGI, S.**
A quantitative analysis of TMS data obtained on the Learjet 23 at various altitudes
p 192 N94-16597
- JAMROZ, W.**
Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- JAMSHIDIAT, H.**
Airplane size effects on occupant crash loads
[SAE PAPER 922035] p 74 A94-12026
- JAN, F.**
Helicopter landing gear design
p 77 A94-12235
- JANEX, ALBERT**
The potential of a nonsolicited position report
p 60 A94-10331
- JANG, CORY S.**
Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626
- JANG, H. M.**
Prediction of unsteady airfoil flows at large angles of incidence
p 525 N94-34978
- JANICKA, J.**
Numerical modelling of turbine combustion chambers
p 396 N94-29254
- JANKE, C. J.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- JANOWITZ, JOAN**
Handbook, Volume 3: Digital systems validation book plan
[DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
Digital systems validation book plan, Volume 3: Handbook
[AD-A274099] p 329 N94-26028
- JANSEN, B. J.**
Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354
- JANSEN, C. J.**
Future developments of the NLR research flight simulator
[NLR-TP-92143-U] p 132 N94-13498
- JANZEN, D. D.**
Fiber-optic interferometric strain gauge for smart structures applications: First flight tests
p 171 N94-11340

- JASPER, D.**
Investigation of the longitudinal stability of the T-45A with Computational Fluid Dynamics
[SAE PAPER 921925] p 107 A94-11974
- JASPER, DONALD W.**
Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422
- JATEGAONKAR, R. V.**
Evaluation of parameter estimation methods for unstable aircraft
[BTN-94-EIX94401358965] p 580 A94-61621
- JAVORSKI, CHRISTIAN T.**
Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- JECKEL, R.**
Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- JEDREY, THOMAS C.**
ACTS broadband aeronautical experiment p 272 N94-22771
- JEFFERIES, EDWARD B.**
Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- JEFFERSON, D. C.**
Time and position accuracy using codeless GPS p 428 N94-30650
- JELLY, A. H.**
A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
- JENKINS, JERRY E.**
Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- JENKINS, RICHARD C.**
A mean value analysis heuristic for analysis of aircraft sortie generation
[AD-A278578] p 598 N94-36970
- JENNINGS, P. G.**
Operational requirements for helicopter engines for UK services p 482 N94-34432
- JENSEN, RICHARD**
Composite leading edge/spar member for an aircraft control surface
[CA-PATENT-1-325-765] p 327 N94-27273
- JENTINK, H. W.**
In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- JERO, PAUL D.**
Interface evaluation in ceramic composites p 271 N94-24231
- JEROSZKO, R. A.**
Broad specification fuels combustion technology program, phase 2
[NASA-CR-191066] p 350 N94-27854
- JESKE, ROLF**
Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570
- JIANG, CHANG-SHENG**
H infinity optimal design of robust flight control system p 489 N94-34330
- JIANG, JU**
The tracking control of nonlinear uncertain systems p 489 N94-34331
- JIAO, JINGTANG**
The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101
- JIN, CHANGJIANG**
Airborne windshear system alert principle study p 189 A94-10123
- JOHANSSON, ARNE V.**
A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445
- JOHANSSON, H. T.**
Algorithms for a digital radio direction finding system in the HF band
[PB94-149176] p 470 N94-34093
- JOHANSSON, T. B.**
Algorithms for a digital radio direction finding system in the HF band
[PB94-149176] p 470 N94-34093
- JOHE, C.**
Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514
The ISL rotor bench
[ISL-R-108/92] p 321 N94-25301
Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463
- JOHE, CH.**
Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
- JOHNS, J. B.**
MIL-H-8501B: Application to shipboard terminal operations p 116 N94-13296
- JOHNS, JOHN B.**
Primary display latency criteria based on flying qualities and performance data p 119 N94-13318
- JOHNSON, ANDREW M.**
Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- JOHNSON, ANDREW T.**
Hydrazine engine start system air start performance and controls sizing
[SAE PAPER 921948] p 158 A94-11987
- JOHNSON, BONNIE L.**
Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel
[AR93-2] p 582 N94-36437
- JOHNSON, D. R.**
Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- JOHNSON, ERIC N.**
Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059
- JOHNSON, ERIC R.**
Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262
- JOHNSON, JAMES R.**
Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide
[AD-A264947] p 209 N94-11288
- JOHNSON, JOHN**
Aircraft age impacts on maintenance requirements
[AD-A275701] p 373 N94-28666
- JOHNSON, K.**
Engineering large-scale agent-based systems with consensus p 558 N94-35071
- JOHNSON, RICHARD E.**
Effects of thrust vector control on the performance of the aerobang orbital plane change maneuver
[AD-A272532] p 224 N94-21418
- JOHNSON, THOMAS D., JR.**
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161
- JOHNSON, W. STEVEN**
Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- JOHNSON, WALTER W.**
Visual cueing aids for rotorcraft landings p 119 N94-13313
- JOHNSON, WAYNE**
Correlation of airloads on a two-bladed helicopter rotor
[NASA-TM-103982] p 292 N94-26143
- JOHNSTON, G. W.**
Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341
- JOHNSTON, LESLIE J.**
Prediction of the high-lift performance of multi-element airfoils using an unstructured Navier-Stokes solver p 48 N94-18427
- JOHNSTON, N. J.**
Processing, properties and applications of composites using powder-coated epoxy towreg technology p 150 N94-15277
- JOHNSTON, NORMAN J.**
Recent progress in NASA Langley Research Center textile reinforced composites program p 495 N94-33134
- JOHNSTON, THOMAS A.**
Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil
[AD-A274867] p 292 N94-26191
- JOHNSTON, TOM**
Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- JOLY, V.**
Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- JONASSON, H. G.**
Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91 p 416 N94-29175
- JONES, CHARLIE E.**
Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830
- JONES, D. J.**
A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities p 6 A94-10436
Solution of the Euler equations using unstructured grids p 304 N94-28338
A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340
- JONES, E. G.**
Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 N94-29262
- JONES, G. D.**
Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329
- JONES, HENRY E.**
Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867
- JONES, J. WAYNE**
Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
- JONES, JAY R.**
Status of an inlet configuration trade study for the Douglas HSCAT p 473 N94-33506
- JONES, KENNETH E.**
Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599
- JONES, KENNETH M.**
Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust
[NASA-TP-3427] p 601 N94-37505
- JONES, KENNETH MORRIS**
Boundary layer study on nozzle wall at hypersonic velocities p 424 N94-31882
- JONES, KEVIN DANIEL**
A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828
- JONES, P. ALAN**
A novel rotary actuator for spacecraft p 277 N94-24034
- JONES, R.**
Assessment of impact damage in composite structures
[AD-A277063] p 444 N94-32265
- JONES, RHYS**
Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- JONES, RICHARD A.**
A random distribution reacting mixing layer model
[NASA-CR-194445] p 264 N94-23552
- JONES, T. V.**
Recent enhancements to the DRA shock tunnel p 127 A94-10426
- JONES, W. D.**
Electric drives on the LV100 gas turbine engine
[BTN-94-EIX94311331077] p 588 A94-61101
- JORDAN, FRANK L., JR.**
NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- JORDAN, LAVON**
Future tanker considerations and requirements p 575 N94-36342
- JORDAN, PAUL R., III**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- JORDEN, ROB**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- JORNA, P. G. A. M.**
Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- JOSE, D. L.**
Color head down display program
[AD-A274807] p 330 N94-26340
- JOSHI, G.**
Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709

JOSHI, M. C.

- Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
- Variability of measured sonic boom signatures
p 370 N94-28197

JOSHI, P. B.

- Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127

JOSYULA, ESWAR

- Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders
[BTN-94-EIX94351142135] p 521 A94-60428

JU, HANN-SHING

- Experimental design of H(sub infinity) weighting functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669

JUANG, JER-NAN

- An overview of recent advances in system identification
p 546 N94-35880

JUAREZ, VINCE

- JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401

JUD, JEAN-MARIE

- FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX9433135529] p 549 A94-60210

JULES, KENOL

- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle
[NASA-TM-106418] p 226 N94-21759

JULIEN, A.

- PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114

JUMPER, ERIC J.

- Loading characteristics of finite wings undergoing rapid unsteady motions: A theoretical treatment
[BTN-94-EIX94401358963] p 571 A94-61619

JUN, OH-SUNG

- A new method for torsional critical speed calculation of practical industrial rotors
[IMR-T&M-TR-001] p 360 N94-28041

JUNG, SI Y.

- Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD
p 164 A94-12871

JUNG, WEN-JE

- Response of wall turbulence to high frequency streamwise and spanwise oscillations
p 445 N94-31211

JUSTICE, CHARLES

- Loran-C time management
p 427 N94-30644

K

KABAMBA, PIERRE T.

- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632

KACIREK, JEFF L.

- Signal acquisition and tracking in the DOD standard Miniaturized Airborne GPS Receiver
p 94 A94-12554

KAELLDALH, ANDERS

- Image processing as a tool in flight testing evaluation
p 239 N94-22606

KAFYEKE, F.

- Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324

KAGEYAMA, DAIRO

- Parabolic flight by MU-300
p 1 A94-11624

KAIDEN, TAKESHI

- Aerodynamic characteristics analysis of Garabedian-Kom 75-06-12 airfoil
[PAPER-2D-9] p 23 N94-10474
- Flow analysis around ONERA model M5 configuration
[PAPER-3D-5] p 24 N94-10481

KAJI, SHOJIRO

- Numerical study on the interaction between scramjet engine modules caused by thermal choke
p 395 N94-28960
- Study on mixing and injection of hydrogen into a supersonic flow
p 377 N94-28975

KALIN, DAVE

- Fiber optic based velocimetry for the investigation of high velocity turbulence
p 165 A94-12982

KALKHORAN, IRAJ M.

- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream
[AD-A275107] p 374 N94-28899

KALLINDERIS, JOHN

- Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122

KALLINDERIS, Y.

- New multigrid approach for three-dimensional unstructured, adaptive grids
[BTN-94-EIX94301315973] p 559 A94-60009

KALOGIANNIS, M. H.

- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444

KALTENBACH, HANS-JAKOB

- Turbulent diffusion in homogeneous shear flow with stable density stratification
[DLR-FB-92-26] p 178 N94-14443

KAMA, WILLIAM N.

- Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425

KAMIN, RICHARD A.

- Combustion technology needs for advanced high pressure cycle engines
p 404 N94-29248

KAMINSKY, ARNOLD D.

- ATCRBS reply environment at Memphis International Airport
[AD-A266322] p 69 N94-16439

KAMINUMA, KATSUTADA

- Status report for the development of the Antarctic penetrator: 1990-year program
p 366 N94-27973

KAMPA, K.

- The TIGER cockpit and its simulator
p 77 A94-12232

KAMSICKAS, G.

- Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014

- Modular Simulator System (MSS). Executive report
[AD-A276966] p 440 N94-32241

- Modular Simulator System (MSS). Interface requirements specification for the generic MSS
[AD-A276965] p 440 N94-32311

- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 N94-32312

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 N94-32314

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 N94-32315

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10
[AD-A276977] p 441 N94-32316

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 N94-32317

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 N94-32318

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 N94-32319

- Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 N94-32394

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3
[AD-A276970] p 442 N94-32395

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4
[AD-A276971] p 442 N94-32396

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5
[AD-A276972] p 442 N94-32397

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6
[AD-A276973] p 442 N94-32398

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7
[AD-A276974] p 442 N94-32399

- Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270] p 442 N94-32403

KANADE, TAKEO

- Perception for outdoor navigation
[AD-A266867] p 68 N94-14919

KANDA, TAKESHI

- Numerical simulation of steady Mach reflection by shock capturing schemes
p 375 N94-28953

KANDARPA, S.

- Determination of tire-wheel interface loads for aircraft wheels
[BTN-94-EIX94311329136] p 517 A94-60164

KANDARPA, S.

- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976

KANDEBO, STANLEY W.

- HSCT engine research makes steady gains
p 97 A94-10347

- NASA tests defining ASTOVL flow field
p 1 A94-10850

KANDIL, OSAMA

- Prediction and control of vortex-dominated and vortex-wake flows
[NASA-CR-194722] p 216 N94-21054

KANDIL, OSAMA A.

- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications
[NASA-CR-194520] p 51 N94-19621

KANG, NAM KOOK

- Nonlinear multibody formulation for rotorcraft analysis
p 432 N94-30787

KANNO, SHOKICHI

- Effects of propeller on the turning flight of old fighters
p 106 A94-10798

- Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623

KANTZ, MELVIN R.

- A new low smoke, low heat release structural foam
p 143 N94-10768

- A repair patching system for aircraft cargo liners
p 54 N94-10771

KAO, AR-FU

- Navier-Stokes solver for hypersonic flow over a slender cone
[BTN-94-EIX94311330681] p 543 A94-60110

KAO, EDWARD

- Supercruiser Arrow HS-8
p 322 N94-25711

KAPANIA, RAKESH K.

- Issac, Jason Cherian ses in transonic flow
[NASA-CR-194837] p 250 N94-24052

KAPLAN, MICHAEL L.

- Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522

KAPOOR, KAMLESH

- A comparative study of turbulence models in predicting hypersonic inlet flows
p 50 N94-18553

KARAS, O. V.

- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783

KARETI, S.

- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300

KARIPBAEV, S. ZH.

- Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature
p 203 A94-11029

KARL, W.

- The TIGER cockpit and its simulator
p 77 A94-12232

KARMOKOLIAS, CONSTANTINE G.

- Attitude error estimation with a general GPS observation matrix
p 64 A94-12562

KARNOWSKY, M.

- Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating
[DE93-012856] p 173 N94-12821

- Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation
p 555 N94-35907

KARPALA, FRANK

- Location of impact damage sites in composite aircraft structures, task 3.4.1
[DSIS-94-01590] p 443 N94-31892

KARPEEV, YU. N.

- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack
p 12 A94-10954

KARPEL, M.

- Time simulation of flutter with large stiffness changes
[BTN-94-EIX94311329132] p 518 A94-60168

- Modal coordinates for aeroelastic analysis with large local structural variations
[BTN-94-EIX94311329131] p 518 A94-60169
- KARPEL, MORDECHAY**
Size-reduction techniques for the determination of efficient aeroservoelastic models p 111 A94-12707
Continuous gust response and sensitivity derivatives using state-space models p 268 A94-24287
- KARPOUZIAN, G.**
Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses
[BTN-94-EIX94401358993] p 572 A94-61649
- KARUBE, YUKIHIRO**
A method of user interface for NWT
p 415 A94-28993
- KARUCHRO, Z.**
Computer based expert system for battle damage repair of composite structures p 283 A94-24262
- KASAHARA, MINORU**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 A94-27973
- KASAK, A. J.**
Trends in air turbine starters for large turbofan engines
[SAE PAPER 921975] p 98 A94-11996
- KASCAK, ALBERT F.**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 A94-35905
- KASSABIAN, N. C.**
Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 A94-22055
- KASSAPOGLOU, CHRISTOS**
Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures
[NASA-CR-189558] p 493 A94-32877
- KASTURI, RANGACHAR**
Accurate estimation of object location in an image sequence using helicopter flight data
p 537 A94-35055
- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 A94-36812
- KATNIK, GREGORY N.**
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 A94-27956
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 A94-33423
- KATO, OSAMU**
Some basic considerations on angles describing airplane flight maneuvers
[BTN-94-EIX94381311179] p 570 A94-61266
- KATTA, V. R.**
Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling
[BTN-94-EIX94351142133] p 537 A94-60426
Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 A94-29262
- KATZ, ERIC**
Improved taxiway exit identification system
[AD-A277892] p 490 A94-33538
- KAUFFMAN, H. G.**
Control strategies for space boosters using air collection systems
[BTN-94-EIX94311330685] p 543 A94-60106
- KAUFMANN, DAVID N.**
Helicopter approach capability using the differential Global Positioning System
[NASA-CR-177618] p 67 A94-12355
Helicopter precision approach capability using the Global Positioning System
[NASA-CR-194037] p 68 A94-13957
- KAUTZ, HAROLD E.**
NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 A94-13138
- KAWACHI, KEIJI**
Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056
- KAWAHARA, HIROYASU**
Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 A94-10733
- KAY, I. W.**
Structure and penetration of a supercritical fluid jet in supersonic flow
[BTN-94-EIX94321333317] p 549 A94-60268
- KAYNES, IAN**
The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 A94-11341
- KAZEMI, TAHMINEH**
The cetaceopteryx: A global range military transport aircraft
[NASA-CR-195519] p 263 A94-24711
- KAZEMPOUR, AMIR**
Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032
- KEANE, JOHN F.**
An analysis of multiple sensor system payloads for unmanned aerial vehicles
[AD-A274905] p 324 A94-26182
- KEATING, MARK S.**
Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory
[AD-A274049] p 338 A94-25833
- KEEFE, LAURENCE R.**
Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 A94-33966
- KEEFER, THOMAS N., JR.**
Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's p 510 A94-33475
- KEENER, ED**
The Blue Emu
[NASA-CR-195535] p 317 A94-24817
- KEHOE, MICHAEL W.**
Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 A94-36644
- KEITH, B. D.**
CFD-based three-dimensional turbofan exhaust nozzle analysis system p 98 A94-10857
- KELLER, AMANDA S.**
Noise measurement flight test of five light helicopters
[AD-A268566] p 208 A94-17599
- KELLER, J. L.**
Data requirements for ceiling and visibility products development
[AD-A278959] p 556 A94-35720
- KELLER, JAMES F.**
Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 A94-13321
- KELLER, K. L.**
F-16 uncommanded pitch oscillation p 106 A94-10328
F-16 uncommanded pitch oscillation
[BTN-94-EIX94331337501] p 530 A94-60336
- KELLEY, N. D.**
The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 A94-26117
- KELLY, G. M.**
Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 A94-23513
- KELLY, H. NEALE**
Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 A94-37541
- KELLY, JEFFREY**
High performance jet-engine flight test data base for HSR p 511 A94-33493
- KELLY, K.**
Modular Simulator System (MSS) management guide
[AD-A277098] p 440 A94-32014
Modular Simulator System (MSS). Executive report
[AD-A276966] p 440 A94-32241
Modular Simulator System (MSS). Interface requirements specification for the generic MSS
[AD-A276965] p 440 A94-32311
Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 A94-32312
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 A94-32313
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 A94-32314
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 A94-32315
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10
[AD-A276977] p 441 A94-32316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 A94-32317
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 A94-32318
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 A94-32319
Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 A94-32394
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3
[AD-A276970] p 442 A94-32395
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4
[AD-A276971] p 442 A94-32396
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5
[AD-A276972] p 442 A94-32397
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6
[AD-A276973] p 442 A94-32398
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7
[AD-A276974] p 442 A94-32399
Modular Simulator System (MSS): Interface design document for the generic MSS
[AD-A277270] p 442 A94-32403
- KELLY, R. J.**
MLS signal-in-space category 3 landing hazard analysis p 221 A94-22134
- KELLY, ROBERT J.**
Tunnel concept risk allocation methodology for aircraft navigation systems p 65 A94-12571
- KELSO, THOMAS M.**
Reconfigurable aircraft stick control
[AD-D016043] p 344 A94-27113
- KEMPEL, LEO C.**
Radiation and scattering by cavity-backed antennas on a circular cylinder
[NASA-CR-193409] p 170 A94-11084
Scattering by cavity-backed antennas on a circular cylinder p 236 A94-21886
Radiation by cavity-backed antennas on a circular cylinder p 236 A94-21887
- KEMPEL, ROBERT W.**
Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle
[NASA-RP-1332] p 535 A94-34703
- KENNEDY, BRUCE W.**
Joint Acoustic Propagation Experiment (JAPE)
p 286 A94-24208
- KENNEDY, CHRISTOPHER A.**
Fourth-order 2N-storage Runge-Kutta schemes
[NASA-TM-109112] p 458 A94-32950
Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 A94-34204
On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases
[NASA-CR-4612] p 527 A94-35864
- KENNEDY, DAVID**
Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 A94-11535
- KENNEDY, J. B.**
Broad specification fuels combustion technology program, phase 2
[NASA-CR-191066] p 350 A94-27854
- KENNEDY, JOHN M.**
NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 A94-34730
- KENNEY, BARBARA H.**
Specification and testing for power by wire aircraft
[NASA-TM-106232] p 138 A94-10765
- KENT, S. A.**
A wind tunnel model control surface actuator interface
[AD-A268729] p 135 A94-18324

KENZAKOWSKI, D. C.

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030

KEPERT, J. L.

Aircraft accident investigation at ARL: The first 50 years [AD-A267086] p 57 N94-15542

Fishermans Bend: A centre of Australian aviation [AD-A274981] p 373 N94-29090

KERANS, RONALD J.

Interface evaluation in ceramic composites p 271 N94-24231

KERELIUK, S.

The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches [IAR-AN-77] p 339 N94-26710

KERELIUK, STAN

Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX94331337502] p 530 A94-60337

KERHO, MICHAEL K.

The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion [NASA-CR-195327] p 380 N94-30124

KERN, LYNN R.

Generic drone control system [AD-D015993] p 320 N94-25052

KERN, STEVEN B.

Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974

KERNEY, PAUL T.

Vane optimization for maximum efficiency using Design Of Experiments (DOX) [AD-A270270] p 105 N94-18907

KERRIDGE, S.

Engineering large-scale agent-based systems with consensus p 558 N94-35071

KESSLER, W. J.

Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607

KESSLER, WILLIAM C.

Early manufacturing considerations in design p 259 N94-24315

KESTER, J. C.

Error analysis of the step drag-free system with respect to gravity field determination [PB94-149804] p 506 N94-34115

KESTER, RUSH

Ada developers' supplement to the recommended approach [NASA-CR-189345] p 557 N94-34921

KETCHUM, DOUGLAS

Design of a multi-channel true flat fluorescent lamp for avionics AM-LCD backlighting [BTN-94-EIX94311330477] p 592 A94-61203

KEY, DAVID L.

Some lessons learned in three years with ADS-33C p 116 N94-13299

KEYSER, DAVID E.

Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112

KHALATOV, A. A.

Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817

Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818

KHALATOV, S. A.

Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817

KHALID, M.

A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D p 304 N94-28340

KHALILOLLAHI, AMIR

Solution of mixed convection heat transfer from isothermal in-line fins p 276 N94-23644

KHAN, AZHAR MANSUR

Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594

KHATIB, F. M.

Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271

KHATKATE, ATEEN A.

Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development [NASA-CR-194252] p 56 N94-13424

KHATRI, AZAAD

Attitude error estimation with a general GPS observation matrix p 64 N94-12562

KHAVARAN, ABBAS

Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle [BTN-94-EIX94401358979] p 599 A94-61635

Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 N94-23464

High speed jet noise research at NASA Lewis p 509 N94-33464

KHILNANI, V. I.

Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057

KHODADADI, J. M.

Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057

KHODADOUST, ABDOLLAH

An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 378 N94-29674

An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion [NASA-CR-195301] p 456 N94-32475

KHOKHLOV, S. V.

Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889

Using the boundary layer theory for calculating separated flows p 19 A94-12894

KHOLSHCHEVNIKOVA, E. K.

Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters p 19 A94-12893

KIBBE, MARION

Laboratory and in-flight experiments to evaluate 3-D audio display technology p 500 N94-33618

KIBERT, CHARLES J.

A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction [AD-A272695] p 230 N94-21165

KIBINA, STANLEY J.

Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126

KIDWELL, GEORGE H.

High-speed research program systems analysis activities at Ames Research Center p 472 N94-33455

KIEFER, D. A.

Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E p 541 N94-34630

KIHARA, MASAHIKO

System observer techniques in robust control systems design synthesis p 198 A94-12764

KIKUCHI, KAZUO

Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976

Application of flow field simulation to turbine vane design p 395 N94-28978

KIM, C. M.

High speed jet noise research at NASA Lewis p 509 N94-33464

KIM, CHAESIL

Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905

KIM, CHAN M.

Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle [BTN-94-EIX94401358979] p 599 A94-61635

KIM, H. J.

Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860

KIM, KI C.

Blade and hub loads of ballistically damaged helicopter rotors [AD-A270663] p 92 N94-19781

KIM, PAUL Y.

A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041

KIMBERLEY, ANDY M.

Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator p 107 A94-12090

KIMURA, S. G.

Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion [PB94-109873] p 265 N94-23709

KIND, R. J.

Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346

KINDL, H. J.

Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399

High definition TV projection via single crystal faceplate technology [AD-A277850] p 501 N94-33768

KINDLER, K.

The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing p 130 N94-10432

KING, BRAD

Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228

KING, DAVID W.

Handling qualities effects of display latency p 95 N94-13316

KING, JERI S.

Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions [AD-A277918] p 477 N94-33283

KING, KENNETH W.

Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053

KING, LYNDELL

Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528

KING, LYNDELL S.

Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424

KING, MICHAEL D.

Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298

KINSEY, DON W.

Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739

KIRCHNER, D.

Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655

KIRIS, ESIN O.

Information presentation for expert systems in future fighter aircraft [AD-A275126] p 394 N94-29005

KIRK, JERRY V.

Survey of lift-fan aerodynamic technology [NASA-CR-177615] p 224 N94-21592

KIRKER, ROBERT

Design of a multi-channel true flat fluorescent lamp for avionics AM-LCD backlighting [BTN-94-EIX94311330477] p 592 A94-61203

KIRKNER, D. J.

Determination of tire-wheel interface loads for aircraft wheels [BTN-94-EIX94311329136] p 517 A94-60164

Aircraft wheel life assessment [AD-A274378] p 355 N94-26976

KIRSTETTER, B.

Air-ground integration of the ATM system in PHARE p 388 N94-29579

KISHIMOTO, TAKUJI

Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478

KISLI, E.

Conceptual design of a stopped rotor with flap controls p 108 A94-12108

KISTLER, DAVID

Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727

KITAGUCHI, HITOSHI

Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602

KIVITY, Y.

The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246

KLAVETTER, E. A.

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366

Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development [AD-A278968] p 584 N94-36505

KLEB, W. L.

Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids [NASA-TM-109078] p 292 N94-26154

KLEB, WILLIAM L.

Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition [BTN-94-EIX94311322888] p 520 A94-60208

KLEIFGES, KELLY

An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221

KLEIN, J.

Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating [DE93-012856] p 173 N94-12821
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907

KLEIN, VLADISLAV

Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models [NASA-TM-109120] p 487 N94-32951

KLEINER, MENDEL

A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090

KLENNER, J.

Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327

KLENNER, JUERGEN

New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 N94-19496

KLEPCZYNSKI, W. J.

Comparison of LASSO and GPS time transfers p 429 N94-30665

KLIEWER, BRYAN H.

Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564

KLINGLE-WILSON, DIANA

The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286

KLOBUCHAR, JOHN A.

Ionospheric corrections to precise time transfer using GPS p 429 N94-30677

KLOEPEL, V.

Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099

KLOPPER, GOETZ H.

CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel [NASA-CR-194259] p 33 N94-14030

KLOPPMANN, C.

Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613

KLOSTERMANN, E.

DLR's ATM demonstration programme p 386 N94-29575

KLUSMAN, STEVE

Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905

KLYUSHNIKOV, SERGEJ

Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570

KNAACK, J. M.

Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697

KNAUER, CHAD

High lift aerodynamics [NASA-CR-195183] p 321 N94-25268

KNEPTON, J. C., JR.

Aircraft windscreens enhance visual search disruption produced by laser glare [AD-A265167] p 82 N94-11892

KNIGHT, D. D.

Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872

KNIGHT, DOYLE D.

Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014
Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199

KNIGHT, KIM S.

A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275

KNORR, R.

The application of active side arm controllers in helicopters p 117 N94-13302

KNUEPPEL, ANDREAS

Stability model of the atmosphere p 190 N94-11500

KNUTSON, R. O.

CIMSS FIRE research activities p 242 N94-22307

KNUTH, KURT V.

Icing of turbine intake louvers [AD-A265714] p 101 N94-12274

KO, FRANK K.

Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 N94-27599

KO, M. K. W.

Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572

KO, SUNG HO

Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model p 251 N94-24145

KO, TZU-HSIANG

Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets p 97 A94-10318

KOBAYAKAWA, MAKOTO

Application of digital control theory to adaptive grid generation p 415 N94-28980

KOBAYASHI, HIROSHI

Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode [NAL-TR-1170] p 30 N94-13342

KOBAYASHI, MASAHICO

Determination of the probability density function of GPS (Global Positioning Systems) positioning error p 64 A94-12559

KOBAYASHI, OSAMU

Static and dynamic flight-path stability of airplanes p 107 A94-10800

Static and dynamic flight-path stability of airplanes [BTN-94-EIX94361135428] p 522 A94-60625

KOBIEBSKI, R. D.

Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903

KOBLISH, T. R.

Fuel injector design for high temperature aircraft engine p 396 N94-29263

KOBRICK, M.

AIRSAF South American deployment: Operation plan, version 3.0 p 201 N94-15919

KOCHENDOERFER, R.

High temperature materials for hypersonic transport p 142 N94-10003

KOEHLER, R.

EFA flying qualities specification and its utilisation p 533 N94-34621

KOELLE, HEINZ-HERMANN

The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611

KOENIG, G. W.

Predicting defect behaviour p 596 N94-37331

KOERBER, G.

A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry p 127 A94-10438

A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry [ISL-CO-229/92] p 248 N94-23149

LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions [ISL-CO-215/92] p 248 N94-23161

KOGER, JOHN J.

An analysis of tactical airlifter characteristics and their impact on theater airlift system performance [AD-A266719] p 86 N94-15731

KOHALMI, DIANE

Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation [AD-A269921] p 96 N94-18658

KOHLER, STEWART M.

Development of a GPS-aided motion measurement, pointing and stabilization system for a synthetic aperture radar p 94 A94-12565

KOIKE, AKIRA

The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247

KOKOLIOS, ALEX

X-31 aerodynamic characteristics determined from flight data p 320 N94-25109

KOKOTOFF, DAVID

Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699

KOLB, C. E.

Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572

KOLKMAN, H. J.

Performance of gas turbine compressor cleaners [NLR-TP-91291-U] p 103 N94-14450

KOLLE, J. J.

Low-cost Unmanned Air Vehicle (UAV) for oceanographic research [AD-A273103] p 224 N94-21507

KOMINE, HIROSHI

Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360

KONCAK, KYLE

Design project: Viper [NASA-CR-195484] p 319 N94-25021

KONCSEK, JOSEPH L.

HSCT inlet development issues p 472 N94-33505

KONDAK, N. M.

A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819

KONRAD, WOLFGANG

A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556

KOOCHESFAHANI, M. M.

Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989

KOOCHESFAHANI, MANOOCHHEHR M.

Unsteady flow field of large-amplitude pitching airfoils [AD-A280444] p 569 N94-37219

KOPCHENOV, V.

Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296

Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300

KOPEL, KIM

The catceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711

KOPPENWALLNER, GEORG

Low density facilities p 129 A94-10782

KORAKIANITIS, T.

Investigation of the part-load performance of two 1.12 MW regenerative marine gas turbines [BTN-94-EIX94311331078] p 588 A94-61100

Models for predicting the performance of Brayton-cycle engines [BTN-94-EIX94311331072] p 589 A94-61106

KORDULLA, W.

Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771

KORIAGIN, JOHN

Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344

KORIVI, VAMSHI MOHAN

Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy [BTN-94-EIX94421374969] p 593 A94-61867

KORNBERGER, M.

Testing of a multisensor hot film technique in wind tunnel and free flight p 218 N94-22599

KORNBLUM, B. T.

Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography [DE93-019575] p 202 N94-20316

KORUS, ANDREAS

Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine [DLR-FB-93-17] p 333 N94-27593

KORZUN, RONALD W.

Seal assembly [CA-PATENT-1,312,888] p 277 N94-24128

KOSANCHICK, MELVIN, III

Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591

KOSHIOKA, YASUHIRO

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469

Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477

KOSHKIN, V. K.

Heat and mass transfer in the structural elements of aircraft engines p 164 A94-12825

- KOSIERB, RICHARD**
Neutron measurements at the commercial aircraft altitudes
[ISBN-0-315-86201-7] p 453 N94-31709
- KOSMATKA, JOHN B.**
The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- KOSTEN, SUE**
Materials processing apparatus development for fluoride glass
[NASA-CR-193963] p 498 N94-34388
- KOSTRZEWSKY, GREGORY J.**
A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- KOTCH, JOHN K.**
Reconfigurable aircraft stick control
[AD-D016043] p 344 N94-27113
- KOUL, A. K.**
Hot section materials for small turbines p 486 N94-34465
- KOURA, KATSUHIKA**
Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
- KOVALEV, V. E.**
Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 A94-61783
- KOYAMA, JUNJI**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- KOYAMA, TADAO**
Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- KOZOL, JOSEPH**
Paint removal activities in the US Navy p 166 N94-10614
Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- KRAFT, EDWARD M.**
USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- KRAIN, H.**
Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447
- KRAMAR, JAMES**
A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- KRAMER, B. R.**
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- KRAMER, BRIAN R.**
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677
Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430
F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- KRAMER, DENNIS**
Matching today's technology to the electric power requirement p 156 A94-11370
- KRAMER, MARK T.**
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
- KRAMMER, J.**
Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006
The process network in the design and manufacturing of aircraft p 259 N94-24319
- KRAMMER, JOHANN**
New aircraft materials and structures
[MBB-LME-202-S-PUB-S02-A] p 91 N94-19496
- KRANTZ, TIMOTHY L.**
Mechanical Systems Technology Branch research summary, 1985 - 1992 p 184 N94-17583
NASA/Army rotorcraft transmission research, a review of recent significant accomplishments
[NASA-TM-106508] p 351 N94-25181
- Dynamics of a split torque helicopter transmission
[NASA-TM-106410] p 596 N94-37457
- KRAUSE, FRED H.**
Results of GEAE HSCT propulsion system studies p 479 N94-33479
- KRAUSZ, R. H.**
Planar K₂F laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266
- KRAUSZ, A. S.**
On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
- KRAUSZ, K.**
On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
- KREINS, A. F.**
Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411
- KREJSA, EUGENE A.**
Computation of supersonic jet mixing noise for an axisymmetric convergent-divergent nozzle
[BTN-94-EIX94401358979] p 599 A94-61635
Refraction of high frequency noise in an arbitrary jet flow
[NASA-TM-106465] p 284 N94-23464
High speed jet noise research at NASA Lewis p 509 N94-33464
- KREKEL, P. F.**
Zernike moments and rotation invariant object recognition. A neural network oriented case study
[AD-A273749] p 353 N94-26011
- KREMPL, E.**
Center of excellence in rotary wing technology
[AD-A266655] p 37 N94-14799
- KREN, LAWRENCE A.**
A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance
[NASA-TM-106294] p 179 N94-14727
- KREPLIN, H.-P.**
Surface hot film measurements at ATTAS laminar glove p 224 N94-22598
- KRESSEL, I.**
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- KRESTOS, DEAN M.**
An x ray diffraction investigation of alpha-Al₂O₃ addition to Ytria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- KREY, NEIL C.**
Data, decisions, and cockpit technology
[SAE PAPER 922049] p 93 A94-12035
- KRIEG, R. D.**
A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- KRIEGER, ROY W.**
Use of computer graphic simulation for analysis of a wind shear accident - A case study of Delta flight 191 p 53 A94-11356
- KRIEGSMANN, GREGORY A.**
Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
- KRIHA, K. R.**
Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901
- KRIMMER, MICHAEL**
Future tanker considerations and requirements p 575 N94-36342
- KRISHAMURTHY, RAMESH**
A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- KRISHNAKUMAR, S.**
Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565
- KRISHNAN, A.**
A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- KRISHNAN, RAMKI R.**
Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations
[NASA-TM-4573] p 568 N94-36950
- KRISS, JORDAN R.**
Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2
[AD-A265193] p 67 N94-11879
- KC-135 cockpit modernization study and crew reduction feasibility demonstration
[AD-A275230] p 392 N94-29391
- KRJKOV, V.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- KROEGER, C. A.**
Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984
- KROGER, SETH**
The cetaceopteryx: A global range military transport aircraft
[NASA-CR-195519] p 263 N94-24711
- KROLL, N.**
Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- KRONEN, ROLF**
The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587
- KROO, ERIK**
A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
- KROO, ILAN**
Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- KROO, ILAN M.**
Post-optimality analysis in aerospace vehicle design
[AIAA PAPER 93-3932] p 71 A94-10717
- KROPFLI, ROBERT A.**
Observations of multi-layered clouds using K-band radar p 242 N94-22311
Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- KROTHAPALLI, A.**
Unsteady flow past a NACA 0012 airfoil pitching at constant rates p 27 N94-11889
Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- KRUPA, V. G.**
Calculation of three-dimensional flow of a viscous gas in a straight cascade p 11 A94-10927
- KRYSINSKI, T.**
Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation p 78 A94-12242
- KU, C.-P. ROGER**
An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
An experimental and theoretical study of structural damping in compliant foil bearings p 504 N94-34194
- KUBAT-MARTIN, KIMBERLY A.**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- KUBE, R.**
HFC effects on hub and blade loads p 78 A94-12245
- KUBENDRAN, L. R.**
The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel
[NASA-CR-4571] p 294 N94-26548
- KUBINA, S. J.**
RCS of ships and aircraft at HF frequencies p 237 N94-22128
- KUCHAR, JAMES**
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays p 330 N94-27286
- KUECHENMEISTER, DAVID R.**
A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200
- KUEGLER, D.**
Conflict recognition in the onboard collision protection system ACAS II p 60 A94-10750
- KUENKLER, H.**
STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745
- KUEPPER, A.**
Wall correction method for models with propeller induced slipstream p 7 A94-10437
- KUERTEN, HANS**
Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694

- KUERTEN, HANS G. M.**
A multidig multiblock solver for compressible turbulent flow
[MEMO-1125] p 272 N94-22713
- KUFELD, R.**
The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- KUHN, RICHARD E.**
Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
- KULLERD, SUSAN M.**
Development of stitched/RTM composite primary structures p 494 N94-33127
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- KUMAR, A.**
A procedure for 3-D contact stress analysis of spiral bevel gears
[NASA-CR-194472] p 499 N94-32929
- KUMAR, ANAND**
Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
- KUMAR, ASHOK**
Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148
- KUMAR, D.**
Control effectiveness at hypersonic speeds p 112 N94-10426
- KUMAR, K. S.**
Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268
- KUMAR, MUNENDRA**
GPS in the Gulf War p 65 A94-12574
- KUNZ, DONALD L.**
Survey and comparison of engineering beam theories for helicopter rotor blades
[BTN-94-EIX94401358960] p 571 A94-61616
- KUNZ, G. J.**
An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
- KUPPA, S.**
New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- KURAS, C.**
Fire behavior of aeronautical materials
[REPT-932-600-105] p 408 N94-29457
- KURKOV, ANATOLE P.**
Experimental investigation of counter-rotating propfan flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
- KURODA, SHINICHI**
Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
- KUROTAKI, TAKUJI**
Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow p 376 N94-28963
- KUSHNER, ALAN S.**
Impact analysis of composite aircraft structures p 187 N94-19468
- KUTZ, K. J.**
Simulation of the secondary air system of aero engines
[BTN-94-EIX94311330097] p 587 A94-61061
- KVOKOV, VADIM N.**
Factor analysis of coaxial rotors aerodynamics in hover p 16 A94-12069
- KWA, TECK-SENG**
COINS: A composites information database system p 494 N94-33123
- KWAK, DOCHAN**
Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- KWAK, MOON K.**
PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
- KWAN, ROBERT**
Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- LAAN, D. J.**
Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- LAANANEN, DAVID H.**
Crashworthiness analysis of commuter aircraft seats
[AD-A275889] p 382 N94-28799
- LABAUGH, ROBERT**
Technology drivers for flight telerobotic system software p 367 N94-26289
- LABELLE, LINDA J.**
Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- LABOUR, SHERRI**
Common property resources and low-level flying in Labrador: Flight, fight or fancy?
[ISBN-0-315-87318-3] p 453 N94-31732
- LABRUJERE, T. E.**
Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401
A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design
[NLR-TP-92524-U] p 420 N94-30493
- LABRUJERE, TH. E.**
Computational methods for the aerodynamic design of aircraft components p 10 A94-10889
- LACERDA, H. B.**
Using optimization for balancing flexible rotors p 161 A94-12516
- LACHANCE, ROGER**
Turbine engine with induced pre-swirl at the compressor inlet
[CA-PATENT-1-317-467] p 263 N94-23253
- LACHAPELLE, GERARD**
Differential GPS methods and performance for marine applications
[DREP-93-09] p 315 N94-27667
- LADD, D. M.**
Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
- LADD, J. W.**
Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- LAFARGE, R. A.**
A novel CFD/structural analysis of a cross parachute
[DE94-005271] p 423 N94-31578
- LAFFERRIERE, A.**
Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080
- LAGECE, PAUL A.**
Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346
- LAGRANGE, MARIO B. J.**
Flight test certification of a 480 gallon composite fuel tank on CF-18 p 574 N94-36340
- LAI, K.**
Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- LAITONE, E. V.**
Tail load calculations for light airplanes
[BTN-94-EIX94311329148] p 517 A94-60152
- LAKE, RENEE C.**
Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519
- LAKE, ROBERT E.**
Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203
- LAKSHMANAN, BALAKRISHNAN**
Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows
[SAE PAPER 921926] p 13 A94-11975
- LALA, JAYNARAYAN H.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- LAM, C. W.**
Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716
- LAM, C.-M. G.**
Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- LAM, S. S.**
Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914
- LAMAR, JOHN E.**
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161
- LAMARRE, F.**
Transition for three-dimensional, compressible boundary layers p 363 N94-28327
- LAMB, J. PARKER**
A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360
- LAMBERT, RALPH E.**
Aerosevostic stabilization considerations for pointing and tracking systems p 594 N94-36627
- LANCASTER, J. K.**
Solid lubricants for aeronautics p 142 A94-12655
- LANDAU, B. E.**
Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature p 203 A94-11029
- LANDIS, LINDA**
Ada developers' supplement to the recommended approach
[NASA-CR-189345] p 557 N94-34921
- LANDMAN, DREW**
Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
- LANDY, R. J.**
ICAA's piloted simulation results p 593 N94-36617
- LANE, DAVID W.**
Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- LANE, NORMAN E.**
The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474
- LANE, R. M. T.**
The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- LANGER, H.-J.**
HHC effects on hub and blade loads p 78 A94-12245
- LANGFORD, JOHN S.**
Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- LANGHOFF, STEPHEN**
Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program p 510 N94-33482
- LANGLOIS, GUY**
Training and operations support system (TOPS) p 599 N94-37344
- LANGLOIS, MARC**
Transonic flow calculations: Integral method
[ISBN-0-315-83538-9] p 218 N94-22586
- LANGLOIS, PIERRE**
Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing p 155 A94-11090
- LANSE, WENDY R.**
Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot p 527 N94-35965
- LANTERI, S.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195292] p 363 N94-28181
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- LANTZ, EDWARD**
Ramjet/scramjet plus rocket propulsion for a heavy-lift Space Shuttle
[IAF PAPER 93-480] p 137 A94-11259
- LANZ, MASSIMILIANO**
Active flutter suppression techniques in aircraft wings p 110 A94-12613
- LANZI, R. JAMES**
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653
- LAPID, ALEX J.**
The experimental behavior of spinning pretwisted laminated composite plates
[NASA-CR-195220] p 350 N94-27352
- LAPPOS, NICK**
The impact of flying qualities on helicopter operational agility p 117 N94-13304
- LAPUCHA, DARIUSZ**
Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system
[AD-A276160] p 431 N94-31080
Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095

LAPUMA, ALFONSO A.

- Pilot's Associate - A synergistic system reaches maturity
[AIAA PAPER 93-4665] p 93 A94-11535

LARK, KRISTINE A.

- Process enhancements of superalloy material
p 585 N94-37324

LAROSE, C.

- RCS of ships and aircraft at HF frequencies
p 237 N94-22128

LARSEN, JAMES M.

- Possibilities and pitfalls in aerospace applications of titanium matrix composites
p 585 N94-36650

LARSON, H. J.

- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1
[NASA-CR-187158] p 359 N94-27984

LASNIER, P.

- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system
p 191 N94-12503

LASTER, M. L.

- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges
p 532 N94-34606

LAU, BENTON H.

- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades
[NASA-TM-104000] p 2 N94-10936
Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596

LAUB, JAMES A.

- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers
p 126 A94-10424

LAUBER, JOHN K.

- The role of simulation in accident investigation at the NTSB - A case study
p 53 A94-11361

LAUCHLE, G. C.

- Acoustic intensity measurements in the presence of low Mach number flow
[AD-A269995] p 208 N94-18664

LAUFER, G.

- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266

LAURENS, ANDRE

- PRONAS flight software: A real-time application for a balloonborne scientific gondola
p 368 N94-26725

LAW, C. K.

- Studies on high pressure and unsteady flame phenomena: Revision
[AD-A269138] p 152 N94-18257

LAWLER, KATHLEEN

- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837

LAWRENCE, PAUL J., JR.

- Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations
[AD-A270713] p 202 N94-19969

LAZALIER, GLEN R.

- USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges
p 532 N94-34606

LAZARUS, KENNETH B.

- Smart structures, an overview
[AD-A274147] p 368 N94-27093

LAZZERI, L.

- An assessment of fatigue crack growth prediction models for aerospace structures
p 551 N94-34586

LE GALL, JEAN-PIERRE

- Financial crisis in the aviation industry - France
p 209 A94-13149

LEACH, B.

- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519

LEAN, D. E.

- Where is high-lift today? A review of past UK research programmes
p 5 N94-18416

LEATHERWOOD, JACK D.

- Experimental studies of loudness and annoyance response to sonic booms
p 370 N94-28195
Sonic boom acceptability studies
p 512 N94-33500
A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610

LEAVITT, LAURENCE D.

- Transonic propulsion aerodynamics research at NASA Langley Research Center
[SAE PAPER 921937] p 72 A94-11977

- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569

LEBALLEUR, J. C.

- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions
p 47 N94-18425
Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings
p 49 N94-18440

LEBLANC, A. D.

- PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444

LEBOVITZ, H.

- Computer based expert system for battle damage repair of composite structures
p 283 N94-24262

LECHNER, WOLFGANG

- Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study
p 65 A94-12570

LECOMTE, CLAUDE

- The problem of the sonic boom for future high-speed transport aircraft
[ESA-TT-1286] p 206 N94-13692

LECREN, R. T.

- Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874

LEDECI, AKOS

- Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454

LEDNICER, DAVID

- VSAERO analysis of a Piper Cub aircraft
p 85 N94-14616

LEE, B. H. K.

- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack
p 302 N94-28323

LEE, BEN

- The impact of active controls technology on the structural integrity of aeronautical vehicles
p 81 N94-11341

LEE, BENG P.

- Calculation of three-dimensional low Reynolds number flows
[BTN-94-EIX94401358973] p 565 A94-61629

LEE, C. M.

- Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor
[NASA-TM-106479] p 332 N94-26573

LEE, DUCK JOO

- Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853

LEE, EDWIN E.

- Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel
[BTN-94-EIX94421374975] p 593 A94-61873

LEE, HARRY

- Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652

LEE, HSING-JUIN

- Aircraft landing gear positioning concerning abnormal landing cases
[BTN-94-EIX94311329140] p 536 A94-60160

LEE, J.

- An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques
[NASA-CR-195302] p 458 N94-32926

LEE, J. G.

- A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803

LEE, KANG-WOONG

- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model
p 489 N94-34337

LEE, MARTIN E.

- Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589

LEE, R. A.

- Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications
p 360 N94-28030

LEE, SANGSAN

- Effects of shock strength on shock turbulence interaction
p 278 N94-24165

LEE, YOUNG C.

- RAIM availability for GPS augmented with barometric altimeter aiding and clock coasting
p 62 A94-12124

LEGGETT, DAVID B.

- Aircraft digital flight control technical review
p 336 N94-25106
Flying qualities evaluation maneuvers
p 533 N94-34623

LEGNER, H. H.

- Instantaneous velocity field imaging instrument for supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607

LEGNER, HARTMUT H.

- Three-dimensional thermal analysis for laser-structural interactions
[BTN-94-EIX94351142117] p 560 A94-60410

LEGUILLLOU, MARC

- The PHARE advanced tools
p 388 N94-29581

LEHTIMAEKI, R.

- POISS3: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115

LEI, TING-KWO

- The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer
p 444 N94-30807

LEIBOVICH, H.

- Repair of cracked aluminum aircraft structure with composite patches
p 258 N94-24259

LEIGH, JAMES E.

- Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel
[AR93-2] p 582 N94-36437

LEISHMAN, J. G.

- Unsteady lift of an airfoil with a trailing-edge flap based on indicial concepts
p 15 A94-12062
The influence of variable flow velocity on unsteady airfoil behavior
p 15 A94-12065
Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage
[AD-A269206] p 46 N94-18413

LEISHMAN, J. GORDON

- Unsteady lift of a flapped airfoil by indicial concepts
[BTN-94-EIX94311329118] p 519 A94-60182

LEJAMBRE, C. R.

- Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
Eagle RTS: A design of a regional transport
p 322 N94-25709

LEMOINE, P.

- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2
[NASA-CR-185697] p 139 N94-12965
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191

LENARTZ, M.

- Gaseous detonation driver for a shock tunnel
p 130 A94-13072

LENSELINK, H.

- The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front
p 279 N94-24246

LENSKI, JOSEPH W., JR.

- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms
[AD-A276299] p 234 N94-21756
Comparison of transmission error predictions with noise measurements for several spur and helical gears
[NASA-TM-106647] p 502 N94-33954

LENTZ, C.

- Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections
p 429 N94-30655

LEONARD, ANTHONY

- Chemical reactions in turbulent mixing flows
[AD-A268287] p 44 N94-17580

LEONARD, B. P.

- Evaluation of turbulence models in the PARC code for transonic diffuser flows
[NASA-TM-106391] p 250 N94-24084

LEONARD, R. A.

- A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927

LEONDES, C. T.

- Control and dynamic systems. Vol. 52 - Integrated technology methods and applications in aerospace systems design
[ISBN 0-12-012752-0] p 2 A94-12611

- Control and dynamic systems. Vol. 54 - System performance improvement and optimization techniques and their applications in aerospace systems [ISBN 0-12-012754-7] p 2 A94-12701
- LEONDES, CORNELIUS T.**
Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system p 95 A94-12622
- LEONTEVA, N. V.**
Supersonic flow of a viscous gas past the front surface of plane blunt bodies p 12 A94-10957
- LEPICOVSKY, JAN**
Data reduction procedures for laser velocimeter measurements in turbomachinery rotors [NASA-CR-195343] p 552 N94-35224
A supersonic tunnel for laser and flow-seeding techniques [NASA-TM-106588] p 556 N94-35945
- LEPSCH, ROGER A.**
Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
Technology and staging effects on two-stage-to-orbit systems [BTN-94-EIX94311322891] p 520 A94-60205
- LEROUX, MARCEL**
Cognitive approach to specifications on air traffic controllers' decision assistance systems p 386 N94-29571
- LESNEWSKI, DAVID**
Cockpit control system [NASA-CR-195488] p 336 N94-24957
Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- LESTER, H. C.**
Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352
- LETOURNEAU, JEAN**
Turbine engine with induced pre-swirl at the compressor inlet [CA-PATENT-1-317-467] p 263 N94-23253
- LEURIDAN, JAN**
An impedance approach to vibro-acoustic modeling p 204 A94-12483
- LEVERTON, JOHN W.**
Helicopter noise certification - Past-present-future p 203 A94-12043
- LEVESQUE, MARIO J.**
Fault detection and isolation for the Bluebird test bed aircraft [AD-A277979] p 487 N94-33086
- LEVIN, KERRY M.**
Advances in development capabilities for intelligent air traffic management systems p 384 N94-29559
- LEVIN, V. A.**
Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body p 11 A94-10935
- LEVIONNOIS, A.**
Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS) p 129 A94-12084
- LEVY, LIONEL L., JR.**
Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- LEWANDOWSKI, W.**
GPS common-view time transfer p 428 N94-30648
Comparison of LASSO and GPS time transfers p 429 N94-30665
- LEWICKI, DAVID G.**
Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609
- LEWIS, CHRISTINE GLADDING**
The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- LEWIS, K. L.**
Spanwise transport in axial-flow turbines. Part 2: Throughflow calculations including spanwise transport [BTN-94-EIX94311330085] p 591 A94-61134
Spanwise transport in axial-flow turbines. Part 1: The multistage environment [BTN-94-EIX94311330084] p 592 A94-61135
- LEWIS, M. C.**
Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435
- LEWIS, M. S.**
The relationship of an integral wind shear hazard to aircraft performance limitations [NASA-TM-109080] p 339 N94-26593
- LEWIS, MARK J.**
A fundamental study of hypersonic unstarts [AD-A280506] p 595 N94-37128
- LEYLAND, JANE A.**
Kinematics and constraints associated with swashplate blade pitch control [NASA-TM-102265] p 115 N94-12820
- LI, C. P.**
Numerical simulation of entry flow over blunt swept-wing planes p 9 A94-10772
A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- LI, CHENFANG**
Coating the boron particles to increase the combustion efficiency of boron fuel [BTN-94-EIX94381353577] p 584 A94-61473
- LI, F.**
Three-dimensional boundary layer stability and transition [SAE PAPER 921991] p 13 A94-12005
- LI, S. Z.**
Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306
- LIANG, ANITA D.**
The 1992 Seals Flow Code Development Workshop [NASA-CP-10124] p 229 N94-21790
Brush seal bristle flexure and hard-rub characteristics p 235 N94-21791
- LIANG, D. F.**
An overview of a generic multi-sensor integrated navigation system design [CTN-94-60916] p 256 N94-24120
- LIANG, SHEN-MIN**
Drag reduction for turbulent flow over a projectile, part 2 [BTN-94-EIX94311322900] p 520 A94-60196
Drag reduction of turbulent flow over a projectile, part 1 [BTN-94-EIX94311322899] p 557 A94-60197
- LIANG, CHYUAN-HSYAN PAUL**
Aircraft aerodynamics with deflected jets in ground effect p 380 N94-29973
- LIANG, LESLIE D. G.**
Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- LIBBY, P. A.**
Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403
- LIBRESCU, L.**
Comprehensive model of anisotropic composite aircraft wings suitable for aeroelastic analyses [BTN-94-EIX94401358993] p 572 A94-61649
- LICHTEN, S. M.**
Time and position accuracy using codeless GPS p 428 N94-30650
- LICINA, JOSEPH R.**
Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions [AD-A276944] p 437 N94-32217
Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter [AD-A277533] p 474 N94-34080
- LIESCH, D. S.**
Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872
- LIESCH, DAN S.**
The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666
- LIGHTSTONE, LEONARD**
Radar jet engine health monitoring project [ASSGI-301] p 400 N94-30130
- LILLEY, GEOFFREY M.**
The radiated noise from isotropic turbulence revisited [AD-A276712] p 280 N94-24356
- LILLEY, J. S.**
Wind-tunnel evaluation of mid-airframe installed turbojet engines p 71 A94-10859
- LILLEY, ROBERT W.**
Investigation of air transportation technology at Ohio University, 1992-1993 p 307 N94-27288
- LIM, HOCK-BIN**
Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-29760
- LIM, TEIK C.**
System dynamics simulation based on structural modification analysis using response techniques p 161 A94-12536
- LIN, CHUN-SHIN**
An overview on development of neural network technology p 369 N94-27913
- LIN, DAI-YE**
H infinity optimal design of robust flight control system p 489 N94-34330
- LIN, HANK**
Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- LIN, JOHN C.**
Control of low-speed turbulent separated flow over a backward-facing ramp [NASA-TM-109740] p 459 N94-33071
- LIN, KUO-CHI**
Comment on 'Generalized technique for inverse simulation applied to aircraft maneuvers' p 107 A94-10833
- LIN, N.**
Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391
- LIN, R.-S.**
Curvature effects in three-dimensional boundary layers p 173 N94-12623
- LIN, RAY-SING**
Streamline-curvature effect in three-dimensional boundary layers [SAE PAPER 921987] p 13 A94-12003
- LIN, SAN-YIH**
Numerical investigations on two-dimensional canard-wing aerodynamic interference [BTN-94-EIX94401358989] p 566 A94-61645
- LIN, YAO-QUN**
Rotor instability induced by dead band clearance in bearing supports p 445 N94-30809
- LIN, YUH-LANG**
Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer [NASA-CR-196078] p 529 N94-35522
- LINCOLN, JOHN W.**
The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
- LIND, ANN-MARIE T.**
The influence of data link-provided graphical weather on pilot decision-making [AD-A278871] p 556 N94-35596
- LINDERT, H. W.**
Calculation of rotor blade air loads from measured structural response data p 155 A94-10743
Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068
- LINDSLEY, NED J.**
A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
- LINK, Y. Y.**
Flight instrument software for the F/A-18 research simulator [AD-A267170] p 134 N94-15856
Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 N94-19914
- LINNE, A. A.**
Status of the variable diameter centerbody inlet program p 473 N94-33509
- LINSE, DENNIS J.**
Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
- LIU, KUO-NAN**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- LIU, MENG-SING**
A new Lagrangian method for three-dimensional steady supersonic flows [NASA-TM-106068] p 37 N94-14847
- LIPKENS, BART**
The propagation of spark-produced N waves through turbulence p 301 N94-28193
- LISCINSKY, D. S.**
Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 N94-24594
- LISOSKI, DEREK**
Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026
- LITVIN, FAYDOR L.**
Low-noise, high-strength, spiral-bevel gears for helicopter transmissions [BTN-94-EIX94321333312] p 548 A94-60044
Improvements in spiral-bevel gears to reduce noise and increase strength [NASA-TM-106613] p 500 N94-33609

- LITVINENKO, M. A.**
Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- LIU, B. L.**
Numerical simulation of the edge tone phenomenon [NASA-CR-4581] p 464 N94-33898
- LIU, J.**
Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
- LIU, JIN-RU**
Computer assistant test and consultive system for aircraft fluid element p 504 N94-34368
- LIU, JINGHUA**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- LIU, SHIN-WHAR**
Experimental design of H(sub infinity) weighting functions for flight control systems [BTN-94-EIX94401358163] p 580 A94-61669
- LIU, XIAO**
The tracking control of nonlinear uncertain systems p 489 N94-34331
- LIU, XINGZHOU**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- LIVNE, ELI**
Equivalent plate structural modeling for wing shape optimization including transverse shear [BTN-94-EIX94421374979] p 564 A94-61877
- LO, C. F.**
Supersonic laminar flow control research [NASA-CR-196260] p 601 N94-37511
- LO, CHING F.**
A wall interference assessment/correction system [NASA-CR-194174] p 28 N94-13076
- LOCK, R. C.**
Interference corrections in wind tunnels with slotted walls p 125 A94-10414
- LOCKE, JAMES E.**
General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858
- LOCKE, R. J.**
Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 N94-26573
- LOEVE, W.**
Engineering of systems for application of scientific computing in industry p 415 N94-28947
- LOGAN, MICHAEL J.**
Proceedings of the Non-Linear Aero Prediction Requirements Workshop [NASA-CP-10138] p 327 N94-27439
- LOGSDON, KIRK A.**
Vibration Isolation Technology (VIT) ATD project [NASA-TM-106496] p 455 N94-33064
- LOH, CHING-YUEN**
A new Lagrangian method for three-dimensional steady supersonic flows [NASA-TM-106068] p 37 N94-14847
- LOHMANN, R. P.**
Broad specification fuels combustion technology program, phase 2 [NASA-CR-191066] p 350 N94-27854
- LOHMANN, ROBERT P.**
Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- LOHR, GARY W.**
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control [NASA-TP-3399] p 529 N94-36048
- LOIKKANEN, MATTI J.**
Integrated technologies in aircraft design optimization p 79 A94-12612
- LOKENS GARD, ROLF M.**
A moment plotting method for characterizing aircraft fatigue data population distributions [AD-A275500] p 390 N94-28660
- LOMBARDI, GIOVANNI**
Pressure measurements on a forward-swept wing-canard configuration [BTN-94-EIX94311329149] p 516 A94-60151
- LOMBARDO, D. C.**
Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
- LOMKOV, K.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300
- LONG, WILLIAM H.**
Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field [NASA-CR-191490] p 280 N94-24360
- LONGLEY, J. P.**
Review of nonsteady flow models for compressor stability [BTN-94-EIX94311330087] p 591 A94-61132
- LONGMAN, D. E.**
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
- LONGO, J. M. A.**
Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- LONGSWORTH, R. C.**
Three-stage linear, split-Stirling cryocooler for 1 to 2K magnetic cold stage [NASA-CR-4538] p 207 N94-13897
- LONSINGER, HANS**
New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- LOOUE, C. E. W.**
Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings [AD-B174765] p 435 N94-30914
- LOOMIS, WILLIAM R.**
Liquid lubricants for advanced aircraft engines p 142 A94-12653
- LOPEZ, ALFRED R.**
Automatic, real-time fault monitor verifying network in a microwave landing system [CA-PATENT-1325261] p 314 N94-27275
- LOPEZ, G.**
Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275
- LORBER, PETER**
Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796
- LORBER, PETER F.**
Incipient torsional stall flutter aerodynamic experiments on three-dimensional wings [BTN-94-EIX94341338362] p 522 A94-60354
Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967
- LORD, JOHN**
Developing software to RTCA DO-178A p 222 N94-22155
- LORD, PAUL**
Supercruiser Arrow HS-8 p 322 N94-25711
- LORDON, CHANTAL**
Flight tests of the digitally controlled Turbomeca Arrius 1B engines on EC BO 108 p 99 A94-12096
- LORITO, FABRIZIO**
Active control of vibrations in helicopters - From HHC to OBC p 109 A94-12112
- LOSFIELD, G.**
Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039
- LOTTS, C. G.**
Technology integration box beam failure study p 494 N94-33126
- LOUIE, ALEXANDER W.**
Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades [NASA-TM-104000] p 2 N94-10936
- LOURENCO, L.**
Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- LOURENCO, LUIZ M.**
Unsteady flow past a NACA 0012 airfoil pitching at constant rates [AD-A265159] p 27 N94-11889
- LOURME, DANIEL**
Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717
- LOVELL, T. ALAN**
A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization [NASA-CR-195703] p 347 N94-27789
- LOVEREN, NEDELJKO**
Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem [BTN-94-EIX94401358173] p 583 A94-61679
- LOVOI, PAUL**
Automated Laser Paint Stripping (ALPS) update p 168 N94-10624
- LOW, SCOTT L.**
Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640
- LOWDEN, D. W.**
Quantifying disbond area p 166 N94-10038
- LOWENBERG, M. H.**
A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
- LOWER, M. C.**
Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour [CAA-PAPER-93008] p 393 N94-29887
- LOWRIE, B. W.**
Combustion for future supersonic transport propulsion p 404 N94-29249
- LOZINO-LOZINSKIJ, GLEB E.**
Russian sub-orbital commercial passenger transport system [SAE PAPER 922056] p 74 A94-12038
- LOZITO, SANDRA**
Cockpit data link displays - An evaluation of textual formats [SAE PAPER 922025] p 93 A94-11722
- LU, CHUAN**
Minimum time 3-D flight trajectory computation p 106 A94-10115
- LU, PING**
Trajectory optimization for the National Aerospace Plane [NASA-CR-194618] p 86 N94-16498
- LU, SHI-HONG**
Integrated control and management of advanced aircraft electrical power system p 504 N94-34333
- LU, YI**
Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708
- LUBOMSKI, JOSEPH F.**
Vibration Isolation Technology (VIT) ATD project [NASA-TM-106496] p 455 N94-33064
- LUCANIA, J.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- LUCAS, T.**
Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- LUCE, W.**
The reduction of takeoff ground roll by the application of a nose gear jump strut [NASA-TM-108822] p 576 N94-36380
- LUCJANEK, WIESLAW**
Investigation of individual blade pitch control in time domain p 109 A94-12243
- LUCK, D. L.**
Increased use of gas turbines as commercial marine engines [BTN-94-EIX94311331080] p 588 A94-61098
- LUDDERS, J. RICHARD**
Analysis of vertiprot studies funded by the Airport Improvement Program (AIP) [SCT-93RR-21] p 583 N94-37424
- LUDWIG, D. J.**
Aerial refueling interoperability from a receiver flying qualities perspective p 575 N94-36343
- LUEDTKE, JACQUELINE R.**
Maximizing participation of women in collegiate aviation education [NIAR-93-14] p 210 N94-17261
AIAA Techfest 29 proceedings [NIAR-93-11] p 5 N94-20191
- LUKE, JAMES P.**
Flight controller design using mixed H2/H infinity optimization with a singular H infinity constraint [AD-A273831] p 338 N94-25525
- LUMB, C. C.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- LUMLEY, JOHN L.**
Annual review of fluid mechanics. Vol. 25 [ISBN 0-8243-0725-9] p 155 A94-10885
- LUND, JORGEN W.**
An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
- LUND, THOMAS S.**
Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
- LUO, WEIDE**
Modal analysis for disordered periodic or nearly periodic structures p 161 A94-12504
- LUOMA, G. A.**
A colour image processing algorithm to identify copper-based particles in filter debris samples [DREP-TM-93-19] p 283 N94-24122
- LURIA, F.**
Flight testing of pneumatic forebody vortex control on the X-29 technology demonstrator [SAE PAPER 922008] p 73 A94-12012
- LUTI, L.**
Experimental evaluation of the EH101 tail rotor dynamics in flight p 76 A94-12095

- LUTTGES, MARVIN**
Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959
- LUTTON, MARK J.**
Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- LUTTON, MARK JOHN**
Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling p 421 N94-30865
- LUTZE, FREDERICK H.**
Some nonintuitive features in time-efficient attitude maneuvers of combat aircraft
[BTN-94-EIX94381311180] p 570 A94-61267
Significance of the dihedral effect in rapid fuselage-reorientation maneuvers
[BTN-94-EIX94401358971] p 571 A94-61627
Nonlinear model-following control application to airplane control
[BTN-94-EIX94401358166] p 580 A94-61672
- LY, UY-LOI**
A reliable algorithm for optimal control synthesis
[NASA-CR-194809] p 283 N94-23332
- LYE, J. DAVID**
Propulsion-induced aerodynamic effects measured with a full-scale STOVL model
[BTN-94-EIX94311329120] p 519 A94-60180
- LYNN, SEAN R.**
Design of a vehicle based system to prevent ozone loss
[NASA-CR-195498] p 262 N94-24479
- LYON, DON R.**
Visual evaluation of computer-generated textures
[AD-A277201] p 450 N94-32093
- LYON, RICHARD**
Advanced aircraft materials research and development plan p 145 N94-10796
- LYONS, JAMES P.**
Integration of magnetic bearings in the design of advanced gas turbine engines p 554 N94-35903
- LYONS, VALERIE J.**
Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142
LeRC in-house experimental research p 497 N94-33484
Combustor technology for future small gas turbine aircraft p 485 N94-34452
- LYRINTZIS, A. S.**
Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- M**
- MA, E.**
A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- MA, LEONG**
Supercruiser Arrow HS-8 p 322 N94-25711
- MA, M. T.**
Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683
- MA, OU**
Mechanical analysis of parallel manipulators with simulation, design, and control applications
[ISBN-0-315-72013-1] p 170 N94-11156
- MA, X. L.**
CIMSS FIRE research activities p 242 N94-22307
- MABEY, D. G.**
A summary of noise measurements in a slotted cryogenic wind tunnel p 125 A94-10419
Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826
- MACCORMACK, ROBERT W.**
An efficient numerical method for three-dimensional hypersonic flow
[AD-A272506] p 216 N94-21411
Investigation of Burnett equations for two-dimensional hypersonic flow
[AD-A278942] p 527 N94-35717
- MACDONALD, J. W.**
Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
- MACE, W. DERRY**
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- MACHADO, LAWRENCE E.**
The J85 cost/benefit engine study
[AD-A269280] p 105 N94-18333
- MACINTYRE, KATHY**
Developing software to RTCA DO-178A p 222 N94-22155
- MACK, ROBERT J.**
Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- MACKIE, H. C.**
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
- MACKIE, H. J.**
Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- MACKOWSKI, MICHAEL J.**
High flux heat exchanger
[AD-A266341] p 175 N94-13730
- MACLAREN, L. D.**
Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342
- MACLEOD, B.**
Solution of the Euler equations using unstructured grids p 304 N94-28338
- MACPHERSON, IAN**
Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- MADAN, RAM C.**
Test and analysis results for composite transport fuselage and wing structures p 495 N94-33129
- MADDEN, MICHAEL M.**
Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack
[AD-A276485] p 446 N94-31476
- MADIGAN, EDWIN F., JR.**
Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- MADSON, MIKE**
Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- MAESTRELLO, LUCIO**
Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- MAFFET, CHRISTOPHER**
Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- MAGGIORA, DEBRA R.**
Stratospheric emissions effects database development
[NASA-CR-4592] p 605 N94-37607
- MAGLIERI, DOMENIC J.**
Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPVs p 510 N94-33475
- MAGNESS, C.**
Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
Control of leading-edge vortices on a delta wing p 524 N94-34971
- MAGNESS, CHARLES L.**
Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- MAGNOLI, D. E.**
A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292
- MAGNUSEN, P. E.**
Role of microstructure on fatigue durability of aluminum aircraft alloys
[AD-A265627] p 148 N94-12993
Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
- MAHAFFEY, W. A.**
Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings
[AD-A268386] p 135 N94-17569
- MAHAFFEY, W. A.**
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1
[AD-A268176] p 135 N94-17432
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2
[AD-A268177] p 135 N94-17508
- MAHESHAPPA, H.**
Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954
- MAHLICH, S. E.**
Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573
- MAIDHOF, S.**
Numerical modelling of turbine combustion chambers p 396 N94-29254
- MAIER, THOMAS H.**
An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis p 15 A94-12064
An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis
[NASA-TM-104006] p 523 N94-34948
- MAINE, TRINDEL A.**
Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254
Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258
- MAISEL, MARTIN D.**
The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380
- MAJJIGI, RUDRAMUNI K.**
HSCAT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- MAJOROS, ANTHONY E.**
Techniques in the design of aircraft for maintainability p 2 A94-12614
- MAJUMDAR, S.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday
[NAL-SP-9315] p 178 N94-14598
- MAKIHARA, MASAKI**
Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598
- MAKINO, MITSUO**
Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855
Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856
- MALA, W.**
Experiences with the HOOD design method on avionics software development p 415 N94-29325
- MALAN, PAUL**
Inlet drag prediction for aircraft conceptual design
[BTN-94-EIX94401358981] p 565 A94-61637
- MALCOLM, G. N.**
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- MALCOLM, GERALD N.**
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677
Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720
Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430

- F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991
- MALEK, AHMED**
Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft p 302 N94-28330
- MALIK, M. R.**
Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005
- MALIK, MUJEEB R.**
Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
- MALLET, M.**
Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770
Local aerothermal problems during Hermes re-entry p 21 N94-10464
- MALLET, MICHEL**
Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- MALLON, BOB**
Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498
- MALONE, JOHN B.**
Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993
[NASA-TM-107752] p 183 N94-17479
- MALONSON, M. R.**
Propulsion simulator for magnetically-suspended wind tunnel models
[NASA-CR-189560] p 132 N94-13127
- MALZACHER, F.**
Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- MAMAN, N.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- MAN, S. O.**
Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- MANAHAN, ORLANDO**
A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972
- MANCHALA, DANIEL**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
- MANDELL, D. A.**
Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436
- MANGALAM, S. M.**
New developments in sensors, instrumentation, and flow diagnostics for simultaneous boundary layer measurements p 154 A94-10430
- MANHARDT, PAUL D.**
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations
[NASA-CR-195918] p 598 N94-36914
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide
[NASA-CR-196135] p 598 N94-36922
- MANN, D. L.**
Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- MANN, JON**
Design of the advanced regional aircraft, the DART-75 p 321 N94-25708
- MANNA, M.**
A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- MANNING, CAROL A.**
Automation and cognition in air traffic control: An empirical investigation
[DOT/FAA/AM-94/3] p 312 N94-25444
- MANNING, JAMES C.**
NASA/LARC jet plume research p 478 N94-33468
- MANNING, S. D.**
Aircraft fleet maintenance based on structural reliability analysis
[BTN-94-EIX94311329134] p 517 A94-60166
- MANOBIANCO, JOHN**
The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271
- MANSFIELD, J. A.**
Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539
- MANTAY, WAYNE R.**
Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900
- MANTEGAZZA, PAOLO**
Active flutter suppression techniques in aircraft wings p 110 A94-12613
- MANZO, MICHELLE**
Summary of NASA Aerospace Flight Battery Systems Program activities p 366 N94-28101
- MARCAZZAN, MARIO**
A design procedure for slotted flaps p 88 N94-18418
- MARCHAND, M.**
EFA flying qualities specification and its utilisation p 533 N94-34621
- MARCHELLO, J. M.**
Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- MARCHMENT, A. D.**
The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
- MARCINIAK, T. J.**
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- MARCOPOLI, VINCENT R.**
Antwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 N94-32075
- MARCUS, JEFFREY H.**
A review of computer evacuation models and their data needs
[AD-280707] p 528 N94-35236
- MARDOIAN, GEORGE H.**
Flight service evaluation of composite helicopter components
[HTN-94-00295] p 609 A94-62424
- MARIN, J. Y.**
Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
- MARION, JEAN-DENIS**
High incidence flow analysis over the Rafale A p 522 N94-34612
- MARK, STEVE**
Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842
- MARKER, TIMOTHY R.**
Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186
Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081
- MARKIN, KELLY**
Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis
[DOT/FAA/SE-93/3] p 69 N94-16906
- MARKOPOULOS, N.**
Nondimensional forms for singular perturbation analyses of aircraft energy climbs
[BTN-94-EIX94401358168] p 572 A94-61674
- MARKOV, ALEX B.**
HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293
- MARKUS, ALAN**
Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128
- MARLIN, CAROL A.**
Pilot's Associate - A synergistic system reaches maturity
[AIAA PAPER 93-4665] p 93 A94-11535
- MARMIGNON, C.**
Calculations of viscous nonequilibrium flows in nozzles p 21 N94-10455
- MARONEY, G. E.**
Selecting the correct hydraulic component material for minimum life cycle cost
[SAE PAPER 922031] p 74 A94-12024
- MARQUETTE, T.**
CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973
- MARR, W. W.**
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391
- MARRA, JOHN J.**
Tuned mass damper for integrally bladed turbine rotor
[NASA-CASE-MFS-28697-1] p 411 N94-29353
- MARREN, DAN**
Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- MARRON, JOSEPH C.**
Long-range laser imaging
[AD-A273020] p 233 N94-21253
Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575
- MARROQUIN, J.**
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 p 139 N94-12965
Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1
[NASA-CR-185696] p 139 N94-13191
- MARSH, DAVID N.**
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
- MARSHALL, J. S.**
Vortex cutting by a blade. Part 1: General theory and a simple solution
[BTN-94-EIX94421374957] p 563 A94-61855
- MARSHALL, JEFFREY S.**
The fluid mechanics of vortex cutting by a blade
[AD-A270932] p 52 N94-20043
- MARTENS, DANIEL**
Stability model of the atmosphere p 190 N94-11500
- MARTIN, D. M.**
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604
- MARTIN, JENNIFER**
The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- MARTIN, S. J.**
Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505
- MARTIN, SCOTT**
S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- MARTIN, THOMAS J.**
Inverse design of super-elliptic cooling passages in coated turbine blade airfoils
[BTN-94-EIX94311330654] p 548 A94-60137
- MARTINEZ-SANCHEZ, M.**
Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572
- MARTINEZ-SANCHEZ, MANUEL**
Rotordynamic forces in labyrinth seals: Theory and experiment p 503 N94-34186
- MARTINEZ, MAYRA I.**
Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- MARTINI, A.**
The convertible (helicopter/airplane) EUROFAIR: General considerations on the technical progress and on future advances p 574 N94-36331
- MARTINSON, SCOTT D.**
Active control of fan-generated plane wave noise
[NASA-TM-103008] p 207 N94-14481
Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074
- MARTINUZZI, R.**
Transition for three-dimensional, compressible boundary layers p 363 N94-28327
- MARTNER, BROOKS E.**
Observations of multi-layered clouds using K-band radar p 242 N94-22311
Cloud liquid water content measurement tests using dual-wavelength radar
[PB94-125960] p 365 N94-26959
- MARTYNEKO, YU. G.**
Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature p 203 A94-11029
- MARTZALL, THOMAS L.**
Simultaneous raster and calligraphic CRT projection system for flight simulation p 159 A94-12267
- MARUHN, ERWIN**
Integrators: A challenge for air cargo p 310 N94-28244

- MARVIN, J. G.**
Turbulence modeling for hypersonic flows
p 7 A94-10760
- MARZULLO, KEITH**
Refinement for fault-tolerance: An aircraft hand-off protocol
[AD-A278004] p 315 N94-27768
- MASAD, JAMAL A.**
Transition prediction and control in subsonic flow over a hump
[NASA-CR-4543] p 173 N94-13066
- MASON, GREGORY S.**
Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing
[NASA-CR-196112] p 581 N94-36965
- MASON, NORM**
Loran-C time management p 427 N94-30644
- MASON, WILLIAM H.**
Chine-shaped forebody effects on directional stability at high-alpha
[BTN-94-EIX94401358961] p 579 A94-61617
Computational study of the F-5A forebody emphasizing directional stability
[BTN-94-EIX94401358962] p 579 A94-61618
- MASOTTO, THOMAS K.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- MASTEJ, NICOLE**
The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- MASTERS, JOHN E.**
Development of test methods for textile composites p 150 N94-16862
- MASTERSON, JEFFREY M.**
Heat transfer studies on a rectangular channel with offset plate fins
[AD-A277300] p 452 N94-32043
- MASTRODDI, F.**
A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- MASUI, KAZUYA**
Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method
[NAL-TR-1150] p 30 N94-13392
Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451
- MASUZAWA, HIDEO**
Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733
- MATARRESE, MICHAEL DAVID**
Control of hypersonic aerodynamic forces with surface blowing p 422 N94-31216
- MATHE, NATHALIE**
A hypertext system that learns from user feedback p 514 N94-32428
- MATHEWS, J. R.**
The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
- MATHIEU, G.**
Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- MATHIS, DAVID M.**
Turbine wheel relative temperature at freerun conditions
[SAE PAPER 921949] p 158 A94-11988
- MATHUR, G. P.**
Optimization of actuator arrays for aircraft interior noise control
[AIAA PAPER 93-4447] p 71 A94-11352
- MATHUR, J. S.**
A grid generation package for high aspect ratio wings p 35 N94-14608
- MATHUR, SANJAY R.**
A solution adaptive structured-unstructured grid procedure for unsteady flows p 446 N94-31217
- MATHINAGE, THIERRY**
Decoupling system for Airbus A340 G.V.T
p 79 A94-12482
- MATSUDA, Y.**
Conceptual study of separated core ultrahigh bypass engine p 98 A94-10860
- MATSUMOTO, HIROAKI**
Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
- MATSUMOTO, KOUTAROU**
Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733
- MATSUNAGA, KOJI**
Application of flow field simulation to turbine vane design p 395 N94-28978
- MATSUOKA, AKINORI**
Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
- MATSUSHIMA, KISA**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-8] p 23 N94-10473
- MATSUSHIMA, KOUICHI**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- MATSUSHITA, OSAMI**
Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
- MATSUZAKI, TATSUYA**
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- MATSUZAKI, YUJI**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- MATTERN, DUANE**
A comparison of two multi-variable integrator windup protection schemes
[NASA-CR-194436] p 267 N94-23590
- MATTERN, DUANE L.**
Distributed simulation using a real-time shared memory network
[NASA-TM-106239] p 198 N94-10724
- MATTHEWS, B. L.**
Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- MATTHEWS, I. W.**
Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- MATTHEWS, R. K.**
Hypersonic wind tunnel testing p 128 A94-10779
Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
Hypersonic flow field measurements: Intrusive p 34 N94-14166
Hypersonic flight testing. Part 2: Aerothermal flight testing p 103 N94-14169
Electromagnetic wave test p 177 N94-14173
- MATUSKA, DAVID**
Wind tunnel test of a variable-diameter titrator (VDTR) model
[NASA-CR-177629] p 316 N94-24796
- MAUDRY, BERNARD**
ARC2000: Automatic radar control p 388 N94-29583
- MAUGHAN, J. R.**
Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion
[PB94-109873] p 265 N94-23709
- MAURER, DEAN W.**
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- MAURER, F.**
Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411
- MAURICE, MARK S.**
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609
- MAUS, JAMES R.**
Hypersonic flow phenomenology p 34 N94-14155
Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159
Extrapolation of ground test data to flight p 34 N94-14170
- MAVRAGANIS, A. G.**
The two-body problem with drag and radiation pressure
[HTN-94-00330] p 606 A94-62291
- MAVRILIS, CATHERINE**
Low-dimensional description of the dynamics in separated flow past thick airfoils
[BTN-94-EIX94421374967] p 563 A94-61865
- MAVRILIS, D. J.**
A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes
[AD-A280998] p 528 N94-35994
- MAXWELL, GERALD C.**
Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- MAYANAGI, MITSUYOSHI**
Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
- MAYBECK, PETER S.**
Application of multiple model adaptive algorithms to reconfigurable flight control p 110 A94-12617
- MAYER, DAVID W.**
Boundary conditions for unsteady supersonic inlet analyses
[BTN-94-EIX94421374964] p 593 A94-61862
- MAYER, ENDRE A.**
Analytical evaluation of servovalves for flight simulator motion bases
[SAE PAPER 921952] p 158 A94-11990
- MAYOR, SHALINI**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- MAYVILLE, R.**
A laboratory study of multiple site damage in fuselage lap splices
[PB94-151230] p 432 N94-31078
- MAZEROLLE, TERRY MARK**
An airport economic impact study procedure for Atlantic Canada
[ISBN-0-315-59445-4] p 228 N94-22419
- MAZUREK, W.**
Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- MALISTER, K. W.**
Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil
[NASA-TP-3357] p 38 N94-15657
Effect of an extendable slat on the stall behavior of a VR-12 airfoil
[NASA-TP-3407] p 291 N94-25187
The quest for stall-free dynamic lift p 525 N94-34986
- MALISTER, KENNETH W.**
Dynamic stall study of a multi-element airfoil p 16 A94-12072
- MALONEY, MIKE**
MLS pointing angle error sources and effects p 222 N94-22154
- MCANINCH, GERRY L.**
Atmospheric effects on sonic boom: A program review p 512 N94-33495
- MCCARDLE, JACK G.**
Overview of STOVL aircraft propulsion research offtakes and vertical lift systems
[NASA-TM-106387] p 105 N94-19353
- MCBANE, DOUG**
Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- MCBANE, DOUGLAS G.**
Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A268938] p 123 N94-18541
- MCBRIDE, D. D.**
Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260
- MCBRIDE, S. L.**
Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337
Acoustic emission monitoring of aging aircraft structures
[DREP-93-17] p 393 N94-30129
- MCBRIDE, STUART L.**
Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring
[DREP-93-16] p 393 N94-30131
- MCBRIDE, WALTON E.**
Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- MCCABE, MICKEY**
Advanced phenolic systems for aircraft interiors p 143 N94-10776
- MCCAFFREY, THOMAS J.**
An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy
[SAE PAPER 922040] p 141 A94-12030
- MCCALDON, K.**
Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264

- MCCALLUM, DUNCAN**
Control of maglev vehicles with aerodynamic and
guideway disturbances p 554 N94-35842
- MCCARTY, ROBERT E.**
Explicit solution techniques for impact with contact
constraints p 188 N94-19470
- MCCLAIN, J. GREER**
The reduction of takeoff ground roll by the application
of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380
- MCCONKEY, EDWIN D.**
Rotorcraft low altitude IFR benefit/cost analysis:
Conclusions and recommendations
[AD-A274241] p 313 N94-26826
- MCCURDY, DAVID A.**
Subjective response to sonic booms having different
shapes, rise times, and durations
[NASA-TM-109090] p 417 N94-29464
- Sonic boom acceptability studies p 512 N94-33500
- MCDANIEL, J. C. JR.**
Planar KrF laser-induced OH fluorescence imaging in a
supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266
- MCDONALD, CARY**
Dose-response relationships derived from data collected
at Grand Canyon, Haleakala and Hawaii Volcanoes
National Parks
[PB94-151941] p 513 N94-34380
- MCDONALD, PETER W.**
Transient model applications. 1: Compressor heat
soak/clearance effects modeling p 361 N94-28048
- Transient model applications. 2: Compressor stall
modeling methods p 361 N94-28049
- Transient model applications. 3: Transient engine
simulation and analysis of an ice ingestion test
p 361 N94-28050
- MCFADDEN, P. D.**
Window functions for the calculation of the time domain
averages of the vibration of the individual planet gears
and sun gear in an epicyclic gearbox
[BTN-94-EIX94311331047] p 586 A94-61050
- MC FARLANE, ANDREW**
Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- MCGANN, ALISON**
Cockpit data link displays - An evaluation of textual
formats
[SAE PAPER 922025] p 93 A94-11722
- MCGARRY, FRANK E.**
Experimental software engineering: Seventeen years of
lessons in the SEL p 199 N94-11423
- MCGHEE, ROBERT B.**
NPSNET - Flight simulation dynamic modeling using
quaternions p 197 A94-11770
- MCGHEE, ROBERT J.**
High Reynolds number configuration development of a
high-lift airfoil p 47 N94-18424
- MCGINN, W. D.**
Infrared search and track demonstrator programme
p 599 N94-36622
- MCGLADE, DESMOND P.**
Information systems strategy in air transport
[AD-A273125] p 256 N94-24781
- MCGRATH, BRIAN E.**
Low-speed longitudinal aerodynamic characteristics of
a flat-plate planform model of an advanced fighter
configuration
[NASA-TM-109045] p 377 N94-29443
- MCGRATH, DENNIS**
Fuzzy-neural control of an aircraft tracking camera
platform p 507 N94-32423
- MCGRAW, MARVIN E.**
Design and analysis of low boom concepts at Langley
Research Center p 510 N94-33470
- MCGRAW, MARVIN E., JR.**
Application of advanced technologies to very large
subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- An experimental investigation of a Mach 3.0 high-speed
civil transport at supersonic speeds
[NASA-TP-3365] p 253 N94-24311
- MCGREW, J.**
Airplane size effects on occupant crash loads
[SAE PAPER 922035] p 74 A94-12026
- MCGUIRE, ROBERT J.**
Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- MCGUIRK, J. J.**
An experimental study of ASTOVL related jet flows to
produce CFD code validation data. Phase 3: Results of
experiments
[TT-9203] p 181 N94-15645
- Experimental data for CFD validation of impinging jets
in crossflow with application to ASTOVL flow problems
p 359 N94-28010
- MCHUGH, C. A.**
Improvement of the flow quality in the ARA transonic
tunnel by means of a long cell honeycomb
p 128 A94-10446
- Improvement of the flow quality in the ARA transonic
tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894
- MCINTYRE, C. M.**
Experimental verification of an acoustic telemetry link
between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
- MCINVILLE, ROY M.**
Improved aeroprediction code. Part 1: Summary of new
methods and comparison with experiment
[AD-A266015] p 28 N94-12989
- Incorporation of boundary layer heating predictive
methodology into NSWCCD aeroprediction code
[AD-A267000] p 181 N94-15632
- A new method for calculating wing along aerodynamics
to angle of attack 180 deg
[AD-A277965] p 460 N94-33263
- MCKAY, K.**
Operational agility: An overview of AGARD Working
Group 19 p 534 N94-34625
- MCKEEVER, J. W.**
Operation of a test bed axial-gap brushless dc rotor
with a superconducting stator
[DE93-019167] p 236 N94-21830
- MCKENZIE, A. J.**
A colour image processing algorithm to identify
copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
- MCKENZIE, IAN**
Standardization of aircraft control and performance
symbolism on the USAF head-up display
[AD-A274283] p 330 N94-26989
- MCKIBBON, A. H.**
AGBT advanced counter-rotating gearbox detailed
design report
[NASA-CR-180883] p 166 N94-10400
- MCKILLIP, ROBERT M., JR.**
Research on measurement and control of helicopter
rotor response using blade-mounted accelerometers
1991-92 p 109 A94-12118
- MCKINLEY, RICHARD**
Laboratory and in-flight experiments to evaluate 3-D
audio display technology p 500 N94-33618
- MCKINNEY, L. WAYNE**
Overview of the 1989 Wind Tunnel Calibration
Workshop
[NASA-TP-3393] p 131 N94-11869
- MCKINNEY, R. G.**
Reduction of NO(x) by fuel-staging in gas turbine
engines: A commitment to the future p 406 N94-29272
- MCKNIGHT, ROBERT C.**
Roles, uses, and benefits of general aviation aircraft in
aerospace engineering education
[NASA-TM-106463] p 247 N94-24100
- MCLACHLAN, B. G.**
Flight testing of a luminescent surface pressure
sensor
[NASA-TM-103970] p 522 N94-35394
- MCLAUGHLIN, PETER**
Engine simulation technology p 361 N94-28051
- Transient engine simulation p 361 N94-28052
- Nonlinear solvers p 361 N94-28053
- Engine simulation systems p 362 N94-28054
- MCLUER, DAVID G.**
Packet radio data link applications in the NASA Langley
Research Center Transport Systems Research Vehicle
[NASA-TM-109071] p 315 N94-27423
- MCMANUS, K. R.**
Instantaneous velocity field imaging instrument for
supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607
- MC MILLIN, MARK M.**
Aerodynamic configuration design using response
surface methodology analysis
[AIAA PAPER 93-3967] p 136 A94-10718
- MC MINN, JOHN D.**
Hypersonic vehicle control law development using
H(infinity) and micron-synthesis p 336 N94-25104
- Effect of aeroelastic-propulsive interactions on flight
dynamics of a hypersonic vehicle p 320 N94-25113
- MCNEAL, TOBY**
Acoustic intensity measurements in the presence of low
Mach number flow
[AD-A269995] p 208 N94-18664
- MCNEILL, W. E.**
A direct application of the non-linear inverse
transformation flight control system design on a STOVL
aircraft
[NASA-TM-108808] p 456 N94-33942
- MCQUEEN, ROY D.**
Airport pavement test machine design and cost study
[DOT/FAA/CT-93/51] p 268 N94-24072
- MCRAE, K. I.**
Ultrasonic characterization of damage in a simulated
CF-18 composite structure
[DREP-LN-93-26] p 447 N94-31872
- MCVANEY, GARY P.**
Procedural guide for modelling and analyzing the flight
characteristics of a helicopter design using flightlab
[AD-A275077] p 391 N94-28870
- MCVEY, JOHN B.**
Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565
- MCVICAR, J. S. G.**
A generic tilt-rotor simulation model with parallel
implementation and partial periodic trim algorithm
p 77 A94-12098
- MCVICKER, C. G., III**
A cost model for USAF acquisition of commercial aircraft
for service in the special air mission fleet
[AD-A275012] p 371 N94-25796
- MEADE, PERRY**
Measures for simulator evaluation of a helicopter
obstacle avoidance system p 131 N94-11535
- MEAKIN, ROBERT L.**
Domain connectivity among systems of overset grids
[NASA-CR-193390] p 35 N94-14326
- MEDINA, ENRIQUE A.**
Control system design for flexible structures using data
models p 121 N94-14646
- MEEKS, HOWARD**
Satellite communications installation plan
[AD-A266303] p 182 N94-16965
- MEERKOV, SEMYON M.**
Closed loop vibrational control: Theory and
applications
[AD-A275451] p 400 N94-28632
- MEHLHORN, R.**
Improvement of endurance performance by periodic
optimal control of variable camber p 581 N94-36329
- MEHMED, ORAL**
Experimental investigation of counter-rotating propfan
flutter at cruise conditions
[BTN-94-EIX94321333310] p 516 A94-60042
- A review of recent aeroelastic analysis methods for
propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- MEHOLIC, GREG**
Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332
- Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
- The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- MEHROTRA, PIYUSH**
Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240
- MENTA, MANISH**
Automated inspection of turbine blades: Challenges and
opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575
- MENTA, RABINDRA D.**
Three-dimensional structure of straight and curved plane
wakes
[NASA-CR-194420] p 29 N94-13266
- MEIER, ERICH**
Air traffic in recession p 310 N94-28240
- MEIJER, JOS J.**
Understanding and development of a prediction method
of transonic limit cycle oscillation characteristics of fighter
aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Development of a method to predict transonic limit cycle
oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- MEILER, P. P.**
A feasibility study on bird classification with neural
network
[AD-A273753] p 306 N94-25780
- MEINDL, M. A.**
An investigation of airborne GPS/INS for high accuracy
position and velocity determination
[DE94-006139] p 431 N94-31306
- MEINER, THOMAS**
NAVAIR aircraft wiring standardization and qualification
program p 408 N94-28704
- Organized wiring systems p 408 N94-28705
- MEISER, DAVID H.**
Reconfigurable aircraft stick control
[AD-DO16043] p 344 N94-27113
- MEISSNER, W.**
In flight measurement of steady and unsteady blade
surface pressure of a single rotation large scale advanced
prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859

- MELCHER, KEVIN J.**
Computational methods for HSCT-inlet controls/CFD interdisciplinary research [NASA-TM-106618] p 539 N94-35352
- MELLOR, MALCOLM**
Notes on Antarctic aviation [AD-A273018] p 228 N94-21239
- MELSON, N. DUANE**
Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- MELTON, JOHN E.**
The 3D Euler solutions using automated Cartesian grid generation p 243 N94-22367
EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft [NASA-TM-104013] p 324 N94-26091
- MELZ, C.**
The application of active side arm controllers in helicopters p 117 N94-13302
- MENDELEEVA, T. V.**
Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser p 18 A94-12818
- MENDOZA, JOEL**
Sonic boom prediction and minimization using computational fluid dynamics p 510 N94-33472
- MENDOZA, JOEL P.**
Investigation of sonic boom for the Space Shuttle: High cross-range orbiter [NASA-TM-108238] p 452 N94-31336
Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter [NASA-TM-108237] p 452 N94-31337
- MENDOZA, M. M.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- MENDOZA, SAUL**
The AC-120: The advanced commercial transport [NASA-CR-195491] p 317 N94-24966
- MENG, GUANG**
Stability and stability degree of a cracked flexible rotor supported on journal bearings p 503 N94-34193
- MENGE, CHRISTOPHER W.**
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- MENNE, S.**
Computation of three-dimensional hypersonic flows in chemical nonequilibrium [BTN-94-EIX94401358982] p 566 A94-61638
- MENON, P. K.**
Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
- MERCER, CAROLYN R.**
A preliminary study on ice shape tracing with a laser light sheet [NASA-TM-105964] p 170 N94-11132
- MERCKER, E.**
Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055
- MEREDITH, P. T.**
Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- MERISON, RUDOLF J. W.**
Expectations for the future of military aviation p 4 N94-15128
- MERKLE, CHARLES L.**
Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- MEROLA, A.**
New high-efficiency heavy-duty combustion turbine 701F [BTN-94-EIX94311331073] p 588 A94-61105
- MERRICK, HOWARD F.**
Advanced concepts for next generation small gas turbine engine compressors p 484 N94-34443
- MERRICK, VERNON K.**
Some VTOL head-up display drive-law problems and solutions [NASA-TM-104027] p 5 N94-20035
YAV-8B reaction control system bleed and control power usage in hover and transition [NASA-TM-104021] p 540 N94-34994
- MERRILL, W.**
A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
- MERRILL, WALTER**
A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 N94-21742
- MERRINGTON, G. L.**
Fault diagnosis in gas turbines using a model-based technique [BTN-94-EIX94311331071] p 589 A94-61107
- MERRITT, SYLVIA A.**
Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 N94-29356
- METSCHAN, S.**
Composite fuselage crown panel manufacturing technology p 495 N94-33133
- METSCHAN, S. L.**
Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
- METWALLY, METWALLY H.**
The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- METWALLY, MUNIR**
Project report: Aircraft [DE94-011759] p 596 N94-37155
- METZGER, JOHN D.**
Feasibility study of a contained pulsed nuclear propulsion engine [BTN-94-EIX94341338369] p 559 A94-60361
- MEUNIER, S.**
Aerothermochemical calculations in afterburners p 396 N94-29258
- MEYER-HILBERG, JOCHEN**
GPS/GNSS for ATM p 385 N94-29565
- MEYER, GEORGE**
Dynamic Forms. Part 1: Functions [NASA-TP-3397] p 176 N94-13790
- MEYER, J.**
Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- MEYER, LARRY J.**
Photoelastic stress analysis of a pattern of oblique holes in jet engine hardware p 165 A94-12937
- MEYER, MAURICE**
MLS pointing angle error sources and effects p 222 N94-22154
- MEYER, MICHAEL L.**
Visualization of secondary flow development in high aspect ratio channels with curvature [NASA-TM-106658] p 501 N94-33941
- MEYER, R. P.**
ICAAS piloted simulation results p 593 N94-36617
- MEYER, ROBERT R., JR.**
Pegasus hypersonic flight research [SAE PAPER 921995] p 137 A94-12007
- MEYERHOFF, CURTIS L.**
Rotorwash wind sensor evaluation [AD-A268987] p 189 N94-20203
- MEZAN, S.**
Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter p 109 A94-12233
- MEZERA, DAVID N.**
Using discovery-based learning to prove the behavior of an autonomous agent [AD-A274131] p 368 N94-27121
- MEZIERE, LUDOVIC**
Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463
- MIKE-LYE, R. C.**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- MICCOLIS, LAWRENCE E.**
Evaluation of the UH-1N instrument panel [AD-A273145] p 263 N94-24774
- MICHAELS, J. F.**
Testing of DME/P equipment performance for complex MLS procedures p 221 N94-22136
- MICHALAKIS, D. G.**
The two-body problem with drag and radiation pressure [HTN-94-00330] p 606 A94-62291
- MICHAUD, GAETAN**
Development of a robotic simulator for studying interference and contact problems [ISBN-0-315-86705-1] p 439 N94-31747
- MICKLOS, RICHARD P.**
Methods for experimentally determining commercial jet aircraft landing parameters from video image data [AD-A274207] p 326 N94-27105
- MIDDLETON, DAVID B.**
Takeoff performance monitoring system display options [BTN-94-EIX94401358988] p 577 A94-61644
- MIELKE, MICHAEL**
The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MITT-283(1993)] p 449 N94-31611
- MIELNIK, JEAN-CHRISTOPHE**
FINDER, A system providing complex decision support for commercial transport replanning operations [BTN-94-EIX94331335529] p 549 A94-60210
- MIKAMI, HISASHI**
Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- MILHOLEN, WILLIAM E., II**
Semi-span model testing in the National Transonic Facility [NASA-CR-194479] p 50 N94-19388
- MILLAR, ROBERT I.**
VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations [AD-A268485] p 70 N94-18384
VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2 [AD-A268632] p 185 N94-18495
- MILLER, C. D.**
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9 [AD-A268596] p 44 N94-17609
- MILLER, CHARLES G.**
Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435
- MILLER, CHRISTOPHER J.**
Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 N94-23545
- MILLER, CLAYTON W.**
Cylinder drag experiment: An upgraded laboratory [AD-A277841] p 464 N94-33835
- MILLER, CLYDE**
Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace p 387 N94-29577
- MILLER, DAVID P.**
TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide [NASA-TM-106586] p 481 N94-33974
- MILLER, JEFFREY H.**
A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 N94-14727
- MILLER, JOSEPH**
Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace p 387 N94-29577
- MILLER, KEITH W.**
Software testability and its application to avionics software [AIAA PAPER 93-4542] p 196 A94-11462
An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- MILLER, L.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- MILLER, NICHOLAS P.**
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- MILLER, WILLIAM G.**
Flight test of the exploratory gimbaled airborne ESG system p 94 A94-12555
- MILLS, A. F.**
Fluid flow and heat convection studies for actively cooled airframes [NASA-CR-194624] p 182 N94-16491
- MILLS, S.**
The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265
- MILLSAPS, KNOX T.**
Rotordynamic forces in labyrinth seals: Theory and experiment p 503 N94-34186
- MILLWATER, HARRY R.**
Recent advances in computational structural reliability analysis methods p 239 N94-22616
- MILNER, E. J.**
Turbomachinery CFD on parallel computers p 194 A94-10298
- MILOSEVICH, M.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- MILOSEVICH, LARRY M.**
Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293

- MILTON, J. E.**
Interferometer stations at the Air Force Aeroballistic Research Facility
[AD-A268776] p 135 N94-18330
- MINECK, RAYMOND E.**
Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line
[NASA-TP-3359] p 42 N94-16574
Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section
[NASA-TM-4529] p 253 N94-24586
- MINEGISHI, MASAKATSU**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- MINNIS, PATRICK**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO
p 241 N94-22299
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2
p 241 N94-22302
- MINUCCI, M. A. S.**
Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- MINUCCI, MARCO A. S.**
An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition
p 269 N94-24247
- MIRDAMADI, MASSOUD**
Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823
- MIRELS, HAROLD**
Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- MIRESSI, MICHAEL J.**
The application of magnetic variation - Past, present, future (?)
p 63 A94-12556
- MIROSHIN, R. N.**
Optimal aerodynamic shapes in rarefied gas
p 12 A94-11040
- MIROW, P.**
Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight
[ILR-MITT-280(1993)] p 37 N94-14800
- MISCHEL, CHARLES**
Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future
p 484 N94-34440
- MISHRA, S. R.**
RCS of ships and aircraft at HF frequencies
p 237 N94-22128
- MISSOUM, AZZEDINE**
Liquid atomization in supersonic flows
p 414 N94-29839
- MISTR, E. KIRK**
Design of a vehicle based system to prevent ozone loss
[NASA-CR-195498] p 262 N94-24479
- MITANI, TOORU**
Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458
- MITCHELL, ALEC**
Alternate melting and refining routes
p 585 N94-37323
- MITCHELL, ANTHONY M.**
A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- MITCHELL, DAVID G.**
Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317
- MITCHELL, JERREL R.**
Control system design for flexible structures using data models
p 121 N94-14646
- MITCHELL, JOSEPH A.**
The development of a horizontal impact sled facility and subsequent crashworthiness experiments
[NIAR-93-15] p 343 N94-26200
- MITCHELLTREE, ROBERT A.**
Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations
[BTN-94-EIX94311330648] p 559 A94-60143
- MITLITSKY, F.**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853
- MITTAL, MANOJ**
A model for rotorcraft flying qualities studies
p 118 N94-13308
- MITTELMAN, JEFF**
The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison
[REPT-93W0000145] p 180 N94-15439
- MIWA, HITOSHI**
The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247
- MIYAKE, YOSHIKAI**
Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- MIYASATO, S. M.**
Role of microstructure on the fatigue durability of aluminum aircraft alloys
[AD-A275814] p 403 N94-28830
- MIYATA, KAZUHIITO**
Unsteady aerodynamic computations around NACA0012 at high angles of attack
p 377 N94-28969
- MIYAZAWA, YOSHIKAZU**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- MIZUTANI, HITOSHI**
Status report for the development of the Antarctic penetrator: 1990-year program
p 366 N94-27973
- MO, J. D.**
Numerical investigation of cylinder wake flow with a rear stagnation jet
[BTN-94-EIX94301315998] p 547 A94-60034
- MOCHIDA, HIDEYUKI**
An experimental study of dynamic characteristics of labyrinth seal
p 503 N94-34188
- MODARRESS, DARIUSH**
Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691
- MODI, VIJAY**
Modeling bristle lift-off in idealized brush seal configurations
p 236 N94-21797
- MOEHLENKAMP, KLAUS**
Automatic control steps for aircraft taxi guidance
p 388 N94-29584
- MOELLER, R.**
Electrical power generation systems - Combat aircraft perspective
p 156 A94-11373
- MOERMAN, M. M.**
An overview of the TNO contribution to VAST 92
[AD-A273751] p 365 N94-26016
- MOES, TIMOTHY R.**
Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system
p 95 A94-12622
Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- MOESSER, MARK W.**
Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints
[AD-A280310] p 594 N94-37125
- MOGFORD, R. H.**
Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788
- MOGILKA, PH.**
Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332
- MOHAMMADI, J.**
Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409
- MOHAN, S. R.**
Interference corrections in wind tunnels with slotted walls
p 125 A94-10414
- MOHLER, R. R.**
Nonlinear stability and control study of highly maneuverable high performance aircraft
[NASA-CR-193480] p 79 N94-10344
- MOIN, PARVIZ**
Active turbulence control in wall bounded flows using direct numerical simulation
[AD-A267261] p 183 N94-17286
New concepts for Reynolds stress transport equation modeling of inhomogeneous flows
p 251 N94-24143
- MOIR, I. R. M.**
An experimental investigation of the optimum slat setting on a combat aircraft model
p 89 N94-18431
- MOIR, IAN**
Load management
p 156 A94-11374
- MOIRAGHI, LUCA**
Active control of vibrations in helicopters - From HHC to OBC
p 109 A94-12112
- MOKRY, M.**
Influence of the transonic doublet in the farfield of a lifting airfoil
[IAR-AN-78] p 295 N94-26702
- MOKRY, MIROSLAV**
Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352
- MOLBAY-ARSAN, A.**
Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332
- MOLLER, H.**
Synthetic vision for enhancing poor visibility flight operations
[BTN-94-EIX94331335531] p 557 A94-60212
- MOLZOW, M.**
Influence of active controls on the design process of a large transport aircraft
p 260 N94-24323
- MOMBERGER, MANFRED**
The single European market and air traffic chances and risks
p 308 N94-28231
- MONACO, M.**
Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
- MONAGHAN, RICHARD C.**
Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648
- MONGIA, H. C.**
Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758
- MONGIA, HUKAM C.**
Application of CFD in combustor design technology
p 396 N94-29256
- MONNOYER, F.**
Second-order effects in hypersonic boundary layers
p 8 A94-10769
- MONTAGUE, GERALD**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control
p 555 N94-35905
- MONTGOMERY, HARRY**
The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- MONTHUS, X.**
Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332
- MOOK, DEAN T.**
Aerodynamic/dynamic/control interaction
[AD-A266187] p 122 N94-16107
- MOORE, DOUG**
Multidimensional intelligent control for superlight air vehicles
p 81 N94-11347
- MOORE, FRANK G.**
Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment
[AD-A266015] p 28 N94-12989
Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code
[AD-A267000] p 181 N94-15632
A new method for calculating wing along aerodynamics to angle of attack 180 deg
[AD-A267965] p 460 N94-33263
User's guide for an interactive personal computer interface for the aeroprediction code
[NSWCDD/TR-94/107] p 559 N94-35958
- MOORE, KEVIN A.**
Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel
[AR93-2] p 582 N94-36437
- MOORE, P.**
Calibration of ERS-1 altimetry over the North Sea
p 191 N94-11716
- MOORE, ROBERT C.**
A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
- MOORHOUSE, DAVID J.**
Decoupling of aircraft responses
p 113 N94-11497
A study of jet effect and ground effect interference on a STOL fighter
p 328 N94-28034
Results from the STOL and Maneuver Technology Demonstration program
p 532 N94-34611

- MOORMAN, LAURA L.**
Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS) [AD-A277184] p 420 N94-32254
- MOOY, THOMAS**
IATA taskforce: Paintstripping p 169 N94-10628
- MORALEZ, ERNESTO, III**
YAV-8B reaction control system bleed and control power usage in hover and transition [NASA-TM-104021] p 540 N94-34994
- MORAN, KENNETH J.**
An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile [AD-A280631] p 568 N94-36729
- MORAN, PATRICK J.**
Control vane guidance for a ducted-fan unmanned air vehicle [AD-A271957] p 223 N94-20561
- MOREL, M. R.**
Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0 [NASA-CR-194460] p 395 N94-29103
Turbomachinery forced response prediction system (FREPS): User's manual [NASA-CR-194465] p 411 N94-29104
- MORELLI, EUGENE A.**
Nonlinear aerodynamic modeling using multivariate orthogonal functions p 290 N94-25110
- MORELLI, MAURO**
Pressure measurements on a forward-swept wing-canard configuration [BTN-94-EIX94311329149] p 516 A94-60151
- MORGAN, J. M.**
The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches [IAR-AN-77] p 339 N94-26710
- MORGAN, J. MURRAY**
ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295
- MORGAN, JOHN C.**
Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 N94-24220
- MORGAN, R. G.**
Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513
Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- MORGENSTERN, J. M.**
HSCAT high-lift technology requirements p 462 N94-33523
- MORI, NOBORU**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472
- MORIN, GREG**
Conceptual design proposal: HUGO global range/mobility transport aircraft [NASA-CR-195501] p 316 N94-24787
- MORIN, GREGORY S.**
Service life prediction of composite structures through fiber testing [AD-A275661] p 403 N94-28654
- MORINO, L.**
A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- MORISHIGE, HIROSHI**
A method of user interface for NWT. p 415 N94-28993
- MORISHITA, SUSUMU**
Gas turbine and operating method of the same [CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- MOROZOV, V. I.**
Modeling the dynamics of a high-velocity rotating elastic flight vehicle p 138 A94-12883
- MORRELL, FREDERICK R.**
FAA/NASA Joint University Program for Air Transportation Research, 1992-1993 [NASA-CP-3246] p 290 N94-27284
- MORRIS, BRIAN G.**
Cooled spool piston compressor [NASA-CASE-MSC-22020-1] p 169 N94-10674
- MORRIS, DALE**
The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- MORRIS, M. J.**
Optical surface pressure measurement - Initial experience in the MCAIR PSWT p 154 A94-10409
- MORRIS, ROBERT E.**
Interferometric JFTOT tube deposit measuring device [AD-D016295] p 604 N94-37768
- MORRISON, GERALD L.**
Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181
- MORRISON, ROWENA**
Cockpit Electronic Display Workshop: A synopsis [AD-A277728] p 477 N94-33280
- MORROW, DANIEL**
The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- MORROW, J. W.**
An overview of the F-16 service life approach p 532 N94-34599
- MORSE, IVAN E.**
Adaptive structural control and isolation of simple structural members p 62 A94-12533
- MORSE, JAMES S.**
Icing of turbine intake louvers [AD-A265714] p 101 N94-12274
- MORT, R. W.**
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 N94-26604
- MORTCHELEWICZ, G. D.**
Implicit schemes for unsteady Euler equations on triangular meshes [BTN-94-EIX94331337252] p 604 A94-62204
- MORTIMER, R. G.**
Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents [PB93-202885] p 220 N94-21428
- MORTLOCK, ALAN K.**
Aero acoustic analysis and community noise. HSCAT climb to cruise noise assessment p 511 N94-33491
- MORTON, DAVID M.**
A distributed, visual object system using aggregation objects with a local namespace [IME-MET-TR-007] p 200 N94-13860
An expert system class library for Audition [IME-MET-TR-008] p 210 N94-14196
- MOSES, CLIFFORD**
Endothermic fuels for hypersonic aviation p 407 N94-29285
- MOSHAROV, V. E.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408
- MOSKALIK, STEVE**
JB-300: An advanced medium size transport for 2005 [NASA-CR-195499] p 261 N94-24401
- MOSS, J. B.**
Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252
- MOSS, JAMES N.**
Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774
Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
- MOTALLEBI, F.**
Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel [PB94-126539] p 344 N94-26815
- MOUCH, THOMAS N.**
Computational aerodynamics with icing effects [AD-A267509] p 43 N94-17074
- MOULDER, RON**
Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788
- MOULTON, J. L.**
Transient model applications. 2: Compressor stall modeling methods p 361 N94-28049
- MOUNT, R. E.**
Stratified charge rotary engine critical technology enablement, volume 1 [NASA-CR-189106-VOL-1] p 482 N94-34231
Stratified charge rotary engine critical technology enablement. Volume 2: Appendixes [NASA-CR-189106-VOL-2] p 482 N94-34233
- MOUSTAPHA, S. H.**
PT6 engine: 30 years of gas turbine technology evolution [BTN-94-EIX94311331064] p 577 A94-61114
The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321
Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
- MOWRER, FREDERICK W.**
Development of a hypermedia knowledge base of aircraft fire safety regulations p 209 N94-10793
- MOYA, J. L.**
Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000
- MOYER, S. A.**
Wind-tunnel test techniques for unmanned aerial vehicle separation investigations [BTN-94-EIX94401358976] p 571 A94-61632
- MUDKAVI, VIDYADHAR Y.**
The phenomenon of vortex breakdown p 35 N94-14609
- MUELLER, B.**
Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771
- MUELLER, KLAUS**
First Canadair jet flies for Lufthansa city line p 310 N94-28243
- MUELLER, REINERT H. G.**
Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067
- MUELLER, RICHARD P. G.**
Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669
- MUELLER, T. J.**
A new low speed wind tunnel for acoustic measurements p 124 A94-10407
- MUENCH, F. X.**
Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605
- MUENKEL, C.**
Trial of a slant visual range measuring device p 159 A94-12287
- MUGELE, R. M.**
Aircraft fire entry. Volume 1: Summary [AD-A270087] p 59 N94-18822
Aircraft fire entry. Volume 2: Appendices A, B, C and D [AD-A270088] p 59 N94-18823
- MUIR, H. C.**
Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour [CAA-PAPER-93008] p 393 N94-29887
- MUKHOPADHYAY, VIVEK**
Flutter suppression digital control law design and testing for the AFW wind tunnel model p 540 N94-35873
- MULARZ, EDWARD J.**
Spray combustion experiments and numerical predictions p 407 N94-29277
- MULCAHY, T. M.**
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
- MULGUND, SANDEEP S.**
Optimal recovery from microburst wind shear p 107 A94-10803
Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- MULHALL, P. A.**
Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607
- MULHERIN, NATHAN D.**
Icing of turbine intake louvers [AD-A265714] p 101 N94-12274
- MULLER, MARK**
Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2 [AD-A276473] p 426 N94-31246
- MUNDT, C.**
Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results [MBB-LME-211-S-PUB-507] p 36 N94-14710
- MUNGAL, M. G.**
Drag and wake modification of axisymmetric bluff bodies using Coanda blowing [BTN-94-EIX94401358974] p 565 A94-61630
Turbulent reacting flows and supersonic combustion [AD-A277462] p 496 N94-33242
- MUNJAL, PREM**
Wide Area Differential GPS-potential for accurate global navigation p 64 A94-12561
- MUNRO, BRUCE C.**
Nonlinear model-following control application to airplane control [BTN-94-EIX94401358166] p 580 A94-61672
- MURAD, ADNAN**
Supercruiser Arrow HS-8 p 322 N94-25711
- MURAKAMI, YOSHIO**
A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159

- MURALIDHAR, S. J.**
PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077
- MURAO, RINICHI**
Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- MURASE, TAKEO**
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- MURATA, MASAOKI**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
- MURATORE, JOSEPH J., JR.**
Colorimetric qualification of shear sensitive liquid crystal coatings [NASA-CR-194126] p 206 N94-13291
- MURMAN, EARL M.**
Adaptive Navier-Stokes calculations for vortical flow [AD-A266236] p 183 N94-16966
- MURPHY, DAN**
Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- MURPHY, MICHAEL E.**
DATA LINK - A conceptual flight deck system and related issues [SAE PAPER 922002] p 61 A94-11718
- MURPHY, PATRICK C.**
Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment [NASA-TM-4548] p 582 N94-37059
- MURRAY-MORGAN, J.**
Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter [BTN-94-EIX9431337502] p 530 A94-60337
- MURRAY, JAMES E.**
Further development and flight test of an autonomous precision landing system using a parafoil [NASA-TM-4599] p 465 N94-33995
- MURRAY, JERRY**
Digital terrain modelling for research and development simulations [SAE PAPER 921979] p 1 A94-11999
- MURRAY, S. F.**
Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306
- MURRI, DANIEL G.**
Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds [NASA-TP-3360] p 42 N94-16573
- MURTHY, D. V.**
Turbomachinery forced response prediction system (FREPS): User's manual [NASA-CR-194465] p 411 N94-29104
- MURTHY, DURBHA V.**
Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX94321333307] p 547 A94-60039
- MURTHY, PAPPU L. N.**
Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 N94-19351
- MURTHY, S. N. B.**
Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-1] p 225 N94-21582
Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-2] p 225 N94-21583
- MURTHY, V. R.**
Sensitivity analysis of eigendata of aeroelastic systems p 111 A94-12708
- MURTY, HEMA SANDHYARANI**
Nonlinear aspects of transonic aeroelasticity p 19 N94-10357
Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857
- MURUGESH, L.**
Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223
- MUSGRAVE, JEFFREY L.**
Distributed simulation using a real-time shared memory network [NASA-TM-106239] p 198 N94-10724
- MUSSI, F.**
EH101 - The optimum naval helicopter p 75 A94-12080
- MUSZYNSKA, AGNES**
Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191

- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- MUTHARASAN, RAJAKANNU**
Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 N94-27599
- MUTTY, MICHAEL S.**
A comparison of military and commercial aircraft development [AD-A276830] p 427 N94-32168
- MYAGKOV, YU. A.**
Some comments on tail rotor ground resonance problem p 76 A94-12085
- MYATT, JAMES H.**
Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
- MYERS, B.**
Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft [DE93-016991] p 192 N94-17853
- MYERS, JERRY A.**
A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
- MYRABO, L. N.**
Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy [BTN-94-EIX94311330650] p 516 A94-60141
- MYRABO, LEIK**
The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695
- MYSKO, STEPHEN JOHN, III**
Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759
- N**
- NACHTRAB, W. T.**
Powder metallurgy of advanced titanium alloys p 141 A94-10660
- NAGAKAWA, JOSEI**
Study on utilization of super clean, high vacuum space p 342 N94-25586
- NAGAMATSU, H. T.**
Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy [BTN-94-EIX94311330650] p 516 A94-60141
- NAGAMATSU, HENRY T.**
An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247
- NAGASHIMA, TOSHIO**
Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- NAGAYASU, MASAHIKO**
Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 N94-13337
- NAGESH BABU, G. L.**
Smart airfoils for helicopter control p 77 A94-12237
- NAGIB, H.**
Control and management of unsteady and turbulent flows [AD-A287474] p 500 N94-33396
- NAGLE, GAIL A.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- NAIM, A.**
Local aerothermal problems during Hermes re-entry p 21 N94-10464
- NAKADATE, MASAOKI**
A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957
- NAKAHASHI, KAZUHIRO**
Numerical analysis of sonic boom in the near field p 376 N94-28962
Three-dimensional external flow computations using prismatic grid p 410 N94-28979
- NAKAMICHI, JIRO**
Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482
Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- NAKAMURA, KEIKICHI**
Study on utilization of super clean, high vacuum space p 342 N94-25586

- NAKAMURA, SHINGO**
Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- NAKAMURA, SHUICHI**
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- NAKAMURA, TAKASHI**
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- NAKAMURA, YOSHIKAI**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468
- NAKAO, MASAHIRO**
Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- NAKAYA, TERUOMI**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 N94-10350
- NALLANTHIGAL, S.**
Infrared search and track demonstrator programme p 599 N94-36622
- NALLASAMY, M.**
Unsteady blade pressures on a propfan: Predicted and measured compressibility effects [BTN-94-EIX94401358996] p 578 A94-61652
- NAMBA, MASANOBU**
Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
- NANGIA, R. K.**
Vectored jets-induced interference on aircraft, prediction and verification p 359 N94-28012
- NAOR, D.**
Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- NAPOLITANO, KEVIN L.**
Smart structures, an overview [AD-A274147] p 368 N94-27093
- NAPOLITANO, MARCELLO R.**
Aircraft failure detection and identification using neural networks p 71 A94-10802
New techniques for aircraft flight control reconfiguration p 110 A94-12615
Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data [NASA-CR-194838] p 335 N94-24804
- NARAN, HITESH**
Supercruiser Arrow HS-8 p 322 N94-25711
- NARAYAN, JOHNNY R.**
Computational study of generic hypersonic vehicle flow fields [NASA-CR-195938] p 466 N94-34277
- NARAYANA, C. L.**
Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- NARAYANSWAMI, N.**
Laser interferometer skin-friction measurements of crossing-shock-wave/turbulent-boundary-layer ns [BTN-94-EIX94421374974] p 593 A94-61872
- NARK, TED C.**
Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
- NARKIEWICZ, JANUSZ**
Investigation of individual blade pitch control in time domain p 109 A94-12243
- NASCIMENTO, MARCO A. C.**
An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition p 269 N94-24247
- NASSER, S. H.**
Cavity drag at transonic speeds p 17 A94-12199
- NATARAJAN, SWAMINATHAN**
The R-Shell approach - Using scheduling agents in complex distributed real-time systems [AIAA PAPER 93-4523] p 195 A94-11447
- NATESAN, K.**
Materials performance in advanced combustion systems [BTN-94-EIX94311331065] p 584 A94-61113
- NATHAN, A.**
Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261

- NATHMAN, JAMES K.**
Precision requirement for potential-based panel methods
[BTN-94-EIX94301315995] p 515 A94-60031
- NAUMANN, K. W.**
Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- NAYFEH, A. H.**
Influence of two-dimensional imperfections on laminar flow
[SAE PAPER 921990] p 13 A94-12004
- NAYFEH, ALI H.**
Aerodynamic/dynamic/control interaction
[AD-A266187] p 122 N94-16107
- NAYLOR, STEVE**
Aircraft failure detection and identification using neural networks p 71 A94-12802
- NAZ, P.**
JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
- NEEDLEMAN, KATHY E.**
Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- NEGAST, WILLIAM J.**
Enhancement of the navigation position reference for INS testing using differential GPS pseudorange measurements p 64 A94-12560
- NEILL, D. J.**
ASTROS enhancements. Volume 1: ASTRO user's manual
[AD-A266818] p 201 N94-16768
ASTROS enhancements. Volume 2: ASTRO programmer's manual
[AD-A266819] p 201 N94-16769
- NEILSEN, M. K.**
A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- NEJAD, ABDOLLAH S.**
Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication
[AD-A267667] p 149 N94-14962
Design of round-to-square transition section; analysis and computer code
[AD-A267173] p 134 N94-15847
- NEJLAND, V. M.**
Jet boundaries - New type of self-streamlining wind tunnel wall p 6 A94-10434
- NEJLAND, V. YA.**
Review of TsAGI wind tunnels p 124 A94-10403
Jet boundaries - New type of self-streamlining wind tunnel wall p 6 A94-10434
- NELSEN, J. M.**
A novel CFD/structural analysis of a cross parachute
[DE94-005271] p 423 N94-31578
- NELSON, JOEY L.**
Counterrotating aircraft propulsor blades
[CA-PATENT-1-319-357] p 264 N94-23255
- NELSON, NICK**
Configuration development study of the OSU 1 hypersonic research vehicle
[NASA-CR-195522] p 262 N94-24591
- NELSON, O. E.**
Advances in cost effective processing of titanium p 141 A94-10659
- NELSON, P. A.**
On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer
[ISVR-TR-227] p 362 N94-28175
- NELSON, T. E.**
Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423
Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341
- NELSSON, C.**
Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128
- NERI, REMO N.**
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
- NERON, M.**
A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425
- NEUFANG, RICH**
Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- NEUFELD, DAVID C.**
Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995
- NEUHART, DAN H.**
Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603
Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- NEUMANN, FRANK**
Supersonic HLFC: Potential benefits and technology development requirements p 463 N94-33531
- NEUMANN, FRANK D.**
Airframe systems studies review p 472 N94-33453
- NEUNZERT, H.**
The finite pointset method for hypersonic flows in the rarefied gas regime p 9 A94-10773
- NEWBORN, H. A.**
Powder metallurgy of advanced titanium alloys p 141 A94-10660
- NEWCOMB, JAMES E.**
Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- NEWELL, O. J.**
ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- NEWMAN, P.**
Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- NEWMAN, PARRY A.**
Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867
- NEWMAN, ROBERT B.**
Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
[AD-A274241] p 313 N94-26826
Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
- NEWPORT, JOHN**
Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
- NG, T. T.**
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- NG, T. TERRY**
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
- NGO, HIEU T.**
Theoretical and experimental investigations of dynamic characteristics of an advanced attack helicopter Shaft Driven Compressor p 99 A94-12048
- NGUYEN, H. LEE**
HSR combustion analytical research p 497 N94-33483
- NGUYEN, SON**
The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- NGUYEN, THUAN P.**
Supercruiser Arrow HS-8 p 322 N94-25711
- NGUYEN, V. D.**
Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7 p 301 N94-28316
Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7 p 302 N94-28317
- NICHOLS, G. H.**
Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing
[NASA-CR-191193] p 401 N94-28510
- NICHOLS, ROBERT A.**
Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
- NICHOLSON, ROBERT K., JR.**
Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim
[AD-A274924] p 325 N94-26531
- NICKE, E.**
Design and analysis of a highly loaded transonic compressor cascade p 505 N94-34451
- NICKS, ORAN W.**
Wind tunnel testing and research
[NASA-CR-188273] p 402 N94-29052
- NICOLAON, JEAN-PIERRE**
ARC2000: Automatic radar control p 388 N94-29583
- NIEDZWIECKI, RICHARD W.**
Combustor technology for future small gas turbine aircraft
[NASA-TM-106312] p 101 N94-13142
Low emissions combustor technology for high-speed civil transport engines p 479 N94-33481
Combustor technology for future small gas turbine aircraft p 485 N94-34452
- NIELSEN, ROBERT L.**
Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071
- NIESL, G.**
Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053
- NIETUBICZ, CHARLES J.**
Applications of computational fluid dynamics to the aerodynamics of Army projectiles
[BTN-94-EIX94311330678] p 516 A94-60113
- NIHART, GENE L.**
Community noise sources and noise control issues
Community noise technology p 509 N94-33467
needs: Boeing's p 511 N94-33490
- NIKIFOROVA, L. N.**
Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods p 109 A94-12247
- NIKJOOY, M.**
Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582
Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583
- NIKOLIC, VOJIN RADE**
A study of the development and attenuation of wing-generated, vortical wakes p 425 N94-31971
- NIMIR, Y. L.**
An air bearing system for small high speed gas turbines p 505 N94-34466
- NIRANJANA, T.**
A study of roll attractor and wing rock of delta wings at high angles of attack p 337 N94-25111
- NISHIKAWA, NOBUHIDE**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft
[PAPER-2D-7] p 22 N94-10472
- NISHIMURA, JUN**
Hunting phenomena of the balloon motions observed over Antarctica
[BTN-94-EIX94401358969] p 571 A94-61625
- NISHIMURA, Y.**
A numerical and experimental evaluation of the sidewall boundary layer effects on aeroflows tested in wind tunnel facilities p 6 A94-10436
Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility p 363 N94-28350
- NISSIM, E.**
Order reduction of linear-quadratic-Gaussian-designed controllers p 194 A94-10822
- NISSLEY, WILLIAM J.**
Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789
- NITZSCHE, W.**
Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight
[ILR-MITT-280(1993)] p 37 N94-14800
Navier-Stokes computations of turbulent flow around high-lift configurations p 46 N94-18420
Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
Free flight experiment with a laminar wing glove p 219 N94-22600
- NITSCHKE, MICHAEL D.**
Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- NITTA, KYOKO**
Analysis of aerodynamics of airfoils moving over a wavy wall
[BTN-94-EIX94311329130] p 536 A94-60170
- NITZSCHE, F.**
Whirl-flutter suppression in advanced turboprops and propfans by active control techniques
[BTN-94-EIX94401358994] p 578 A94-61650
- NITZSCHE, FRED**
Individual blade control of hinged blades using smart structures p 78 A94-12246
Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity
[BTN-94-EIX94321333311] p 548 A94-60043

NIXON, DAVID

Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 N94-33966

NIXON, MARK W.

Dynamic analysis of pretwisted elastically-coupled rotor blades
[NASA-TM-109070] p 350 N94-24839
Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953

NOBACK, R.

The deterministic power-spectral-density method
[AD-B175894] p 340 N94-27395
The deterministic power-spectral-density-method for nonlinear systems
[AD-B179687] p 369 N94-28353

NOBLITT, JAMES P.

Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134

NOCETO, M.

New high-efficiency heavy-duty combustion turbine 701F
[BTN-94-EIX94311331073] p 588 A94-61105

NODA, JUNICHI

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345

NODA, TETSUJI

Study on utilization of super clean, high vacuum space
p 342 N94-25586

NODERER, KEITH D.

Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models
[NASA-TM-109120] p 487 N94-32951

NOERNBERG, CLEMM

The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966

NOGUTI, MASAYOSHI

An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350

NOLAN, SANDRA K.

Status and plans for the ANOPP/HSR prediction system
p 511 N94-33494

NOLD, DEAN E.

Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536

NOLL, THOMAS E.

Aerosevoelasticity p 110 A94-12693
The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341

NOLTING, RALF

A symbol of reliability: Ju 52 p 329 N94-28250

NONAKA, OSAMU

An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350

NOONAN, C. A.

Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633

NOOR, AHMED K.

Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity
[ISBN 0-7918-0663-4] p 163 A94-12676
Computational Methods for Failure Analysis and Life Prediction
[NASA-CP-3230] p 239 N94-22608
New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314

NORMANDIN, FRANCIS

Three dimensional study of an airplane wing and its wake in the subsonic regime
[ISBN 0-315-58963-9] p 252 N94-24178

NORRIS, STEPHEN R.

Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995

NORTHROP, LINDA

Structural modeling: An application framework and development process for flight simulators
[AD-A271348] p 136 N94-19880

NORUM, THOMAS D.

Simulated high speed flight effects on supersonic jet noise
[AIAA PAPER 93-4388] p 203 A94-11351

NOSSEIR, N. S.

Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140

NOVAK, KEN

The Blue Emu
[NASA-CR-195535] p 317 N94-24817

NOVOTNY, PAUL M.

An advanced alloy for landing gear and aircraft structural applications - AerMet 100 alloy
[SAE PAPER 922040] p 141 A94-12030

NOWLIN, BRENT C.

Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706

NOWLIN, SCOTT R.

Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796

NOYES, JAMES L.

Expert system rule-base evaluation using real-time parallel processing
[AD-A273701] p 367 N94-25454

NOZAKI, OSAMU

Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
Application of flow field simulation to turbine vane design p 395 N94-28978

NSI, M.

An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486

NUCKOLLS, WILLIAM E.

Active control of fan-generated plane wave noise
[NASA-TM-109008] p 207 N94-14481

NUESSER, HANS-GUSTAV

Methodology development of forecasting inter-regional air transport demand in China
[DLR-FB-93-24] p 308 N94-27746

NUON, TIMOTHY I.

Supercruiser Arrow HS-8 p 322 N94-25711

NURICK, ALAN

Experimental and computational analysis of a helicopter circulation controlled tail boom p 14 A94-12058
Life prediction of helicopter engines fitted with dust filters p 99 A94-12115

NUSCA, MICHAEL J.

Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748

NYDEN, MARC R.

Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779

O

O'BRIEN, E. W.

Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photostress and strain gauges p 165 A94-12936

O'BRIEN, W. F.

Artificial neural networks for predicting nonlinear dynamic helicopter loads
[BTN-94-EIX94301315989] p 515 A94-60025

O'DONNELL, P.

Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123

O'LEARY, ERIN M.

An evaluation of the use of GPS and laser ranging to position stationary objects from a distance p 66 A94-12576

OBAYASHI, SHIGERU

Navier-Stokes computations for oscillating control surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
Progress in computational unsteady aerodynamics
[NASA-CR-177630] p 43 N94-17081
Algorithm and code development for unsteady three-dimensional Navier-Stokes equations
[NASA-CR-195774] p 414 N94-29942

OBERKAMPF, WILLIAM L.

Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
A review and development of correlations for base pressure and base heating in supersonic flow
[SAND93-0280] p 526 N94-35360

OBERMAYER, M.

The application of active side arm controllers in helicopters p 117 N94-13302

OBERT, E.

Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441

OBRAZTSOV, I. F.

Numerical methods in structural mechanics p 163 A94-12776

OBRIEN, T. KEVIN

Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622

OBUKATA, MASAHIRO

A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957

OCHELTREE, S. L.

Recommendations for future research in hypersonic instrumentation p 20 N94-10433

ODONNELL, KEVIN J.

Worldwide vessel locating and tracking system, volume 1 [PB93-193217] p 257 N94-24474

ODONNELL, MICHAEL D.

Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems p 143 N94-10769

ODONNELL, PATRICIA

Summary of NASA Aerospace Flight Battery Systems Program activities p 366 N94-28101

ODONOGHUE, DENNIS P.

Roles, uses, and benefits of general aviation aircraft in aerospace engineering education
[NASA-TM-106463] p 247 N94-24100

ODONOGHUE, P. E.

Composite repairs of cracked metallic airframe structures [AD-A277680] p 456 N94-33590

OECHSLE, V. L.

Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct
[NASA-TM-106435] p 226 N94-21758

OERY, H.

Calculation of rotor blade air loads from measured structural response data p 155 A94-10743
Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068

OESTREICH, JOHN

Paint removal using wheat starch blast media p 168 N94-10627

OFARRELL, J. M.

Numerical simulation of the edge tone phenomenon
[NASA-CR-4581] p 464 N94-33898

OGAWA, SATORU

Numerical calculation of scramjet inlet flow
[NAL-TR-11747] p 100 N94-10370
Flow analysis around ONERA model M5 configuration
[PAPER-3D-3] p 23 N94-10479

OGAWA, TAKANOBU

Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967

OGBURN, MARILYN E.

Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107

OGINO, JUN

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-9] p 23 N94-10474
Flow analysis around ONERA model M5 configuration
[PAPER-3D-5] p 24 N94-10481

OGUNI, YASUO

The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247

OHARA, JOHN

Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597

OHERN, T. J.

Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels
[DE93-009798] p 147 N94-11366
Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development
[AD-A278968] p 584 N94-36505

OHMAN, L. H.

Wind tunnel investigation of propfan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7 p 301 N94-28316

Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7 p 302 N94-28317

OHNISHI, MITURU

Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603

- OHSAWA, HARUSHIGE**
A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- OHTA, HIROBUMI**
Effects of propeller on the turning flight of old fighters
p 106 A94-10798
Effects of propeller on the turning of old fighters
[BTN-94-EIX94361135426] p 537 A94-60623
- OHYAMA, KEN-ICHI**
Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium
p 5 A94-10329
- OHYAMA, KENICHI**
Numerical simulation of unsteady aerodynamic heating induced by shock reflections
p 375 N94-28952
- OINUMA, HIDESEI**
Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342
- OKADA, NORIAKI**
Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457
- OKADA, TSUYOSHI**
System observer techniques in robust control systems design synthesis
p 198 A94-12764
- OKISHI, THEODORE H.**
A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591
- OKUNO, YOSHINORI**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
Optimal control of helicopters following power failure
[NAL-TR-1190] p 340 N94-27206
- OKUYAMA, MASAHIRO**
Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855
Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856
- OLAUGHLIN, DAN**
Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis
[DOT/FAA/SE-93/3] p 69 N94-16906
- OLDENBURG, JOHN R.**
A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964] p 170 N94-11132
- OLDS, JOHN ROBERT**
Multidisciplinary design techniques applied to conceptual aerospace vehicle design
[NASA-CR-194409] p 83 N94-13618
- OLEARY, CHARLES O.**
Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- OLEJNICZAK, J.**
Design of optimized airfoils in subcritical flow
[BTN-94-EIX94401358990] p 566 A94-61646
- OLINGER, D. J.**
Solar powered multipurpose remotely powered aircraft
p 323 N94-25719
- OLIVIER, H.**
Hypersonic testing in the Aachen shock tunnel
p 126 A94-10425
High-enthalpy testing in hypersonic shock tunnels
p 129 A94-10781
- OLIVIER, M.**
Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- OLKIEWICZ, C.**
Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A277752] p 477 N94-33409
- OLLEVIER, THOMAS E.**
The use of low cost differential mode GPS receivers in unmanned vehicles
p 389 N94-30285
- OLSAN, JAMES B.**
Genetic algorithms applied to a mission routing problem
[AD-A274130] p 368 N94-27120
- OLSEN, ROBERT O.**
Joint Acoustic Propagation Experiment (JAPE)
p 286 N94-24208
- OLSON, E. D.**
Advanced takeoff procedures for high-speed civil transport community noise reduction
[SAE PAPER 921939] p 73 A94-11979
- OLYNICK, DAVID P.**
New two-temperature dissociation model for reacting flows
[BTN-94-EIX94351142137] p 560 A94-60430
- OMER, KHIZER FAROOQ**
Passenger terminal level of service measurement: A utility theoretic approach
[ISBN-0-315-59037-8] p 228 N94-22418
- ONCINA, CARLOS A.**
Stratospheric emissions effects database
[NASA-CR-4592] p 605 N94-37607
- ONDAS, M. S.**
Droplet turbulence interactions under subcritical and supercritical conditions
p 274 N94-23036
- ONDREJKA, A. R.**
Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683
- ONEIL, PAT**
Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443
- ONEIL, WILLIAM F.**
Radar E-O image fusion
p 352 N94-25503
- ONG, L. Y.**
Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181
- ONG, LIH-YENN**
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655
Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780
- ONO, TAKATSUGU**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346
- ONODA, JUNJIROU**
Research and development of space transportation systems in ISAS
p 140 N94-14277
- ONODERA, TAKUO**
Numerical study on the interaction between scramjet engine modules caused by thermal choke
p 395 N94-28960
- ONSTOTT, R. H.**
Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations
p 232 N94-20427
- OOLE, THOMAS E.**
Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062
- OPLINGER, D. W.**
Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- ORANS, ROBIN**
1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion
[NASA-CP-10134] p 561 N94-35961
- ORIE, NETTIE M.**
User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system
[NASA-TM-109027] p 44 N94-17639
Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual
[NASA-TM-4563] p 526 N94-35246
- ORLOV, A. A.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408
- ORME, JOHN S.**
Preliminary supersonic flight test evaluation of performance seeking control
[NASA-TM-4494] p 100 N94-11205
Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855
- ORMROD, MICHAEL K.**
Spare parts analysis of the MK.32B-751 AAR pod
[DSIS-93-00737] p 200 N94-13549
- OROZCO, CARLOS EDUARDO**
Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design
p 450 N94-31966
- ORR, LINSEY**
Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228
- ORREN, SCOTT**
Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- ORTEGA, ED**
The cetaceopteryx: A global range military transport aircraft
[NASA-CR-195519] p 263 N94-24711
- ORZECOWSKI, J. A.**
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations
[NASA-CR-195918] p 598 N94-36914
An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide
[NASA-CR-196135] p 598 N94-36922
- OSBORNE, ALLEN W., III**
Ionospheric corrections to precise time transfer using GPS
p 429 N94-30677
- OSBORNE, P. P.**
Processing, properties and applications of composites using powder-coated epoxy towpreg technology
p 150 N94-15277
- OSBORNE, ROBERT C.**
Reduced-order H(INF) compensator design for an aircraft control problem
[BTN-94-EIX94381311174] p 579 A94-61261
- OSGOOD, ROBERT K.**
A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048
- OSIPOV, A. A.**
A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils
p 18 A94-12799
- OSKAM, B.**
Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- OSSWALD, G. A.**
Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations
p 524 N94-34974
- OSTAPENKO, N. A.**
Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities
p 11 A94-10932
- OSTROFF, AARON J.**
Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- OSWALD, FRED B.**
The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms
[AD-A276299] p 234 N94-21756
Comparison of transmission error predictions with noise measurements for several spur and helical gears
[NASA-TM-106647] p 502 N94-33954
- OTT, G. W.**
Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 N94-21830
- OTT, J. R.**
Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- OTTE, DIRK**
An impedance approach to vibro-acoustic modeling
p 204 A94-12483
- OTTENS, HAROLD H.**
Overview of the FAA/DCA/NLR programs related to ageing aircraft
[NLR-TR-92119-U] p 4 N94-17614
- OTTENSTEIN, HOWARD**
The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- OTTING, WILLIAM D.**
Brayton power conversion system parametric design modelling for nuclear electric propulsion
[NASA-CR-191135] p 229 N94-21874
- OUTLAW, BRUCE K. E.**
Description of the Experimental Avionics Systems Integration Laboratory (EASILY)
[NASA-TM-109072] p 344 N94-27425
- OWEN, A. K.**
Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec
p 483 N94-34437
- OWEN, DEAN H.**
Compatibility of information and mode of control: The case for natural control systems
p 117 N94-13307

OWEN, J. M.

Transfer of heat by self-induced flow in a rotating tube
[BTN-94-EIX94311330098] p 587 A94-61060

OWEN, MARTHA R.

The Memphis Precision Runway Monitor Program
Instrument Landing System final approach study
[AD-A266035] p 66 N94-11103

OWEN, T. E.

An investigation of airborne GPS/INS for high accuracy
position and velocity determination
[DE94-006139] p 431 N94-31306

OZAKI, TSUYOSHI

Study on utilization of super clean, high vacuum space
p 342 N94-25586

OZARAPOGLU, VASIL

Turbine engine with induced pre-swirl at the compressor
inlet
[CA-PATENT-1-317-467] p 263 N94-23253

OZBAY, HITAY

Robust control design techniques for active flutter
suppression p 541 N94-35875

P

PAASO, S.

Calculation of viscous drag of two low angle of attack
supercritical profiles
[FFA-TN-1984-22] p 292 N94-26104

PACK, GINGER L.

Mission Evaluation Room Intelligent Diagnostic and
Analysis System (MIDAS) p 558 N94-35064

PADFIELD, GARETH D.

Helicopter flying qualities in critical mission task
elements - Initial experience with the DRA (Bedford) Large
Motion Simulator p 107 A94-12090
The impact of flying qualities on helicopter operational
agility p 117 N94-13304
In-flight simulation of high agility through active control:
Taming complexity by design p 117 N94-13306
The influence of flying qualities on operational agility
p 534 N94-34628

PADOVAN, JOE

Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032

PADOVAN, PAT

Aircraft braking induced tire wear
[SAE PAPER 922042] p 74 A94-12032

PADUANO, C.

Numerical simulation of aerothermal characteristics in
gas turbine combustors with complex geometries
p 396 N94-29255

PADULA, SHARON L.

Progress in multidisciplinary design optimization at NASA
Langley
[NASA-TM-107754] p 198 N94-10814

PAGANO, A.

Validation of a boundary integral formulation for the
aerodynamic analysis of rotors in forward flight
p 14 A94-12057

PAGEAU, STEPHANE S.

Shear buckling response of tailored composite plates
[BTN-94-EIX94301316000] p 549 A94-60256

PAGEN, M. J.

Survey on the application of a 3D general purpose
wind-tunnel research model
[LR-713] p 136 N94-19372

PAIGE, A. B.

Experimental and theoretical studies of T-tail
configurations for commuter aircraft applications
p 329 N94-28322

PAIGE, J. B.

NASA SBIR abstracts of 1992, phase 1 projects
[NASA-TM-109694] p 371 N94-27772

PAIGE, T. S.

Model borne data management system for wind tunnel
testing, phase 2
[AD-A276296] p 438 N94-31295

PAINTER, JOHN H.

Knowledge-based processing for aircraft flight control
[NASA-CR-194074] p 120 N94-13469

PAINTER, WENETH D.

Developing and flight testing the HL-10 lifting body: A
precursor to the Space Shuttle
[NASA-RP-1332] p 535 N94-34703

PAK, H.

Flow field analysis in a high pressure ratio centrifugal
compressor p 504 N94-34447

PALAZZOLO, ALAN B.

Simulation of cryogenic turbopump annular seals
p 281 N94-24440

Electromechanical simulation and test of rotating
systems with magnetic bearing or piezoelectric actuator
active vibration control p 555 N94-35905

PALLIX, JOAN

High-temperature behavior of advanced spacecraft
TPS
[NASA-CR-195832] p 492 N94-34063

PALMBERG, BJOERN

Spectrum fatigue testing of T-shaped tension clips
[FFA-TN-1992-22] p 184 N94-17970

PALMER, EVERETT A.

Altitude deviations: Breakdowns of an error-tolerant
system
[NASA-TM-108788] p 57 N94-15550

PALMER, J. D.

High frequency power flow in structures
p 161 A94-12510

PALMER, MATTHEW E.

Design of a vehicle based system to prevent ozone
loss
[NASA-CR-195498] p 262 N94-24479

PALMER, MICHAEL T.

Effects of expected-value information and display format
on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882

PALMER, R.

Flight technical error for category B non-precision
approaches and missed approaches using non-differential
GPS for course guidance
[PB94-142734] p 431 N94-31680

PALMER, RAY

Techno-economic requirements for composite aircraft
components p 150 N94-16864

PALONI, SERGIO

Operational agility assessment with the AM-X aircraft
p 534 N94-34626

PAMADI, BANDU N.

A study of roll attractor and wing rock of delta wings
at high angles of attack p 337 N94-25111

PAN, H.

Two-dimensional Navier-Stokes computations of
subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114

PAN, S.

Whirl measurements on leakage flows in turbomachine
models p 502 N94-34185

PANDITPAGWIWOKO, COSMAS

Aeroelastic vibrations of lifting surfaces
[ECL-91-01] p 437 N94-31677

PANDOLFI, MAURIZIO

Physical aspects of hypersonic flow - Fluid dynamics
and non-equilibrium phenomena p 8 A94-10766

PANKONIN, JON

JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401

PANTELAKIS, S.

Investigations on aluminium-lithium alloys for damage
tolerant application p 142 N94-10023

PANTELIS, NIKOS

The block adaptive multigrid method applied to the
solution of the Euler equations p 216 N94-21472

PAO, S. P.

Computational analysis of vented supersonic exhaust
nozzles using a multiblock/multizone strategy
p 10 A94-10856

PAPADOPOULOS, PERIKLES

Experimental investigation of nozzle/plume
aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687

PAPAS, P.

Structure and penetration of a supercritical fluid jet in
supersonic flow
[BTN-94-EIX9432133317] p 549 A94-60268

PAPKO, V. V.

Using strength conditions in the form of inequalities in
the design of riveted joints for plane structural elements
of aircraft p 163 A94-12784

PAPROCKI, THOMAS

Improved taxiway exit identification system
[AD-A277892] p 490 N94-33538

PAQUOT, D.

Performing specifications for complex systems'
software p 400 N94-29317

PARA, VICTOR

Weasel works SA-150: Design study of a 100 to 150
passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975

PARADIS, MARC-ANDRE

Monopiece strain gauge sting mounted wind tunnel
balance
[CA-PATENT-1-311-626] p 181 N94-15697

PARAMOUR, M. D.

Operational requirements for helicopter engines for UK
services p 482 N94-34432

PARASCHIVOIU, I.

Transition for three-dimensional, compressible boundary
layers p 363 N94-28327
Ice accretion on aircraft wings p 311 N94-28345

PARASKEVAS, D.

Contribution of photoelasticity to the design of jet turbo
engine parts p 99 A94-12953

PARAYO, MANUEL

VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803

PARILLE, DONALD R.

Process enhancements of superalloy material
p 585 N94-37324

PARK, CHUL

Modeling of hypersonic reacting flows
p 8 A94-10763

Calculation of real-gas effects on airfoil aerodynamic
characteristics
[BTN-94-EIX94351142143] p 521 A94-60436

PARK, D. S.

Active control of oscillatory lift forces on a circular
cylinder
[AD-A273243] p 350 N94-25140

PARK, J. H.

Composite repairs of cracked metallic airframe
structures
[AD-A277680] p 456 N94-33590

PARK, JIN-HO

Numerical simulation of vortex-wedge interaction
[BTN-94-EIX94421374955] p 592 A94-61853

PARK, K. C.

Time domain computational techniques
p 198 A94-12679

PARK, SUKJUNE

Decoupled flight control system design using the singular
perturbation method p 400 N94-29850

PARKE, MICHAEL E.

The effects of altimeter sampling characteristics: Some
Geosat examples
[AD-A276899] p 449 N94-32214

PARKER, B. EUGENE, JR.

Adaptive nonlinear polynomial neural networks for
control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698

PARKER, C. A.

Advanced fuel properties: A computer program for
estimating property values
[AD-A275248] p 403 N94-28901

PARKER, T. E.

Instantaneous velocity field imaging instrument for
supersonic reacting flows
[NASA-CR-191162] p 234 N94-21607

PARKINSON, G. V.

Potential flow modelling of airfoil stall
p 303 N94-28332

PARLOS, ALEXANDER G.

Feasibility study of a contained pulsed nuclear propulsion
engine
[BTN-94-EIX94341338369] p 559 A94-60361

PARRISH, RUSSELL V.

Effective declutter of complex flight displays using
stereoptic 3-D cueing
[AD-A279764] p 473 N94-33536

PARTHASARATHY, TRIPPLICANE A.

Interface evaluation in ceramic composites
p 271 N94-24231

PARTHASARATHY, VIJAYAN

New multigrid approach for three-dimensional
unstructured, adaptive grids
[BTN-94-EIX94301315973] p 559 A94-60009

PARTIN, CHARLES

Cooperative GN&C development in a rapid prototyping
environment
[AIAA PAPER 93-4622] p 197 A94-11505

PARZYCH, D.

In flight measurement of steady and unsteady blade
surface pressure of a single rotation large scale advanced
prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859

PASCHALL, RANDALL N.

Enhancement of the navigation position reference for
INS testing using differential GPS pseudorange
measurements p 64 A94-12560

PASIN, MERIH

Laser measurements and analysis of flow in a radial
inflow turbine inlet guide vanes and rotor
p 478 N94-33365

PASKIN, MARC D.

Composite matrix experimental combustor
[AD-280344] p 538 N94-34679

PASQUERO, G.

Turbine disks: Lifting against defects and materials
development p 595 N94-37329

PASTORE, CHRISTOPHER M.

Aeroelastic airfoil smart spar p 87 N94-16865

PATRICK, NICHOLAS J. M.

Modelling decision-making by pilots
[NASA-CR-194767] p 244 N94-21821

- PATTERSON-HINE, ANN**
A quantitative analysis of the F18 flight control system
[AIAA PAPER 93-4574] p 93 A94-11480
- PATTERSON, JAMES C., JR.**
Underwing compression vortex attenuation device
[NASA-CASE-LAR-14744-1] p 24 N94-10673
- PAUFLER, DAVE**
Cockpit control system
[NASA-CR-195488] p 336 N94-24957
- PAUFLER, DAVID**
Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969
Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- PAUL, DIANE**
Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
- PAUL, J. J.**
Assessment of impact damage in composite structures
[AD-A277063] p 444 N94-32265
- PAULEY, LAURA L.**
Structure of local pressure-driven three-dimensional transient boundary-layer separation
[BTN-94-EIX94301315979] p 515 A94-60015
- PAULL, A.**
Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513
- PAULSON, ANDREW DANTON**
Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys
[NASA-CR-191572] p 433 N94-31957
- PAULSON, JOHN A.**
HSCT high lift system aerodynamic requirements
p 461 N94-33522
- PAUSDER, H.-J.**
The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters
p 108 A94-12102
- PAUSDER, HEINZ-JUERGEN**
Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 108 A94-12093
Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 116 N94-13300
- PAVEL, MARILENA**
Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors
p 78 A94-12241
- PAVELIC, V.**
Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- PAXMAN, RICHARD G.**
Long-range laser imaging
[AD-A273020] p 233 N94-21253
- PAXSON, DANIEL E.**
A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors
[NASA-TM-106279] p 100 N94-11255
Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470
System and method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-1] p 232 N94-20588
Method for cancelling expansion waves in a wave rotor
[NASA-CASE-LEW-15218-2] p 413 N94-29740
- PAYNE, JEFFREY E.**
Software testability and its application to avionic software
[AIAA PAPER 93-4542] p 196 A94-11462
- PAYNE, JEFFREY E.**
An empirical comparison of a dynamic software testability metric to static cyclomatic complexity
p 597 N94-36498
- PAYNE, P. W. L.**
The use of a generic non-linear simulation environment for accident investigation
p 53 A94-11365
- PAYNE, R. C.**
An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft
[NPL-RSA(EXT)-0039] p 206 N94-13885
- PAYNTER, GERALD C.**
Boundary conditions for unsteady supersonic inlet analyses
[BTN-94-EIX94421374964] p 593 A94-61862
- PEACE, A. J.**
SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859
The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888
- PEACE, GEORGE M.**
Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575
- PEAKE, KIRK**
Eagle RTS: A design of a regional transport
p 322 N94-25709
- PEARCEY, H. H.**
Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040
- PEARLSTEIN, ARNE J.**
Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
- PEARSON, ANDREA**
Canadian aeronautical mobile data trials
p 272 N94-22773
- PEARSONS, KARL S.**
Comparison of methods of predicting community response to impulsive and nonimpulsive noise
p 370 N94-28196
- PEDERSEN, ALLISTER**
Canadian aeronautical mobile data trials
p 272 N94-22773
- PEISEN, DEBORAH J.**
Analysis of vertipoint studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- PELED, D.**
Attachment methods in composite joints - analysis of test results by controlled experiments method
p 271 N94-24269
- PELOCHE, LUIS M.**
High temperature resistant jet fuels
p 405 N94-29260
- PENDERGAST, M. M.**
Aerial robotic data acquisition system
[DE94-009114] p 506 N94-33938
- PENG, JIAN**
Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699
- PENGEL, KURT**
Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor
p 158 A94-12055
- PENGELLY, S. L.**
Wind-tunnel evaluation of mid-airframe installed turbojet engines
p 71 A94-10859
- PENNA, P. J.**
Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- PENNEY, STEWART**
The Swedish fighter
p 74 A94-12040
- PENROSE, C. J.**
Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling
p 334 N94-28018
- PERCIVAL, LARRY D.**
NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 N94-13138
- PEREZ-ORTIZ, R. M.**
Ducted kerosene spray flames
p 407 N94-29276
- PEREZ, R.**
A combined approach to buffet response analyses and fatigue life prediction
p 551 N94-34587
- PEREZ, RONALD A.**
Integrated propulsion-airframe dynamics and control
p 392 N94-29854
- PERIAUX, J.**
Unstructured-grid algorithms for high-speed CFD analysis
p 9 A94-10770
- PERIAUX, JACQUES**
Advances in hypersonics. Vol. 2 - Modeling hypersonic flows
[ISBN 0-8176-3663-3] p 7 A94-10759
Advances in hypersonics. Vol. 3 - Computing hypersonic flows
[ISBN 0-8176-3664-1] p 8 A94-10767
Advances in hypersonics. Vol. 1 - Defining the hypersonic environment
[ISBN 0-8176-3639-0] p 9 A94-10776
- PERKINS, D. E.**
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
- PERKINS, JOHN N.**
Inviscid parametric analysis of three-dimensional inlet performance
[BTN-94-EIX94401358980] p 578 A94-61636
- PEROT, J. BLAIR**
New concepts for Reynolds stress transport equation modeling of inhomogeneous flows
p 251 N94-24143
- PERRETTA, DAVE**
Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- PERRETTA, DAVID A.**
Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973
- PERRIER, P.**
Concepts of hypersonic aircraft
p 71 A94-10778
- PERRIER, PIERRE**
Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane
p 138 N94-10423
Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- PERRY, BOYD III**
Further studies using matched filter theory and stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587
- PERRY, BOYD, III**
A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378
- PERRY, F. S.**
Harrier 2: A comparison of US and UK approaches to fatigue clearance
p 531 N94-34596
- PERSON, LEE H., JR.**
Takeoff performance monitoring system display options
[BTN-94-EIX94401358988] p 577 A94-61644
Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660
- PERUSEK, GAIL P.**
Approximate similarity principle for a full-scale STOVL ejector
[BTN-94-EIX94341338360] p 550 A94-60352
Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory
[NASA-TM-106577] p 491 N94-33604
- PERVEY, MARTIN A.**
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- PESCHKE, WILLIAM T.**
Study of streamwise vorticity-stirred combustion
[NASA-CR-194450] p 271 N94-24565
- PESETSKIJ, V. A.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408
- PETERS, BRUCE**
Fiber optic based velocimetry for the investigation of high velocity turbulence
p 165 A94-12982
- PETERS, DAVID A.**
On a finite-state inflow application to flap-lag-torsion damping in hover
p 74 A94-12061
- PETERS, JEFFREY L.**
New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573

- PETERS, M. A. G.**
Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- PETERSEN, K. L.**
Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- PETERSON, C. O.**
Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures
p 406 N94-29271
- PETERSON, DEAN E.**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- PETERSON, JAMES M.**
Future material development trends for commercial airplane interiors
p 145 N94-10792
- PETERSON, M. B.**
Wear-resisting oxide films for 900 C
[DE94-010093] p 584 N94-36306
- PETERSON, N.**
Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054
- PETERSON, RANDALL**
Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596
- PETIAU, C.**
Trends of design methodology of airframe
p 261 N94-24327
- PETIT, G.**
Comparison of LASSO and GPS time transfers
p 429 N94-30665
- PETIT, GERARD**
A comparison of GPS broadcast and DMA precise ephemerides
p 429 N94-30660
- PETIT, JOCELYN I.**
New developments in aluminum for aircraft and automobiles
p 584 N94-36413
- PETRAGLIA, MEDIA M.**
Streamline-curvature effect in three-dimensional boundary layers
[SAE PAPER 921987] p 13 A94-12003
- PETRE, ERIC**
The PHARE advanced tools
p 388 N94-29581
- PETRO, ANDREW J.**
Space Station trash removal system
[NASA-CASE-MSC-21723-1] p 229 N94-20367
- PETROV, A. V.**
Aerodynamic design of super maneuverable aircraft
p 533 N94-34617
- PETROVIC, JOHN J.**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- PETTIT, DONALD R.**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- PETZKE, J.**
Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force
p 334 N94-28319
- PETZOLD, KARL W.**
The development of a horizontal impact sled facility and subsequent crashworthiness experiments
[NIAR-93-15] p 343 N94-26200
- PEYTON, DERRICK R.**
An investigation into acceleration determination for airborne gravimetry using the global positioning system
[ISBN-0-315-59470-5] p 256 N94-24176
- PFAHL, C. L.**
Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
- PFALZ, JOHN M.**
The J85 cost/benefit engine study
[AD-A269280] p 105 N94-18333
- PFEIL, AXEL C.**
Lufthansa facing the single European market
p 309 N94-28237
- PFFENNINGER, W.**
Super low turbulence subsonic wind tunnels
p 128 A94-10448
- PFITZNER, M.**
Computation of three-dimensional hypersonic flows in chemical nonequilibrium
[BTN-94-EIX94401358982] p 566 A94-61638
- PHILIPPE, JEAN J.**
Bent-tip blade for aircraft rotary-wing
[CA-PATENT-1-315-259] p 257 N94-23254
- PHILLIPS, JAMES D.**
Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 N94-26151
- PHILLIPS, STEPHEN M.**
Antiwindup analysis and design approaches for MIMO systems
[NASA-CR-195304] p 436 N94-32075
- PHILLIPS, WILLIAM H.**
Effects of model scale on flight characteristics and design parameters
[BTN-94-EIX94311329143] p 517 A94-60157
- PHONOV, S. D.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 A94-10408
- PICKERELL, THOMAS**
National Airspace System operational concept
[DOT/FAA/SE-93/1] p 66 N94-10933
- PICKETT, MARK T.**
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- PICKETT, TIM**
The AC-120: The advanced commercial transport
[NASA-CR-195491] p 317 N94-24966
- PIELLISCH, RICHARD**
Mach 2 and more
[BTN-94-EIX94401216108] p 569 A94-61787
- PIEPER, JOCHEN**
Air traffic administration enroute to Europe
p 309 N94-28238
- PIERACCI, A.**
An assessment of fatigue crack growth prediction models for aerospace structures
p 551 N94-34586
- PIERCE, ALLAN D.**
Progress in modeling atmospheric propagation of sonic booms
p 300 N94-28189
Relaxation and turbulence effects on sonic boom signatures
p 512 N94-33496
- PIERCE, J. D.**
A constitutive model for layered wire mesh and aramid cloth fabric
[DE94-003275] p 349 N94-26796
- PIERRE, CHRISTOPHE**
Localization of aeroelastic modes in mistuned high-energy turbines
[BTN-94-EIX94321333007] p 547 A94-60039
- PIERS, W. J.**
Sectional prediction of 3D effects for separated flow on rotating blades
p 15 A94-12063
Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- PIETERSEN, O. B. M.**
Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- PIFKO, ALLAN B.**
Impact analysis of composite aircraft structures
p 187 N94-19468
- PILEWSKIE, PETER**
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2
p 241 N94-22297
- PILYUGIN, N. N.**
Optimal body shapes with limits on local heat flux
p 11 A94-10942
- PINELLI, THOMAS E.**
NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730
- PINES, DAVID S.**
A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275
- PINKELMAN, JIM**
Design study to simulate the development of a commercial freight transportation system
p 323 N94-25715
- PINSKY, MARK A.**
Analysis and control of bifurcation phenomena in aircraft flight
[BTN-94-EIX94401358169] p 572 A94-61675
- PIPERNI, P.**
Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324
- PIPERNO, S.**
High-performance parallel analysis of coupled problems for aircraft propulsion
[NASA-CR-195883] p 481 N94-34216
- PIRZADEH, SHAHYAR**
Robust unstructured grid generation with VGRID
p 243 N94-22359
- PISANO, JOSEPH J.**
GNSS integrity for aircraft precision approach
p 65 A94-12569
- PITTMAN, JAMES LEE**
Shock-dependent, optimum thrust wings in supersonic flow
p 425 N94-32027
- PITTMAN, MARC T.**
Three dimensional audio versus head down TCAS displays
[NASA-CR-177636] p 468 N94-33063
- PITTS, FELIX L.**
Highly-reliable fly-by-light/power-by-wire technology
p 336 N94-25099
- PITZ, R. W.**
Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion
p 159 A94-12397
- PLAETSCHKE, E.**
Identification of thrust vector effectiveness from X-31A flight test data
p 106 A94-10744
- PLANCHON, P.**
Use of advanced technologies in ATM (air traffic management) domain
p 384 N94-29561
- PLASTSCHKE, E.**
X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring
p 540 N94-34619
- PLATNICK, STEVEN**
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2
p 241 N94-22297
- PLATZER, M. F.**
Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975
Computation of unsteady flows over airfoils
p 525 N94-34977
- PLENTOVICH, E. B.**
Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464
- PLEVICH, C. W.**
Design improvements in air turbine start systems
[SAE PAPER 921947] p 158 A94-11986
- PLOKHICH, VLADIMIR P.**
Russian sub-orbital commercial passenger transport system
[SAE PAPER 922056] p 74 A94-12038
- PLOTKIN, KENNETH J.**
On the aging of sonic booms
p 301 N94-28194
The effect of turbulence and molecular relaxation on sonic boom signatures
p 512 N94-33497
- PODALKOV, V. V.**
Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature
p 203 A94-11029
- PODLESKI, STEVE D.**
Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack
[NASA-CR-189103] p 44 N94-17558
Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study
[NASA-CR-195297] p 459 N94-33119
- POE, C. C., JR.**
Tension fracture of laminates for transport fuselage. Part 1: Material screening
p 495 N94-33130
- POE, CLARENCE C., JR.**
Demonstrating damage tolerance of composite airframes
p 224 N94-22623
- POELLOT, M.**
Remote sensing of multilevel clouds during FIRE IFO 2
p 242 N94-22303
- POENSGEN, C. A.**
Measurement of kinematically unstationary separated flows
p 273 N94-22854
- POERTNER, T.**
First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration
p 348 N94-28032
- POH, ENG-KEE**
Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- POIRIER, DIANE**
Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime
[ISBN-0-315-57633-2] p 279 N94-24177
- POISSON-QUINTON, PHILIPPE**
The future of large capacity/long range multipurpose air cargo fleets
p 573 N94-36326
- POLAK, DAVID R.**
Rotorcraft noise: Status and recent developments
[NASA-CR-194761] p 244 N94-20523

- POLAK, F. R.**
Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport
[NLR-TP-91384-U] p 58 N94-17733
- POLL, D. I. A.**
Real gas and surface transpiration effects upon swept leading edge high speed flow including transition
p 21 N94-10452
- POLLANO, G.**
The integration of design and manufacturing processes at Alenia DVD
p 261 N94-24325
- POLLARD, M. D.**
Acoustic emission monitoring of aging aircraft structures
[DREP-93-17] p 393 N94-30129
- POLLARD, MICHAEL**
Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring
[DREP-93-16] p 393 N94-30131
- POMERET, JEAN-MARC**
Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570
- POMERLEAU, DEAN**
Perception for outdoor navigation
[AD-A26867] p 68 N94-14919
- POMFRET, CHRIS J.**
Use of magnetic compression to support turbine engine rotors
p 444 N94-30484
- POMPEI, MARIE-HELENE**
Design of a refueling tanker delivering liquid hydrogen
p 323 N94-25717
- PONCON, MARC**
Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification
p 77 A94-12226
- PONGRATZ, R.**
Influence of different flight conditions on helicopter noise contours on ground
p 204 A94-12053
- PONOMAREV, A. T.**
Modeling the dynamics of a high-velocity rotating elastic flight vehicle
p 138 A94-12883
- PONTON, MICHAEL K.**
NASA/LaRC jet plume research
p 478 N94-33468
- POOLE, LAMONT R.**
Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere
p 506 N94-33460
- POOLE, R. J. D.**
High lift systems for transport aircraft with advanced airfoils
p 90 N94-18446
Wind tunnel investigation of propan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7
p 301 N94-28316
Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7
p 302 N94-28317
- POON, C.**
An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- POOR, H. VINCENT**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- POOTS, G.**
Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94331337183] p 606 A94-62186
- POPPEL, GARY L.**
Fiber optic (flight quality) sensors for advanced aircraft propulsion
[NASA-CR-191195] p 577 N94-37401
- POPPEL, WILLIAM A.**
Propulsion-induced aerodynamic effects measured with a full-scale STOV model
[BTN-94-EIX94311329120] p 519 A94-60180
- PORADA, WILLIAM M.**
Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720
- PORTER, DAVID B.**
A numerical study of airplanes flying in proximity
[AD-A273373] p 255 N94-24718
- PORTER, KENT W.**
Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- PORTER, R.**
A unique facility to support cryogenic wind tunnel operations
p 128 A94-10444
- PORTIS, BONNIE L.**
Proceedings of Damping 1993, volume 1
[AD-A274226] p 355 N94-26922
- POSENAU, M. A.**
Approaches to high aspect ratio triangulations
[NASA-TM-107684] p 199 N94-12886
- POSENAU, MARY-ANNE K.**
Computational geometry issues
p 243 N94-22370
- POST, R. F.**
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620
Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621
- POSTLETHWAITE, I.**
Rotorcraft flying qualities improvement using advanced control
p 117 N94-13303
- POT, FRANK**
Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services
p 167 N94-10619
- POTAPCZUK, MARK G.**
Turbulence modeling in aircraft icing
p 185 N94-18555
Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D)
[NASA-TM-105974] p 220 N94-21590
Unstructured grid research and use at NASA Lewis Research Center
p 243 N94-22353
- POTH, STEFAN**
Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- POTOTZKY, ANTHONY S.**
Further studies using matched filter theory and stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587
A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations
[NASA-TM-109009] p 82 N94-12850
Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle
p 320 N94-25113
A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378
- POTTS, RICHARD G.**
Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127
- POULACHON, D.**
Avionics for new generation helicopters
p 94 A94-12229
- POVEY, NICK J.**
The future of aircraft cabin fire safety
p 54 N94-10797
- POWELL, ARTHUR G.**
Supersonic LFC: Challenges and opportunities
p 462 N94-33526
- POWELL, RICHARD W.**
Six-degree-of-freedom guidance and control-entry analysis of the HL-20
[BTN-94-EIX94351137056] p 544 A94-60396
- POWERS, ROBERT K.**
Computational algorithms or identification of distributed parameter systems
[AD-A265252] p 199 N94-11680
- POWRIE, H. E. G.**
Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream
p 297 N94-28021
- POZZORINI, R.**
Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen
p 128 A94-10447
- PRABHU, A.**
PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
- PRABHU, D. K.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday
[NAL-SP-9315] p 178 N94-14598
- PRADEEP, A. K.**
Modelling and control of a rotor supported by magnetic bearings
p 554 N94-35858
- PRADETTO, J. C.**
Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings
p 555 N94-35911
- PRASAD, C. B.**
Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- PRASAD, J. V. R.**
Conceptual design of a stopped rotor with flap controls
p 108 A94-12108
- PRAT, O.**
The night vision capability of the Tiger helicopter
p 93 A94-12227
- PRATT, DAVID R.**
NPSNET - Flight simulation dynamic modeling using quaternions
p 197 A94-11770
- PRESTON, CHARLES S.**
Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- PRESTON, G. A.**
A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream
[ISVR-TR-226] p 284 N94-22959
- PRESTON, MARK A.**
Integration of magnetic bearings in the design of advanced gas turbine engines
p 554 N94-35903
- PRETTE, JOHN**
The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- PRICE, H.**
Investigations on aluminium-lithium alloys for damage tolerant application
p 142 N94-10023
- PRICE, PATTI J.**
A real-time spoken-language system for interactive problem solving
[AD-A266046] p 199 N94-11104
- PRIEUR, J.**
Technical excellence and productivity - The ETW challenge
p 125 A94-10417
- PRIGGE, KARL F.**
Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- PRINZO, O. VERONIKA**
ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201
- PRITCHARD, JOCELYN I.**
Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900
- PRITCHETT, A.**
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286
- PRITCHETT, AMY**
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- PRIZANT, MARK J.**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview
[NASA-CR-194924] p 598 N94-36962
- PROCIW, L. A.**
Recent CFD applications in small gas turbine combustion systems development
p 396 N94-29257
Design aspects in small aircraft gas turbine fuel injectors
p 397 N94-29264
Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines
p 485 N94-34455
- PROCTOR, F. H.**
Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283
- PROCTOR, FRED H.**
Case study of a low-reflectivity pulsating microburst - Numerical simulation of the Denver, 8 July 1989, storm
p 189 A94-10875
- PROFFITT, MELISSA S.**
Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014
- PRUNIAUX, KARINE**
Design of a refueling tanker delivering liquid hydrogen
p 323 N94-25717
- PRUYN, PETER W.**
An exploration of three dimensional computer graphics in cockpit avionics
p 94 A94-12266
- PRUZAN, DANIEL A.**
Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424

PRZEKAS, A. J.

- CFD analysis of ejection seat escape systems
[SAE PAPER 921924] p 12 A94-11973
- A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- PRZYBYTKOWSKI, S. M.**
Advanced small high pressure ratio centrifugal compressor p 484 N94-34444
- PUNTE, LAURA**
The Blue Emu
[NASA-CR-195535] p 317 N94-24817
- PULSONETTI, M. V.**
Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532
- PUNCH, E. F.**
Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- PURAM, CHITH K.**
Desirable features of an infrared imaging system for aerodynamic research p 160 A94-12423
- PURCELL, T. E.**
Damage assessment in MMC composites using thermoplastic techniques p 142 A94-12993
- PYNE, C. R.**
Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826

Q**QIAO, XIN**

- The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356

QIU, DAMING

- Sinusoidal phase modulating in ESPI for vibration pattern measurement p 165 A94-12957

QU, BENHE

- Joined-wing model vibrations using PC-based modal testing and finite element analysis
[BTN-94-EIX94311329141] p 517 A94-60159

QUACKENBUSH, T. R.

- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070

QUAGLIAROLI, T. M.

- Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX94321333315] p 520 A94-60266

QUEALY, A.

- Turbomachinery CFD on parallel computers p 194 A94-10298

QUICK, H. A.

- Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilizers of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342

QUILL, LAURIE L.

- Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254

QUINN, PATRICK J.

- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle
[AD-A268741] p 122 N94-18401

QUINN, ROBERT D.

- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648

QUINTIERE, JAMES G.

- Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783

QUINTO, P. FRANK

- User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system
[NASA-TM-109027] p 44 N94-17639
- User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176
- Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual
[NASA-TM-4563] p 526 N94-35246
- Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust
[NASA-TP-3427] p 601 N94-37505

QUINTO, ROGER A.

- Evaluation of access/navigational features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744

QUIRK, ELENA

- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837

QURESHI, SHAHID P.

- Fire resistance and mechanical properties for phenolic prepreps p 145 N94-10786

R**RADCHENKO, V. N.**

- Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408

RADESPIEL, R.

- Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- Multigrad schemes for viscous hypersonic flows p 217 N94-21473

RADMARD, RAMA

- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade
[ISBN-0-315-84107-9] p 354 N94-26671
- Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320

RAFFIN, M.

- Control jets in interaction with hypersonic rarefied flow p 347 N94-28020

RAGSDALE, W. A.

- Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628

RAHMAN, S.

- Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647

RAINEY, THEODORE J.

- Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571

RAIS-ROHANI, MASOUD

- Wing design for a civil tiltrotor transport aircraft: A preliminary study p 327 N94-27917

RAISINGHANI, S. C.

- Parameter estimates of an aeroelastic aircraft as affected by model simplifications
[BTN-94-EIX94311329142] p 517 A94-60158

RAISSON, G.

- The control of cleanliness in powder metallurgy materials for turbine disks p 586 N94-37325

RAJAGOPAL, P.

- A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348] p 345 N94-27879

RAJAGOPAL, PAVAN

- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837

RALPH, J. A.

- Advanced control for airbreathing engines, volume 1: Pratt and Whitney
[NASA-CR-189203] p 101 N94-12270

RAMACHANDRAN, KRISHNA

- Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781

RAMACHANDRAN, N.

- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064

RAMAMOORTHY, P.

- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611
- SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615

RAMAMOORTHY, PREMALATHA

- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611

RAMAN, GANESH

- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- Development of phased twin flip-flop jets
[NASA-TM-106404] p 216 N94-20563

- Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274

- Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949

- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686

RAMAPRIAN, B. R.

- An experimental study of wing tip vortex in the near wake of a rectangular wing
[AD-A275389] p 377 N94-29306

RAMESH, C.

- PC based A320 quick access recorder readout facility
[PD-AL-9109] p 200 N94-13077

RAMESH, V.

- Panel codes for aerodynamic analysis at NAL p 35 N94-14617

RAMOS, J.

- An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight
[AD-A270201] p 215 N94-20486

RAMSBOTTOM, W.

- An evaluation of Compton scatter imaging using COMSCAN
[DREP-TM-93-38] p 278 N94-24136

RAMSEY, W. J.

- The use of simulation in RAF aircraft accident investigation p 53 A94-11366

RANALLI, MARGARET M.

- An evaluation of aircraft maintenance performance factors in the objective wing
[AD-A276010] p 419 N94-31362

RANEY, DAVID L.

- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113

RANGARAJAN, R.

- Panel codes for aerodynamic analysis at NAL p 35 N94-14617

RANKIN, C. C.

- Some computational tools for the analysis of through cracks in stiffened fuselage shells
[LR-701] p 175 N94-13726

RANKIN, JAMES M.

- A simulation of GPS and differential GPS sensors p 316 N94-27918

RAO, D. M.

- A study of roll attractor and wing rock of delta wings at high angles of attack p 337 N94-25111

RAO, DANTAM K.

- Development of passive superconducting bearings. Phase 3
[AD-A268050] p 169 N94-10706

RAO, GOPALAKRISHNA M.

- Handbook for handling and storage of nickel-cadmium batteries: Lessons learned
[NASA-RP-1326] p 347 N94-26613

RAO, K.

- Inclined air-jets used as vortex generators to suppress shock-induced separation p 298 N94-28040

RAO, K. V.

- Vane-blade interaction in a transonic turbine. Part 1: Aerodynamics
[BTN-94-EIX9432133305] p 516 A94-60037

RAO, N. S. V.

- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300

RAPP, H.

- Smart materials for helicopter rotor active control p 81 N94-11321

RAPPAPORT, STEPHEN S.

- Communications networks in stressed environments
[AD-A275967] p 446 N94-31384

RAPPAZ, M.

- The simulation of single crystal turbine blade solidification p 141 A94-10671

RASMUSSEN, ARTHUR N.

- PILOT - An intelligent distributed system manager
[AIAA PAPER 93-4474] p 195 A94-11411

RASMUSSEN, M. L.

- Computational analysis of off-design waveriders
[BTN-94-EIX94311329125] p 549 A94-60175

RASPET, RICHARD

- Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498

RASTOGI, NAVEEN

- Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell
[NASA-CR-195953] p 504 N94-34262

RATVASKY, THOMAS P.

- Close-up analysis of inflight ice accretion
[NASA-TM-106457] p 254 N94-23523

- RATVASKY, W. J.**
Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 N94-26573
- RAU, KARL F.**
An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0) [AD-A276251] p 435 N94-31290
- RAUSCH, RUSS DAVID**
Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877
- RAVI, R.**
Chine-shaped forebody effects on directional stability at high-alpha [BTN-94-EIX94401358961] p 579 A94-61617
Computational study of the F-5A forebody emphasizing directional stability [BTN-94-EIX94401358962] p 579 A94-61618
- RAWLINGS, R.**
Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
Experimental flight management system p 388 N94-29580
- RAWLS, JOHN, JR.**
ANOPP/VMS HSCT ground contour system p 511 N94-33492
- RAY, CHANDRA S.**
Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598
- RAY, RONALD J.**
Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients [NASA-TM-4591] p 535 N94-35241
- RE, RICHARD J.**
Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92 [NASA-TM-4488] p 39 N94-15681
Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap [NASA-TP-3385] p 217 N94-21569
- REBSTOCK, RUEDIGER**
The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 N94-27587
- REDA, DANIEL C.**
Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
Active thermal isolation for temperature responsive sensors [NASA-CASE-LAR-14612-1] p 552 N94-35074
- REDA, HELMUT**
An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945
- REDDY, C. SUBBA**
Aerodynamic heating in hypersonic flows p 296 N94-27919
- REDDY, N. N.**
New broadband shock noise model and computer code for ANOPP p 511 N94-33489
- REDDY, T. S. R.**
A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center [NASA-TP-3406] p 363 N94-28227
Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver [NASA-TM-105625] p 498 N94-32883
- REEB, SONIA**
Financial crisis in the aviation industry - France p 209 A94-13149
- REED, H. L.**
Curvature effects in three-dimensional boundary layers p 173 N94-12623
- REED, HELEN L.**
Annual review of fluid mechanics. Vol. 25 [ISBN 0-8243-0725-9] p 155 A94-10885
Streamline-curvature effect in three-dimensional boundary layers [SAE PAPER 921987] p 13 A94-12003
Transition correlations in three-dimensional boundary layers [BTN-94-EIX94301315968] p 547 A94-60004
Stability of hypersonic boundary-layer flows with chemistry p 21 N94-10451
- REEHORST, ANDREW L.**
Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 N94-23523
- REES, D.**
Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
- REEVES, J. M. L.**
The case for surface effect research, platform applications and technology development opportunities p 573 N94-36325
- REEVES, ROSS R.**
A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0) [AD-A278042] p 477 N94-33266
- REGAL, DAVID M.**
Synthetic vision display evaluation studies [NASA-CR-194963] p 603 N94-37658
- REGARDIE, MYRNA**
Cost and schedule estimation study report [NASA-CR-189344] p 558 N94-35256
- REHM, GEORG W.**
German-American relations in air traffic are to be criticized p 310 N94-28241
- REHMANN, ALBERT J.**
Airborne data link operational evaluation test plan [AD-A274096] p 312 N94-25788
- REICHERT, B. A.**
The effects of vortex ingestion on the flow in a diffusing S-duct [NASA-TM-106652] p 481 N94-33955
- REICHERT, BRUCE A.**
A study of the compressible flow through a diffusing S-duct [NASA-TM-106411] p 217 N94-21591
Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 N94-24335
Improving diffusing S-duct performance by secondary flow control [NASA-TM-106492] p 291 N94-25182
- REICHERT, FREDERICK W., JR.**
Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle [AD-A272499] p 224 N94-21548
- REICHERT, G.**
Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
- REICHERT, ROBERT T.**
Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
- REID, D. B.**
Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564
- REID, D. R.**
Selection criteria for plain and segmented finned tubes for heat recovery systems [BTN-94-EIX94311331076] p 588 A94-61102
- REID, L. D.**
A simulator investigation of helicopter flight control system mode transitions [UTIAS-348] p 345 N94-27879
- REIDINGER, MARK F.**
Exploring ODES as a tool for determining limits of achievable performance in aircraft design [AD-A275359] p 391 N94-28998
- REIF, ANDREW**
An agility metric structure for operational agility p 534 N94-34629
CC-130H(T) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- REIFSNIDER, K. L.**
The 6th Japan-U.S. conference on composite materials [AD-A268535] p 152 N94-18630
- REIGELSPERGER, WILLIAM C., JR.**
Direct reduced order mixed H2/H infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD) [AD-A278675] p 540 N94-35796
- REINA, F.**
Maritime applications and helicopter technology p 2 A94-12045
- REINHARDT, JOHN W.**
Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- REINSBURG, JAMES G.**
A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034
- REISS, EDWARD L.**
Sound radiation and caustic formation from a point source in a wall shear layer [BTN-94-EIX94421374956] p 599 A94-61854
- REITZ, R. D.**
Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 [NASA-CR-191189] p 103 N94-14448
- REMONDI, BENJAMIN**
Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers [AD-A278152] p 469 N94-33095
- REMONDI, BENJAMIN W.**
Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system [AD-A276160] p 431 N94-31080
- REMSBERG, ELLIS E.**
Stratospheric models and measurements: A critical comparison p 506 N94-33457
- RENAUD, J.**
The convertible (helicopter/airplane) EUROFAIR: General considerations on the technical progress and on future advances p 574 N94-36331
- RENDZIO, ROBERT J.**
Army aircraft fire-detection systems operation and reliability [AD-A271327] p 219 N94-20912
- RENIER, O.**
Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- RENIERI, MICHAEL P.**
Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860
- RENNICH, PATRICK K.**
Further development and flight test of an autonomous precision landing system using a parafoil [NASA-TM-4599] p 465 N94-33995
- RENZONI, P.**
Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- RESHOTKO, ELI**
Tesseract supersonic business transport p 322 N94-25713
- RESSLER, H.**
Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655
- RETTIG, K.**
Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413
- REUTER, JAMES D.**
Radially constructed cruciform parachute [CA-PATENT-1323021] p 252 N94-24182
- REVERCOMB, H. E.**
CIMSS FIRE research activities p 242 N94-22307
- REYNA, VINCENT P.**
Automation of formation flight control [AD-A274137] p 340 N94-27132
- REYNOLDS, A. P.**
Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- REYNOLDS, ODELL R.**
Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory [AD-A274057] p 338 N94-25771
- REYNOLDS, R. S.**
The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658
- REYNOLDS, THOMAS L.**
Aircraft cabin water spray disbenefits study [NASA-CR-194750] p 220 N94-21818
- REYNOLDS, W. C.**
Turbulent reacting flows and supersonic combustion [AD-A277462] p 496 N94-33242
- RHEE, IN-SIK**
Status of developing a multifunctional aviation grease [AD-A276755] p 443 N94-32184
- RHIE, C. M.**
Advanced transonic fan design procedure based on a Navier-Stokes method [BTN-94-EIX94311330095] p 587 A94-61063
- RHODES, BRIAN T.**
Applications of a model to predict flame spread over interior finish materials in a compartment p 144 N94-10783
- RIAAH, A.**
Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- RICCARDI, G.**
Technology rigs: A tool for afterburner development p 397 N94-29270
- RICCI, SERGIO**
Active flutter suppression techniques in aircraft wings p 110 A94-12613
- RICCIARDI, ANDREA**
Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258

RICE, EDWARD J.

- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing
[NASA-TM-106364] p 34 N94-14208
- Supersonic jets from bevelled rectangular nozzles
[NASA-TM-106403] p 51 N94-19484
- Development of phased twin flip-flop jets
[NASA-TM-106404] p 216 N94-20563
- Instability modes excited by natural screech tones in a supersonic rectangular jet
[NASA-TM-106409] p 218 N94-22274
- Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949
- Mixing and noise-benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686

RICE, R.

- Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647

RICHARD-FOY, MARC

- Ada multiple-programming for hard real time applications in space systems p 368 N94-26730
- Ada run time system certification for avionics applications p 394 N94-29332

RICHARD, YVES

- What kind of evolution for the helicopter
p 1 A94-12041

RICHARDS, W. LANCE

- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648

RICHERSON, D. W.

- Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106

RICHTER, BRUCE A.

- Aircraft turbine engine reliability and inspection investigations
[AD-A274860] p 332 N94-26176

RICHTER, P.

- Development of active control technology in the rotating system, flight testing and theoretical investigations
p 108 A94-12099

RICKETTS, RODNEY H.

- Experimental aeroelasticity in wind tunnels - History, status, and future in brief p 130 A94-12692

RICKLEY, EDWARD J.

- Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599
- Helicopter Noise Model (HNM) version 2.2 (user's guide)
[AD-A277072] p 452 N94-32418

RIDDELL, ROSS

- Design implementation and testing of a Helicopter Integrated Navigation System (HINS) p 64 A94-12564

RIDDLE, B. F.

- Aperture excitation of electrically large, lossy cavities
[PB94-145711] p 447 N94-31683

RIDDLE, G. L.

- Control of leading-edge separation on a cambered delta wing p 539 N94-34616

RIDENOUR-BENDER, MARGARET

- Aircraft turbine engine reliability and inspection investigations
[AD-A274860] p 332 N94-26176

RIEDELBAUCH, S.

- Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771

RIESTER, PETER

- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915

RIESTER, PETER J.

- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems
[AD-A268748] p 46 N94-18402

RIGLEY, JACK

- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902

RIHA, DAVID S.

- Recent advances in computational structural reliability analysis methods p 239 N94-22616

RIKS, E.

- Some computational tools for the analysis of through cracks in stiffened fuselage shells
[LR-701] p 175 N94-13726

RILEY, DAVID R.

- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
[AD-A273685] p 321 N94-25440

- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set
[AD-A273913] p 321 N94-25590

- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961

- Flying qualities evaluation maneuvers
p 533 N94-34623

RILEY, DONALD R.

- Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602

RINGEBACH, PAULA

- Unleaded AVGAS program
[AD-A278650] p 547 N94-35795

RINOIE, K.

- Experimental studies of vortex flaps and vortex plates
[BTN-94-EIX94311329122] p 518 A94-60178

RINOIE, KENICHI

- Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454

- Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059

RINSLAND, CURTIS P.

- High resolution infrared datasets useful for validating stratospheric models p 506 N94-33461

RISINGER, CHARLES W.

- Halon 1211 replacement agent
evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385

RITCHIE, R. O.

- Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223

RITTER, RICHARD D.

- Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550

RIVERA, FRANCISCO

- The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017

RIVERA, JORGE E.

- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956

- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 N94-33423

RIVERA, JOSE A., JR.

- Physical properties of the benchmark models program
supercritical wing
[NASA-TM-4457] p 85 N94-15722

RIVERA, SALVADOR, JR.

- Environmental characterization for target acquisition. Report 1: Site descriptions and measurements
[AD-A267192] p 191 N94-15851

RIVERS, ROBERT A.

- NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task
[BTN-94-EIX94351137057] p 544 A94-60397

- Preliminary piloted simulation studies of the HL-20 lifting body
[BTN-94-EIX94401358972] p 583 A94-61628

RIZHI, LIU

- The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942

RIZZI, STEPHEN A.

- Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856

RIZZO, DEAN H.

- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct
[AD-A278903] p 553 N94-35803

ROARK, CHUCK

- Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658

ROBERGE, PIERRE

- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND
[DSIS-93-00343] p 508 N94-33335

ROBERT, WILLIAM E.

- Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
[PB94-151941] p 513 N94-34380

ROBERTAZZI, T. G.

- Communications networks in stressed environments
[AD-A275967] p 446 N94-31384

ROBERTS, G. T.

- Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532

ROBERTS, L.

- Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643
- Research and training activities of the Joint Institute for Aeronautics and Acoustics
[NASA-CR-194742] p 188 N94-19493
- Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029

ROBERTS, MICHAEL L.

- Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590

ROBERTS, P. R.

- Powder metallurgy of advanced titanium alloys
p 141 A94-10660

ROBERTS, RON

- Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498

ROBERTSON, A.

- Effect of pressure on second-generation pressurized fluidized bed combustion plants
[BTN-94-EIX94311331067] p 589 A94-61111

ROBERTSON, J. G.

- Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655

ROBIN-JOUAN, PHILIPPE

- Two dimensional simulation of the electric arc behavior in a cut-off device
[ECL-92-41] p 233 N94-20595

ROBINSON, BRIAN A.

- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver p 47 N94-18422

ROBINSON, G. N.

- Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572

ROBINSON, JAMES C.

- Preliminary structural evaluation and design of the HL-20
[BTN-94-EIX94351137060] p 545 A94-60400

ROBINSON, JAY

- On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350

ROBINSON, LEICK D.

- Sonic boom propagation through turbulence: A ray theory approach p 301 N94-28192

ROBINSON, MICHAEL

- Unsteady separated flows: Empirical model and control
[AD-A267282] p 37 N94-14959

ROBINSON, O.

- Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
- Control of leading-edge vortices on a delta wing p 524 N94-34971

ROBINSON, P. A.

- The relationship of an integral wind shear hazard to aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593

ROBINSON, R. C.

- NASA Lewis Research Center lean-, rich-burn materials test burner rig
[NASA-CR-194437] p 343 N94-26141

ROBINSON, RAYMOND C.

- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267

ROCHE, MICHAEL T.

- A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet
[AD-A274012] p 371 N94-25796

ROCHEFORT, MICHAEL A.

- Halon 1211 replacement agent
evaluation-perfluorohexane and halotron I
[AD-A278194] p 499 N94-33385

ROCK, S. M.

- Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643

ROCK, STEPHEN M.

- Active control for fin buffet alleviation
[AD-A276844] p 437 N94-32224

- ROCKWELL, D.**
Laser-scanning particle image velocimetry applied to a delta wing in transient maneuver p 154 A94-10521
Control of leading-edge vortices on a delta wing p 524 N94-34971
- ROCKWELL, DONALD O.**
Unsteady structure of leading-edge vortices on a delta wing [AD-A278988] p 526 N94-35529
- RODGERS, COLIN**
Compact diffusers for small transonic compressors p 485 N94-34449
- RODGERS, MARK D.**
SATORI: Situation Assessment Through the Re-creation of Incidents [DOT/FAA/AM-93/12] p 138 N94-12567
An examination of the operational error database for air route traffic control centers [AD-A275986] p 256 N94-24472
- RODGERS, WILLIAM G., JR.**
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control [NASA-TP-3399] p 529 N94-36048
- RODRIGUEZ, J. M.**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- RODRIGUEZ, JUAN C.**
The development of a horizontal impact sled facility and subsequent crashworthiness experiments [NIAR-93-15] p 343 N94-26200
- RODRIGUEZ, KATHLEEN**
Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964
- RODVOLD, MICHELLE**
The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744
- ROEDE, B.**
A novel near-range radar network for airport surface control p 389 N94-29586
- ROELOFS, DARRELL D.**
Automatic, real-time fault monitor verifying network in a microwave landing system [CA-PATENT-1325261] p 314 N94-27275
- ROESCH, WINFRED**
GPS/GNSS for ATM p 385 N94-29565
- ROGERS, CLAIBORNE**
Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479
- ROGERS, H. E.**
Engine characteristics for agile aircraft p 538 N94-34608
- ROGERS, JAMES L., JR.**
Ordering design tasks based on coupling strengths [NASA-TM-109137] p 602 N94-37762
- ROGERS, L. C.**
Metals 2000 [DE93-016761] p 151 N94-17752
- ROGERS, L. H.**
Performance calculations and research direction for a water enhanced regenerative gas turbine cycle [DE93-019866] p 237 N94-21983
- ROGERS, STUART E.**
Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- ROGLIN, R. L.**
Smart airfoils for helicopter control p 77 A94-12237
- ROHLF, D.**
X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619
- ROHN, DOUGLAS A.**
Vibration Isolation Technology (VIT) ATD project [NASA-TM-106496] p 455 N94-33064
- ROJAS, LOU**
Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228
- ROJAS, R. G.**
Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers [NASA-CR-193569] p 66 N94-11525
- ROJOS-OVIEDO, RUBEN**
Modification of ACSYNT aircraft computer program for preliminary design [NASA-CR-195737] p 390 N94-28817
- ROLFE, J. M.**
The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- ROLLET, PHILIPPE**
EUROFAR simulation trials on EPOPEE simulator p 77 A94-12097
- ROMANOV, V. I.**
Mashproekt scientific and production association: A designer of gas turbines for marine and industrial applications [BTN-94-EIX94311331079] p 588 A94-61099
- ROMANS, J.**
The use of EH101 Development Cockpit Simulator for pilot assessment p 72 A94-11364
- ROMNES, PAUL**
Ceramic blanket reduces maintenance costs p 98 A94-11849
- RONAGHI, M.**
High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195292] p 363 N94-28181
- RONZHEIMER, A.**
Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- ROOS, FREDERICK W.**
Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control p 341 N94-28028
- ROQUEMORE, W. M.**
Numerical method for simulating fluid-dynamic and heat-transfer changes in jet-engine injector feed-arm due to fouling [BTN-94-EIX94351142133] p 537 A94-60426
Research and development of high thermal stability fuels p 405 N94-29261
Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments p 405 N94-29262
- ROSCHAK, EDMUND**
Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228
- ROSE, JIM**
HSR high lift research program: Status and plans p 461 N94-33521
- ROSE, WILLIAM C.**
Numerical investigations in three-dimensional internal flows [NASA-CR-194594] p 180 N94-15551
- ROSEN, A.**
Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286
- ROSENFELD, M.**
Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- ROSFJORD, T. J.**
Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269
Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- ROSKAM, JAN**
A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes p 323 N94-25714
- ROSENER, DANIEL E.**
Research on chemical vapor deposition processes for advanced ceramic coatings [NASA-CR-193613] p 148 N94-13089
- ROSS, A. JEAN**
Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
- ROSSANO, CHRISTOPHER**
Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380
- ROSSI, UGO**
Operational agility assessment with the AM-X aircraft p 534 N94-34626
- ROSSING, T. D.**
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-00954] p 171 N94-11607
- ROSSMANN, S.**
The simulation of single crystal turbine blade solidification p 141 A94-10671
- ROSSO, M.**
New high-efficiency heavy-duty combustion turbine 701F [BTN-94-EIX94311331073] p 588 A94-61105
- ROSSOW, C.-C.**
Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428
- ROSSOW, VERNON J.**
Lift enhancement by trapped vortex p 462 N94-33524
- ROST, ROBERT W.**
Adaptive structural control and isolation of simple structural members p 62 A94-12533
- ROSTAND, P.**
Local aerothermal problems during Hermes re-entry p 21 N94-10464
- ROTEA, MARIO A.**
Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384
- ROTH, KARLIN R.**
Transitional flight characteristics of a geometrically simplified STOVL model p 328 N94-28035
- ROTHMAYER, A. P.**
Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- ROUDAKOV, A.**
Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features p 398 N94-29295
Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301
- ROUND, WILLIAM H.**
V-22: Dual-use technology or red herring? [AD-A276577] p 434 N94-32058
- ROUNDY, LANCE M.**
Development of thermoplastic composite aircraft structures [NASA-CR-189593] p 492 N94-32860
- ROWAN, M. J.**
Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278
- ROWE, BRIAN H.**
Aviation: The timeless industry p 289 N94-25068
- ROWE, W. J.**
An electronic imaging system for the Aeroballistic Research Facility [AD-A267157] p 181 N94-15826
- ROWSON, S.**
Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- ROYSTER, D. M.**
Retained mechanical properties of a new Al-Li-Cu-Mg-Ag alloy as a function of thermal exposure time and temperature [BTN-94-EIX94301320164] p 546 A94-60873
- ROZHDESTVENSKI, M. G.**
Investigations of helicopter tail rotor loading in hovering turns p 78 A94-12248
- RUEB, JUSTIN D.**
Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2 [AD-A265193] p 67 N94-11879
- RUEGER, M.**
Transonic wall interference corrections for small wind tunnels p 125 A94-10416
- RUETTINGER, A.**
The process network in the design and manufacturing of aircraft p 259 N94-24319
- RUFFIN, STEPHEN MERRICK**
Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-31958
- RUFFLES, PHILIP**
The RB211: The first 25 years [PNR-90977] p 264 N94-23570
- RUGH, WILSON J.**
Gain scheduling for H-infinity controllers - A flight control example p 106 A94-10281
- RUHL, BILL**
The increasing role of communication satellites in commercial aircraft operations [SAE PAPER 921920] p 61 A94-11970
- RUIJGROK, G. J. J.**
Noise measurements on two types of airplanes used for spraying in agriculture [LR-706] p 92 N94-19796
- RULEV, I.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- RUMMEL, WARD D.**
Implementation of NDE technology on flight structures p 163 A94-12673
- RUMMELMANN, U.**
Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602
- RUND, BERTON B.**
Tanker system and technology requirements definition: A tanker technology road map p 575 N94-36344
- RUOKANGAS, CORINNE**
Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063
- RUSAK, ZVI**
Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191

RUSS, STEPHAN M.

Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650

RUSSELL, PATRICK

An investigation of the surge behavior of a high-speed ten-stage axial flow compressor [AD-A274910] p 332 N94-26345

RUSO, S. G.

Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311

RUSO, V.

Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447

RUST, S.

Effects of repair on structural integrity [PB94-143336] p 390 N94-28647

RUTLAND, C. J.

Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 [NASA-CR-191189] p 103 N94-14448

RYABININ, A. N.

Behavior of a cargo suspended under a helicopter p 71 A94-11041

RYAN, MICHAEL

Tesseract supersonic business transport p 322 N94-25713

RYAN, PAUL R.

Airline perspective on data link [SAE PAPER 922001] p 60 A94-11717

RYAN, THOMAS W., III

Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868

S

SAABAS, H. J.

Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462

SABOL, BRUCE

Environmental characterization for target acquisition. Report 1: Site descriptions and measurements [AD-A267192] p 191 N94-15851

SACCO, G. P.

Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127

SACHER, P. W.

Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316

SACHS, G.

Synthetic vision for enhancing poor visibility flight operations [BTN-94-EIX9433135531] p 557 A94-60212
Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329

SACHSE, WOLFGANG

Acoustic emission measurements of aerospace materials and structures p 162 A94-12665

SACKNOFF, S. M.

NASA SBIR abstracts of 1992, phase 1 projects [NASA-TM-109694] p 371 N94-27772

SADEGHI, T.

Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502

SADLER, PAMELA

Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines [AD-A272998] p 225 N94-21268

SADREHAGHIGHI, IDEEN

Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287

SAEGER, KEVIN J.

Effect of localized bending at through-flaws in pressurized composite cylinders p 159 A94-12346

SAGER, GARRETT L.

Aircraft wing structure detail design [NASA-CR-195485] p 262 N94-24498

SAGER, J.

Fuel injector design for high temperature aircraft engine p 396 N94-29263

SAGHAFI, JAHAN

VSAERO analysis of a Piper Cub aircraft p 85 N94-14616

SAHLIN, ALEXANDER

A low speed wind-tunnel with extreme flow quality - Design and tests p 128 A94-10445

SAHU, JUBARAJ

Applications of computational fluid dynamics to the aerodynamics of Army projectiles [BTN-94-EIX94311330678] p 516 A94-60113

A computational study of the base region flow field for the M865 projectile [ARL-TR-109] p 33 N94-13795

SAITO, KAZUO

Study on utilization of super clean, high vacuum space p 342 N94-25586

SAITO, SHIGERU

Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056

SAITO, TOSHIHITO

A study on heat transfer in a scramjet leading edge model [NAL-TR-11877] p 333 N94-27608

SAITO, Y.

Conceptual study of separated core ultrahigh bypass engine p 98 A94-10860

SAKAKIBARA, SEIZOU

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345

SAKAO, FUJIIHIKO

Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615

SAKKA, YOSHIO

Study on utilization of super clean, high vacuum space p 342 N94-25586

SAKURANAKA, NOBORU

A study on heat transfer in a scramjet leading edge model [NAL-TR-11877] p 333 N94-27608

SAKYA, ANDI EKA

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468

SALAZAR, JOSE

Urethane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry p 144 N94-10777

SALCUDEAN, M.

Non-isoenergetic inviscid slot flow p 303 N94-28333

SALE, R. S.

An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust p 127 A94-10440

SALKELD, RICHARD W.

Process enhancements of superalloy material p 585 N94-37324

SALMON, ROBERT

Aircraft high bypass fan engine performance [AD-A277722] p 478 N94-33443

SALT, JONATHAN G.

Seal assembly [CA-PATENT-1,312,888] p 277 N94-24128

SALTER, ROBERT M.

Future ultra-speed tube-flight p 555 N94-35918

SALVA, J.

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275

SALVETTI, A.

An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586

SALVETTI, M.-V.

Unstructured-grid algorithms for high-speed CFD analysis p 9 A94-10770

SAMAD, TARIQ

Neural networks as optimal nonlinear controllers - Concepts and flight control applications [AIAA PAPER 93-4615] p 197 A94-11499

SAMAVEDAM, G.

Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657

Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015

SAMIMY, MO

Expansion effects on supersonic turbulent boundary layers [AD-A278989] p 527 N94-35950

SAMOKHIN, V.

Engine's parameters complex optimization in aerospace systems [IAF PAPER 93-462] p 194 A94-11249

SAMPATH, K. S.

Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers [NASA-CR-193569] p 66 N94-11525

SAMPATH, P.

Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264

Low emission combustor technology for small aircraft gas turbines p 485 N94-34454

SAMPSON, ROBERT E.

Automated inspection of turbine blades: Challenges and opportunities [AIAA PAPER 94-1226-CP] p 450 N94-30575

SAMPSON, WILLIAM T.

Analysis of vertiport studies funded by the Airport Improvement Program (AIP) [SCT-93RR-21] p 583 N94-37424

SAMPSON, WILLIAM T., III

Roof-top emergency heliports [AD-A278872] p 402 N94-29754

SAMUEL, C.

Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft [AD-A271322] p 211 N94-19571

SAMUELS, DAVID C.

Superfluid turbulence p 172 N94-12307

SAMUELSEN, G. S.

Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271

SANCHEZ, GONZALO

Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks [PB94-151941] p 513 N94-34380

SANDERS, BOBBY W.

Transonic airframe propulsion integration p 480 N94-33507

SANDFORD, MAYNARD C.

Steady pressure measurements on an Aeroelastic Research Wing (ARW-2) [NASA-TM-109046] p 374 N94-28658

SANDHOLM, RONALD G.

Analysis and surveillance performance at Chicago O'Hare Airport [DOT/FAA/RD-92/29] p 256 N94-24127

SANDLIN, DORAL

Preliminary design of nine high speed civil transports p 322 N94-25710

SANDLIN, DORAL R.

Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics [NASA-CR-195228] p 324 N94-26235

SANFORD, BEVERLY

Dervier TMA assessment [NASA-CR-4554] p 59 N94-18844

SANGER, NELSON L.

Design of a low aspect ratio transonic compressor stage using CFD techniques [NASA-TM-106636] p 481 N94-33971

SANI, ROBERT L.

Modeling and new equipment definition for the vibration isolation box equipment system [NASA-CR-193185] p 184 N94-17763

SANKAR, L. N.

Numerical study of the effects of icing on viscous flow over wings [NASA-CR-193306] p 29 N94-13180

SANKAR, LAKSHMI N.

Unsteady aerodynamic characteristics of a dual-element airfoil [BTN-94-EIX94401358968] p 565 A94-61624

SANTAMARIA, ODILLYN L.

Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481

SANTAVICCA, D. A.

Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036

The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor p 405 N94-29265

SANTORIello, G.

Aero-thermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems p 483 N94-34435

SARATHY, K. P.

Advanced transonic fan design procedure based on a Navier-Stokes method [BTN-94-EIX94311330095] p 587 A94-61063

SARATHY, SRIPRAKASH PARTHA

Advanced rotorcraft flight simulation: Model development, validation and parallel implementation p 80 N94-11056

SAREEN, ASHISH KUMAR

Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878

- SARGENT, NOEL B.**
Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF)
[NASA-TM-106357] p 58 N94-16520
- SARIC, WILLIAM S.**
Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- SARKAR, SUTANU**
Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- SARKOS, CONSTANTINE P.**
Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766
- SARNICO, S.**
Upgrading the Alenia flight test computing system
[AIAA PAPER 93-4606] p 196 A94-11496
- SARTER, NADINE R.**
Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- SASA, SHUICHI**
Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- SASSON, N.**
Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- SASSUS, PIERRE**
FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- SATO, TADASHI**
Effects of propeller on the turning flight of old fighters p 106 A94-10798
Effects of propeller on the turning of old fighters
[BTN-94-EIX94331135426] p 537 A94-60623
- SATOU, HIROSHI**
Idea of underground airplane p 82 N94-12630
- SATOU, MAMORU**
Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
- SATTERTHWAITE, CHARLES P.**
Testing Operational Flight Programs (OFPs) p 416 N94-29337
The maintenance of operational flight program
[AD-A276363] p 419 N94-31367
Technologies for avionics embedded computer systems
[AD-A276364] p 434 N94-31368
Testing Operational Flight Programs (OFP's)
[AD-A276361] p 432 N94-31387
- SAUER, H.**
The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
- SAUER, P.**
A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- SAUNDERS, JOHN D.**
Status of the variable diameter centerbody inlet program p 473 N94-33509
- SAUVAN, M.**
Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
- SAWADA, HIDEO**
Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347
- SAWYER, BRIAN M.**
Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- SAXENA, S. K.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday
[NAL-SP-9315] p 178 N94-14598
Hypersonic viscous flow computations p 35 N94-14612
- SAYRE, DAVID E.**
ETOPS and service ready standards and processes
[SAE PAPER 921919] p 53 A94-11969
- SCAVUZZO, R. J.**
Influence of aerodynamic forces in ice shedding
[BTN-94-EIX94401358967] p 564 A94-61623
- SCHACK, DAVID F.**
Optical surface contouring for non-destructive inspection of turbomachinery
[NASA-CR-195245] p 354 N94-26691
- SCHAENZER, GUNTHER**
Automatic control steps for aircraft taxi guidance p 388 N94-29584
- SCHAFFAR, M.**
Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050
Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
[ISL-CO-230/92] p 257 N94-23146
Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463
- SCHAFFNER, P. R.**
Description and availability of airborne Doppler radar data p 231 N94-20419
- SCHARPF, D. F.**
A new low speed wind tunnel for acoustic measurements p 124 A94-10407
- SCHARPF, DANIEL FRANCIS**
An experimental investigation of the sources of propeller noise due to turbulence ingestion p 205 N94-11057
- SCHAU, U. W.**
Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
- SCHELKER, BILL**
An introduction to structural models
[AD-A268151] p 202 N94-17429
- SCHETZ, JOSEPH A.**
Injection of bubbling liquid jets from multiple injectors into a supersonic stream
[BTN-94-EIX94321333316] p 520 A94-60267
- SCHIEHLEN, J.**
Two-axis camera platform for machine vision p 597 N94-36628
- SCHJVE, J.**
Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials
[PB94-126471] p 326 N94-26969
Multiple-site damage in aircraft fuselage structures
[LR-729] p 433 N94-31675
- SCHIMKE, D.**
The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- SCHIMMEL, C.**
Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- SCHIPPERS, K. A.**
Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility p 363 N94-28350
- SCHIRMER, ALBERTO W.**
Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability
[NASA-TM-4450] p 24 N94-10675
- SCHKOLNIK, GERARD S.**
Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106
- SCHLEICHER, DAVID R.**
Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 N94-26151
- SCHLEICHER, M.**
A simple and efficient solution for the Riemann problem p 155 A94-10749
- SCHLUNDT, DONALD W.**
Subsystem integration technology assessment methodology
[SAE PAPER 922006] p 197 A94-12010
- SCHLUTER, LARRY**
Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- SCHMID, G.**
Smart structures at Aastra Corporation p 146 N94-11326
- SCHMID, SCOTT J.**
Analysis of the effect of heat strips on boundary layer development over a flat plate
[SAE PAPER 921923] p 12 A94-11972
- SCHMIDT, D. K.**
A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization
[NASA-CR-195703] p 347 N94-27789
- SCHMIDT, HORST**
GPS/GNSS for ATM p 385 N94-29565
- SCHMIDT, MICHAEL L.**
AerMet 100 Alloy for landing gear applications - A summary of forging studies
[SAE PAPER 922041] p 142 A94-12031
- SCHMIDT, PHILLIP H.**
Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft
[NASA-TM-106265] p 112 N94-11251
Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414
- SCHMIDT, W.**
Smart structures: A technology for next generation aircraft p 81 N94-11318
Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340
Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316
- SCHMIED, J.**
Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911
- SCHMISSEUR, J. D.**
Fluctuating wall pressures near separation in highly swept turbulent interactions
[BTN-94-EIX94421374958] p 563 A94-61856
An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction
[AD-A268394] p 44 N94-17461
- SCHMISSEUR, JOHN D.**
Advanced diagnostics research for high speed aerodynamic testing
[SAE PAPER 922007] p 158 A94-12011
- SCHMITT, V.**
Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607
- SCHMITZ, FREDRIC H.**
Boundary layer control device for duct silencers
[NASA-CASE-ARC-12030-1] p 417 N94-29362
- SCHNEBERK, D. J.**
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
- SCHNEIDER, FRED B.**
Refinement for fault-tolerance: An aircraft hand-off protocol
[AD-A278004] p 315 N94-27768
- SCHNEIDER, J. W.**
Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials
[DE94-010105] p 584 N94-36474
- SCHNEIDER, M.**
A novel near-range radar network for airport surface control p 389 N94-29586
- SCHNEIDER, STEVE**
High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268
- SCHNEIDER, STEVEN P.**
Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3
[NASA-CR-194359] p 131 N94-12824
Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles
[NASA-CR-194857] p 250 N94-23625
- SCHNEIDEWIND, NORMAN F.**
Applying reliability models to the maintenance of Space Shuttle software p 199 N94-11434
- SCHNIEDER, GEORGE**
Cockpit control system
[NASA-CR-195488] p 336 N94-24957
Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969
- SCHOBERT, H. H.**
Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels
[AD-A265842] p 147 N94-12282
Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- SCHOEVEERS, HARRY**
Civil application of helicopters p 1 A94-12042
- SCHOFIELD, B. E.**
Current and future design methods for large transport aircraft p 261 N94-24324
- SCHOFIELD, R. J.**
Advanced flow properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901
- SCHOLLAERT, H.**
Smart structures at Aastra Corporation p 146 N94-11326
- SCHRAM, HENRY A.**
Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232
- SCHRAEGE, D. P.**
Aeroelastic analysis of rotor blades with flap control p 78 A94-12244
- SCHRAM, M. W.**
High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimvec programming system
[ETN-94-95035] p 313 N94-26539

SCHRECK, STEFAN

Control of jet noise
[NASA-CR-193612] p 205 N94-11176

SCHREINER, WILLIAM S.

Error analysis of real time and post processed or bit
determination of GFO using GPS tracking
[NASA-CR-193646] p 67 N94-13238

SCHREUR, BARBARA

Evaluation of the efficiency and fault density of software
generated by code generators p 284 N94-24445

SCHRIEKEN, J.

Steam plant: Steam turbines for combined cycles
p 362 N94-28085

SCHROEDER, D. J.

Maintaining vigilance on a simulated ATC monitoring task
across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933

SCHROEDER, JEFFERY A.

Improvements in hover display dynamics for a combat
helicopter p 118 N94-13310

SCHROEDER, JOHANNES

Landing of an unmanned helicopter on a moving
platform. High accuracy navigation and tracking
p 576 N94-36618

SCHROTH, A.

A novel near-range radar network for airport surface
control p 389 N94-29586

SCHUBERT, M.

Contributions of DLR to air traffic capacity enhancement
within a terminal area p 385 N94-29567
DLR's ATM demonstration programme
p 386 N94-29575

SCHUDT, E. E.

Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976

SCHUEPP, PETER

Structural analysis of airborne flux estimates over a
region
[HTN-94-00748] p 609 A94-62441

SCHULTZ, J. L.

Aerothermochemical calculations in afterburners
p 396 N94-29258

SCHULTZ, KLAUS-J.

Model tail rotor noise study in the DNW - Measured
acoustics, blade pressures, noise predictions
p 203 A94-12052

SCHULTZ, ROBERT L.

Advanced air traffic control and flight management
system concepts p 387 N94-29576

SCHULTZE, JOHN F.

Adaptive structural control and isolation of simple
structural members p 62 A94-12533

SCHULZ, KAI

A learning autopilot for automatically controlled robust
regulation
[ETN-93-95075] p 123 N94-19711

SCHULZ, WILLIAM

Analysis of deposit precursors in jet fuels using Fourier
transform infrared spectroscopy
[AD-A269035] p 152 N94-18489

SCHUMANN, ROBIN

The evaluation of ASOS for the Kennedy Space Center's
Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271

SCHUMANN, U.

On the effect of emissions from aircraft engines on the
state of the atmosphere p 414 N94-29247

SCHWAB, CARL

Cooperative Area Passive Tracking Systems (CAPTS)
p 63 A94-12558

SCHWAB, S. T.

Ignition delays, heats of combustion, and reaction rates
of aluminum alkyl derivatives used as ignition and
combustion enhancers for supersonic combustion
[NASA-CR-189581] p 493 N94-32858

SCHWAMBORN, D.

Development of a general purpose multigrid accelerated
Navier-Stokes solver p 179 N94-14613

SCHWANTES, S.

Investigations on aluminium-lithium alloys for damage
tolerant application p 142 N94-10023

SCHWANTJE, ROBERT

Earth Observing System/Advanced Microwave
Sounding Unit-A (EOS/AMSU-A) software management
plan
[NASA-CR-189362] p 596 N94-36919

SCHWARTZ, ALAN W.

Tipjet 80-inch model rotor hover test: Test no. 1198
[AD-A279680] p 567 N94-36261

SCHWENK, F. C.

NASA SBIR abstracts of 1992, phase 1 projects
[NASA-TM-109694] p 371 N94-27772

SCHWENTERLY, S. W.

Operation of a test bed axial-gap brushless dc rotor
with a superconducting stator
[DE93-019167] p 236 N94-21830

SCHWIESOW, R.

A technique to account for the misalignment of
pyranometers installed on aircraft p 159 A94-12290

SCORBATI, S.

Experimental evaluation of the EH101 tail rotor dynamics
in flight p 76 A94-12095

SCORER, F. J.

The role of the DRA advanced flight simulator for the
flight clearance of the VAAC Harrier experimental
system p 72 A94-11363

SCOTT, CARL D.

Wall catalytic recombination and boundary conditions
in nonequilibrium hypersonic flows - With applications
p 8 A94-10765

SCOTT, ELAINE P.

Development of methodologies for the estimation of
thermal properties associated with aerospace vehicles
p 358 N94-27920

SCOTT, ROBERT C.

Further studies using matched filter theory and
stochastic simulation for gust loads prediction
[NASA-TM-109010] p 82 N94-11587

A method of predicting quasi-steady aerodynamics for
flutter analysis of high speed vehicles using steady CFD
calculations
[NASA-TM-109009] p 82 N94-12850

A computer program to obtain time-correlated gust loads
for nonlinear aircraft using the matched-filter-based
method
[NASA-TM-109768] p 487 N94-33378

SCULLY, JOHN R.

NASA-JVA light aerospace alloy and structures
technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851

SEALS, ROBERT

Project report: Aircraft
[DE94-011759] p 596 N94-37155

SEE, DAVID W.

Large Aircraft Robotic Paint Stripping (LARPS) system
and the high pressure water process
p 168 N94-10623

SEGAL, A.

Post buckling behaviour of stiffened composite panels
loaded in cyclic compression and shear
p 279 N94-24260

SEGAL, H. M.

EDMS microcomputer pollution model for civilian airports
and Air Forces bases: User's guide, supplement A
[AD-A271596] p 240 N94-20948

SEGAL, LEON D.

Effects of checklist interface on non-verbal crew
communications
[NASA-CR-177639] p 528 N94-34915

SEGALMAN, I.

Reduction of NO(x) by fuel-staging in gas turbine
engines: A commitment to the future
p 406 N94-29272

SEHRA, ARUN K.

Advanced concepts for next generation small gas turbine
engine compressors p 484 N94-34443

SEIBERT, GEORGE L.

Laser velocimetry measurements of vortex flows on a
delta wing at Mach 1.9
[AD-A268596] p 44 N94-17609

SEIBLE, FRIEDER

NASTRAN modeling of flight test components for
UH-60A airloads program test configuration
[NASA-CR-193614] p 170 N94-10937

SEIDEL, DAVID A.

Steady pressure measurements on an Aeroelastic
Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658

SEIDEL, JONATHAN A.

A NASA Lewis comparative propulsion system
assessment for the High-Speed Civil Transport
p 479 N94-33477

SEIF, A. A.

Drag reduction of airplane fuselages through shaping
by the inverse method
[BTN-94-EIX94311329117] p 536 A94-60183

SEILER, MILTON R.

Infrared imaging of microwave sources
p 160 A94-12422

SEINER, J. M.

The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353

Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354

SEINER, JOHN M.

Fluid dynamics and noise emission associated with
supersonic jets p 204 A94-12394

NASA/LARC jet plume research p 478 N94-33468

SEKAR, R. R.

Experimental evaluation of oxygen-enriched air and
emulsified fuels in a six-cylinder diesel engine
[DE94-000907] p 237 N94-22391

SEKINE, HIDEO

Estimation of critical values and vibration characteristics
on supersonic delta wings. Part 2: Locally-stationary time
series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345

SELA, N.

Attachment methods in composite joints - analysis of
test results by controlled experiments method
p 271 N94-24269

SELBERG, BRUCE P.

Analysis of the effect of heat strips on boundary layer
development over a flat plate
[SAE PAPER 921923] p 12 A94-11972

SELLERS, W.

Local measurement of temperatures and
concentrations: A review for hypersonic flows
p 20 N94-10434

SELMIN, V.

Numerical simulation of the flow through a scramjet
engine p 100 N94-10425

SELOGIE, MARK L.

MMW technology for enhanced situation
awareness/enhanced vision systems
[SAE PAPER 921929] p 93 A94-11711

SELTZER, ROBERT M.

Application of current departure resistance criteria to
the post-stall manoeuvring envelope
p 533 N94-34622

SENAPATI, NAGA

Ultrasonic process for curing adhesives
[AD-A273175] p 348 N94-24788

SENICK, PAUL F.

A NASA Lewis comparative propulsion system
assessment for the High-Speed Civil Transport
p 479 N94-33477

SENS, A. S.

Implicit schemes for unsteady Euler equations on
triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204

SENSBURG, O.

Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006

SERAUDIE, A.

New testing techniques in the T2 cryogenic wind
tunnel p 126 A94-10420

SEREGELYI, J. S.

TEM cell safety report
[DREC-TN-93-9] p 269 N94-24123

SERIO, MICHAEL A.

A novel test method for fuel thermal stability
[AD-A265853] p 147 N94-12275

SERPA, JAMES N.

An analysis of operational suitability for test and
evaluation of highly reliable systems
[AD-A278573] p 530 N94-36184

SERRANZANA, RAY

A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972

SESTITO, SABRINA

Detecting topographical regions in digital terrain maps
[AD-A27889] p 240 N94-21453

SETH, SHASHI

Cockpit weather graphics using mobile satellite
communications p 273 N94-22775

SETTI, JOSE REYNALDO ANSELMO

Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423

SETTLES, G. S.

Laser interferometer skin-friction measurements of
crossing-shock-wave/turbulent-boundary-layer
ns
[BTN-94-EIX94421374974] p 593 A94-61872

SETTLES, GARY S.

Swept shock/boundary-layer interactions: Scaling laws,
flowfield structure, and experimental methods
p 180 N94-15197

SETZER, RONALD E.

Neural networks for dynamic flight control
[AD-A274089] p 338 N94-25785

SEVERANCE, KURT

Leading-edge vortex-system details obtained on F-106B
aircraft using a rotating vapor screen and surface
techniques
[NASA-TP-3374] p 249 N94-23512

Leading-edge vortex-system details obtained on F-106B
aircraft using a rotating vapor screen and surface
techniques
[NASA-TP-3374-VIDEO-SUPPL.] p 295 N94-27161

SEYBERT, A. F.

Experimental validation of finite element and boundary
element methods for predicting structural vibration and
radiated noise
[NASA-CR-4561] p 412 N94-29552

- SEYWALD, HANS**
Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
- SGASLIK, ACHIM**
Planning German Army helicopter maintenance and mission assignment
[AD-A280483] p 564 N94-37352
- SHAFER, MARY F.**
Extraction of stability and control derivatives from orbiter flight data
[NASA-TM-4500] p 24 N94-10707
Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- SHAH, BHARAT M.**
Advanced textile applications for primary aircraft structures p 496 N94-33135
- SHAL'MAN, E. YU.**
Calculation of discontinuous solutions for boundary layer equations p 18 A94-12889
Using the boundary layer theory for calculating separated flows p 19 A94-12894
- SHALEV, D.**
Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- SHAMOLIN, M. V.**
Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment p 165 A94-13144
- SHANAHAN, DENNIS F.**
Basic principles of helicopter crashworthiness
[AD-A267099] p 57 N94-15637
Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- SHANG, JOSEPH S.**
Computation of nonequilibrium hypersonic flowfields around hemisphere cylinders
[BTN-94-EIX94351142135] p 521 A94-60428
- SHANKAR, P. N.**
Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday
[NAL-SP-9315] p 178 N94-14598
- SHANKS, G. T.**
The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system p 72 A94-11363
- SHANNON, JENIFER M.**
An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator
[AD-A271769] p 242 N94-20926
- SHANNON, SAMUEL G.**
Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits
[AD-A273250] p 306 N94-25141
Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps
[AD-A277121] p 427 N94-32363
- SHAPIRO, A. B.**
Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316
Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842
- SHARKEY, THOMAS J.**
Measures for simulator evaluation of a helicopter obstacle avoidance system p 131 N94-11535
- SHARMA, OM**
Program to develop a performance and heat load prediction system for multistage turbines
[NASA-CR-195223] p 332 N94-26588
- SHARMAN, R. D.**
Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725
- SHATTIL, STEVE**
A comparison of GPS broadcast and DMA precise ephemerides p 429 N94-30660
- SHAUGHNESSY, JOHN D.**
Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- SHAW, A. H.**
The use of EH101 Development Cockpit Simulator for pilot assessment p 72 A94-11364
- SHAW, A. L.**
Frameworks for integrated airframe design p 259 N94-24318
- SHAW, J. A.**
Generation and analysis of hybrid structured/unstructured grids
[ARA-MEMO-365] p 198 N94-10893
SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859
The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888
- SHCHERBAK, V. G.**
A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation p 18 A94-12795
- SHEA, DAN**
Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228
- SHEARER, VICKI M.**
Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412
- SHEEHE, DAVID B.**
Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy
[AD-A269035] p 152 N94-18489
- SHEINBERG, HASKELL**
Processing yttrium barium copper oxide superconductor in near-zero gravity
[BTN-94-EIX94311332378] p 550 A94-60951
- SHEINMAN, Y.**
Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- SHELDON, DAVID**
Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- SHELDON, DAVID W.**
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser
[NASA-TM-106311] p 268 N94-23091
Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- SHELLEY, S. J.**
Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- SHEN, CHUN-LIN**
Robust variable structure flight control system p 488 N94-34327
Aircraft optimal variable structure control system p 488 N94-34328
H infinity optimal design of robust flight control system p 489 N94-34330
Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design p 508 N94-34370
- SHEN, WEN-ZHONG**
Multidomain method for several bodies in relative motion
[BTN-94-EIX94401367452] p 563 A94-61785
- SHENG, YIXING**
The application of simulation in aero-reliability engineering p 153 A94-10102
Monte Carlo simulation of commercial aircraft reliability p 193 A94-10103
- SHEPHERD, ALAN**
Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- SHEPHERD, KEVIN P.**
Sonic boom acceptability studies p 512 N94-33500
- SHEPPARD, JOHN C.**
The radiocarbon hydroxyl technique p 414 N94-28600
- SHER, E.**
The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- SHERBAUM, VALERY**
Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- SHI, JUN**
Finite element analysis of lift build-up due to aerofoil indicial motion p 12 A94-11922
- SHI, WEIMIN**
Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300
- SHIA, R.-L.**
Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572
- SHIAO, MICHAEL C.**
Design for cyclic loading endurance of composites
[NASA-TM-106407] p 187 N94-19351
Quantification of uncertainties in the performance of smart composite structures
[NASA-TM-106335] p 188 N94-20171
Probabilistic assessment of smart composite structures
[NASA-TM-106358] p 351 N94-25188
- SHIAO, MICHAEL E.**
Probabilistic assessment of composite structures
[NASA-TM-106368] p 234 N94-21757
- SHIB, C.**
Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- SHIBUYA, KAZUO**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- SHIELDS, ELWOOD W.**
Design and analysis of low boom concepts at Langley Research Center p 510 N94-33470
- SHIGEMI, MASASHI**
New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860
- SHIH, C.**
Unsteady flow past a NACA 0012 airfoil pitching at constant rates
[AD-A265159] p 27 N94-11889
- SHIH, CHIANG**
Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970
- SHIKANO, YOSHIO**
Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356
- SHIMA, EIJI**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model
[PAPER-2D-4] p 22 N94-10470
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model
[PAPER-2D-5] p 22 N94-10471
Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- SHIMOMURA, TAKASHI**
Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- SHIN, JAIWON**
Prediction of ice shapes and their effect on airfoil drag
[BTN-94-EIX94311329115] p 519 A94-60185
Characteristics of surface roughness associated with leading edge ice accretion
[NASA-TM-106459] p 249 N94-23522
Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- SHIN, YOUNG S.**
Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993
[AD-A278859] p 527 N94-35826
- SHINGLEDECKER, CLARK A.**
Controller evaluations of ATC Data Link services
[SAE PAPER 922027] p 61 A94-11724
- SHINGUO, HIROKIMI**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- SHIRAIISHI, HARUKI**
Study on utilization of super clean, high vacuum space p 342 N94-25586
- SHIRAIISHI, SHIGEYUKI**
A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- SHIRK, FRANK J.**
A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034
- SHNURER, STEVE**
Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- SHOOMAN, MARTIN L.**
A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields
[NASA-CR-194895] p 468 N94-33956
- SHOOSMITH, JOHN N.**
Introduction to the LaRC central scientific computing complex
[NASA-TM-104092-REV-1] p 243 N94-22100

SHOPE, FREDERICK L.

Conjugate conduction-convection heat transfer with a high-speed boundary layer
[BTN-94-EIX94311330652] p 549 A94-60139

SHRIVASTAVA, S. K.

Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125

SHRIVASTAVA, SANTOSH K.

Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571] p 196 A94-11477

SHUART, M. J.

Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101

SHUART, MARK J.

Composite fuselage shell structures research at NASA Langley Research Center p 494 N94-33124
Technology integration box beam failure study p 494 N94-33126

SHUBIN, E. B.

A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe p 18 A94-12892

SHUCHMAN, R. A.

Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427

SHUKLA, JAY G.

Advanced textile applications for primary aircraft structures p 496 N94-33135

SHULL, R. N.

Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892

SHUMAKER, GERALD C.

Early manufacturing considerations in design p 259 N94-24315

SHUMAKER, RANDY

A study of navigation in virtual space p 470 N94-34026

SIBERT, JOHN L.

A study of navigation in virtual space p 470 N94-34026

SICLARI, MICHAEL J.

Sonic boom predictions using a modified Euler code p 510 N94-33474

SIDDIQI, SHAHID

COINS: A composites information database system p 494 N94-33123

SIDDIQUI, SARFRAZ A.

New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767

SIEG, R. M.

New technique for oil backstreaming contamination measurements p 227 N94-20511

SIEGEL, M. W.

Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572

SIEMER, ANDREAS

Stability model of the atmosphere p 190 N94-11500

SIENKO, TANYA

Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603

SIERON, THOMAS R.

Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779

SIGELMANN, M.

A laboratory study of multiple site damage in fuselage lap splices [PB94-151230] p 432 N94-31078

SIKES, GREGORY D.

Integrated technologies in aircraft design optimization p 79 A94-12612

SILET, JOEL

Specifications of auxiliary power units for conformity with helicopter turboshaft engines p 484 N94-34441

SILVA, KEVIN

Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343

SILVA, M.

An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight [AD-A270201] p 215 N94-20486

SILVA, WALTER A.

Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722

Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory p 337 N94-25112

SIM, ALEX G.

Further development and flight test of an autonomous precision landing system using a parafoil [NASA-TM-4599] p 465 N94-33395

SIM, BEN WEL-C.

Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523

SIMARD, S.

Development of the Laser-based R/D Test-bed System (LTS) p 182 N94-16080

SIMITSES, GEORGE J.

Design of scaled down structural models p 605 N94-37797

SIMKIN, TOM

Terrestrial volcanism in space and time p 189 A94-10882

SIMMONS, J. M.

Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513

SIMMONS, RICKEY C.

Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323

SIMMS, D. A.

International collaborative research in wind turbine rotor aerodynamics [DE94-000244] p 448 N94-30602

SIMON, A.

Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259

SIMON, DONALD L.

Distributed simulation using a real-time shared memory network [NASA-TM-106239] p 198 N94-10724

SIMON, FREDERICK F.

A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades [NASA-TM-106278] p 170 N94-11256

SIMONEAU, ROBERT J.

Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape [NASA-TM-106504] p 281 N94-24481

SIMONS, A.

Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502

SIMONSEN, LISA C.

Human factors evaluation of the HL-20 full-scale model [BTN-94-EIX94351137065] p 545 A94-60405

SIMPSON, D. L.

Review of Canadian aeronautical fatigue work, 1991-1993 [LTR-ST-1932] p 176 N94-13861

SIMPSON, ROBERT W.

An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993 p 307 N94-27285

SIMPSON, ROGER L.

Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack [AD-A276485] p 446 N94-31476

SIMS, JAMES

Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 N94-23523

SINGER, MICHAEL

Aircraft empennage structural detail design [NASA-CR-195496] p 261 N94-24332

SINGER, MICHAEL

Cockpit control system conceptual design [NASA-CR-195543] p 268 N94-24551

SINGER, MICHAEL

The Triton: Design concepts and methods [NASA-CR-195542] p 319 N94-25004

SINGH, J. P.

Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613

SINGHAL, S. N.

Probabilistic simulation of concurrent engineering of propulsion systems p 259 N94-24317

Multi-disciplinary coupling for integrated design of propulsion systems p 266 N94-24326

SINGLER, ROBERT E.

Synthetic lubricants and high-performance functional fluids: Phosphazenes [ARL-TR-45] p 149 N94-14126

SINHA, N.

Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030

SINHA, SUBBASH C.

A new treatment of periodic systems with applications to helicopter rotor blade dynamics [AD-A266770] p 36 N94-14784

SIROCKY, PAUL J.

A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 N94-14727

SISK, FRANK

Army aircraft fire-detection systems operation and reliability [AD-A271327] p 219 N94-20912

SISTO, F.

A rapid computational model for estimating the performance of compliant airfoils in cascades [AD-A266275] p 40 N94-16471

SIVASEGARAM, S.

Ducted kerosene spray flames p 407 N94-29276

SJOLANDER, S. A.

The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321

SKELLY, MICHAEL

Dumbo heavy lifter aircraft [NASA-CR-195500] p 317 N94-24915

SKELLY, MICHAEL V.

Fatigue life program using strain-life methods [AD-A267310] p 182 N94-16943

SKELTON, P. L. I.

Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor [BTN-94-EIX94331337183] p 606 A94-62186

SKIDMORE, TRENT A.

A GPS coverage model p 64 A94-12567
A GPS coverage model p 314 N94-27292

SKOCYPEC, R. D.

Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000

SKROBIS, K. J.

Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating [DE93-012856] p 173 N94-12821

Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907

SLADE, A.

Engineering large-scale agent-based systems with consensus p 558 N94-35071

SLATTERY, RHONDA

Conflict-free trajectory planning for air traffic control automation [NASA-TM-108790] p 306 N94-25272

SLAUGHTER, G.

Metals 2000 [DE93-016761] p 151 N94-17752

SLEDZ, C. T.

Selecting the correct hydraulic component material for minimum life cycle cost [SAE PAPER 922031] p 74 A94-12024

SLENSKI, GEORGE A.

Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791

SLIVA, RANDY

Radiation by cavity-backed antennas on a circular cylinder p 236 N94-21887

SLOBODKINA, F. A.

Nonstationary gasdynamic processes in ramjet engines p 98 A94-10931

SLOCUM, KEVIN R.

Conifer tree influence on Digital Terrain Elevation Data (OTED): A case study at Dulles International Airport [AD-A274213] p 366 N94-27069

SLOOFF, J. W.

Computational methods for the aerodynamic design of aircraft components p 10 A94-10889

CFD-based drag prediction: State-of-the-art, theory, prospects [AD-B179297] p 422 N94-31180

SMAILY, A. A.

PT6 engine: 30 years of gas turbine technology evolution [BTN-94-EIX94311331064] p 577 A94-61114

SMILJANOVSKI, V.

Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate p 526 N94-34989

SMITCHENS, AIVARS

Multidimensional intelligent control for superlight air vehicles p 81 N94-11347

SMITH, BARRY T.

Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892

SMITH, BRIAN E.

Propulsion-induced aerodynamic effects measured with a full-scale STOV model [BTN-94-EIX94311329120] p 519 A94-60180

- SMITH, BROOKE C.**
Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests [NASA-CR-177626-VOL-2] p 38 N94-15677
Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720
Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments [NASA-CR-177626] p 40 N94-15780
- SMITH, BYRON**
Dumbo heavy lifter aircraft [NASA-CR-195500] p 317 N94-24915
- SMITH, C. E.**
CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 N94-24082
- SMITH, C. FREDERIC**
Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study [NASA-CR-195297] p 459 N94-33119
- SMITH, C. R.**
Some aspects of unsteady separation p 525 N94-34979
- SMITH, CHARLES R.**
Flush head fastener [CA-PATENT-1308581] p 278 N94-24175
- SMITH, CRAWFORD F.**
Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack [NASA-CR-189103] p 44 N94-17558
- SMITH, DOUGLAS F.**
A repair patching system for aircraft cargo liners p 54 N94-10771
- SMITH, DOUGLAS R.**
Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow p 17 A94-12649
- SMITH, G. ALLAN**
Dynamic Forms. Part 1: Functions [NASA-TP-3397] p 176 N94-13790
- SMITH, GUY A.**
Materials processing apparatus development for fluoride glass [NASA-CR-193963] p 498 N94-34388
- SMITH, HOWARD W.**
General aviation aircraft-normal acceleration data analysis and collection project [AD-A265055] p 82 N94-11858
- SMITH, J.**
A modernised HST of NLR p 124 A94-10405
A modernised HST of NLR [AD-B179220] p 402 N94-30423
- SMITH, KEVIN W.**
Cockpit video: A low cost BDA source [AD-A275228] p 395 N94-29389
- SMITH, LINDA G.**
Advanced diagnostics research for high speed aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9 [AD-A268596] p 44 N94-17609
- SMITH, MARTIN G., JR.**
P and W propulsion systems studies results/status p 479 N94-33480
- SMITH, MONTY J.**
PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
- SMITH, PAUL**
NASA high performance computing and communications program [NASA-TM-4554] p 287 N94-24337
- SMITH, PHILLIP N.**
Validation of vision-based range estimation algorithms using helicopter flight data p 370 N94-25506
- SMITH, ROBERT D.**
Safe heliports through design and planning [AD-A279034] p 491 N94-34104
- SMITH, RUTH S.**
NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics [NASA-CR-195686] p 371 N94-25541
- SMITH, S.**
Effects of repair on structural integrity [PB94-143336] p 390 N94-28647
- SMITH, STEVEN D.**
The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- SMITH, T. N.**
An evaluation of the use of GPS and laser ranging to position stationary objects from a distance p 66 A94-12576
- SMITH, TODD E.**
Localization of aeroelastic modes in mistuned high-energy turbines [BTN-94-EIX9432133307] p 547 A94-60039
- SMITH, VIRGIL K., III**
Hypersonic overview p 34 N94-14154
Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
- SMITH, W. L.**
CIMSS FIRE research activities p 242 N94-22307
- SMITH, WILLIAM L., JR.**
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
- SMITS, ALEXANDER J.**
Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow p 17 A94-12649
Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920
- SMYRL, N. R.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- SNARSKI, STEPHEN R.**
Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow [AD-A270242] p 186 N94-18906
- SNEL, H.**
Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
- SNELL, MARK**
An investigation into aircraft fuselage fire hardening p 54 N94-10782
- SNIDER, J. B.**
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890
- SNIDER, JACK B.**
Cloud liquid water content measurement tests using dual-wavelength radar [PB94-125960] p 365 N94-26959
- SNOW, ROBERT W.**
Ionospheric corrections to precise time transfer using GPS p 429 N94-30677
- SNOW, RUSS**
Design project: Viper [NASA-CR-195484] p 319 N94-25021
- SNOW, RUSS M.**
Cockpit control system [NASA-CR-195488] p 336 N94-24957
Aircraft empennage structural detail design [NASA-CR-195486] p 318 N94-24969
- SNYDER, CHRISTOPHER A.**
Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust [NASA-TM-106270] p 102 N94-13143
Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle [NASA-TM-106448] p 225 N94-21563
- SNYDER, D. B.**
An electronic imaging system for the Aeroballistic Research Facility [AD-A267157] p 181 N94-15826
- SOBAN, DANI**
Preliminary design of nine high speed civil transports p 322 N94-25710
- SODERMAN, PAUL T.**
Boundary layer control device for duct silencers [NASA-CASE-ARC-12030-1] p 417 N94-29362
Aeroacoustics analysis and community noise overview p 461 N94-33488
- SOEDER, RONALD H.**
NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 N94-15819
NASA Lewis wind tunnel model systems criteria [NASA-TM-106565] p 604 N94-37522
- SOFFEN, GERALD**
The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791
- SOH, WOO-YUNG**
Unsteady jet flow computation towards noise prediction [NASA-CR-194449] p 247 N94-23553
- SOHN, ROBERT A.**
Sonic boom configuration minimization p 472 N94-33473
- SOHNS, C. W.**
Operation of a test bed axial-gap brushless dc rotor with a superconducting stator [DE93-019167] p 236 N94-21830
- SOLIES, U. P.**
Effects of thrust line offset on neutral point determination in flight testing [BTN-94-EIX94311329127] p 518 A94-60173
- SOLOMON, L.**
Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- SOLOMON, N.**
Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055
- SOLOMON, PETER R.**
A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275
- SOLONIN, V. I.**
CIAM experimental turboramjets p 399 N94-29299
- SONDAK, DOUGLAS**
Turbulence modeling of free shear layers for high performance aircraft [NASA-CR-196137] p 594 N94-36808
- SONDAK, DOUGLAS L.**
Turbulence modeling of free shear layers for high-performance aircraft [NASA-CR-193659] p 114 N94-12799
- SONG, C.**
Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels [DE94-006760] p 443 N94-32150
- SONG, Y.-H.**
Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
- SONI, BHARAT K.**
Numerical flow simulation for complete vehicle configurations [AD-A273588] p 290 N94-24849
- SONNENFROH, D. M.**
Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607
- SOOD, DEVENDRA K.**
Integration of magnetic bearings in the design of advanced gas turbine engines p 554 N94-35903
- SORENSEN, JOHN**
Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace p 387 N94-29577
- SOROKACH, MICHAEL R., JR.**
Miniature linear-to-rotary motion actuator p 413 N94-29647
- SOROKIN, A. V.**
Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel p 154 A94-10408
- SOSOUNOV, V.**
Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292
Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294
Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297
- SOSOUNOV, V. A.**
Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors p 398 N94-29298
- SOTHCOTT, VICTOR E.**
Overview of feasibility study on conducting overflight measurements of shaped sonic boom signatures using RPV's p 510 N94-33475
- SOTIRIOU, COSTANTINOS P.**
Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades [NASA-TM-104000] p 2 N94-10936
- SOUTH, JERRY C., JR.**
Status of CFD for LaRC's HSR high-lift program p 461 N94-33520
- SOWA, W. A.**
Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- SOWELS, TERRI**
VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803
- SPACY, WILLIAM L., II**
Effects of crenulations on three dimensional losses in a linear compressor cascade [AD-A273778] p 352 N94-25862

- SPADAFORA, STEPHEN J.**
Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166
- SPAGNUOLO, JOELLE M.**
Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data
[NASA-CR-194838] p 335 N94-24804
- SPAIN, CHARLES V.**
Aerothermoelastic analysis of a NASP demonstrator model
[NASA-TM-109007] p 87 N94-17055
- SPALART, P. R.**
One-equation turbulence model for aerodynamic flows
[BTN-94-EIX94401367449] p 563 A94-61782
- SPALL, ROBERT E.**
Linear stability theory and three-dimensional boundary layer transition
p 463 N94-33530
- SPARROW, JAMES**
The impact of active controls technology on the structural integrity of aeronautical vehicles
p 81 N94-11341
- SPARROW, VICTOR W.**
Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence
p 300 N94-28190
Relaxation and turbulence effects on sonic boom signatures
p 512 N94-33496
- SPEAR, D. A.**
Advanced transonic fan design procedure based on a Navier-Stokes method
[BTN-94-EIX94311330095] p 587 A94-61063
- SPEARMAN, M. LEROY**
Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions
[NASA-TM-109016] p 29 N94-13172
The evolution of the high-speed civil transport
[NASA-TM-109089] p 372 N94-26155
Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62
[NASA-TM-4528] p 295 N94-26693
An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473
- SPEE, B. M.**
Expectations for the future of the National Aerospace Laboratory
p 134 N94-15129
- SPEECE, ROBERT F.**
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956
Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 N94-33423
- SPEER, T. M.**
Simulation of the secondary air system of aero engines
[BTN-94-EIX94311330097] p 587 A94-61061
- SPEGAR, T. D.**
Droplet turbulence interactions under subcritical and supercritical conditions
p 274 N94-23036
- SPEIER, H. J.**
New technique for oil backstreaming contamination measurements
p 227 N94-20511
- SPEIRS, N. A.**
Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- SPEIRS, NEIL A.**
Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571] p 196 A94-11477
- SPEITEL, LOUISE C.**
Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575
- SPEKREIJSE, S. P.**
ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956
The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations
[PB94-125598] p 381 N94-30387
- SPENCER, B. F., JR.**
Determination of tire-wheel interface loads for aircraft wheels
[BTN-94-EIX94311329136] p 517 A94-60164
Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- SPENCER, ROBERT H.**
The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms
[AD-A276299] p 234 N94-21756
- SPEZIALE, CHARLES G.**
Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- SPEZZAFERRO, R.**
Technological challenges of High Altitude Long Endurance unmanned configurations
p 573 N94-36323
- SPIEKHOUT, D. J.**
Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAF
p 532 N94-34598
- SPINHIME, JAMES**
Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations
p 241 N94-22296
- SPINHIRNE, JAMES D.**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO
p 241 N94-22299
- SPIRKL, AUGUST**
MTR390, the new generation turboshaft engine
p 482 N94-34434
- SPLETTSTOESSER, WOLF R.**
Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions
p 203 A94-12052
- SPRUNCK, MARTIN**
The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- SQUIRE, K. R.**
Advanced fuel properties: A computer program for estimating property values
[AD-A275248] p 403 N94-28901
- SQUIRE, L. C.**
Cavity drag at transonic speeds
p 17 A94-12199
- SQUIRES, P. K.**
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604
- SREEKANTA MURTHY, T.**
Investigation on the use of optimization techniques for helicopter airframe vibrations design studies
p 79 A94-12706
- SRILATHA, K. R.**
SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils
p 84 N94-14615
- SRINIVAS, SAMPATH**
Vista goes online: Decision-analytic systems for real-time decision-making in mission control
p 558 N94-35063
- SRINIVASAN, GANAPATHI R.**
A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A275416] p 377 N94-29197
A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A278000] p 465 N94-34159
- SRIVASTAVA, ASHOK**
VSAERO analysis of a Piper Cub aircraft
p 85 N94-14616
- SRIVASTAVA, R.**
A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227
- SRIVATSAN, RAGHAVACHARI**
Takeoff performance monitoring system display options
[BTN-94-EIX94401358988] p 577 A94-61644
- ST. JOHN, THOMAS**
High definition TV projection via single crystal faceplate technology
[AD-A277850] p 501 N94-33768
- STACY, KATHRYN**
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374] p 249 N94-23512
Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL.] p 295 N94-27161
- STAHL, B.**
Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne
p 126 A94-10422
- STAHL, BERNHARD**
The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587
- STAINBACK, P. C.**
The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel
[NASA-CR-4571] p 294 N94-26548
- STALKER, R. J.**
Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513
Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532
- STALLINGS, ROBERT L., JR.**
Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results
[NASA-TP-3358] p 253 N94-24464
- STANEWSKY, E.**
Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section
p 125 A94-10415
- STANGL, R.**
Calculation of the steady rotor flow using an overlapping embedded grid technique
p 17 A94-12110
- STANKOV, B. B.**
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
- STANLEY, DOUGLAS O.**
Aerodynamic configuration design using response surface methodology analysis
[AIAA PAPER 93-3967] p 136 A94-10718
Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- STANNARD, BARRY ANTHONY**
A capacity planning model for Canadian military airlift requests
[ISBN 0-315-86079-0] p 382 N94-30144
- STANNEY, KAY**
The effects of Above Real-Time Training (ARTT) in an F-16 simulator
p 489 N94-32474
- STANNILAND, D. R.**
Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
p 128 A94-10446
Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894
- STAPLETON, A. W.**
Detailed flow measurements and predictions for a three-stage transonic fan
[BTN-94-EIX94311330096] p 587 A94-61062
- STAPPAERTS, EDDY A.**
Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- STARK, MICHAEL**
Impacts of object-oriented technologies: Seven years of SEL studies
p 199 N94-11425
- STARK, MIKE**
Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256
Impact of Ada in the Flight Dynamics Division: Excitement and frustration
p 597 N94-36501
- STARKE, EDGAR A., JR.**
NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- STARKEN, H.**
Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451
- STARKER, E.**
Transient response of accelerating rotor systems
p 162 A94-12544
- STARNES, JAMES H., JR.**
Composite fuselage shell structures research at NASA Langley Research Center
p 494 N94-33124
- STAROPOLI, F.**
The integration of design and manufacturing processes at Alenia DVD
p 261 N94-24325
- STAUDACHER, W. H.**
Effects, limits, and limitations of spanwise blowing
p 298 N94-28027
- STEARNS, C. A.**
NASA Lewis Research Center lean-, rich-burn materials test burner rig
[NASA-CR-194437] p 343 N94-26141
- STEELE, D.**
Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026
- STEFFEN, V., JR.**
Using optimization for balancing flexible rotors
p 161 A94-12516
- STEFKO, GEORGE L.**
A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center
[NASA-TP-3406] p 363 N94-28227

- STEIN, EARL S.**
Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197
- STEIN, MATTHEW D.**
Configuration development study of the OSU 1 hypersonic research vehicle
[NASA-CR-195522] p 262 N94-24591
- STEIN, R.**
Selectively strippable paint schemes
p 169 N94-10629
- STEINBACH, BILL**
Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498
- STEINBERGER, R. L.**
The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevaporized Premixed (LPP) combustor
p 405 N94-29265
- STEINERT, W.**
Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451
- STEINETZ, BRUCE M.**
A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance
[NASA-TM-106294] p 179 N94-14727
Development of hypersonic engine seals: Flow effects of preload and engine pressures
[NASA-TM-106333] p 357 N94-27599
Engine seal technology requirements to meet NASA's advanced subsonic technology program goals
[NASA-TM-106582] p 502 N94-33960
- STEINHOFF, JOHN**
Free-wake computation of helicopter rotor flowfield for general flight regimes
[AD-A266692] p 36 N94-14781
- STENGEL, ROBERT**
Optical communications for transport aircraft
p 356 N94-27298
Air traffic management as principled negotiation between intelligent agents
p 384 N94-29562
- STENGEL, ROBERT F.**
Optimal recovery from microburst wind shear
p 107 A94-10803
Identification of aerodynamic coefficients using computational neural networks
p 10 A94-10804
Toward intelligent flight control
p 114 N94-11503
Investigation of air transportation technology at Princeton University, 1992-1993
p 307 N94-27294
- STENGER, GREGORY J.**
Application of the strain gage-hole drilling method to aircraft transparencies
p 164 A94-12918
Birdstrike resistant crew enclosure program
[AD-A273700] p 367 N94-25453
- STEPANEK, S. A.**
Electromagnetic wave test
p 177 N94-14173
- STEPANOV, V.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct
p 398 N94-29296
- STEPHEN, ERIC JOE**
Similarity in separated flow fields producing large-scale vortices
p 460 N94-33382
- STEPHENS, CRAIG A.**
Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank
[NASA-TM-104273] p 281 N94-24495
- STEPHENS, JOSEPH R.**
Enabling propulsion materials for high-speed civil transport engines
p 480 N94-33511
- STERK, F. J.**
Fifty years of the Netherlands Association of Aeronautical Engineers
p 4 N94-15121
- STERN, ALFRED M.**
HSCT nozzle source noise programs at Pratt and Whitney
p 509 N94-33465
- STERN, J. A.**
Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933
- STETSON, KENNETH F.**
Hypersonic boundary-layer transition
p 9 A94-10783
- STEVENSON, JONATHAN DAVID**
Simulating indirect thrust measurement methods as used on modern high-bypass turbofans
[ISBN-0-315-84123-0] p 332 N94-26673
- STEWART-WILSON, JOHN**
Flexible alternatives to constant frequency systems
p 156 A94-11372
- STEWART, ERIC C.**
NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- STEWART, R. G.**
Color head down display program
[AD-A274807] p 330 N94-26340
- STEWART, R. M.**
Health and Usage Monitoring systems
p 2 A94-12046
- STEWART, T. L.**
Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide
[DE94-002980] p 313 N94-26309
- STEWART, VEARL R.**
Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
Experiments on the ground vortex formed by an impinging jet in cross flow
p 359 N94-28016
- STEYER, GLEN C.**
System dynamics simulation based on structural modification analysis using response techniques
p 161 A94-12536
- STICKLES, R. W.**
Fuel injector design for high temperature aircraft engine
p 396 N94-29263
- STIEGLMEIER, M.**
In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 A94-60161
- STINSON, MICHAEL**
Beamforming in an acoustic shadow
p 286 N94-24219
- STINTON, D. P.**
Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
- STOCKUM, LARRY A.**
Infrared imaging of microwave sources
p 160 A94-12422
- STOERMER, MATTHIAS**
German Air Forces experiences with plastic media blasting and future requirements
p 167 N94-10621
- STOLARCZYK, G. L.**
Microwave sensor for ice detection
p 475 N94-32457
- STOLARCZYK, L. G.**
Microwave sensor for ice detection
p 475 N94-32457
- STOLARSKI, RICHARD S.**
The atmospheric effects of stratospheric aircraft: A third program report
[NASA-PP-1313] p 282 N94-24104
- STOLCIS, LUCA**
Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver
p 48 N94-18427
- STOLJAROV, N.**
Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933
- STOLL, LAURENCE**
Aircraft age impact on individual operating and support cost elements
[AD-A275739] p 373 N94-28732
- STOLLERY, J. L.**
Some viscous interactions affecting the design of hypersonic intakes and nozzles
p 10 A94-10784
Experimental studies of vortex flaps and vortex plates
[BTN-94-EIX94311329122] p 518 A94-60178
Control effectiveness at hypersonic speeds
p 112 N94-10426
- STOLLERY, JOHN L.**
Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454
- STONE, H. W.**
Aerodynamic heating environment definition/thermal protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
- STONE, HOWARD**
Future space transportation system architecture avionics requirements
p 346 N94-25098
- STONE, M. ANTHONY**
Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process
p 168 N94-10623
- STONER, GLENN E.**
NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- STONE, ROBERT B.**
Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- STORACE, ALBERT F.**
Integration of magnetic bearings in the design of advanced gas turbine engines
p 554 N94-35903
- STOREY, J.**
Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation
p 60 A94-10332
- STORMS, BRUCE L.**
Lift enhancement of an airfoil using a Gurney flap and vortex generators
[BTN-94-EIX94401358970] p 565 A94-61626
- STORTZ, M. W.**
A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- STORTZ, MICHAEL W.**
Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994
- STOUFFLET, B.**
Unstructured-grid algorithms for high-speed CFD analysis
p 9 A94-10770
- STOUFFLET, BRUNO**
Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- STOUGH, H. P., III**
NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- STOUGH, H. PAUL, II**
Apparatus and method for improving spin recovery on aircraft
[NASA-CASE-LAR-14747-1] p 227 N94-20556
- STRACK, WILLIAM C.**
The NASA sponsored HSCT propulsion studies
p 479 N94-33476
- STRADA, SILVIA**
Active control of vibrations in helicopters - From HHC to OBC
p 109 A94-12112
- STRAKA, WILLIAM A.**
Leading-edge vortex breakdown for wing planforms with the same slenderness ratio
[BTN-94-EIX94401358991] p 566 A94-61647
- STRANGMAN, THOMAS E.**
Oxidation resistant protective coating system for gas turbine components and process for penetration thereof
[CA-PATENT-1,294,155] p 230 N94-21143
- STRASH, DANIEL J.**
A novel potential/viscous flow coupling technique for computing helicopter flow fields
[NASA-CR-193272] p 457 N94-32476
- STRAWN, ROGER**
Dynamic mesh adaption for triangular and tetrahedral grids
p 243 N94-22363
Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise
[NASA-CR-195090] p 287 N94-24307
Computation of helicopter rotor acoustics in forward flight
[NASA-CR-196132] p 560 N94-36031
- STRAZISAR, A. J.**
Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
Experimental and computational results from a large low-speed centrifugal impeller
p 484 N94-34446
- STRAZISAR, ANTHONY J.**
Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- STRAZNICKY, P. V.**
An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- STREIBINGER, R. B.**
A new low speed wind tunnel for acoustic measurements
p 124 A94-10407
- STREET, P.**
Recent enhancements to the DRA shock tunnel
p 127 A94-10426
- STREHLOW, H.**
Smart materials for helicopter rotor active control
p 81 N94-11321
- STREICHER, JURGEN**
Trial of a slant visual range measuring device
p 159 A94-12287
- STREIMER, GARY E.**
Relative motion pinwheel
[AD-D016107] p 469 N94-32961

STRETCHER, BAXTER

Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E)
[AD-A273075] p 240 N94-21519

STRICKLAND, J. H.

Prediction method for unsteady axisymmetric flow over parachutes
[BTN-94-EIX94401358984] p 566 A94-61640

STROPKY, D. M.

Non-isoenergetic inviscid slot flow
p 303 N94-28333

STRUBLE, DAVE

Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658

STRUCKMEIER, J.

The finite pointset method for hypersonic flows in the rarefied gas regime
p 9 A94-10773

STRUKE, PETER

Tesseract supersonic business transport
p 322 N94-25713

STUBBS, SANDY M.

The effect of runway surface and braking on Shuttle Orbiter main gear tire wear
[SAE PAPER 922038] p 137 A94-12029

Studies of Shuttle orbiter arrestment system
[NASA-TP-3370] p 258 N94-24304

Tests of highly loaded skids on a concrete runway
[NASA-TP-3435] p 326 N94-26608

STUCKERT, G. K.

Method for transition prediction in high-speed boundary layers, phase 2
[AD-A277563] p 500 N94-33391

STUCKERT, GREGORY K.

Stability of hypersonic boundary-layer flows with chemistry
p 21 N94-10451

STUDEBAKER, KAREN

Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions
p 541 N94-35972

STUEVER, ROBERT A.

NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719

STUMM, ALBERT

The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002

STUMPF, GREGORY J.

The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system
p 189 A94-12286

STUREK, WALTER B.

Applications of computational fluid dynamics to the aerodynamics of Army projectiles
[BTN-94-EIX94311330678] p 516 A94-60113

Computation of hypersonic nosetip heat transfer rates for an M829-like projectile
[AD-A263226] p 27 N94-11870

STURGESS, G. J.

Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future
p 406 N94-29272

STURROCK, W. R.

An evaluation of Compton scatter imaging using COMSCAN
[DREP-TM-93-38] p 278 N94-24136

Ultrasonic characterization of damage in a simulated CF-18 composite structure
[DREP-LN-93-26] p 447 N94-31872

STURROCK, WILLIAM R.

The development of an in-motion radiography system for large area aircraft scanning
[DREP-TM-93-53] p 327 N94-27666

SU, SHEN-JWU

Numerical analysis of transonic wing buffet
p 487 N94-32713

SUAREZ, C. J.

Forebody vortex control for wing rock suppression
[BTN-94-EIX94311329119] p 530 A94-60181

SUAREZ, CARLOS J.

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests
[NASA-CR-177626-VOL-1] p 38 N94-15655

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests
[NASA-CR-177626-VOL-2] p 38 N94-15677

Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4
[NASA-CR-177626-VOL-4] p 39 N94-15720

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments
[NASA-CR-177626] p 40 N94-15780

F/A-18 forebody vortex control. Volume 2: Rotary-balance tests
[NASA-CR-4582-VOL-2] p 466 N94-34430

F/A-18 forebody vortex control. Volume 1: Static tests
[NASA-CR-4582-VOL-1] p 528 N94-35991

SUAREZ, J.

Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure
p 496 N94-33136

SUBRAMANIAN, S.

A new low speed wind tunnel for acoustic measurements
p 124 A94-10407

Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight
[NASA-CR-195822] p 464 N94-33991

SUBRAMANIAN, SRINIVASAN

Experimental and computational studies on propeller noise due to inflow distortion
p 452 N94-31846

SUEMATSU, KAZUYO

A method of user interface for NWT
p 415 N94-28993

SUEMATSU, SHUNJI

A method of user interface for NWT
p 415 N94-28993

SUENAGA, HISASHI

Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347

SUES, R. H.

Asphaltic concrete performance under heavy fighter aircraft loading
[AD-A275046] p 402 N94-29151

SUGANO, JEFF

Cooperative GN&C development in a rapid prototyping environment
[AIAA PAPER 93-4622] p 197 A94-11505

SUGIYAMA, N.

Conceptual study of separated core ultrahigh bypass engine
p 98 A94-10860

SUIKAT, REINER

A translational rate command control law for hover assist
p 109 A94-12111

SULLIVAN, BRENDA M.

Experimental studies of loudness and annoyance response to sonic booms
p 370 N94-28195

Sonic boom acceptability studies
p 512 N94-33500

A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610

SULLIVAN, C. J.

A new low speed wind tunnel for acoustic measurements
p 124 A94-10407

SULLIVAN, J. P.

Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-1] p 225 N94-21582

Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2
[NASA-CR-189192-VOL-2] p 225 N94-21583

SULLIVAN, JOHN

High lift aerodynamics
[NASA-CR-195183] p 321 N94-25268

SULLIVAN, P. A.

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner
p 302 N94-28328

SULLIVAN, T. M.

The tilt wing advantage - For high speed VSTOL aircraft
[SAE PAPER 921911] p 72 A94-11966

SULLIVAN, WALTER

The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791

SUMMA, J. MICHAEL

A novel potential/viscous flow coupling technique for computing helicopter flow fields
[NASA-CR-193272] p 457 N94-32476

SUN, AN-HONG

Robust variable structure flight control system
p 488 N94-34327

Aircraft optimal variable structure control system
p 488 N94-34328

SUN, D. C.

Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications
[NASA-CR-195287] p 357 N94-27657

SUN, H.

An investigation of airborne GPS/INS for high accuracy position and velocity determination
[DE94-006139] p 431 N94-31306

SUN, TAI-HSING TOM

Unsteady transonic aerodynamics in frequency domain for flutter analysis
p 379 N94-29879

SUN, WEIMIN

Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699

SUNDBERG, W. D.

Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260

SUNDT, C. V.

AGBT advanced counter-rotating gearbox detailed design report
[NASA-CR-180883] p 166 N94-10400

SUTHERLAND, H. J.

Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173

SUTHERLAND, LOUIS

Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908

SUTHERLAND, LOUIS C.

Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms
p 513 N94-33502

SUTLIFF, T. J.

The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft
p 182 N94-16078

SUTTLES, JOHN T.

An overview of the radiation component of the NASA TOGA-COARE experiment
p 242 N94-22344

SUTTON, JAY O.

HSCT materials and structures: An MDC perspective
p 497 N94-33516

SUTTON, R. F.

Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4
[AD-A277095] p 356 N94-27228

SUZUKI, KOICHI

The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247

SUZUKI, SHINJI

Multiobjective trajectory optimization by goal programming with fuzzy decisions
[BTN-94-EIX9438111168] p 597 A94-61255

SUZUKI, TAKAYUKI

Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347

SUZUKI, YUSUKE

On the use of differential GPS for automatic approach and landing of space and aircraft
[DLR-MITT-93-05] p 69 N94-17921

SWAIM, ROBERT L.

New techniques for aircraft flight control reconfiguration
p 110 A94-12615

SWANSON, G. D.

Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863

Designer's unified cost model
p 493 N94-33122

Local design optimization for composite transport fuselage crown panels
p 495 N94-33132

SWANSON, R. C.

Multigrid schemes for viscous hypersonic flows
p 217 N94-21473

SWEET, BARBARA T.

Application of aircraft navigation sensors to enhanced vision systems
p 312 N94-25495

SWIERSTRA, SIP

Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570

SWIFT, RICHARD A.

Preliminary structural design: Defining the design space
[AD-A268898] p 88 N94-18227

SWINFORD, NANCY F.

Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424

SWITZER, G. F.

Windshear database for forward-looking systems certification
[NASA-TM-109012] p 192 N94-17283

SYBLON, W. H.

The autonomous airplane concept
[SAE PAPER 921918] p 53 A94-11968

SYDOR, JOHN

Aeronautical satellite antenna steering using magnetic field sensors
p 273 N94-22836

SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902

SYED, HAZARI

Processing infrared images of aircraft lapjoints
p 160 A94-12413

SYGULSKI, R.

Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 A94-62183

- SYKES, D. M.**
Inclined air-jets used as vortex generators to suppress shock-induced separation p 298 N94-28040
- SYKOV, L. V.**
Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows p 163 A94-12817
- SYTSA, H. A.**
Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
- SZODRUCH, J.**
Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
- SZTIPANOVITS, JANOS**
Parallel turbine engine instrumentation system
[AIAA PAPER 93-4529] p 195 A94-11452
Automatic test instrumentation program generation
[AIAA PAPER 93-4530] p 195 A94-11453
Model-based software synthesis for large systems
[AIAA PAPER 93-4531] p 196 A94-11454
MULTIGRAPH: An architecture for model-based programming. PREMOS: Programming environment for model-based program synthesis, version 01.00.00
[AD-A276949] p 451 N94-32219
- ## T
- TABOREK, J.**
Selection criteria for plain and segmented finned tubes for heat recovery systems
[BTN-94-EIX94311331076] p 588 A94-61102
- TACHIBANA, MASAKAZU**
Flow analysis around ONERA model M5 configuration
[PAPER-3D-4] p 23 N94-10480
- TAFLOVE, ALLEN**
Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
- TAGGART, BEN**
Tesseract supersonic business transport p 322 N94-25713
- TAGGART, DOUG**
Loran-C time management p 427 N94-30644
- TAGIROV, R. K.**
The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer p 11 A94-10936
Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure p 19 A94-12900
- TAGUIROV, R.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- TAHMASEBI, FARHAD**
Six-degree-of-freedom parallel minimanipulator with three inextensible limbs
[NASA-CASE-GSC-13485-1] p 413 N94-29726
- TAI, CHANG-SHENG**
Navier-Stokes solver for hypersonic flow over a slender cone
[BTN-94-EIX94311330681] p 543 A94-60110
- TAILLON, MAGGIE**
Tesseract supersonic business transport p 322 N94-25713
- TAKAGI, MICHYUKI**
Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
- TAKAHASHI, HITOSHI**
An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350
VLCT-13: A commercial transport for the 21st Century
[NASA-CR-195492] p 316 N94-24803
Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape
[NAL-TM-653] p 295 N94-27235
- TAKAHASHI, MARC D.**
Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274
- TAKAHASHI, MASAHIRO**
Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953
- TAKAHASHI, NAOHIKO**
Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
- TAKAHIRA, MIKINARI**
Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
- TAKAKI, RYOJI**
Numerical simulation of arc heated wind tunnel flow p 402 N94-28951
- TAKAKURA, YOKO**
Flow analysis around ONERA model M5 configuration
[PAPER-3D-3] p 23 N94-10479
- TAKALLU, M. A.**
Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937
- TAKANASHI, SUSUMU**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-8] p 23 N94-10473
Flow analysis around ONERA model M5 configuration
[PAPER-3D-4] p 23 N94-10480
Numerical solution of inverse problem in aerodynamics p 376 N94-28965
- TAKANO, YOSHIHIDE**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- TAKEUCHI, HISAO**
Application of flow field simulation to turbine vane design p 395 N94-28978
- TAKIZAWA, MINORU**
Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338
- TAKIZAWA, NAOTO**
Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340
Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341
- TALBOT, M. D.**
Wind-tunnel test techniques for unmanned aerial vehicle separation investigations
[BTN-94-EIX94401358976] p 571 A94-61632
- TALOTTA, NICHOLAS J.**
Data Link system development at the FAA Technical Center
[SAE PAPER 922026] p 61 A94-11723
- TAM, CHRISTOPHER K. W.**
Theoretical aspects of supersonic jet noise p 510 N94-33469
- TAMURA, ATSUIRO**
Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
- TAMURA, YOSHIKI**
Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- TAN, CHOON S.**
Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035
- TAN, I. S. L.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- TANAKA, ATSUSHIGE**
Application of flow field simulation to turbine vane design p 395 N94-28978
- TANAKA, KEIJI**
Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733
- TANAKA, KOHEI**
Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil
[PAPER-2D-3] p 22 N94-10469
Flow analysis around ONERA model M5 configuration
[PAPER-3D-1] p 23 N94-10477
- TANG, D. M.**
Comparison of theory and experiment for non-linear flutter and stall response of a helicopter blade p 72 A94-11392
- TANG, DERSHUN A.**
Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048
- TANG, F. C.**
Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack p 302 N94-28323
- TANG, PUNAN**
Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control p 555 N94-35905
- TANG, YUAN-LIANG**
Accurate estimation of object location in an image sequence using helicopter flight data p 537 N94-35055
A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera
[NASA-CR-196424] p 594 N94-36812
- TANI, KOUICHIRO**
Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953
- TANKINS, EDWIN**
Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- TANNEHILL, JOHN C.**
Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields
[BTN-94-EIX94351142134] p 521 A94-60427
- TANNER, JOHN A.**
Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- TAPIA, MOIEZ A.**
Comparative analysis of different configurations of PLC-based safety systems from reliability point of view p 358 N94-27925
- TAPP, ERIC A.**
Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- TARICA, D.**
Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054
- TARONI, M.**
Contribution of photoelasticity to the design of jet turbo engine parts p 99 A94-12953
- TASCHNER, MICHAEL J.**
A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- TASCILLO, M.**
Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
- TASK, H. L.**
Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042
- TASK, HARRY L.**
Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425
- TASSELLI, A.**
Technology rigs: A tool for afterburner development p 397 N94-29270
- TATE, ATSUSHI**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- TATEISHI, TOMOHIRO**
Active control of vaneless diffuser rotating stall p 502 N94-34178
- TATTAR, MARC J.**
Analytical skin friction and heat transfer formula for compressible internal flows
[NASA-CR-191185] p 291 N94-25173
- TATTON-BROWN, H. E.**
EH101: A new helicopter capable of long range missions p 574 N94-36330
- TAYLOR, A. F.**
The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services p 195 A94-11360
- TAYLOR, ARTHUR C.**
Sensitivity derivatives for three-dimensional supersonic Euler code using incremental iterative strategy
[BTN-94-EIX94421374969] p 593 A94-61867
- TAYLOR, ARTHUR C., III**
Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver
[NASA-TM-106481] p 271 N94-24301
- TAYLOR, C. R.**
The use of the ETW for tests at high Reynolds number p 125 A94-10418
- TAYLOR, DAVID V.**
A hydrodynamic journal bearing test rig with dynamic measurement capabilities p 164 A94-12866
- TAYLOR, GREGORY**
The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271

TAYLOR, MIKE

A global range military transport: The ostrich
[NASA-CR-195494] p 318 N94-24972

TAYLOR, N. J.

Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound p 6 A94-10435

TELLA, GUSTAVO

Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332
Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551
The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004

TEN HAVE, J. M.

Precision aircraft height estimation with multiple radars p 62 A94-12122

TEVES, D.

Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099

TEZOK, F. I.

Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334

THACKER, BEN H.

Recent advances in computational structural reliability analysis methods p 239 N94-22616

THACKRAY, R.

Maintaining vigilance on a simulated ATC monitoring task across repeated sessions
[DOT/FAA/AM-94/6] p 430 N94-30933

THAMES, H. DAVIS

Eccentricity effects upon the flow field inside a whirling annular seal p 502 N94-34181

THERY, CHRISTIAN

The problem of the sonic boom for future high-speed transport aircraft
[ESA-TT-1286] p 206 N94-13692

THEVOZ, PH.

The simulation of single crystal turbine blade solidification p 141 A94-10671

THIBAUDAT, CHRISTINE

EUROFAR simulation trials on EPOPEE simulator p 77 A94-12097

THIBERT, J. J.

The GARTEUR high lift research programme p 48 N94-18430
Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607

THIELECKE, F.

Evaluation of parameter estimation methods for unstable aircraft
[BTN-94-EIX94401358965] p 580 A94-61621

THILL, D. C.

Aviation system safety risk management tool analysis. Volume 2: Appendices
[AD-A273502] p 305 N94-24864

THOMAS, CLAUDINE

The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651

THOMAS, D. R.

On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer
[ISVR-TR-227] p 362 N94-28175

THOMAS, DIMITRI D.

Supercruiser Arrow HS-8 p 322 N94-25711

THOMAS, G. H.

Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252

THOMAS, GREG

Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787

THOMAS, J.

Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-28914

THOMAS, J. B.

Time and position accuracy using codeless GPS p 428 N94-30650

THOMAS, M. N.

Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117

THOMAS, R. K.

Development and experimental validation of computational methods to simulate abnormal thermal and structural environments
[DE94-000554] p 274 N94-23000

THOMPSON, HAYDN A.

Parallel processing for jet engine control
[ISBN 0-387-19747-8] p 98 A94-11675

THOMPSON, MARK J.

Financial crisis in the aviation industry - United States p 209 A94-13148

THOMPSON, MILTON O.

Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle
[NASA-RP-1332] p 535 N94-34703

THOMPSON, NANCY

Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636

THOMPSON, R. B.

Materials characterization by ultrasonic methods p 162 A94-12666

THOMSON, D.

Full-scale testing and analysis of curved aircraft fuselage panels
[AD-A275666] p 390 N94-28657

THOMSON, D. G.

Handling qualities and performance aspects of the simulation of helicopters flying mission task elements p 108 A94-12091

THOMSON, DOUGLAS G.

The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311

THOR, SVEN-ERIK

The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDC) and The Aeronautical Research Institute of Sweden (FFA)
[FFA-TN-1993-19] p 449 N94-30945

THORNTON, EARL A.

NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851

Analysis of high speed flow, thermal and structural interactions
[NASA-CR-196017] p 593 N94-36420

THORNTON, STEPHEN V.

Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 N94-24295

THORPE, CHARLES

Perception for outdoor navigation
[AD-A266867] p 68 N94-14919

THRASHER, T. P.

Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277

THUIS, H. G. S. J.

Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TR-82183-U] p 327 N94-27796

THUMM, D.

Selectively strippable paint schemes p 169 N94-10629

TIBBITTS, SCOTT F.

A novel rotary actuator for spacecraft p 277 N94-24034

TIDWELL, LEE E.

Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers
[AD-A277732] p 490 N94-33444

TIEMEYER, BERND

Operational aspects of GPS for precision approach and landing p 65 A94-12572

TIKU, KARUNA

Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148

TILSTON, J. R.

The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274

TIMIAN, D. A.

Asphaltic concrete performance under heavy fighter aircraft loading
[AD-A275046] p 402 N94-29151

TIMOTEO, D.

Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-28914

TING, THOMAS

Neural networks as optimal nonlinear controllers - Concepts and flight control applications
[AIAA PAPER 93-4615] p 197 A94-11499

TINGAS, STEPHEN A.

Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660

TIRILLY, L.

Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023

TIRKAS, PANAYIOTIS A.

Advanced electromagnetic methods for aerospace vehicles
[NASA-CR-195111] p 282 N94-24699

TIRRES, LIZET

Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706

TIRSKIJ, G. A.

Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties p 10 A94-10888

TISCHLER, DAYNA S.

Design of a vehicle based system to prevent ozone loss
[NASA-CR-195498] p 262 N94-24479

TISCHLER, M. B.

Optimization-based controller design for rotorcraft p 121 N94-14642

TISCHLER, MARK B.

Determining XV-15 aeroelastic modes from flight data with frequency-domain methods
[NASA-TP-3330] p 80 N94-10935
Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324

TISCHLER, V. A.

High Altitude Long Endurance aircraft design studies p 572 N94-36322

TISHCHENKO, M. M.

Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796

TISHKOFF, J. M.

AFOSR Contractors Propulsion Meeting
[AD-A279028] p 539 N94-35746

TITLOW, J.

Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303

TITS, A. L.

Optimization-based controller design for rotorcraft p 121 N94-14642

TIWARI, S. N.

Studies on nonequilibrium phenomena in supersonic chemically reacting flows
[NASA-CR-194662] p 183 N94-17215
The effects of profiles on supersonic jet noise
[NASA-CR-195184] p 369 N94-25177

TIWARI, SURENDRA N.

Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows
[SAE PAPER 921926] p 13 A94-11975

TIZARD, J. A.

Technical excellence and productivity - The ETW challenge p 125 A94-10417

TOBIAS, A. G.

Public-sector aviation issues: Graduate research award papers, 1991-1992
[PB93-206258] p 220 N94-22055

TODD, RUSSELL F.

Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807

TODD, STEPHANIE A.

Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860

TOENSKOETTER, H.

The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft p 578 N94-36335

TOEPFER, GEORGE

Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft
[NASA-CR-195489] p 318 N94-24975

TOGANO, KAZUMASA

Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602

TOGNARELLI, MICHAEL

The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837

TOKARSKI, FRANK

Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes
[NASA-CR-191047] p 538 N94-34993

TOMASETTI, ROBERT J.

Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1
[AD-A276144] p 419 N94-31830

TOMIC, MILOS

Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679

- TOMLINSON, LEROY O.**
Development of the gas turbine. Part 1: Design philosophy and performance p 362 N94-28080
- TOOKER, WILLIAM M.**
Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions [AD-A277918] p 477 N94-33283
- TORBENBEEK, E.**
Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft [LR-693] p 83 N94-13687
- TORGERSON, SHAD**
High lift aerodynamics [NASA-CR-195183] p 321 N94-25268
- TORNG, TONY Y.**
Recent advances in computational structural reliability analysis methods p 239 N94-22616
- TOROK, MICHAEL**
Analysis of rotor blade dynamics using model scale UH-60A airloads [HTN-94-00300] p 601 A94-62276
- TORRES, ABEL O.**
Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62 [NASA-TM-4528] p 295 N94-26693
- TOTAH, JOSEPH**
A critical assessment of UH-60 main rotor blade airfoil data [NASA-TM-103985] p 425 N94-32063
- TOUCHSTONE, R. M.**
Maintaining vigilance on a simulated ATC monitoring task across repeated sessions [DOT/FAA/AM-94/6] p 430 N94-30933
- TOVINKERE, V.**
Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
- TOWNSEND, S. E.**
Turbomachinery CFD on parallel computers p 194 A94-10298
- TRACY, M. B.**
Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results [NASA-TP-3358] p 253 N94-24464
- TRAENAPP, N.**
Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
- TRAN, B. N.**
Optimization of actuator arrays for aircraft interior noise control [AIAA PAPER 93-4447] p 71 A94-11352
- TRAN, P.**
Ice accretion on aircraft wings p 311 N94-28345
- TRANter, P. H.**
Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328
- TREADWELL, STEVEN**
Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962
- TREFFNY, CHARLES J.**
Computational study of single-expansion-ramp nozzles with external burning [NASA-TM-106550] p 446 N94-31229
- TREIBITZ, ALAN**
Computer graphic recreations of aircraft accidents p 194 A94-11357
- TREMBLAY, MARC**
CC-130H(T) tactical aerial refuelling tanker development flight test programme p 575 N94-36347
- TREMBLEY, NANCY**
FAA air traffic activity [AD-A266043] p 55 N94-12397
- TRENT, WILLIAM**
National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933
- TRETOUT, H.**
Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system p 160 A94-12415
- TRIFONOVA, N. A.**
Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239
- TRISCHLER, HELMUTH**
Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 N94-20543
- TROPEA, C.**
In-flight velocity measurements using laser Doppler anemometry [BTN-94-EIX94311329139] p 549 A94-60161
- TROSEN, DENNIS W.**
Development of an air-to-air refueling automatic flight control system using quantitative feedback theory [AD-A266718] p 122 N94-15730
- TROTT, W.**
Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development [AD-A278968] p 584 N94-36505
- TROTT, W. M.**
Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366
- TROUDET, T.**
A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 N94-30204
- TROUDET, TERRY**
A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 N94-21742
- TROVATI, A.**
Technology rigs: A tool for afterburner development p 397 N94-29270
The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442
- TROXEL, SETH W.**
Machine intelligent gust front algorithm [AD-A273695] p 343 N94-26196
- TROYANOVSKI, I.**
Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280
- TRUE, B.**
Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 N94-24594
- TRUEMAN, C. W.**
RCS of ships and aircraft at HF frequencies p 237 N94-22128
- TRUJILLO, ANNA C.**
Effects of historical and predictive information on ability of transport pilot to predict an alert [NASA-TM-4547] p 330 N94-27864
- TRUSLOVE, G.**
Application of a design-build-team approach to low cost and weight composite fuselage structure [NASA-CR-4418] p 492 N94-32863
- TRUSZKOWSKI, WALTER**
The 1991 research and technology report, Goddard Space Flight Center [NASA-TM-108738] p 212 N94-14791
- TSAI, L. C.**
Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
- TSAI, LUNG-WEN**
Six-degree-of-freedom parallel minimanipulator with three inextensible limbs [NASA-CASE-GSC-13485-1] p 413 N94-29726
- TSAI, TED**
Load-limiting landing gear footpad energy absorption system p 491 N94-33323
- TSAO, MIKE**
Aircraft turbine engine reliability and inspection investigations [AD-A274860] p 332 N94-26176
- TSAY, SI-CHEE**
Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- TSENG, WU-YANG**
Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255
Wing mounted unducted fan engine [CA-PATENT-1323353] p 265 N94-24180
- TSING, N.-K.**
Optimization-based controller design for rotorcraft p 121 N94-14642
- TSKHOVREBOV, M. M.**
Turboramjet engines: Types and performances p 398 N94-29293
CIAM experimental turboramjets p 399 N94-29299
- TSO, JIN**
An experimental investigation of the effect of upper surface blowing on dynamic stall [NASA-CR-194863] p 247 N94-22894
- TSUCHIYA, MASAKO**
A method of user interface for NWT p 415 N94-28993
- TSUCHIYA, YOSHIO**
The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784
- TSUDA, SHOUICHI**
Hypersonic aerodynamic characteristics of SSTD-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- TSUJIMOTO, YOSHINOBU**
Active control of vaneless diffuser rotating stall p 502 N94-34178
- TSUKAMOTO, SHIGEKI**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- TSUKANO, YUUKICHI**
In-flight simulation of backside operating models using direct lift controller [NAL-TR-1152] p 112 N94-10734
- TSURUSAKI, HIROMU**
Active control of vaneless diffuser rotating stall p 502 N94-34178
- TU, EUGENE**
Code validation for the simulation of supersonic viscous flow about the F-16XL p 463 N94-33528
- TU, EUGENE L.**
Vortex-wing interaction of a close-coupled canard configuration [BTN-94-EIX94311329121] p 519 A94-60179
- TU, QINGCI**
The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101
Monte Carlo simulation of commercial aircraft reliability p 193 A94-10103
A discussion of the phased character of reliability and maintainability indexes p 153 A94-10104
- TUBMAN, J. B.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- TUCKER, A. R.**
Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399
- TUCKER, C. J.**
Infrared search and track demonstrator programme p 599 N94-36622
- TUCKER, GEORGE E.**
Piloting considerations for terminal area operations of civil tilting and tiltrotor aircraft p 119 N94-13320
Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches p 95 N94-13323
- TUCKER, RICHARD F.**
Synthetic vision technology demonstration. Volume 1: Executive summary p 475 N94-33076
Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- TUCKER, W.**
Modular Simulator System (MSS) management guide [AD-A277098] p 440 N94-32014
Modular Simulator System (MSS). Executive report [AD-A276966] p 440 N94-32241
Modular Simulator System (MSS). Interface requirements specification for the generic MSS [AD-A276965] p 440 N94-32311
Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1 [AD-A276968] p 440 N94-32312
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2 [AD-A276969] p 440 N94-32313
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8 [AD-A276975] p 440 N94-32314
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9 [AD-A276976] p 441 N94-32315
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10 [AD-A276977] p 441 N94-32316
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11 [AD-A276978] p 441 N94-32317
Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12 [AD-A276979] p 441 N94-32318

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13 [AD-A276980] p 441 N94-32319
- Modular Simulator System (MSS). Engineering design guide [AD-A276967] p 441 N94-32394
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3 [AD-A276970] p 442 N94-32395
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5 [AD-A276972] p 442 N94-32397
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7 [AD-A276974] p 442 N94-32399
- Modular Simulator System (MSS). Interface design document for the generic MSS [AD-A277270] p 442 N94-32403
- TULING, S.**
A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction p 127 A94-10439
- TUMELIN, JEAN-CLAUDE**
ARC2000: Automatic radar control p 388 N94-29583
- TUNCER, ISMAIL H.**
Unsteady aerodynamic characteristics of a dual-element airfoil [BTN-94-EIX94401358968] p 565 A94-61624
- TUNG, C.**
Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil [NASA-TP-3357] p 38 N94-15657
Effect of an extendable slat on the stall behavior of a VR-12 airfoil [NASA-TP-3407] p 291 N94-25187
The quest for stall-free dynamic lift p 525 N94-34986
- TUNG, CHEE**
Dynamic stall study of a multi-element airfoil p 16 A94-12072
- TURKEL, E.**
Preconditioning and the limit to the incompressible flow equations [NASA-CR-191500] p 200 N94-13717
- TURNER, A. B.**
Ingestion into the upstream wheel-space of an axial turbine stage [BTN-94-EIX94311330099] p 587 A94-61059
An air bearing system for small high speed gas turbines p 505 N94-34466
- TURNER, D.**
Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980
- TURNER, FRANK**
Rolls-Royce in perspective: Past, present and future [PNR-90882] p 264 N94-23519
- TURNER, J. W.**
Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance [PB94-142734] p 431 N94-31680
- TURNER, SIMON**
A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895
- TURNOCK, DAVID L.**
Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722
- TURRINI, FABIO**
Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258
- TURYK, PETER J.**
Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320
- TUTTLE, M.**
Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- TUTTLE, S.**
Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- TUTTLE, S. L.**
Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513
- TUTTON, P. A.**
Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- TUTUNCU, NAKI**
Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist [HTN-94-00296] p 609 A94-62425
- TWEEDT, D. L.**
Averaging techniques for steady and unsteady calculations of a transonic fan stage [NASA-TM-106231] p 3 N94-13108
- TYLER, CHARLES**
Advanced diagnostics research for high speed aerodynamic testing [SAE PAPER 922007] p 158 A94-12011
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9 [AD-A268596] p 44 N94-17609
- TYREE, GERALD W.**
Flush head fastener [CA-PATENT-1308581] p 278 N94-24175
- TYSELL, LARS G.**
WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721
- TYURIN, B. F.**
Behavior of a cargo suspended under a helicopter p 71 A94-11041
- TZONG, G. T. J.**
Current and future design methods for large transport aircraft p 261 N94-24324
- TZONG, GEORGE T. J.**
Integrated technologies in aircraft design optimization p 79 A94-12612

U

- UCER, A. S.**
Working group activities of AGARD propulsion and energetics panel [BTN-94-EIX94311331062] p 589 A94-61116
- UCHIDA, SEISHI**
Gas turbine and operating method of the same [CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- UCHIDA, TADAO**
Development of an on-board aircraft optical fiber data bus system [NAL-TR-1163] p 83 N94-13338
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
- UCHIDA, TAKASHI**
Numerical analysis of supersonic transport wings p 375 N94-28959
- UDRESCU, RADU**
Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors p 78 A94-12241
- UEDA, SHUICHI**
A study on heat transfer in a scramjet leading edge model [NAL-TR-1187T] p 333 N94-27608
- UENISHI, K.**
CFD-based three-dimensional turbofan exhaust nozzle analysis system p 98 A94-10857
- UFFEN, D. R.**
Smart structures at Aastra Corporation p 146 N94-11326
- UHDE-LACOVARA, JO**
Cooperative GN&C development in a rapid prototyping environment [AIAA PAPER 93-4622] p 197 A94-11505
- UHERKA, K. L.**
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
- ULBRICH, NORBERT MANFRED HERMANN**
Wall interference correction based on interface measurements in subsonic wind tunnel testing p 26 N94-11154
- ULEN, ESKIL**
Wind tunnel tests of a 5.3 m diameter yaw controlled turbine [FFA-TN-1993-20] p 449 N94-30946
- ULLAURI, JULIO C.**
Mixed H2/H-infinity optimization with multiple H infinity constraints [AD-A280572] p 581 N94-36733

V

- UMASHANKAR, KORADA R.**
Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets [AD-A274023] p 352 N94-25757
- UMEMURA, S.**
New high-efficiency heavy-duty combustion turbine 701F [BTN-94-EIX94311331073] p 588 A94-61105
- UNAL, RESIT**
Aerodynamic configuration design using response surface methodology analysis [AIAA PAPER 93-3967] p 136 A94-10718
- UNDERWOOD, F. M.**
Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- UNGER, SHELDON E.**
Backscatter haze device for measurement of haze in aircraft transparencies [AD-A275127] p 391 N94-29042
- URBAN, LOUIS A.**
Mathematical methods of relative engine performance diagnostics [SAE PAPER 922048] p 99 A94-12034
- URNES, JAMES M., SR.**
Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft [NASA-CR-186028] p 333 N94-27432
- USSLER, WOLF-RUEDIGER**
The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236
- UTENG, T.**
Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
- UTSCHIG, JOSEPH M.**
Laser Doppler velocimetry in a low speed multistage compressor [AD-A274836] p 353 N94-26498
- UTTAL, T.**
Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
- VAESSEN, G.**
Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
- VALAREZO, WALTER O.**
High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- VALASEK, JOHN**
An investigation of fighter aircraft agility [NASA-CR-194608] p 91 N94-19448
- VALCO, MARK**
The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 N94-21756
- VALCO, MARK J.**
Comparison of transmission error predictions with noise measurements for several spur and helical gears [NASA-TM-106647] p 502 N94-33954
- VALENTA, LISA**
The Gold Rush: A simulated commercial air transportation study [NASA-CR-195528] p 319 N94-25002
- VALENTINO, M. A.**
An electronic imaging system for the Aeroballistic Research Facility [AD-A267157] p 181 N94-15826
- VALERO, FRANCISCO P. J.**
Optical properties of cirrus derived from airborne measurements during FIRE IFO 2 p 241 N94-22297
- VALETT, JON**
Software Management Environment (SME) concepts and architecture, revision 1 [NASA-CR-189293] p 416 N94-29727
- VAN DER AUWERAER, HERMAN**
An impedance approach to vibro-acoustic modeling p 204 A94-12483
- VAN DER DRAAI, R. K.**
A modelised HST of NLR p 124 A94-10405
- VAN DER WALL, BEREND G.**
The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
- VAN DER WALT, JOHANNES P.**
Life prediction of helicopter engines fitted with dust filters p 99 A94-12115
- VAN DYKE, MILTON**
Annual review of fluid mechanics. Vol. 25 [ISBN 0-8243-0725-9] p 155 A94-10885

- VAN GRIETHUYSEN, V.**
A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- VAN NEE, RICHARD D. J.**
GPS multipath and satellite interference p 63 A94-12557
- VAN, K. S.**
Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- VANAKEN, JOHANNES M.**
Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls
[NASA-CR-196103] p 581 N94-36436
- VANBEEK, C. M.**
Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- VANBEIJNEN, M. N.**
Damage-tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments
[LR-728] p 433 N94-31674
- VANBLADEL, P. G.**
Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911
- VANCE, JOHN M.**
Effects of vapor cavitation and fluid inertia on the force coefficients of a squeeze film damper. I - Analysis of a long SFD p 164 A94-12871
- VANCLEMPUT, INGE**
Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550
- VANDALSEM, WILLIAM R.**
Numerical simulation of a powered-lift landing p 328 N94-28033
- VANDAM, C. P.**
In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
- VANDENBERG, J. I.**
Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
- VANDENBOS, HANS**
Simulation of fully automated air traffic control concepts p 386 N94-29569
- VANDERDRAAI, R. K.**
A modernised HST of NLR p 402 N94-30423
'Real time' and the NLR aerodynamic facilities
[AD-B173626] p 438 N94-30856
- VANDERMAAREL, H. T. M.**
Local grid refinement method for the euler equations
[PB93-223329] p 273 N94-22985
- VANDERVEEN, M.**
Expectations for the future of Fokker p 4 N94-15127
- VANDERVLJET, GERY**
The test, evaluation, development, and use of a manned flight simulator to support Navy developmental testing of the V-22 Osprey
[SAE PAPER 921978] p 129 A94-11998
- VANDERVOOREN, J.**
Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401
A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design
[NLR-TP-92524-U] p 420 N94-30493
CFD-based drag prediction: State-of-the-art, theory, prospects
[AD-B179297] p 422 N94-31180
- VANDERWEES, A. J.**
A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
- VANDERWUJGAART, ROB F.**
Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204
- VANDOMMELEN, L.**
Unsteady flow past a NACA 0012 airfoil pitching at constant rates
[AD-A265159] p 27 N94-11889
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- VANDOORN, B. A.**
A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- VANDRIEL, N.**
Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
A review of the status and capabilities of Navstar GPS
[AD-B174629] p 430 N94-30854
- VANDRONKELAAR, J. H.**
Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- VANFOSSEN, G. JAMES**
Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape
[NASA-TM-106504] p 281 N94-24481
- VANGRIETHUYSEN, VALERIE J.**
An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
- VANHENGEL, P. W. J.**
On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822
- VANKLEEF, E. R. A.**
Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- VANLEER, B.**
Preconditioning and the limit to the incompressible flow equations
[NASA-CR-191500] p 200 N94-13717
- VANMELLE, M. J.**
Cesium and rubidium frequency standards status and performance on the GPS program p 429 N94-30663
- VANMOURIK, P. A.**
Information system for flow simulation based on the Navier-Stokes equations vectorization
[AD-B179293] p 444 N94-30763
- VANMUJDEN, J.**
A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
- VANOUDHEUSDEN, B. W.**
Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects
[LR-707] p 121 N94-13906
- VANPAASSEN, D. M.**
Noise measurements on two types of airplanes used for spraying in agriculture
[LR-706] p 92 N94-19796
- VANRHEE, C. G.**
Gate assignment using linear programming
[LR-698] p 200 N94-13987
- VANROSENDALE, JOHN**
Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240
- VANRYN, PERCY**
The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004
- VANSTEENWYK, BRETT**
A reliable algorithm for optimal control synthesis
[NASA-CR-194809] p 283 N94-23332
- VANSUTENDAELE, N.**
Handbook, Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology
[AD-A275323] p 96 N94-20343
- VANTOOREN, M. J. L.**
Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments
[LR-728] p 433 N94-31674
- VANTRIET, ROBERT**
Preliminary design of nine high speed civil transports p 322 N94-25710
- VARGAS, MARIO**
A preliminary study on ice shape tracing with a laser light sheet
[NASA-TM-105964] p 170 N94-11132
- VASIL'EV, V. I.**
Using the boundary layer theory for calculating separated flows p 19 A94-12894
Effect of flow interaction at the trailing edge of a separator on the effective areas p 19 A94-12897
- VASQUEZ, PETER**
Improved ceramic slip casting technique
[NASA-CASE-LAR-14471-1] p 230 N94-20377
- VEAUX, JACQUES**
Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
- VECCHIONE, LUDOVICO**
The new Italian transonic pilot tunnel p 124 A94-10406
- VEERS, P. S.**
Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity
[DE93-011597] p 190 N94-11173
Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed
[DE94-002290] p 365 N94-26700
- VEERS, PAUL**
Simulating high-frequency wind for long durations
[DE94-002739] p 346 N94-27997
- VEILLET, C.**
Comparison of LASSO and GPS time transfers p 429 N94-30665
- VELEZ, R.**
Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- VELTEN, J. R.**
The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems p 388 N94-29582
- VENKATAPATHY, ETHIRAJ**
Development and application of computational aerothermodynamics flowfield computer codes
[NASA-CR-196136] p 526 N94-35498
- VENKATESAN, COMANDUR**
Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
- VENKATESWARAN, SANKARAN**
Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- VENKATESWARARAO, K. T.**
Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics
[AD-A267764] p 151 N94-17223
- VENKAYYA, V. B.**
High Altitude Long Endurance aircraft design studies p 572 N94-36322
- VENNEMANN, DIETRICH**
HEG - A new shock tunnel for high enthalpies p 127 A94-10427
- VENNERI, SAMUEL L.**
Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity
[ISBN 0-7918-0663-4] p 163 A94-12676
- VER, ISTVAN L.**
Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study
[NASA-CR-194905] p 509 N94-33023
- VERBRUGGEN, MARC**
Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- VERDON, JOSEPH M.**
An analysis for high Reynolds number inviscid/viscid interactions in cascades
[NASA-CR-4519] p 254 N94-24606
- VERGNOL, F.**
Flight command software development: RAFALE studies p 415 N94-29320
- VERMEER, N. J.**
Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
- VERNON, LURA**
In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing
[NASA-TM-4512] p 86 N94-15783
- VEROLME, J. L.**
Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations
[LR-694] p 177 N94-13931
Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961
- VERSPAY, SJACK J. L. H.**
Take-off performance monitoring system algorithm and display development
[NLR-TP-91395-U] p 88 N94-17734
- VESECKY, J. F.**
Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427
- VETTER, M.**
Hypersonic testing in the Aachen shock tunnel p 126 A94-10425
- VEZIN, J. M.**
FM interference in radio navigation receivers p 222 N94-22219

- VICKERS, D. B.**
A flight test system design for the microwave landing system p 222 N94-22156
- VICROY, DAN D.**
NASA wake vortex research [AIAA PAPER 93-4004] p 52 A94-10719
- VIHWEGER, G.**
The concept of the Kryo-Kanal-Koeln (KKK) - Operational experience, test results of flow quality and force measurements at AGARD-calibration model p 126 A94-10421
The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442
- VIHWEGER, GUENTER**
The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 N94-27587
- VIETEN, K. W.**
YF-23A hydraulic management system [SAE PAPER 922028] p 73 A94-12023
- VIETINGHOFF, H.**
An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2 [LTR-ST-1909] p 177 N94-13945
A prediction method for the compressive strength of impact damaged composite laminates [CTN-94-60925] p 270 N94-24137
- VIEWEG, STEFAN**
Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570
Operational aspects of GPS for precision approach and landing p 65 A94-12572
- VIGNATI, G.**
Experimental evaluation of the EH101 tail rotor dynamics in flight p 76 A94-12095
- VIGNAU, H.**
The centrifugal compressor, an essential component of small and medium power engines p 484 A94-34445
- VIGUE, Y.**
Time and position accuracy using codeless GPS p 428 N94-30650
- VIJGEN, PAUL M. H. W.**
Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line [NASA-TP-3359] p 42 N94-16574
In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- VILCANS, JANIS**
Impact of shutting down en route primary radars within CONUS interior [DOT-VNTSC-FAA-93-1] p 67 N94-11626
- VILLASENOR, R.**
Interaction between chemical reaction and turbulence in supersonic nonpremixed H₂-air combustion p 159 A94-12397
- VILSMEIER, JOSEF**
New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- VINCENT, BRETT T.**
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure p 269 N94-23653
- VINCENT, F.**
The ISL rotor bench [ISL-R-108/92] p 321 N94-25301
- VINCI, C.**
The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442
- VINER, M. R.**
Acoustic emission monitoring of aging aircraft structures [DREP-93-17] p 393 N94-30129
- VINH, NGUYEN X.**
Optimal reentry trajectories by asymptotic matching [IAF PAPER 93-012] p 136 A94-11104
- VINOGRADOV, V.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- VIS, M. A.**
On an adaptation method for 2-dimensional C-type grids [W-9322] p 423 N94-31822
On an adaptation method for dense, 2D, C-type grids [W-9321] p 448 N94-32045
- VISAISOUK, S.**
Paint removal and surface cleaning using ice particles p 168 N94-10626
- VISBAL, MIGUEL R.**
Crossflow topology of vortical flows [BTN-94-EIX94301315993] p 515 A94-60029
- VISHNYAK, V. F.**
A thermometric method for monitoring the heat insulation coatings of flight vehicles p 164 A94-12819
- VISINGARDI, A.**
Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- VISINTINI, L.**
Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- VISKANTA, RAYMOND**
Measurement and prediction of dynamic temperatures in unsymmetrically cooled glass windows [BTN-94-EIX94351142128] p 550 A94-60421
- VISSER, H. G.**
Optimal lateral escape maneuvers for microburst encounters during final approach [LR-691] p 56 N94-13534
- VISWANATHAN, S.**
Panel codes for aerodynamic analysis at NAL p 35 N94-14617
- VITAGLIANO, P. L.**
The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387
- VIZ, MARK J.**
Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
- VLASIC, E.**
Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
- VLOT, A.**
Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
- VLOT, AD**
Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage [LR-708] p 176 N94-13803
- VOAS, JEFFREY M.**
Software testability and its application to avionic software [AIAA PAPER 93-4542] p 196 A94-11462
An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- VOELCKERS, U.**
Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- VOELCKERS, UWE**
The PHARE advanced tools p 388 N94-29581
- VOGEL, CHRISTINE**
The RTL-46: A simulated commercial air transportation study [NASA-CR-195524] p 319 N94-25017
- VOGELGESANG, OLIVER**
Three dimensional network generation and Euler calculation for a wing fuselage canard configuration [MBB-LME-211-S-PUB-511-A] p 91 N94-19500
- VOGELS, M. E. S.**
Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- VOLAKIS, JOHN L.**
Radiation and scattering by cavity-backed antennas on a circular cylinder [NASA-CR-193409] p 170 N94-11084
Scattering by cavity-backed antennas on a circular cylinder p 236 N94-21886
Radiation by cavity-backed antennas on a circular cylinder p 236 N94-21887
- VOLKMAR, J.**
Aquastrap (tm): An innovative paint removal technology p 168 N94-10625
- VOLLAN, A.**
Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280
- VOLLMERS, H.**
Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- VOLPONI, ALLAN J.**
Mathematical methods of relative engine performance diagnostics [SAE PAPER 922048] p 99 A94-12034
- VON GERSDORFF, MICHAEL**
Flight tests of the digitally controlled Turbomeca Arrius 1B engines on EC BO 108 p 99 A94-12096
- VONBOKERN, GREG J.**
Airport surface operations requirements analysis [NASA-CR-191508] p 254 N94-23288
- VONDOERNBERG, ADRIAN**
Powerful selling and sales strategy p 311 N94-28245
- VONK, STEVEN J.**
Oxidation resistant protective coating system for gas turbine components and process for penetration thereof [CA-PATENT-1,294,155] p 230 N94-21143
- VONPRAGENAU, GEORGE L.**
Dynamic tester for rotor seals and bearings [NASA-CASE-MFS-28493-1] p 130 N94-10669
- VORACEK, DAVID F.**
Buffet-induced structural/flight-control system interaction of the X-29A aircraft [BTN-94-EIX94311329137] p 517 A94-60163
Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing [NASA-TM-104264] p 80 N94-11233
- VORMWALD, M.**
Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- VORONKOV, A. Z.**
Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters p 159 A94-12239
- VORTAC, O. U.**
Automation and cognition in air traffic control: An empirical investigation [DOT/FAA/AM-94/3] p 312 N94-25444
- VOSTEN, LOUIS F.**
COINS: A composites information database system p 494 N94-33123
- VRANA, CRAIG A.**
Variable-resolution imagery for flight simulation [AD-A276199] p 438 N94-31058
- VRHEL, JIRI**
Fatigue test by random loading of a training aeroplane wing spar p 123 A94-10325
- VUILLERMOZ, PATRICK**
Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer [ONERA-NT-1992-11] p 149 N94-14194
- VUILLET, A.**
The high speed helicopter p 74 A94-12044
- VUILLET, ALAIN E.**
Bent-tip blade for aircraft rotary-wing [CA-PATENT-1,315-259] p 257 N94-23254
- VUKELICH, SHARON**
Process enhancements of superalloy material p 585 N94-37324
- YYAS, B.**
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- YYRIOTES, P.**
Propeller off-axis loads due to thrust axis incidence and nacelle Magnus force p 334 N94-28319

W

- WACHTER, E. A.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies [DE93-017228] p 152 N94-18761
- WADA, YASUHIRO**
Numerical calculation of scramjet inlet flow [NAL-TR-11747] p 100 N94-10370
Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
Numerical simulation of arc heated wind tunnel flow p 402 N94-28951
- WADAWADIGI, GANESH**
Three-dimensional upwind parabolized Navier-Stokes code for supersonic combustion flowfields [BTN-94-EIX94351142134] p 521 A94-60427
- WADSWORTH, DAVID**
Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- WAEHNER, HORST**
Munich Airport: The new Lufthansa hub p 310 N94-28239
- WAGENAAR, W.**
Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
- WAGGONER, EDGAR G.**
Status of CFD for LaRC's HSR high-lift program p 461 N94-33520
- WAGGOTT, J.**
Mainstream ingress suppression in gas turbine disk cavities [BTN-94-EIX94311330101] p 586 A94-61057
- WAGNER, ELAINE A.**
Techniques for on-board automatic aid and advisory for pilots of control-impaired aircraft p 110 A94-12618

- WAGNER, MICHAEL**
Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- WAGNER, ROBERT**
Interferometric JFTOT tube deposit measuring device
[AD-D016295] p 604 N94-37768
- WAGNER, S.**
Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110
- WAHLS, DEBORAH M.**
Preliminary structural evaluation and design of the HL-20
[BTN-94-EIX94351137060] p 545 A94-60400
- WAID, JAMES D.**
Ground station siting considerations for DGPS
p 315 N94-27293
- WAKAMATSU, YOSHIO**
A study on heat transfer in a scramjet leading edge model
[NAL-TR-11877] p 333 N94-27608
- WAKAYAMA, SEAN**
Nonlinear aerodynamics and the design of wing tips
[NASA-CR-194732] p 217 N94-21833
- WAKE, L. V.**
Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft
[AD-A274881] p 326 N94-26864
Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- WAKEFIELD, BRYCE E.**
Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- WALBERG, GERALD D.**
Multidisciplinary design techniques applied to conceptual aerospace vehicle design
[NASA-CR-194409] p 83 N94-13618
- WALCHLI, LAWRENCE A.**
X-29: Longitudinal instability at high angle-of-attack
p 114 N94-11504
High lift and the forward swept wing p 89 N94-18436
- WALGEMOED, H.**
Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- WALIGORA, SHARON**
Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256
Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501
- WALKER, D.**
Rotorcraft flying qualities improvement using advanced control p 117 N94-13303
- WALKER, J. D.**
A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465
- WALKER, J. D. A.**
Some aspects of unsteady separation p 525 N94-34979
- WALKER, MARY MCWHERTER**
Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- WALKER, T. H.**
Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
Tension fracture of laminates for transport fuselage. Part 1: Material screening p 495 N94-33130
Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- WALKER, TOM**
Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- WALKER, W. R.**
The application of finite difference techniques to helicopter rotor blade response calculations p 76 A94-12086
- WALLACE, C. E.**
A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- WALLACE, CLARK E.**
An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
- WALLACE, LANE E.**
Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory
[NASA-SP-4216] p 455 N94-32793
- WALLER, G. C.**
Drag prediction by wake integrals using 3-D multi-grid Euler method (MGAERO) p 303 N94-28335
- WALLIN, STEFAN**
CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2
[FFA-TN-1992-42] p 45 N94-17919
- WALLSTENIUS, BENGT**
Spectrum fatigue testing of T-shaped tension clips
[FFA-TN-1992-22] p 184 N94-17970
- WALSH, JOANNE L.**
Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900
- WALSH, MICHAEL R.**
Icing of turbine intake louvers
[AD-A265714] p 101 N94-12274
- WALSH, P. M.**
Advanced thermally stable jet fuels
[DE93-017711] p 151 N94-16996
Advanced thermally stable jet fuels
[DE94-006760] p 443 N94-32150
- WALTER, J. W.**
Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267
- WALTERS, MARVIN M.**
Active vortex control for a high performance wing
[AD-D016140] p 458 N94-32974
- WALTON, JAMES F., JR.**
An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery p 503 N94-34192
- WAMPLER, DAVID L.**
Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- WAMPLER, JEFFREY L.**
Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254
- WANG, CLIN M.**
Dynamic stall study of a multi-element airfoil
p 16 A94-12072
- WANG, DE-ZONG**
The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356
- WANG, HAO**
Modal analysis for disordered periodic or nearly periodic structures p 161 A94-12504
- WANG, J. T.**
Technology integration box beam failure study p 494 N94-33126
- WANG, K. D.**
Study of rotor cavities and heat transfer in a cooling process in a gas turbine
[BTN-94-EIX94311330100] p 587 A94-61058
- WANG, MENG**
Sound radiation due to boundary layer transition p 285 N94-24163
- WANG, SHAOQING**
Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel p 97 A94-10709
- WANG, WEN-JUNE**
New output feedback design in variable structure systems
[BTN-94-EIX9438111173] p 597 A94-61260
- WANG, YONG**
A prediction for landing flying qualities of aircraft using loop separation parameter method p 106 A94-10118
- WANG, YOU-REN**
Integrated control and management of advanced aircraft electrical power system p 504 N94-34333
- WANG, YUH-YING**
Numerical investigations on two-dimensional canard-wing aerodynamic interference
[BTN-94-EIX94401358989] p 566 A94-61645
- WANG, YUREN**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- WANGERMANN, J. P.**
Air traffic management as principled negotiation between intelligent agents p 315 N94-27297
- WANGERMANN, JOHN**
Air traffic management as principled negotiation between intelligent agents p 384 N94-29562
- WANHILL, R. J. H.**
Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914
- WANIE, K. M.**
Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 N94-10459
- WANKE, CRAIG**
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays p 330 N94-27286
- WANKE, CRAIG R.**
A data fusion algorithm for multi-sensor microburst hazard assessment p 307 N94-27287
- WARD, DEAN A.**
Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964
- WARD, DONALD T.**
Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106
- WARD, N. J.**
Integrated formal verification and validation of safety critical software p 416 N94-29338
- WARE, GEORGE M.**
Aerodynamic characteristics of the HL-20
[BTN-94-EIX94351137055] p 544 A94-60395
Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration
[NASA-TM-4515] p 44 N94-17284
- WARK, C.**
Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- WARLITZER, VOLKER**
Transport policy options for reducing noise at airports; Hamburg airport taken as an example
[DLR-FB-92-40] p 135 N94-18123
- WARNER, RONALD R., JR.**
Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743
- WARNICA, WILLIAM DAVID**
Aerodynamic drag of droplets in turbulent flow fields
[ISBN-0-315-75827-9] p 457 N94-32491
- WARZYNSKI, GARY**
Tesseract supersonic business transport p 322 N94-25713
- WASSEL, A. T.**
A thermal management assessment tool for advanced hypersonic aircraft
[SAE PAPER 921941] p 73 A94-11980
- WASSERBAUER, CHARLES A.**
Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field
[NASA-TM-4485] p 180 N94-15445
- WASSERMAN, M. O.**
A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
- WATANABE, MITSUNORI**
Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345
- WATANABE, SHIGEYA**
Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration
[NAL-TR-1186] p 83 N94-13459
- WATANABE, YASUO**
Numerical simulation of arc heated wind tunnel flow p 402 N94-28951
- WATERS, LARRY K.**
A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- WATERWORTH, A.**
Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- WATERWORTH, ADRIAN**
Building fault-tolerant distributed computing systems using standard components
[AIAA PAPER 93-4571] p 196 A94-11477
- WATSON, WILLIE R.**
A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930
- WATT, A.**
Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
- WATTS, ROLAND J.**
Centrifuge test of an aircraft vapor cycle environmental control system
[SAE PAPER 922051] p 74 A94-12036
- WAVRE, N.**
Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036

- WAWNER, FRANKLIN E., JR.**
NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- WAY, S.**
Comments on the development of the early Westinghouse turbojets, 1941-1946
[BTN-94-EIX94311331063] p 577 A94-61115
- WAYE, D. E.**
Parachute system design, analysis, and simulation tool
[DE93-013755] p 29 N94-13260
- WEBB, LANNIE D.**
Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane
[NASA-TM-4538] p 104 N94-15141
- WEBBER, MATT**
Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- WEBBER, MATTHEW A.**
Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913
- WEBER, A.**
Design and analysis of a highly loaded transonic compressor cascade
p 505 N94-34451
- WEBER, DANIEL J.**
Simplified method for evaluating the flight stability of liquid-filled projectiles
[BTN-94-EIX94311322905] p 544 A94-60191
- WEBSTER, BRUCE EUGENE**
An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics
p 422 N94-31204
- WEBSTER, LEE F.**
Model borne data management system for wind tunnel testing, phase 2
[AD-A276296] p 438 N94-31295
- WEDEMEYER, E.**
Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section
p 125 A94-10415
- WEDLOCK, M. I.**
The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274
- WEEDING, M.**
The development of alternative paint removal techniques in the RAF
p 167 N94-10618
- WEI, YANG**
Nominal H(exp 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370
- WEIHRAUCH, PAUL**
Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2
[AD-A274410] p 349 N94-26978
- WEILAND, C.**
Computation of three-dimensional hypersonic flows in chemical nonequilibrium
[BTN-94-EIX94401358982] p 566 A94-61638
- WEILER, D. R.**
Payload central control for unmanned aircraft
p 401 N94-30284
- WEILMUNSTER, JAMES**
Characteristics of the Shuttle Orbiter leeside flow during a re-entry condition
[BTN-94-EIX94311322888] p 520 A94-60208
- WEILMUNSTER, K. JAMES**
HL-20 computational fluid dynamics analysis
[BTN-94-EIX94351137059] p 545 A94-60399
Single block three-dimensional volume grids about complex aerodynamic vehicles
[NASA-TM-108986] p 183 N94-17476
- WEINACHT, PAUL**
Applications of computational fluid dynamics to the aerodynamics of Army projectiles
[BTN-94-EIX94311330678] p 516 A94-60113
Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- WEINER, M. M.**
Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results
[AD-A267105] p 181 N94-15649
- WEINSTEIN, ARNOLD**
JB-300: An advanced medium size transport for 2005
[NASA-CR-195499] p 261 N94-24401
- WEINSTEIN, LEONARD M.**
Aerodynamic investigation with focusing Schlieren in a cryogenic wind tunnel
[BTN-94-EIX94421374975] p 593 A94-61873
- WEINSTEIN, LISA F.**
Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- WEISER, N.**
Free flight experiment with a laminar wing glove
p 219 N94-22600
- WEISERGER, D.**
The role of fatigue analysis for design of military aircraft
p 531 N94-34594
- WEISS, MARC A.**
A comparison of GPS broadcast and DMA precise ephemerides
p 429 N94-30660
- WEISS, ROSANNE M.**
VMC left turn curved approaches, test results
[AD-A269476] p 70 N94-18728
Combined 1991 and 1992 Robinson-22B (R-22) parking test results
[AD-A273550] p 269 N94-24559
- WEISS, S.**
Identification of thrust vector effectiveness from X-31A flight test data
p 106 A94-10744
X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring
p 540 N94-34619
- WEISSBERG, I.**
Aerodynamic models for performance calculations of modern technology propellers
p 252 N94-24285
- WEISSE, J. C.**
High speed Dauphin (DGV) 200 knots toward the future
p 75 A94-12081
- WEISSHAAR, TERENCE A.**
Aeroelasticity
p 163 A94-12691
The design of a long-range megatransport aircraft
p 323 N94-25718
Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies
[AD-A278640] p 581 N94-36384
- WEITZEN, J. A.**
Use of simulated atmospheric noise in the calibration and characterization of Loran-C receivers for aircraft navigation
p 62 A94-12121
- WELCH, GERARD E.**
Two-dimensional CFD modeling of wave rotor flow dynamics
[NASA-TM-106261] p 331 N94-25185
- WELGE, H. ROBERT**
Douglas Aircraft HSCT status and future research needs
p 472 N94-33454
Status of an inlet configuration trade study for the Douglas HSCT
p 473 N94-33506
- WELL, KLAUS H.**
Range optimal trajectories for an aircraft flying in the vertical plane
[BTN-94-EIX94381311181] p 571 A94-61268
- WELLBORN, STEVEN R.**
A study of the compressible flow through a diffusing S-duct
[NASA-TM-106411] p 217 N94-21591
- WELLER, T.**
Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260
- WELLER, WILLIAM H.**
Variation in Hover aeromechanical stability trends with bearingless main rotor design
[HTN-94-00304] p 603 A94-62277
- WELLIVER, ALBERTUS D.**
High-order technology: Applying technical excellence to new airplane development
p 320 N94-25069
- WELLS, EDWARD A.**
Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254
Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft
[NASA-CR-186028] p 333 N94-27432
- WELLS, PETER M.**
Study of virtual prototyping of aircraft instruments
[CMC-0687-1090] p 435 N94-31903
- WELLS, R. O., JR.**
Analysis of wavelet technology for NASA applications
[NASA-CR-195929] p 522 N94-34704
- WENDT, B. J.**
Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator
[NASA-TM-106468] p 248 N94-23465
The effects of vortex ingestion on the flow in a diffusing S-duct
[NASA-TM-106652] p 481 N94-33955
- WENDT, BRUCE J.**
Improving diffusing S-duct performance by secondary flow control
[NASA-TM-106492] p 291 N94-25182
- WENDT, JOHN F.**
A review of European hypersonic facilities
p 126 A94-10423
- WENG, P. F.**
Swirl control in an S-duct at high angle of attack
[BTN-94-EIX94421374970] p 563 A94-61868
- WENNINGER, ED**
A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes
p 323 N94-25714
- WENTZ, WILLIAM H., JR.**
Aviation safety research at the National Institute for Aviation Research, Wichita State University
[NIAR-93-4] p 60 N94-20189
AIAA Techfest 29 proceedings
[NIAR-93-1] p 5 N94-20191
- WERNER, R.**
Integrated stress and strength analysis of airplane structures using the data processing tool ISSY
p 260 N94-24320
- WERNERT, P.**
A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
p 127 A94-10438
A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149
LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- WERT, JOHN A.**
NASA-UVA light aerospace alloy and structures technology program (LA2ST)
[NASA-CR-195275] p 357 N94-27851
- WERT, K. L.**
Development of a droplet breakup model considering aerodynamic and droplet collision effects
p 274 N94-23045
- WESOKY, HOWARD L.**
The atmospheric effects of stratospheric aircraft: A third program report
[NASA-RP-1313] p 282 N94-24104
- WESTBROOK, S. R.**
Compatibility and efficacy of biocides qualified under military specification MIL-S-53021
[AD-A271496] p 230 N94-20551
- WESTBY, M.**
Recent enhancements to the DRA shock tunnel
p 127 A94-10426
- WESTLAND, J.**
Ciebsch variable model for unsteady, transonic flow; application to 2D airfoils
[NLR-TP-91387-U] p 31 N94-13530
- WESTON, R. J.**
Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026
- WESTWATER, E. R.**
Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions
[PB94-142106] p 426 N94-30890
- WETTLAUFER, BRIAN**
Aeropropulsion test and evaluation methods
p 102 N94-14165
- WETZEL, PAUL R.**
The J85 cost/benefit engine study
[AD-A269280] p 105 N94-18333
- WETZEL, W.**
Numerical simulation of three-dimensional hypersonic viscous flows
p 9 A94-10771
- WEYGANDT, JAMES H.**
Three-dimensional structure of straight and curved plane wakes
[NASA-CR-194420] p 29 N94-13266
- WHALLEY, MATTHEW S.**
Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
Study findings on the influence of maneuverability and agility on helicopter handling qualities
p 533 N94-34624
- WHEELER, HOWARD A.**
Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary
[AD-A278651] p 389 N94-30189

- WHEELER, MARK**
The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271
- WHIRLEY, R. G.**
SAND contact in DYNA3D
[DE93-016451] p 152 N94-18113
- WHITAKER, KEVIN W.**
Numerical analysis of turbine blade tip treatments
[SAE PAPER 921928] p 13 A94-11976
- WHITE, BRIAN E.**
VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384
VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632] p 185 N94-18495
- WHITE, D. J.**
Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies
[DE93-041130] p 237 N94-21938
Gas fired advanced turbine system
[DE94-003193] p 358 N94-27874
- WHITE, JAMES C.**
Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202
- WHITE, L. P.**
Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- WHITE, SUSAN**
1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion
[NASA-CP-10134] p 561 N94-35961
- WHITEFOOT, TOM**
Ground Attack Profile Selector Program, version 3.0
[DSIS-93-00702] p 201 N94-14207
- WHITEHEAD, ALLEN H., JR.**
First Annual High-Speed Research Workshop, part 1
[NASA-CP-10087-PT-1] p 460 N94-33447
First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462
First Annual High-Speed Research Workshop, part 3
[NASA-CP-10087-PT-3] p 460 N94-33487
First Annual High-Speed Research Workshop, part 4
[NASA-CP-10087-PT-4] p 461 N94-33517
- WHITEHORNE, R. L. G.**
Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
- WHITEHOUSE, D. R.**
The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321
- WHITEHURST, R. B., III**
Planar KrF laser-induced OH fluorescence imaging in a supersonic combustion tunnel
[BTN-94-EIX9432133315] p 520 A94-60266
- WHITELAW, J. H.**
Ducted kerosene spray flames p 407 N94-29276
- WHITMORE, STEPHEN A.**
Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (HI-FADS) system p 95 A94-12622
Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- WHITNEY, THOMAS J.**
Application of the strain gage-hole drilling method to aircraft transparencies p 164 A94-12918
- WHITTINGTON, DAVID H.**
Synthetic vision display evaluation studies
[NASA-CR-194963] p 603 N94-37658
- WIANT, J.**
Comparison of LASSO and GPS time transfers p 429 N94-30665
- WICHMANN, KARL**
The cryogenic tunnel Cologne at DLR
[DLR-MITT-93-10] p 344 N94-27587
- WIDMAYER, EDWARD**
Airplane size effects on occupant crash loads
[SAE PAPER 922035] p 74 A94-12026
- WIEDEMANN, M.**
Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320
- WIENER, EARL L.**
Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
On the design of flight-deck procedures
[NASA-CR-177642] p 468 N94-33943
- WIERZBANOWSKI, TED**
An environmental study of the National Aerospace Plane
[AD-A266071] p 80 N94-10945
- WIESEMAN, C. D.**
Time simulation of flutter with large stiffness changes
[BTN-94-EIX94311329132] p 518 A94-60168
Modal coordinates for aeroelastic analysis with large local structural variations
[BTN-94-EIX94311329131] p 518 A94-60169
- WIESEMAN, CAROL D.**
On-line evaluation of multiloop digital controller performance p 336 N94-25105
- WIETRICH, F.**
A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry p 127 A94-10438
A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149
LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- WIGGENRAAD, J. F. M.**
Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- WIKSWO, JOHN P.**
High resolution SQUID magnetometry for non-destructive evaluation
[AD-A268884] p 185 N94-18225
- WILCOSKI, JAMES**
Vibro-acoustic analysis of an aircraft maintenance dock
[AD-A266778] p 133 N94-14908
- WILCOX, PETER**
Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- WILDER, M. C.**
Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
- WILHITE, ALAN W.**
Technology and staging effects on two-stage-to-orbit systems
[BTN-94-EIX94311322891] p 520 A94-60205
- WILKEN, DIETER**
Methodology development of forecasting inter-regional air transport demand in China
[DLR-FB-93-24] p 308 N94-27746
- WILKINS, R. R.**
Low altitude navigation and approach requirements V/STOL and CTOL p 63 A94-12553
- WILKINSON, A. R.**
Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341
- WILLDEN, K. S.**
Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
- WILLDEN, KURTIS**
Composite fuselage crown panel manufacturing technology p 495 N94-33133
Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- WILLEKENS, A. J. L.**
Photogrammetric methods for trajectory measurements
[NLR-TP-91166-U] p 174 N94-13527
- WILLEMS, PIERRE Y.**
Stability analysis and aerospace vehicle dynamics p 113 N94-11491
- WILLIAMS, D.**
Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- WILLIAMS, D. R.**
Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987
- WILLIAMS, DAVID H.**
Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
Profile negotiation: An air/ground automation integration concept for managing arrival traffic p 387 N94-29578
- WILLIAMS, E. J.**
High frequency power flow in structures p 161 A94-12510
- WILLIAMS, F. A.**
Turbulent combustion regimes for hypersonic propulsion employing hydrogen-air diffusion flames
[BTN-94-EIX9432133324] p 546 A94-60275
Theories of turbulent combustion in high speed flows
[AD-A265735] p 147 N94-12403
- WILLIAMS, FRED W.**
Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- WILLIAMS, KEVIN E.**
Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers
[NASA-TM-103740] p 36 N94-14780
- WILLIAMS, RONALD H.**
Process enhancements of superalloy material p 585 N94-37324
- WILLIAMS, STEVEN P.**
Effective depiction of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536
- WILLIAMS, W. D.**
Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167
- WILLIAMS, W. DAN**
Strain sensing technology for high temperature applications
[NASA-TM-4498] p 173 N94-12874
- WILLIS, EDWARD A.**
Rotary engine performance computer program (RCMAP and RCMAAPP): User's guide
[NASA-CR-191192] p 104 N94-15192
- WILLISTON, WILLIAM C., JR.**
Rotordynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333
- WILLSHIRE, KELLI F.**
Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
- WILLSHIRE, WILLIAM L., JR.**
Human factors evaluation of the HL-20 full-scale model
[BTN-94-EIX94351137065] p 545 A94-60405
Joint Acoustic Propagation Experiment (JAPE-91) Workshop
[NASA-CP-3231] p 285 N94-24207
- WILLSON, A.**
Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461
- WILSON, A. G.**
Stall inception and development in an axial flow aeroengine
[BTN-94-EIX94311330088] p 591 A94-61131
- WILSON, A. J.**
The contribution of the EH101 to improving public transport helicopter safety levels p 53 A94-12083
- WILSON, CHARLES E.**
Marker beacon case
[AD-D016322] p 602 N94-37830
System for broadcasting marker beacon signals and processing responses from seeking entities
[AD-D016313] p 602 N94-37839
- WILSON, D. G.**
Models for predicting the performance of Brayton-cycle engines
[BTN-94-EIX94311331072] p 589 A94-61106
- WILSON, DAVID J.**
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
[AD-A273685] p 321 N94-25440
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set
[AD-A273913] p 321 N94-25590
Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
Flying qualities evaluation maneuvers p 533 N94-34623
- WILSON, F. W.**
An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126
- WILSON, HENRY**
Flight service evaluation of composite components on the Bell helicopter model 206L
[NASA-CR-191499] p 148 N94-13267
- WILSON, JACK**
Jet engine performance enhancement through use of a wave-rotor topping cycle
[NASA-TM-4486] p 105 N94-17470

WILSON, JAMES CHARLES

- Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft
[NASA-CR-195908] p 506 N94-33170
- WILSON, JOHN C.**
User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN
[NASA-TM-104139] p 458 N94-32873
- WILSON, T. M.**
Application of concurrent engineering principles to aircraft structural design p 260 N94-24321
- WILSON, TIMOTHY M.**
Applications of Titanium Matrix Composite to large airframe structure p 585 N94-36651
- WILSON, WARREN J.**
VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations
[AD-A268485] p 70 N94-18384
VHF air/ground communications for air traffic control: A decision tree approach to system innovations, volume 2
[AD-A268632] p 185 N94-18495
- WILTBERGER, N. LYN**
Efficient simulation of incompressible viscous flow over multi-element airfoils p 46 N94-18421
- WINCHENBACH, G. L.**
An electronic imaging system for the Aeroballistic Research Facility
[AD-A267157] p 181 N94-15826
- WINCKLER, STEVEN J.**
Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist
[HTN-94-00296] p 609 A94-62425
- WINDHAM, PAT M.**
Future concepts for maintenance and the increasing role of on-board maintenance
[SAE PAPER 921921] p 93 A94-11971
- WINDLEY, PHILLIP J.**
Towards the formal verification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191466] p 243 N94-22414
Towards the formal specification of the requirements and design of a processor interface unit: HOL listings
[NASA-CR-191465] p 283 N94-23252
Towards the formal specification of the requirements and design of a processor interface unit
[NASA-CR-4521] p 284 N94-24463
- WINFREE, WILLIAM P.**
Processing infrared images of aircraft lapjoints p 160 A94-12413
- WING, DAVID J.**
Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap
[NASA-TP-3385] p 217 N94-21569
Static performance investigation of a skewed-throat multiaxis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172
- WINICK, ROBERT M.**
Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- WINKENS, A.**
Pre-design study of a general purpose vehicle simulator platform
[PB93-215366] p 269 N94-24739
- WINTER, TOM**
The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- WIPPICH, HEINZ-GEORG**
GPS/GNSS for ATM p 385 N94-29565
- WIRTH, WALTER M., JR.**
Linear modeling of rotorcraft for stability analysis and preliminary design
[AD-A274869] p 339 N94-26192
- WISE, NICHOLAS**
Radar jet engine health monitoring project
[ASSGI-301] p 400 N94-30130
- WISMANN, VOLKMAR**
A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 N94-11711
- WIT, G. P.**
MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage
[LR-697] p 177 N94-13986
- WITHERS, ASHLEY**
Design of the advanced regional aircraft, the DART-75 p 321 N94-25708

WITT, ARTHUR

- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- WITTENBERG, H.**
Predicted and real development in the aviation in the period 1961-1991 p 4 N94-15122
The dynamic stability of the helicopter
[LR-772] p 123 N94-19615
- WITTING, S.**
Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers
[BTN-94-EIX94311331074] p 588 A94-61104
Analysis of cooling jets near the leading edge of turbine blades p 334 N94-28037
Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- WLAD, FRANK**
Design project: Viper
[NASA-CR-195484] p 319 N94-25021
- WOELFL, KARL**
Development of the BK 117 C-1 with Arriel 1-E engines p 75 A94-12078
- WOLDA, WILLEM D.**
Spoiler actuator - Problem investigation
[SAE PAPER 922005] p 107 A94-12009
- WOLF, H.**
The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457
- WOLF, STEPHEN W. D.**
Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers p 126 A94-10424
Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117
- WOLLESWINKEL, H. N.**
Aviation inspection prospects p 57 N94-15125
- WONG, DOUGLAS T.**
Evaluation of the prototype dual-axis wall attitude measurement sensor
[NASA-TM-109056] p 354 N94-26707
- WONG, EDMOND**
Distributed simulation using a real-time shared memory network
[NASA-TM-106239] p 198 N94-10724
- WONG, G. S.**
Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643
- WONG, GENE A.**
Development of precision runway monitor system for increasing capacity of parallel runway operations p 389 N94-29587
- WOO, JONG-HO**
Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage
[AD-A266890] p 85 N94-14951
- WOO, K.**
Mobile terminal antennas for helicopters p 232 N94-20458
- WOOD, J. R.**
Experimental and computational results from a large low-speed centrifugal impeller
[NASA-TM-106421] p 52 N94-20136
Experimental and computational results from a large low-speed centrifugal impeller p 484 N94-34446
- WOOD, JERRY R.**
Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- WOOD, JOHN D.**
MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493
- WOOD, M. LOREN**
Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127
- WOOD, N. J.**
Active control of wing rock using tangential leading-edge blowing
[BTN-94-EIX94401358987] p 571 A94-61643
Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
Yaw control by tangential forebody blowing p 539 N94-34615
- WOOD, TOM L.**
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037
[NASA-TM-109040-VOL-4] p 293 N94-26483

- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-1] p 293 N94-26489
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492
Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497
- WOOD, WILLIAM A.**
Combined LAURA-UPS solution procedure for chemically-reacting flows
[NASA-TM-107964] p 551 N94-34721
- WOODARD, PAUL R.**
Unstructured mesh quality assessment and upwind Euler solution algorithm validation
[BTN-94-EIX94401358985] p 592 A94-61641
- WOODFORD, LYNN M.**
Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791
- WOODS, DAVID D.**
Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- WOODWARD, D. S.**
Where is high-lift today? A review of past UK research programmes p 5 N94-18416
- WOODWARD, JOE**
Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- WOODWARD, JOSEPH H.**
Safety enhancement of composites via periodic proof testing
[AD-A275662] p 403 N94-28655
- WOODWARD, RICHARD P.**
Noise levels from a model turbofan engine with simulated noise control measures applied
[NASA-TM-106318] p 102 N94-14036
- WOODWORTH, P. L.**
Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716
- WOOLEY, CHRISTINE L.**
Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
- WOPPOWA, STEFAN**
On memory effects in turbulence
[DLR-FB-93-03] p 184 N94-18124
- WORCESTER, DAVID A.**
Liquid tight insulation for high temperature aircraft ducting
[SAE PAPER 921914] p 98 A94-11967
- WORKMAN, GARY L.**
Materials processing apparatus development for fluoride glass
[NASA-CR-193963] p 498 N94-34388
- WORRALL, GARY**
Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401
- WORSNOP, D. R.**
Stratospheric aircraft exhaust plume and wake chemistry
[NASA-CR-191495] p 191 N94-12572
- WRAY, RICK L.**
Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- WRENN, G. A.**
Supersonic transport wing minimum weight design integrating aerodynamics and structures
[BTN-94-EIX94311329123] p 518 A94-60177
- WRENN, GREGORY A.**
Techniques for aircraft conceptual design for mission performance comparing nonlinear multiobjective optimization methods p 79 A94-12702
- WRIGHT, DARREL L.**
Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743
- WRIGHT, JOSEPH**
Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335
- WRIGHT, ROBERT E., JR.**
Desirable features of an infrared imaging system for aerodynamic research p 160 A94-12423

- WRONA, DANIEL J.**
Design of a vehicle based system to prevent ozone loss
[NASA-CR-195498] p 262 N94-24479
- WU, CHIVEY**
Computation of transonic viscous flow past the NTF 65-degree Delta Wing p 297 N94-27930
- WU, SHU-FAN**
Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX9438131167] p 579 A94-61254
The decoupling design of aircraft lateral flight control systems with eigenstructure assignment p 488 N94-34329
- WU, T. K.**
L-band mobile terminal antennas for helicopters p 273 N94-22835
- WU, T. W.**
Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- WU, TE-KAO**
Mobile terminal antennas for helicopters p 232 N94-20458
- WU, X. F.**
Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- WU, Y.-T.**
Recent advances in computational structural reliability analysis methods p 239 N94-22616
- WUEBBLES, DONALD J.**
Project report: Aircraft
[DE94-011759] p 596 N94-37155
- WUENSCH, DIERK**
Lufthansa Yearbook 1992 p 308 N94-28230
Lufthansa long range services: More simplicity p 311 N94-28246
- WUERER, J. E.**
Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- WUJEK, BRETT**
The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- WULLSCHLEGER, V.**
Flight evaluation of a basic C/A-code differential GPS landing system for Category I precision approach p 62 A94-12123
- WURSTER, K. E.**
Aerodynamic heating environment definition/thermal protection system selection for the HL-20
[BTN-94-EIX94351137058] p 544 A94-60398
- WURTELE, M. G.**
Lee waves: Benign and malignant
[NASA-CR-186024] p 190 N94-10725
- WYGMANS, D. G.**
A vibration model for centrifugal contactors
[DE93-040645] p 236 N94-21927
- WYGNAWSKI, I.**
The turbulent wall jet
[AD-A267675] p 37 N94-14963
- WYNKOOP, CHER E.**
Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254
- WYNNE, ELEANOR C.**
Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994
[NASA-TM-109036] p 253 N94-24576
- WYROSTEK, A.**
In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft
[NASA-CR-187096] p 477 N94-32859
- WYSS, M. L.**
Averaging techniques for steady and unsteady calculations of a transonic fan stage
[NASA-TM-106231] p 3 N94-13108

X

- XIAO, ZHENHUA**
Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665
- XIONG, Y.**
A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137

- XIONG, YING-EN**
The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques p 475 N94-34356
- XU, GUO-QUN**
Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- XUEJIAN, XIA**
The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942

Y

- YAGER, THOMAS J.**
Friction evaluation of concrete paver blocks for airport pavement applications
[SAE PAPER 922013] p 129 A94-12017
- YALAMANCHILI, S. R.**
Analysis of multifastener composite joints
[BTN-94-EIX94311330690] p 548 A94-60101
- YAMADA, EITARO**
Application of digital control theory to adaptive grid generation p 415 N94-28980
- YAMADA, ISAO**
Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- YAMAGUCHI, YASUSHI**
A method of user interface for NWT p 415 N94-28993
- YAMAMOTO, KAZUOMI**
An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981
- YAMAMOTO, SATORU**
Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954
- YAMAMOTO, YUKIMITSU**
Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948
- YAMAMOTO, YUKIMITU**
Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles p 375 N94-28955
- YAMANE, TAKASHI**
Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- YAMASAKI, NOBUHIKO**
Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
- YAMAWAKI, RURIKO**
Application of flow field simulation to turbine vane design p 395 N94-28978
- YAMAZAKI, TETSUO**
Flow analysis around ONERA model M5 configuration
[PAPER-3D-1] p 23 N94-10477
Numerical analysis of supersonic transport wings p 375 N94-28959
- YAN, YANG-GUANG**
Integrated control and management of advanced aircraft electrical power system p 504 N94-34333
- YANAGIHARA, MASAOKI**
Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data
[DE93-767967] p 79 N94-10728
Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951
Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337
- YANAN, FENG**
The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942
- YANCEY, ROBERT N.**
NDE of titanium alloy MMC rings for gas turbine engines
[NASA-TM-106188] p 148 N94-13138
- YANG, CIANN-DONG**
Experimental design of H(sub infinity) weighting functions for flight control systems
[BTN-94-EIX94401358163] p 580 A94-61669
- YANG, GOA**
A robust quality control system for GPS navigation and kinematic positioning
[ISBN-0-315-83148-0] p 223 N94-22427
- YANG, GUOCAI**
Research on the engineering application of the anti-swirl measures in engine/inlet compatibility
[BTN-94-EIX94381353571] p 577 A94-61459

- YANG, H. Q.**
A computer model for liquid jet atomization in rocket thrust chambers
[NASA-CR-194194] p 173 N94-12803
- YANG, HENRY T. Y.**
Unstructured mesh quality assessment and upwind Euler solution algorithm validation
[BTN-94-EIX94401358985] p 592 A94-61641
- YANG, J. N.**
Aircraft fleet maintenance based on structural reliability analysis
[BTN-94-EIX94311329134] p 517 A94-60166
- YANG, JIANGUO**
The methods of systems analysis and optimization for the aneroid barometric altimeter p 92 A94-10114
- YANG, JIANN-SHIU**
H(infinity) robust control design for linear feedback systems p 194 A94-10819
- YANG, JUNHO**
Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714
- YANG, LIXING**
Experimental investigation on supersonic combustion. II p 97 A94-10702
- YANG, R.-J.**
Hypersonic fin aerodynamics
[BTN-94-EIX94311330699] p 516 A94-60092
- YANG, TAI-TEH**
The 3-D numerical study of airflow in the compressor/compressor prediffuser and dump diffuser of an industrial gas turbine p 276 N94-23660
- YANG, WEIMIN**
The present situation and future development of Chinese aviation reliability and maintainability engineering p 153 A94-10101
Monte Carlo simulation of commercial aircraft reliability p 193 A94-10103
- YANG, YI-DONG**
Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326
- YANG, ZHONG**
Integrated flight/thrust control systems with constant angle-of-attack p 488 N94-34326
- YAO, LIXIN**
Statistical and numerical study of the relation between weather and sonic boom characteristics p 512 N94-33498
- YAO, STEPHEN S. C.**
Continuous measurement of aircraft wing icing p 467 N94-32454
- YARKHAN, ASIM**
Computer code for controller partitioning with IFPC application: A user's manual
[NASA-CR-195291] p 340 N94-27414
- YATES, LESLIE A.**
Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815
- YAZAWA, KENJI**
Position error determination for the speedometer and altimeter of the NAL OSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451
- YEDAVALLI, RAMA K.**
Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806
- YEN, RUEY-HOR**
Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets p 97 A94-10318
- YERKES, KIRK L.**
Arterial heat pipe performance in a transient heat flux and body force environment
[SAE PAPER 921944] p 157 A94-11983
- YERSAVICH, ANN**
The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271
- YEUNG, K. K.**
A colour image processing algorithm to identify copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
- YEUNG, W. W. H.**
Potential flow modelling of airfoil stall p 303 N94-28332
- YEUNG, WILLIAM WAIHUNG**
Modelling stalled airfoils
[ISBN-0-315-59525-6] p 218 N94-22382
- YI, THOMAS Y.**
Handbook for handling and storage of nickel-cadmium batteries: Lessons learned
[NASA-RP-1326] p 347 N94-26613
- YILLIKCI, Y.**
Aeroelastic analysis of rotor blades with flap control p 78 A94-12244

- YILLIKCI, Y. K.**
Conceptual design of a stopped rotor with flap controls p 108 A94-12108
- YIP, LONG P.**
In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- YODER, DENNIS A.**
Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields [NASA-TM-106551] p 459 N94-32984
- YOKONO, YASUYUKI**
Silence amenity engineering: Past and present p 370 N94-27283
- YOKOTA, KAZUHIKO**
Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- YONGHU, WENREN**
Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A26692] p 36 N94-14781
- YOO, SUNGYUL**
A novel potential/viscous flow coupling technique for computing helicopter flow fields [NASA-CR-193272] p 457 N94-32476
- YOON, SEOKKWAN**
Calculation of real-gas effects on airfoil aerodynamic characteristics [BTN-94-EIX94351142143] p 521 A94-60436
- YORK, B. J.**
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- YOSHIDA, AKIHIKO**
Numerical analysis of sonic boom in the near field p 376 N94-28962
- YOSHIDA, MASAHIRO**
Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- YOSHIDA, YOSHIKI**
Active control of vaneless diffuser rotating stall p 502 N94-34178
- YOSHIHARA, KAZUHIRO**
Study on utilization of super clean, high vacuum space p 342 N94-25586
- YOSHIHARA, SHOICH**
Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603
- YOSHIZAWA, AKIRA**
Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- YOSHIZAWA, TAKESHI**
Multiobjective trajectory optimization by goal programming with fuzzy decisions [BTN-94-EIX94381311168] p 597 A94-61255
- YOU, CHULSOO**
Comparisons of calculated and measured helicopter noise near instrument hill p 286 N94-24215
- YOUNG, CLARENCE P., JR.**
Structural damping studies at cryogenic temperatures [NASA-TM-109073] p 499 N94-33118
- YOUNG, DAVID F.**
Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
- YOUNG, GIN-SHU**
Safe navigation and active vision for autonomous vehicles: A purposive and direct solution p 450 N94-31842
- YOUNG, HARRY J.**
Preload release mechanism [NASA-CASE-MSC-22327-1] p 594 N94-36839
- YOUNG, KATHERINE C.**
Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades [NASA-TM-109084] p 474 N94-33900
- YOUNG, L. A.**
Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag [NASA-TM-4540] p 325 N94-26604
- YOUNG, L. E.**
Time and position accuracy using codeless GPS p 428 N94-30650
- YOUNG, P. J.**
An analysis of helicopter attrition using a low level combat simulation [DSIS-93-00282] p 84 N94-13839
HELSCAM V2.0: Development and application guide [DSIS-93-00137] p 84 N94-13867
- YOUNG, R. W., SR.**
Operation of a test bed axial-gap brushless dc rotor with a superconducting stator [DE93-019167] p 236 N94-21830
- YOUNG, T. H.**
Stability of skew plates subjected to aerodynamic and in-plane forces [BTN-94-EIX94321331202] p 592 A94-61615
- YOUNGSON, GORDON**
Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903
- YU, H.-R.**
Gaseous detonation driver for a shock tunnel p 130 A94-13072
- YUAN, KUO-AN**
Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
- YUAN, QIN**
Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- YUE, GLENN K.**
Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere p 506 N94-33460
- YUNGSTER, SHAYE**
Computational study of single-expansion-ramp nozzles with external burning [NASA-TM-106550] p 446 N94-31229
- Z**
- ZAAL, K. J. J. M.**
A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures [LR-681] p 177 N94-13929
Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954
- ZABINSKY, Z.**
Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- ZABLE, MIKE**
Aircraft wing structural detail design (wing, aileron, flaps, and subsystems) [NASA-CR-195487] p 318 N94-24974
- ZACHARIAS, R. M.**
Advanced transonic fan design procedure based on a Navier-Stokes method [BTN-94-EIX94311330095] p 587 A94-61063
- ZACHAROV, N.**
Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296
- ZAGRANSKI, RAYMOND**
Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993
- ZAHNISER, M. S.**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- ZAIDI, SOHAIL H.**
Nozzle guide vane flow in radial inflow turbines p 486 N94-34460
- ZAITSEV, S.**
Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300
- ZAJTSEV, A. A.**
Calculation of the aerodynamic interaction between an airfoil and a vortex p 18 A94-12796
- ZAK, J. ALLEN**
Synthetic vision technology demonstration. Volume 2: Sensor road testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
- ZAKARIA, ZAIDI B.**
Surface interference in Rayleigh scattering measurements near forebodies [BTN-94-EIX94301315999] p 516 A94-60035
- ZALAMEDA, JOSEPH N.**
Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- ZAMAN, K. B. M. Q.**
Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles [NASA-TM-106450] p 249 N94-23592
- ZAMPATHAS, JIM**
Digital terrain modelling for research and development simulations [SAE PAPER 921979] p 1 A94-11999
- ZAN, S. J.**
Measurements of wing and fin buffeting on the standard dynamics model [IAR-AN-76] p 120 N94-13859
- ZANGENEM, M.**
Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers [BTN-94-EIX94311330094] p 590 A94-61125
- ZAVOSH, FRANK**
Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699
- ZEDAN, M. F.**
Drag reduction of airplane fuselages through shaping by the inverse method [BTN-94-EIX94311329117] p 536 A94-60183
- ZEE, WARNER**
Configuration development study of the OSU 1 hypersonic research vehicle [NASA-CR-195522] p 262 N94-24591
- ZEEVI, YEHOASHUA Y.**
Variable-resolution imagery for flight simulation [AD-A276199] p 438 N94-31058
Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093
- ZEHNDER, ALAN T.**
Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
- ZEIERMAN, MEIR**
S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- ZEILER, THOMAS A.**
Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055
- ZELENAK, MARYANN**
An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system [AD-A266924] p 38 N94-15105
- ZELENKA, RICHARD E.**
Design and analysis of a Kalman filter for terrain-referenced positioning and guidance [BTN-94-EIX94311329124] p 557 A94-60176
- ZEMAN, O.**
Toward modeling wingtip vortices p 251 N94-24142
- ZERLE, L.**
Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
- ZGRAGGEN, CRAIG**
Dumbo heavy lifter aircraft [NASA-CR-195500] p 317 N94-24915
- ZGRAGGEN, CRAIG J.**
Lift enhancement of a wing/strake using pneumatic blowing [AD-A265074] p 82 N94-11872
- ZHANG, CHANG-YIN**
H infinity optimal design of robust flight control system p 489 N94-34330
- ZHANG, GUO-FU**
Numerical solution of SUPG finite-element method for supersonic viscous flow [AD-A267762] p 43 N94-17222
- ZHANG, GUODONG**
Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft p 208 A94-10111
- ZHANG, HONG**
Airborne windshear system alert principle study p 189 A94-10123
- ZHANG, MING**
Methodology development of forecasting inter-regional air transport demand in China [DLR-FB-93-24] p 308 N94-27746
- ZHANG, XICHUN**
Discussions of standardization systems engineering and its research (working) objects p 193 A94-10112
- ZHANG, XIN**
Computational analysis of a single jet impingement ground effect lift loss [BTN-94-EIX94301315991] p 519 A94-60186
- ZHANG, XUDONG**
Three-dimensional closure of the passage-averaged vorticity-potential formulation [BTN-94-EIX94301315991] p 547 A94-60027
- ZHANG, XUELIANG**
Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet [BTN-94-EIX94381353570] p 577 A94-61460

ZHANG, YINBAI

Some applications of GPS timing information
p 429 N94-30661

ZHAO, PEILING

Dynamic response analysis of composite structural
members during missile launch
[AD-A270023] p 140 N94-18760

ZHAO, WEI

The R-Shell approach - Using scheduling agents in
complex distributed real-time systems
[AIAA PAPER 93-4523] p 195 A94-11447

ZHENG, YOUXIN

An experimental study of wing tip vortex in the near
wake of a rectangular wing
[AD-A275389] p 377 N94-29306

ZHONG, XIAO-LIN

Surface boundary conditions and related technical
issues concerning Burnett equations for 2-D hypersonic
flow
[AD-A277322] p 448 N94-32256

ZHOU, M. D.

The turbulent wall jet
[AD-A267675] p 37 N94-14963

ZHU, YUAN

Monte Carlo simulation of commercial aircraft
reliability p 193 A94-10103

ZIERKE, W. C.

Solution of the average-passage equations for the
incompressible flow through multiple-blade-row
turbomachinery
[AD-A276515] p 436 N94-31931

ZIGH, ABDELGHANI

Computational study of simultaneous heat and mass
transfer in turbulent separated flows
p 447 N94-31843

ZILBERMAN, MOSHE

On the effect of the damping coefficients on the
trajectories of symmetric and non-symmetric stores
p 258 N94-24250

ZIMA, HANS

Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240

ZIMMERMAN, DAVID L.

Report of the workshops: Automated generation of
electronic technical manuals
[AD-A278046] p 514 N94-33401

ZIMMERMAN, MARK

Design of the advanced regional aircraft, the DART-75
p 321 N94-25708

ZIMMERMANN, H.

Influence of active controls on the design process of a
large transport aircraft p 260 N94-24323

ZINGG, D. W.

Numerical solution of the Navier-Stokes equations for
high-lift configurations on structured composite grids
p 47 N94-18423

Viscous airfoil computations using adaptive structured
grids p 304 N94-28337

Attached and separated trailing edge flow
measurements with a triple-split hot-film probe
p 304 N94-28339

Thin-layer Navier-Stokes computations for multi-element
airfoils p 304 N94-28341

ZINK, W.

Investigations on aluminium-lithium alloys for damage
tolerant application p 142 N94-10023

ZINNER, R.

The quest for stall-free dynamic lift
p 525 N94-34986

ZINTSMASER, LOGAN R.

Wide-Eye (tm)/helmet mounted display system for
rotorcraft applications
[BTN-94-EIX94331335528] p 549 A94-60209

ZOBOTT, KEITH D.

Full range pawl and ratchet clutch
[SAE PAPER 921946] p 157 A94-11985

ZOLE, ARIE

Continuous gust response and sensitivity derivatives
using state-space models p 268 N94-24287

ZOPPIPELLI, E.

Current state of the art regarding helicopter vibrations
reduction and aeroelastic stability augmentation
p 78 A94-12242

ZORIN, V. A.

Modeling the dynamics of a high-velocity rotating elastic
flight vehicle p 138 A94-12883

ZUNIGA, FANNY A.

Flight test results of riblets at supersonic speeds
[NASA-TM-4387] p 458 N94-32880

ZWEIFEL, TERRY L.

Windshear detection for aircraft using temperature lapse
rate
[CA-PATENT-1,295,736] p 219 N94-21030

Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050


ZYDA, MICHAEL J.

NPSNET - Flight simulation dynamic modeling using
quaternions p 197 A94-11770

ZYWIEL, JAN

Design implementation and testing of a Helicopter
Integrated Navigation System (HINS) p 64 A94-12564

Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

- Aastra Aerospace, Inc., Downsview (Ontario).**
Smart structures at Aastra Corporation p 146 N94-11326
- Able Engineering Co., Inc., Santa Barbara, CA.**
A novel rotary actuator for spacecraft p 277 N94-24034
- Adaptive Research Corp., Huntsville, AL.**
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine, volume 1 [AD-A268176] p 135 N94-17432
Structured finite volume modeling of US Navy aircraft engine test cells. Task 1: Turboshift engine-code documentation and listings, volume 2 [AD-A268177] p 135 N94-17508
Structured finite volume modeling of US Navy aircraft engine test cells. Task 2: Turboprop engine. Volume 2: Code documentation and listings [AD-A268386] p 135 N94-17569
- Advanced Aviation Concepts, Jupiter, FL.**
Extremely Low Visibility IFR Rotorcraft Approach (ELVIRA) operational concept development. Volume 1: Executive Summary [AD-A278651] p 389 N94-30189
- Advanced Fuel Research, Inc., East Hartford, CT.**
A novel test method for fuel thermal stability [AD-A265853] p 147 N94-12275
- Advanced Materials, Inc., Metairie, LA.**
Cold-start minidiesel engine development [AD-A271064] p 232 N94-20567
- Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France).**
Environmentally Safe and Effective Processes for Paint Removal [AGARD-R-791] p 166 N94-10613
A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience [AGARD-LS-190] p 100 N94-11022
Smart Structures for Aircraft and Spacecraft [AGARD-CP-531] p 146 N94-11317

- Stability in Aerospace Systems [AGARD-R-789] p 113 N94-11489
AGARD highlights 92/2, September 1992 [AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-R-792] p 179 N94-15196
High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415
Aircraft flight safety: A bibliography [AGARD-R-805] p 255 N94-24091
Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228
Integrated Airframe Design Technology [AGARD-R-794] p 259 N94-24313
Fuels and Combustion Technology for Advanced Aircraft Engines [AD-A275679] p 404 N94-29246
Research and Development of Ram/Scramjets and Turbojets in Russia [AD-A275588] p 397 N94-29291
Aerospace Software Engineering for Advanced Systems Architectures [AD-A277101] p 415 N94-29315
Machine Intelligence in Air Traffic Management [AD-A275680] p 383 N94-29558
Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874
Operational agility [AGARD-AR-314] p 474 N94-33875
Technology Requirements for Small Gas Turbines [AD-280274] p 482 N94-34431
An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581
Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605
AGARD highlights 93/2 [AGARD-HIGHLIGHTS-93/2] p 561 N94-35444
Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321
Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649
Impact of Materials Defects on Engine Structures Integrity [AGARD-R-790] p 595 N94-37321
- Aero-Design and Development Ltd., Rehovoth (Israel).**
Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- Aerodyne Research, Inc., Billerica, MA.**
Stratospheric aircraft exhaust plume and wake chemistry [NASA-CR-191495] p 191 N94-12572
- Aerojet Delft Corp., Azusa, CA.**
Earth Observing System/Advanced Microwave Sounding Unit-A (EOS/AMSU-A) software management plan [NASA-CR-189362] p 596 N94-36919
- Aeronautica Macchi S.p.A., Varese (Italy).**
Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- Aeronautical Research Inst. of Sweden, Bromma.**
Fatigue management and verification of airframes p 531 N94-34591
- Aeronautical Research Inst. of Sweden, Stockholm.**
Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target [FFA-TN-1992-18] p 133 N94-13588
Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures [FFA-TN-1993-05] p 84 N94-13690
WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide [FFA-TN-1992-09] p 45 N94-17721

- A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack [FFA-TN-1992-14] p 45 N94-17722
CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2 [FFA-TN-1992-42] p 45 N94-17919
Spectrum fatigue testing of T-shaped tension clips [FFA-TN-1992-22] p 184 N94-17970
A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993 [FFA-TN-1993-22] p 187 N94-19358
Calculation of viscous drag of two low angle of attack supercritical profiles [FFA-TN-1984-22] p 292 N94-26104
The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDC) and The Aeronautical Research Institute of Sweden (FFA) [FFA-TN-1993-19] p 449 N94-30945
Wind tunnel tests of a 5.3 m diameter yaw controlled turbine [FFA-TN-1993-20] p 449 N94-30946
Fatigue management and verification of airframes [FFA-TN-1993-55] p 432 N94-30947
Prediction of transonic potential flow with slipstreams around configurations [FFA-TN-1992-15] p 422 N94-31220
- Aeronautical Research Labs., Melbourne (Australia).**
Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use [ARL-TR-27] p 146 N94-11311
Aircraft accident investigation at ARL: The first 50 years [AD-A267086] p 57 N94-15542
Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring [AD-A267115] p 85 N94-15651
Flight instrument software for the F/A-18 research simulator [AD-A267170] p 134 N94-15856
A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993 [AD-A267532] p 87 N94-17117
Application of the A* algorithm to aircraft trajectory generation [AD-A268728] p 88 N94-18315
A wind tunnel model control surface actuator interface [AD-A268729] p 135 N94-18324
Mathematical modelling of bonded fibre-composite repairs to aircraft [AD-A268732] p 152 N94-18327
Development and operation of the F/A-18 model control surface actuators [AD-A271330] p 92 N94-19914
Detecting topographical regions in digital terrain maps [AD-A272889] p 240 N94-21453
Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion [AD-A272808] p 273 N94-22914
Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model [AD-A274870] p 293 N94-26342
Fishermans Bend: A centre of Australian aviation [AD-A274981] p 373 N94-29090
Cold expansion and interference for extending the fatigue life of multi-layer metal joints [AD-A274982] p 410 N94-29091
Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks [AD-A277062] p 434 N94-32264
Assessment of impact damage in composite structures [AD-A277063] p 444 N94-32265
- Aeronautical Systems Div., Wright-Patterson AFB, OH.**
An environmental study of the National Aerospace Plane [AD-A266071] p 80 N94-10945

- Evaluation of the C/EC/KC-135 ground collision avoidance system (GCAS), Study 2
[AD-A265193] p 67 N94-11879
- An uncertainty analysis of inlet dynamic flow distortion using an analog/digital hybrid editing system
[AD-A266924] p 38 N94-15105
- KC-135 cockpit modernization study and crew reduction feasibility demonstration
[AD-A275230] p 392 N94-29391
- Aircraft weight prediction capability. Volume 1: Weight study and results
[AD-A277206] p 434 N94-32062
- Aerospace Corp., El Segundo, CA.**
- Double inlet pulse tube cryocooler theory
[AD-A266832] p 179 N94-14877
- Aerospace Engineering Test Establishment, Cold Lake (Alberta).**
- An agility metric structure for operational agility
p 534 N94-34629
- Flight test certification of a 480 gallon composite fuel tank on CF-18
p 574 N94-36340
- CC-130H(T) tactical aerial refuelling tanker development flight test programme
p 575 N94-36347
- Aerospace Industries Association of America, Inc., Washington, DC.**
- Aerospace: Facts and figures, 1992-1993
[AD-A272571] p 215 N94-21419
- Aerospace Medical Research Labs., Wright-Patterson AFB, OH.**
- Human Computer Interface Specifications (HCIS) for the Integrated Maintenance Information System (IMIS)
[AD-A277184] p 420 N94-32254
- Laboratory and in-flight experiments to evaluate 3-D audio display technology
p 500 N94-33618
- Aerospatiale, Cannes (France).**
- Theoretical and experimental study of a cylindrical microstrip antenna
[REPT-932-440-109] p 412 N94-29456
- Aerospatiale, Paris (France).**
- A time reasoning system based on the event calculus for scheduling in aeronautic maintenance
[REPT-932-710-101] p 374 N94-29463
- Aerospatiale, Suresnes (France).**
- Fire behavior of aeronautical materials
[REPT-932-600-105] p 408 N94-29457
- Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance
[REPT-932-600-104] p 412 N94-29474
- Aerospatiale, Toulouse (France).**
- Use of robots for aircraft dry stripping via plastic media blasting
p 167 N94-10620
- High-lift research: Application to the design of the ATR72 flap
p 89 N94-18442
- System for generating, aboard an aircraft, during takeoff, of a signal capable of producing an alert or an alarm, in case of malfunction
[CA-PATENT-APPL-SN-2,018,94] p 306 N94-26293
- How to control the increase in the complexity of civil aircraft on-board systems
p 394 N94-29316
- Future supersonic commercial transport aircraft: A technological challenge for long haul traffic
p 573 N94-36324
- Calculations used to optimize the installation of civil aircraft engines
p 574 N94-36332
- Air-Conditioning and Refrigeration Technology Inst., Inc., Arlington, VA.**
- Theoretical evaluation of R22 and R502 alternatives
[DE93-014767] p 205 N94-10853
- Accelerated screening methods for predicting lubricant performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
- Air Force Civil Engineering Center, Tyndall AFB, FL.**
- Asphaltic concrete performance under heavy fighter aircraft loading
[AD-A275046] p 402 N94-29151
- Air Force Flight Dynamics Lab., Wright-Patterson AFB, OH.**
- Nonlinear equations of motion for a panel subject to external loads
[AD-A273142] p 254 N94-24773
- Air Force Inst. of Tech., Wright-Patterson AFB, OH.**
- Utilizing quantitative feedback theory design technique for flight control system
p 114 N94-11501
- A comparison of computational and experimental data for a subscale high speed propulsive nozzle at low mach numbers
[AD-A266543] p 32 N94-13705
- Turbine blade tip film cooling measurements
[AD-A267686] p 103 N94-14964
- Development of an air-to-air refueling automatic flight control system using quantitative feedback theory
[AD-A266718] p 122 N94-15730
- An analysis of tactical airlifter characteristics and their impact on theater airlift system performance
[AD-A266719] p 86 N94-15731
- Hopf bifurcation in viscous, low speed flows about an airfoil with structural coupling
[AD-A266542] p 42 N94-16798
- Computational aerodynamics with icing effects
[AD-A267509] p 43 N94-17074
- An experimental investigation of the effects of leading edge geometry on the dynamics of blunt fin-induced shock wave turbulent boundary layer interaction
[AD-A267656] p 43 N94-17221
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- A comparative study of analog and digital control laws for the UMCSL truss
[AD-A267980] p 122 N94-17412
- Introduction to Quantitative Feedback Theory (QFT) technique
p 202 N94-18241
- Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 N94-18760
- Flight test techniques for aircraft parameter estimation in ground effect
[AD-A270058] p 91 N94-18795
- Correlation of incoming boundary layer pitot pressure fluctuations with the unsteadiness of fin-induced shock wave turbulent boundary layer interactions
[AD-A270059] p 186 N94-18796
- Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267760] p 52 N94-19963
- Comparison of a distributed Kalman filter versus a centralized Kalman filter with fault detection considerations
[AD-A270713] p 202 N94-19969
- Analysis and characteristics of compressor stall precursor signals in forward and AFT swept high speed compressor
[AD-A273820] p 291 N94-25517
- Automatic pressure control system for the Wright Laboratory Compressor Research Facility
[AD-A273827] p 342 N94-25522
- Flight controller design using mixed H₂/H_∞ infinity optimization with a singular H_∞ infinity constraint
[AD-A273831] p 338 N94-25525
- Off-design performance of crenulated blades in a linear compressor cascade
[AD-A273744] p 352 N94-25534
- Evaluation of a concentration probe for application in a supersonic flow field
[AD-A273915] p 292 N94-25592
- Development and implementation of a scramjet cycle analysis code with a finite-rate-chemistry combustion model for use on a personal computer
[AD-A273834] p 331 N94-25617
- Dynamic response of a compressor research facility
[AD-A273836] p 342 N94-25740
- Analysis and development of an F-5 pollution prevention management program with recommendations for creation of similar programs for other aircraft
[AD-A274016] p 365 N94-25755
- Design of a subsonic envelope flight control system for the Vista F-16 using quantitative feedback theory
[AD-A274057] p 338 N94-25771
- Neural networks for dynamic flight control
[AD-A274089] p 338 N94-25785
- A cost model for USAF acquisition of commercial aircraft for service in the special air mission fleet
[AD-A274012] p 371 N94-25796
- Analysis and simulation of a GPS receiver design using combined delay-lock and modified tanlock loops
[AD-A274037] p 313 N94-25810
- Design of a flight controller for an unmanned research vehicle with control surface failures using quantitative feedback theory
[AD-A274049] p 338 N94-25833
- Effects of crenulations on three dimensional losses in a linear compressor cascade
[AD-A273778] p 352 N94-25862
- Evaluation of moderate angle of attack roll of a dual engine, thrust vectoring aircraft using quantitative feedback theory
[AD-A274118] p 324 N94-25905
- A numerical determination of bifurcation points for low Reynolds number conical flows
[AD-A273984] p 352 N94-25991
- Multiple model adaptive estimation applied to the LAMBDA URV for failure detection and identification
[AD-A274078] p 367 N94-25992
- Discovery learning in autonomous agents using genetic algorithms
[AD-A274083] p 339 N94-25998
- Development of a performance evaluation tool (MMSOFE) for detection of failures with Multiple Model Adaptive Estimation (MMAE)
[AD-A274218] p 314 N94-27071
- Genetic algorithms applied to a mission routing problem
[AD-A274130] p 368 N94-27120
- Using discovery-based learning to prove the behavior of an autonomous agent
[AD-A274131] p 368 N94-27121
- Automation of formation flight control
[AD-A274137] p 340 N94-27132
- Demonstration of improved software support labor estimation for Air Force operational flight programs through functional orientation
[AD-A275789] p 373 N94-28743
- Evaluation of access/navigational features of a graphical-user interface installed on a portable maintenance aid
[AD-A275791] p 383 N94-28744
- Design and construction of the Aerobot Robotic Manipulator (ARM)
[AD-A275362] p 409 N94-28894
- Exploring QDES as a tool for determining limits of achievable performance in aircraft design
[AD-A275359] p 391 N94-28998
- Hopf bifurcation in viscous, low-speed flows about an airfoil with structural coupling
p 421 N94-30865
- An evaluation of aircraft maintenance performance factors in the objective wing
[AD-A276010] p 419 N94-31362
- A handling qualities investigation of conventional, rate command and attitude hold, and attitude command and attitude hold response types in the probe and drogue air refueling task
[AD-A278464] p 487 N94-33543
- Dyadic wavelet features for isolated word speaker dependent speech recognition
[AD-A278492] p 500 N94-33756
- A shock tube study of aerodynamic heating of gaps in a cylinder subjected to supersonic cross flow
[AD-A278550] p 464 N94-33782
- Direct reduced order mixed H₂/H_∞ infinity control for the Short Take-Off and Landing/Maneuver Technology Demonstrator (STOL/MTD)
[AD-A278675] p 540 N94-35796
- An analysis of operational suitability for test and evaluation of highly reliable systems
[AD-A278573] p 530 N94-36184
- An aerodynamic and static-stability analysis of the Hypersonic Applied Research Technology (HART) missile
[AD-A280631] p 568 N94-36729
- Mixed H₂/H_∞ infinity optimization with multiple H_∞ infinity constraints
[AD-A280572] p 581 N94-36733
- A mean value analysis heuristic for analysis of aircraft sortie generation
[AD-A278578] p 598 N94-36970
- Air Force Logistics Command, Hill AFB, UT.**
- Plastic media blasting activities at Hill Air Force Base
p 167 N94-10622
- Air Force Materials Lab., Wright-Patterson AFB, OH.**
- Aircraft digital flight control technical review
p 336 N94-25106
- Air Force Occupational Measurement Center, Randolph AFB, TX.**
- Aircraft communication and navigation systems and communication and navigation systems
[AD-A277309] p 435 N94-32328
- Air Force Office of Scientific Research, Bolling AFB, Washington, DC.**
- AFOSR Contractors Propulsion Meeting
[AD-A278028] p 539 N94-35746
- Air Force Systems Command, Falcon AFB, CO.**
- An Operational Control Segment (OCS) update on GPS constellation status and future program directions
p 427 N94-30643
- Air Force Systems Command, Wright-Patterson AFB, OH.**
- The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942
- Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
- Air Force brush seal programs
p 235 N94-21793
- A disciplined approach to software test and evaluation
p 416 N94-29339
- Air Univ., Maxwell AFB, AL.**
- Cockpit video: A low cost BDA source
[AD-A267228] p 395 N94-29389
- Aircraft battle damage repair for the 1990's and beyond
[AD-A278635] p 576 N94-36465
- Air Weather Service, Scott AFB, IL.**
- New techniques for contrail forecasting
[AD-A269686] p 193 N94-18573

- Airbus Industrie, Toulouse (France).**
Utilization of lasers for air data measurements p 238 N94-22603
- Aircraft Research Association Ltd., Bedford (England).**
Generation and analysis of hybrid structured/unstructured grids [ARA-MEMO-365] p 198 N94-10893
Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb [ARA-MEMO-375] p 131 N94-10894
SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids [ARA-MEMO-370] p 171 N94-11859
The evolution of whole field optical diagnostics for external transonic testing [ARA-MEMO-379] p 205 N94-11887
The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids [ARA-84] p 27 N94-11888
- Akron Univ., OH.**
Computer code for controller partitioning with IFPC application: A user's manual [NASA-CR-195291] p 340 N94-27414
A procedure for 3-D contact stress analysis of spiral bevel gears [NASA-CR-194472] p 499 N94-32929
A qualitative and quantitative laser-based computer-aided flow visualization method [NASA-CR-195300] p 466 N94-34391
- Alabama Univ., Huntsville, AL.**
Testing and management of flight instruments and their data [NASA-CR-194332] p 96 N94-15187
Materials processing apparatus development for fluoride glass [NASA-CR-193963] p 498 N94-34388
- Alberta Research Council, Edmonton.**
The CF-18 diagnostic and maintenance expert system project p 456 N94-33338
- Alcatel ISR, Evry (France).**
DAISY: A decision aid for an air situation interpretation system p 386 N94-29574
- Alenia, Turin (Italy).**
On ground system integration and testing: A modern approach p 394 N94-29334
Operational agility assessment with the AM-X aircraft p 534 N94-34626
- Alenia Aeronautica, Naples (Italy).**
Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- Alenia Aeronautica, Turin (Italy).**
Numerical simulation of the flow through a scramjet engine p 100 N94-10425
The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
- Alenia Spazio S.p.A., Rome (Italy).**
ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956
- Alfa Romeo S.p.A., Naples (Italy).**
Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems p 483 N94-34435
- Allied-Signal Aerospace Canada, Toronto (Ontario).**
MLS signal-in-space category 3 landing hazard analysis p 221 N94-22134
- Allied-Signal Aerospace Co., Des Plaines, IL.**
Advanced fuel properties: A computer program for estimating property values [AD-A275248] p 403 N94-28901
- Allied-Signal Aerospace Co., Kansas City, MO.**
Replacement of silicone polymer A with silicone polymer B and the subsequent characterization of the new cellular silicone materials [DE94-010105] p 584 N94-36474
- Allied-Signal Aerospace Co., Phoenix, AZ.**
Advanced Turbine Technology Applications Project (ATTAP) [NASA-CR-195366] p 209 N94-12931
The 3-D CFD modeling of gas turbine combustor-integral bleed flow interaction p 265 N94-23658
Design and aerodynamic performance evaluation of a high-work mixed flow turbine stage p 486 N94-34459
- Allied-Signal Corp., Morristown, NJ.**
Primaset (tm): A safer material for aircraft interior applications p 54 N94-10772
- Aisys, Inc., Saint Cloud (France).**
Ada multiple-programming for hard real time applications in space systems p 368 N94-26730
- Ada run time system certification for avionics applications p 394 N94-29332
- Aluminum Co. of America, Alcoa Center, PA.**
Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A265627] p 148 N94-12993
Role of microstructure on fatigue durability of aluminum aircraft alloys [AD-A266350] p 149 N94-13697
Role of microstructure on the fatigue durability of aluminum aircraft alloys [AD-A275814] p 403 N94-28830
New developments in aluminum for aircraft and automobiles p 584 N94-36413
- American Technologies International, Clearwater, FL.**
New thermoplastic laminating adhesives for the aircraft industry with low heat release and low smoke emission p 143 N94-10767
- Amsterdam Univ. (Netherlands).**
Local grid refinement method for the euler equations [PB93-223329] p 273 N94-22985
- Anacapa Sciences, Inc., Fort Rucker, AL.**
Aviation system safety risk management tool analysis. Volume 2: Appendices [AD-A273502] p 305 N94-24864
- Analytic Sciences Corp., Midwest City, OK.**
The J85 cost/benefit engine study [AD-A269280] p 105 N94-18333
- Analytical Methods, Inc., Redmond, WA.**
A novel potential/viscous flow coupling technique for computing helicopter flow fields [NASA-CR-193272] p 457 N94-32476
- Analytical Services and Materials, Inc., Hampton, VA.**
The measurement of disturbance levels in the Langley Research Center 20-inch Mach 6 tunnel [NASA-CR-4571] p 294 N94-26548
COINS: A composites information database system p 494 N94-33123
- Anhui Inst. of Optics and Fine Mechanics, Hefei (China).**
Computer assistant test and consultive system for aircraft fluid element p 504 N94-34368
- APD Cryogenics, Inc., Allentown, PA.**
Three-stage linear, split-Stirling cryocooler for 1 to 2K magnetic cold stage [NASA-CR-4538] p 207 N94-13897
- Applied Research Associates, Inc., Lakewood, CO.**
Aircraft fire sentry. Volume 1: Summary [AD-A270087] p 59 N94-18822
Aircraft fire sentry. Volume 2: Appendices A, B, C and D [AD-A270088] p 59 N94-18823
- Applied Research Associates, Inc., Panama City, FL.**
Halon 1211 replacement agent evaluation-perfluorohexane and halotron I [AD-A278194] p 499 N94-33385
- Argonne National Lab., IL.**
Improvement of azimuthal homogeneity in permanent-magnet bearing rotors [DE93-009954] p 171 N94-11607
A vibration model for centrifugal contactors [DE93-040645] p 236 N94-21927
Experimental evaluation of oxygen-enriched air and emulsified fuels in a six-cylinder diesel engine [DE94-000907] p 237 N94-22391
Wear-resisting oxide films for 900 C [DE94-010093] p 584 N94-36306
- Arizona State Univ., Flagstaff, AZ.**
Curvature effects in three-dimensional boundary layers p 173 N94-12623
- Arizona State Univ., Tempe, AZ.**
Stability of hypersonic boundary-layer flows with chemistry p 21 N94-10451
Advanced electromagnetic methods for aerospace vehicles [NASA-CR-195111] p 282 N94-24699
Hybrid techniques for complex aerospace electromagnetics problems p 358 N94-27894
Crashworthiness analysis of commuter aircraft seats [AD-A275889] p 382 N94-28799
Physical description of boundary-layer transition: Experimental evidence p 501 N94-33885
- Arizona Univ., Tucson, AZ.**
The turbulent wall jet [AD-A267675] p 37 N94-14963
Computed unsteady flows of airfoils at high incidence p 525 N94-34975
- Arkansas Univ., Fayetteville, AR.**
Computational algorithms or identification of distributed parameter systems [AD-A265252] p 199 N94-11680
- Army Aeromedical Research Lab., Fort Rucker, AL.**
Basic principles of helicopter crashworthiness [AD-A267099] p 57 N94-15637
- Projected effectiveness of airbag supplemental restraint systems in US Army helicopter cockpits [AD-A273250] p 306 N94-25141
- Technical evaluation of the UH-60Q: Aircraft in typical aeromedical evacuation missions [AD-A276944] p 437 N94-32217
Estimating the impact of crashworthiness standards on mortality and morbidity events in the US Army rotary-wing aircraft mishaps [AD-A277121] p 427 N94-32363
Performance demonstration: UH-60Q external rescue hoist and cargo loadmeter [AD-A277533] p 474 N94-34080
- Army Aviation Research and Development Command, Cleveland, OH.**
Analysis of rig test data for an axial/centrifugal compressor in the 12 kg/sec p 483 N94-34437
- Army Aviation Research and Development Command, Moffett Field, CA.**
Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- Army Aviation Systems Command, Fort Eustis, VA.**
Development and use of computational techniques in Army Aviation research and development programs for crash resistant helicopter technology p 188 N94-19469
- Army Aviation Systems Command, Hampton, VA.**
Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment [NASA-TM-4566] p 569 N94-36966
- Army Aviation Systems Command, Moffett Field, CA.**
Determining XV-15 aeroelastic modes from flight data with frequency-domain methods [NASA-TP-3330] p 80 N94-10935
Some lessons learned in three years with ADS-33C p 116 N94-13299
An experimental investigation of the drag mechanisms of a helicopter rotor in hovering flight [AD-A270201] p 215 N94-20486
The future of rotary-wing aircraft p 320 N94-25070
Study findings on the influence of maneuverability and agility on helicopter handling qualities p 533 N94-34624
The quest for stall-free dynamic lift p 525 N94-34986
- Army Aviation Technical Test Center, Fort Rucker, AL.**
Flight testing and frequency domain analysis for rotorcraft handling qualities characteristics p 120 N94-13324
- Army Belvoir Research and Development Center, Fort Belvoir, VA.**
Status of developing a multifunctional aviation grease [AD-A276755] p 443 N94-32184
- Army Cold Regions Research and Engineering Lab., Hanover, NH.**
Icing of turbine intake louvers [AD-A265714] p 101 N94-12274
Notes on Antarctic aviation [AD-A273018] p 228 N94-21239
- Army Construction Engineering Research Lab., Champaign, IL.**
Vibro-acoustic analysis of an aircraft maintenance dock [AD-A266778] p 133 N94-14908
- Army Engineer Waterways Experiment Station, Vicksburg, MS.**
Environmental characterization for target acquisition. Report 1: Site descriptions and measurements [AD-A267192] p 191 N94-15851
Joint Acoustic Propagation Experiment (JAPE) p 286 N94-24208
Analysis of passive acoustic ranging of helicopters from the joint acoustic propagation experiment p 286 N94-24220
Contingency airfield construction: Mechanical stabilization using monofilament and fibrillated fibers [AD-A277732] p 490 N94-33444
- Army Missile Command, Redstone Arsenal, AL.**
Wind tunnel investigation with an operational turbojet engine [TABES PAPER 93-662] p 104 N94-16157
- Army Research Lab., Aberdeen Proving Ground, MD.**
Computation of hypersonic nosetip heat transfer rates for an M829-like projectile [AD-A263226] p 27 N94-11870
A computational study of the base region flow field for the M865 projectile [ARL-TR-109] p 33 N94-13795
Static aeroelastic response of an aircraft with asymmetric wing planforms representative of combat damage [AD-A266890] p 85 N94-14951

- Parabolized Navier-Stokes computation of surface heat transfer characteristics for supersonic and hypersonic KE projectiles
[AD-A268858] p 185 N94-18391
- Numerical simulation of fluid dynamics and combustion for ram accelerator projectile/obturator interaction
[AD-A269715] p 105 N94-18748
- Blade and hub loads of ballistically damaged helicopter rotors
[AD-A270663] p 92 N94-19781
- Army Research Lab., Cleveland, OH.**
Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field
[NASA-TM-4481] p 104 N94-17386
- Army Research Lab., Watertown, MA.**
Synthetic lubricants and high-performance functional fluids: Phosphazenes
[ARL-TR-45] p 149 N94-14126
- Army Research Lab., White Sands Missile Range, NM.**
Complex terrain wind model evaluation
[AD-A266467] p 192 N94-16589
- Surface roughness lengths
[AD-A274550] p 365 N94-26846
- Army Test and Evaluation Command, Aberdeen Proving Ground, MD.**
Non-lethal Unmanned Aerial Vehicles (UAVs)
[AD-A267139] p 85 N94-15692
- FR/GE/UK/US International Test Operations Procedure (ITOP) 1-1-050 development of laboratory vibration test schedules
[AD-A273887] p 352 N94-25732
- Army Topographic Engineering Center, Fort Belvoir, VA.**
Conifer tree influence on Digital Terrain Elevation Data (DTED): A case study at Dulles International Airport
[AD-A274213] p 366 N94-27069
- Results of real-time testing and demonstration of the US Army Corps of Engineers real-time on-the-fly positioning system
[AD-A276160] p 431 N94-31080
- Real-time centimeter positioning with GPS: A system developed by the US Army Corps of Engineers
[AD-A278152] p 469 N94-33095
- Army Vehicle Structures Lab., Hampton, VA.**
Rotorcraft fatigue life-prediction: Past, present, and future
p 551 N94-34590
- Arnold Engineering Development Center, Arnold AFS, TN.**
Hypersonic overview p 34 N94-14154
Hypersonic flow phenomenology p 34 N94-14155
Characterization of flow fields in hypersonic ground test facilities p 133 N94-14157
Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159
Aeropropulsion test and evaluation methods p 102 N94-14165
Hypersonic flow field measurements: Intrusive p 34 N94-14166
Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167
Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
Hypersonic flight testing. Part 2: Aerothermal flight testing p 103 N94-14169
Extrapolation of ground test data to flight p 34 N94-14170
Electromagnetic wave test p 177 N94-14173
An algorithm for determination of bearing health through automated vibration monitoring
[AD-A274591] p 356 N94-26986
Development of high-pressure diaphragms for the AEDC impulse tunnel
[AD-A277053] p 439 N94-32009
- Artificial Intelligence Management and Development Corp., Toronto (Ontario).**
Plan recognition for an air traffic control simulation
[DSIS-94-01221] p 469 N94-32505
- Aston Univ., Birmingham (England).**
Calibration of ERS-1 altimetry over the North Sea p 191 N94-11716
- Atlantis Scientific Systems Group, Inc., Ottawa (Ontario).**
Radar jet engine health monitoring project
[ASSGI-301] p 400 N94-30130
- Atlas Elektronik G.m.b.H., Bremen (Germany).**
Some results gained from JAPE: An overview p 286 N94-24209
- Atomic Energy of Canada Ltd., Pinawa (Manitoba).**
The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade p 335 N94-28321

- Auburn Univ., AL.**
A new treatment of periodic systems with applications to helicopter rotor blade dynamics
[AD-A266770] p 36 N94-14784
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-195106] p 282 N94-24751
- Design of the advanced regional aircraft, the DART-75
p 321 N94-25708
- Eagle RTS: A design of a regional transport
p 322 N94-25709
- Influence of backup bearings and support structure dynamics on the behavior of rotors with active supports
[NASA-CR-196119] p 553 N94-35500
- Aurora Flight Sciences Corp., Manassas, VA.**
Low-cost, dual-use platforms for environmental sensing, phase 1
[AD-A272951] p 223 N94-21246
- Avions Marcel Dassault, Saint-Cloud (France).**
Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane p 138 N94-10423
- Local aerothermal problems during Hermes re-entry p 21 N94-10464
- Axiomatics Corp., Woburn, MA.**
Continuous measurement of aircraft wing icing p 467 N94-32454

B

- Barron Associates, Inc., Standardsville, VA.**
Adaptive nonlinear polynomial neural networks for control of boundary layer/structural interaction
[NASA-CR-189645] p 284 N94-23698
- Bath Univ. (England).**
Yaw control by tangential forebody blowing p 539 N94-34615
- Battelle Columbus Labs., OH.**
Effects of repair on structural integrity
[PB94-143336] p 390 N94-28647
- BBN Systems and Technologies Corp., Cambridge, MA.**
Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study
[NASA-CR-194905] p 509 N94-33023
- Beijing Inst. of Radio Metrology and Measurements (China).**
Some applications of GPS timing information p 429 N94-30661
- Bell Helicopter Co., Fort Worth, TX.**
Flight service evaluation of composite components on the Bell helicopter model 206L
[NASA-CR-191499] p 148 N94-13267
- Bell Telephone Labs., Inc., Cranbury, NJ.**
Charge efficiency of Ni/H₂ cells during transfer orbit of Telstar 4 satellites p 366 N94-28117
- Ben Gurion Univ. of the Negev, Beersheva (Israel).**
The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- Benjamin/Clarke Associates, Inc., Kensington, MD.**
Practical hazard assessment: An approach to the fire safety p 145 N94-10785
- Bentley Rotor Dynamics Research Corp., Minden, NV.**
Experimental and analytical study on fluid whirl and fluid whip modes p 503 N94-34191
- Parameter identification of a rotor supported in a pressurized bearing lubricated with water p 504 N94-34197
- BMW Rolls-Royce AeroEngines G.m.b.H., Lohhof (Germany).**
Experimental investigation and performance analysis of the turbojet engine T117 p 483 N94-34439
- Aerodynamic design and investigation of a mixed flow compressor stage p 504 N94-34450
- Boeing Co., Huntsville, AL.**
Government/contractor development teams
[TABES PAPER 93-460] p 210 N94-16134
- Boeing Co., Renton, WA.**
Application of a design-build-team approach to low cost and weight composite fuselage structure
[NASA-CR-4418] p 492 N94-32863
- Boeing Co., Seattle, WA.**
High-order technology: Applying technical excellence to new airplane development p 320 N94-25069
- Characterization and manufacture of braided composites for large commercial aircraft structures p 496 N94-33137
- Boeing Commercial Airplane Co., Seattle, WA.**
Future material development trends for commercial airplane interiors p 145 N94-10792
- Viscous phenomena affecting high-lift systems and suggestions for future CFD development p 48 N94-18433
- Aircraft cabin water spray disbenefits study
[NASA-CR-194750] p 220 N94-21818
- Parallel runway requirement analysis study. Volume 1: The analysis
[NASA-CR-191549-VOL-1] p 222 N94-22277
- Parallel runway requirement analysis study. Volume 2: Simulation manual
[NASA-CR-191549-VOL-2] p 223 N94-22278
- Nonlinear and progressive failure aspects of transport composite fuselage damage tolerance p 239 N94-22609
- Airport surface operations requirements analysis
[NASA-CR-191508] p 254 N94-23288
- Composite leading edge/spar member for an aircraft control surface
[CA-PATENT-1-325-765] p 327 N94-27273
- Local design optimization for composite transport fuselage crown panels p 495 N94-33132
- Composite fuselage crown panel manufacturing technology p 495 N94-33133
- NASA Annual HSR Workshop: Boeing HSCT program summary p 471 N94-33449
- Airframe systems studies review p 472 N94-33453
- Community noise sources and noise control issues p 509 N94-33467
- HSCT design for reduced sonic boom p 472 N94-33471
- Community noise technology needs: Boeing's perspective p 511 N94-33490
- HSCT inlet development issues p 472 N94-33505
- HSCT integrated propulsion control issues p 480 N94-33510
- HSCT airframe materials: The Boeing perspective p 497 N94-33515
- HSCT high lift system aerodynamic requirements p 461 N94-33522
- Supersonic HLFC: Potential benefits and technology development requirements p 463 N94-33531
- World jet airplane inventory at year-end 1993
[PB94-164993] p 569 N94-36530
- Stratospheric emissions effects database development
[NASA-CR-4592] p 605 N94-37607
- Synthetic vision display evaluation studies
[NASA-CR-194963] p 603 N94-37658
- Aircraft command in emergency situations prototype development users manual
[DOT/FAA/CT-94/24] p 602 N94-37706
- Boeing Defense and Space Group, Huntsville, AL.**
Modular Simulator System (MSS) management guide
[AD-A277098] p 440 N94-32014
- Modular Simulator System (MSS). Executive report
[AD-A276966] p 440 N94-32241
- Modular Simulator System (MSS). Interface requirements specification for the generic MSS
[AD-A276965] p 440 N94-32311
- Modular Simulator System (MSS). System/segment specification for the generic MSS-system integration, volume 1
[AD-A276968] p 440 N94-32312
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight station module, volume 2
[AD-A276969] p 440 N94-32313
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-radar module, volume 8
[AD-A276975] p 440 N94-32314
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-electronic warfare module, volume 9
[AD-A276976] p 441 N94-32315
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-physical cues module, volume 10
[AD-A276977] p 441 N94-32316
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-visual module, volume 11
[AD-A276978] p 441 N94-32317
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-instructor/operator station module, volume 12
[AD-A276979] p 441 N94-32318
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-environment module, volume 13
[AD-A276980] p 441 N94-32319
- Modular Simulator System (MSS). Engineering design guide
[AD-A276967] p 441 N94-32394
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight controls module, volume 3
[AD-A276970] p 442 N94-32395

- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-flight dynamics module, volume 4 [AD-A276971] p 442 N94-32396
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-propulsion module propulsion module, volume 5 [AD-A276972] p 442 N94-32397
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-navigation/communication module, volume 6 [AD-A276973] p 442 N94-32398
- Modular Simulator System (MSS). System/segment specification for the generic modular simulator system-weapons module, volume 7 [AD-A276974] p 442 N94-32399
- Modular Simulator System (MSS): Interface design document for the generic MSS [AD-A277270] p 442 N94-32403
- Boeing Defense and Space Group, Philadelphia, PA.**
Handling qualities effects of display latency p 95 N94-13316
- Boeing Defense and Space Group, Seattle, WA.**
X ray computed tomography for geometry acquisition [AD-A268085] p 202 N94-17590
Design, development, and flight evaluation of the Boeing YC-14 USB powered lift aircraft p 89 N94-18444
Towards the formal verification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191466] p 243 N94-22414
Towards the formal specification of the requirements and design of a processor interface unit: HOL listings [NASA-CR-191465] p 283 N94-23252
Towards the formal specification of the requirements and design of a processor interface unit [NASA-CR-4521] p 284 N94-24463
- Bolt, Beranek, and Newman, Inc., Canoga Park, CA.**
Comparison of methods of predicting community response to impulsive and nonimpulsive noise p 370 N94-28196
- Bombardier, Inc., Montreal (Quebec).**
Activities of Bombardier, Inc. p 3 N94-13520
Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations p 329 N94-28324
- Boston Univ., MA.**
An error-resistant linguistic protocol for air traffic control [NASA-CR-196098] p 570 N94-37013
- British Aerospace Aircraft Group, Kingston-upon-Thames (England).**
Structural health monitoring using embedded fibre optic sensors p 55 N94-11334
- British Aerospace Defence Ltd., Brough (England).**
Fatigue design, test and in-service experience of the BAe Hawk p 531 N94-34597
- British Aerospace Defence Ltd., Farnborough (England).**
Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft p 327 N94-28017
Harrier 2: A comparison of US and UK approaches to fatigue clearance p 531 N94-34596
- British Aerospace Defence Ltd., Preston (England).**
Frameworks for integrated airframe design p 259 N94-24318
SDE's for the year 2000 and beyond: An EF perspective p 416 N94-29344
Operational agility: An overview of AGARD Working Group 19 p 534 N94-34625
Sensor data fusion for air to air situation awareness beyond visual range p 598 N94-36633
- British Aerospace Defence Ltd., Warton (England).**
Design of integrated flight and powerplant control systems p 532 N94-34609
- British Columbia Univ., Vancouver (British Columbia).**
The international regulation of air transport: Changing regimes and price effects [ISBN-0-315-55958-6] p 56 N94-13543
Modelling stalled airfoils [ISBN-0-315-55925-6] p 218 N94-22382
Aerodynamic performance of novel ducted-tip wings p 303 N94-28331
Non-isoenergetic inviscid slot flow p 303 N94-28333
Alternate melting and refining routes p 585 N94-37323
- British Petroleum Co. Ltd., Sunbury-on-Thames (England).**
Manufacture and properties of sigma fibre reinforced titanium p 585 N94-36655
- Brown Univ., Providence, RI.**
Computational methods for problems in aerodynamics using parallel and vector architectures [AD-A265626] p 27 N94-12377

- Bundesanstalt fuer Flugsicherung, Frankfurt am Main (Germany).**
Activities report of the Federal Administration for Flight Safety (Germany) [ETN-93-94208] p 56 N94-14008
- Bureau International des Poids et Mesures, Sevres (France).**
GPS common-view time transfer p 428 N94-30648
The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651
Comparison of LASSO and GPS time transfers p 429 N94-30665

C

- CAE Electronics Ltd., Saint Laurent (Quebec).**
Training and operations support system (TOPS) p 599 N94-37344
- Calgary Univ. (Alberta).**
Airport terminals: Optimum configurations and gate position requirement [ISBN-0-315-61722-5] p 132 N94-13544
A study of parallel pier finger airport terminal configuration [ISBN-0-315-83128-6] p 229 N94-22425
A robust quality control system for GPS navigation and kinematic positioning [ISBN-0-315-83148-0] p 223 N94-22427
- California Inst. of Tech., Pasadena, CA.**
Lifted turbulent jet flames p 151 N94-17381
Chemical reactions in turbulent mixing flows [AD-A268287] p 44 N94-17580
Nominally 2-dimensional flow about a normal flat plate [AD-A274472] p 356 N94-27026
Tip effects on the vortex wake of an axisymmetric body at angle of attack p 424 N94-31907
- California Polytechnic State Univ., San Luis Obispo, CA.**
Helicopter approach capability using the differential Global Positioning System [NASA-CR-177618] p 67 N94-12355
Numerical prediction of transition of the F-16 wing at supersonic speeds [NASA-CR-194407] p 51 N94-19433
An experimental investigation of the effect of upper surface blowing on dynamic stall [NASA-CR-194863] p 247 N94-22894
Lift augmentation on a delta wing via leading edge fences and the Gurney flap [NASA-CR-194793] p 251 N94-24103
JB-300: An advanced medium size transport for 2005 [NASA-CR-195499] p 261 N94-24401
Implementation of the Baldwin-Barth turbulence model into the ZETA code and its diagnosis [NASA-CR-194795] p 281 N94-24640
The cetaceopteryx: A global range military transport aircraft [NASA-CR-195519] p 263 N94-24711
VLCT-13: A commercial transport for the 21st Century [NASA-CR-195492] p 316 N94-24803
The AC-120: The advanced commercial transport [NASA-CR-195491] p 317 N94-24966
A global range military transport: The ostrich [NASA-CR-195494] p 318 N94-24972
Weasel works SA-150: Design study of a 100 to 150 passenger transport aircraft [NASA-CR-195489] p 318 N94-24975
Preliminary design of nine high speed civil transports p 322 N94-25710
Analysis and optimization of preliminary aircraft configurations in relationship to emerging agility metrics [NASA-CR-195228] p 324 N94-26235
Modification of ACSYNT aircraft computer program for preliminary design [NASA-CR-195737] p 390 N94-28817
Controls design with crossfeeds for hovering rotorcraft using quantitative feedback theory [NASA-CR-195765] p 437 N94-31203
Numerical investigation of multi-element airfoils [NASA-CR-194592] p 567 N94-36394
- California State Polytechnic Univ., Pomona, CA.**
Supercruiser Arrow HS-8 p 322 N94-25711
- California State Univ., Long Beach, CA.**
Calculation of multielement airfoils and wings at high lift p 49 N94-18438
Prediction of unsteady airfoil flows at large angles of incidence p 525 N94-34978
- California State Univ., Los Angeles, CA.**
Computation of transonic viscous flow past the NTF 65-degree Delta Wing p 297 N94-27930

- California Univ., Berkeley, CA.**
Micromechanisms of monotonic and cyclic subcritical crack growth in advanced high melting point low-ductility intermetallics [AD-A267764] p 151 N94-17223
- California Univ., Davis, CA.**
Prediction of leading-edge transition and relaminarization phenomena on a subsonic multi-element high-lift system p 297 N94-27929
The effect of pressure gradient on the structure of an equilibrium turbulent boundary layer p 444 N94-30807
- California Univ., Irvine, CA.**
Pollutant emissions from and within a model gas turbine combustor at elevated pressures and temperatures p 406 N94-29271
- California Univ., Los Angeles, CA.**
Lee waves: Benign and malignant [NASA-CR-186024] p 190 N94-10725
Fluid flow and heat convection studies for actively cooled airframes [NASA-CR-194624] p 182 N94-16491
Aeroelastic, aeromechanical and vibration problems in helicopters p 267 N94-24244
Mixed Eulerian-Lagrangian finite element solutions of unsteady flow and flutter in transonic cascade p 445 N94-30816
Surface boundary conditions and related technical issues concerning Burnett equations for 2-D hypersonic flow [AD-A277322] p 448 N94-32256
Selected topics on the active control of helicopter aeromechanical and vibration problems p 541 N94-35874
- California Univ., San Diego, CA.**
The effect of an axial flow component on a circular cylinder wake p 445 N94-31209
- California Univ., San Diego, La Jolla, CA.**
NASTRAN modeling of flight test components for UH-60A airloads program test configuration [NASA-CR-193614] p 170 N94-10937
Theories of turbulent combustion in high speed flows [AD-A265735] p 147 N94-12403
The experimental behavior of spinning pretwisted laminated composite plates [NASA-CR-195220] p 350 N94-27352
On the various forms of the energy equation for a dilute, monatomic mixture of nonreacting gases [NASA-CR-4612] p 527 N94-35864
- Calspan-Buffalo Univ. Research Center, NY.**
Calibration and validation studies in the LENS facility [AD-A278403] p 490 N94-33167
- Calspan Corp., Arnold AFS, TN.**
Hypersonic flow phenomenology p 34 N94-14155
Aerodynamic and aerothermal facilities 1: Hypersonic wind tunnels p 133 N94-14158
Aerodynamic and aerothermal facilities 2. Part 1: Short-duration, high-enthalpy facilities p 133 N94-14159
Hypersonic flow field measurements: Intrusive p 34 N94-14166
Hypersonic flow-field measurements: Nonintrusive p 34 N94-14167
Hypersonic flight testing. Part 2: Aerothermal flight testing p 103 N94-14169
Extrapolation of ground test data to flight p 34 N94-14170
Electromagnetic wave test p 177 N94-14173
Development of high-pressure diaphragms for the AEDC impulse tunnel [AD-A277053] p 439 N94-32009
USAF/AEDC aerodynamic and propulsion ground test and evaluation techniques for highly maneuverable aircraft: Capabilities and challenges p 532 N94-34606
- Calspan-State Univ. of New York Joint Venture, Buffalo, NY.**
Experimental studies of shock-wave/wall-jet interaction in hypersonic flow, part A [NASA-CR-195957] p 523 N94-34964
Experimental studies of transpiration cooling with shock interaction in hypersonic flow, part B [NASA-CR-195958] p 523 N94-34965
- Cambridge Univ., Cambridge (England).**
VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades [CUEAD/A-TURBO/TR.128] p 173 N94-12777
- Canadair Ltd., Montreal (Quebec).**
Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model p 303 N94-28334
- Canadian Aeronautics and Space Inst., Ottawa (Ontario).**
Abstracts of papers presented at the 4th CASI Aerodynamics Symposium [ISBN-0-920203-01-9] p 301 N94-28315

Canadian Forces Base Trenton, Astra (Ontario).

- An expert system application for troubleshooting the CF18 F404 engine p 478 N94-33339
- Canadian Marconi Co. Ltd., Kanata (Ontario).**
- Study of virtual prototyping of aircraft instruments [CMC-0687-1090] p 435 N94-31903
- Canadian Marconi Co. Ltd., Montreal (Quebec).**
- Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures p 147 N94-11337

Canterbury Univ., Christchurch (New Zealand).

- Compatibility of information and mode of control: The case for natural control systems p 117 N94-13307

Carleton Univ., Ottawa (Ontario).

- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2 [LTR-ST-1909] p 177 N94-13945

- Passenger terminal level of service measurement: A utility theoretic approach [ISBN-0-315-59037-8] p 228 N94-22418

- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade [ISBN-0-315-84107-9] p 354 N94-26671

- An investigation into the aerodynamic effects of wing patches [ISBN-0-315-84121-4] p 294 N94-26672

- Simulating indirect thrust measurement methods as used on modern high-bypass turbofans [ISBN-0-315-84123-0] p 332 N94-26673

- Controlled oscillation of forebody vortices by nozzle jet blowing [ISBN-0-315-84134-6] p 340 N94-27648

- Effect of surface finish on turbine airfoil cascade losses p 335 N94-28320

- Preliminary assessment of aerodynamic effects of wing repair patches p 305 N94-28346

Carnegie-Mellon Univ., Pittsburgh, PA.

- Perception for outdoor navigation [AD-A268867] p 68 N94-14919

- An introduction to structural models [AD-A268151] p 202 N94-17429

- Structural modeling: An application framework and development process for flight simulators [AD-A271348] p 136 N94-19880

- Automation for nondestructive inspection of aircraft [AIAA PAPER 94-1223-CP] p 449 N94-30572

- Large-scale shape optimization: Numerical methods, parallel algorithms, and applications to aerodynamic design p 450 N94-31966

Case Western Reserve Univ., Cleveland, OH.

- Tesseract supersonic business transport p 322 N94-25713

- Antiwindup analysis and design approaches for MIMO systems [NASA-CR-195304] p 436 N94-32075

Caterpillar Tractor Co., Peoria, IL.

- Development of advanced high temperature in-cylinder components and tribological systems for low heat rejection diesel engines, phase 1 [NASA-CR-187158] p 359 N94-27984

Central Inst. of Aviation Motors, Moscow (Russia).

- Endothermic fuels for hypersonic aviation p 407 N94-29285

- Introduction and overview of research and development of solid propellant ramrockets, liquid fuel ramjets and experimental hydrogen ram combustors p 398 N94-29292

- Turboramjet engines: Types and performances p 398 N94-29293

- Research and development of ramjets/ramrockets. Part 1: Integral solid propellant ramrockets p 398 N94-29294

- Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features p 398 N94-29295

- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct p 398 N94-29296

- Research and development of ramjets/ramrockets. Part 2: Integral liquid fuel ramjets p 398 N94-29297

- Research and development of ramjets/ramrockets. Part 3: The study of gaseous hydrogen ram combustors p 398 N94-29298

- CIAM experimental turboramjets p 399 N94-29299

- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor p 399 N94-29300

- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems p 399 N94-29301

Centre d'Etudes de la Navigation Aérienne, Toulouse (France).

- Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561
- Cognitive approach to specifications on air traffic controllers' decision assistance systems p 386 N94-29571

- The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems p 388 N94-29582

Centre d'Etudes et de Recherches, Toulouse (France).

- Boundary layer transition: Prediction and wind tunnel simulation p 171 N94-11498

Centre National d'Etudes Spatiales, Toulouse (France).

- PRONAOS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725

Centro Applicazioni Militari dell'Energia Nucleare, Pisa (Italy).

- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268

Chalmers Univ. of Technology, Goeteborg (Sweden).

- A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft [CTH-F-93-03] p 452 N94-31090

Chiba Univ. (Japan).

- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472

Chinese Aerodynamic Research and Development Center, Mianyang.

- Wind tunnel tests of a 5.3 m diameter yaw controlled turbine [FFA-TN-1993-20] p 449 N94-30946

Christopher Newport Coll., Newport News, VA.

- Prospective communications research to support fly by light/power by wire [NASA-CR-186369] p 606 N94-37657

Chrysler Technologies Airborne Systems, Inc., New Orleans, LA.

- Results of experimental investigations to determine external tank protuberance loads using a 0.03-scale model of the Space Shuttle launch configuration (model 47-OTS) in the NASA/ARC unitary plan wind tunnel, volume 1 [NASA-CR-167690] p 139 N94-12810

- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot transonic wind tunnel, volume 2 [NASA-CR-185697] p 139 N94-12965

- Results of wind tunnel tests of an ASRM configured 0.03 scale Space Shuttle integrated vehicle model (47-OTS) in the AEDC 16-foot Transonic wind tunnel (IA613A), volume 1 [NASA-CR-185696] p 139 N94-13191

Cincinnati Univ., OH.

- An investigation of oblique shock/boundary layer interaction control [AD-A268106] p 44 N94-17574

- RNS optimization procedure for three-dimensional composite velocity multi-block applications p 412 N94-29534

- Study of dynamic stall phenomenon and its control using vorticity, stream function and circulation form of the unsteady Navier-Stokes equations p 457 N94-32714

- Laser measurements and analysis of flow in a radial inflow turbine inlet guide vanes and rotor p 478 N94-33365

- Characterization of dynamic stall phenomenon using two-dimensional unsteady Navier-Stokes equations p 524 N94-34974

- Design of scaled down structural models p 605 N94-37797

City Univ., London (England).

- Inclined air-jets used as vortex generators to suppress shock-induced separation p 298 N94-28040

Civil Aeromedical Inst., Oklahoma City, OK.

- An examination of the operational error database for air route traffic control centers [AD-A275986] p 256 N94-24472

- Maintaining vigilance on a simulated ATC monitoring task across repeated sessions [DOT/FAA/AM-94/6] p 430 N94-30933

Civil Aviation Authority, London (England).

- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour [CAA-PAPER-93008] p 393 N94-29887

Clemson Univ., SC.

- The 3-D numerical study of airflow in the compressor/compressor pre-diffuser and dump diffuser of an industrial gas turbine p 276 N94-23660

Coast Guard, Washington, DC.

- Loran-C time management p 427 N94-30644

Colorado Univ., Boulder, CO.

- Error analysis of real time and post processed or bit determination of GFO using GPS tracking [NASA-CR-193646] p 67 N94-13238

- Analysis of the Harrier forebody/inlet design using computational techniques [NASA-CR-193616] p 31 N94-13463

- Unsteady separated flows: Empirical model and control [AD-A267282] p 37 N94-14959

- Modeling and new equipment definition for the vibration isolation box equipment system [NASA-CR-193185] p 184 N94-17763

- Supersonic minimum length nozzle design for dense gases p 250 N94-23656

- Sound radiation due to boundary layer transition p 285 N94-24163

- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195292] p 363 N94-28181

- Numerical simulation of combined external/internal transonic flow on the forebody/inlet of the AV-8B Harrier 2 p 423 N94-31759

- A new inverse method for generating high-speed aerodynamic flows with application to waverider design p 423 N94-31828

- The effects of altimeter sampling characteristics: Some Geosat examples [AD-A276899] p 449 N94-32214

- Numerical analysis of transonic wing buffet p 487 N94-32713

- Similarity in separated flow fields producing large-scale vortices p 460 N94-33382

- High-performance parallel analysis of coupled problems for aircraft propulsion [NASA-CR-195883] p 481 N94-34216

- Concepts and application of dynamic separation for agility and super-maneuverability of aircraft: An assessment p 535 N94-34988

Coltec Industries, West Hartford, CT.

- Hot gas ingestion effects on fuel control surge recovery and AH-1 rotor drive train torque spikes [NASA-CR-191047] p 538 N94-34993

Columbia Univ., New York, NY.

- Modeling bristle lift-off in idealized brush seal configurations p 236 N94-21797

Combustion Dynamics Ltd., Medicine Hat (Alberta).

- Payload central control for unmanned aircraft p 401 N94-30284

Commerce Dept., Washington, DC.

- National Facilities study [NASA-TM-109851] p 491 N94-34071

Communications Research Centre, Ottawa (Ontario).

- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993) [NASA-CR-194516] p 272 N94-22735

- Canadian aeronautical mobile data trials p 272 N94-22773

- Aeronautical satellite antenna steering using magnetic field sensors p 273 N94-22836

- SATCOM feasibility study for search and rescue aircraft [DSIS-94-01083] p 426 N94-31902

CompEngServ Ltd., Ottawa (Ontario).

- Intelligent systems for air space control and management p 384 N94-29560

Computational Fluid Dynamics Research Corp., Huntsville, AL.

- A computer model for liquid jet atomization in rocket thrust chambers [NASA-CR-194194] p 173 N94-12803

Computational Mechanics Co., Knoxville, TN.

- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 1: Theory and validations [NASA-CR-195918] p 598 N94-36914

- An arbitrary grid CFD algorithm for configuration aerodynamics analysis. Volume 2: FEMNAS user guide [NASA-CR-196135] p 598 N94-36922

Computer Resource Management, Inc., Herndon, VA.

- National Airspace System operational concept [DOT/FAA/SE-93/1] p 66 N94-10933

Computer Resource Management, Inc., Pleasantville, NJ.

- Handbook. Volume 2: Digital systems validation. Chapter 18: Avionic data bus integration technology [AD-A275323] p 96 N94-20343

Computer Technology Associates, Inc., Pleasantville, NJ.

- Denver TMA assessment [NASA-CR-4554] p 59 N94-18844

Concordia Univ., Loyola Campus, Montreal (Quebec).

- Common property resources and low-level flying in Labrador: Flight, fight or fancy? [ISBN-0-315-87318-3] p 453 N94-31732

Concordia Univ., Montreal (Quebec).

Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines p 174 N94-13521
 [ISBN-0-315-56062-2]
 Improvements in antenna coupling path algorithms for aircraft EMC analysis p 237 N94-22126
 RCS of ships and aircraft at HF frequencies p 237 N94-22128

Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis p 356 N94-27308
 [ISBN-0-315-84643-7]

Cornell Univ., Ithaca, NY.

Rotorcraft noise: Status and recent developments [NASA-CR-194761] p 244 N94-20523
 Refinement for fault-tolerance: An aircraft hand-off protocol [AD-A278004] p 315 N94-27768

Cranfield Inst. of Tech., Bedford (England).

Control effectiveness at hypersonic speeds p 112 N94-10426
 The application of a C(star) flight control law to large civil transport aircraft [CRANFIELD-AERO-9303] p 338 N94-25640
 Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992 [CRANFIELD-AERO-9305] p 338 N94-25653
 Flowfield prediction of NO(x) and smoke production in aircraft engines p 404 N94-29252
 Nozzle guide vane flow in radial inflow turbines p 486 N94-34460

CSA Engineering, Inc., Palo Alto, CA.

Flight Dynamics Directorate (FDD) Historically Black Colleges and Universities (HBCU's) database management system: A user's guide [AD-A264947] p 209 N94-11288
 Proceedings of Damping 1993, volume 1 [AD-A274226] p 355 N94-26922
 Smart structures, an overview [AD-A274147] p 368 N94-27093
 Structural integrity of intelligent materials and structures [AD-A278397] p 496 N94-33165

D**Daedalus Enterprises, Inc., Ann Arbor, MI.**

Modis-N airborne simulator [NASA-CR-189303] p 206 N94-13719

Darchem Engineering, Stillington (England).

An investigation into aircraft fuselage fire hardening p 54 N94-10782

Dassault (E. M.) Co., Saint Cloud (France).

Trends of design methodology of airframe p 261 N94-24327

Dassault Aviation, Saint-Cloud (France).

High incidence flow analysis over the Rafale A p 522 N94-34612
 Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328
 In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341

Dassault-Breguet Aviation, Saint Cloud (France).

Flight command software development: RAFALE studies p 415 N94-29320
 Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593

David Samoff Research Center, Princeton, NJ.

Color head down display program [AD-A274807] p 330 N94-26340

Dayton Univ., OH.

Center for Rotorcraft Education and Research progress report, 1987 - 1992 [AD-A266760] p 40 N94-15824
 Ultrasonic process for curing adhesives [AD-A273175] p 348 N94-24788
 Birdstrike resistant crew enclosure program [AD-A273700] p 367 N94-25453
 Visual evaluation of computer-generated textures [AD-A277201] p 450 N94-32093

Dayton Univ. Research Inst., OH.

Image quality and the display modulation transfer function: Experimental findings [AD-A274061] p 342 N94-25773
 Variable-resolution imagery for flight simulation [AD-A276199] p 438 N94-31058

De Havilland Aircraft Co. of Canada Ltd., Downsview (Ontario).

High lift systems for transport aircraft with advanced airfoils p 90 N94-18446
 Flow field investigation in the near slipstream of an 8-bladed propfan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7 p 302 N94-28317

Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements p 370 N94-28318
 Propeller off-axis loads due to thrust axis incidence and nacelle magnus force p 334 N94-28319
 Experimental and theoretical studies of T-tail configurations for commuter aircraft applications p 329 N94-28322

Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft p 302 N94-28329
 Drag prediction by wake integrals using 3-D multi-grid Euler method (MGAERO) p 303 N94-28335

Decision Systems, Inc., Los Altos, CA.

The influence of ATC message length and timing on pilot communication [NASA-CR-177621] p 57 N94-14744

Defence Research Agency, Bedford (England).

The impact of flying qualities on helicopter operational agility p 117 N94-13304
 In-flight simulation of high agility through active control: Taming complexity by design p 117 N94-13306
 A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility [AD-A267739] p 133 N94-14876
 Comparison between swept and delta canards on a model of a combat aircraft [AD-A269561] p 88 N94-17826
 Control of leading-edge separation on a cambered delta wing p 539 N94-34616
 The influence of flying qualities on operational agility p 534 N94-34628

Defence Research Agency, Farnborough, Hampshire (England).

Where is high-lift today? A review of past UK research programmes p 5 N94-18416
 An experimental investigation of the optimum slat setting on a combat aircraft model p 89 N94-18431
 An experimental investigation of attachment-line transition on the slat of a combat aircraft model p 89 N94-18432
 A study of the use of half-models in high-lift wind-tunnel testing p 48 N94-18434
 Sub-sonic flow about a slender profile in a tunnel having perforated walls [AD-A273184] p 291 N94-25137
 The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor p 406 N94-29274
 Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel p 539 N94-34613
 Defects and their effects on the integrity of nickel based aeroengine discs p 586 N94-37328

Defence Research Establishment Atlantic, Dartmouth (Nova Scotia).

Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest [DREA-TC-93-304] p 270 N94-24121

Defence Research Establishment Ottawa, Ottawa (Ontario).

TEM cell safety report [DREO-TN-93-9] p 269 N94-24123

Defence Research Establishment Pacific, Victoria (British Columbia).

Paint removal activities in Canada p 167 N94-10615
 Paint removal and surface cleaning using ice particles p 168 N94-10626
 Paint removal using wheat starch blast media p 168 N94-10627
 A colour image processing algorithm to identify copper-based particles in filter debris samples [DREP-TM-93-19] p 283 N94-24122

An evaluation of Compton scatter imaging using COMSCAN [DREP-TM-93-38] p 278 N94-24136

The development of an in-motion radiography system for large area aircraft scanning [DREP-TM-93-53] p 327 N94-27666

Differential GPS methods and performance for marine applications [DREP-93-09] p 315 N94-27667

Ultrasonic characterization of damage in a simulated CF-18 composite structure [DREP-LN-93-26] p 447 N94-31872

Defence Research Establishment Suffield, Medicine Hat (Alberta).

The use of low cost differential mode GPS receivers in unmanned vehicles p 389 N94-30285

Defence Research Establishment Suffield, Ralston (Alberta).

HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development p 393 N94-30293

Delaval-Stork V.O.F., Hengelo (Netherlands).

Steam plant: Steam turbines for combined cycles p 362 N94-28085

Delegation Generale de l'Armement, Toulouse (France).

Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint p 167 N94-10616

Denver Univ., Denver, CO.

Counting particles emitted by stratospheric aircraft and measuring size of particles emitted by stratospheric aircraft [NASA-CR-195908] p 506 N94-33170

Department of Defense, Arlington, VA.

Audit report. Navy's aircraft structural life surveillance program data recorders [AD-A270391] p 92 N94-20040

Department of Defense, Washington, DC.

National Facilities study [NASA-TM-109851] p 491 N94-34071

Department of Energy, Morgantown, WV.

Performance calculations and research direction for a water enhanced regenerative gas turbine cycle [DE93-019866] p 237 N94-21983

Department of Energy, Washington, DC.

National Facilities study [NASA-TM-109851] p 491 N94-34071

Department of the Navy, Washington, DC.

Lift enhancement device [AD-D015868] p 88 N94-17704
 All-weather precision landing system for aircraft in remote areas [AD-D015924] p 70 N94-20197
 Regulated drag area parachute [AD-D015992] p 290 N94-25051
 Generic drone control system [AD-D015993] p 320 N94-25052
 Fluid dynamic linear accelerometer [AD-D016042] p 339 N94-27112
 Reconfigurable aircraft stick control [AD-D016043] p 344 N94-27113
 Relative motion pinwheel [AD-D016107] p 469 N94-32961
 Active vortex control for a high performance wing [AD-D016140] p 458 N94-32974
 Adaptive autopilot [AD-D016193] p 489 N94-34406
 Canopy breaking device [AD-D016294] p 602 N94-37767
 Interferometric JFTOT tube deposit measuring device [AD-D016295] p 604 N94-37768
 Marker beacon case [AD-D016322] p 602 N94-37830
 System for broadcasting marker beacon signals and processing responses from seeking entities [AD-D016313] p 602 N94-37839

Department of Transportation, Cambridge, MA.

Impact of shutting down en route primary radars within CONUS interior [DOT-VNTSC-FAA-93-1] p 67 N94-11626

Department of Transportation, Washington, DC.

National Facilities study [NASA-TM-109851] p 491 N94-34071

Deutsche Aerospace A.G., Munich (Germany).

Applications of CFD codes and supercomputers to aircraft design activities p 259 N94-24316
 The process network in the design and manufacturing of aircraft p 259 N94-24319
 Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 N94-28013
 Effects, limits, and limitations of spanwise blowing p 298 N94-28027
 Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588

The role of fatigue analysis for design of military aircraft p 531 N94-34594

X-31A control law design p 540 N94-34618
 Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327

Deutsche Aerospace A.G., Ulm (Germany).

GPS/GNSS for ATM p 385 N94-29565

Deutsche Airbus G.m.b.H., Bremen (Germany).

Investigations on aluminium-lithium alloys for damage tolerant application p 142 N94-10023
 Future needs in the development of materials for aircraft interiors and equipment p 145 N94-10794
 High-lift design for large civil aircraft p 89 N94-18445

Experiments with a fluid deicing system for cleaning laminar wings p 231 N94-22601

Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 N94-22605

Deutsche Airbus G.m.b.H., Hamburg (Germany).

Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 N94-24320

Influence of active controls on the design process of a large transport aircraft p 260 N94-24323

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Brunswick (Germany).

Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 N94-11340

Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 N94-13300

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Cologne (Germany).

The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing p 130 N94-10432

Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Goettingen (Germany).

First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 N94-28032

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Munich (Germany).

Smart structures: A technology for next generation aircraft p 81 N94-11318

In-flight aircraft structure health monitoring based on smart structures technology p 55 N94-11333

Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Brunswick (Germany).

About the accuracy of an image-based navigation system during the runway approach [DLR-MITT-93-01] p 69 N94-18146

Numerical calculations of high lift flows using structured and unstructured methods p 48 N94-18428

Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine [DLR-FB-93-17] p 333 N94-27593

The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation [DLR-FB-93-20] p 333 N94-27739

Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567

Considerations on graphical user interfaces for intelligent ATM support systems p 386 N94-29572

Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573

DLR's ATM demonstration programme p 386 N94-29575

Experimental flight management system p 388 N94-29580

X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619

EFA flying qualities specification and its utilisation p 533 N94-34621

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne (Germany).

Turbulent particle dispersion in confined swirling flows [DLR-FB-92-32] p 177 N94-14045

Transport policy options for reducing noise at airports; Hamburg airport taken as an example [DLR-FB-92-40] p 135 N94-18123

The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 N94-27587

Methodology development of forecasting inter-regional air transport demand in China [DLR-FB-93-24] p 308 N94-27746

Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447

Design and analysis of a highly loaded transonic compressor cascade p 505 N94-34451

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Goettingen (Germany).

On the use of differential GPS for automatic approach and landing of space and aircraft [DLR-MITT-93-05] p 69 N94-17921

On memory effects in turbulence p 184 N94-18124

Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 N94-21280

Surface hot film measurements at ATTAS laminar glove p 224 N94-22598

Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 N94-27588

Control of leading-edge separation on an airfoil by localized excitation [DLR-FB-93-16] p 296 N94-27592

Methods in unsteady aerodynamics

[DLR-FB-93-21] p 296 N94-27741

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Munich (Germany).

Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 N94-20543

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Oberpfaffenhofen (Germany).

Turbulent diffusion in homogeneous shear flow with stable density stratification [DLR-FB-92-26] p 178 N94-14443

A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation) [DLR-MITT-92-10] p 240 N94-22280

On the effect of emissions from aircraft engines on the state of the atmosphere p 414 N94-29247

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Stuttgart (Germany).

High temperature materials for hypersonic transport p 142 N94-10003

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Weßling (Germany).

A novel near-range radar network for airport surface control p 389 N94-29586

Deutsche Lufthansa A.G., Frankfurt am Main (Germany).

Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 N94-28230

The single European market and air traffic chances and risks p 308 N94-28231

Deregulation of air traffic in America: A model to be initiated? p 308 N94-28232

Air traffic of the European Community with European neighbors p 309 N94-28233

A sky above Europe p 309 N94-28234

The single European market: Economical advance, ecological problem? p 309 N94-28235

The advantages of the location Germany must not be jeopardized in air traffic p 309 N94-28236

Lufthansa facing the single European market p 309 N94-28237

Air traffic administration enroute to Europe p 309 N94-28238

Munich Airport: The new Lufthansa hub p 310 N94-28239

Air traffic in recession p 310 N94-28240

German-American relations in air traffic are to be criticized p 310 N94-28241

A340 testing p 310 N94-28242

First Canadair jet flies for Lufthansa city line p 310 N94-28243

Integrators: A challenge for air cargo p 310 N94-28244

Powerful selling and sales strategy p 311 N94-28245

Lufthansa long range services: More simplicity p 311 N94-28246

Lufthansa and Europe p 311 N94-28247

Know-how export: Lufthansa technology at Shannon p 311 N94-28248

After thirty years: Farewell of Europa jet p 311 N94-28249

A symbol of reliability: Ju 52 p 329 N94-28250

Deutsche Lufthansa A.G., Hamburg (Germany).

Aquastrip (tm): An innovative paint removal technology p 168 N94-10625

Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 N94-22602

Diffrauto Ltd., Windsor (Ontario).

Location of impact damage sites in composite aircraft structures, task 3.4.1 [DSIS-94-01590] p 443 N94-31892

Dornier Luftfahrt G.m.b.H., Friedrichshafen (Germany).

Paint removal activities in Germany p 167 N94-10617

Calculation of maximum and high lift characteristics of multi element aerofolios p 46 N94-18419

Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft p 238 N94-22604

Dornier-Werke G.m.b.H., Friedrichshafen (Germany).

Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618

Douglas Aircraft Co., Inc., Long Beach, CA.

Techno-economic requirements for composite aircraft components p 150 N94-16864

Current and future design methods for large transport aircraft p 261 N94-24324

Resin transfer molding for advanced composite primary wing and fuselage structures p 495 N94-33128

Aero acoustic analysis and community noise. HSCT climb to cruise noise assessment p 511 N94-33491

Status of an inlet configuration trade study for the Douglas HSCT p 473 N94-33506

HSCT materials and structures: An MDC perspective p 497 N94-33516

HSCT high-lift technology requirements p 462 N94-33523

Supersonic LFC: Challenges and opportunities p 462 N94-33526

Douglas Aircraft Co., Inc., Saint Louis, MO.

Update on Douglas' high-speed civil transport studies p 471 N94-33450

Douglas Aircraft HSCT status and future research needs p 472 N94-33454

Sonic boom configuration minimization p 472 N94-33473

Draper (Charles Stark) Lab., Inc., Cambridge, MA.

Control of maglev vehicles with aerodynamic and guideway disturbances p 554 N94-35842

Advanced information processing system: The Army Fault-Tolerant Architecture detailed design overview [NASA-CR-194924] p 598 N94-36962

Drexel Univ., Philadelphia, PA.

Neural control of magnetic suspension systems p 345 N94-27905

Duke Univ., Durham, NC.

New vortex dynamics methods for rotor free wake analysis [AD-A266656] p 36 N94-14774

Prediction of unsteady flows in turbomachinery using the linearized Euler equations on deforming grids [NASA-CR-195285] p 333 N94-27654

Aeroacoustic sensitivity analysis and optimal aeroacoustic design of turbomachinery blades [NASA-CR-195786] p 399 N94-30013

Durham Univ. (England).

Engineering large-scale agent-based systems with consensus p 558 N94-35071

DynaFlow, Inc., Columbus, OH.

Method for transition prediction in high-speed boundary layers, phase 2 [AD-A277563] p 500 N94-33391

Dynatex Technology, Inc., Burlington, MA.

Material optimization and manufacturing development of reduced cost powder metal titanium alloy components for gas turbine engine application, phase 2 [AD-A274410] p 349 N94-26978

E**Eagle Engineering, Inc., Hampton, VA.**

Overview of feasibility study on conducting overnight measurements of shaped sonic boom signatures using RPV's p 510 N94-33475

ECC International Corp., Orlando, FL.

The effects of Above Real-Time Training (ARTT) in an F-16 simulator p 489 N94-32474

Ecole Centrale de Lyon (France).

Two dimensional simulation of the electric arc behavior in a cut-off device [ECL-92-41] p 233 N94-20595

Experimental contribution to the study of secondary flows in centrifugal turbopump stator components [ECL-92-35] p 352 N94-25654

Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677

Ecole Polytechnique, Montreal (Quebec).

Transition for three-dimensional, compressible boundary layers p 363 N94-28327

Ice accretion on aircraft wings p 311 N94-28345

Ecole Polytechnique Feminine, Sceaux (France).

Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717

Eidetics International, Inc., Torrance, CA.

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 1: Static water tunnel tests [NASA-CR-177626-VOL-1] p 38 N94-15655

Aerodynamic control of NASP-type vehicles through Vortex manipulation. Volume 2: Static wind tunnel tests [NASA-CR-177626-VOL-2] p 38 N94-15677

Aerodynamic control of NASP-type vehicles through vortex manipulation, volume 4 [NASA-CR-177626-VOL-4] p 39 N94-15720

Aerodynamic control of NASP-type vehicles through vortex manipulation. Volume 3: Wing rock experiments [NASA-CR-177626] p 40 N94-15780

F/A-18 forebody vortex control. Volume 2: Rotary-balance tests [NASA-CR-4582-VOL-2] p 466 N94-34430

F/A-18 forebody vortex control. Volume 1: Static tests [NASA-CR-4582-VOL-1] p 528 N94-35991

Electronic System G.m.b.H., Munich (Germany).

Experiences with the HOOD design method on avionics software development p 415 N94-29325

Eloret Corp., Palo Alto, CA.

Theoretical determination of chemical rate constants using novel time-dependent methods
[NASA-CR-195221] p 349 N94-26205

A study of low emissions gas turbine combustions
[NASA-CR-195763] p 399 N94-29860

Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194535] p 379 N94-29893

High-temperature behavior of advanced spacecraft TPS
[NASA-CR-195832] p 492 N94-34063

Development and application of computational aerothermodynamics flowfield computer codes
[NASA-CR-196136] p 526 N94-35498

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-195829] p 568 N94-36687

Eloret Corp., Sunnyvale, CA.

Development of an automated film-reading system for ballistic ranges
[NASA-CR-194398] p 176 N94-13815

An experimental study of a turbulent boundary layer in the trailing edge region of a circulation-control airfoil
[NASA-CR-194522] p 35 N94-14541

Particle kinetic simulation of high altitude hypervelocity flight
[NASA-CR-194599] p 39 N94-15678

Experimental investigation of nozzle/plume aerodynamics at hypersonic speeds
[NASA-CR-194628] p 52 N94-20014

EMA, Mansfield, TX.

Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466

Rotorwash analysis handbook. Volume 2: Appendixes
[SCT-93RR-17-VOL-2] p 567 N94-36467

Embry-Riddle Aeronautical Univ., Daytona Beach, FL.

Aircraft empennage structural detail design
[NASA-CR-195496] p 261 N94-24332

Aircraft wing structure detail design
[NASA-CR-195485] p 262 N94-24498

Cockpit control system conceptual design
[NASA-CR-195543] p 268 N94-24551

Cockpit control system
[NASA-CR-195488] p 336 N94-24957

Aircraft empennage structural detail design
[NASA-CR-195486] p 318 N94-24969

Aircraft wing structural detail design (wing, aileron, flaps, and subsystems)
[NASA-CR-195487] p 318 N94-24974

The Triton: Design concepts and methods
[NASA-CR-195542] p 319 N94-25004

Design project: Viper
[NASA-CR-195484] p 319 N94-25021

Enasco, Inc., Melbourne, FL.

The evaluation of ASOS for the Kennedy Space Center's Shuttle Landing Facility
[NASA-CR-195685] p 364 N94-25271

Environmental Research Inst. of Michigan, Ann Arbor, MI.

Long-range laser imaging
[AD-A273020] p 233 N94-21253

Automated inspection of turbine blades: Challenges and opportunities
[AIAA PAPER 94-1226-CP] p 450 N94-30575

ESDU International Ltd., London (England).

Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds
[ESDU-93034] p 297 N94-27955

Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio
[ESDU-93007] p 298 N94-28057

Lift-curve slope for structural response calculations
[ESDU-93013] p 298 N94-28063

Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076

Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known)
[ESDU-93020] p 299 N94-28091

Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 N94-28092

Example of statistical techniques applied to analysis of effects of small changes
[ESDU-93023] p 328 N94-28094

Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics
[ESDU-93024-PT-1] p 362 N94-28095

Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft
[ESDU-93026-PT-3] p 362 N94-28096

Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140

Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144

ETEL S.A., Motiers (Switzerland).
Sensorless, brushless motor to drive a sealed freon-ammonia pump p 277 N94-24036

Eurocontrol Experimental Centre, Bretigny (France).
ARC2000: Automatic radar control p 388 N94-29583

Eurocopter Deutschland G.m.b.H., Munich (Germany).
Smart materials for helicopter rotor active control p 81 N94-11321

The application of active side arm controllers in helicopters p 117 N94-13302

Eurocopter France, Marignane (France).
The convertible (helicopter/airplane) EUROFAR: General considerations on the technical progress and on future advances p 574 N94-36331

European Organization for the Safety of Air Navigation, Brussels (Belgium).
Decision Making Aids (DMA) in on-line ATC systems p 386 N94-29570

Air-ground integration of the ATM system in PHARE p 388 N94-29579

European Space Agency, Paris (France).
Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 N94-13117

The problem of the sonic boom for future high-speed transport aircraft [ESA-TT-1286] p 206 N94-13692

European Space Agency, European Space Operations Center, Darmstadt (Germany).
Commonality of flight control systems for support of European telecommunications missions p 277 N94-23834

Executive Office of the President, Washington, DC.
Aeronautics and space report of the President: Fiscal year 1993 activities p 514 N94-32854

F**Federal Aviation Administration, Atlanta, GA.**

Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[DOT/FAA/CT-93/3] p 54 N94-10766

Aircraft material fire testing and the creation of an international working group p 145 N94-10790

Advanced aircraft materials research and development plan p 145 N94-10796

The future of aircraft cabin fire safety p 54 N94-10797

Next Generation Weather Radar (NEXRAD) Principal User Processor (PUP) Operational Test and Evaluation (OT/E)
[AD-A273075] p 240 N94-21519

Federal Aviation Administration, Atlantic City, NJ.
Proceedings of the International Conference for the Promotion of Advanced Fire Resistant Aircraft Interior Materials
[AD-A266057] p 55 N94-12384

Analytical method for water vapor collection and analysis in aircraft cabin fires
[DOT/FAA/CT-TN93/33] p 55 N94-12575

Widebody cabin water spray optimization tests
[DOT/FAA/CT-TN93/29] p 56 N94-14186

Satellite communications installation plan
[AD-A266303] p 182 N94-16965

VMC left turn curved approaches, test results
[AD-A269476] p 70 N94-18728

Vertical drop test of a Metro 3 aircraft
[AD-A270032] p 90 N94-18789

Initial evaluation of burn characteristics of phenolic foam runway brake arrestor material
[DOT/FAA/CT-TN93/7] p 270 N94-23335

Combined 1991 and 1992 Robinson-22B (R-22) parking test results
[AD-A273550] p 269 N94-24559

Full-scale fire testing of seat component materials
[AD-A273499] p 305 N94-24941

Airborne data link operational evaluation test plan
[AD-A274096] p 312 N94-25788

Digital Altimeter Setting Indicator (DASI) Operational Test and Evaluation (OT/E) operational test procedures
[AD-A274100] p 329 N94-26030

Air traffic controller working memory: Considerations in air traffic control tactical operations
[AD-A273722] p 313 N94-26197

Soft ground arresting system for airports
[DOT/FAA/CT-93/80] p 343 N94-26202

Impact of improved materials and cabin water spray on commuter aircraft postcrash fire survivability
[AD-A274421] p 307 N94-27081

Los Angeles international airport instrument landing system approach data collection and reduction, phase 1
[AD-A275115] p 383 N94-28914

Evaluation for the development of taxiway lighting intensity standards
[AD-A276706] p 440 N94-32120

Shearographic inspection of a DeHavilland DHC-7
[AD-A276716] p 419 N94-32157

Civil tiltrotor market penetration: Effects on Northeast corridor airport delay
[AD-A277534] p 467 N94-32955

Aircraft high bypass fan engine performance
[AD-A277722] p 478 N94-33443

Federal Aviation Administration, Cambridge, MA.

Noise measurement flight test of five light helicopters
[AD-A268566] p 208 N94-17599

INM, Integrated Noise Model, Version 4.11: User's guide, supplement
[AD-A273885] p 370 N94-25731

Damage tolerance assessment handbook. Volume 1: Introduction fracture mechanics fatigue crack propagation
[AD-A274777] p 353 N94-26186

Damage tolerance assessment handbook. Volume 2: Aircraft damage tolerance evaluation
[AD-A274778] p 353 N94-26357

Flight technical error for category B non-precision approaches and missed approaches using non-differential GPS for course guidance
[PB94-142734] p 431 N94-31680

Helipoint Noise Model (HNM) version 2.2 (user's guide)
[AD-A277072] p 452 N94-32418

Cockpit Electronic Display Workshop: A synopsis
[AD-A277728] p 477 N94-33280

Pilot GPS/LORAN receiver programming performance: A laboratory evaluation
[AD-A278258] p 469 N94-33412

Federal Aviation Administration, Oklahoma City, OK.

SATORI: Situation Assessment Through the Re-creation of Incidents
[DOT/FAA/AM-93/12] p 138 N94-12567

Advisory circular: Index of articles (materials, parts, processes, and appliances) certified under the technical standard order system
[AD-20-365] p 211 N94-19377

ATC/pilot voice communications: A survey of the literature
[DOT/FAA/AM-93/20] p 233 N94-21201

A review of computer evacuation models and their data needs
[AD-280707] p 528 N94-35236

Federal Aviation Administration, Washington, DC.

FAA air traffic activity
[AD-A266043] p 55 N94-12397

Federal Aviation Administration aviation forecasts
[AD-A265611] p 3 N94-12578

Aircraft engine type certification handbook: Advisory circular
[AC-33-2B] p 102 N94-13252

The 11th annual report of accomplishments under the airport improvement program: Fiscal year 1992
[AD-A268328] p 69 N94-17458

Criminal acts against civil aviation, fiscal year 1992
[AD-A268014] p 58 N94-17586

Terminal area forecasts, FY 1993-2005
[AD-A269855] p 70 N94-18336

Airport activity statistics of certificated route air carriers, 1992
[AD-A269042] p 59 N94-18490

EDMS microcomputer pollution model for civilian airports and Air Forces bases: User's guide, supplement A
[AD-A271596] p 240 N94-20948

The FAA satellite communications program
[AD-A273284] p 272 N94-22772

General aviation activity survey
[AD-A273284] p 289 N94-24923

The 1993 Federal Aviation Administration plan for research, engineering and development
[AD-A279037] p 290 N94-27960

The 1993 Federal Aviation Administration Aviation System Capital Investment Plan
[AD-A279036] p 383 N94-29445

Opportunities for integrating the aircraft FMS, aeronautical operational control centers, and future air traffic management systems in oceanic airspace
[AD-A279036] p 387 N94-29577

Development of precision runway monitor system for increasing capacity of parallel runway operations
[AD-A277808] p 389 N94-29587

FAA aviation forecasts, fiscal years 1994-2005
[AD-A277808] p 455 N94-33016

- Synthetic vision technology demonstration. Volume 1: Executive summary [AD-280564] p 475 N94-33076
- Synthetic vision technology demonstration. Volume 2: Sensor tower testing [DOT/FAA/RD-93/40-VOL-2] p 476 N94-33077
- Synthetic vision technology demonstration. Volume 3: Flight tests [AD-A281051] p 476 N94-33078
- Synthetic vision technology demonstration. Volume 4: Appendices [AD-A281052] p 476 N94-33079
- Safe heliports through design and planning [AD-A279034] p 491 N94-34104
- Federal aviation regulations. Part 91: General operating and flight rules, change 4 [PB94-159944] p 468 N94-34401
- Federal aviation regulations. Part 91: General operating and flight rules, change 3 [PB94-159910] p 468 N94-34410
- The Federal Aviation Administration plan for research, engineering and development p 561 N94-35262
- Accomplishments under the Airport Improvement Program [AD-A280661] p 583 N94-36763
- Federal Aviation Agency, Oklahoma City, OK.**
- Automation and cognition in air traffic control: An empirical investigation [DOT/FAA/AM-94/3] p 312 N94-25444
- Fiat Aviazione S.p.A., Turin (Italy).**
- Technology rigs: A tool for afterburner development p 397 N94-29270
- The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442
- Turbine disks: Lifting against defects and materials development p 595 N94-37329
- Florida Agricultural and Mechanical Univ., Tallahassee, FL.**
- Unsteady flow past a NACA 0012 airfoil pitching at constant rates [AD-A265159] p 27 N94-11889
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Florida Atlantic Univ., Boca Raton, FL.**
- The fluid mechanics of vortex cutting by a blade [AD-A270932] p 52 N94-20043
- Sensitivity of lag-damping correlations to structural and aerodynamic approximations of isolated experimental rotors in forward flight [NASA-CR-195822] p 464 N94-33991
- Florida State Univ., Tallahassee, FL.**
- Theoretical aspects of supersonic jet noise p 510 N94-33469
- Unsteady flow past an airfoil pitched at constant rate p 524 N94-34969
- Florida Univ., Eglin AFB, FL.**
- Interferometer stations at the Air Force Aeroballistic Research Facility [AD-A268776] p 135 N94-18330
- Florida Univ., Gainesville, FL.**
- Development of a prototype kinesthetic platform for application to space and ground servicing tasks. Phase 1: Concept Modeling [NASA-CR-194036] p 140 N94-16905
- A proposed methodology for combustion toxicology testing of combined halon replacement agent/jet fuel interaction [AD-A272695] p 230 N94-21165
- Flow Analysis, Inc., Brooklyn, NY.**
- Free-wake computation of helicopter rotor flowfield for general flight regimes [AD-A266692] p 36 N94-14781
- FMT International Trade A.B. (Sweden).**
- System for automatic transportation of aircraft on the ground [CA-PATENT-1-322-361] p 341 N94-24785
- Fokker B.V., Amsterdam (Netherlands).**
- Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619
- Applications of continuous fiber reinforced thermoplastics in aircraft interiors p 143 N94-10775
- Expectations for the future of Fokker p 4 N94-15127
- Fokker B.V., Schiphol-Oost (Netherlands).**
- Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
- Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
- Forge Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, Gennevilliers (France).**
- Maintaining constant standards during the forging process p 586 N94-37326

- Foster-Miller Associates, Inc., Waltham, MA.**
- Full-scale testing and analysis of curved aircraft fuselage panels [AD-A275666] p 390 N94-28657
- Fracture and fatigue strength evaluation of multiple site damaged aircraft fuselages - curved panel testing and analysis [PB94-152808] p 433 N94-32015
- FractuResearch, Inc., Galena, OH.**
- Analysis concerning the inspection threshold for multi-site damage [PB94-142429] p 432 N94-30905
- Frontier Technology, Inc., Beavercreek, OH.**
- Future tanker considerations and requirements p 575 N94-36342
- Fuji Heavy Industries Ltd., Tokyo (Japan).**
- A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957
- Numerical analysis of supersonic transport wings p 375 N94-28959
- Fuji Heavy Industries Ltd., Utsunomiya (Japan).**
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Fujitsu Ltd., Tokyo (Japan).**
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473
- Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
- Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- Furane Plastics, Inc., Los Angeles, CA.**
- Uralane (tm) 5774-A/B: Ciba-Geigy's advanced urethane adhesive for the aircraft industry p 144 N94-10777

G

- Galaxy Scientific Corp., Pleasantville, NJ.**
- Handbook. Volume 3: Digital systems validation book plan [DOT/FAA/CT-93/16-VOL-3] p 96 N94-20053
- Airport pavement test machine design and cost study [DOT/FAA/CT-93/51] p 268 N94-24072
- Digital systems validation book plan. Volume 3: Handbook [AD-A274099] p 329 N94-26028
- Effects of plastic media blasting on aircraft skin [AD-A274817] p 325 N94-26488
- Rotorcraft ditchings and water-related impacts that occurred from 1982 - 1989, phase 2 [AD-A276473] p 426 N94-31246
- Unleaded AVGAS program [AD-A278650] p 547 N94-35795
- Garrett Turbine Engine Co., Phoenix, AZ.**
- Oxidation resistant protective coating system for gas turbine components and process for penetration thereof [CA-PATENT-1,294,155] p 230 N94-21143
- Gates Learjet Corp., Wichita, KS.**
- Aircraft icing handbook (update) [AD-A276499] p 426 N94-31678
- GEC-Marconi Avionics Ltd., Basilton, Essex (England).**
- Infrared search and track demonstrator programme p 599 N94-36622
- General Accounting Office, Washington, DC.**
- Embedded computer systems: Status of C-17 software [AD-A267307] p 201 N94-16993
- Naval aviation: The Navy is taking actions to improve the combat capabilities of its tactical aircraft. Report to Congressional Requesters [AD-A268002] p 87 N94-17472
- Naval aviation: Consider all alternatives before proceeding with the F/A-18E/F [AD-A269302] p 4 N94-18279
- B-2 bomber: Assessment of DOD's response to mandated certifications and reports [AD-A273179] p 320 N94-25152
- C-17 lot 3 production contract [AD-A273180] p 306 N94-25153
- General Dynamics Corp., San Diego, CA.**
- Prediction of three sigma maximum dispersed density for aerospace applications p 270 N94-23654
- General Electric Co., Cincinnati, OH.**
- Advanced control for airbreathing engines, volume 2: General Electric aircraft engines [NASA-CR-189204] p 101 N94-12271
- Aviation: The timeless industry p 289 N94-25068
- Design and fabrication of forward-swept counterrotation blade configuration for wind tunnel testing [NASA-CR-191193] p 401 N94-28510
- Fuel injector design for high temperature aircraft engine p 396 N94-29263
- General Electric/Pratt and Whitney summary report p 478 N94-33451
- HSCT noise reduction technology development at GE Aircraft Engines p 509 N94-33466
- P and W/GE propulsion systems studies introduction p 479 N94-33478
- Results of GEAE HSCT propulsion system studies p 479 N94-33479
- Lean burn combustor technology at GE Aircraft Engines p 497 N94-33485
- Substantiating powder metal life methodologies for engines p 595 N94-37330
- Fiber optic (flight quality) sensors for advanced aircraft propulsion [NASA-CR-191195] p 577 N94-37401
- General Electric Co., Fairfield, CT.**
- Vibration isolating engine mount [CA-PATENT-1-320-710] p 275 N94-23215
- Counterrotating aircraft propulsor blades [CA-PATENT-1-319-357] p 264 N94-23255
- Seal assembly [CA-PATENT-1,312,888] p 277 N94-24128
- Wing mounted unducted fan engine [CA-PATENT-1323353] p 265 N94-24180
- General Electric Co., Lynn, MA.**
- Combustor technology for small aircraft engines p 485 N94-34453
- Integration of magnetic bearings in the design of advanced gas turbine engines p 554 N94-35903
- General Electric Co., Owensboro, KY.**
- Transient model applications. 1: Compressor heat soak/clearance effects modeling p 361 N94-28048
- Transient model applications. 2: Compressor stall modeling methods p 361 N94-28049
- Transient model applications. 3: Transient engine simulation and analysis of an ice ingestion test p 361 N94-28050
- General Electric Co., Schenectady, NY.**
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion [PB94-109873] p 265 N94-23709
- Development of the gas turbine. Part 1: Design philosophy and performance p 362 N94-28080
- Modelling and control of a rotor supported by magnetic bearings p 554 N94-35858
- General Motors Corp., Indianapolis, IN.**
- Advanced controls for airbreathing engines, volume 3: Allison gas turbine [NASA-CR-189205] p 101 N94-12272
- Flow interaction experiment. Volume 1: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-1] p 225 N94-21582
- Flow interaction experiment. Volume 2: Aerothermal modeling, phase 2 [NASA-CR-189192-VOL-2] p 225 N94-21583
- Application of CFD in combustor design technology p 396 N94-29256
- Investigation of advanced counterrotation blade configuration concepts for high speed turboprop systems. Task 2: Unsteady ducted propfan analysis computer program users manual [NASA-CR-187105] p 399 N94-29438
- Composite matrix experimental combustor [AD-280344] p 538 N94-34679
- General Technology Systems Ltd., Uxbridge (England).**
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes [GTS-92063] p 209 N94-10145
- George Washington Univ., Washington, DC.**
- Analysis of fluctuating static pressure measurements in a large high Reynolds number transonic cryogenic wind tunnel p 438 N94-30788
- Shock-dependent, optimum thrust wings in supersonic flow p 425 N94-32027
- Computational methods for frictional contact with applications to the Space Shuttle orbiter nose-gear tire p 443 N94-32295
- A study of navigation in virtual space p 470 N94-34026
- Georgia Inst. of Tech., Atlanta, GA.**
- Numerical study of the effects of icing on viscous flow over wings [NASA-CR-193306] p 29 N94-13180
- A model for rotorcraft flying qualities studies p 118 N94-13308
- Research in robust control for hypersonic aircraft [NASA-CR-194106] p 121 N94-15416
- Strategic planning for aircraft noise route impact analysis: A three dimensional approach [NASA-CR-191484] p 207 N94-17278
- Integrated design and manufacturing for the high speed civil transport [NASA-CR-195511] p 318 N94-24968
- Research in robust control for hypersonic aircraft [NASA-CR-195250] p 339 N94-26821

- Helicopter mission and rotor performance optimization with quasi-linear inflow theory p 392 N94-29594
- Rotorcraft airframe structural optimization for vibration and dynamic stress reduction including damping treatment p 392 N94-29878
- Enhancement of mixing in a rectangular jet by mechanical tabs
[NASA-CR-185207] p 498 N94-32872
- Reciprocity-based experimental determination of dynamic forces and moments: A feasibility study
[NASA-CR-194905] p 509 N94-33023
- Georgia Tech sonic boom simulator p 512 N94-33501
- A review of an updated synthesis of noise/annoyance relationships
[NASA-CR-194950] p 513 N94-34303
- Georgia-Pacific Corp., Decatur, GA.**
- Fire resistance and mechanical properties for phenolic prepreps p 145 N94-10786
- German Air Force, Cologne (Germany).**
- German Air Forces experiences with plastic media blasting and future requirements p 167 N94-10621
- Gill (M. C.) Corp., El Monte, CA.**
- A new low smoke, low heat release structural foam p 143 N94-10768
- A repair patching system for aircraft cargo liners p 54 N94-10771
- Glasgow Univ. (Scotland).**
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities p 118 N94-13311
- Graz Univ. (Austria).**
- Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections p 429 N94-30655
- Groningen Rijksuniv. (Netherlands).**
- On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- Grunman Aerospace Corp., Bethpage, NY.**
- Navier-Stokes simulation of flow field around a blown-flap high-lift system p 48 N94-18429
- Impact analysis of composite aircraft structures p 187 N94-19468
- Comparison of resin film infusion, resin transfer molding, and consolidation of textile preforms for primary aircraft structure p 496 N94-33136
- Sonic boom predictions using a modified Euler code p 510 N94-33474
- H**
- Hamburg Univ. (Germany).**
- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 N94-11711
- Hankuk Aviation Univ., Kyunggido (Republic of Korea).**
- Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337
- Harris, Miller, Miller and Hanson, Inc., Lexington, MA.**
- Aircraft noise effects on cultural resources: Recommendation and rationale for further research
[PB93-205326] p 244 N94-22053
- Aircraft noise effects on cultural resources: Annotated bibliography
[PB93-205334] p 244 N94-22054
- Dose-response relationships derived from data collected at Grand Canyon, Haleakala and Hawaii Volcanoes National Parks
[PB94-151941] p 513 N94-34380
- Hazeltine Corp., Braintree, MA.**
- Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275
- Helsinki Univ. of Technology, Espoo (Finland).**
- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- POISS3: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115
- Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116
- Heriot-Watt Univ., Edinburgh (Scotland).**
- Whirl measurements on leakage flows in turbomachine models p 502 N94-34185
- High Technology Corp., Hampton, VA.**
- Transition prediction and control in subsonic flow over a hump p 173 N94-13066
- [NASA-CR-4543]

- Long-wavelength asymptotics of unstable crossflow modes, including the effect of surface curvature
[NASA-CR-4579] p 412 N94-29460
- Linear stability theory and three-dimensional boundary layer transition p 463 N94-33530
- Acoustic receptivity of compressible boundary layers: Receptivity by way of surface-temperature variations
[NASA-CR-4599] p 501 N94-33897
- Hiroshima Univ. (Japan).**
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
- Honeywell, Inc., Minneapolis, MN.**
- Advanced air traffic control and flight management system concepts p 387 N94-29576
- Honeywell, Inc., Phoenix, AZ.**
- Windshear detection for aircraft using temperature lapse rate
[CA-PATENT-1,295,736] p 219 N94-21030
- Optimal flight guidance for aircraft in windshear
[CA-PATENT-1,307,573] p 227 N94-21050
- Howell (J. R.), Bradenton, FL.**
- Comparing aircraft agility using mahalanobis distances
[PB93-175446] p 82 N94-11464
- Hydro-Electric Power Commission, Burnaby (British Columbia).**
- Development of an accurate transmission line fault locator using the global positioning system satellites p 428 N94-30652

I

- IBM Federal Systems Div., Gaithersburg, MD.**
- Cleanroom engineering handbook. Volume 6: Certification team practices
[AD-A275951] p 439 N94-31346
- Cleanroom engineering handbook. Volume 1: Cleanroom engineering process introduction and overview
[AD-A275949] p 439 N94-31356
- Illinois Inst. of Tech., Chicago, IL.**
- Control and management of unsteady and turbulent flows
[AD-A278474] p 500 N94-33396
- The unsteady pressure field and vorticity production at the suction surface of a pitching airfoil p 524 N94-34972
- Mechanisms of flow control with the unsteady bleed technique p 525 N94-34987
- Illinois Univ., Champaign, IL.**
- Real-time adaptive control of mixing in a plane shear layer
[AD-A278379] p 508 N94-33744
- Illinois Univ., Urbana, IL.**
- Performance of prefabricated geocomposite subdrainage system in an airport runway
[DOT/FAA/RD-93/23] p 268 N94-23303
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion
[NASA-CR-195301] p 456 N94-32475
- Illinois Univ., Urbana-Champaign, IL.**
- Accelerated screening methods for predicting lubricant performance in refrigerant compressors
[DE93-014773] p 146 N94-11146
- Aviation safety research. Volume 1: Literature review of sources of aviation accident and incident data and selected factors contributing to accidents
[PB93-202885] p 220 N94-21428
- An experimental study of the flowfield on a semispan rectangular wing with a simulated glaze ice accretion p 378 N94-29674
- The 3-D LDV measurements on a 30-degree swept wing with a simulated ice accretion
[NASA-CR-195327] p 380 N94-30124
- An experimental study of the aerodynamics of a swept and unswept semispan wing with a simulated glaze ice accretion
[NASA-CR-195330] p 381 N94-30152
- IMITECH, Inc., Elk Grove Village, IL.**
- Polyimide foam insulation systems: A major weight reduction and improvement in fire resistance of sidewall systems p 143 N94-10769
- Imperial Chemical Industries Ltd., Duesseldorf (Germany).**
- Selectively strippable paint schemes p 169 N94-10629
- Imperial Coll. of Science and Technology, London (England).**
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248
- Ducted kerosene spray flames p 407 N94-29276

- Imphy S.A., Imphy (France).**
- The control of cleanliness in powder metallurgy materials for turbine disks p 586 N94-37325
- Industrial Coll. of the Armed Forces, Washington, DC.**
- V-22: Dual-use technology or red herring?
[AD-A276577] p 434 N94-32058
- A comparison of military and commercial aircraft development
[AD-A276830] p 427 N94-32168
- Industrieanlagen-Betriebsgesellschaft m.b.H., Ottobrunn (Germany).**
- The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft p 578 N94-36335
- Innovative Dynamics, Ithaca, NY.**
- Smart skin technology development for measuring ice accretion, stall, and high AOA aircraft performance. Part 1: Capacitive ice detector development
[NASA-CR-194252] p 56 N94-13424
- Institut de Mecanique des Fluides de Marseille (France).**
- Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614
- Institut Franco-Allemand de Recherches, Saint-Louis (France).**
- Numerical investigation of the incompressible flow around a wing with a fixed spoiler
[ISL-R-109/91] p 51 N94-19524
- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests
[ISL-CO-230/92] p 257 N94-23146
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
[ISL-CO-229/92] p 248 N94-23149
- LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions
[ISL-CO-215/92] p 248 N94-23161
- JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214
- Validation of the ROTAC code for the rotor noise prediction
[PB93-204311] p 287 N94-24514
- The ISL rotor bench p 321 N94-25301
- Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers
[ISL-N-604/92] p 291 N94-25461
- Study of the blade/vortex interaction: Acoustics, aerodynamics and models
[ISL-R-104/92] p 351 N94-25463
- Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022
- Institut fuer Theoretische Stromungsmechanik, Goettingen (Germany).**
- A fast computing method for the flow over high-lift wings p 49 N94-18437
- Institut National de Recherche d'Informatique et d'Automatique, Valbonne (France).**
- Synthesis of the Workshop on Hypersonic Flows for Reentry Problems
[INRIA-RR-1721] p 45 N94-17957
- Institute for Aerospace Research, Ottawa (Ontario).**
- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565
- Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859
- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
- Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
- Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- A comparison of Probability Of Detection (POD) data determined using different statistical methods
[LTR-ST-1947] p 353 N94-26644
- Influence of the transonic doublet in the farfield of a lifting airfoil
[IAR-AN-78] p 295 N94-26702

- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710
- Installation of models in the 2 m x 3 m low speed wind tunnel
[LTR-LA-286] p 345 N94-27594
- Wind tunnel investigation of propan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7
p 301 N94-28316
- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack
p 302 N94-28323
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft
p 302 N94-28330
- Solution of the Euler equations using unstructured grids
p 304 N94-28338
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARC2D
p 304 N94-28340
- Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility
p 363 N94-28350
- Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code
p 363 N94-28351
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352
- Institute for Computer Applications in Science and Engineering, Hampton, VA.**
- Summary of research in progress at ICASE
[NASA-CR-191481] p 199 N94-11198
- Research in progress and other activities of the Institute for Computer Applications in Science and Engineering
[AD-A276215] p 367 N94-25090
- Cumulative reports and publications through December 31, 1993
[AD-A279510] p 508 N94-33286
- Runtime support for data parallel tasks
[AD-A280899] p 558 N94-35240
- A three dimensional multigrid Reynolds-averaged Navier-Stokes solver for unstructured meshes
[AD-A280998] p 528 N94-35994
- Institute for Defense Analyses, Alexandria, VA.**
- A comparison of air force data systems
[AD-A269691] p 210 N94-18575
- A comparison Air Force data systems
[AD-A270662] p 211 N94-19780
- Institute of Flow Research, Tokyo (Japan).**
- Idea of underground airplane
p 82 N94-12630
- Instituto de Estudos Avancados, Sao Jose dos Campos (Brazil).**
- An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition
p 269 N94-24247
- Instituto Nacional de Tecnica Aeroespacial, Madrid (Spain).**
- High temperature resistant jet fuels
p 405 N94-29260
- Instituut TNO voor Bouwmaterialen en Bouwconstructies, Delft (Netherlands).**
- Hydro-elastic analysis using a selection of commercial analysis programs
[PB94-118734] p 281 N94-24478
- Instron Corp., Canton, MA.**
- Development of Alternating Current Potential Drop (ACPD) procedures for crack detection in aluminum aircraft panels
[AD-A275755] p 408 N94-28646
- International Technical Associates, Inc., Santa Clara, CA.**
- Automated Laser Paint Stripping (ALPS) update
p 168 N94-10624
- Iowa State Univ. of Science and Technology, Ames, IA.**
- Trajectory optimization for the National Aerospace Plane
[NASA-CR-194618] p 86 N94-16498
- A solution adaptive structured-unstructured grid procedure for unsteady flows
p 446 N94-31217
- Ishikawajima-Harima Heavy Industries Co. Ltd., Tokyo (Japan).**
- Numerical simulation of supersonic flow around space plane with engine installed
p 376 N94-28961
- Unsteady aerodynamic computations around NACA0012 at high angles of attack
p 377 N94-28969
- Application of flow field simulation to turbine vane design
p 395 N94-28978
- Israel Aircraft Industries Ltd., Ben-Gurion Airport (Israel).**
- Repair of cracked aluminum aircraft structure with composite patches
p 258 N94-24259
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear
p 279 N94-24260

- Israel Aircraft Industries Ltd., Lod (Israel).**
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program
p 266 N94-24270
- Israel Aircraft Industries Ltd., Tashan (Israel).**
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI
p 279 N94-24249
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores
p 258 N94-24250
- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure
p 258 N94-24261
- Computer based expert system for battle damage repair of composite structures
p 283 N94-24262
- Attachment methods in composite joints - analysis of test results by controlled experiments method
p 271 N94-24269
- Israel Society of Aeronautics and Astronautics, Tel Aviv (Israel).**
- The 33rd Israel Annual Conference on Aviation and Astronautics
[ITN-94-85227] p 247 N94-24241

J

- JAI Associates, Inc., Mountain View, CA.**
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A275416] p 377 N94-29197
- A free-wake Euler and Navier-Stokes CFD method and its application to helicopter rotors including dynamic stall
[AD-A278000] p 465 N94-34159
- Japan Atomic Energy Research Inst., Tokyo (Japan).**
- A survey on technical problems in designing high-speed rotors with developing materials
[DE93-788519] p 185 N94-18159
- Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA.**
- AIRSAAR South American deployment: Operation plan, version 3.0
p 201 N94-15919
- Mobile terminal antennas for helicopters
p 232 N94-20458
- Proceedings of the Third International Mobile Satellite Conference (IMSC 1993)
[NASA-CR-194516] p 272 N94-22735
- ACTS broadband aeronautical experiment
p 272 N94-22771
- L-band mobile terminal antennas for helicopters
p 273 N94-22835
- Time and position accuracy using codeless GPS
p 428 N94-30650
- Applying formal methods and object-oriented analysis to existing flight software
p 597 N94-36495
- JIL Systems, Inc., Arlington, VA.**
- The 1993 aviation system capacity plan
[AD-A276958] p 467 N94-32620
- Joint Inst. for Advancement of Flight Sciences, Hampton, VA.**
- X-31 aerodynamic characteristics determined from flight data
p 320 N94-25109
- Joint Publications Research Service, Arlington, VA.**
- JPRS report: Science and technology. Central Eurasia: Materials science
[JPRS-UIMS-93-006] p 149 N94-14573
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 1, January 1993
[JPRS-UAC-93-007] p 212 N94-19147
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 12, December 1992
[JPRS-UAC-93-006] p 212 N94-19148
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 10, October 1992
[JPRS-UAC-93-004] p 212 N94-19149
- JPRS report: Central Eurasia: Aviation and cosmonautics, no. 11, November 1992
[JPRS-UAC-93-005] p 212 N94-19208
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993
[JPRS-UAC-94-004] p 583 N94-37000
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-008] p 605 N94-37524

- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-005] p 605 N94-37538

K

- Kanagawa Academy of Science and Technology, Kawasaki (Japan).**
- Magnetically suspended stepping motors for clean room and vacuum environments
p 555 N94-35915
- Kansas Univ., Lawrence, KS.**
- General aviation aircraft-normal acceleration data analysis and collection project
[AD-A265055] p 82 N94-11858
- A revolutionary approach to composite construction and flight management systems for small, general aviation airplanes
p 323 N94-25714
- An experimental investigation of the effect of leading edge extensions on directional stability and the effectiveness of forebody nose strakes
p 400 N94-29728
- Unsteady transonic aerodynamics in frequency domain for flutter analysis
p 379 N94-29879
- Aircraft aerodynamics with deflected jets in ground effect
p 380 N94-29973
- Kansas Univ. Center for Research, Inc., Lawrence, KS.**
- An investigation of fighter aircraft agility
[NASA-CR-194608] p 91 N94-19448
- Karlsruhe Univ. (Germany).**
- Analysis of cooling jets near the leading edge of turbine blades
p 334 N94-28037
- Time-resolved measurements in a three dimensional model combustor
p 411 N94-29283
- Kawasaki Heavy Industries Ltd., Gifu (Japan).**
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model
[PAPER-2D-4] p 22 N94-10470
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model
[PAPER-2D-5] p 22 N94-10471
- Flow analysis around ONERA model M5 configuration
[PAPER-3D-2] p 23 N94-10478
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD
p 410 N94-28964
- Kawasaki Heavy Industries Ltd., Tokyo (Japan).**
- Verification of a three-dimensional viscous flow analysis for a single stage compressor
p 410 N94-28976
- Kentucky Univ., Lexington, KY.**
- Experimental validation of finite element and boundary element methods for predicting structural vibration and radiated noise
[NASA-CR-4561] p 412 N94-29552
- Kestrel Inst., Palo Alto, CA.**
- Report of the workshops: Automated generation of electronic technical manuals
[AD-A278046] p 514 N94-33401
- KLM Aeroartco, Schiphol (Netherlands).**
- IATA taskforce: Paintstripping
p 169 N94-10628
- Knowledge Systems, Inc., Atlanta, GA.**
- Composite repairs of cracked metallic airframe structures
[AD-A277680] p 456 N94-33590
- Kobe Univ. (Japan).**
- An experimental study of dynamic characteristics of labyrinth seal
p 503 N94-34188
- Korea Research Inst. of Standards and Science, Taejeon (Republic of Korea).**
- A new method for torsional critical speed calculation of practical industrial rotors
[IMR-T&M-TR-001] p 360 N94-28041
- Krug Life Sciences, Inc., San Antonio, TX.**
- Standardization of aircraft control and performance symbology on the USAF head-up display
[AD-A274283] p 330 N94-26989
- KSA Technology, Columbus, OH.**
- Lift and pitching moment induced on jet STOVL aircraft hovering in ground effect
[AD-A269700] p 90 N94-18577
- Lift and pitching moment induced on jet STOVL aircraft by the ground vortex
[AD-A269816] p 90 N94-18733
- Kyoto Univ., Sakyo (Japan).**
- Application of digital control theory to adaptive grid generation
p 415 N94-28980
- Kyushu Univ., Fukuoka (Japan).**
- Numerical simulation of unsteady aerodynamic heating induced by shock reflections
p 375 N94-28952

L

Laboratoire d'Aerothermique du CNRS, Meudon (France).

Control jets in interaction with hypersonic rarefied flow
p 347 N94-28020

Laval Univ., Sainte-Foye (Quebec).

FM interference in radio navigation receivers
p 222 N94-22219

Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime
[ISBN-0-315-57633-2] p 279 N94-24177

Development of a robotic simulator for studying interference and contact problems
[ISBN-0-315-86705-1] p 439 N94-31747

Lawrence Livermore National Lab., Livermore, CA.

Survey to determine the value of DYNA
[DE93-012390] p 198 N94-10267

A model for fuel fire duration and application to the B-1B bomber
[DE93-013000] p 57 N94-14292

Regenerative fuel cells for High Altitude Long Endurance Solar Powered Aircraft
[DE93-016991] p 192 N94-17853

SAND contact in DYNA3D
[DE93-016451] p 152 N94-18113

Three dimensional ultrasonic imaging: An aging aircraft nondestructive inspection tool
[DE93-018088] p 187 N94-19252

Temperature of aircraft cargo flame exposure during accidents involving fuel spills
[DE93-019633] p 188 N94-19539

Three-dimensional dynamic thermal imaging of structural flaws by dual-band infrared computed tomography
[DE93-019575] p 202 N94-20316

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE93-019159] p 234 N94-21620

Electromechanical battery research and development at the Lawrence Livermore National Laboratory
[DE94-000391] p 234 N94-21621

Dual-Band Infrared (DBIR) imaging inspections of Boeing 737 and KC-135 aircraft panels
[DE94-005700] p 374 N94-29842

Dual-band infrared imaging for quantitative corrosion detection in aging aircraft
[DE94-004187] p 431 N94-30687

Dual-band infrared imaging to detect corrosion damage within airframes and concrete structures
[DE94-006047] p 470 N94-32658

Project report: Aircraft
[DE94-011759] p 596 N94-37155

Leeds Univ. (England).

Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267

Lehigh Univ., Bethlehem, PA.

A theoretical investigation of unsteady separation phenomena related to dynamic stall
[AD-A271865] p 215 N94-20465

Control of leading-edge vortices on a delta wing
p 524 N94-34971

Some aspects of unsteady separation
p 525 N94-34979

Unsteady structure of leading-edge vortices on a delta wing
[AD-A278988] p 526 N94-35529

Leicester Univ. (England).

Rotorcraft flying qualities improvement using advanced control
p 117 N94-13303

Little (Arthur D.), Inc., Cambridge, MA.

A laboratory study of multiple site damage in fuselage lap splices
[PB94-151230] p 432 N94-31078

Lockheed Aeronautical Systems Co., Marietta, GA.

Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 1: Results and discussion
[NASA-CR-182296-VOL-1] p 498 N94-32867

Shear flow control of cold and heated rectangular jets by mechanical tabs. Volume 2: Tabulated data
[NASA-CR-182296-VOL-2] p 498 N94-32869

Structural testing of the technology integration box beam
p 494 N94-33125

Advanced textile applications for primary aircraft structures
p 496 N94-33135

New broadband shock noise model and computer code for ANOPP
p 511 N94-33489

Risk analysis of the C-141 WS405 inner-to-outer wing joint
p 531 N94-34592

Lockheed Aircraft Service, Inc., Ontario, CA.

Aircraft system aft telescope cavity configuration study for Stratospheric Observatory for Infrared Astronomy (SOFIA), phase 2
[NASA-CR-194266] p 392 N94-29685

Lockheed Corp., Burbank, CA.

Flush head fastener
[CA-PATENT-1308581] p 278 N94-24175

Lockheed Corp., Fort Worth, TX.

An overview of the F-16 service life approach
p 532 N94-34599

Lockheed Engineering and Sciences Co., Bay Saint Louis, MS.

A quantitative analysis of TIMS data obtained on the Learjet 23 at various altitudes
p 192 N94-16597

Lockheed Engineering and Sciences Co., Hampton, VA.

On the use of the noncentral chi-square density function for the distribution of helicopter spectral estimates
[NASA-CR-191546] p 207 N94-15487

Development of test methods for textile composites
p 150 N94-16862

Techniques used for the analysis of oculometer eye-scanning data obtained from an air traffic control display
[NASA-CR-191559] p 221 N94-21629

Evaluation of a nonlinear method for the enhancement of tonal signal detection
[NASA-CR-191562] p 244 N94-21741

A parametric study of harmonic rotor hub loads
[NASA-CR-4558] p 263 N94-24726

Nonlinear aerodynamic modeling using multivariate orthogonal functions
p 290 N94-25110

Propagation of experimental uncertainties from the tunnel to the body coordinate system in 3-D LDV flow field studies
[NASA-CR-191607] p 343 N94-26603

A technique for integrating engine cycle and aircraft configuration optimization
[NASA-CR-191602] p 325 N94-26606

ANOPP/VMS HSCT ground contour system
p 511 N94-33492

High performance jet-engine flight test data base for HSR
p 511 N94-33493

Status and plans for the ANOPP/HSR prediction system
p 511 N94-33494

Results of a preliminary investigation of inlet unstart on a high-speed civil transport airplane concept
p 473 N94-33508

Lockheed Missiles and Space Co., Sunnyvale, CA.

Will the real dynamic instability mechanism please be recognized!
p 552 N94-34976

Lockheed Sanders, Inc., Nashua, NH.

New Technologies for Space Avionics, 1993
[NASA-CR-188272] p 351 N94-25193

Appendix A: Proposed statement of work, 1994
p 351 N94-25194

Logicon, Inc., Dayton, OH.

Backscatter haze device for measurement of haze in aircraft transparencies
[AD-A275127] p 391 N94-29042

A comparison of three aircraft attitude display symbology structures
[AD-A275172] p 394 N94-29048

Logicon Technical Services, Inc., Dayton, OH.

Definitions of terms relating to aircraft windscreens, canopies, and transparencies
[AD-A268403] p 87 N94-17425

Assessment of interior modifications in C-130 and C-141 aircraft for night vision goggle operations
[AD-A276843] p 435 N94-32223

Loral Systems, Inc., Orlando, FL.

Advanced distributed simulation technology advanced rotary wing aircraft. Software programmer's manual visual system module
[AD-A280260] p 604 N94-37755

Advanced distributed simulation technology advanced rotary wing aircraft. System/segment specification. Volume 4: Simulation system module RAH-66 Kit
[AD-A280261] p 604 N94-37756

Los Alamos National Lab., NM.

Nonlinear wave predictions in ceramics
[DE93-016516] p 149 N94-14436

The effects of proton-beam quality on the production of gamma rays for nuclear resonance absorption in nitrogen
[DE94-011609] p 606 N94-37629

Loughborough Univ. of Technology (England).

An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645

Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems
p 359 N94-28010

M

MacNeal-Schwendler Corp., Gouda (Netherlands).

The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front
p 279 N94-24246

Maine Univ., Orono, ME.

An analytic study of a two-phase laminar airfoil in simulated heavy rain
p 250 N94-23661

Manchester Coll. of Science and Technology (England).

Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver
p 48 N94-18427

Manchester Univ. (England).

Real gas and surface transpiration effects upon swept leading edge high speed flow including transition
p 21 N94-10452

Manitoba Univ., Winnipeg.

A capacity planning model for Canadian military airlift requests
[ISBN-0-315-86079-0] p 382 N94-30144

Marconi Radar Systems Ltd., Chelmsford (England).

Airside ground movements surveillance
p 388 N94-29585

Maritime Administration, Washington, DC.

Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474

Martin Marietta Labs., Baltimore, MD.

Applicability and performance benefits of XD (Tradename) titanium aluminides to expendable gas turbine engines
[AD-A272998] p 225 N94-21268

Maryland Univ., College Park, MD.

Applications of a model to predict flame spread over interior finish materials in a compartment
p 144 N94-10783

Development of a hypermedia knowledge base of aircraft fire safety regulations
p 209 N94-10793

Aerodynamic characteristics of a helicopter rotor airfoil as affected by simulated ballistic damage
[AD-A269206] p 46 N94-18413

Aeroelastic response and stability of tiltrotors with elastically-coupled composite rotor blades
[NASA-TM-108758] p 317 N94-24953

A parametric sensitivity study for single-stage-to-orbit hypersonic vehicles using trajectory optimization
[NASA-CR-195703] p 347 N94-27789

An analytical study of unsteady rotor/fuselage interaction in hover and forward flight
p 379 N94-29826

Expanding the waverider design space using arbitrary generating flowfields
p 431 N94-30516

Safe navigation and active vision for autonomous vehicles: A purposive and direct solution
p 450 N94-31842

A fundamental study of hypersonic unstarts
[AD-A280506] p 595 N94-37128

Maschinenfabrik Augsburg-Nuernberg A.G., Munich (Germany).

Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies
p 166 N94-10055

Massachusetts Inst. of Tech., Cambridge.

The Memphis Precision Runway Monitor Program Instrument Landing System final approach study
[AD-A266035] p 66 N94-11103

Adaptive Navier-Stokes calculations for vortical flow
[AD-A266236] p 183 N94-16966

Improvement of helicopter attitude stability by active control of the conventional swash plate
[NASA-CR-194786] p 227 N94-20524

Modelling decision-making by pilots
[NASA-CR-194767] p 244 N94-21821

An investigation of air transportation technology at the Massachusetts Institute of Technology, 1992-1993
p 307 N94-27285

A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
p 330 N94-27286

A data fusion algorithm for multi-sensor microburst hazard assessment
p 307 N94-27287

Undergraduate robotics projects in support of research on neural networks
[AD-A277331] p 451 N94-32281

Inlet distortion in engines on VSTOL aircraft
[NASA-CR-195841] p 477 N94-33035

Rotordynamic forces in labyrinth seals: Theory and experiment
p 503 N94-34186

An automated method for Low Level Windshear Alert System (LLWAS) data quality analysis
[AD-A280313] p 596 N94-37126

Massachusetts Inst. of Tech., Lexington.

- Evaluation of the capacity and delay benefits of terminal air traffic control automation
[AD-A265323] p 67 N94-11863
- ATCRBS reply environment at Memphis International Airport
[AD-A266322] p 69 N94-16439
- Integrated Terminal Weather System (ITWS)
[AD-A269884] p 193 N94-18684
- Estimation of wake vortex advection and decay using meteorological sensors and aircraft data
[AD-A270763] p 59 N94-19661
- Analysis and surveillance performance at Chicago O'Hare Airport
[DOT/FAA/RD-92/29] p 256 N94-24127
- ASR-9 microburst detection algorithm
[AD-A273591] p 364 N94-24850
- Machine intelligent gust front algorithm
[AD-A273695] p 343 N94-26196
- Encoding approaches for data link transmission of weather graphics
[AD-A274497] p 355 N94-26963
- The influence of data link-provided graphical weather on pilot decision-making
[AD-A278871] p 556 N94-35596
- Data requirements for ceiling and visibility products development
[AD-A278959] p 556 N94-35720
- Terminal Doppler Weather Radar (TDWR) Low Level Wind Shear Alert System 3 (LLWAS 3) integration studies at Orlando International Airport
[AD-A278957] p 557 N94-35807
- Materials Research Labs., Ascot Vale (Australia).**
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft
[AD-A274881] p 326 N94-26884
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- Materials Sciences Corp., Blue Bell, PA.**
- Test methods for composites: A status report. Volume 1: Tension test methods
[AD-A273501] p 348 N94-24942
- Test methods for composites: A status report. Volume 3: Shear test methods
[AD-A273561] p 348 N94-25163
- Max-Planck-Inst. fuer Aeronomie, Katlenburg-Lindau (Germany).**
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances
p 113 N94-11492
- MCAT Inst., San Jose, CA.**
- Supersonic airplane study and design
[NASA-CR-193219] p 80 N94-11150
- Physics of forebody flow control
[NASA-CR-193626] p 26 N94-11195
- Turbulence modeling of free shear layers for high-performance aircraft
[NASA-CR-193659] p 114 N94-12799
- Implementation of ADI: Schemes on MIMD parallel computers
[NASA-CR-193720] p 200 N94-13204
- Colorimetric qualification of shear sensitive liquid crystal coatings
[NASA-CR-194126] p 206 N94-13291
- High speed transition prediction
[NASA-CR-194125] p 31 N94-13422
- CNSFV code development, virtual zone Navier-Stokes computations of oscillating control surfaces and computational support of the laminar flow supersonic wind tunnel
[NASA-CR-194259] p 33 N94-14030
- Numerical simulation of a powered-lift landing, tracking flow features using overset grids, and simulation of high lift devices on a fighter-lift-and-control wing
[NASA-CR-194260] p 121 N94-14322
- Development of a quiet supersonic wind tunnel with a cryogenic adaptive nozzle
[NASA-CR-194548] p 133 N94-15117
- Computation of the Fluid and Optical Fields About the Stratospheric Observatory for Infrared Astronomy (SOFIA) and the Coupling of Fluids, Dynamics, and Control Laws on Parallel Computers
[NASA-CR-193168] p 40 N94-16510
- Selected computations of transonic cavity flows
p 40 N94-16511
- Unsteady fluid and optical simulation of transonic aero-windows
[AIAA PAPER 93-3017] p 41 N94-16512
- Computation of a controlled store separation from a cavity
p 41 N94-16513

- Progress in computational unsteady aerodynamics
[NASA-CR-177630] p 43 N94-17081
- Algorithm and code development for unsteady three-dimensional Navier-Stokes equations
[NASA-CR-195774] p 414 N94-29942
- Computational study of generic hypersonic vehicle flow fields
[NASA-CR-195938] p 466 N94-34277
- Turbulence modeling of free shear layers for high performance aircraft
[NASA-CR-196137] p 594 N94-36808
- McDonnell Aircraft Co., Saint Louis, MO.**
- Navier-Stokes calculations on multi-element airfoils using a chimera-based solver
p 47 N94-18422
- Development of thermoplastic composite aircraft structures
[NASA-CR-189593] p 492 N94-32860
- McDonnell-Douglas Aerospace, Long Beach, CA.**
- Variability of measured sonic boom signatures. Volume 1: Technical report
[NASA-CR-191483-VOL-1] p 285 N94-24172
- Variability of measured sonic boom signatures. Volume 2: Data report
[NASA-CR-191483-VOL-2] p 285 N94-24173
- Current and future design methods for large transport aircraft
p 261 N94-24324
- Variability of measured sonic boom signatures
p 370 N94-28197
- Tanker system and technology requirements definition: A tanker technology road map
p 575 N94-36344
- McDonnell-Douglas Aerospace, Saint Louis, MO.**
- ICAAS piloted simulation results
p 593 N94-36617
- Aeroservoelastic stabilization considerations for pointing and tracking systems
p 594 N94-36627
- McDonnell-Douglas Aerospace Information Services Co., Saint Louis, MO.**
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 2: Maneuver descriptions and section guide
[AD-A273685] p 321 N94-25440
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 3: Simulation data
[AD-A273814] p 324 N94-25961
- Design and flight test of the Propulsion Controlled Aircraft (PCA) flight control system on the NASA F-15 test aircraft
[NASA-CR-186028] p 333 N94-27432
- Pneumatic management of blunted-forebody flow asymmetry for high-angle-of-attack directional control
p 341 N94-28028
- McDonnell-Douglas Astronautics Co., Saint Louis, MO.**
- Pressure sensitive paint technique
p 186 N94-18647
- Aircraft maneuvers for the evaluation of flying qualities and agility. Volume 1: Maneuver development process and initial maneuver set
[AD-A273913] p 321 N94-25590
- McDonnell-Douglas Corp., Saint Louis, MO.**
- Application of concurrent engineering principles to aircraft structural design
p 260 N94-24321
- A combined approach to buffet response analyses and fatigue life prediction
p 551 N94-34587
- Applications of Titanium Matrix Composite to large airframe structure
p 585 N94-36651
- McDonnell-Douglas Helicopter Co., Mesa, AZ.**
- A four-axis hand controller for helicopter flight control
p 117 N94-13305
- McDonnell-Douglas Missile Systems Co., Saint Louis, MO.**
- High flux heat exchanger
[AD-A266341] p 175 N94-13730
- McGill Mfg. Co., Valparaiso, IN.**
- Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHBEAN. Volume 1: User's guide
[NASA-CR-191183] p 178 N94-14445
- McGill Univ., Montreal (Quebec).**
- Mechanical analysis of parallel manipulators with simulation, design, and control applications
[ISBN-0-315-72013-1] p 170 N94-11156
- McLaughlin (Peter), Glastonbury, CT.**
- Engine simulation technology
p 361 N94-28051
- Transient engine simulation
p 361 N94-28052
- Nonlinear solvers
p 361 N94-28053
- Engine simulation systems
p 362 N94-28054
- Mechanical Technology, Inc., Latham, NY.**
- Development of passive superconducting bearings. Phase 3
[AD-A266050] p 169 N94-10706
- An investigation of angular stiffness and damping coefficients of an axial spline coupling in high-speed rotating machinery
p 503 N94-34192
- An experimental and theoretical study of structural damping in compliant foil bearings
p 504 N94-34194

Mercer Univ., Macon, GA.

- The Automated Aircraft Rework System (AARS): A system integration approach
[AIAA PAPER 94-1225-CP] p 450 N94-30574
- Messerschmitt-Boelkow-Blohm G.m.b.H., Munich (Germany).**
- Experimental results in aerodynamic stability and control of a TSTO configuration
p 111 N94-10424
- Numerical methods for aerothermodynamic design of hypersonic space transport vehicles
p 138 N94-10459
- Mathematical optimization: A tool for aircraft design
[MBB-LME-251-S-PUB-0492] p 200 N94-14006
- Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results
[MBB-LME-211-S-PUB-507] p 36 N94-14710
- Research and design activities and the economic balance of MBB
[ETN-93-94909] p 5 N94-19383
- New aircraft materials and structures
[MBB-LME-202-S-PUB-502-A] p 91 N94-19496
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration
[MBB-LME-211-S-PUB-511-A] p 91 N94-19500
- Messier-Hispano-Bugatti S.A., Montrouge (France).**
- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
- Meteoroller, Puget sur Argens (France).**
- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system
p 191 N94-12503
- Meteorological Office, Bracknell (England).**
- Use of ERS-1 wind and wave products in operational meteorology
p 191 N94-12502
- MetroLaser, Irvine, CA.**
- Photothermal laser deflection, an innovative technique to measure particles in exhausts
[AD-A277151] p 448 N94-32366
- Miami Univ., Coral Gables, FL.**
- Intervention strategies for the management of human error
[NASA-CR-4547] p 220 N94-22373
- Comparative analysis of different configurations of PLC-based safety systems from reliability point of view
p 358 N94-27925
- Michigan State Univ., East Lansing, MI.**
- Effect of initial acceleration on the development of the flow field of an airfoil pitching at constant rate
p 526 N94-34989
- Unsteady flow field of large-amplitude pitching airfoils
[AD-A280444] p 569 N94-37219
- Michigan Univ., Ann Arbor, MI.**
- Radiation and scattering by cavity-backed antennas on a circular cylinder
[NASA-CR-193409] p 170 N94-11084
- Scattering by cavity-backed antennas on a circular cylinder
p 236 N94-21886
- Radiation by cavity-backed antennas on a circular cylinder
p 236 N94-21887
- Design of an airborne launch vehicle for an air launched space booster
[NASA-CR-195534] p 346 N94-24860
- Closed loop vibrational control: Theory and applications
[AD-A275451] p 400 N94-28632
- Response of wall turbulence to high frequency streamwise and spanwise oscillations
p 445 N94-31211
- Control of hypersonic aerodynamic forces with surface blowing
p 422 N94-31216
- Micronav Ltd., Sydney (Nova Scotia).**
- MLS pointing angle error sources and effects
p 222 N94-22154
- Developing software to RTCA DO-178A
p 222 N94-22155
- Microturbo, Toulouse (France).**
- Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future
p 484 N94-34440
- Middle East Technical Univ., Ankara (Turkey).**
- Experimental investigation of flow around a multielement airfoil
p 46 N94-18417
- Midwest Research Inst., Golden, CO.**
- The identification of inflow fluid dynamics parameters that can be used to scale fatigue loading spectra of wind turbine structural components
[DE94-000231] p 353 N94-26117
- International collaborative research in wind turbine rotor aerodynamics
[DE94-000244] p 448 N94-30602
- Ministry of Defence, London (England).**
- Operational requirements for helicopter engines for UK services
p 482 N94-34432

N

Ministry of Defence, The Hague (Netherlands).

Expectations for the future of military aviation

p 4 N94-15128

Minnesota Univ., Minneapolis, MN.

Feedback control laws for highly maneuverable aircraft

[NASA-CR-195195] p 337 N94-25176

Mississippi State Univ., Mississippi State, MS.

Numerical flow simulation for complete vehicle configurations

[AD-A273588] p 290 N94-24849

Wing design for a civil tiltrotor transport aircraft: A preliminary study

p 327 N94-27917

Mississippi Univ., University, MS.

Comparisons of calculated and measured helicopter noise near instrument hill

p 286 N94-24215

Statistical and numerical study of the relation between weather and sonic boom characteristics

p 512 N94-33498

Missouri Univ., Columbia, MO.

An overview on development of neural network technology

p 369 N94-27913

Missouri Univ., Rolla, MO.

Liquid atomization in supersonic flows

p 414 N94-29839

MITech, Inc., Pleasantville, NJ.

Improved taxiway exit identification system

[AD-A277892] p 490 N94-33538

MITech, Inc., Rockville, MD.

The 1993 aviation system capacity plan

[AD-A276958] p 467 N94-32620

Mitre Corp., Bedford, MA.

Johnson-Gierhart program predictions of excess propagation loss for super-high frequency air-to-ground paths. Volume 1: Theory and numerical results

[AD-A267105] p 181 N94-15649

VHF air/ground communications for air traffic control. Volume 1: A decision tree approach to system innovations

[AD-A268485] p 70 N94-18384

VHF air/ground communications for air traffic control. A decision tree approach to system innovations, volume 2

[AD-A268632] p 185 N94-18495

Mitre Corp., McLean, VA.

The Next Generation Weather Radar (NEXRAD)/Air Route Surveillance Radar (ARSR) operational comparison

[REPT-93W0000145] p 180 N94-15439

Wide-area Differential Global Positioning System (WDGPS)/Wide-area Integrity Broadcast (WIB) alternatives analysis

[DOT/FAA/SE-93/3] p 69 N94-16906

Advances in development capabilities for intelligent air traffic management systems

p 384 N94-29559

The 1993 aviation system capacity plan

[AD-A276958] p 467 N94-32620

Mitsubishi Electric Corp., Kamakura (Japan).

Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow

p 376 N94-28963

Mitsubishi Heavy Industries Ltd., Tokyo (Japan).

Aerodynamic characteristics analysis of

Garabedian-Korn 75-06-12 airfoil

[PAPER-2D-9] p 23 N94-10474

Flow analysis around ONERA model M5 configuration

[PAPER-3D-5] p 24 N94-10481

HOPE real time flight operations analyses for return to earth phase, part A

[NASDA-CNT-930010-PT-A] p 140 N94-13645

Gas turbine and operating method of the same

[CA-PATENT-APPL-SN-2043039] p 266 N94-24490

Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code

p 375 N94-28958

Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2

p 376 N94-28966

Montreal Univ. (Quebec).

Three dimensional study of an airplane wing and its wake in the subsonic regime

[ISBN-0-315-58963-9] p 252 N94-24178

Thermal-mechanical fatigue crack growth in aircraft engine materials

[ISBN-0-315-86543-1] p 447 N94-31707

Motoren- und Turbinen-Union Muenchen G.m.b.H., Munich (Germany).

Development of a HP-turbine for a small helicopter engine

p 486 N94-34456

Predicting defect behaviour

p 596 N94-37331

MPB Technologies, Inc., Pointe Claire (Quebec).

Development of the Laser-based R/D Test-bed System (LTS)

p 182 N94-16080

Nagoya Univ., Aichi (Japan).

Aerodynamic characteristics analysis of

Garabedian-Korn 75-06-12 airfoil

[PAPER-2D-2] p 22 N94-10468

Nangia Associates, Bristol (England).

Vectorized jets-induced interference on aircraft, prediction and verification

p 359 N94-28012

Nanjing Aeronautical Inst. (China).

Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1

p 508 N94-34308

Integrated flight/thrust control systems with constant angle-of-attack

p 488 N94-34326

Robust variable structure flight control system

p 488 N94-34327

Aircraft optimal variable structure control system

p 488 N94-34328

The decoupling design of aircraft lateral flight control systems with eigenstructure assignment

p 488 N94-34329

H infinity optimal design of robust flight control system

p 489 N94-34330

The tracking control of nonlinear uncertain systems

p 489 N94-34331

Integrated control and management of advanced aircraft electrical power system

p 504 N94-34333

The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques

p 475 N94-34356

Nominal H(infinity 2)-optimization and strong stabilization: A practical example of U-parameterization design

p 508 N94-34370

Nanyang Technological Inst. (Singapore).

Potential flow modelling of airfoil stall

p 303 N94-28332

National Academy of Engineering, Washington, DC.

The Future of Aerospace: Proceedings of a symposium held in honor of Alexander H. Flax

[LC-93-83945] p 371 N94-25065

Future of aerospace

[PB94-120185] p 326 N94-26906

National Aeronautical Lab., Bangalore (India).

PC based A320 quick access recorder readout facility

[PD-AL-9109] p 200 N94-13077

Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday

[NAL-SP-9315] p 178 N94-14598

A vertex-based finite-volume algorithm for the Navier-Stokes equations

p 178 N94-14599

An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations

p 178 N94-14603

Wall interference studies: Revisited

p 178 N94-14604

Navier-Stokes simulation of transonic vortex flow over a delta wing

p 179 N94-14606

A grid generation package for high aspect ratio wings

p 35 N94-14608

The phenomenon of vortex breakdown

p 35 N94-14609

Development of PC-based Aeronautical Software (AEROWARE)

p 201 N94-14611

Hypersonic viscous flow computations

p 35 N94-14612

Development of a general purpose multigrid accelerated Navier-Stokes solver

p 179 N94-14613

SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils

p 84 N94-14615

VSAERO analysis of a Piper Cub aircraft

p 85 N94-14616

Panel codes for aerodynamic analysis at NAL

p 35 N94-14617

National Aeronautics and Space Administration, Washington, DC.

Turbomachinery CFD on parallel computers

p 194 N94-10298

Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound

p 6 N94-10435

Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments

p 8 N94-10768

Optimal recovery from microburst wind shear

p 107 N94-10803

Identification of aerodynamic coefficients using computational neural networks

p 10 N94-10804

Full Navier-Stokes analysis of an axisymmetric scramjet inlet

p 10 N94-10855

Terrestrial volcanism in space and time

p 189 N94-10882

Perspectives on hypersonic viscous flow research

p 11 N94-10892

A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays

[SAE PAPER 921953] p 129 A94-11991

Overview of high performance aircraft propulsion research

[SAE PAPER 921983] p 99 A94-12001

Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2

[SAE PAPER 921994] p 13 A94-12006

A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft

[SAE PAPER 921996] p 14 A94-12008

Liquid lubricants for advanced aircraft engines

p 142 A94-12653

Magnetic bearings - State of the art

p 162 A94-12657

Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity

[ISBN 0-7918-0663-4] p 163 A94-12676

Size-reduction techniques for the determination of efficient aeroelastic models

p 111 A94-12707

Flight service evaluation of composite helicopter components

[HTN-94-00295] p 609 A94-62424

Overview of the 1989 Wind Tunnel Calibration Workshop

[NASA-TP-3393] p 131 N94-11869

NASA aerospace database subject scope: An overview

[NASA-SP-7107] p 209 N94-13401

Mission adaptive wing

[NASA-TM-109448] p 85 N94-15321

Rotorcraft research

[NASA-TM-109452] p 134 N94-15325

Wind shear and heavy rain

[NASA-TM-109453] p 191 N94-15326

X-29: Experiment in flight

[NASA-TM-109454] p 85 N94-15327

XV-15: Tiltrotor

[NASA-TM-109455] p 85 N94-15328

Back to propellers

[NASA-TM-109445] p 104 N94-15344

Better airplane wings

[NASA-TM-109446] p 150 N94-15345

Better way to fly

[NASA-TM-109447] p 85 N94-15396

Mission management aircraft operations manual

[NHB-7900.3] p 210 N94-16729

Aircraft operations management manual

[NHB-7900.3(V1)] p 210 N94-16730

X-29: Research aircraft

[NASA-TM-109370] p 91 N94-18962

The world's largest wind tunnel

[NASA-TM-109371] p 135 N94-18963

Airflow research

[NASA-TM-109372] p 50 N94-18964

An overview of the radiation component of the NASA TOGA-COARE experiment

[NASA-TM-109445] p 242 N94-22344

NASA high performance computing and communications program

[NASA-TM-4554] p 287 N94-24337

Japanese aerospace science and technology 1992. A bibliography with indexes

[NASA-SP-7104] p 288 N94-24585

NASA SBIR abstracts of 1992, phase 1 projects

[NASA-TM-109694] p 371 N94-27772

Airborne Trailblazer: Two decades with NASA Langley's 737 flying laboratory

[NASA-SP-4216] p 455 N94-32793

First Annual HSR Program Workshop: Headquarters perspective

p 471 N94-33448

Headquarters summary reports

p 471 N94-33452

Airline safety and economy

[NASA-TM-109811] p 468 N94-33563

Perseus: Global watcher

[NASA-TM-109813] p 473 N94-33565

NASA historical data book. Volume 4: NASA resources 1969-1978

[NASA-SP-4012-VOL-4] p 514 N94-33949

National facilities study

[NASA-TM-109851] p 491 N94-34071

National facilities study. Volume 1: Facilities inventory

[NASA-TM-109854] p 541 N94-34632

National facilities study. Volume 2: Task group on aeronautical research and development facilities report

[NASA-TM-109855] p 542 N94-34633

National facilities study. Volume 2A: Facility Study Office on the National Wind Tunnel Complex

[NASA-TM-109856] p 542 N94-34634

National facilities study. Volume 3: Mission and requirements model report

[NASA-TM-109857] p 542 N94-34635

- National facilities study. Volume 4: Space operations facilities task group
[NASA-TM-109858] p 542 N94-34636
- National facilities study. Volume 5: Space research and development facilities task group
[NASA-TM-109859] p 542 N94-34637
- Aerospace Safety Advisory Panel
[NASA-TM-109840] p 545 N94-35390
- Budget estimates, fiscal year 1995. Volume 1: Agency summary, human space flight, and science, aeronautics and technology
[NASA-TM-109791] p 560 N94-35899
- National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.**
- Design features of a low-disturbance supersonic wind tunnel for transition research at low supersonic Mach numbers
p 126 A94-10424
- Turbulence modeling for hypersonic flows
p 7 A94-10760
- Modeling of hypersonic reacting flows
p 8 A94-10763
- Design and piloted simulation of integrated flight/propulsion controls for STOVL aircraft
p 107 A94-10801
- The R-Shell approach - Using scheduling agents in complex distributed real-time systems
[AIAA PAPER 93-4523] p 195 A94-11447
- A quantitative analysis of the F18 flight control system
[AIAA PAPER 93-4574] p 93 A94-11480
- Cockpit data link displays - An evaluation of textual formats
[SAE PAPER 922025] p 83 A94-11722
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- Maneuvering technology for advanced fighter aircraft
[SAE PAPER 921984] p 107 A94-12002
- On a finite-state inflow application to flap-lag-torsion damping in hover
p 74 A94-12061
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities
p 108 A94-12093
- An exploratory investigation of the flight dynamics effects of rotor rpm variations and rotor state feedback in hover
p 76 A94-12094
- Research on measurement and control of helicopter rotor response using blade-mounted accelerometers 1991-92
p 109 A94-12118
- Dynamic testing and analysis of extension-twist-coupled composite tubular spars
p 161 A94-12519
- Rotary-wing aeroelasticity with application to VTOL vehicles
p 111 A94-12696
- Design and analysis of a Kalman filter for terrain-referenced positioning and guidance
[BTN-94-EIX94311329124] p 557 A94-60176
- Vortex-wing interaction of a close-coupled canard configuration
[BTN-94-EIX94311329121] p 519 A94-60179
- Propulsion-induced aerodynamic effects measured with a full-scale STOVL model
[BTN-94-EIX94311329120] p 519 A94-60180
- Calculation of real-gas effects on airfoil aerodynamic characteristics
[BTN-94-EIX94351142143] p 521 A94-60436
- Navier-Stokes computations for oscillating control surfaces
[BTN-94-EIX94401358983] p 566 A94-61639
- Rotor-state feedback in the design of flight control laws for a hovering helicopter
[HTN-94-00298] p 603 A94-62274
- Issues and approach to develop validated analysis tools for hypersonic flows: One perspective
p 20 N94-10446
- Determining XV-15 aeroelastic modes from flight data with frequency-domain methods
[NASA-TP-3330] p 80 N94-10935
- Performance and rotor loads measurements of the Lynx XZ170 helicopter with rectangular blades
[NASA-TM-104000] p 2 N94-10936
- Criteria for design of integrated flight/propulsion control systems for STOVL fighter aircraft
[NASA-TP-3356] p 112 N94-11134
- Moving-base simulation evaluation of thrust margins for vertical landing for the NASA YAV-8B Harrier aircraft
[NASA-TM-104008] p 113 N94-11259
- Measures for simulator evaluation of a helicopter obstacle avoidance system
p 131 N94-11535
- Kinematics and constraints associated with swashplate blade pitch control
[NASA-TM-102265] p 115 N94-12820
- Vertical motion simulator familiarization guide
[NASA-TM-103923] p 131 N94-13008
- Piloting Vertical Flight Aircraft: A Conference on Flying Qualities and Human Factors
[NASA-CP-3220] p 115 N94-13294
- Design criteria for integrated flight/propulsion control systems for STOVL fighter aircraft
p 116 N94-13297
- Improvements in hover display dynamics for a combat helicopter
p 118 N94-13310
- Visual cueing aids for rotorcraft landings
p 119 N94-13313
- Piloting considerations for terminal area operations of civil tiltwing and tiltrotor aircraft
p 119 N94-13320
- Evaluation of two cockpit display concepts for civil tiltrotor instrument operations on steep approaches
p 95 N94-13323
- Preliminary design features of the RASCAL: A NASA /Army rotorcraft in-flight simulator
p 132 N94-13325
- Airborne Arctic stratospheric expedition: Ozone
[NASA-TM-109312] p 83 N94-13606
- Rotor stator CGI
[NASA-TM-109313] p 102 N94-13608
- Dynamic Forms. Part 1: Functions
[NASA-TP-3397] p 176 N94-13790
- Helicopter precision approach capability using the Global Positioning System
[NASA-CR-194037] p 68 N94-13957
- Optimization-based controller design for rotorcraft
p 121 N94-14642
- The 1988 computational fluid dynamics highlights
[NASA-TM-109645] p 180 N94-15431
- Unitary plan wind tunnel landmark dedication and revitalization
[NASA-TM-109649] p 212 N94-15434
- Altitude deviations: Breakdowns of an error-tolerant system
[NASA-TM-108788] p 57 N94-15550
- Suppression of dynamic stall with a leading-edge slat on a VR-7 airfoil
[NASA-TP-3357] p 38 N94-15657
- The lift-fan powered-lift aircraft concept: Lessons learned
[NASA-CR-177616] p 85 N94-15718
- Fidelity assessment of a UH-60A simulation on the NASA Ames vertical motion simulator
[NASA-TM-104016] p 122 N94-15793
- NAS technical summaries: Numerical aerodynamic simulation program, March 1991 - February 1992
[NASA-TM-109335] p 4 N94-15798
- Efficient simulation of incompressible viscous flow over multi-element airfoils
p 46 N94-18421
- Interferometric investigations of compressible dynamic stall over a transiently pitching airfoil
[NASA-TM-109380] p 50 N94-19119
- Some VTOL head-up display drive-law problems and solutions
[NASA-TM-104027] p 5 N94-20035
- The modern rotor aerodynamic limits survey: A report and data survey
[NASA-TM-4446] p 215 N94-21490
- Survey of lift-fan aerodynamic technology
[NASA-CR-177615] p 224 N94-21592
- Development and evaluation of a profile negotiation process for integrating aircraft and air traffic control automation
[NASA-TM-4360] p 221 N94-21606
- Optical properties of cirrus derived from airborne measurements during FIRE IFO 2
p 241 N94-22297
- Dynamic mesh adaption for triangular and tetrahedral grids
p 243 N94-22363
- The 3D Euler solutions using automated Cartesian grid generation
p 243 N94-22367
- Summary of lift and lift/cruise fan powered lift concept technology
[NASA-CR-177619] p 257 N94-23489
- LinAir: A multi-element discrete vortex Weissinger aerodynamic prediction method
[NASA-TM-108786] p 249 N94-23557
- Compressibility effects on dynamic stall of airfoils undergoing rapid transient pitching motion
[NASA-TM-109681] p 250 N94-23975
- Effect of an extendable slat on the stall behavior of a VR-12 airfoil
[NASA-TP-3407] p 291 N94-25187
- Conflict-free trajectory planning for air traffic control automation
[NASA-TM-108790] p 306 N94-25272
- Application of aircraft navigation sensors to enhanced vision systems
p 312 N94-25495
- Expansion-based passive ranging
p 312 N94-25504
- Validation of vision-based range estimation algorithms using helicopter flight data
p 370 N94-25506
- EGADS: A microcomputer program for estimating the aerodynamic performance of general aviation aircraft
[NASA-TM-104013] p 324 N94-26091
- Correlation of airloads on a two-bladed helicopter rotor
[NASA-TM-103982] p 292 N94-26143
- Design optimization of high-speed propeller aircraft
[NASA-TM-103988] p 324 N94-26151
- A comparative study of serial and parallel aeroelastic computations of wings
[NASA-TM-108805] p 294 N94-26538
- Shake test results of the MDHC test stand in the 40-by 80-foot wind tunnel
[NASA-TM-108801] p 290 N94-26596
- Experimental investigation of advanced hub and pylon fairing configurations to reduce helicopter drag
[NASA-TM-4540] p 325 N94-26604
- NAS technical summaries. Numerical aerodynamic simulation program, March 1992 - February 1993
[NASA-RP-1321] p 372 N94-27764
- Numerical simulation of a powered-lift landing
p 328 N94-28033
- Transitional flight characteristics of a geometrically simplified STOVL model
p 328 N94-28035
- High-Speed Research: Sonic Boom, Volume 1
[NASA-CP-10132] p 300 N94-28188
- Boundary layer control device for duct silencers
[NASA-CASE-ARC-12030-1] p 417 N94-29362
- Design of Center-TRACON Automation System
p 385 N94-29568
- Computation of wind tunnel wall effects for complex models using a low-order panel method
[NASA-TM-104019] p 380 N94-30151
- Investigation of sonic boom for the Space Shuttle: High cross-range orbiter
[NASA-TM-108238] p 452 N94-31336
- Investigation of sonic boom for the Space Shuttle: Low cross-range orbiter
[NASA-TM-108237] p 452 N94-31337
- A critical assessment of UH-60 main rotor blade airfoil data
[NASA-TM-103985] p 425 N94-32063
- A hypertext system that learns from user feedback
p 514 N94-32428
- Aviation human factors research in US universities: Potential contributions to national needs
[NASA-TM-108814] p 467 N94-32927
- High-speed research program systems analysis activities at Ames Research Center
p 472 N94-33455
- Sonic boom prediction and minimization using computational fluid dynamics
p 510 N94-33472
- Theoretical study of thermodynamic properties and reaction rates of importance in the high-speed research program
p 510 N94-33482
- Nacelle-wing integration
p 472 N94-33504
- HSR high lift research program: Status and plans
p 461 N94-33521
- Lift enhancement by trapped vortex
p 462 N94-33524
- Code validation for the simulation of supersonic viscous flow about the F-16XL
p 463 N94-33528
- A direct application of the non-linear inverse transformation flight control system design on a STOVL aircraft
[NASA-TM-108808] p 456 N94-33942
- NASA Ames Fluid Mechanics Laboratory research briefs
[NASA-TM-108818] p 465 N94-33997
- Piloted simulation study of two tilt-wing flap control concepts, phase 2
[NASA-TM-108817] p 488 N94-33998
- An examination of the aerodynamic moment on rotor blade tips using flight test data and analysis
[NASA-TM-104006] p 523 N94-34948
- Physics of Forced Unsteady Separation
[NASA-CP-3144] p 552 N94-34966
- YAV-8B reaction control system bleed and control power usage in hover and transition
[NASA-TM-104021] p 540 N94-34994
- Director's discretionary fund
[NASA-TM-103997] p 561 N94-35370
- Flight testing of a luminescent surface pressure sensor
[NASA-TM-103970] p 522 N94-35394
- 1993 Technical Paper Contest for Women. Gear Up 2000: Women in Motion
[NASA-CP-10134] p 561 N94-35961
- Piloted simulation study of two tilt-wing control concepts
p 541 N94-35962
- Wind tunnel measurements on a full-scale F/A-18 with a tangentially blowing slot
p 527 N94-35965
- Ground vibration test of the XV-15 Tiltrotor Research Aircraft and pretest predictions
p 541 N94-35972
- Research and technology, 1993
[NASA-TM-108816] p 561 N94-36117
- The reduction of takeoff ground roll by the application of a nose gear jump strut
[NASA-TM-108822] p 576 N94-36380
- TRENDS: A flight test relational database user's guide and reference manual
[NASA-TM-108806] p 564 N94-37332

National Aeronautics and Space Administration.**Goddard Space Flight Center, Greenbelt, MD.**

- Low-dimensional description of the dynamics in separated flow past thick airfoils
[BTN-94-EIX9421374967] p 563 A94-61865
- Experimental software engineering: Seventeen years of lessons in the SEL p 199 N94-11423
- Impacts of object-oriented technologies: Seven years of SEL studies p 199 N94-11425
- The 1991 research and technology report, Goddard Space Flight Center
[NASA-TM-108738] p 212 N94-14791
- Observation of pressure ridges in SAR images of sea ice: Scattering theory and comparison with observations p 232 N94-20427
- Bi-directional reflectance and other radiation parameters of cirrus from ER-2 observations p 241 N94-22296
- Intercomparison of MAS, AVIRIS, and HIS data from FIRE cirrus 2 p 241 N94-22298
- Magnetic power piston fluid compressor
[NASA-CASE-GSC-13565-1] p 276 N94-23831
- The atmospheric effects of stratospheric aircraft: A third program report
[NASA-RP-1313] p 282 N94-24104
- Handbook for handling and storage of nickel-cadmium batteries: Lessons learned p 347 N94-26613
- Six-degree-of-freedom parallel manipulator with three inextensible limbs
[NASA-CASE-GSC-13485-1] p 413 N94-29726
- Software Management Environment (SME) concepts and architecture, revision 1
[NASA-CR-189293] p 416 N94-29727
- Ada developers' supplement to the recommended approach
[NASA-CR-189345] p 557 N94-34921
- Cost and schedule estimation study report
[NASA-CR-189344] p 558 N94-35256
- Flight Mechanics/Estimation Theory Symposium, 1994
[NASA-CP-3265] p 545 N94-35605
- Impact of Ada in the Flight Dynamics Division: Excitement and frustration p 597 N94-36501
- National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, CA.**
- Recent flight-test results of optical airdata techniques
[NASA-TM-4504] p 96 N94-13791
- Reduction of structural loads using maneuver load control on the Advanced Fighter Technology Integration (AFTI)/F-111 mission adaptive wing
[NASA-TM-4526] p 252 N94-24295
- Status of F16XL SSLFC numerical design validation p 462 N94-33527
- X-29 flight control system: Lessons learned
[NASA-TM-4598] p 466 N94-34384
- Controlling forebody asymmetries in flight: Experience with boundary layer transition strips
[NASA-TM-4595] p 568 N94-36944
- Measurement uncertainty and feasibility study of a flush airdata system for a hypersonic flight experiment
[NASA-TM-4627] p 569 N94-37378
- National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Facility, Edwards, CA.**
- Flight-determined multivariable stability analysis and comparison of a control system p 107 A94-10805
- Overview of supersonic laminar flow control research on the F-16XL ships 1 and 2
[SAE PAPER 921994] p 13 A94-12006
- Pegasus hypersonic flight research
[SAE PAPER 921995] p 137 A94-12007
- A summary of the forebody high-angle-of-attack aerodynamics research on the F-18 and the X-29A aircraft
[SAE PAPER 921996] p 14 A94-12008
- Development of an on-line parameter estimation system using the discrete modal filter p 110 A94-12488
- Development of a pneumatic high-angle-of-attack Flush Airdata Sensing (FI-FADS) system p 95 A94-12622
- Buffet-induced structural/flight-control system interaction of the X-29A aircraft
[BTN-94-EIX94311329137] p 517 A94-60163
- Extraction of stability and control derivatives from orbiter flight data
[NASA-TM-4500] p 24 N94-10707
- Space Shuttle hypersonic aerodynamic and aerothermodynamic flight research and the comparison to ground test results
[NASA-TM-4499] p 25 N94-10820
- Preliminary supersonic flight test evaluation of performance seeking control
[NASA-TM-4494] p 100 N94-11205
- Ground vibration and flight flutter tests of the single-seat F-16XL aircraft with a modified wing
[NASA-TM-104264] p 80 N94-11233
- Preliminary flight results of a fly-by-throttle emergency flight control system on an F-15 airplane
[NASA-TM-4503] p 115 N94-13254

- Actuator and aerodynamic modeling for high-angle-of-attack aeroservoelasticity
[NASA-TM-4493] p 115 N94-13255
- Perspective on the National Aero-Space Plane Program instrumentation development
[NASA-TM-4505] p 95 N94-13256
- Flight operations highlights, tapes 1 and 2
[NASA-TM-109293] p 212 N94-13633
- Performance seeking control: Program overview and future directions
[NASA-TM-4531] p 103 N94-14855
- Flight-determined engine exhaust characteristics of an F404 engine in an F-18 airplane
[NASA-TM-4538] p 104 N94-15141
- Flight testing of airbreathing hypersonic vehicles
[NASA-TM-4524] p 140 N94-15753
- In-flight investigation of a rotating cylinder-based structural excitation system for flutter testing
[NASA-TM-4512] p 86 N94-15783
- On the estimation algorithm used in adaptive performance optimization of turbofan engines
[NASA-TM-4551] p 226 N94-21879
- Identification of integrated airframe: Propulsion effects on an F-15 aircraft for application to drag minimization
[NASA-TM-4532] p 265 N94-24106
- Thermal-fluid analysis of the fill and drain operations of a cryogenic fuel tank
[NASA-TM-104273] p 281 N94-24495
- Multidisciplinary aeroelastic analysis of a generic hypersonic vehicle
[NASA-TM-4544] p 347 N94-27868
- Flight test results of riblets at supersonic speeds
[NASA-TM-4387] p 458 N94-32880
- Further development and flight test of an autonomous precision landing system using a parafoil
[NASA-TM-4599] p 465 N94-33995
- Developing and flight testing the HL-10 lifting body: A precursor to the Space Shuttle
[NASA-RP-1332] p 535 N94-34703
- Evaluating the dynamic response of in-flight thrust calculation techniques during throttle transients
[NASA-TM-4591] p 535 N94-35241
- Flight testing a propulsion-controlled aircraft emergency flight control system on an F-15 airplane
[NASA-TM-4590] p 540 N94-35258
- Engine exhaust characteristics evaluation in support of aircraft acoustic testing p 560 N94-35963
- In-flight simulation studies at the NASA Dryden Flight Research Facility p 536 N94-35969
- Correlation of analytical and experimental hot structure vibration results
[NASA-TM-104269] p 576 N94-36644
- Preliminary analysis for a Mach 8 crossflow transition experiment on the Pegasus (R) space booster
[NASA-TM-104272] p 564 N94-36648
- National Aeronautics and Space Administration. John C. Stennis Space Center, Bay Saint Louis, MS.**
- High Heat Flux Facility
[NASA-TM-109834] p 490 N94-33570
- National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.**
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle mission STS-60
[NASA-TM-109193] p 347 N94-27956
- Debris/ice/TPS assessment and integrated photographic analysis for Shuttle Mission STS-62
[NASA-TM-109201] p 492 N94-33423
- National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.**
- Wall catalytic recombination and boundary conditions in nonequilibrium hypersonic flows - With applications p 8 A94-10765
- Numerical simulation of entry flow over blunt swept-wing planes p 9 A94-10772
- Cooperative GN&C development in a rapid prototyping environment
[AIAA PAPER 93-4622] p 197 A94-11505
- The gust-front detection and wind-shift algorithms for the Terminal Doppler Weather Radar system p 189 A94-12286
- A comparison of high resolution upwind solvers on 3-D inviscid hypersonic flows p 21 N94-10463
- Cooled spool piston compressor
[NASA-CASE-MSC-22020-1] p 169 N94-10674
- Space Station trash removal system
[NASA-CASE-MSC-21723-1] p 229 N94-20367
- Tetrahedral lander
[NASA-CASE-MSC-22082-1] p 229 N94-20590
- Landing gear energy absorption system
[NASA-CASE-MSC-22277-1] p 411 N94-29448
- Microwave sensor for ice detection p 475 N94-32457
- Load-limiting landing gear footpad energy absorption system p 491 N94-33323
- Vista goes online: Decision-analytic systems for real-time decision-making in mission control p 558 N94-35063

- Mission Evaluation Room Intelligent Diagnostic and Analysis System (MIDAS) p 558 N94-35064
- Preload release mechanism
[NASA-CASE-MSC-22327-1] p 594 N94-36839
- National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.**
- Automatic differentiation of advanced CFD codes for multidisciplinary design p 153 A94-10299
- Current status and some future test directions for the U.S. National Transonic Facility p 124 A94-10404
- Milestones in boundary-layer transition research with infrared imaging p 6 A94-10410
- Post-optimality analysis in aerospace vehicle design
[AIAA PAPER 93-3932] p 71 A94-10717
- Aerodynamic configuration design using response surface methodology analysis
[AIAA PAPER 93-3967] p 136 A94-10718
- NASA wake vortex research
[AIAA PAPER 93-4004] p 52 A94-10719
- Approximate two layer (inviscid/viscous) methods to model aerothermodynamic environments p 8 A94-10768
- Computation of flowfields for hypersonic flight at high altitudes p 9 A94-10774
- Optimal recovery from microburst wind shear p 107 A94-10803
- Identification of aerodynamic coefficients using computational neural networks p 10 A94-10804
- Flight control application of new stability robustness bounds for linear uncertain systems p 194 A94-10806
- Computational analysis of vented supersonic exhaust nozzles using a multiblock/multizone strategy p 10 A94-10856
- Case study of a low-reflectivity pulsating microburst - Numerical simulation of the Denver, 8 July 1989, storm p 189 A94-10875
- Active control of nonlinear-nonstationary response and radiation of a panel-stringer structure near a supersonic jet
[AIAA PAPER 93-4338] p 155 A94-11349
- On acoustic radiation from a vibrating panel
[AIAA PAPER 93-4367] p 156 A94-11350
- Simulated high speed flight effects on supersonic jet noise p 203 A94-11351
- Optimization of actuator arrays for aircraft interior noise control
[AIAA PAPER 93-4447] p 71 A94-11352
- The effect of velocity profiles on supersonic jet noise
[AIAA PAPER 93-4410] p 203 A94-11353
- Supersonic gasdispersional jets and jet noise
[AIAA PAPER 93-4389] p 203 A94-11354
- Software testability and its application to avionics software
[AIAA PAPER 93-4542] p 196 A94-11462
- Comparative study of MacCormack and TVD MacCormack schemes for three-dimensional separation at wing/body junctions in supersonic flows
[SAE PAPER 921926] p 13 A94-11975
- Transonic propulsion aerodynamics research at NASA Langley Research Center p 72 A94-11977
- [SAE PAPER 921937]
- Application of advanced technologies to very large subsonic transports
[SAE PAPER 921938] p 73 A94-11978
- Advanced takeoff procedures for high-speed civil transport community noise reduction
[SAE PAPER 921939] p 73 A94-11979
- A graphical workstation based part-task flight simulator for preliminary rapid evaluation of advanced displays
[SAE PAPER 921953] p 129 A94-11991
- Streamline-curvature effect in three-dimensional boundary layers
[SAE PAPER 921987] p 13 A94-12003
- Three-dimensional boundary layer stability and transition
[SAE PAPER 921991] p 13 A94-12005
- Comparison of 30x11.5 - 14.5 bias-ply and radial-belted tire characteristics
[SAE PAPER 922012] p 73 A94-12016
- Friction evaluation of concrete paver blocks for airport pavement applications
[SAE PAPER 922013] p 129 A94-12017
- The effect of runway surface and braking on Shuttle Orbiter main gear tire wear
[SAE PAPER 922038] p 137 A94-12029
- On a finite-state inflow application to flap-lag-torsion damping in hover p 74 A94-12061
- Computation of high resolution unsteady airloads using a constant vorticity contour free wake model p 16 A94-12070
- Aeroelastic modeling of composite rotor blades with straight and swept tips p 78 A94-12249
- Signal processing aspects of windshear detection p 190 A94-12361

- Studies in turbulence
[ISBN 0-387-97613-2] p 159 A94-12376
- Fluid dynamics and noise emission associated with supersonic jets p 204 A94-12394
- Processing infrared images of aircraft lapjoints p 160 A94-12413
- Desirable features of an infrared imaging system for aerodynamic research p 160 A94-12423
- Dynamic testing and analysis of extension-twist-coupled composite tubular spars p 161 A94-12519
- Acoustic emission measurements of aerospace materials and structures p 162 A94-12665
- Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 5 - Structural dynamics and aeroelasticity
[ISBN 0-7918-0663-4] p 163 A94-12676
- Experimental aeroelasticity in wind tunnels - History, status, and future in brief p 130 A94-12692
- Aeroservoelasticity p 110 A94-12693
- Rotary-wing aeroelasticity with application to VTOL vehicles p 111 A94-12696
- Computational aeroelasticity p 111 A94-12697
- Investigation on the use of optimization techniques for helicopter airframe vibrations design studies p 79 A94-12706
- Fatigue fracture in thin plates subjected to tensile and shearing loads - Crack tip fields, J integral and preliminary experimental results p 164 A94-12906
- Coupled radiation effects in thermochemical nonequilibrium shock-capturing flowfield calculations [BTN-94-EIX94311330648] p 559 A94-60143
- Effects of model scale on flight characteristics and design parameters [BTN-94-EIX94311329143] p 517 A94-60157
- Alleviation of side force on tangent-ogive forebodies using passive porosity [BTN-94-EIX94311329126] p 536 A94-60174
- Supersonic transport wing minimum weight design integrating aerodynamics and structures [BTN-94-EIX94311329123] p 518 A94-60177
- Technology and staging effects on two-stage-to-orbit systems [BTN-94-EIX94311322891] p 520 A94-60205
- Aerodynamic characteristics of the HL-20 [BTN-94-EIX94351137055] p 544 A94-60395
- Six-degree-of-freedom guidance and control-entry analysis of the HL-20 [BTN-94-EIX94351137056] p 544 A94-60396
- Effect of lift-to-drag ratio in pilot rating of the HL-20 landing task [BTN-94-EIX94351137057] p 544 A94-60397
- Aerodynamic heating environment definition/thermal protection system selection for the HL-20 [BTN-94-EIX94351137058] p 544 A94-60398
- HL-20 computational fluid dynamics analysis [BTN-94-EIX94351137059] p 545 A94-60399
- Preliminary structural evaluation and design of the HL-20 [BTN-94-EIX94351137060] p 545 A94-60400
- Human factors evaluation of the HL-20 full-scale model [BTN-94-EIX94351137065] p 545 A94-60405
- Field deployable nondestructive impact damage assessment methodology for composite structures [BTN-94-EIX94301321378] p 546 A94-60892
- Preliminary piloted simulation studies of the HL-20 lifting body [BTN-94-EIX94401358972] p 583 A94-61628
- Inviscid parametric analysis of three-dimensional inlet performance [BTN-94-EIX94401358980] p 578 A94-61636
- Takeoff performance monitoring system display options [BTN-94-EIX94401358988] p 577 A94-61644
- Recommendations for future research in hypersonic instrumentation p 20 N94-10433
- Local measurement of temperatures and concentrations: A review for hypersonic flows p 20 N94-10434
- Pressure and force measurements on models set in hypersonic flows: A review p 20 N94-10435
- Three-dimensional hypersonic rarefied flow calculations using direct simulation Monte Carlo method p 21 N94-10449
- Underwing compression vortex attenuation device [NASA-CASE-LAR-14744-1] p 24 N94-10673
- Static internal performance of a single expansion ramp nozzle with multi-axis thrust vectoring capability [NASA-TM-4450] p 24 N94-10675
- Progress in multidisciplinary design optimization at NASA Langley [NASA-TM-107754] p 198 N94-10814
- The impact of active controls technology on the structural integrity of aeronautical vehicles p 81 N94-11341
- Further studies using matched filter theory and stochastic simulation for gust loads prediction [NASA-TM-109010] p 82 N94-11587
- A determination of the external forces required to move the benchmark active controls testing model in pure plunge and pure pitch [NASA-TM-107743] p 28 N94-12421
- Hypersonic, nonequilibrium flow over a cylindrically blunted 6 deg wedge [NASA-TM-108994] p 172 N94-12571
- A method of predicting quasi-steady aerodynamics for flutter analysis of high speed vehicles using steady CFD calculations [NASA-TM-109009] p 82 N94-12850
- Approaches to high aspect ratio triangulations [NASA-TM-107684] p 199 N94-12886
- Aerodynamics of a sphere and an oblate spheroid for Mach numbers from 0.6 to 10.5 including some effects of test conditions [NASA-TM-109016] p 29 N94-13172
- Preconditioning and the limit to the incompressible flow equations [NASA-CR-191500] p 200 N94-13717
- Active control of fan-generated plane wave noise [NASA-TM-109008] p 207 N94-14481
- Processing, properties and applications of composites using powder-coated epoxy towpreg technology p 150 N94-15277
- Wind tunnel investigation of three axisymmetric cowls of different lengths at Mach numbers from 0.60 to 0.92 [NASA-TM-4488] p 39 N94-15681
- Physical properties of the benchmark models program supercritical wing [NASA-TM-4457] p 85 N94-15722
- Wall interference and boundary simulation in a transonic wind tunnel with a discretely slotted test section [NASA-TP-3334] p 134 N94-15794
- Effects of internal yaw-vectoring devices on the static performance of a pitch-vectoring nonaxisymmetric convergent-divergent nozzle [NASA-TP-3369] p 41 N94-16572
- Wind tunnel investigations of forebody strakes for yaw control on F/A-18 model at subsonic and transonic speeds [NASA-TP-3360] p 42 N94-16573
- Wind-tunnel investigation of aerodynamic efficiency of three planar elliptical wings with curvature of quarter-chord line [NASA-TP-3359] p 42 N94-16574
- An overview of the NASA textile composites program p 150 N94-16846
- Aerothermoelastic analysis of a NASP demonstrator model [NASA-TM-109007] p 87 N94-17055
- Windshear database for forward-looking systems certification [NASA-TM-109012] p 192 N94-17283
- Subsonic aerodynamic characteristics of the HL-20 lifting-body configuration [NASA-TM-4515] p 44 N94-17284
- Single block three-dimensional volume grids about complex aerodynamic vehicles [NASA-TM-108986] p 183 N94-17476
- Structural mechanics division research and technology accomplishments for CY 1992 and plans for CY 1993 [NASA-TM-107752] p 183 N94-17479
- User's manual for the Langley Research Center 14- by 22- foot subsonic tunnel static data acquisition system [NASA-TM-109027] p 44 N94-17639
- High Reynolds number configuration development of a high-lift airfoil p 47 N94-18424
- In-flight pressure distributions and skin-friction measurements on a subsonic transport high-lift wing section p 49 N94-18435
- ISAC: A tool for aeroservoelastic modeling and analysis [NASA-TM-109031] p 123 N94-19316
- Composite impact dynamics research at NASA LaRC: A review p 187 N94-19487
- Improved ceramic slip casting technique [NASA-CASE-LAR-14471-1] p 230 N94-20377
- Integrated display of multi-sensor geophysical and electromagnetic flight data p 231 N94-20418
- Description and availability of airborne Doppler radar data p 231 N94-20419
- Apparatus and method for improving spin recovery on aircraft [NASA-CASE-LAR-14747-1] p 227 N94-20556
- Multigrad schemes for viscous hypersonic flows p 217 N94-21473
- Internal performance of a nonaxisymmetric nozzle with a rotating upper flap and a center-pivoted lower flap [NASA-TP-3385] p 217 N94-21569
- Introduction to the LaRC central scientific computing complex [NASA-TM-104092-REV-1] p 243 N94-22100
- Comparison of radiation and cloud parameters derived from satellite and aircraft measurements during FIRE 2 cirrus IFO p 241 N94-22299
- Cloud fields derived from satellite and surface data during FIRE cirrus phase 2 p 241 N94-22302
- Remote sensing of multilevel clouds during FIRE IFO 2 p 242 N94-22303
- Development of a gridless CFD method p 243 N94-22361
- Computational geometry issues p 243 N94-22370
- Computational Methods for Failure Analysis and Life Prediction [NASA-CP-3230] p 239 N94-22608
- NASA Langley developments in response calculations needed for failure and life prediction p 240 N94-22621
- Delamination, durability, and damage tolerance of laminated composite materials p 231 N94-22622
- Demonstrating damage tolerance of composite airframes p 224 N94-22623
- Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques [NASA-TP-3374] p 249 N94-23512
- Joint Acoustic Propagation Experiment (JAPE-91) Workshop [NASA-CP-3231] p 285 N94-24207
- Studies of Shuttle orbiter arrestment system [NASA-TP-3370] p 258 N94-24304
- An experimental investigation of a Mach 3.0 high-speed civil transport at supersonic speeds [NASA-TP-3365] p 253 N94-24311
- New computing systems, future computing environment, and their implications on structural analysis and design p 259 N94-24314
- The radiated noise from isotropic turbulence revisited [AD-A276712] p 280 N94-24356
- Experimental cavity pressure measurements at subsonic and transonic speeds. Static-pressure results [NASA-TP-3358] p 253 N94-24464
- Structural dynamics division research and technology accomplishments for FY 1993 and plans for FY 1994 [NASA-TM-109036] p 253 N94-24576
- Aerodynamic characteristics and pressure distributions for an executive-jet baseline airfoil section [NASA-TM-4529] p 253 N94-24586
- Dynamic analysis of pretwisted elastically-coupled rotor blades [NASA-TM-109070] p 350 N94-24839
- NASA LaRC Workshop on Guidance, Navigation, Controls, and Dynamics for Atmospheric Flight, 1993 [NASA-CP-10127] p 289 N94-25096
- US general aviation: The ingredients for a renaissance. A vision and technology strategy for US industry, NASA, FAA, universities p 289 N94-25097
- Future space transportation system architecture avionics requirements p 346 N94-25098
- Highly-reliable fly-by-light/power-by-wire technology p 336 N94-25099
- Differential GPS for air transport: Status p 311 N94-25100
- Future directions in flight simulation: A user perspective p 341 N94-25101
- Parametric uncertainty modeling for application to robust control p 336 N94-25103
- Hypersonic vehicle control law development using H(infinity) and micron-synthesis p 336 N94-25104
- On-line evaluation of multiloop digital controller performance p 336 N94-25105
- Development of high-angle-of-attack nose-down pitch control margin design guidelines for combat aircraft p 337 N94-25107
- Modeling transonic aerodynamic response using nonlinear systems theory for use with modern control theory p 337 N94-25112
- Effect of aeroelastic-propulsive interactions on flight dynamics of a hypersonic vehicle p 320 N94-25113
- Comments regarding two upwind methods for solving two-dimensional external flows using unstructured grids [NASA-TM-109078] p 292 N94-26154
- The evolution of the high-speed civil transport [NASA-TM-109089] p 372 N94-26155
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 4: Laser velocimeter wake data, advance ratio of 0.037 [NASA-TM-109040-VOL-4] p 293 N94-26483
- Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 1: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0081 and hover tip speed of 603 feet/second [NASA-TM-109040-VOL-1] p 293 N94-26489

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 2: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 710 feet/second
[NASA-TM-109040-VOL-2] p 293 N94-26492

Investigation of the aerodynamic environment for an advanced lightweight rotor in forward flight. Volume 3: Laser velocimeter inflow data, advance ratio of 0.37, thrust coefficient of 0.0064 and hover tip speed of 603 feet/second
[NASA-TM-109040-VOL-3] p 293 N94-26497

Computational prediction of isolated performance of an axisymmetric nozzle at Mach number 0.90
[NASA-TM-4506] p 294 N94-26547

The relationship of an integral wind shear hazard to aircraft performance limitations
[NASA-TM-109080] p 339 N94-26593

Piloted simulation study of an ILS approach of a twin-pusher business/commuter turboprop aircraft configuration
[NASA-TM-4516] p 294 N94-26602

Tests of highly loaded skids on a concrete runway
[NASA-TP-3435] p 326 N94-26608

Research and test facilities
[NASA-TM-109685] p 344 N94-26684

Experimental and theoretical study of aerodynamic characteristics of some lifting bodies at angles of attack from -10 degrees to 53 degrees at Mach numbers from 2.30 to 4.62
[NASA-TM-4528] p 295 N94-26693

Fiber-optic-based laser vapor screen flow visualization system for aerodynamic research in larger scale subsonic and transonic wind tunnels
[NASA-TM-4514] p 295 N94-26706

Evaluation of the prototype dual-axis wall attitude measurement sensor
[NASA-TM-109056] p 354 N94-26707

Leading-edge vortex-system details obtained on F-106B aircraft using a rotating vapor screen and surface techniques
[NASA-TP-3374-VIDEO-SUPPL] p 295 N94-27161

FAA/NASA Joint University Program for Air Transportation Research, 1992-1993
[NASA-CP-3246] p 290 N94-27284

Packet radio data link applications in the NASA Langley Research Center Transport Systems Research Vehicle
[NASA-TM-109071] p 315 N94-27423

Description of the Experimental Avionics Systems Integration Laboratory (EASILY)
[NASA-TM-109072] p 344 N94-27425

Nasa Langley Research Center seventy-fifth anniversary publications, 1992
[NASA-TM-109691] p 372 N94-27431

Proceedings of the Non-Linear Aero Prediction Requirements Workshop
[NASA-CP-10138] p 327 N94-27439

Techniques to improve maneuver stability characteristics of a nonlinear wide-body transport airplane in cruise flight
[NASA-TM-4521] p 340 N94-27660

Effects of historical and predictive information on ability of transport pilot to predict an alert
[NASA-TM-4547] p 330 N94-27864

Effects of expected-value information and display format on recognition of aircraft subsystem abnormalities
[NASA-TP-3395] p 331 N94-27882

Experimental studies of loudness and annoyance response to sonic booms
p 370 N94-28195

Steady pressure measurements on an Aeroelastic Research Wing (ARW-2)
[NASA-TM-109046] p 374 N94-28658

Prediction of stress-strain response of SCS-6/Timetal-21S subjected to a hypersonic flight profile
[NASA-TM-109026] p 403 N94-28823

Low-speed longitudinal aerodynamic characteristics of a flat-plate planform model of an advanced fighter configuration
[NASA-TM-109045] p 377 N94-29443

Subjective response to sonic booms having different shapes, rise times, and durations
[NASA-TM-109090] p 417 N94-29464

An experimental and theoretical study of the aerodynamic characteristics of some generic missile concepts at Mach numbers from 2 to 6.8
[NASA-TM-109110] p 378 N94-29473

Experimental studies of transonic flow field near a longitudinally slotted wind tunnel wall
[NASA-TP-3392] p 378 N94-29545

Profile negotiation: An air/ground automation integration concept for managing arrival traffic
p 387 N94-29578

Miniature linear-to-rotary motion actuator
p 413 N94-29647

Dynamic fracture mechanics analysis for an edge delamination crack
[NASA-TM-109106] p 417 N94-29856

Aerodynamic characteristics of a propeller-powered high-lift semispan wing
[NASA-TM-4541] p 380 N94-29937

User's manual for the model interface and plugboard cabinets in the 14- by 22-foot subsonic tunnel
[NASA-TM-109062] p 381 N94-30176

Application of fuzzy logic to the control of wind tunnel settling chamber temperature
[NASA-TM-109105] p 402 N94-30200

High performance real-time flight simulation at NASA Langley
p 489 N94-32473

A finite-difference approximate-factorization algorithm for solution of the unsteady transonic small-disturbance equation
[NASA-TP-3129] p 458 N94-32865

Results for the hybrid laminar flow control experiment conducted in the NASA Langley 8-foot transonic pressure tunnel on a 7-foot chord model
[NASA-TM-107582] p 491 N94-32870

User's guide for a flat wake rotor inflow/wake velocity prediction code, DOWN
[NASA-TM-104139] p 458 N94-32873

A mathematical model for simulating noise suppression of lined ejectors
[NASA-TP-3425] p 509 N94-32930

Fourth-order 2N-storage Runge-Kutta schemes
[NASA-TM-109112] p 458 N94-32950

Modeling of aircraft unsteady aerodynamic characteristics. Part 1: Postulated models
[NASA-TM-109120] p 487 N94-32951

Implementation of a vibrationally linked chemical reaction model for DSMC
[NASA-TM-109109] p 499 N94-33020

Structural damping studies at cryogenic temperatures
[NASA-TM-109073] p 499 N94-33118

Second NASA Advanced Composites Technology Conference
[NASA-CP-3154] p 493 N94-33121

Designer's unified cost model
p 493 N94-33122

Composite fuselage shell structures research at NASA Langley Research Center
p 494 N94-33124

Technology integration box beam failure study
p 494 N94-33126

Development of stitched/RTM composite primary structures
p 494 N94-33127

Test and analysis results for composite transport fuselage and wing structures
p 495 N94-33129

Tension fracture of laminates for transport fuselage. Part 1: Material screening
p 495 N94-33130

Recent progress in NASA Langley Research Center textile reinforced composites program
p 495 N94-33134

A computer program to obtain time-correlated gust loads for nonlinear aircraft using the matched-filter-based method
[NASA-TM-109768] p 487 N94-33378

First Annual High-Speed Research Workshop, part 1
[NASA-CP-10087-PT-1] p 460 N94-33447

Overview of Langley systems studies
p 472 N94-33456

Stratospheric models and measurements: A critical comparison
p 506 N94-33457

Comparison of the impact of volcanic eruptions and aircraft emissions on the aerosol mass loading and sulfur budget in the stratosphere
p 506 N94-33460

High resolution infrared datasets useful for validating stratospheric models
p 506 N94-33461

First Annual High-Speed Research Workshop, part 2
[NASA-CP-10087-PT-2] p 460 N94-33462

NASA/LaRC jet plume research
p 478 N94-33468

Design and analysis of low boom concepts at Langley Research Center
p 510 N94-33470

First Annual High-Speed Research Workshop, part 3
[NASA-CP-10087-PT-3] p 460 N94-33487

Aeroacoustics analysis and community noise overview
p 461 N94-33488

Atmospheric effects on sonic boom: A program review
p 512 N94-33495

Sonic boom acceptability studies
p 512 N94-33500

Airframe materials for HSR
p 497 N94-33514

First Annual High-Speed Research Workshop, part 4
[NASA-CP-10087-PT-4] p 461 N94-33517

Overview of NASA HSR high-lift program
p 461 N94-33518

Status of LaRC HSCST high-lift research
p 461 N94-33519

Status of CFD for LaRC's HSR high-lift program
p 461 N94-33520

NASA F-16XL supersonic laminar flow control program overview
p 462 N94-33525

Effective declutter of complex flight displays using stereoscopic 3-D cueing
[AD-A279764] p 473 N94-33536

A laboratory study of subjective annoyance response to sonic booms and aircraft flyovers
[NASA-TM-109113] p 513 N94-33610

Multilevel decomposition approach to integrated aerodynamic/dynamic/structural optimization of helicopter rotor blades
[NASA-TM-109084] p 474 N94-33900

Vehicle integration effects on hypersonic waveriders
[NASA-TM-109739] p 474 N94-34118

Static performance investigation of a skewed-throat multiaxis thrust-vectoring nozzle concept
[NASA-TP-3411] p 465 N94-34172

Third-order 2N-storage Runge-Kutta schemes with error control
[NASA-TM-109111] p 466 N94-34204

Introduction to generalized functions with applications in aerodynamics and aeroacoustics
[NASA-TP-3428] p 513 N94-34393

Design oriented structural analysis
[NASA-TM-109124] p 551 N94-34722

NASA/DOD Aerospace Knowledge Diffusion Research Project. Paper 42: An analysis of the transfer of Scientific and Technical Information (STI) in the US aerospace industry
[NASA-TM-109863] p 560 N94-34730

Active thermal isolation for temperature responsive sensors
[NASA-CASE-LAR-14612-1] p 552 N94-35074

Langley 14- by 22-foot subsonic tunnel test engineer's data acquisition and reduction manual
[NASA-TM-4563] p 526 N94-35246

Flutter suppression digital control law design and testing for the AFW wind tunnel model
p 540 N94-35873

An overview of recent advances in system identification
p 546 N94-35880

Second International Symposium on Magnetic Suspension Technology, part 2
[NASA-CP-3247-PT-2] p 546 N94-35902

Final-Approach Spacing Aids (FASA) evaluation for terminal-area, time-based air traffic control
[NASA-TP-3399] p 529 N94-36048

Forward sweep, low noise rotor blade
[NASA-CASE-LAR-14569-1] p 576 N94-36767

Gain weighted eigenspace assignment
[NASA-TM-109130] p 581 N94-36820

Automatic procedures for computing complete configuration geometry from individual component descriptions
[NASA-TM-4607] p 568 N94-36942

Automatic computation of Euler-marching and subsonic grids for wing-fuselage configurations
[NASA-TM-4573] p 568 N94-36950

Navier-Stokes and potential theory solutions for helicopter fuselage and comparison with experiment
[NASA-TM-4566] p 569 N94-36966

Design and evaluation of a Stochastic Optimal Feed-forward and Feedback Technology (SOFFT) flight control architecture
[NASA-TP-3419] p 582 N94-37014

Predicting the effects of unmodeled dynamics on an aircraft flight control system design using eigenspace assignment
[NASA-TM-4548] p 582 N94-37059

Subsonic aerodynamic characteristic of semispan commercial transport model with wing-mounted advanced ducted propeller operating in reverse thrust
[NASA-TP-3427] p 601 N94-37505

Active cooling from the sixties to NASP
[NASA-TM-109079] p 605 N94-37541

Stability analysis of an F/A-18 E/F cable mount model
[NASA-TM-108989] p 602 N94-37636

Ordering design tasks based on coupling strengths
[NASA-TM-109137] p 602 N94-37762

National Aeronautics and Space Administration. Lewis Research Center, Cleveland, OH.

Partitioning of centralized integrated flight/propulsion control design for decentralized implementation
p 97 A94-10283

Turbomachinery CFD on parallel computers
p 194 A94-10298

Airfoil wake and linear theory gust response including sub- and superresonant flow conditions
p 10 A94-10858

Overview of high performance aircraft propulsion research
[SAE PAPER 921983] p 99 A94-12001

Simultaneous measurement of velocity and temperature fluctuations in the boundary layer of a supersonic flow
p 17 A94-12649

Flight-vehicle materials, structures, and dynamics - Assessment and future directions. Vol. 4 - Tribological materials and NDE
[ISBN 0-7918-0662-6] p 162 A94-12651

Liquid lubricants for advanced aircraft engines
p 142 A94-12653

- Magnetic bearings - State of the art p 162 A94-12657
- Aeroelastic problems in turbomachines p 99 A94-12695
- Experimental investigation of counter-rotating propfan flutter at cruise conditions p 516 A94-60042
- [BTN-94-EIX9432133310] p 516 A94-60042
- Prediction of ice shapes and their effect on airfoil drag [BTN-94-EIX94311329115] p 519 A94-60185
- Approximate similarity principle for a full-scale STOVL ejector [BTN-94-EIX94341338360] p 550 A94-60352
- Method of reducing drag in aerodynamic systems [NASA-CASE-LEW-14791-1] p 24 A94-10672
- Distributed simulation using a real-time shared memory network [NASA-TM-106239] p 198 A94-10724
- Specification and testing for power by wire aircraft [NASA-TM-106232] p 138 A94-10765
- A preliminary study on ice shape tracing with a laser light sheet [NASA-TM-105964] p 170 A94-11132
- Laser anemometer measurements and computations for transonic flow conditions in an annular cascade of high turning core turbine vanes [NASA-TP-3383] p 26 A94-11133
- Application of controller partitioning optimization procedure to integrated flight/propulsion control design for a STOVL aircraft [NASA-TM-106265] p 112 A94-11251
- A comparison between numerically modelled and experimentally measured loss mechanisms in wave rotors [NASA-TM-106279] p 100 A94-11255
- A research program for improving heat transfer prediction for the laminar to turbulent transition region of turbine vanes/blades [NASA-TM-106278] p 170 A94-11256
- Strain sensing technology for high temperature applications [NASA-TM-4498] p 173 A94-12874
- Averaging techniques for steady and unsteady calculations of a transonic fan stage [NASA-TM-106231] p 3 A94-13108
- NDE of titanium alloy MMC rings for gas turbine engines [NASA-TM-106188] p 148 A94-13138
- Combustor technology for future small gas turbine aircraft [NASA-TM-106312] p 101 A94-13142
- Analysis of gas turbine engines using water and oxygen injection to achieve high Mach numbers and high thrust [NASA-TM-106270] p 102 A94-13143
- A future view of computational science in aircraft [NASA-TM-109284] p 32 A94-13621
- Futurepath 2 [NASA-TM-109285] p 102 A94-13623
- Noise levels from a model turbofan engine with simulated noise control measures applied [NASA-TM-106318] p 102 A94-14036
- Mixing noise reduction for rectangular supersonic jets by nozzle shaping and induced screech mixing [NASA-TM-106364] p 34 A94-14208
- A hot dynamic seal rig for measuring hypersonic engine seal durability and flow performance [NASA-TM-106294] p 179 A94-14727
- Interaction of two glancing, crossing shock waves with a turbulent boundary-layer at various Mach numbers [NASA-TM-103740] p 36 A94-14780
- A new Lagrangian method for three-dimensional steady supersonic flows [NASA-TM-106068] p 37 A94-14847
- Cruise noise measurements of a scale model advanced ducted propulsor [NASA-TM-105808] p 207 A94-15115
- NASA images 6 [NASA-TM-109437] p 57 A94-15336
- Development of the seeding system used for laser velocimeter surveys of the NASA Low-Speed Centrifugal Compressor flow field [NASA-TM-4485] p 180 A94-15445
- NASA Lewis 9- by 15-foot low-speed wind tunnel user manual [NASA-TM-106247] p 134 A94-15819
- Effect of wind tunnel acoustic modes on linear oscillating cascade aerodynamics [NASA-TM-106367] p 104 A94-15866
- The vibro-acoustic mapping of low gravity trajectories on a Learjet aircraft p 182 A94-16078
- Development of a proposed international standard for certification of aircraft to High Intensity Radiated Fields (HIRF) [NASA-TM-106357] p 58 A94-16520
- Flow analysis for the nacelle of an advanced ducted propeller at high angle-of-attack and at cruise with boundary layer control [NASA-TM-106371] p 41 A94-16571
- Experimental and computational investigation of the NASA low-speed centrifugal compressor flow field [NASA-TM-4481] p 104 A94-17386
- Jet engine performance enhancement through use of a wave-rotor topping cycle [NASA-TM-4486] p 105 A94-17470
- Flutter analysis using transversality theory [NASA-TM-106382] p 183 A94-17481
- Mechanical Systems Technology Branch research summary, 1985 - 1992 [AD-A276450] p 184 A94-17583
- A comparative study of turbulence models in predicting hypersonic inlet flows p 50 A94-18553
- Turbulence modeling in aircraft icing p 185 A94-18555
- Design for cyclic loading endurance of composites [NASA-TM-106407] p 187 A94-19351
- Overview of STOVL aircraft propulsion research offakes and vertical lift systems [NASA-TM-106387] p 105 A94-19353
- Supersonic jets from bevelled rectangular nozzles [NASA-TM-106403] p 51 A94-19484
- Experimental and computational results from a large low-speed centrifugal impeller [NASA-TM-106421] p 52 A94-20136
- Quantification of uncertainties in the performance of smart composite structures [NASA-TM-106335] p 188 A94-20171
- New technique for oil backstreaming contamination measurements p 227 A94-20511
- Some practical turbulence modeling options for Reynolds-averaged full Navier-Stokes calculations of three-dimensional flows [NASA-TM-106399] p 216 A94-20534
- Development of phased twin flip-flop jets [NASA-TM-106404] p 216 A94-20563
- System and method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-1] p 232 A94-20588
- Thrust augmentation options for the Beta 2 two-stage-to-orbit vehicle [NASA-TM-106448] p 225 A94-21563
- Blade row interaction effects on flutter and forced response [NASA-TM-106438] p 226 A94-21586
- Users manual for the NASA Lewis three-dimensional ice accretion code (LEWICE 3D) [NASA-TM-105974] p 220 A94-21590
- A study of the compressible flow through a diffusing S-duct [NASA-TM-106411] p 217 A94-21591
- A comparative robustness evaluation of feedforward neurofilters [NASA-TM-106440] p 227 A94-21742
- The relative noise levels of parallel axis gear sets with various contact ratios and gear tooth forms [AD-A276299] p 234 A94-21756
- Probabilistic assessment of composite structures [NASA-TM-106368] p 234 A94-21757
- Comparison of mixing calculations for reacting and non-reacting flows in a cylindrical duct [NASA-TM-106435] p 226 A94-21758
- Options for thrust augmentation for the Beta 2 two-stage-to-orbit launch vehicle [NASA-TM-106418] p 226 A94-21759
- The 1992 Seals Flow Code Development Workshop [NASA-CP-10124] p 229 A94-21790
- Brush seal bristle flexure and hard-nub characteristics p 235 A94-21791
- Integrity testing of brush seal in a T-700 engine p 235 A94-21792
- Compliant seal development p 235 A94-21795
- Instability modes excited by natural screech tones in a supersonic rectangular jet [NASA-TM-106409] p 218 A94-22274
- Unstructured grid research and use at NASA Lewis Research Center p 243 A94-22353
- An overview of computational simulation methods for composite structures failure and life analysis p 239 A94-22617
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel diffuser [NASA-TM-106311] p 268 A94-23091
- Lewis Research Center R and O Facilities [NASA-TM-109400] p 287 A94-23135
- An overview of a model rotor icing test in the NASA Lewis Icing Research Tunnel [NASA-TM-106471] p 248 A94-23299
- Refraction of high frequency noise in an arbitrary jet flow [NASA-TM-106465] p 284 A94-23464
- Measurements and modeling of flow structure in the wake of a low profile wishbone vortex generator [NASA-TM-106468] p 248 A94-23465
- Transient Ejector Analysis (TEA) code user's guide [NASA-TM-106310] p 264 A94-23466
- Characteristics of surface roughness associated with leading edge ice accretion [NASA-TM-106459] p 249 A94-23522
- Close-up analysis of inflight ice accretion [NASA-TM-106457] p 254 A94-23523
- Holographic testing of composite propfans for a cruise missile wind tunnel model [NASA-TM-105271] p 264 A94-23545
- Bibliography of Lewis Research Center technical publications announced in 1992 p 287 A94-23562
- Effect of delta tabs on mixing and axis switching in jets from asymmetric nozzles [NASA-TM-106450] p 249 A94-23592
- The Fifth Annual Thermal and Fluids Analysis Workshop [NASA-CP-10122] p 276 A94-23634
- Rime-, mixed- and glaze-ice evaluations of three scaling laws [NASA-TM-106461] p 255 A94-24047
- CFD assessment of orifice aspect ratio and mass flow ratio on jet mixing in rectangular ducts [NASA-TM-106434] p 265 A94-24082
- Evaluation of turbulence models in the PARC code for transonic diffuser flows [NASA-TM-106391] p 250 A94-24084
- Roles, uses, and benefits of general aviation aircraft in aerospace engineering education [NASA-TM-106463] p 247 A94-24100
- Discrete sensitivity derivatives of the Navier-Stokes equations with a parallel Krylov solver [NASA-TM-106481] p 271 A94-24301
- Probabilistic simulation of concurrent engineering of propulsion systems p 259 A94-24317
- Multi-disciplinary coupling for integrated design of propulsion systems p 266 A94-24326
- Ethylene trace-gas techniques for high-speed flows [NASA-TM-106491] p 253 A94-24335
- Improved pressure measurement system for calibration of the NASA LeRC 10x10 supersonic wind tunnel [NASA-TM-106470] p 280 A94-24362
- Stagnation region heat transfer: The influence of turbulence parameters, Reynolds number and body shape [NASA-TM-106504] p 281 A94-24481
- Mixing characteristics of directly opposed rows of jets injected normal to a crossflow in a rectangular duct [NASA-TM-106477] p 267 A94-24594
- Fan noise research at NASA [NASA-TM-106512] p 369 A94-25172
- NASA/Army rotorcraft transmission research, a review of recent significant accomplishments [NASA-TM-106508] p 351 A94-25181
- Improving diffusing S-duct performance by secondary flow control [NASA-TM-106492] p 291 A94-25182
- Temperature measurement using infrared imaging systems during turbine engine altitude testing [NASA-TM-105871] p 342 A94-25184
- Two-dimensional CFD modeling of wave rotor flow dynamics [NASA-TM-106261] p 331 A94-25185
- Probabilistic assessment of smart composite structures [NASA-TM-106358] p 351 A94-25188
- Focused Schlieren flow visualization studies of multiple venturi fuel injectors in a high pressure combustor [NASA-TM-106479] p 332 A94-26573
- Development of hypersonic engine seals: Flow effects of preload and engine pressures [NASA-TM-106333] p 357 A94-27599
- Summary of NASA Aerospace Flight Battery Systems Program activities p 366 A94-28101
- A review of recent aeroelastic analysis methods for propulsion at NASA Lewis Research Center [NASA-TP-3406] p 363 A94-28227
- The nozzle acoustic test rig: An acoustic and aerodynamic free-jet facility [NASA-TM-106495] p 401 A94-28749
- Spray combustion experiments and numerical predictions p 407 A94-29277
- Fuel-rich catalytic combustion of a high density fuel [NASA-TP-3281] p 407 A94-29356
- Method for cancelling expansion waves in a wave rotor [NASA-CASE-LEW-15218-2] p 413 A94-29740
- A novel approach to noise-filtering based on a gain-scheduling neural network architecture [NASA-TM-106563] p 401 A94-30204

- Evaluation of flip-flop jet nozzles for use as practical excitation devices
[NASA-TM-106377] p 421 N94-30949
- Computational study of single-expansion-ramp nozzles with external burning
[NASA-TM-106550] p 446 N94-31229
- WHIPICE
[NASA-TM-109749] p 426 N94-31803
- High temperature NASP engine seal development
[NASA-TM-109750] p 447 N94-31804
- Flutter analysis of a supersonic cascade in time domain using an ADI Euler solver
[NASA-TM-105625] p 498 N94-32883
- Institute for Computational Mechanics in Propulsion (ICOMP)
[NASA-TM-106542] p 499 N94-32969
- Use of Navier-Stokes methods for the calculation of high-speed nozzle flow fields
[NASA-TM-106551] p 459 N94-32984
- Research and technology, 1993
[NASA-TM-106376] p 455 N94-33046
- Vibration Isolation Technology (VIT) ATD project
[NASA-TM-106496] p 455 N94-33064
- NASA HSR phase 1 low noise nozzle technology program overview
p 478 N94-33463
- High speed jet noise research at NASA Lewis
p 509 N94-33464
- The NASA sponsored HSCT propulsion studies
p 479 N94-33476
- A NASA Lewis comparative propulsion system assessment for the High-Speed Civil Transport
p 479 N94-33477
- Low emissions combustor technology for high-speed civil transport engines
p 479 N94-33481
- HSR combustion analytical research
p 497 N94-33483
- LeRC in-house experimental research
p 497 N94-33484
- Propulsion airframe integration session overview and review of Lewis PAI efforts
p 479 N94-33503
- Transonic airframe propulsion integration
p 480 N94-33507
- Status of the variable diameter centerbody inlet program
p 473 N94-33509
- Enabling propulsion materials for high-speed civil transport engines
p 480 N94-33511
- NACA fire crash research
[NASA-TM-109794] p 456 N94-33572
- Flying on the ground
[NASA-TM-109825] p 513 N94-33579
- The second giant leap
[NASA-TM-109827] p 514 N94-33581
- Powered lift facility at NASA Lewis Research Center's Aeroacoustic Propulsion Laboratory
[NASA-TM-106577] p 491 N94-33604
- Improvements in spiral-bevel gears to reduce noise and increase strength
[NASA-TM-106613] p 500 N94-33609
- Icing test results on an advanced two-dimensional high-lift multi-element airfoil
[NASA-TM-106620] p 464 N94-33705
- Measurement of the coolant channel temperatures and pressures of a cooled radial-inflow turbine
[NASA-TM-106594] p 480 N94-33706
- Crash impact survival in light planes
[NASA-TM-109799] p 468 N94-33749
- National aerospace plane
[NASA-TM-109843] p 497 N94-33750
- Icing research tunnel
[NASA-TM-109844] p 491 N94-33751
- STOVL
[NASA-TM-109845] p 473 N94-33790
- Visualization of secondary flow development in high aspect ratio channels with curvature
[NASA-TM-106658] p 501 N94-33941
- Comparison of transmission error predictions with noise measurements for several spur and helical gears
[NASA-TM-106647] p 502 N94-33954
- The effects of vortex ingestion on the flow in a diffusing S-duct
[NASA-TM-106652] p 481 N94-33955
- Engine seal technology requirements to meet NASA's advanced subsonic technology program goals
[NASA-TM-106582] p 502 N94-33960
- Design of a low aspect ratio transonic compressor stage using CFD techniques
[NASA-TM-106636] p 481 N94-33971
- TIGGERC: Turbomachinery interactive grid generator for 2-D grid applications and users guide
[NASA-TM-106586] p 481 N94-33974
- Experimental and computational results from a large low-speed centrifugal impeller
p 484 N94-34446
- Combustor technology for future small gas turbine aircraft
p 485 N94-34452
- Flow quality studies of the NASA Lewis Research Center Icing Research Tunnel
[NASA-TM-106545] p 543 N94-34919
- Computational methods for HSCT-inlet controls/CFD interdisciplinary research
[NASA-TM-106618] p 539 N94-35352
- Challenging the Future - Journey to Excellence.
Aeropropulsion strategic plan for the 1990's
[NASA-TM-109250] p 545 N94-35591
- Electromechanical simulation and test of rotating systems with magnetic bearing or piezoelectric actuator active vibration control
p 555 N94-35905
- A supersonic tunnel for laser and flow-seeding techniques
[NASA-TM-106588] p 556 N94-35945
- Mixing and noise benefit versus thrust penalty in supersonic jets using impingement tones
[NASA-TM-106583] p 568 N94-36686
- A method for flow simulation about complex geometries using both structured and unstructured grids
[NASA-TM-106633] p 569 N94-37283
- Prediction of film cooling on gas turbine airfoils
[NASA-TM-106653] p 579 N94-37448
- Dynamics of a split torque helicopter transmission
[NASA-TM-106410] p 596 N94-37457
- NASA Lewis wind tunnel model systems criteria
[NASA-TM-106565] p 604 N94-37522
- National Aeronautics and Space Administration.**
Marshall Space Flight Center, Huntsville, AL.
Numerical analysis of turbine blade tip treatments
[SAE PAPER 921928] p 13 A94-11976
- Dynamic tester for rotor seals and bearings
[NASA-CASE-MFS-28493-1] p 130 N94-10669
- Control system design for flexible structures using data models
p 121 N94-14646
- Tuned mass damper for integrally bladed turbine rotor
[NASA-CASE-MFS-28697-1] p 411 N94-29353
- National Aeronautics and Space Administration.**
Wallops Flight Facility, Wallops Island, VA.
Development and application of an empirical probability distribution for the prediction error of re-entry body maximum dynamic pressure
p 269 N94-23653
- National Aerospace Lab., Amsterdam (Netherlands).**
Future developments of the NLR research flight simulator
[NLR-TP-92143-U] p 132 N94-13498
- Photogrammetric methods for trajectory measurements
[NLR-TP-91166-U] p 174 N94-13527
- On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics
[NLR-TP-91307-U] p 31 N94-13528
- Clebsch variable model for unsteady, transonic flow; application to 2D airfoils
[NLR-TP-91387-U] p 31 N94-13530
- A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations
[NLR-TP-91397-U] p 31 N94-13531
- Performance of gas turbine compressor cleaners
[NLR-TP-91291-U] p 103 N94-14450
- Symposium on the Future of Aeronautics in the Netherlands
[ETN-93-93780] p 3 N94-15120
- Expectations for the future of the National Aerospace Laboratory
p 134 N94-15129
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506
- Study into the limits of an Euler equation method applied to leading-edge vortex flow
[NLR-TP-91350-U] p 184 N94-17627
- Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport
[NLR-TP-91384-U] p 58 N94-17733
- Take-off performance monitoring system algorithm and display development
[NLR-TP-91395-U] p 88 N94-17734
- High-lift system analysis method using unstructured meshes
p 47 N94-18426
- Technical and scientific research for aeronautics and astronautics
[ETN-94-95392] p 289 N94-26212
- The deterministic power-spectral-density method
[AD-B175894] p 340 N94-27395
- High-lift system analysis method using unstructured meshes
[NLR-TP-92351-U] p 296 N94-27554
- Investigation of the bond strength of a discrete skin-stiffener interface
[NLR-TP-92183-U] p 327 N94-27796
- Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft
[NLR-TP-92210-U] p 341 N94-27798
- Flight testing of GPS and GPS-aided systems
[NLR-TP-92151-U] p 315 N94-27831
- The deterministic power-spectral-density-method for nonlinear systems
[AD-B179687] p 369 N94-28353
- Engineering of systems for application of scientific computing in industry
p 415 N94-28947
- ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956
- Simulation of fully automated air traffic control concepts
p 386 N94-29569
- The PHARE advanced tools
p 388 N94-29581
- Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued)
[NLR-TP-92156-U] p 393 N94-30342
- The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations
[PB94-125598] p 381 N94-30387
- Numerical investigation into high-angle-of-attack leading-edge vortex flow
[PB94-125564] p 381 N94-30388
- Correction of X hot-wire measurements for gradients normal to the plane of the wires
[PB94-125473] p 402 N94-30399
- Calculus of variations applied to 2D multi-point airfoil design
[PB94-125457] p 381 N94-30401
- A modernised HST of NLR
[AD-B179220] p 402 N94-30423
- A simulator for multi-radar analysis for realistic traffic
[AD-B179099] p 427 N94-30439
- Aspects of the modeling and numerical simulation of leading-edge vortex flow
[AD-B179108] p 420 N94-30492
- A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design
[NLR-TP-92524-U] p 420 N94-30493
- Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aeroelasticity
[PB94-126224] p 420 N94-30740
- Euler results of the ISNaS compressible multi-block flow solver
[AD-B179299] p 444 N94-30756
- Information system for flow simulation based on the Navier-Stokes equations vectorization
[AD-B179293] p 444 N94-30763
- A stochastic control approach to flight path monitoring
[AD-B174630] p 430 N94-30853
- A review of the status and capabilities of Navstar GPS
[AD-B174629] p 430 N94-30854
- 'Real time' and the NLR aerodynamic facilities
[AD-B173626] p 438 N94-30856
- Grid adaption in computational aerodynamics
[PB94-126240] p 421 N94-30858
- Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173851] p 421 N94-30916
- The experimental flight management system: An air traffic management research tool
[NLR-TP-92253-U] p 430 N94-30943
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- CFD-based drag prediction: State-of-the-art, theory, prospects
[AD-B179297] p 422 N94-31180
- On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAF
p 532 N94-34598
- National Aerospace Lab., Emmeloord (Netherlands).**
Overview of the FAA/DCA/NLR programs related to ageing aircraft
[NLR-TP-92119-U] p 4 N94-17614
- Experiments and theoretical considerations regarding the allowable roughness height in laminar flow
[PB94-125556] p 381 N94-30389

National Aerospace Lab., Kakuda (Japan).

Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow
[NAL-TR-1184] p 148 N94-13458

A study on heat transfer in a scramjet leading edge model
[NAL-TR-11877] p 333 N94-27608

Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953

Similarity between turbulent flows through curved pipe and orthogonal rotating pipe p 410 N94-28986

National Aerospace Lab., Tokyo (Japan).

An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests
[NAL-TM-647] p 19 N94-10350

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response
[NAL-TR-1153] p 20 N94-10363

A grid generation method to calculate the flow field in a three-dimensional cascade of blades
[NAL-TR-1158] p 166 N94-10364

Solving the inverse problem for incompressible potential flow through two-dimensional cascades
[NAL-TR-1162] p 166 N94-10365

Numerical calculation of scramjet inlet flow
[NAL-TR-1174T] p 100 N94-10370

Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry
[NAL-SP-20] p 22 N94-10466

Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467

Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475

Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476

Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480

Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482

Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data [DE93-767967] p 79 N94-10728

Flight simulator experiment of the cockpit advisory system
[NAL-TR-1151] p 131 N94-10733

In-flight simulation of backside operating models using direct lift controller
[NAL-TR-1152] p 112 N94-10734

Simulated wake characteristics of tapered annular wings by a discrete vortex method
[NAL-TR-1156] p 25 N94-10855

Simulated and experimental aerodynamic characteristics of tapered annular wings
[NAL-TR-1157] p 25 N94-10856

New aerodynamic information obtained from the solution of the inverse problem for aerofoils
[NAL-TR-1172] p 25 N94-10860

Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan
[NAL-TM-648T] p 169 N94-10861

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948

Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests
[NAL-TR-1171] p 28 N94-12951

Control system design of a cable-mounted model used for dynamic wind tunnel testing
[NAL-TR-1161] p 132 N94-13337

Development of an on-board aircraft optical fiber data bus system
[NAL-TR-1163] p 83 N94-13338

Low-speed wind tunnel tests on four types of joined-wing aircraft models
[NAL-TR-1167] p 29 N94-13340

Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin
[NAL-TR-1169] p 30 N94-13341

Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode
[NAL-TR-1170] p 30 N94-13342

Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344

Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses
[NAL-TR-1179] p 30 N94-13345

Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results
[NAL-TM-649] p 68 N94-13346

Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system
[NAL-TR-1164] p 120 N94-13347

Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method
[NAL-TR-1150] p 30 N94-13392

Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA
[NAL-TR-1144] p 95 N94-13451

Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing
[NAL-TR-1180T-PT-2] p 31 N94-13454

Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA
[NAL-TR-1183] p 68 N94-13457

Hypersonic aerodynamic characteristics of SSTD-type aerospace planes. Part 1: The NAL 0-th configuration
[NAL-TR-1186] p 83 N94-13459

Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing
[DE93-767969] p 33 N94-14059

Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations
[DE93-767970] p 33 N94-14061

Optimal control of helicopters following power failure
[NAL-TR-1190] p 340 N94-27206

Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape
[NAL-TM-653] p 295 N94-27235

The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement
[NAL-TM-651] p 344 N94-27247

Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics
[NAL-SP-19] p 375 N94-28946

Monte Carlo simulation of normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948

Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949

Rarefied gas numerical wind tunnel. Part 8: HOPE
p 401 N94-28950

Numerical simulation of arc heated wind tunnel flow
p 402 N94-28951

Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles
p 375 N94-28955

Numerical solution of inverse problem in aerodynamics p 376 N94-28965

Numerical study on internal flows of centrifugal compressors p 395 N94-28977

An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981

Performance evaluation of the NWT with parallel Fortran p 415 N94-28992

A method of user interface for NWT p 415 N94-28993

National Association of Corrosion Engineers, Houston, TX.

Proceedings of the 12th International Congress: Corrosion Control for Low-Cost Reliability. Volume 5A: Corrosion: General issues
[AD-A273666] p 349 N94-25406

National Center for Atmospheric Research, Boulder, CO.

Overview of microphysical and state parameter measurements from FIRE 2 p 240 N94-22293

Aviation Weather Program (AWP) p 282 N94-24380

National Defence Academy, Tokyo (Japan).

Third order LPF type compensator for flexible rotor suspension p 554 N94-35863

National Defence Headquarters, Ottawa (Ontario).

Monopiece strain gauge sting mounted wind tunnel balance
[CA-PATENT-1-311-626] p 181 N94-15697

An overview of a generic multi-sensor integrated navigation system design
[CTN-94-60916] p 256 N94-24120

National Defence Research Establishment, Linköping (Sweden).

Algorithms for a digital radio direction finding system in the HF band
[PB94-149176] p 470 N94-34093

National Defence Research Establishment, Stockholm (Sweden).

Satellite navigation system GPS: A review of principles and performance and developments in general
[PB94-124534] p 314 N94-27210

Installation of an FTIR spectrometer in the TP86 Sabreliner
[PB94-149036] p 475 N94-34128

National Inst. of Polar Research, Tokyo (Japan).

Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973

National Inst. of Standards and Technology, Boulder, CO.

A comparison of GPS broadcast and DMA precise ephemerides p 429 N94-30660

Aperture excitation of electrically large, lossy cavities [PB94-145711] p 447 N94-31683

National Inst. of Standards and Technology, Gaithersburg, MD.

Computer-aided molecular design of fire resistant aircraft materials p 144 N94-10779

Developments needed to expand the role of fire modeling in material fire hazard assessment p 145 N94-10787

Theoretical evaluation of R22 and R502 alternatives [DE93-014767] p 205 N94-10853

Dispersion of fire suppression agents discharged from high pressure vessels: Establishing initial/boundary conditions for the flow outside the vessel [PB94-103660] p 255 N94-23810

National Oceanic and Atmospheric Administration, Boulder, CO.

Observations of multi-layered clouds using K-band radar p 242 N94-22311

Cloud liquid water content measurement tests using dual-wavelength radar p 365 N94-26959

Remote sensor observations during WISP91: The use of microwave radiometers, RASS, and lidar ceilometers for detection of aircraft icing conditions [PB94-142106] p 426 N94-30890

National Park Service, Denver, CO.

Aircraft noise effects on cultural resources: Recommendation and rationale for further research [PB93-205326] p 244 N94-22053

National Physical Lab., Teddington (England).

An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft
[NPL-RSA(EXT)-0039] p 206 N94-13885

Exercise keevil: Noise levels of six military helicopters [PB93-210722] p 369 N94-25026

National Research Council of Canada, Ottawa (Ontario).

The OSU heat release rate test using the oxygen consumption principle p 144 N94-10784

ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator p 115 N94-13295

A distributed, visual object system using aggregation objects with a local namespace
[IME-MET-TR-007] p 200 N94-13860

An expert system class library for Audition [IME-MET-TR-008] p 210 N94-14196

Beamforming in an acoustic shadow p 286 N94-24219

Abstracts of papers presented at the 4th CASI Aerodynamics Symposium
[ISBN-0-920203-01-9] p 301 N94-28315

Solution-adaptive simulation of transonic cascade flows p 305 N94-28344

Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458

Hot section materials for small turbines p 486 N94-34465

National Research Inst. for Metals, Tokyo (Japan).

Study on utilization of super clean, high vacuum space p 342 N94-25586

National Space Development Agency, Tokyo (Japan).

Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3
[NAL-TR-1168-PT-3] p 28 N94-12948

Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344

National Technical Univ., Athens (Greece).

The block adaptive multigrid method applied to the solution of the Euler equations p 216 N94-21472

National Transportation Safety Board, Washington, DC.

Aircraft Accident/Incident Summary Report: Loss of control. Business Express, Inc., Beechcraft 1900C N811BE near Block Island, Rhode Island, December 28, 1991 [PB93-910405] p 55 N94-11044

National Transportation Safety Board annual review of aircraft accident data, US general aviation, calendar year 1989 p 58 N94-16464

Annual review of aircraft accident data. US air carrier operations, calendar year 1990 [PB94-102787] p 58 N94-17471

Aircraft accident report: Midair collision, Mitsubishi MU-2B-60, N74FB, and PIPER PA-32-301, N82419, Greenwood Municipal Airport, Greenwood, Indiana, 11 September 1992 [PB93-910406] p 59 N94-19352

- Aircraft accident report: Inadvertent in-flight slat deployment, China Eastern Airlines Flight 583, McDonnell Douglas MD-11, B-2171, 950 nautical miles south of Shemya, Alaska, 6 April 1993
[PB93-910408] p 254 N94-23579
- Aircraft accident report: In-flight engine separation, Japan Airlines, Inc., flight 46E, Boeing 747-121, N473EV, Anchorage, Alaska, 31 March 1993
[PB93-410407] p 255 N94-24062
- Annual review of aircraft accident data. US general aviation calendar year 1990
[PB94-126869] p 305 N94-24841
- Aircraft accident report: In-flight loss of propeller blade and uncontrolled collision with terrain Mitsubishi MU-2B-60, N86SD, Zwingle, Iowa, 19 April 1993
[PB93-910409] p 306 N94-25175
- Aircraft accident/incident summary report: Controlled flight into terrain GP Express Airlines, Inc., N115GP Beechcraft C-99, Shelton, Nebraska, 28 April 1993
[PB94-910401] p 306 N94-25273
- Aircraft accident report: Runway departure following landing American Airlines flight 102, McDonnell Douglas DC-10-30, N139AA, Dallas/Fort Worth International Airport, Texas, April 14, 1993
[PB94-910402] p 308 N94-27766
- Special investigation report: Safety issues related to wake vortex encounters during visual approach to landing
[PB94-917002] p 308 N94-27881
- National Transportation Safety Board annual review of aircraft accident data. US general aviation, 1990
[PB94-126869] p 382 N94-29185
- Aircraft accident/incident summary report: In-flight loss of control, leading to forced landing and runway overrun, Continental Express, Inc., N24706 Embraer EMB-120 RT, Pine Bluff, Arkansas, 29 April 1993
[PB94-910404] p 382 N94-29402
- Annual review of aircraft accident data: US air carrier operations, calendar year 1991
[PB94-158847] p 467 N94-32925
- Aircraft accident report: In-flight turbulence encounter and loss of portions of the elevators, China Airlines Flight CI-012, McDonnell Douglas MD-11-P, Taiwan Registration B-150 about 20 miles east of Japan, 7 December 1992
[PB94-910403] p 467 N94-32938
- Aircraft accident report: Controlled flight into terrain Federal Aviation Administration Beech Super King Air 300/F, N82, Front Royal, Virginia, 26 October 1993
[PB94-910405] p 468 N94-34390
- Annual review of aircraft accident data: US general aviation calendar year 1991
[PB94-127982] p 528 N94-34991
- Safety study: A review of flightcrew-involved, major accidents of US air carriers, 1978 through 1990
[PB94-917001] p 529 N94-35482
- Annual review of aircraft accident data. US general aviation, calendar year 1992
[PB94-181054] p 529 N94-35496
- Aircraft accident report: Uncontrolled collision with terrain, American International Airways Flight 808, Douglas DC-8-61, N814CK, US Naval Air Station, Guantanamo Bay, Cuba, 18 August 1993
[PB94-910406] p 529 N94-35521
- National Weather Service, Fort Worth, TX.**
Impact of weather on flight operations at a major airport
[PB94-127990] p 507 N94-34408
- Naval Academy, Annapolis, MD.**
Design of a state-space controller for an advanced gas turbine engine
[AD-A270859] p 105 N94-20042
- Naval Aerospace Medical Research Lab., Pensacola, FL.**
Aircraft windscreens enhance visual search disruption produced by laser glare
[AD-A265167] p 82 N94-11892
- Naval Air Systems Command, Arlington, VA.**
Advanced avionics architecture and technology review. Executive summary and volume 1: Avionics tech nology. Volume 2: Avionics systems engineering
[AD-A273630] p 263 N94-24733
- Naval Air Warfare Center, China Lake, CA.**
Equations of motion of a hinged body over a spherical earth
[AD-A268408] p 87 N94-17435
- Naval Air Warfare Center, Indianapolis, IN.**
Embedded Computer Performance Measurement (ECPM). Advanced avionics subsystems and technology multiprocessor ECPM software documentation
[AD-A269921] p 96 N94-18658
- Ground proximity warning system voice warning unit requirements study
[AD-A270541] p 60 N94-19876
- NAVAIR aircraft wiring standardization and qualification program
[AD-A270541] p 408 N94-28704
- Organized wiring systems
[AD-A270541] p 408 N94-28705
- Naval Air Warfare Center, Lakehurst, NJ.**
Fuzzy-neural control of an aircraft tracking camera platform
[AD-A268987] p 507 N94-32423
- Naval Air Warfare Center, Patuxent River, MD.**
Rotorwash wind sensor evaluation
[AD-A268987] p 189 N94-20203
- X-31 tactical utility: Initial results
p 533 N94-34620
- Aerial refueling interoperability from a receiver flying qualities perspective
p 575 N94-36343
- Naval Air Warfare Center, Trenton, NJ.**
Navy GTE seal development activity
p 235 N94-21794
- Combustion technology needs for advanced high pressure cycle engines
p 404 N94-29248
- Naval Air Warfare Center, Warminster, PA.**
Paint removal activities in the US Navy
p 166 N94-10614
- MIL-H-8501B: Application to shipboard terminal operations
p 116 N94-13296
- Primary display latency criteria based on flying qualities and performance data
p 119 N94-13318
- Aircraft carrier exposure tests of cast magnesium alloys
[AD-A268260] p 151 N94-17418
- An application of the Cerebellar Model Articulation Controller for a switched reluctance rotor position estimator
[AD-A271769] p 242 N94-20926
- Methods for experimentally determining commercial jet aircraft landing parameters from video image data
[AD-A274207] p 326 N94-27105
- Evaluation of the Hughes conversion coating touch-up pen
[AD-A278398] p 496 N94-33166
- Application of current departure resistance criteria to the post-stall maneuvering envelope
p 533 N94-34622
- Application of centrifuge based dynamic flight simulation to enhanced maneuverability RDT/E
p 541 N94-34630
- The case for surface effect research, platform applications and technology development opportunities
p 573 N94-36325
- Propulsion system selection for a High Altitude Long Endurance aircraft
p 578 N94-36333
- Naval Aviation Logistics Center, Patuxent River, MD.**
Aircraft age impacts on maintenance requirements
[AD-A275701] p 373 N94-28666
- Aircraft age impact on individual operating and support cost elements
[AD-A275739] p 373 N94-28732
- Naval Civil Engineering Lab., Port Hueneme, CA.**
Structured finite volume modeling of US Navy aircraft engine test cells task 2: Turboprop engine, volume 1
[AD-A267833] p 135 N94-17405
- Naval Command, Control and Ocean Surveillance Center, San Diego, CA.**
Active control of oscillatory lift forces on a circular cylinder
[AD-A273243] p 350 N94-25140
- An evaluation of three GPS receivers for use in the GPS sounder
[AD-A278157] p 469 N94-33253
- Naval Observatory, Washington, DC.**
A comparison of several GPS data reduction methods
p 429 N94-30662
- Naval Postgraduate School, Monterey, CA.**
Applying reliability models to the maintenance of Space Shuttle software
p 199 N94-11434
- Lift enhancement of a wing/stroke using pneumatic blowing
[AD-A265074] p 82 N94-11872
- Laser Doppler velocimetry measurements across a normal shock in transonic flow
[AD-A267240] p 38 N94-14973
- A rapid computational model for estimating the performance of compliant airfoils in cascades
[AD-A266275] p 40 N94-16471
- Determining the effect of endwall boundary layer suction in a large scale subsonic compressor cascade
[AD-A267208] p 42 N94-16913
- Fatigue life program using strain-life methods
[AD-A267310] p 182 N94-16943
- An application of parameter estimation to the stability and control of the BQM-147 unmanned aerial vehicle
[AD-A268741] p 122 N94-18401
- A computational and experimental investigation of incompressible oscillatory airfoil flow and flutter problems
[AD-A268748] p 46 N94-18402
- Preliminary design of a water cooled avionics cooling rack
[AD-A268826] p 96 N94-18536
- Close-coupled oscillating canard effects on post-stall lift enhancement
[AD-A268938] p 123 N94-18541
- Two-dimensional boundary surfaces for axis-symmetric external transonic flows
[AD-A269678] p 50 N94-18571
- Control vane guidance for a ducted-fan unmanned air vehicle
[AD-A271957] p 223 N94-20561
- Design, fabrication and test of a vertical attitude takeoff and landing unmanned air vehicle
[AD-A273003] p 223 N94-21283
- Effects of thrust vector control on the performance of the aerobag orbital plane change maneuver
[AD-A272532] p 224 N94-21418
- Data link development for the archytas vertical takeoff and landing transitional flight unmanned aerial vehicle
[AD-A272499] p 224 N94-21548
- A numerical study of airplanes flying in proximity
[AD-A273373] p 255 N94-24718
- Evaluation of the UH-1N instrument panel
[AD-A273145] p 263 N94-24774
- Information systems strategy in air transport
[AD-A273125] p 256 N94-24781
- Conceptual design proposal: HUGO global range/mobility transport aircraft
[NASA-CR-195501] p 316 N94-24787
- Dumbo heavy lifter aircraft
[NASA-CR-195500] p 317 N94-24915
- An x ray diffraction investigation of alpha-Al₂O₃ addition to Yttria Stabilized Zirconia (YSZ) thermal barrier coatings subject to destabilizing vanadium pentoxide (V₂O₅) exposure
[AD-A273403] p 348 N94-25072
- An analysis of multiple sensor system payloads for unmanned aerial vehicles
[AD-A274905] p 324 N94-26182
- Computational investigation of the compressible dynamic stall characteristics of the Sikorsky SSC-A09 airfoil
[AD-A274867] p 292 N94-26191
- Linear modeling of rotorcraft for stability analysis and preliminary design
[AD-A274869] p 339 N94-26192
- MIMO recursive least squares control algorithm for the AN/FPN-44A Loran-C transmitter
[AD-A274820] p 313 N94-26493
- Laser Doppler velocimetry in a low speed multistage compressor
[AD-A274836] p 353 N94-26498
- Computer code for interactive rotorcraft preliminary design using a harmonic balance method for rotor trim
[AD-A274924] p 325 N94-26531
- A finite wake theory for two-dimensional rotary wing unsteady aerodynamics
[AD-A274921] p 294 N94-26535
- Service life prediction of composite structures through fiber testing
[AD-A275661] p 403 N94-28654
- Safety enhancement of composites via periodic proof testing
[AD-A275662] p 403 N94-28655
- A moment plotting method for characterizing aircraft fatigue data population distributions
[AD-A275500] p 390 N94-28660
- Aerodynamic design using parallel processors
[AD-A275470] p 374 N94-28674
- Acquisition, design modification, assembly, and ground test of NPS Hummingbird remotely piloted helicopter
[AD-A275546] p 390 N94-28837
- Procedural guide for modelling and analyzing the flight characteristics of a helicopter design using flightlab
[AD-A275077] p 391 N94-28870
- A non-linear simulation for an autonomous unmanned air vehicle
[AD-A275062] p 391 N94-29200
- An analysis of non-integrizing the aircraft engines Cost Effectiveness Analysis Spreadsheet Model (CEAMOD version 2.0)
[AD-A276251] p 435 N94-31290
- An analysis of the maintenance performance measurement system for LAMPS MK 3 helicopter squadrons
[AD-A276421] p 419 N94-31332
- Rotorcraft dynamic effects driven by fluid forces from a geometrically imperfect labyrinth
[AD-A276424] p 446 N94-31333
- Development of a cascade simulation of fan-passage flow
[AD-A277234] p 436 N94-32026
- Hotwire measurements of the turbulent flow into a cascade of controlled-diffusion compressor blades
[AD-A277297] p 448 N94-32042
- Heat transfer studies on a rectangular channel with offset plate fins
[AD-A277300] p 452 N94-32043
- Applied Computational Electromagnetics Society Journal, volume 9, number 1, March 1994
[AD-A276753] p 448 N94-32183



- Analysis of Navy aircraft engine and engine component warranties
[AD-A276936] p 436 N94-32238
- Design and Monte Carlo analysis of an unmanned aerial vehicle
[AD-A277648] p 470 N94-33056
- Fault detection and isolation for the Bluebird test bed aircraft
[AD-A277979] p 487 N94-33086
- The analysis of wake-induced unsteady aerodynamics related to higher harmonic control
[AD-A277914] p 459 N94-33108
- An evaluation framework for designing a night vision, computer-based trainer
[AD-A278005] p 490 N94-33139
- An analysis of cellular telephone and INMARSAT systems for providing radio data link computer communications for US Navy vessels
[AD-A278143] p 499 N94-33160
- A user's manual for the cost effectiveness analysis spreadsheet model for aircraft engines (CEAMOD version 2.0)
[AD-A278042] p 477 N94-33266
- Analysis of intermediate level maintenance following F404-GE-400 engine component life reductions
[AD-A277918] p 477 N94-33283
- Cylinder drag experiment: An upgraded laboratory
[AD-A277841] p 464 N94-33835
- Comparison of pitch rate history effects on dynamic stall
p 535 N94-34968
- Computation of unsteady flows over airfoils
p 525 N94-34977
- Data reduction, analysis and results of LACV-30-07 air cushion vehicle tests, Fort Story, VA, August - September 1993
[AD-A278859] p 527 N94-35826
- Planning German Army helicopter maintenance and mission assignment
[AD-A280483] p 564 N94-37352
- Naval Research Lab., Washington, DC.**
NRL review for 1993
[AD-A265666] p 211 N94-12334
- Glutinous water: Protecting vertical and overhead surfaces from fire spread
[AD-A277280] p 427 N94-32405
- Naval Surface Warfare Center, Bethesda, MD.**
Results of a joint Navy/Air Force operational test to evaluate USAF Integrated Maintenance Information Systems (IMIS), Interactive Electronic Technical Manual (IETM) technology applied to the F/A-18 aircraft
[AD-A271322] p 211 N94-19571
- Tipjet 80-inch model rotor hover test: Test no. 1198
[AD-A279680] p 567 N94-36261
- Naval Surface Warfare Center, Dahlgren, VA.**
Improved aeroprediction code. Part 1: Summary of new methods and comparison with experiment
[AD-A266015] p 28 N94-12989
- Incorporation of boundary layer heating predictive methodology into NSWCDD aeroprediction code
[AD-A267000] p 181 N94-15632
- A new method for calculating wing along aerodynamics to angle of attack 180 deg
[AD-A277965] p 460 N94-33263
- Hypervelocity tunnel 9 Mach 8 Calibration
[AD-A277575] p 490 N94-33424
- User's guide for an interactive personal computer interface for the aeroprediction code
[NSWCDD/TR-94/107] p 559 N94-35958
- Naval Surface Warfare Center, Silver Spring, MD.**
Hypervelocity Tunnel 9 Mach 10/14 Calibration
[AD-A275960] p 439 N94-31318
- Naval Undersea Warfare Center, Newport, RI.**
Relation between the fluctuating wall pressure and the turbulent structure of a boundary layer on a cylinder in axial flow
[AD-A270242] p 186 N94-18906
- Netherlands Agency for Aerospace Programs, Delft.**
ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains
p 409 N94-28956
- Netherlands Association of Aeronautical Engineers, Amsterdam.**
Fifty years of the Netherlands Association of Aeronautical Engineers
p 4 N94-15121
- The future of Schiphol: Growth within boundaries
p 134 N94-15123
- Nevada Univ., Reno, NV.**
Numerical investigations in three-dimensional internal flows
[NASA-CR-194594] p 180 N94-15551
- New Brunswick Univ., Fredericton.**
An airport economic impact study procedure for Atlantic Canada
[ISBN-0-315-59445-4] p 228 N94-22419
- An investigation into acceleration determination for airborne gravimetry using the global positioning system
[ISBN-0-315-59470-5] p 256 N94-24176
- Newcastle-upon-Tyne Univ., Newcastle (England).**
Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- Nielsen Engineering and Research, Inc., Mountain View, CA.**
Controlling combustion and maximizing heat release in a reacting compressible free shear layer
[AD-A278328] p 464 N94-33966
- Nippon Electric Co. Ltd., Tokyo (Japan).**
Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments
[NAL-TR-1175] p 68 N94-13344
- North Carolina State Univ., Raleigh, NC.**
Multidisciplinary design techniques applied to conceptual aerospace vehicle design
[NASA-CR-194409] p 83 N94-13618
- Aeroelastic airfoil smart spar
p 87 N94-16865
- Semi-span model testing in the National Transonic Facility
[NASA-CR-194479] p 50 N94-19388
- Numerical solutions of the complete Navier-Stokes equations
[NASA-CR-194780] p 350 N94-24858
- Boundary layer study on nozzle wall at hypersonic velocities
p 424 N94-31882
- Semi-span model testing in the national transonic facility
[NASA-CR-195952] p 504 N94-34300
- Numerical modeling studies of wake vortex transport and evolution within the planetary boundary layer
[NASA-CR-196078] p 529 N94-35522
- North Dakota Univ., Grand Forks, ND.**
Prediction of contact path and load sharing in spiral bevel gears
[NASA-CR-195305] p 502 N94-34148
- Northrop Corp., Hawthorne, CA.**
Doppler global velocimetry: Development of a flight research instrumentation system for application to non-intrusive measurements of the flow field
[NASA-CR-191490] p 280 N94-24360
- Northwestern Polytechnical Univ., Xian (China).**
Stability and stability degree of a cracked flexible rotor supported on journal bearings
p 503 N94-34193
- Northwestern Univ., Evanston, IL.**
Extension of On-Surface Radiation Condition (OSRC) theory to full-vector electromagnetic wave scattering by three-dimensional conducting, dielectric, and coated targets
[AD-A274023] p 352 N94-25757
- Norwegian Defence Research Establishment, Kjeller (Norway).**
Safety standards for aircraft shelter
[FFI-92/4003] p 343 N94-26305
- Notre Dame Univ., IN.**
An experimental investigation of the sources of propeller noise due to turbulence ingestion
p 205 N94-11057
- Preliminary structural design: Defining the design space
[AD-A268898] p 88 N94-18227
- NASA/USRA University Advanced Design Program, 1992-1993. The Diamondback: A simulated commercial air transportation study
[NASA-CR-195523] p 261 N94-24462
- The Blue Emu
[NASA-CR-195535] p 317 N94-24817
- The airplane: A simulated commercial air transportation study
[NASA-CR-195525] p 317 N94-24837
- The Bunny: A simulated commercial air transportation study
[NASA-CR-195537] p 319 N94-25001
- The Gold Rush: A simulated commercial air transportation study
[NASA-CR-195528] p 319 N94-25002
- The RTL-46: A simulated commercial air transportation study
[NASA-CR-195524] p 319 N94-25017
- Design study to simulate the development of a commercial freight transportation system
p 323 N94-25715
- Aircraft wheel life assessment
[AD-A274378] p 355 N94-26976
- Experimental and computational studies on propeller noise due to inflow distortion
p 452 N94-31846
- A study of the development and attenuation of wing-generated, vortical wakes
p 425 N94-31971
- NYMA, Inc., Brook Park, OH.**
Data reduction procedures for laser velocimeter measurements in turbomachinery rotors
[NASA-CR-195343] p 552 N94-35224
- Oak Ridge National Lab., TN.**
Low-expansion ceramics initiative
[DE93-011860] p 146 N94-11106
- Metals 2000
[DE93-016761] p 151 N94-17752
- Robot navigation in unknown terrains: Introductory survey of non-heuristic algorithms
[DE93-019221] p 70 N94-19300
- Ceramic Technology Project
[DE94-001011] p 231 N94-21822
- Operation of a test bed axial-gap brushless dc rotor with a superconducting stator
[DE93-019167] p 236 N94-21830
- Materials development program: Ceramic technology project bibliography, 1984-1992
[DE94-009297] p 493 N94-32935
- Oak Ridge Y-12 Plant, TN.**
Nondestructive inspection of graphite-epoxy laminates for heat damage using DRIFT and LPF spectroscopies
[DE93-017228] p 152 N94-18761
- Office National d'Etudes et de Recherches Aeronautiques, Paris (France).**
Calculations of viscous nonequilibrium flows in nozzles
p 21 N94-10455
- Nonlinear and dynamic analysis of flight
p 113 N94-11496
- Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer
[ONERA-NT-1992-11] p 149 N94-14194
- Stability analysis through bifurcation theory, 1
p 208 N94-18238
- Non-linear flight dynamics
p 88 N94-18240
- A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions
p 47 N94-18425
- The GARTEUR high lift research programme
p 48 N94-18430
- Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings
p 49 N94-18440
- Perspective and future possibilities
p 186 N94-18651
- Recent ONERA contributions to the development of flight test measurement techniques
p 219 N94-22607
- Bent-tip blade for aircraft rotary-wing
[CA-PATENT-1-315-259] p 257 N94-23254
- Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow
p 298 N94-28039
- Development of a three-dimensional icing model for predicting ice accretion on aircraft
[ONERA-NT-1993-5] p 426 N94-31230
- Experimental and numerical simulation of helicopter rotor fuselage interaction
[ONERA-NT-1993-8] p 423 N94-31421
- The future of large capacity/long range multipurpose air cargo fleets
p 573 N94-36326
- Office of Technology Assessment, Washington, DC.**
Aircraft evacuation testing: Research and technology issues
[PB94-107620] p 255 N94-24750
- Ohio State Univ., Columbus.**
Performance of traffic-alert collision avoidance (TCAS) antennas in the presence of scatterers
[NASA-CR-193569] p 66 N94-11525
- Cognitive engineering in aerospace application: Pilot interaction with cockpit automation
[NASA-CR-177617] p 55 N94-13247
- NASA/USRA advanced design program
[NASA-CR-195548] p 262 N94-24492
- Configuration development study of the OSU 1 hypersonic research vehicle
[NASA-CR-195522] p 262 N94-24591
- A conceptual design of an unmanned test vehicle using an airbreathing propulsion system
[NASA-CR-195550] p 331 N94-25085
- The design of four hypersonic reconnaissance aircraft
p 323 N94-25716
- Boundary layers induced by three-dimensional vortex loops
[AD-A275678] p 408 N94-28665
- Potential of the ramjet engine for hypersonic flight speeds
p 435 N94-30935
- Design and initial testing of a facility to measure unsteady pressures on an oscillating cascade with supersonic leading edge locus
p 424 N94-31880
- Robust control design techniques for active flutter suppression
p 541 N94-35875
- Expansion effects on supersonic turbulent boundary layers
[AD-A278989] p 527 N94-35950
- Ohio Univ., Athens.**
A flight test system design for the microwave landing system
p 222 N94-22156

P

- Investigation of air transportation technology at Ohio University, 1992-1993 p 307 N94-27288
- Improved modeling of GPS selective availability p 314 N94-27290
- Realtime mitigation of GPS SA errors using Loran-C p 314 N94-27291
- A GPS coverage model p 314 N94-27292
- Ground station siting considerations for DGPS p 315 N94-27293
- Old Dominion Univ., Norfolk, VA.**
- Studies on nonequilibrium phenomena in supersonic chemically reacting flows [NASA-CR-194662] p 183 N94-17215
- Navier-Stokes, dynamics and aeroelastic computations for vortical flows, buffet and flutter applications [NASA-CR-194520] p 51 N94-19621
- Prediction and control of vortex-dominated and vortex-wake flows [NASA-CR-194722] p 216 N94-21054
- Feasibility of detecting aircraft wake vortices using passive microwave radiometers [NASA-CR-191553] p 275 N94-23498
- Preliminary eddy current modelling for the large angle magnetic suspension test fixture [NASA-CR-194772] p 268 N94-23539
- The effects of profiles on supersonic jet noise [NASA-CR-195184] p 369 N94-25177
- System identification of the Large-Angle Magnetic Suspension Test Facility (LAMSTF) p 346 N94-27908
- A numerical study of mixing and combustion in hypervelocity flows through a scramjet combustor model p 358 N94-27911
- Experimental apparatus for optimization of flap position for a three-element airfoil model p 346 N94-27912
- Review of sonic fatigue technology [NASA-CR-4587] p 417 N94-29407
- Grid sensitivity for aerodynamic optimization and flow analysis p 422 N94-31287
- Control of low-speed turbulent separated flow over a backward-facing ramp [NASA-TM-109740] p 459 N94-33071
- Large angle magnetic suspension test fixture [NASA-CR-196138] p 583 N94-37450
- Operational Research and Analysis Establishment, Ottawa (Ontario).**
- Spare parts analysis of the MK.32B-751 AAR pod [DSIS-93-00737] p 200 N94-13549
- An analysis of helicopter attrition using a low level combat simulation [DSIS-93-00282] p 84 N94-13839
- HELSCAM V2.0: Development and application guide [DSIS-93-00137] p 84 N94-13867
- Ground Attack Profile Selector Program, version 3.0 [DSIS-93-00702] p 201 N94-14207
- Oregon State Univ., Corvallis, OR.**
- Nonlinear stability and control study of highly maneuverable high performance aircraft [NASA-CR-193480] p 79 N94-10344
- Organisatie voor Toegepast Natuurwetenschappelijk Onderzoek, The Hague (Netherlands).**
- A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780
- Zernike moments and rotation invariant object recognition. A neural network oriented case study [AD-A273749] p 353 N94-26011
- An overview of the TNO contribution to VAST 92 [AD-A273751] p 365 N94-26016
- Organization for Industrial Research, TNO, The Hague (Netherlands).**
- Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO₂-laser system [AD-A273818] p 337 N94-25516
- Osaka Prefecture Univ., Sakai (Japan).**
- Numerical analysis of sonic boom in the near field p 376 N94-28962
- Three-dimensional external flow computations using prismatic grid p 410 N94-28979
- Osaka Univ., Toyonaka (Japan).**
- Active control of vanless diffuser rotating stall p 502 N94-34178
- Osborne (Allen) Associates, Westlake Village, CA.**
- Ionospheric corrections to precise time transfer using GPS p 429 N94-30677
- Ottawa Univ. (Ontario).**
- On the deformation kinetics constitutive law of plastic deformation: The rate equation p 280 N94-24289
- Overset Methods, Inc., Vacaville, CA.**
- Domain connectivity among systems of overset grids [NASA-CR-193390] p 35 N94-14326
- Oxford Univ., Oxford (England).**
- Data acquisition in aerodynamic research p 186 N94-18644
- Recent developments in fast response aerodynamic probe technology p 186 N94-18645
- Pacific Northwest Lab., Richland, WA.**
- Differential global positioning system for the surface-towed ordnance locating system: Testing, results, and user's guide [DE94-002980] p 313 N94-26309
- PDA Engineering, Santa Ana, CA.**
- Analytical Design Package (ADP2): A computer aided engineering tool for aircraft transparency design p 507 N94-32430
- Pennsylvania State Univ., Erie, PA.**
- Solution of mixed convection heat transfer from isothermal in-line fins p 276 N94-23644
- Pennsylvania State Univ., University Park, PA.**
- Advanced thermally stable coal-derived jet fuels: Compositional factors affecting thermal degradation of jet fuels [AD-A265842] p 147 N94-12282
- Numerical simulations of unsteady flows in turbomachines p 175 N94-13569
- An experimental investigation of shock wave/vortex interaction p 175 N94-13574
- Sweep shock/boundary-layer interactions: Scaling laws, flowfield structure, and experimental methods p 180 N94-15197
- Advanced thermally stable jet fuels [DE93-017711] p 151 N94-16996
- The use of the Air Force Academy high wind alert system in forecasting moderate intensity wind events for military bases in the Colorado Springs area [AD-A267648] p 192 N94-17245
- Acoustic intensity measurements in the presence of low Mach number flow [AD-A269995] p 208 N94-18664
- Droplet turbulence interactions under subcritical and supercritical conditions p 274 N94-23036
- Development of a droplet breakup model considering aerodynamic and droplet collision effects p 274 N94-23045
- Efficiency and reliability enhancements in propulsion flowfield modeling p 274 N94-23055
- Foil bearing research at Penn State p 274 N94-23058
- Progress in modeling atmospheric propagation of sonic booms p 300 N94-28189
- Implications for high speed research: The relationship between sonic boom signature distortion and atmospheric turbulence p 300 N94-28190
- The effect of incomplete fuel-air mixing on the lean limit and emissions characteristics of a Lean Prevapozized Premixed (LPP) combustor p 405 N94-29265
- Experiments on the aerodynamic generation of noise in centrifugal turbomachinery p 451 N94-30804
- Solution of the average-passage equations for the incompressible flow through multiple-blade-row turbomachinery [AD-A276515] p 436 N94-31931
- Advanced thermally stable jet fuels [DE94-006760] p 443 N94-32150
- Relaxation and turbulence effects on sonic boom signatures p 512 N94-33496
- Accurate estimation of object location in an image sequence using helicopter flight data p 537 N94-35055
- The aerodynamic and heat transfer effects of an endwall boundary layer fence in a 90 degree turning square duct [AD-A278903] p 553 N94-35803
- A model-based approach for detection of runways and other objects in image sequences acquired using an on-board camera [NASA-CR-196424] p 594 N94-36812
- Phillips Lab., Edwards AFB, CA.**
- PACE: A test bed for the dynamics and control of flexible multibody systems p 121 N94-14650
- Physical Research, Inc., Torrance, CA.**
- Optical surface contouring for non-destructive inspection of turbomachinery [NASA-CR-195245] p 354 N94-26691
- Physical Sciences, Inc., Andover, MA.**
- Propulsion simulator for magnetically-suspended wind tunnel models [NASA-CR-189560] p 132 N94-13127
- Instantaneous velocity field imaging instrument for supersonic reacting flows [NASA-CR-191162] p 234 N94-21607
- Pioneer Aerospace Corp., Melbourne, FL.**
- Radially constructed cruciform parachute [CA-PATENT-1323021] p 252 N94-24182
- Pisa Univ. (Italy).**
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586
- Politecnico di Milano, Milan (Italy).**
- A design procedure for slotted flaps p 88 N94-18418
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Politecnico di Torino, Torino (Italy).**
- Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
- Polytechnic Univ., Brooklyn, NY.**
- Experimental investigation of three-dimensional vortex-airfoil interaction in a supersonic stream [AD-A275107] p 374 N94-28899
- Polytechnic Univ., Farmingdale, NY.**
- A study of occurrence rates of Electromagnetic Interference (EMI) to aircraft with a focus on HIRF (external) High Intensity Radiated Fields [NASA-CR-194895] p 468 N94-33956
- Pratt and Whitney Aircraft, East Hartford, CT.**
- AGBT advanced counter-rotating gearbox detailed design report [NASA-CR-180883] p 166 N94-10400
- Program to develop a performance and heat load prediction system for multistage turbines [NASA-CR-195223] p 332 N94-26588
- Broad specification fuels combustion technology program, phase 2 [NASA-CR-191066] p 350 N94-27854
- Thermal/structural tailoring of engine blades (T/SEABL). Theoretical manual [NASA-CR-194462] p 409 N94-28815
- Reduction of NO(x) by fuel-staging in gas turbine engines: A commitment to the future p 406 N94-29272
- HSCT nozzle source noise programs at Pratt and Whitney p 509 N94-33465
- P and W propulsion systems studies results/status p 479 N94-33480
- Rich burn combustor technology at Pratt and Whitney p 479 N94-33486
- Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbofans. Volume 1: Theory development and parametric studies [NASA-CR-4506-VOL-1] p 481 N94-34146
- Pratt and Whitney Aircraft, West Palm Beach, FL.**
- Life prediction systems for critical rotating components p 239 N94-22615
- Advanced Capability Exhaust Systems/Integrated Product Development for advanced nozzles (ACES/IPD) [AD-A273209] p 267 N94-24776
- High temperature fuel requirements and payoffs p 405 N94-29259
- Fatigue in single crystal nickel superalloys [AD-A276662] p 443 N94-32047
- Combustor materials requirements and status of ceramic matrix composites p 497 N94-33512
- Pratt and Whitney Aircraft of Canada Ltd., Longueuil (Quebec).**
- Turbine engine with induced pre-swirl at the compressor inlet [CA-PATENT-1-317-467] p 263 N94-23253
- Advanced small high pressure ratio centrifugal compressor p 484 N94-34444
- Low emission combustor technology for small aircraft gas turbines p 485 N94-34454
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines p 485 N94-34455
- Effect of tip clearance on the performance of a highly loaded turbine stage p 486 N94-34458
- Numerical simulation of airfoil film cooling: A jet in crossflow p 505 N94-34462
- Engine static structures behaviour under impact load using 3D modelling p 505 N94-34464
- Pratt and Whitney Aircraft of Canada Ltd., Mississauga (Ontario).**
- Recent CFD applications in small gas turbine combustion systems development p 396 N94-29257
- Design aspects in small aircraft gas turbine fuel injectors p 397 N94-29264
- Princeton Univ., NJ.**
- Toward intelligent flight control p 114 N94-11503
- Exploratory study of in-plane streamline curvature effects on a turbulent boundary layer at a Mach number of 3 [NASA-CR-193673] p 29 N94-13292
- A three-dimensional supersonic turbulent boundary layer generated by an isentropic compression p 32 N94-13556
- Studies on high pressure and unsteady flame phenomena: Revision [AD-A269138] p 152 N94-18257
- Investigation of air transportation technology at Princeton University, 1992-1993 p 307 N94-27294

- Optimal nonlinear estimation for aircraft flight control in wind shear p 307 N94-27296
- Air traffic management as principled negotiation between intelligent agents p 315 N94-27297
- Optical communications for transport aircraft p 356 N94-27298
- Fuels combustion research [AD-A275122] p 404 N94-29004
- Air traffic management as principled negotiation between intelligent agents p 384 N94-29562
- Wall pressure fluctuations in the reattachment region of a supersonic free shear layer [NASA-CR-195790] p 379 N94-29920
- Pullman Kellogg, Houston, TX.**
- Evaluation of reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion [PB94-109873] p 265 N94-23709
- Purdue Univ., West Lafayette, IN.**
- A feasibility study regarding the addition of a fifth control to a rotorcraft in-flight simulator [NASA-CR-193240] p 112 N94-10895
- Method of characteristics design of a supersonic wind tunnel nozzle with square cross-section, supplement 3 [NASA-CR-194359] p 131 N94-12824
- Development of a code for wall contour design in the transonic region of axisymmetric and square nozzles [NASA-CR-194857] p 250 N94-23625
- High lift aerodynamics p 321 N94-25268
- The design of a long-range megatransport aircraft p 323 N94-25718
- Integrated propulsion-airframe dynamics and control p 392 N94-29854
- Time-marching aeroelastic and spatial adaptation procedures on triangular and tetrahedral meshes using an unstructured-grid Euler method p 379 N94-29877
- Frequency domain analysis of the random loading of cracked panels [NASA-CR-196021] p 556 N94-35974
- Aeroservoelastic tailoring with piezoelectric materials: Actuator optimization studies [AD-A278640] p 581 N94-36384

Q

- Queens Univ., Kingston (Ontario).**
- An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade [ISBN-0-315-60791-2] p 30 N94-13369
- Queensland Univ., Saint Lucia (Australia).**
- Shock tunnel studies of scramjet phenomena, supplement 7 [NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8 [NASA-CR-191573] p 275 N94-23532
- Quest Integrated, Inc., Kent, WA.**
- Low-cost Unmanned Air Vehicle (UAV) for oceanographic research [AD-A273103] p 224 N94-21507

R

- Radio Technical Commission for Aeronautics, Washington, DC.**
- Minimum performance standards: Airborne low-range radar altimeters [RTCA-DO-155] p 537 N94-35344
- RAND Corp., Santa Monica, CA.**
- The National Aerospace Plane (NASP): Development issues for the follow-on vehicle [AD-A278417] p 471 N94-33329
- RANN, Inc., Palo Alto, CA.**
- Active control for fin buffet alleviation [AD-A276844] p 437 N94-32224
- Raumfahrt Systemtechnik G.m.b.H., Salem (Germany).**
- Ground independent landing system p 385 N94-29564
- Reliable Software Technology Corp., Reston, VA.**
- An empirical comparison of a dynamic software testability metric to static cyclomatic complexity p 597 N94-36498
- Rendzio (Robert J.), Ozark, AL.**
- Army aircraft fire-detection systems operation and reliability [AD-A271327] p 219 N94-20912
- Rensselaer Polytechnic Inst., Troy, NY.**
- Center of excellence in rotary wing technology [AD-A266655] p 37 N94-14799
- A random distribution reacting mixing layer model [NASA-CR-194445] p 264 N94-23552
- The Lightcraft project: Flight technology for a hypersonic mass transit system p 321 N94-25695

- Interaction of the sonic boom with atmospheric turbulence p 301 N94-28191
- Nonlinear multibody formulation for rotorcraft analysis p 432 N94-30787
- An adaptive finite element method for unsteady compressible rotor airfoil aerodynamics p 422 N94-31204
- Republic Electronic Industries Corp., Melville, NY.**
- Testing of DME/P equipment performance for complex MLS procedures p 221 N94-22136
- Research Inst. for Advanced Computer Science, Moffett Field, CA.**
- Unstructured adaptive mesh computations of rotorcraft high-speed impulsive noise [NASA-CR-195090] p 287 N94-24307
- Computation of helicopter rotor acoustics in forward flight [NASA-CR-196132] p 560 N94-36031
- Research Triangle Inst., Research Triangle Park, NC.**
- Toxic emissions from aircraft engines: A search of available literature [PB94-156486] p 482 N94-34400
- Toxic emissions from aircraft firefighting training: A search of available literature [PB94-156783] p 507 N94-34409
- Rice Univ., Houston, TX.**
- Analysis of wavelet technology for NASA applications [NASA-CR-195929] p 522 N94-34704
- Rijksluchtvaartdienst, Schiphol (Netherlands).**
- Aviation inspection prospects p 57 N94-15125
- Rijksluchtvaartdienst, The Hague (Netherlands).**
- Developments in the European air traffic control p 69 N94-15124
- RMS Associates, Linthicum Heights, MD.**
- NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics [NASA-CR-195686] p 371 N94-25541
- Robbins-Gioia, Inc., Alexandria, VA.**
- Initial estimates of Integrated Maintenance Information System (IMIS) costs and benefits, volume 1 [AD-A276144] p 419 N94-31830
- Robert Gordon's Inst. of Tech., Aberdeen (Scotland).**
- Quantifying disbond area p 166 N94-10038
- Rockwell International Corp., Canoga Park, CA.**
- STS-55 pad abort: Engine 2011 oxidizer preburner augmented spark igniter check valve leak [NASA-CR-193830] p 138 N94-12806
- Brayton power conversion system parametric design modelling for nuclear electric propulsion [NASA-CR-191135] p 229 N94-21874
- Design and experimental performance of a two stage partial admission turbine. Task B.1/B.4 [AD-A277095] p 356 N94-27228
- Rockwell International Corp., Colorado Springs, CO.**
- Cesium and rubidium frequency standards status and performance on the GPS program p 429 N94-30663
- Rockwell International Corp., Huntsville, AL.**
- Numerical simulation of the edge tone phenomenon [NASA-CR-4581] p 464 N94-33898
- Rolls-Royce Ltd., Bristol (England).**
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling p 334 N94-28018
- Unsteady aspects of hot gas reingestion and statistical analysis p 334 N94-28019
- Combustion for future supersonic transport propulsion p 404 N94-29249
- Helicopter engine/airframe integration: The way ahead p 475 N94-34433
- Engine characteristics for agile aircraft p 538 N94-34608
- Propulsion system technologies for long range and long endurance aircraft p 578 N94-36334
- Rolls-Royce Ltd., Derby (England).**
- Rolls-Royce in perspective: Past, present and future [PNR-90882] p 264 N94-23519
- The RB211: The first 25 years [PNR-90977] p 264 N94-23570
- Gas-turbine engine steady-state behavior p 360 N94-28044
- Transient performance p 360 N94-28045
- Compressor stability p 360 N94-28046
- Engine starting and stopping p 360 N94-28047
- Rotary Power International, Inc., Wood-Ridge, NJ.**
- Stratified charge rotary engine critical technology enablement, volume 1 [NASA-CR-189106-VOL-1] p 482 N94-34231
- Stratified charge rotary engine critical technology enablement. Volume 2: Appendixes [NASA-CR-189106-VOL-2] p 482 N94-34233

- Royal Aerospace Establishment, Farnborough (England).**
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry) [RAE-TM-AERO/PROP-21] p 35 N94-14706
- The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan [RAE-TM-AERO/PROP-22] p 179 N94-14827
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility [RAE-TM-AERO/PROP-19] p 39 N94-15696
- Royal Air Force, Harrogate (England).**
- The development of alternative paint removal techniques in the RAF p 167 N94-10618
- Royal Aircraft Establishment, Farnborough (England).**
- Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them [RAE-LIB-TRANS-2201] p 42 N94-16583
- Royal Military Coll. of Canada, Kingston (Ontario).**
- Acoustic emission monitoring of aging aircraft structures [DREP-93-17] p 393 N94-30129
- Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring [DREP-93-16] p 393 N94-30131
- Neutron measurements at the commercial aircraft altitudes [ISBN-0-315-86201-7] p 453 N94-31709
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer [ISBN-0-315-86210-6] p 439 N94-31710
- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND [DSIS-93-00343] p 508 N94-33335
- Royal Netherlands Air Force, The Hague.**
- The KDC-10 programme of the Royal Netherlands Air Force p 575 N94-36346
- Royal Netherlands Meteorological Inst., De Bilt.**
- Organized track system: Air ways above the ocean p 193 N94-19702
- Rutgers - The State Univ., New Brunswick, NJ.**
- Theoretical investigation of 3-D shock wave turbulent boundary layer interactions [AD-A265275] p 170 N94-11014
- Rutgers - The State Univ., Piscataway, NJ.**
- Numerical simulation of 3-D shock wave turbulent boundary layer interactions p 180 N94-15199

S

- Saab-Scania, Linköping (Sweden).**
- Image processing as a tool in flight testing evaluation p 239 N94-22606
- Saint Cloud State Coll., MN.**
- A simulation of GPS and differential GPS sensors p 316 N94-27918
- San Jose State Univ., CA.**
- Three dimensional audio versus head down TCAS displays [NASA-CR-177636] p 468 N94-33063
- On the design of flight-deck procedures [NASA-CR-177642] p 468 N94-33943
- Sandia National Labs., Albuquerque, NM.**
- Joint computational and experimental aerodynamic research on a hypersonic vehicle p 20 N94-10445
- Fatigue life prediction for wind turbines: A case study on loading spectra and parameter sensitivity [DE93-011597] p 190 N94-11173
- Advanced diagnostics for in situ measurement of particle formation and deposition in thermally stressed jet fuels [DE93-009798] p 147 N94-11366
- Design and testing of planar magnetic micromotors fabricated by deep x ray lithography and electroplating [DE93-012856] p 173 N94-12821
- Parachute system design, analysis, and simulation tool [DE93-013755] p 29 N94-13260
- A perspective on AVS in an engineering sciences environment [DE93-015011] p 176 N94-13889
- Error propagation equations and tables for estimating the uncertainty in high-speed wind tunnel test results [DE93-018685] p 45 N94-18275
- Flow and heat transfer model for a rotating cryogenic motor [DE94-001151] p 238 N94-22405
- Development and experimental validation of computational methods to simulate abnormal thermal and structural environments [DE94-000554] p 274 N94-23000
- Control algorithms for effective operation of variable-speed wind turbines [DE94-002607] p 282 N94-23704

- Analysis/test correlation using VAWT-SDS on a step-relaxation test for the rotating Sandia 34 m test bed [DE94-002290] p 365 N94-26700
- A constitutive model for layered wire mesh and aramid cloth fabric [DE94-003275] p 349 N94-26796
- Simulating high-frequency wind for long durations [DE94-002739] p 346 N94-27997
- Holographic interferometry: A user's guide [DE94-003136] p 408 N94-28466
- An investigation of airborne GPS/INS for high accuracy position and velocity determination [DE94-006139] p 431 N94-31306
- A novel CFD/structural analysis of a cross parachute [DE94-005271] p 423 N94-31578
- A SAR image-formation algorithm that compensates for the spatially-variant effects of antenna motion [DE94-008456] p 507 N94-34382
- A review and development of correlations for base pressure and base heating in supersonic flow [SAND93-0280] p 526 N94-35360
- Advanced thermally stable, coal-derived, jet fuels development program. Experiment system and model development [AD-A278968] p 584 N94-36505
- Santa Clara Univ., CA.**
Vision-based aircraft guidance [NASA-CR-195937] p 488 N94-34264
- SatCon Technology Corp., Cambridge, MA.**
Aerospace applications of magnetic bearings p 554 N94-35837
- Science Applications International Corp., Fort Washington, PA.**
Recent developments in the simulation of steady and transient transverse jet interactions for missile, rotorcraft, and propulsive applications p 360 N94-28030
- Science Applications International Corp., San Antonio, TX.**
Aircraft turbine engine reliability and inspection investigations [AD-A274860] p 332 N94-26176
- Science Research Lab., Inc., Somerville, MA.**
Compact lightweight CO₂ laser for SDIO application [AD-A273010] p 233 N94-21284
- Sciencetech, Inc., Idaho Falls, ID.**
S-76 high intensity radiated fields, volume 2 [AD-A274572] p 354 N94-26836
S-76 high intensity radiated fields, volume 1 [AD-A274571] p 354 N94-26854
S-76 high intensity radiated fields, volume 3 [AD-A274416] p 355 N94-26980
- Scripps Institution of Oceanography, La Jolla, CA.**
Permanent GPS Geodetic Array in Southern California (PGGA) and GPS observations in Indonesia [NASA-CR-195897] p 470 N94-33534
- SET Group, Denver, CO.**
Technology drivers for flight telerobotic system software p 367 N94-26289
- Sextant Avionique, Velizy-Villacoublay (France).**
Use of HOOD coupled to real time monitors p 368 N94-26742
- Shape Technical Center, The Hague (Netherlands).**
Use of GPS in automated air traffic control p 384 N94-29563
ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
- Shimizu Corp. (Japan).**
Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- Short Bros. and Harland Ltd., Belfast (Northern Ireland).**
The aero-mechanical design of a novel Fowler flap mechanism p 89 N94-18443
- Sikorsky Aircraft, Stratford, CT.**
Design and pilot evaluation of the RAH-66 Comanche Core AFCS p 119 N94-13321
Design and pilot evaluation of the RAH-66 Comanche selectable control modes p 119 N94-13322
Computer program for analysis of high speed, single row, angular contact, spherical roller bearing, SASHEAN. Volume 1: User's guide [NASA-CR-191183] p 178 N94-14445
Innovative fabrication processing of advanced composite materials concepts for primary aircraft structures [NASA-CR-189558] p 493 N94-32877
- Smith (Ruth S.) Associates, Bethesda, MD.**
NACA collections: A directory of significant collections of the documents of the National Advisory Committee for Aeronautics [NASA-CR-195686] p 371 N94-25541
- Societe de Fabrication d'Instruments de Mesure, Massy (France).**
Performing specifications for complex systems' software p 400 N94-29317
- Societe Europeenne de Propulsion, Vernon (France).**
Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501
- Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, Moissy-Cramayel (France).**
Aerothermochemical calculations in afterburners p 396 N94-29258
- Societe Nationale Industrielle Aerospatiale, Paris (France).**
Internal combustion engine with a central crankshaft and integral tandem annular pistons [CA-PATENT-1-320-878] p 277 N94-24055
- Solar Turbines, Inc. San Diego, CA.**
Advanced Turbine Systems (ATS). Phase 1: System scoping and feasibility studies [DE93-041130] p 237 N94-21938
Gas fired advanced turbine system [DE94-003193] p 358 N94-27874
- Southampton Univ. (England).**
Piston engine intake and exhaust system design [ISVR-TR-222] p 176 N94-13874
A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream [ISVR-TR-226] p 284 N94-22959
Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream p 297 N94-28021
On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer [ISVR-TR-227] p 362 N94-28175
The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model p 527 N94-35855
- Southwest Research Inst., San Antonio, TX.**
Compatibility and efficacy of biocides qualified under military specification MIL-S-53021 [AD-A271496] p 230 N94-20551
Recent advances in computational structural reliability analysis methods p 239 N94-22616
Ignition delays, heats of combustion, and reaction rates of aluminum alkyl derivatives used as ignition and combustion enhancers for supersonic combustion [NASA-CR-189581] p 493 N94-32868
- SP Systems, Los Angeles, CA.**
Advanced phenolic systems for aircraft interiors p 143 N94-10776
- SRI International Corp., Menlo Park, CA.**
A real-time spoken-language system for interactive problem solving [AD-A266046] p 199 N94-11104
- Stanford Univ., CA.**
Navier-Stokes flowfield computation of wing/rotor interaction for a tilt rotor aircraft in hover [NASA-CR-4532] p 25 N94-10758
Direct simulation of compressible wall-bounded turbulence p 172 N94-12294
Direct numerical simulation of hot jets p 172 N94-12295
Reynolds stress closure modeling in wall-bounded flows p 172 N94-12298
Superfluid turbulence p 172 N94-12307
Three-dimensional structure of straight and curved plane wakes [NASA-CR-194420] p 29 N94-13266
Particle simulation of hypersonic flow [AD-A267185] p 40 N94-15787
Active turbulence control in wall bounded flows using direct numerical simulation p 183 N94-17286
Research and training activities of the Joint Institute for Aeronautics and Acoustics [NASA-CR-194742] p 188 N94-19493
An efficient numerical method for three-dimensional hypersonic flow [AD-A272506] p 216 N94-21411
Nonlinear aerodynamics and the design of wing tips [NASA-CR-194732] p 217 N94-21833
Toward modeling wingtip vortices p 251 N94-24142
New concepts for Reynolds stress transport equation modeling of inhomogeneous flows p 251 N94-24143
Large eddy simulation of a boundary layer with concave streamwise curvature p 278 N94-24146
Toward large eddy simulation of turbulent flow over an airfoil p 251 N94-24150
Numerical simulation of non-Newtonian free shear flows p 278 N94-24160
Direct simulation of isothermal-wall supersonic channel flow p 252 N94-24164
Effects of shock strength on shock turbulence interaction p 278 N94-24165
Theoretical and experimental investigation of a delta wing with turbulent leading-edge jets p 298 N94-28029
A method for the modelling of porous and solid wind tunnel walls in computational fluid dynamics codes [NASA-CR-195699] p 409 N94-28724
- Numerical study of the trailing vortex of a wing with wing-tip blowing [NASA-CR-195803] p 378 N94-2976C
- Vibrational energy transfer of diatomic gases in hypersonic expanding flows p 424 N94-3195E
- Turbulent reacting flows and supersonic combustion [AD-A277462] p 496 N94-33242
- Investigation of Burnett equations for two-dimensional hypersonic flow [AD-A278942] p 527 N94-35717
- Starmark Corp., Arlington, VA.**
A perspective on the FAA approval process: Integrating rotorcraft displays, controls and workload p 116 N94-13298
Interpreted Cooper-Harper for broader use p 118 N94-13309
Composite helicopter accident profiles: Deficient crew/aircraft performance [SCT-90RR-46] p 601 N94-37604
- State Univ. of New York, Binghamton, NY.**
Adaptive reconfigurable flight controls for high angle of attack aircraft agility p 114 N94-11502
Study of the kinematic and dynamic characteristics of a wormgear transmission for helicopter applications [NASA-CR-195287] p 357 N94-27657
- State Univ. of New York, Stony Brook, NY.**
Communications networks in stressed environments [AD-A275967] p 446 N94-31384
- Sterling Software, Inc., Moffett Field, CA.**
Alleviation of whirl-flutter on a joined-wing tilt-rotor aircraft configuration using active controls [NASA-CR-196103] p 581 N94-36436
- Stevens Inst. of Tech., Hoboken, NJ.**
Computational study of simultaneous heat and mass transfer in turbulent separated flows p 447 N94-31843
Computational prediction of stall flutter in spanwise-finite blade cascades p 436 N94-31967
- Stirling Dynamics Ltd., Bristol (England).**
Active landing gear control for improved ride quality during ground roll p 81 N94-11345
- Stonehill Coll., North Easton, MA.**
An error-resistant linguistic protocol for air traffic control [NASA-CR-196098] p 570 N94-37013
- Sulzer-Escher Wyss Ltd., Zurich (Switzerland).**
Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings p 555 N94-35911
- Sumitomo Heavy Industries Ltd., Tokyo (Japan).**
Study of bridge design and technology [PB94-137916] p 373 N94-29160
- Sundstrand Power Systems, San Diego, CA.**
Compact diffusers for small transonic compressors p 485 N94-34449
- Sussex Univ., Brighton (England).**
An air bearing system for small high speed gas turbines p 505 N94-34466
- Sverdrup Technology, Inc., Arnold AFS, TN.**
Hypersonic overview p 34 N94-14154
Aeropropulsion test and evaluation methods p 102 N94-14165
Hypersonic flight test. Part 1: Propulsion flight testing p 103 N94-14168
- Sverdrup Technology, Inc., Brook Park, OH.**
Rotary engine performance computer program (RCEMAP and RCEMAPPC): User's guide [NASA-CR-191192] p 104 N94-15192
Thin-layer and full Navier-Stokes calculations for turbulent supersonic flow over a cone at an angle of attack [NASA-CR-189103] p 44 N94-17558
Simplified, inverse, ejector design tool [NASA-CR-194438] p 248 N94-23511
Unsteady jet flow computation towards noise prediction [NASA-CR-194449] p 247 N94-23553
A comparison of two multi-variable integrator windup protection schemes [NASA-CR-194436] p 267 N94-23590
Analytical skin friction and heat transfer formula for compressible internal flows [NASA-CR-191185] p 291 N94-25173
Effect of power system technology and mission requirements on high altitude long endurance aircraft [NASA-CR-194455] p 331 N94-25200
Performance of renormalization group algebraic turbulence model on boundary layer transition simulation [NASA-CR-194466] p 292 N94-26131
NASA Lewis Research Center lean-, rich-burn materials test burner rig [NASA-CR-194437] p 343 N94-26141
Structural/aerodynamic blade analyzer (SAB) user's guide, version 1.0 [NASA-CR-194460] p 395 N94-29103

- Turbomachinery forced response prediction system (FREPS): User's manual
[NASA-CR-194465] p 411 N94-29104
- An analysis of supersonic flows with low-Reynolds number compressible two-equation turbulence models using LU finite volume implicit numerical techniques
[NASA-CR-195302] p 458 N94-32926
- Installed F/A-18 inlet flow calculations at 30 degrees angle-of-attack: A comparative study
[NASA-CR-195297] p 459 N94-33119
- Hot Corrosion Test Facility at the NASA Lewis Special Projects Laboratory
[NASA-CR-195323] p 543 N94-35267
- Swedish Inst. for Materials Testing, Borås (Sweden).**
Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91
[PB94-137411] p 416 N94-29175
- Synetics Corp., Wakefield, MA.**
Worldwide vessel locating and tracking system, volume 1
[PB93-193217] p 257 N94-24474
- Syracuse Univ., NY.**
Advanced rotorcraft flight simulation: Model development, validation and parallel implementation
p 80 N94-11056
- Systems and Electronics, Inc., Elk Grove Village, IL.**
Design, manufacture, and test of a flight load recorder for small aircraft
[AD-A27752] p 477 N94-33409
- Systems Control Technology, Inc., Arlington, VA.**
Rotorcraft low altitude IFR benefit/cost analysis: Conclusions and recommendations
[AD-A274241] p 313 N94-26826
- Rooftop emergency heliports
[AD-A278872] p 402 N94-29754
- Potential hazards of magnetic resonance imagers to emergency medical service helicopter operations
[AD-A278873] p 382 N94-29862
- Rotorwash analysis handbook. Volume 1: Development and analysis
[SCT-93RR-17-VOL-1] p 567 N94-36466
- Rotorwash analysis handbook. Volume 2: Appendixes
[SCT-93RR-17-VOL-2] p 567 N94-36467
- Analysis of vertiport studies funded by the Airport Improvement Program (AIP)
[SCT-93RR-21] p 583 N94-37424
- Composite helicopter accident profiles: Deficient crew/aircraft performance
[SCT-90RR-46] p 601 N94-37604
- Systems Research Labs., Inc., Dayton, OH.**
Development of global/chemistry model for jet-fuel thermal stability based on observations from static and flowing experiments
p 405 N94-29262
- Systems Technology, Inc., Hawthorne, CA.**
Effects of simulator motion and visual characteristics on rotorcraft handling qualities evaluations
p 119 N94-13317

T

- TA Consultancy Services Ltd., Farnham (England).**
Integrated formal verification and validation of safety critical software
p 416 N94-29338
- Technical Research Centre of Finland, Espoo (Finland).**
Dead reckoning navigation
[VTI-TIED-1402] p 312 N94-25808
- Technion - Israel Inst. of Tech., Haifa (Israel).**
Thrust vectoring theory, laboratory and flight tests
p 266 N94-24251
- Mean stress models for low cycle fatigue of a nickel-base superalloy
p 279 N94-24276
- The influence of elastic pitch variations on helicopter flight mechanics
p 258 N94-24286
- Continuous gust response and sensitivity derivatives using state-space models
p 268 N94-24287
- Technische Hochschule, Aachen (Germany).**
Testing of a multisensor hot film technique in wind tunnel and free flight
p 218 N94-22599
- Measurement of kinematically unstationary separated flows
p 273 N94-22854
- Technische Hochschule, Darmstadt (Germany).**
Numerical modelling of turbine combustion chambers
p 396 N94-29254
- The mixing process in the quenching zone of the rich-lean-combustion concept
p 407 N94-29281
- Technische Hogeschool, Twente (Netherlands).**
Compressible turbulent flow simulation with a multigrid multiblock method
p 276 N94-23694
- Technische Univ., Berlin (Germany).**
Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight
[ILR-MITT-280(1993)] p 37 N94-14800

- Navier-Stokes computations of turbulent flow around high-lift configurations
p 46 N94-18420
- Measurement Technology for Flight Tests
[ILR-MITT-256(1991)] p 218 N94-22597
- Free flight experiment with a laminar wing glove
p 219 N94-22600
- Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways
[ETN-94-95734] p 446 N94-31575
- The contribution of aeronautics and astronautics to the quality of life on Earth
[ILR-MITT-283(1993)] p 449 N94-31611
- Technische Univ., Brunswick (Germany).**
Stability model of the atmosphere
p 190 N94-11500
- A learning autopilot for automatically controlled robust regulation
[ETN-93-95075] p 123 N94-19711
- Automatic control steps for aircraft taxi guidance
p 388 N94-29584
- Technische Univ., Delft (Netherlands).**
Optimal lateral escape maneuvers for microburst encounters during final approach
[LR-691] p 56 N94-13534
- Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft
[LR-693] p 83 N94-13687
- Some computational tools for the analysis of through cracks in stiffened fuselage shells
[LR-701] p 175 N94-13726
- Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage
[LR-708] p 176 N94-13803
- The development of inspection and repair methods for the C-17 alt cargo door
[LR-704] p 3 N94-13904
- Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects
[LR-707] p 121 N94-13906
- A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures
[LR-681] p 177 N94-13929
- Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations
[LR-694] p 177 N94-13931
- MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage
[LR-697] p 177 N94-13986
- Gate assignment using linear programming
[LR-698] p 200 N94-13987
- Predicted and real development in the aviation in the period 1961-1991
p 4 N94-15122
- Survey on the application of a 3D general purpose wind-tunnel research model
[LR-713] p 136 N94-19372
- The dynamic stability of the helicopter
[LR-772] p 123 N94-19615
- ADAS implementation of a panel method for the prediction of aerodynamic loads
[LR-723] p 51 N94-19667
- Fatigue crack initiation in riveted lap joints and in pressurized fuselages
[LR-725] p 188 N94-19669
- Noise measurements on two types of airplanes used for spraying in agriculture
[LR-706] p 92 N94-19796
- Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel
[PB93-215382] p 217 N94-22260
- Pre-design study of a general purpose vehicle simulator platform
[PB93-215366] p 269 N94-24739
- High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimvec programming system
[ETN-94-95035] p 313 N94-26539
- Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel
[PB94-126539] p 344 N94-26815
- Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load
[PB94-126547] p 355 N94-26911
- Experimental study of the angled crack in GLARE 3
[PB94-126554] p 326 N94-26954
- Design and test of postbuckled stiffened curved plates: A literature survey
[PB94-126521] p 355 N94-26961

- Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials
[PB94-126471] p 326 N94-26969
- Impact tests on fibre metal laminates under a tensile load
[PB94-126570] p 349 N94-27201
- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments
[LR-728] p 433 N94-31674
- Multiple-site damage in aircraft fuselage structures
[LR-729] p 433 N94-31675
- Differential GPS positioning: DGPS modelling using pseudo range observations
[PB94-149697] p 470 N94-34113
- Error analysis of the step drag-free system with respect to gravity field determination
[PB94-149804] p 506 N94-34115
- Technische Univ., Dresden (German D.R.).**
The influence of the inlet boundary layers on the secondary losses of turbine stages
p 486 N94-34457
- Technische Univ., Eindhoven (Netherlands).**
Wind climate and urban geometry
[ISBN-9-03-860132-8] p 364 N94-25261
- Technische Univ., Munich (Germany).**
MTR390, the new generation turboshaft engine
p 482 N94-34434
- Improvement of endurance performance by periodic optimal control of variable camber
p 581 N94-36329
- Tennessee Univ., Knoxville, TN.**
Wall interference correction based on interface measurements in subsonic wind tunnel testing
p 26 N94-11154
- Tennessee Univ. Space Inst., Tullahoma, TN.**
A wall interference assessment/correction system
[NASA-CR-194174] p 28 N94-13076
- Supersonic laminar flow control research
[NASA-CR-196260] p 601 N94-37511
- TeSCO, Inc., Tullahoma, TN.**
Model borne data management system for wind tunnel testing, phase 2
[AD-A276296] p 438 N94-31295
- Texas A&I Univ., Kingsville, TX.**
Evaluation of the efficiency and fault density of software generated by code generators
p 284 N94-24445
- Texas A&M Univ., College Station, TX.**
Knowledge-based processing for aircraft flight control
[NASA-CR-194074] p 120 N94-13469
- Flight validation of a pulsed smoke flow visualization system
[NASA-CR-186026] p 84 N94-14106
- Computation of turbulent flows over backward and forward-facing steps using a near-wall Reynolds stress model
p 251 N94-24145
- Simulation of cryogenic turbopump annular seals
p 281 N94-24440
- Investigation of aerodynamic design issues with regions of separated flow
p 296 N94-27902
- Nonequilibrium radiation and chemistry models for the aerocapture vehicle flowfields
[NASA-CR-195706] p 299 N94-28071
- An initial investigation into methods of computing transonic aerodynamic sensitivity coefficients
[NASA-CR-195705] p 299 N94-28072
- Wind tunnel testing and research
[NASA-CR-188273] p 402 N94-29052
- Rotor instability induced by dead band clearance in bearing supports
p 445 N94-30809
- Eccentricity effects upon the flow field inside a whirling annular seal
p 502 N94-34181
- Texas Univ., Arlington.**
Information presentation for expert systems in future fighter aircraft
[AD-A275126] p 394 N94-29005
- Shock impingement near mild hypersonic expansion corners
p 424 N94-31879
- Texas Univ., Austin, TX.**
Unsteady phenomena in shock wave/boundary layer interaction
p 180 N94-15200
- Adaptive algorithm for aircraft configuration in turbulent flow
[AD-A266188] p 86 N94-16122
- Flowfield dynamics in blunt fin-induced shock wave/turbulent boundary layer interactions
[NASA-CR-195170] p 357 N94-27802
- Sonic boom propagation through turbulence: A ray theory approach
p 301 N94-28192
- The propagation of spark-produced N waves through turbulence
p 301 N94-28193
- Models for vibration-dissociation coupling in high-temperature gases
p 413 N94-29675
- Textron Lycoming, Stratford, CT.**
Advanced concepts for next generation small gas turbine engine compressors
p 484 N94-34443

Textron Specialty Materials, Lowell, MA.

SCS-6 (tm) fiber reinforced titanium

p 585 N94-36652

Thomson-TRT Defense, Guyancourt (France).

Laser designation pods optimized concept for day/night operations p 594 N94-36620

Tohoku Univ., Sendai (Japan).

Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954

Tokyo Inst. of Tech. (Japan).

Transonic expanding flow through axially symmetric orifices p 410 N94-28985

Tokyo Inst. of Tech., Yokohama (Japan).

Silence amenity engineering: Past and present p 370 N94-27283

Tokyo Univ. (Japan).

Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960

Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975

Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

Tokyo Univ., Sagami (Japan).

Research and development of space transportation systems in ISAS p 140 N94-14277

Toledo Univ., OH.

Blading models for TURBAN and CSPAN turbomachine design codes p 26 N94-11203

Tomark Industries, Inc., Wilmington, DE.

The fire properties of insulation bags, as installed and after aircraft operations p 144 N94-10778

Toronto Univ., Downsview (Ontario).

Nonlinear aspects of transonic aeroelasticity [UTIAS-345] p 27 N94-11857

Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids p 47 N94-18423

Toronto Univ. (Ontario).

Nonlinear aspects of transonic aeroelasticity p 19 N94-10357

The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure [ISBN-0-315-83580-X] p 238 N94-22577

Transonic flow calculations: Integral method [ISBN-0-315-83538-9] p 218 N94-22586

A simulator investigation of helicopter flight control system mode transitions [UTIAS-348] p 345 N94-27879

Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner p 302 N94-28328

Viscous airfoil computations using adaptive structured grids p 304 N94-28337

Attached and separated trailing edge flow measurements with a triple-split hot-film probe p 304 N94-28339

Thin-layer Navier-Stokes computations for multi-element airfoils p 304 N94-28341

Heave dynamics of an air cushion vehicle bag and finger skirt [ISBN-0-315-87053-2] p 423 N94-31734

Development of a reconfigurable helicopter flight control system [ISBN-0-315-87218-7] p 437 N94-31837

Toshiba Corp., Tokyo (Japan).

Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344

Transport Canada, Ottawa (Ontario).

Application of scattering by arrays of cylinders to MLS signal propagation error estimation p 221 N94-22135

Transportation Research Board, Washington, DC.

Public-sector aviation issues: Graduate research award papers, 1991-1992 [PB93-206258] p 220 N94-22055

Trident International, Inc., Orlando, FL.

Single crystal faceplate evaluation [AD-A277922] p 500 N94-33399

High definition TV projection via single crystal faceplate technology [AD-A277850] p 501 N94-33768

Tsentralni Aerogidrodinamicheskii Inst., Moscow (USSR).

Aerodynamic design of super maneuverable aircraft p 533 N94-34617

Turbomeca S.A. - Brevets Szydlowski, Bordes (France).

Specifications of auxiliary power units for conformity with helicopter turboshaft engines p 484 N94-34441

The centrifugal compressor, an essential component of small and medium power engines p 484 N94-34445

Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463

U

Ulstain Turbine A/S, Kongsberg (Norway).

Turbine blade dynamics and blade-vane interaction in a radial inflow turbine p 486 N94-34461

United Technologies Corp., East Hartford, CT.

Thermal/Structural Tailoring of Engine Blades (T/STAEBL): User's manual [NASA-CR-194461] p 357 N94-27776

Coupled 2-dimensional cascade theory for noise and unsteady aerodynamics of blade row interaction in turbomachinery. Volume 2: Documentation for computer code CUP2D [NASA-CR-4506-VOL-2] p 334 N94-27778

Unsteady separation experiments on 2-D airfoils, 3-D wings, and model helicopter rotors p 524 N94-34967

United Technologies Corp., Stratford, CT.

Wind tunnel test of a variable-diameter tiltrotor (VDTR) model [NASA-CR-177629] p 316 N94-24796

United Technologies Corp., West Palm Beach, FL.

Advanced control for airbreathing engines, volume 1: Pratt and Whitney [NASA-CR-189203] p 101 N94-12270

United Technologies Corp., Windsor Locks, CT.

In flight measurement of steady and unsteady blade surface pressure of a single rotation large scale advanced prop-fan installed on the PTA aircraft [NASA-CR-187096] p 477 N94-32859

United Technologies Research Center, East Hartford, CT.

An analytic modeling and system identification study of rotor/fuselage dynamics at hover p 118 N94-13312

Study of streamwise vorticity-stirred combustion [NASA-CR-194450] p 271 N94-24565

An analysis for high Reynolds number inviscid/viscid interactions in cascades [NASA-CR-4519] p 254 N94-24606

Evaluation of the transient operation of advanced gas turbine combustors p 397 N94-29269

Departure solutions of the unsteady thin-layer and full Navier-Stokes equations solved using streamline curvature based iteration techniques p 552 N94-34980

Universal Analytics, Inc., Torrance, CA.

ASTROS enhancements. Volume 1: ASTRO user's manual [AD-A266818] p 201 N94-16768

ASTROS enhancements. Volume 2: ASTRO programmer's manual [AD-A266819] p 201 N94-16769

Universidad Politecnica de Madrid (Spain).

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor p 406 N94-29275

Universitaet der Bundeswehr Muenchen, Neubiberg (Germany).

Two-axis camera platform for machine vision p 597 N94-36628

Universite Catholique de Louvain (Belgium).

Stability analysis and aerospace vehicle dynamics p 113 N94-11491

Universiteit Twente, Enschede (Netherlands).

A multigrid multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713

Universities Space Research Association, Houston, TX.

Proceedings of the 8th Annual Summer Conference: NASA/USRA Advanced Design Program [NASA-CR-195118] p 371 N94-25665

University of Eastern Kentucky, Richmond, KY.

Analysis of deposit precursors in jet fuels using Fourier transform infrared spectroscopy [AD-A269035] p 152 N94-18489

University of Southern California, Los Angeles, CA.

Control of jet noise [NASA-CR-193612] p 205 N94-11176

Unsteady separation process and vorticity balance on unsteady airfoils p 524 N94-34970

Utah State Univ., Logan, UT.

Literature review and preliminary studies of fretting and fretting fatigue including special applications to aircraft joints [AD-A280310] p 594 N94-37125

Utah Univ., Salt Lake City, UT.

Effects of frequency and amplitude variations of superimposed minor loading sequences on the corrosion fatigue behavior of aircraft structural aluminum alloys p 433 N94-31957

History and prognosis of material discontinuity effects on engine components structural integrity p 595 N94-37322

V

Vachon (William A.) and Associates, Inc., Manchester, MA.

Control algorithms for effective operation of variable-speed wind turbines [DE94-002607] p 282 N94-23704

Vanderbilt Univ., Nashville, TN.

High resolution SQUID magnetometry for non-destructive evaluation [AD-A268884] p 185 N94-18225

Vigyan Research Associates, Inc., Hampton, VA.

Three-Dimensional Boundary-Layer program (BL3D) for swept subsonic or supersonic wings with application to laminar flow control [NASA-CR-4531] p 174 N94-13073

Robust unstructured grid generation with VGRID p 243 N94-22359

Cockpit weather graphics using mobile satellite communications p 273 N94-22775

A study of roll attractor and wing rock of delta wings at high angles of attack p 337 N94-25111

Computation of three-dimensional compressible boundary layers to fourth-order accuracy on wings and fuselages [NASA-CR-4269] p 498 N94-32871

Inviscid and viscous flow calculations for the F16XL configuration p 463 N94-33529

Virginia Center of Excellence for Software Reuse and Technology Transfer, Herndon, VA.

MULTIGRAPH: An architecture for model-based programming. Model-based program synthesis for parallel computing. PREMOS: Programming environment for model-based program synthesis, version 01.00.00 [AD-A276949] p 451 N94-32219

Virginia Polytechnic Inst., Blacksburg, VA.

Flow structure generated by perpendicular blade vortex interaction and implications for helicopter noise predictions [NASA-CR-195824] p 466 N94-34207

Virginia Polytechnic Inst. and State Univ., Blacksburg, VA.

Perpendicular blade vortex interaction and its implications for helicopter noise prediction: Wave-number frequency spectra in a trailing vortex for BWI noise prediction [NASA-CR-193623] p 204 N94-10752

A technique for direct measurement of skin friction in supersonic combustion flow p 32 N94-13555

Calculation of hypersonic shock structure using flux-split algorithms [NASA-CR-194296] p 32 N94-13607

Aerodynamic/dynamic/control interaction [AD-A266187] p 122 N94-16107

The 6th Japan-U.S. conference on composite materials [AD-A268535] p 152 N94-18630

Issac, Jason Cherian ses in transonic flow [NASA-CR-194837] p 250 N94-24052

Design of a vehicle based system to prevent ozone loss [NASA-CR-195498] p 262 N94-24479

Development of methodologies for the estimation of thermal properties associated with aerospace vehicles p 358 N94-27920

Sensitivity analysis of the static aeroelastic response of a wing p 420 N94-30525

Three-dimensional velocity measurements on a 6:1 prolate spheroid at 10 deg angle of attack [AD-A276485] p 446 N94-31476

Multidisciplinary optimization of high-speed civil transport configurations using variable-complexity modeling p 433 N94-31881

Influence of an asymmetric ring on the modeling of an orthogonally stiffened cylindrical shell [NASA-CR-195953] p 504 N94-34262

Virginia State Univ., Petersburg, VA.

Aerodynamic heating in hypersonic flows p 296 N94-27919

Virginia Univ., Charlottesville, VA.

NASA-JVA light aerospace alloy and structures technology program (LA2ST) [NASA-CR-195275] p 357 N94-27851

Analysis of high speed flow, thermal and structural interactions [NASA-CR-196017] p 593 N94-36420

Volvo Flygmotor A.B., Trollhaettan (Sweden).

Turbine design p 140 N94-20075

Von Karman Inst. for Fluid Dynamics, Rhode-Saint-Genese (Belgium).

Methodology of Hypersonic Testing [VKI-LS-1993-03] p 33 N94-14153

Activities report to NATO [ETN-94-95047] p 275 N94-23227

Gas Turbine Engine Transient Behaviour [VKI-LS-1993-06] p 360 N94-28043

W

- Washington State Univ., Pullman, WA.**
The radiocarbon hydroxyl technique p 414 N94-28600
An experimental study of wing tip vortex in the near wake of a rectangular wing [AD-A275389] p 377 N94-29306
- Washington Univ., Saint Louis, MO.**
Combined LAURA-UPS solution procedure for chemically-reacting flows [NASA-TM-107964] p 551 N94-34721
- Washington Univ., Seattle, WA.**
A reliable algorithm for optimal control synthesis [NASA-CR-194809] p 283 N94-23332
Multirate flutter suppression system design for the Benchmark Active Controls Technology Wing [NASA-CR-196112] p 581 N94-36965
- Waterloo Univ. (Ontario).**
Passenger terminal simulation model [ISBN-0-315-61113-8] p 228 N94-22423
A new approach to turboprop forward nacelle design p 335 N94-28336
Aerodynamic drag of droplets in turbulent flow fields [ISBN-0-315-75827-9] p 457 N94-32491
- West Virginia Univ., Morgantown, VA.**
Determination of the stability and control derivatives of the NASA F/A-18 HARV using flight data [NASA-CR-194838] p 335 N94-24804
- Western Aerospace Labs., Inc., Monte Sereno, CA.**
Effects of checklist interface on non-verbal crew communications [NASA-CR-177639] p 528 N94-34915
- Westinghouse Electric Corp., Sunnyvale, CA.**
Radar E-O image fusion p 352 N94-25503
- Westinghouse Savannah River Co., Aiken, SC.**
Aerial robotic data acquisition system [DE94-009114] p 506 N94-33938
- Westland Aerostructures Ltd., East Cowes (England).**
The application of advanced materials to aircraft nacelle structures p 142 N94-10011
- Westland Helicopters Ltd., Yeovil (England).**
EH101: A new helicopter capable of long range missions p 574 N94-36330
- Wichita State Univ., KS.**
Supersonic flow visualization of a nacelle in close proximity to a simulated wing [NASA-CR-194675] p 43 N94-17260
Maximizing participation of women in collegiate aviation education [NIAR-93-14] p 210 N94-17261
The airline quality report 1993 [NIAR-93-11] p 58 N94-17262
Activities of National Inst. for Aviation Research [NIAR-93-16] p 212 N94-20150
Proceedings of the Twentieth Annual Technologyfest p 92 N94-20188
Aviation safety research at the National Institute for Aviation Research, Wichita State University [NIAR-93-4] p 60 N94-20189
AIAA Techfest 29 proceedings [NIAR-93-1] p 5 N94-20191
The development of a horizontal impact sled facility and subsequent crashworthiness experiments [NIAR-93-15] p 343 N94-26200
Decoupled flight control system design using the singular perturbation method p 400 N94-29850
The effect of mechanical paint stripping on the fatigue and fracture of thin aluminum airplane skin p 408 N94-29900
Three-dimensional force data acquisition and boundary corrections for the Walter H. Beech Memorial 7 x 10 foot low speed wind tunnel [AR93-2] p 582 N94-36437
- Wilkes Coll., Wilkes-Barre, PA.**
Microspheres for laser velocimetry in high temperature wind tunnel p 345 N94-27903
- Williams International, Walled Lake, MI.**
Expendable gas turbine engine technology advances p 483 N94-34438
- Wisconsin Univ., Madison, WI.**
Three-dimensional modeling of diesel engine intake flow, combustion and emissions-2 [NASA-CR-191189] p 103 N94-14448
CIMSS FIRE research activities p 242 N94-22307
Planar rotational magnetic micromotors with integrated shaft encoder and magnetic rotor levitation p 555 N94-35907
- Woods Hole Oceanographic Inst., MA.**
Vortex-induced forces on oscillating bluff cylinders [AD-A265056] p 171 N94-11865
- Worcester Polytechnic Inst., Holden, MA.**
NASA advanced design program. Design and analysis of a radio-controlled flying wing aircraft [NASA-CR-195515] p 262 N94-24589

Worcester Polytechnic Inst., MA.

- Solar powered multipurpose remotely powered aircraft p 323 N94-25719
- Wright Lab., Eglin AFB, FL.**
Large Aircraft Robotic Paint Stripping (LARPS) system and the high pressure water process p 168 N94-10623
An electronic imaging system for the Aeroballistic Research Facility [AD-A267157] p 181 N94-15826
- Wright Lab., Wright-Patterson AFB, OH.**
Development and analysis of insulation constructions for aerospace wiring applications p 169 N94-10791
Aircraft smart structures research in the USAF Wright Laboratory p 147 N94-11343
Multidimensional intelligent control for superlight air vehicles p 81 N94-11347
Decoupling of aircraft responses p 113 N94-11497
Modeling nonlinear aerodynamic loads for aircraft stability and control analysis p 114 N94-11499
X-29: Longitudinal instability at high angle-of-attack p 114 N94-11504
Evaluation of infrared sensors for autonomous landing guidance [AD-A266450] p 68 N94-13703
Supersonic Combustion Research Laboratory. Volume 1: Design and fabrication [AD-A267667] p 149 N94-14962
Design of round-to-square transition section; analysis and computer code [AD-A267173] p 134 N94-15847
An experimental study of fluctuating wall pressures in a highly swept, sharp fin-induced, Mach 5 shock wave/turbulent boundary layer interaction [AD-A268394] p 44 N94-17461
Laser velocimetry measurements of vortex flows on a delta wing at Mach 1.9 [AD-A268596] p 44 N94-17609
A finite strain ring dynamical model for pneumatic tires [AD-A269286] p 185 N94-18266
High lift and the forward swept wing p 89 N94-18436
Computational Fluid Dynamics (CFD) research branch technical briefs [AD-A269698] p 186 N94-18739
Procedures and design data for the formulation of aircraft configurations [AD-A270150] p 90 N94-18779
Vane optimization for maximum efficiency using Design Of Experiments (DOX) [AD-A270270] p 105 N94-18907
Explicit solution techniques for impact with contact constraints p 188 N94-19470
The 1992 USAF structural integrity program conference [AD-A272876] p 215 N94-21194
An engineering code to analyze hypersonic thermal management systems p 276 N94-23636
Early manufacturing considerations in design p 259 N94-24315
Robust, nonlinear, high angle-of-attack control design for a supermaneuverable vehicle p 337 N94-25108
Expert system rule-base evaluation using real-time parallel processing [AD-A273701] p 367 N94-25454
A VHDL register transfer level model of the linear token passing multiplex data bus protocol for the high speed data bus [AD-A273734] p 367 N94-26009
An investigation of the surge behavior of a high-speed ten-stage axial flow compressor [AD-A274910] p 332 N94-26345
Experiments on the ground vortex formed by an impinging jet in cross flow p 359 N94-28016
A study of jet effect and ground effect interference on a STOL fighter p 328 N94-28034
Research and development of high thermal stability fuels p 405 N94-29261
Object oriented design of the autonomous fixtating management system p 383 N94-29323
Testing Operational Flight Programs (OFFs) p 416 N94-29337
Use of magnetic compression to support turbine engine rotors p 444 N94-30484
The maintenance of operational flight program [AD-A276363] p 419 N94-31367
Technologies for avionics embedded computer systems [AD-A276364] p 434 N94-31368
Testing Operational Flight Programs (OFF's) [AD-A276361] p 432 N94-31387
Analysis of the effect of routing strategies for parallel implementations of a selected avionics application [AD-A276069] p 434 N94-31458

- A framework for developing and managing reusable avionics software [AD-A276846] p 475 N94-32909
Response of a cantilevered plate in supersonic flow [AD-A277487] p 471 N94-33107
Damage tolerance management of the X-29 vertical tail p 531 N94-34595
Progress and purpose of IHPTET program p 538 N94-34607
Results from the STOL and Maneuver Technology Demonstration program p 532 N94-34611
Flying qualities evaluation maneuvers p 533 N94-34623
High Altitude Long Endurance aircraft design studies p 572 N94-36322
Possibilities and pitfalls in aerospace applications of titanium matrix composites p 585 N94-36650
Process enhancements of superalloy material p 585 N94-37324
- Wright Research Development Center, Wright-Patterson AFB, OH.**
Interface evaluation in ceramic composites p 271 N94-24231
- Wyle Labs., Inc., Arlington, VA.**
On the aging of sonic booms p 301 N94-28194
The effect of turbulence and molecular relaxation on sonic boom signatures p 512 N94-33497
- Wyle Labs., Inc., El Segundo, CA.**
Sonic boom (human response and atmospheric effects) outdoor-to-indoor response to minimized sonic booms p 513 N94-33502

X

- Xerad, Inc., Santa Monica, CA.**
Future ultra-speed tube-flight p 555 N94-35918

Y


- Yale Univ., New Haven, CT.**
Research on chemical vapor deposition processes for advanced ceramic coatings [NASA-CR-193613] p 148 N94-13089

FOREIGN TECHNOLOGY INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography
1994 Cumulative Index

December 1994

Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

AUSTRALIA

- Fault diagnosis in gas turbines using a model-based technique
[BTN-94-EIX94311331071] p 589 A94-61107
- Thermal stability of sealants for military aircraft: Modification of polysulfide prepolymers with ether and thioether monomers
[AD-A264079] p 146 N94-11107
- Field evaluation of six protective coatings applied to T-56 turbine blades after 2500 hours of engine use
[ARL-TR-27] p 146 N94-11311
- Aircraft accident investigation at ARL: The first 50 years
[AD-A267086] p 57 N94-15542
- Helicopter structures: A review of loads, fatigue design techniques, and usage monitoring
[AD-A267115] p 85 N94-15651
- Flight instrument software for the F/A-18 research simulator
[AD-A267170] p 134 N94-15856
- A review of Australian and New Zealand investigations on aeronautical fatigue during the period April 1991 to March 1993
[AD-A267532] p 87 N94-17117
- Application of the A* algorithm to aircraft trajectory generation
[AD-A268728] p 88 N94-18315
- A wind tunnel model control surface actuator interface
[AD-A268729] p 135 N94-18324
- Mathematical modelling of bonded fibre-composite repairs to aircraft
[AD-A268732] p 152 N94-18327
- Development and operation of the F/A-18 model control surface actuators
[AD-A271330] p 92 N94-19914
- Detecting topographical regions in digital terrain maps
[AD-A272889] p 240 N94-21453

- Proceedings of Workshop on Laser Diagnostics in Fluid Mechanics and Combustion
[AD-A272808] p 273 N94-22914
- Shock tunnel studies of scramjet phenomena, supplement 7
[NASA-CR-191572] p 275 N94-23513
- Shock tunnel studies of scramjet phenomena, supplement 8
[NASA-CR-191573] p 275 N94-23532
- Low-speed pressure distribution measurements over the aft-fuselage, fins, and stabilators of a 1/9th scale F/A-18 wind-tunnel model
[AD-A274870] p 293 N94-26342
- Development and evaluation of a near infrared reflecting and low visibility paint scheme for RAAF P-3C Orion aircraft
[AD-A274881] p 326 N94-26864
- Fishermans Bend: A centre of Australian aviation
[AD-A274981] p 373 N94-29090
- Cold expansion and interference for extending the fatigue life of multi-layer metal joints
[AD-A274982] p 410 N94-29091
- Finite element analysis of MB326H Macchi wing lower spar cap fatigue cracks
[AD-A277062] p 434 N94-32264
- Assessment of impact damage in composite structures
[AD-A277063] p 444 N94-32265
- Improved resealing procedures for the second desal/reseal program in RAAF F111 aircraft fuel tanks
[AD-A277069] p 434 N94-32378
- AUSTRIA**
- Tropospheric corrections to GPS measurements using locally measured meteorological parameters compared with general tropospheric corrections
p 429 N94-30655

B

BELGIUM

- An impedance approach to vibro-acoustic modeling
p 204 A94-12483
- Stability analysis and aerospace vehicle dynamics
p 113 N94-11491
- Methodology of Hypersonic Testing
[VKI-LS-1993-03] p 33 N94-14153
- Activities report to NATO
[ETN-94-95047] p 275 N94-23227
- Gas Turbine Engine Transient Behaviour
[VKI-LS-1993-06] p 360 N94-28043
- Decision Making Aids (DMA) in on-line ATC systems
p 386 N94-29570
- Air-ground integration of the ATM system in PHARE
p 388 N94-29579

BRAZIL

- On a finite-state inflow application to flap-lag-torsion damping in hover
p 74 A94-12061
- Using optimization for balancing flexible rotors
p 161 A94-12516
- Combustion shock tunnel and interface compression to increase reservoir pressure and enthalpy
[BTN-94-EIX94311330650] p 516 A94-60141
- An investigation on a new technique to improve the performance of the shock tube/tunnel testing in the equilibrium interface condition
p 269 N94-24247

C

CANADA

- A numerical and experimental evaluation of the sidewall boundary layer effects on aerofoils tested in wind tunnel facilities
p 6 A94-10436
- Holographic interferometry and moire deflectometry for visualization and analysis of low-gravity experiments on laser materials processing
p 155 A94-11090
- Design implementation and testing of a Helicopter Integrated Navigation System (HINS)
p 64 A94-12564
- Explicit Kutta condition for an unsteady two-dimensional constant potential panel method
[BTN-94-EIX94301315990] p 515 A94-60026

- Three-dimensional closure of the passage-averaged vorticity-potential formulation
[BTN-94-EIX94301315991] p 547 A94-60027
- Ornithopter wing design
[BTN-94-EIX94331337499] p 521 A94-60334
- Structural integrity and containment aspects of small gas turbine engines
[BTN-94-EIX94331337500] p 550 A94-60335
- Evaluation of the dynamics and handling quality characteristics of the Bell 412 HP helicopter
[BTN-94-EIX94331337502] p 530 A94-60337
- PT6 engine: 30 years of gas turbine technology evolution
[BTN-94-EIX94311331064] p 577 A94-61114
- Developments in centrifugal compressor surge control: A technology assessment
[BTN-94-EIX94311330090] p 590 A94-61129
- Structural analysis of airborne flux estimates over a region
[HTN-94-00748] p 609 A94-62441
- Nonlinear aspects of transonic aeroelasticity
p 19 N94-10357
- Paint removal activities in Canada
p 167 N94-10615
- Paint removal and surface cleaning using ice particles
p 168 N94-10626
- Paint removal using wheat starch blast media
p 168 N94-10627
- The OSU heat release rate test using the oxygen consumption principle
p 144 N94-10784
- Mechanical analysis of parallel manipulators with simulation, design, and control applications
[ISBN-0-315-72013-1] p 170 N94-11156
- Smart structures at Astra Corporation
p 146 N94-11326
- Fiber-optic sensor systems for measuring strain and the detection of acoustic emissions in smart structures
p 147 N94-11337
- Nonlinear aspects of transonic aeroelasticity
[UTIAS-345] p 27 N94-11857
- ADS-33C related handling qualities research performed using the NRC Bell 205 airborne simulator
p 115 N94-13295
- An experimental investigation of the redistribution of gas stream total temperature in a high turning angle transonic planar cascade
[ISBN-0-315-60791-2] p 30 N94-13369
- Activities of Institute for Aerospace Research, Flight Research Laboratory
[CTN-93-60832] p 212 N94-13519
- Activities of Bombardier, Inc.
[ISBN-2-921393-11-5] p 3 N94-13520
- Techniques for improving the performance of a simplified electronic fuel controller with incremental actuation for small gas turbine engines
[ISBN-0-315-56062-2] p 174 N94-13521
- The international regulation of air transport: Changing regimes and price effects
[ISBN-0-315-55958-6] p 56 N94-13543
- Airport terminals: Optimum configurations and gate position requirement
[ISBN-0-315-61722-5] p 132 N94-13544
- Spare parts analysis of the MK.32B-751 AAR pod
[DSIS-93-00737] p 200 N94-13549
- Shear buckling of fiber metal laminates: Comparison between orthotropic and anisotropic plate models using finite element method
[LTR-ST-1934] p 174 N94-13565
- An analysis of helicopter attrition using a low level combat simulation
[DSIS-93-00282] p 84 N94-13839
- Measurements of wing and fin buffeting on the standard dynamics model
[IAR-AN-76] p 120 N94-13859
- A distributed, visual object system using aggregation objects with a local namespace
[IME-MET-TR-007] p 200 N94-13860
- Review of Canadian aeronautical fatigue work, 1991-1993
[LTR-ST-1932] p 176 N94-13861
- HELSCAM V2.0: Development and application guide
[DSIS-93-00137] p 84 N94-13867

- Qualitative investigation of a generic fighter model in radio controlled gliding flight
[LM-AA-003] p 84 N94-13898
- An experimental investigation into the damage resistance and compression-after-impact strength of T800H/3900-2
[LTR-ST-1909] p 177 N94-13945
- Flow-field interference produced by an asymmetrical support strut
[IAR-AN-75] p 33 N94-14031
- An expert system class library for Audition
[IME-MET-TR-008] p 210 N94-14196
- Ground Attack Profile Selector Program, version 3.0
[DSIS-93-00702] p 201 N94-14207
- Monopiece strain gauge sting mounted wind tunnel balance
[CA-PATENT-1-311-626] p 181 N94-15697
- Development of the Laser-based R/D Test-bed System (LTS)
p 182 N94-16080
- Numerical solution of the Navier-Stokes equations for high-lift configurations on structured composite grids
p 47 N94-18423
- High lift systems for transport aircraft with advanced airfoils
p 90 N94-18446
- Improvements in antenna coupling path algorithms for aircraft EMC analysis
p 237 N94-22126
- RCS of ships and aircraft at HF frequencies
p 237 N94-22128
- MLS signal-in-space category 3 landing hazard analysis
p 221 N94-22134
- Application of scattering by arrays of cylinders to MLS signal propagation error estimation
p 221 N94-22135
- Testing of DME/P equipment performance for complex MLS procedures
p 221 N94-22136
- MLS pointing angle error sources and effects
p 222 N94-22154
- Developing software to RTCA DO-178A
p 222 N94-22155
- A flight test system design for the microwave landing system
p 222 N94-22156
- FM interference in radio navigation receivers
p 222 N94-22219
- Modelling stalled airfoils
[ISBN-0-315-59525-6] p 218 N94-22382
- Passenger terminal level of service measurement: A utility theoretic approach
[ISBN-0-315-59037-8] p 228 N94-22418
- An airport economic impact study procedure for Atlantic Canada
[ISBN-0-315-59445-4] p 228 N94-22419
- Passenger terminal simulation model
[ISBN-0-315-61113-8] p 228 N94-22423
- A study of parallel pier finger airport terminal configuration
[ISBN-0-315-83128-6] p 229 N94-22425
- A robust quality control system for GPS navigation and kinematic positioning
[ISBN-0-315-83148-0] p 223 N94-22427
- The optohydraulic servovalve: A novel device for the precise optical control of hydraulic pressure
[ISBN-0-315-83580-X] p 238 N94-22577
- Transonic flow calculations: Integral method
[ISBN-0-315-83538-9] p 218 N94-22586
- Canadian aeronautical mobile data trials
p 272 N94-22773
- Aeronautical satellite antenna steering using magnetic field sensors
p 273 N94-22836
- Vibration isolating engine mount
[CA-PATENT-1-320-710] p 275 N94-23215
- Turbine engine with induced pre-swirl at the compressor inlet
[CA-PATENT-1-317-467] p 263 N94-23253
- Bent-tip blade for aircraft rotary-wing
[CA-PATENT-1-315-259] p 257 N94-23254
- Counterrotating aircraft propulsor blades
[CA-PATENT-1-319-357] p 264 N94-23255
- Internal combustion engine with a central crankshaft and integral tandem annular pistons
[CA-PATENT-1-320-878] p 277 N94-24055
- An overview of a generic multi-sensor integrated navigation system design
[CTN-94-60916] p 256 N94-24120
- Experimental verification of an acoustic telemetry link between an Aurora and CFAV quest
[DREA-TC-93-304] p 270 N94-24121
- A colour image processing algorithm to identify copper-based particles in filter debris samples
[DREP-TM-93-19] p 283 N94-24122
- TEM cell safety report
[DREO-TN-93-9] p 269 N94-24123
- Seal assembly
[CA-PATENT-1-312,888] p 277 N94-24128
- An evaluation of Compton scatter imaging using COMSCAN
[DREP-TM-93-38] p 278 N94-24136
- A prediction method for the compressive strength of impact damaged composite laminates
[CTN-94-60925] p 270 N94-24137
- Flush head fastener
[CA-PATENT-1308581] p 278 N94-24175
- An investigation into acceleration determination for airborne gravimetry using the global positioning system
[ISBN-0-315-59470-5] p 256 N94-24176
- Experimental study of a turbulent boundary layer in presence of external manipulators of NACA 0009 profile in the transonic regime
[ISBN-0-315-57633-2] p 279 N94-24177
- Three dimensional study of an airplane wing and its wake in the subsonic regime
[ISBN-0-315-58963-9] p 252 N94-24178
- Wing mounted unducted fan engine
[CA-PATENT-1323353] p 265 N94-24180
- Landing gear with swivelling beam
[CA-PATENT-1323020] p 257 N94-24181
- Radially constructed cruciform parachute
[CA-PATENT-1323021] p 252 N94-24182
- Beamforming in an acoustic shadow
p 286 N94-24219
- On the deformation kinetics constitutive law of plastic deformation: The rate equation
p 280 N94-24289
- Gas turbine and operating method of the same
[CA-PATENT-APPL-SN-2043039] p 266 N94-24490
- System for automatic transportation of aircraft on the ground
[CA-PATENT-1-322-361] p 341 N94-24785
- A comparison of Probability Of Detection (POD) data determined using different statistical methods
[LTR-ST-1947] p 353 N94-26644
- An investigation of the effects of the high maximum-thickness-to-chord ratio on the performance of nozzle guide vanes in a transonic planar cascade
[ISBN-0-315-84107-9] p 354 N94-26671
- An investigation into the aerodynamic effects of wing patches
[ISBN-0-315-84121-4] p 294 N94-26672
- Simulating indirect thrust measurement methods as used on modern high-bypass turbofans
[ISBN-0-315-84123-0] p 332 N94-26673
- Influence of the transonic doublet in the fairfield of a lifting airfoil
[IAR-AN-78] p 295 N94-26702
- The effects of tailwinds and control cross coupling on rotorcraft handling qualities for steep, decelerating instrument approaches and missed approaches
[IAR-AN-77] p 339 N94-26710
- Composite leading edge/spar member for an aircraft control surface
[CA-PATENT-1-325-765] p 327 N94-27273
- Automatic, real-time fault monitor verifying network in a microwave landing system
[CA-PATENT-1325261] p 314 N94-27275
- Developments in the application of the geometrical theory of diffraction and computer graphics to aircraft inter-antenna coupling analysis
[ISBN-0-315-84643-7] p 356 N94-27308
- Installation of models in the 2 m x 3 m low speed wind tunnel
[LTR-LA-286] p 345 N94-27594
- Controlled oscillation of forebody vortices by nozzle jet blowing
[ISBN-0-315-84134-6] p 340 N94-27648
- The development of an in-motion radiography system for large area aircraft scanning
[DREP-TM-93-53] p 327 N94-27666
- Differential GPS methods and performance for marine applications
[DREP-93-09] p 315 N94-27667
- A simulator investigation of helicopter flight control system mode transitions
[UTIAS-348] p 345 N94-27879
- Abstracts of papers presented at the 4th CASI Aerodynamics Symposium
[ISBN-0-920203-01-9] p 301 N94-28315
- Wind tunnel investigation of propan slipstream/wing interactions on a De Havilland air motor powered semispan model at Mach numbers 0.6 and 0.7
p 301 N94-28316
- Flow field investigation in the near slipstream of an 8-bladed propan on the De Havilland WTEJ half-model at Mach numbers 0.6 and 0.7
p 302 N94-28317
- Assessing the effects of Tuned Vibration Absorbers (TVAs) on interior cabin noise levels: A correlation between analytical acoustic predictions and flight test measurements
p 370 N94-28318
- Propeller off-axis loads due to thrust axis incidence and nacelle magnus force
p 334 N94-28319
- Effect of surface finish on turbine airfoil cascade losses
p 335 N94-28320
- The effect of axial velocity ratio, turbulence intensity, incidence, and leading edge geometry on the midspan performance of a turbine cascade
p 335 N94-28321
- Experimental and theoretical studies of T-tail configurations for commuter aircraft applications
p 329 N94-28322
- Measurements of steady and dynamic pressure on an F/A-18 wind tunnel model at high angles of attack
p 302 N94-28323
- Application of the MBTEC Euler code to the Challenger and the CF-18 complete aircraft configurations
p 329 N94-28324
- Transition for three-dimensional, compressible boundary layers
p 363 N94-28327
- Experimental study on the shock wave interaction with a hypersonic boundary layer near a convex corner
p 302 N94-28328
- Euler and Navier-Stokes wing/fuselage computations of the De Havilland Dash 8 aircraft
p 302 N94-28329
- Application of the influence function method using the interference distributed loads code to prediction of store aerodynamic load during separation from the CF-18 fighter aircraft
p 302 N94-28330
- Aerodynamic performance of novel ducted-tip wings
p 303 N94-28331
- Non-isoenergetic inviscid slot flow
p 303 N94-28333
- Calculation of unsteady incompressible inviscid flow about wings and bodies using CANAERO-T panel model
p 303 N94-28334
- Drag prediction by wake integrals using 3-D multi-grid Euler method (MGAERO)
p 303 N94-28335
- A new approach to turboprop forward nacelle design
p 335 N94-28336
- Viscous airfoil computations using adaptive structured grids
p 304 N94-28337
- Solution of the Euler equations using unstructured grids
p 304 N94-28338
- Attached and separated trailing edge flow measurements with a triple-split hot-film probe
p 304 N94-28339
- A study of blunt trailing edge airfoils using the Navier Stokes code: ARCD2
p 304 N94-28340
- Thin-layer Navier-Stokes computations for multi-element airfoils
p 304 N94-28341
- Solution-adaptive simulation of transonic cascade flows
p 305 N94-28344
- Ice accretion on aircraft wings
p 311 N94-28345
- Preliminary assessment of aerodynamic effects of wing repair patches
p 305 N94-28346
- Experimental investigations into the wall interference and sidewall boundary layer effects in the National Research Council/Inst. for Aerospace Research High Reynolds Number 2-D Test Facility
p 363 N94-28350
- Computation of wind-tunnel side-wall interference using 3D Navier-Stokes code
p 363 N94-28351
- Evaluation of the buoyancy drag on automobile models in low speed wind tunnels
p 364 N94-28352
- Recent CFD applications in small gas turbine combustion systems development
p 396 N94-29257
- Design aspects in small aircraft gas turbine fuel injectors
p 397 N94-29264
- Intelligent systems for air space control and management
p 384 N94-29560
- Acoustic emission monitoring of aging aircraft structures
[DREP-93-17] p 393 N94-30129
- Radar jet engine health monitoring project
[ASSGI-301] p 400 N94-30130
- Enhanced fatigue crack detection in aging aircraft using continuous acoustic emission monitoring
[DREP-93-16] p 393 N94-30131
- A capacity planning model for Canadian military airlift requests
[ISBN-0-315-86079-0] p 382 N94-30144
- Payload central control for unmanned aircraft
p 401 N94-30284
- The use of low cost differential mode GPS receivers in unmanned vehicles
p 389 N94-30285
- HATT-X: A high performance flying laboratory for autonomous unmanned aircraft research and development
p 393 N94-30293
- Development of an accurate transmission line fault locator using the global positioning system satellites
p 428 N94-30652
- Thermal-mechanical fatigue crack growth in aircraft engine materials
[ISBN-0-315-86543-1] p 447 N94-31707
- Neutron measurements at the commercial aircraft altitudes
[ISBN-0-315-86201-7] p 453 N94-31709
- Determining the bearing capacity of flexible airfield pavements using a heavy weight deflectometer
[ISBN-0-315-86210-6] p 439 N94-31710
- Common property resources and low-level flying in Labrador: Flight, fight or fancy?
[ISBN-0-315-87318-3] p 453 N94-31732

- Heave dynamics of an air cushion vehicle bag and finger skirt
[ISBN-0-315-87053-2] p 423 N94-31734
- Development of a robotic simulator for studying interference and contact problems
[ISBN-0-315-86705-1] p 439 N94-31747
- Development of a reconfigurable helicopter flight control system
[ISBN-0-315-87218-7] p 437 N94-31837
- Ultrasonic characterization of damage in a simulated CF-18 composite structure
[DREP-LN-93-26] p 447 N94-31872
- Location of impact damage sites in composite aircraft structures, task 3.4.1
[DSIS-94-01590] p 443 N94-31892
- SATCOM feasibility study for search and rescue aircraft
[DSIS-94-01083] p 426 N94-31902
- Study of virtual prototyping of aircraft instruments
[CMC-0687-1090] p 435 N94-31903
- Aerodynamic drag of droplets in turbulent flow fields
[ISBN-0-315-75827-9] p 457 N94-32491
- Plan recognition for an air traffic control simulation
[DSIS-94-01221] p 469 N94-32505
- Proceedings of the Symposium/Workshop on Applications of Expert Systems in DND
[DSIS-93-00343] p 508 N94-33335
- The CF-18 diagnostic and maintenance expert system project
p 456 N94-33338
- An expert system application for troubleshooting the CF-18 F404 engine
p 478 N94-33339
- Advanced small high pressure ratio centrifugal compressor
p 484 N94-34444
- Low emission combustor technology for small aircraft gas turbines
p 485 N94-34454
- Reducing Temperature Distribution Factor (TDF) for advanced small gas turbine engines
p 485 N94-34455
- Effect of tip clearance on the performance of a highly loaded turbine stage
p 486 N94-34458
- Numerical simulation of airfoil film cooling: A jet in crossflow
p 505 N94-34462
- Engine static structures behaviour under impact load using 3D modelling
p 505 N94-34464
- Hot section materials for small turbines
p 486 N94-34465
- An agility metric structure for operational agility
p 534 N94-34629
- Flight test certification of a 480 gallon composite fuel tank on CF-18
p 574 N94-36340
- CC-130H(T) tactical aerial refuelling tanker development flight test programme
p 575 N94-36347
- Alternate melting and refining routes
p 585 N94-37323
- Training and operations support system (TOPS)
p 599 N94-37344

CHINA

- The present situation and future development of Chinese aviation reliability and maintainability engineering
p 153 A94-10101
- The application of simulation in aero-reliability engineering
p 153 A94-10102
- Monte Carlo simulation of commercial aircraft reliability
p 193 A94-10103
- A discussion of the phased character of reliability and maintainability indexes
p 153 A94-10104
- The reliability parameter estimation of field information
p 153 A94-10108
- Pursue integrated logistic support and enhance the cost-effectiveness of military aircraft
p 208 A94-10111
- Discussions of standardization systems engineering and its research (working) objects
p 193 A94-10112
- The methods of systems analysis and optimization for the aneroid barometric altimeter
p 92 A94-10114
- Minimum time 3-D flight trajectory computation
p 106 A94-10115
- A prediction for landing flying qualities of aircraft using loop separation parameter method
p 106 A94-10118
- The research and establishment of graphics library of aero-engine rotor system structure scheme
p 194 A94-10119
- Airborne windshear system alert principle study
p 189 A94-10123
- Experimental investigation on supersonic combustion.
p 97 A94-10702
- Computation and discussion of a nearly constant degree of reaction turbine stage
p 7 A94-10704
- Combustion performance of dump combustor in ramjet engine using liquid hydrogen fuel
p 97 A94-10709
- Modal analysis for disordered periodic or nearly periodic structures
p 161 A94-12504
- Transient and stability analysis of large scale rotor-bearing system with strong nonlinear elements by the mode summation-transfer matrix method
p 161 A94-12531

- Sinusoidal phase modulating in ESPI for vibration pattern measurement
p 165 A94-12957
- Gaseous detonation driver for a shock tunnel
p 130 A94-13072
- Optimum flight trajectory guidance based on total energy control of aircraft
[BTN-94-EIX9438131167] p 579 A94-61254
- Research on the engineering application of the anti-swirl measures in engine/inlet compatibility
[BTN-94-EIX94381353571] p 577 A94-61459
- Experimental investigation on selecting the ramp and lip parameters of a two-dimensional external compression inlet
[BTN-94-EIX94381353570] p 577 A94-61460
- Coating the boron particles to increase the combustion efficiency of boron fuel
[BTN-94-EIX94381353577] p 584 A94-61473
- Swirl control in an S-duct at high angle of attack
[BTN-94-EIX94421374970] p 563 A94-61868
- The effect of the nose shape and wing location toward the wing vortex breakdown
[AD-A267724] p 37 N94-14942
- Numerical solution of SUPG finite-element method for supersonic viscous flow
[AD-A267762] p 43 N94-17222
- Experimental study of vortex and aerodynamic characteristics of stack wings with sideslip
[AD-A267722] p 43 N94-17274
- Dynamic response analysis of composite structural members during missile launch
[AD-A270023] p 140 N94-18760
- Experimental study on interference aerodynamics of close-coupled canard configuration
[AD-A267760] p 52 N94-19963
- Some applications of GPS timing information
p 429 N94-30661
- Stability and stability degree of a cracked flexible rotor supported on journal bearings
p 503 N94-34193
- Proceedings of the Asia-Pacific Conference on Control and Measurement (APCCM 1993), volume 10, no. 1
p 508 N94-34308
- Integrated flight/thrust control systems with constant angle-of-attack
p 488 N94-34326
- Robust variable structure flight control system
p 488 N94-34327
- Aircraft optimal variable structure control system
p 488 N94-34328
- The decoupling design of aircraft lateral flight control systems with eigenstructure assignment
p 488 N94-34329
- H infinity optimal design of robust flight control system
p 489 N94-34330
- The tracking control of nonlinear uncertain systems
p 489 N94-34331
- Integrated control and management of advanced aircraft electrical power system
p 504 N94-34333
- The measurement and three dimensional reconstruction for configuration of air vehicle using image processing techniques
p 475 N94-34356
- Computer assistant test and consultive system for aircraft fluid element
p 504 N94-34368
- Nominal H(infinity 2)-optimization and strong stabilization: A practical example of U-parameterization design
p 508 N94-34370

CZECHOSLOVAKIA

- Fatigue test by random loading of a training aeroplane wing spar
p 123 A94-10325

F**FINLAND**

- Two-dimensional Navier-Stokes computations of subsonic and supersonic flows through turbine cascades
[PB93-226223] p 274 N94-23114
- POISS3: A 3D poisson smoother of structured grids
[PB93-226231] p 275 N94-23115
- Computational study of GA(W)-1: Airfoil near stall
[PB93-226249] p 247 N94-23116
- Dead reckoning navigation
[VTT-TIED-1402] p 312 N94-25808

FRANCE

- The potential of a nonsolicited position report
p 60 A94-10331
- New testing techniques in the T2 cryogenic wind tunnel
p 126 A94-10420
- A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry
p 127 A94-10438
- Second-order effects in hypersonic boundary layers
p 8 A94-10769
- Unstructured-grid algorithms for high-speed CFD analysis
p 9 A94-10770
- Concepts of hypersonic aircraft
p 71 A94-10778

- What kind of evolution for the helicopter
p 1 A94-12041
- The high speed helicopter
p 74 A94-12044
- A.R.M.S. - A HUMS on Eurocopter France helicopter
p 2 A94-12079
- High speed Dauphin (DGV) 200 knots toward the future
p 75 A94-12081
- Ground Support Equipment (GSE) for Aircraft Condition Monitoring System (ACMS)
p 129 A94-12084
- EUROFAR simulation trials on EPOPEE simulator
p 77 A94-12097
- Simultaneous treatment of flexion and torsion in a global modal approach for the calculation of blade deformations in the comprehensive rotor code R85
p 158 A94-12109
- Contribution to performance assessment of helicopter rotor speed control by numerical optimization
p 109 A94-12113
- Lightning and high intensity radiated field test on helicopter - Implementation of a methodology for a Super Puma AS 332 L2 certification
p 77 A94-12226
- The night vision capability of the Tiger helicopter
p 93 A94-12227
- Helicopter radio communication - General trend
p 62 A94-12228
- Avionics for new generation helicopters
p 94 A94-12229
- On the track of the Tiger - The navigation system for the Tiger missions
p 62 A94-12230
- Evaluation of advanced control laws using a sidestick on the experimental fly-by-wire Dauphin helicopter
p 109 A94-12233
- The SUPER PUMA helicopter simulator or 'How to meet the most demanding requirements of the 90's'
p 130 A94-12234
- Helicopter landing gear design
p 77 A94-12235
- Current state of the art regarding helicopter vibrations reduction and aeroelastic stability augmentation
p 78 A94-12242
- Automatic defects recognition in composite aerospace structures from experimental and theoretical analysis as part of an intelligent infrared thermographic inspection system
p 160 A94-12415
- Decoupling system for Airbus A340 G.V.T
p 79 A94-12482
- Technology integration in advanced commercial aircraft cockpits and operational systems
p 95 A94-12621
- Contribution of photoelasticity to the design of jet turbo engine parts
p 99 A94-12953
- Financial crisis in the aviation industry - France
p 209 A94-13149
- Wake curvature and airfoil lift
[BTN-94-EIX94311329147] p 517 A94-60153
- Aerodynamic properties of crescent wing planforms
[BTN-94-EIX94311329146] p 517 A94-60154
- FINDER, A system providing complex decision support for commercial transport replanning operations
[BTN-94-EIX94331335529] p 549 A94-60210
- Multidomain method for several bodies in relative motion
[BTN-94-EIX94401367452] p 563 A94-61785
- Implicit schemes for unsteady Euler equations on triangular meshes
[BTN-94-EIX94331337252] p 604 A94-62204
- Aerodynamic and aerothermal challenges for the design of the Hermes spaceplane
p 138 N94-10423
- Calculations of viscous nonequilibrium flows in nozzles
p 21 N94-10455
- Local aerothermal problems during Hermes re-entry
p 21 N94-10464
- Environmentally Safe and Effective Processes for Paint Removal
[AGARD-R-791] p 166 N94-10613
- Procedures without danger to the environment and efficiency (PSDEE) for the removal of paint. Point on the French activities concerning the removal of paint
p 167 N94-10616
- Use of robots for aircraft dry stripping via plastic media blasting
p 167 N94-10620
- A Recommended Methodology for Quantifying NDE/NDI Based on Aircraft Engine Experience
[AGARD-LS-190] p 100 N94-11022
- Smart Structures for Aircraft and Spacecraft
[AGARD-CP-531] p 146 N94-11317
- Stability in Aerospace Systems
[AGARD-R-789] p 113 N94-11489
- Nonlinear and dynamic analysis of flight
p 113 N94-11496
- Boundary layer transition: Prediction and wind tunnel simulation
p 171 N94-11498
- AGARD highlights 92/2, September 1992
[AGARD-HIGHLIGHTS-92/2] p 211 N94-11820
- Use of SAR-wave, altimeter, and wind-scatterometer data in an operational swell forecasting system
p 191 N94-12503

Fundamental study of shock wave/turbulent boundary layer interactions with passive control in transonic flows [ESA-TT-1278] p 174 N94-13117

Residual contact restraints in cryogenics [ETN-93-94375] p 174 N94-13501

The problem of the sonic boom for future high-speed transport aircraft [ESA-TT-1286] p 206 N94-13692

Modeling and simulation of transport and combustion phenomena in a supersonic mixing layer [ONERA-NT-1992-11] p 149 N94-14194

Special course on Shock-Wave/Boundary-Layer Interactions in Supersonic and Hypersonic Flows [AGARD-R-792] p 179 N94-15196

Synthesis of the Workshop on Hypersonic Flows for Reentry Problems [INRIA-RR-1721] p 45 N94-17957

Stability analysis through bifurcation theory, 1 p 208 N94-18238

Non-linear flight dynamics p 88 N94-18240

High-Lift System Aerodynamics [AGARD-CP-515] p 4 N94-18415

A viscous-inviscid solver for high-lift incompressible flows over multi-element airfoils at deep separation conditions p 47 N94-18425

The GARTEUR high lift research programme p 48 N94-18430

Viscous-inviscid calculation of high-lift separated compressible flows over airfoils and wings p 49 N94-18440

High-lift research: Application to the design of the ATR72 flap p 89 N94-18442

Perspective and future possibilities p 186 N94-18651

Numerical investigation of the incompressible flow around a wing with a fixed spoiler [ISL-R-109/91] p 51 N94-19524

Two dimensional simulation of the electric arc behavior in a cut-off device [ECL-92-41] p 233 N94-20595

Utilization of lasers for air data measurements p 238 N94-22603

Recent ONERA contributions to the development of flight test measurement techniques p 219 N94-22607

Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests [ISL-CO-230/92] p 257 N94-23146

A new experimental apparatus for the study of the unsteady flowfield over an airfoil in pitching and heaving motions using laser Doppler anemometry [ISL-CO-229/92] p 248 N94-23149

LDA measurements of the unsteady near wake behind an airfoil undergoing transient and periodic pitching motions [ISL-CO-215/92] p 248 N94-23161

Aircraft flight safety: A bibliography [AGARD-R-805] p 255 N94-24091

JAPE 91: Influence of terrain masking of the acoustic propagation of helicopter noise p 286 N94-24214

Introduction of Ceramics into Aerospace Structural Composites [AGARD-R-795] p 271 N94-24228

Integrated Airframe Design Technology [AGARD-R-794] p 259 N94-24313

Trends of design methodology of airframe p 261 N94-24327

Validation of the ROTAC code for the rotor noise prediction [PB93-204311] p 287 N94-24514

The ISL rotor bench [ISL-R-108/92] p 321 N94-25301

Detailed description of two calculation programs for incompressible, steady state boundary layer flows, applied to determine the aerodynamic characteristics of NACA12 and OA312 foils at low Reynolds numbers [ISL-N-604/92] p 291 N94-25461

Study of the blade/vortex interaction: Acoustics, aerodynamics and models [ISL-R-104/92] p 351 N94-25463

Experimental contribution to the study of secondary flows in centrifugal turbopump stator components [ECL-92-35] p 352 N94-25654

Design of a refueling tanker delivering liquid hydrogen p 323 N94-25717

System for generating, aboard an aircraft, during takeoff, of a signal capable of producing an alert or an alarm, in case of malfunction [CA-PATENT-APPL-SN-2,018,94] p 306 N94-26293

PRONAS flight software: A real-time application for a balloonborne scientific gondola p 368 N94-26725

Ada multiple-programming for hard real time applications in space systems p 368 N94-26730

Use of HOOD coupled to real time monitors p 368 N94-26742

Control jets in interaction with hypersonic rarefied flow p 347 N94-28020

Experiments on interaction force of jets in hypervelocity cross-flow in a shock tunnel p 297 N94-28022

Experimental study on the interactions between a transverse heated supersonic jet and an external supersonic flow p 298 N94-28039

Fuels and Combustion Technology for Advanced Aircraft Engines [AD-A275679] p 404 N94-29246

Aerothermochemical calculations in afterburners p 396 N94-29258

Research and Development of Ram/Scramjets and Turboramjets in Russia [AD-A275588] p 397 N94-29291

Aerospace Software Engineering for Advanced Systems Architectures [AD-A277101] p 415 N94-29315

How to control the increase in the complexity of civil aircraft on-board systems p 394 N94-29316

Performing specifications for complex systems' software p 400 N94-29317

Flight command software development: RAFALE studies p 415 N94-29320

Ada run time system certification for avionics applications p 394 N94-29332

Theoretical and experimental study of a cylindrical microstrip antenna [REPT-932-440-109] p 412 N94-29456

Fire behavior of aeronautical materials [REPT-932-600-105] p 408 N94-29457

A time reasoning system based on the event calculus for scheduling in aeronautic maintenance [REPT-932-710-101] p 374 N94-29463

Automation of the NDT diagnostic using neural nets. Application: Inspection of Airbus longitudinal joints during maintenance [REPT-932-600-104] p 412 N94-29474

Machine Intelligence in Air Traffic Management [AD-A275680] p 383 N94-29559

Use of advanced technologies in ATM (air traffic management) domain p 384 N94-29561

Cognitive approach to specifications on air traffic controllers' decision assistance systems p 386 N94-29571

DAISY: A decision aid for an air situation interpretation system p 386 N94-29574

The Common Modular Simulator (CMS): An architecture test bed for future advanced ATM systems p 388 N94-29582

ARC2000: Automatic radar control p 388 N94-29583

GPS common-view time transfer p 428 N94-30648

The use of the AOA TTR-4P GPS receiver in operation at the BIPM for real-time restitution of GPS time p 428 N94-30651

Comparison of LASSO and GPS time transfers p 429 N94-30665

Development of a three-dimensional icing model for predicting ice accretion on aircraft [ONERA-NT-1993-5] p 426 N94-31230

Experimental and numerical simulation of helicopter rotor fuselage interaction [ONERA-NT-1993-8] p 423 N94-31421

Aeroelastic vibrations of lifting surfaces [ECL-91-01] p 437 N94-31677

Guide to the measurement of the transient performance of aircraft turbine engines and components [AD-280272] p 480 N94-33874

Operational agility [AGARD-AR-314] p 474 N94-33875

Technology Requirements for Small Gas Turbines [AD-280274] p 482 N94-34431

Microturbo's experience in the field of APU for civil and military applications and our role in the face of the challenges of the future p 484 N94-34440

Specifications of auxiliary power units for conformity with helicopter turboshaft engines p 484 N94-34441

Vibrations of structures with cyclic symmetry: Application to the case of turbine engines p 505 N94-34463

An Assessment of Fatigue Damage and Crack Growth Prediction Techniques [AD-280273] p 550 N94-34581

Assessment of in-service aircraft fatigue monitoring process p 531 N94-34593

Technologies for Highly Manoeuvrable Aircraft [AD-280271] p 532 N94-34605

High incidence flow analysis over the Rafale A p 522 N94-34612

Techniques for aerodynamic characterization and performance evaluation at high angle of attack p 533 N94-34614

AGARD highlights 93/2 [AGARD-HIGHLIGHTS-93/2] p 561 N94-35444

Recent Advances in Long Range and Long Endurance Operation of Aircraft [AGARD-CP-547] p 572 N94-36321

Future supersonic commercial transport aircraft: A technological challenge for long haul traffic p 573 N94-36324

The future of large capacity/long range multipurpose air cargo fleets p 573 N94-36326

Laminar flow studies at Dassault Aviation: Calculations and flight tests p 593 N94-36328

The convertible (helicopter/airplane) EUROFAIR: General considerations on the technical progress and on future advances p 574 N94-36331

Calculations used to optimize the installation of civil aircraft engines p 574 N94-36332

In-flight refueling: Dassault Aviation research on the Rafale aircraft p 574 N94-36341

Laser designation pods optimized concept for day/night operations p 594 N94-36620

Characterisation of Fibre Reinforced Titanium Matrix Composites [AGARD-R-796] p 585 N94-36649

Impact of Materials Defects on Engine Structures Integrity [AGARD-R-790] p 595 N94-37321

The control of cleanliness in powder metallurgy materials for turbine disks p 586 N94-37325

Maintaining constant standards during the forging process p 586 N94-37326

G

GERMAN DEMOCRATIC REPUBLIC

The influence of the inlet boundary layers on the secondary losses of turbine stages p 486 N94-34457

GERMANY

Development and application of infrared- and other flow visualization techniques in a hypersonic wind tunnel of DLR Cologne p 154 A94-10411

Minimization of strut interference in a low speed wind tunnel by a new strut design concept p 125 A94-10413

Pressure distribution measurements on a model with extreme span to width ratio in the DLR adaptive wall rubber tube test section p 125 A94-10415

Technical excellence and productivity - The ETW challenge p 125 A94-10417

The concept of the Kryo-Kanal-Koeln (KKK) - Operational experience, test results of flow quality and force measurements at AGARD-calibration model p 126 A94-10421

Investigations on the formation of ice crystals in the Cryogenic Wind Tunnel Cologne p 126 A94-10422

Hypersonic testing in the Aachen shock tunnel p 126 A94-10425

HEG - A new shock tunnel for high enthalpies p 127 A94-10427

Wall correction method for models with propeller induced slipstream p 7 A94-10437

The cryogenic A310 DA wind tunnel model development and wind tunnel test results p 127 A94-10442

The development of a range of internal wind tunnel balances for conventional and cryogenic tunnels p 128 A94-10443

Parametric study of the flutter stability of a semi-rigid 3-D wing-with-engine nacelle model in subsonic flow p 7 A94-10697

Calculation of rotor blade air loads from measured structural response data p 155 A94-10743

Identification of thrust vector effectiveness from X-31A flight test data p 106 A94-10744

STRATO 2C propulsion system - Integral part of a balanced design p 97 A94-10745

The influence of dissipation laws on the calculation of turbulent boundary layers with pressure rise p 155 A94-10747

Conflict recognition in the onboard collision protection system ACAS II p 60 A94-10750

Numerical simulation of three-dimensional hypersonic viscous flows p 9 A94-10771

The finite pointset method for hypersonic flows in the rarefied gas regime p 9 A94-10773

Aerothermodynamic phenomena and the design of atmospheric hypersonic airplanes p 71 A94-10777

High-enthalpy testing in hypersonic shock tunnels p 129 A94-10781

Low density facilities p 129 A94-10782

Electrical power generation systems - Combat aircraft perspective p 156 A94-11373

'Will rotor hubs lose their bearings'? - A survey of bearingless main rotor development p 74 A94-12047

Model tail rotor noise study in the DNW - Measured acoustics, blade pressures, noise predictions p 203 A94-12052

Influence of different flight conditions on helicopter noise contours on ground p 204 A94-12053

- Development and validation of a vortex lattice method to calculate the flowfield of a helicopter rotor including free wake development p 15 A94-12059
- Unsteady separated flows on rotor-airfoils - Analysis and visualization of numerical data p 15 A94-12060
- The influence of variable flow velocity on unsteady airfoil behavior p 15 A94-12065
- Measurement of helicopter rotor tip vortices using the 'flow visualization gun' technique p 16 A94-12067
- Reconstruction of spanwise air load distribution on rotorblades from structural flight test data p 75 A94-12068
- Influence of non-planar blade tips on rotor performance p 16 A94-12071
- Development of the BK 117 C-1 with Arriel 1-E engines p 75 A94-12078
- Maneuverability aspects for helicopter takeoff and landing p 108 A94-12092
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 108 A94-12093
- Flight tests of the digitally controlled Turbomeca Arriel 1B engines on EC BO 108 p 99 A94-12096
- Development of active control technology in the rotating system, flight testing and theoretical investigations p 108 A94-12099
- The European ACT programme - Complementary use of ground based simulation facilities and experimental 'fly by wire/light' helicopters p 108 A94-12102
- Helicopter health and usage monitoring systems - Objectives and philosophy for system implementation p 77 A94-12104
- Calculation of the steady rotor flow using an overlapping embedded grid technique p 17 A94-12110
- A translational rate command control law for hover assist p 109 A94-12111
- Helicopter NVG compatible cockpit illumination assessments p 94 A94-12231
- The TIGER cockpit and its simulator p 77 A94-12232
- HHC effects on hub and blade loads p 78 A94-12245
- Individual blade control of hinged blades using smart structures p 78 A94-12246
- Trial of a slant visual range measuring device p 159 A94-12287
- Data exchange in the DLR - The WIN scientific network ensures information exchange between DLR sites p 137 A94-12471
- Integration of GPS, GLONASS and INS on a raw data basis - First results of an experimental study p 65 A94-12570
- Operational aspects of GPS for precision approach and landing p 65 A94-12572
- Dynamic aeroelastic stability of vertical-axis wind turbines under constant wind velocity p 548 A94-60043
- Synthetic vision for enhancing poor visibility flight operations [BTN-94-EIX94321333311] p 557 A94-60212
- Simulation of the secondary air system of aero engines p 587 A94-61061
- Influence of high rotational speeds on heat transfer and oil film thickness in aero-engine bearing chambers [BTN-94-EIX94311331074] p 588 A94-61104
- Evaluation of parameter estimation methods for unstable aircraft [BTN-94-EIX94401358965] p 580 A94-61621
- Computation of three-dimensional hypersonic flows in chemical nonequilibrium p 566 A94-61638
- Whirl-flutter suppression in advanced turboprops and propfans by active control techniques [BTN-94-EIX94401358994] p 578 A94-61650
- High temperature materials for hypersonic transport p 142 A94-10003
- Investigations on aluminium-lithium alloys for damage tolerant application p 142 A94-10023
- Structural material, manufacture, and design requirements for high-temperature fasteners for space plane technologies p 166 A94-10055
- Experimental results in aerodynamic stability and control of a TSTO configuration p 111 A94-10424
- The upgrading of the arc heated wind tunnel of the DLR (LBK) with respect to its effects on the material testing p 130 A94-10432
- Numerical methods for aerothermodynamic design of hypersonic space transport vehicles p 138 A94-10459
- Paint removal activities in Germany p 167 A94-10617
- German Air Forces experiences with plastic media blasting and future requirements p 167 A94-10621
- Aquastrip (tm): An innovative paint removal technology p 168 A94-10625
- Selectively strippable paint schemes p 169 A94-10629
- Future needs in the development of materials for aircraft interiors and equipment p 145 A94-10794
- Smart structures: A technology for next generation aircraft p 81 A94-11318
- Smart materials for helicopter rotor active control p 81 A94-11321
- In-flight aircraft structure health monitoring based on smart structures technology p 55 A94-11333
- Fiber-optic interferometric strain gauge for smart structures applications: First flight tests p 171 A94-11340
- On non-linear longitudinal stability of an aircraft in a dive in the presence of atmospheric disturbances p 113 A94-11492
- Stability model of the atmosphere p 190 A94-11500
- A C-band wind scatterometer model derived from the data obtained during the ERS-1 calibration/validation campaign p 190 A94-11711
- Investigation of the effects of bandwidth and time delay on helicopter roll-axis handling qualities p 116 A94-13300
- The application of active side arm controllers in helicopters p 117 A94-13302
- Mathematical optimization: A tool for aircraft design [MBB-LME-251-S-PUB-0492] p 200 A94-14006
- Activities report of the Federal Administration for Flight Safety (Germany) [ETN-93-94208] p 56 A94-14008
- Turbulent particle dispersion in confined swirling flows [DLR-FB-92-32] p 177 A94-14045
- Turbulent diffusion in homogeneous shear flow with stable density stratification p 178 A94-14443
- Simulation of hypersonic, reacting flow around reentry bodies: Comparisons of numerical and experimental results [MBB-LME-211-S-PUB-507] p 36 A94-14710
- Development of experimental demonstration processes for laminar-turbulent flow states at wing profiles in free flight [ILR-MITT-280(1993)] p 37 A94-14800
- On the use of differential GPS for automatic approach and landing of space and aircraft [DLR-MITT-93-05] p 69 A94-17921
- Transport policy options for reducing noise at airports: Hamburg airport taken as an example [DLR-FB-92-40] p 135 A94-18123
- On memory effects in turbulence [DLR-FB-93-03] p 184 A94-18124
- About the accuracy of an image-based navigation system during the runway approach [DLR-MITT-93-01] p 69 A94-18146
- Calculation of maximum and high lift characteristics of multi element aerofoils p 46 A94-18419
- Navier-Stokes computations of turbulent flow around high-lift configurations p 46 A94-18420
- Numerical calculations of high lift flows using structured and unstructured methods p 48 A94-18428
- A fast computing method for the flow over high-lift wings p 49 A94-18437
- High-lift design for large civil aircraft p 89 A94-18445
- Research and design activities and the economic balance of MBB [ETN-93-94909] p 5 A94-19383
- New aircraft materials and structures [MBB-LME-202-S-PUB-502-A] p 91 A94-19496
- Three dimensional network generation and Euler calculation for a wing fuselage canard configuration [MBB-LME-211-S-PUB-511-A] p 91 A94-19500
- A learning autopilot for automatically controlled robust regulation [ETN-93-95075] p 123 A94-19711
- Documents on the history of aeronautical and space research in Germany, 1900 - 1970 [DLR-MITT-92-08] p 244 A94-20543
- Description and assessment of a new Optical Pressure Measurement System (OPMS) demonstrated in the high speed wind tunnel in Goettingen (Germany) [DLR-FB-92-24] p 228 A94-21280
- A documentation of icing relevant cloud physical parameters on horizontal soundings of stratiform clouds (continuation) p 240 A94-22280
- [DLR-MITT-92-10] p 240 A94-22280
- Measurement Technology for Flight Tests [ILR-MITT-256(1991)] p 218 A94-22597
- Surface hot film measurements at ATTAS laminar glove p 224 A94-22598
- Testing of a multisensor hot film technique in wind tunnel and free flight p 218 A94-22599
- Free flight experiment with a laminar wing glove p 219 A94-22600
- Experiments with a fluid deicing system for cleaning laminar wings p 231 A94-22601
- Measurement of the influence of deicing liquids on aircraft aerodynamics p 219 A94-22602
- Hot wire anemometry: A versatile instrumentation used for predevelopment studies and flight testing of the Do-328 aircraft p 238 A94-22604
- Riblet boundary layer measurements of an A-310 fuselage with Pitot combs p 219 A94-22605
- Measurement of kinematically unstationary separated flows p 273 A94-22854
- Commonality of flight control systems for support of European telecommunications missions p 277 A94-23834
- Some results gained from JAPE: An overview p 286 A94-24209
- Applications of CFD codes and supercomputers to aircraft design activities p 259 A94-24316
- The process network in the design and manufacturing of aircraft p 259 A94-24319
- Integrated stress and strength analysis of airplane structures using the data processing tool ISSY p 260 A94-24320
- Influence of active controls on the design process of a large transport aircraft p 260 A94-24323
- The cryogenic tunnel Cologne at DLR [DLR-MITT-93-10] p 344 A94-27587
- Direct simulation Monte-Carlo of near continuum hypersonic flow with chemical reactions [DLR-FB-93-01] p 357 A94-27588
- Control of leading-edge separation on an airfoil by localized excitation [DLR-FB-93-16] p 296 A94-27592
- Experimental and theoretical investigations of the influence of the jet on the flow around a bypass-engine [DLR-FB-93-17] p 333 A94-27593
- The design of a counter rotating ultra-high-bypass fan simulator for windtunnel investigation [DLR-FB-93-20] p 333 A94-27739
- Methods in unsteady aerodynamics [DLR-FB-93-21] p 296 A94-27741
- Methodology development of forecasting inter-regional air transport demand in China [DLR-FB-93-24] p 308 A94-27746
- Numerical investigation of thrust vectoring by injection of secondary air into nozzle flows p 359 A94-28013
- Effects, limits, and limitations of spanwise blowing p 298 A94-28027
- First experimental assessment of RCS plume-flow field interaction on Hermes leading edge thruster configuration p 348 A94-28032
- Analysis of cooling jets near the leading edge of turbine blades p 334 A94-28037
- Lufthansa Yearbook 1992 [DSK-9734-H-92] p 308 A94-28230
- The single European market and air traffic chances and risks p 308 A94-28231
- Deregulation of air traffic in America: A model to be initiated? p 308 A94-28232
- Air traffic of the European Community with European neighbors p 309 A94-28233
- A sky above Europe p 309 A94-28234
- The single European market: Economical advance, ecological problem? p 309 A94-28235
- The advantages of the location Germany must not be jeopardized in air traffic p 309 A94-28236
- Lufthansa facing the single European market p 309 A94-28237
- Air traffic administration enroute to Europe p 309 A94-28238
- Munich Airport: The new Lufthansa hub p 310 A94-28239
- Air traffic in recession p 310 A94-28240
- German-American relations in air traffic are to be criticized p 310 A94-28241
- A340 testing p 310 A94-28242
- First Canadair jet flies for Lufthansa city line p 310 A94-28243
- Integrators: A challenge for air cargo p 310 A94-28244
- Powerful selling and sales strategy p 311 A94-28245
- Lufthansa long range services: More simplicity p 311 A94-28246
- Lufthansa and Europe p 311 A94-28247
- Know-how export: Lufthansa technology at Shannon p 311 A94-28248
- After thirty years: Farewell of Europa jet p 311 A94-28249
- A symbol of reliability: Ju 52 p 329 A94-28250
- On the effect of emissions from aircraft engines on the state of the atmosphere p 414 A94-29247
- Numerical modelling of turbine combustion chambers p 396 A94-29254
- The mixing process in the quenching zone of the rich-lean-combustion concept p 407 A94-29281

- Investigation of the two-phase flow in a research combustor under reacting and non-reacting conditions p 411 N94-29282
- Time-resolved measurements in a three dimensional model combustor p 411 N94-29283
- Experiences with the HOOD design method on avionics software development p 415 N94-29325
- Ground independent landing system p 385 N94-29564
- GPS/GNSS for ATM p 385 N94-29565
- Contributions of DLR to air traffic capacity enhancement within a terminal area p 385 N94-29567
- Considerations on graphical user interfaces for intelligent ATM support systems p 386 N94-29572
- Interactive analysis and planning tools for air traffic and airspace management p 386 N94-29573
- DLR's ATM demonstration programme p 386 N94-29575
- Experimental flight management system p 388 N94-29580
- Automatic control steps for aircraft taxi guidance p 388 N94-29584
- A novel near-range radar network for airport surface control p 389 N94-29586
- Applicable dimensioning and measure and technological examination of long stator-linear motors for magnetic high-speed railways [ETN-94-95734] p 446 N94-31575
- The contribution of aeronautics and astronautics to the quality of life on Earth [ILR-MIT-283(1993)] p 449 N94-31611
- MTR390, the new generation turboshaft engine p 482 N94-34434
- Experimental investigation and performance analysis of the turbojet engine T117 p 483 N94-34439
- Flow field analysis in a high pressure ratio centrifugal compressor p 504 N94-34447
- Aerodynamic design and investigation of a mixed flow compressor stage p 504 N94-34450
- Design and analysis of a highly loaded transonic compressor cascade p 505 N94-34451
- Development of a HP-turbine for a small helicopter engine p 486 N94-34456
- Notch fatigue assessment of aircraft components using a fracture mechanics based parameter p 551 N94-34588
- The role of fatigue analysis for design of military aircraft p 531 N94-34594
- X-31A control law design p 540 N94-34618
- X-31A system identification applied to post-stall flight: Aerodynamics and thrust vectoring p 540 N94-34619
- EFA flying qualities specification and its utilisation p 533 N94-34621
- Optimisation of composite aircraft structures by direct manufacturing approaches p 574 N94-36327
- Improvement of endurance performance by periodic optimal control of variable camber p 581 N94-36329
- The STRATO 2C propulsion system: A low cost approach for a High Altitude Long Endurance aircraft p 578 N94-36335
- Landing of an unmanned helicopter on a moving platform. High accuracy navigation and tracking p 576 N94-36618
- Two-axis camera platform for machine vision p 597 N94-36628
- Predicting defect behaviour p 596 N94-37331

GREECE

- The two-body problem with drag and radiation pressure [HTN-94-00330] p 606 A94-62291
- The block adaptive multigrid method applied to the solution of the Euler equations p 216 N94-21472

INDIA

- Photoelastic study of shrinkage fitted components for a gasturbine engine p 165 A94-12954
- Parameter estimates of an aeroelastic aircraft as affected by model simplifications [BTN-94-EIX94311329142] p 517 A94-60158
- Preliminary investigations on improving air-augmented rocket performance [BTN-94-EIX94321333323] p 544 A94-60274
- Capture region for true proportional navigation guidance with nonzero miss-distance [BTN-94-EIX94401358176] p 570 A94-61682
- On the generalization of true proportional navigation [BTN-94-EIX94401377808] p 570 A94-61769
- PC based A320 quick access recorder readout facility [PD-AL-9109] p 200 N94-13077
- Proceedings of the Fluid Dynamics Symposium in honour of Professor R. Narasimha on his 60th birthday [NAL-SP-9315] p 178 N94-14598

- A vertex-based finite-volume algorithm for the Navier-Stokes equations p 178 N94-14599
- An implicit finite volume nodal point scheme for the solution of two-dimensional compressible Navier-Stokes equations p 178 N94-14603
- Wall interference studies: Revisited p 178 N94-14604
- Navier-Stokes simulation of transonic vortex flow over a delta wing p 179 N94-14606
- A grid generation package for high aspect ratio wings p 35 N94-14608
- The phenomenon of vortex breakdown p 35 N94-14609
- Development of PC-based Aeronautical Software (AEROWARE) p 201 N94-14611
- Hypersonic viscous flow computations p 35 N94-14612
- Development of a general purpose multigrid accelerated Navier-Stokes solver p 179 N94-14613
- SRISTI: The NAL method for the design and analysis of Natural Laminar Flow (NLF) airfoils p 84 N94-14615
- VSAERO analysis of a Piper Cub aircraft p 85 N94-14616
- Panel codes for aerodynamic analysis at NAL p 35 N94-14617

INTERNATIONAL ORGANIZATION

- Eurocontrol and the implementation of WGS 84 for the purposes of navigation for civil aviation p 60 A94-10332
- A review of European hypersonic facilities p 126 A94-10423
- Validation of the ROTAC code for the rotor noise prediction p 203 A94-12049
- Computation of the loads on the AH-1/OLS model rotor in forward flight and comparison with wind tunnel tests p 14 A94-12050

ISRAEL

- Environmental effects in titanium aluminides alloys p 141 A94-10678
- Order reduction of linear-quadratic-Gaussian-designed controllers p 194 A94-10822
- Size-reduction techniques for the determination of efficient aeroelastic models p 111 A94-12707
- Time simulation of flutter with large stiffness changes [BTN-94-EIX94311329132] p 518 A94-60168
- Modal coordinates for aeroelastic analysis with large local structural variations [BTN-94-EIX94311329131] p 518 A94-60169
- Effects of the roll angle on cruciform wing-body configurations at high incidences [BTN-94-EIX94311322903] p 520 A94-60193
- The 33rd Israel Annual Conference on Aviation and Astronautics [ITN-94-85227] p 247 N94-24241
- New features in Computational Fluid Dynamics (CFD) technology at the TASHAN Engineering Center at IAI p 279 N94-24249
- On the effect of the damping coefficients on the trajectories of symmetric and non-symmetric stores p 258 N94-24250
- Thrust vectoring theory, laboratory and flight tests p 266 N94-24251
- The effect of high altitude pressure on the power and efficiency of an airborne two-stroke engine p 266 N94-24253
- Repair of cracked aluminum aircraft structure with composite patches p 258 N94-24259
- Post buckling behaviour of stiffened composite panels loaded in cyclic compression and shear p 279 N94-24260
- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269
- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286
- Continuous gust response and sensitivity derivatives using state-space models p 268 N94-24287

- Development of a damage tolerance tool to analyze multiple-site damage in aircraft structure p 258 N94-24261
- Computer based expert system for battle damage repair of composite structures p 283 N94-24262
- Attachment methods in composite joints - analysis of test results by controlled experiments method p 271 N94-24269

- S-2E Tracker maritime patrol aircraft re-engine and system upgrade program p 266 N94-24270
- Mean stress models for low cycle fatigue of a nickel-base superalloy p 279 N94-24276
- Aerodynamic models for performance calculations of modern technology propellers p 252 N94-24285
- The influence of elastic pitch variations on helicopter flight mechanics p 258 N94-24286
- Continuous gust response and sensitivity derivatives using state-space models p 268 N94-24287

ITALY

- The new Italian transonic pilot tunnel p 124 A94-10406
- Modeling of hypersonic nonequilibrium flows p 8 A94-10764
- Physical aspects of hypersonic flow - Fluid dynamics and non-equilibrium phenomena p 8 A94-10766

- Analysis studies on RAM combustor-nozzle systems for hypersonic propulsion [IAF PAPER 93-482] p 137 A94-11258
- Upgrading the Alenia flight test computing system [AIAA PAPER 93-4606] p 196 A94-11496
- A general boundary element method for aerodynamics and aeroacoustics of rotors p 14 A94-12051
- Theoretical and experimental comparisons for high-speed and blade-vortex interaction noise p 204 A94-12054
- Validation of a boundary integral formulation for the aerodynamic analysis of rotors in forward flight p 14 A94-12057
- Experimental evaluation of the EH101 tail rotor dynamics in flight p 76 A94-12095
- Today's and new trends for 1990's - The A129 training syllabus p 130 A94-12101
- Active control of vibrations in helicopters - From HHC to OBC p 109 A94-12112
- Experimental analysis of Goertler vortices in hypersonic wedge flow p 17 A94-12420
- Active flutter suppression techniques in aircraft wings p 110 A94-12613
- Pressure measurements on a forward-swept wing-canard configuration [BTN-94-EIX94311329149] p 516 A94-60151
- Performance and economic enhancement of cogeneration gas turbines through compressor inlet air cooling [BTN-94-EIX94311331069] p 589 A94-61109
- Numerical simulation of the flow through a scramjet engine p 100 N94-10425
- Design and production of insulated wind tunnel models of the Hermes shuttle for heat transfer measurements at hypersonic speeds p 130 N94-10431
- A design procedure for slotted flaps p 88 N94-18418
- Wake structure and aerodynamic behavior of high lift aircraft configurations during unsteady maneuvers in ground effect p 49 N94-18439
- Choice and optimization of a high-lift system for an advanced amphibious aircraft p 90 N94-18447
- The integration of design and manufacturing processes at Alenia DVD p 261 N94-24325
- Numerical simulation of aerothermal characteristics in gas turbine combustors with complex geometries p 396 N94-29255
- Computational and experimental results in high pressure combustions of H₂/air and H₂/O₂/H₂O p 406 N94-29268
- Technology rigs: A tool for afterburner development p 397 N94-29270
- On ground system integration and testing: A modern approach p 394 N94-29334
- Aerothermal design of 1600 K TET core engine hot-section components for high-technology compact propulsion systems p 483 N94-34435
- Non-polluting gas turbine as a result of self-heating working fluid in a closed circuit p 483 N94-34436
- The development of an auxiliary power unit for a fighter aircraft p 484 N94-34442
- An assessment of fatigue crack growth prediction models for aerospace structures p 551 N94-34586
- Operational agility assessment with the AM-X aircraft p 534 N94-34626
- Design, construction, and testing of a five active axes magnetic bearing system p 554 N94-35846
- Technological challenges of High Altitude Long Endurance unmanned configurations p 573 N94-36323
- Turbine disks: Lifting against defects and materials development p 595 N94-37329

JAPAN

- Numerical simulations of unsteady aerodynamic heating phenomena due to shock wave reflections with vibrational equilibrium p 5 A94-10329
- Numerical analysis of the flow field through a turbine stage with tip clearance p 6 A94-10356
- Three-dimensional finite element analysis of aerodynamic forces acting on an oscillating subsonic linear Cascade. I - Finite element formulation and determination of disturbances. II - Effects of dihedral angle, sweep angle and taper ratio p 6 A94-10357
- Numerical simulation of shock-stall flutter of an airfoil using the Navier-Stokes equations p 7 A94-10698
- Effects of propeller on the turning flight of old fighters p 106 A94-10798
- A systematic computation scheme of PAR-WIG cruising performance p 155 A94-10799
- Static and dynamic flight-path stability of airplanes p 107 A94-10800

- Conceptual study of separated core ultrahigh bypass engine p 98 A94-10860
- Evaporation and convection from glass melts under low and high g - Drop shaft and aircraft experiments p 156 A94-11598
- Melting and solidification of Al-Pb-Bi alloy in short-duration microgravity studied using an airplane p 157 A94-11602
- Fluid behavior in a rectangular cell in the case of parabolic flight of an airplane p 157 A94-11603
- Parabolic flight by MU-300 p 1 A94-11624
- Unsteady calculation for flowfield of helicopter rotor with various tip shape p 14 A94-12056
- Design, fabrication and testing of the composite bearingless rotor system for rotary-wing aircraft p 78 A94-12240
- System observer techniques in robust control systems design synthesis p 198 A94-12764
- Analysis of aerodynamics of airfoils moving over a wavy wall [NAL-TR-1151] p 131 N94-10733
- [BTN-94-EIX94311329130] p 536 A94-60170
- Effects of propeller on the turning of old fighters [BTN-94-EIX94361135426] p 537 A94-60623
- Systematic computation scheme of PAR-WIG cruising performance [BTN-94-EIX94361135427] p 521 A94-60624
- Static and dynamic flight-path stability of airplanes [BTN-94-EIX94361135428] p 522 A94-60625
- New high-efficiency heavy-duty combustion turbine 701F [BTN-94-EIX94311331073] p 588 A94-61105
- Multiobjective trajectory optimization by goal programming with fuzzy decisions [BTN-94-EIX94381311168] p 597 A94-61255
- Some basic considerations on angles describing airplane flight maneuvers [BTN-94-EIX94381311179] p 570 A94-61266
- Hunting phenomena of the balloon motions observed over Antarctica [BTN-94-EIX94401358969] p 571 A94-61625
- An investigation on the effectiveness of the piping interference removal system for STOL aircraft wind tunnel tests [NAL-TM-647] p 19 N94-10350
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 1: On-line time series analysis of stationary random response [NAL-TR-1153] p 20 N94-10363
- A grid generation method to calculate the flow field in a three-dimensional cascade of blades [NAL-TR-1158] p 166 N94-10364
- Solving the inverse problem for incompressible potential flow through two-dimensional cascades [NAL-TR-1162] p 166 N94-10365
- Numerical calculation of scramjet inlet flow [NAL-TR-1174T] p 100 N94-10370
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics: CFD Workshop on GK Airfoil and ONERA M5 Geometry [NAL-SP-20] p 22 N94-10466
- Description of 2D problem: Aerodynamic analysis of Garabedian-Korn 75-06-12 airfoil p 22 N94-10467
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-2] p 22 N94-10468
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-3] p 22 N94-10469
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Computation using q-omega 2 equation turbulence model [PAPER-2D-4] p 22 N94-10470
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoils: Computation using Baldwin-Lomax turbulence model [PAPER-2D-5] p 22 N94-10471
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 aircraft [PAPER-2D-7] p 22 N94-10472
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-8] p 23 N94-10473
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil [PAPER-2D-9] p 23 N94-10474
- Aerodynamic characteristics analysis of Garabedian-Korn 75-06-12 airfoil: Compendium of results p 23 N94-10475
- Description of 3D problem: Flow analysis around ONERA model M5 configuration p 23 N94-10476
- Flow analysis around ONERA model M5 configuration [PAPER-3D-1] p 23 N94-10477
- Flow analysis around ONERA model M5 configuration [PAPER-3D-2] p 23 N94-10478
- Flow analysis around ONERA model M5 configuration [PAPER-3D-3] p 23 N94-10479
- Flow analysis around ONERA model M5 configuration [PAPER-3D-4] p 23 N94-10480
- Flow analysis around ONERA model M5 configuration [PAPER-3D-5] p 24 N94-10481
- Flow analysis around ONERA model M5 configuration: Compendium of results p 24 N94-10482
- Aerodynamic model identification of quiet STOL experimental aircraft ASKA from dynamic flight test data [DE93-767967] p 79 N94-10728
- Flight simulator experiment of the cockpit advisory system [NAL-TR-1151] p 131 N94-10733
- In-flight simulation of backside operating models using direct lift controller [NAL-TR-1152] p 112 N94-10734
- Simulated wake characteristics of tapered annular wings by a discrete vortex method [NAL-TR-1156] p 25 N94-10855
- Simulated and experimental aerodynamic characteristics of tapered annular wings [NAL-TR-1157] p 25 N94-10856
- New aerodynamic information obtained from the solution of the inverse problem for aerofoils [NAL-TR-1172] p 25 N94-10860
- Numerical wind tunnel project and computational fluid dynamics at National Aerospace Laboratory, Japan [NAL-TM-648T] p 169 N94-10861
- Aerodynamic sound due to interaction between a two-dimensional free shear layer and the leading edge of a parallel flat plate p 205 N94-12615
- Idea of underground airplane p 82 N94-12630
- Numerical simulation of hypersonic flow for the design of the H-2 orbiting plane (HOPE), part 3 [NAL-TR-1168-PT-3] p 28 N94-12948
- Identifying the NAL spaceplane aerodynamic model using dynamic wind tunnel tests [NAL-TR-1171] p 28 N94-12951
- Control system design of a cable-mounted model used for dynamic wind tunnel testing [NAL-TR-1161] p 132 N94-13337
- Development of an on-board aircraft optical fiber data bus system [NAL-TR-1163] p 83 N94-13338
- Low-speed wind tunnel tests on four types of joined-wing aircraft models [NAL-TR-1167] p 29 N94-13340
- Low-speed wind tunnel tests on a joined-wing aircraft model with various upper-fin [NAL-TR-1169] p 30 N94-13341
- Development of a high-speed mechanical drive system for oscillating an annular blade row in the bending mode [NAL-TR-1170] p 30 N94-13342
- Flight evaluations of approach/landing navigation sensor systems: Summary of 1990 flight experiments [NAL-TR-1175] p 68 N94-13344
- Estimation of critical values and vibration characteristics on supersonic delta wings. Part 2: Locally-stationary time series analysis of nonstationary random responses [NAL-TR-1179] p 30 N94-13345
- Performance evaluation tests of the GPS/DGPS navigation system installed in the NAL Dornier 228: Preliminary ground test results [NAL-TM-649] p 68 N94-13346
- Rolling moment control in the NAL 10 cm x 10 cm magnetic suspension and balance system [NAL-TR-1164] p 120 N94-13347
- Estimation of aircraft aerodynamic derivatives with the Total Least Squares Method [NAL-TR-1150] p 30 N94-13392
- Position error determination for the speedometer and altimeter of the NAL QSTOL experimental aircraft ASKA [NAL-TR-1144] p 95 N94-13451
- Experimental studies of vortex flaps and vortex plates. Part 2: 1.15m span 60 deg delta wing [NAL-TR-1180T-PT-2] p 31 N94-13454
- Flight path control for the approach and landing of the quiet STOL experimental aircraft ASKA [NAL-TR-1183] p 68 N94-13457
- Chemical reactions in scramjet engines: Reduced kinetic models for ignition, combustion and nozzle flow [NAL-TR-1184] p 148 N94-13458
- Hypersonic aerodynamic characteristics of SSTO-type aerospace planes. Part 1: The NAL 0-th configuration [NAL-TR-1186] p 83 N94-13459
- HOPE real time flight operations analyses for return to earth phase, part A [NASDA-CNT-930010-PT-A] p 140 N94-13645
- Experimental studies of vortex flaps and vortex plates. Part 1: 0.53 m span 60 deg delta wing [DE93-767969] p 33 N94-14059
- Numerical simulation of dynamic stall of NACA0012 airfoil oscillating near static stall angle using the Navier-Stokes equations [DE93-767970] p 33 N94-14061
- Research and development of space transportation systems in ISAS p 140 N94-14277
- A survey on technical problems in designing high-speed rotors with developing materials [DE93-788519] p 185 N94-18159
- Study on utilization of super clean, high vacuum space p 342 N94-25586
- Optimal control of helicopters following power failure [NAL-TR-1190] p 340 N94-27206
- Wind tunnel investigation of an STOL aircraft model: An effect of engine nacelle shape [NAL-TM-653] p 295 N94-27235
- The renewing of the test section of the NAL transonic wind tunnel. Part 1: Reconstruction of the 1st corner turning vanes and aerodynamic stress measurement [NAL-TM-651] p 344 N94-27247
- Silence amenity engineering: Past and present p 370 N94-27283
- A study on heat transfer in a scramjet leading edge model [NAL-TR-1187T] p 333 N94-27608
- Status report for the development of the Antarctic penetrator: 1990-year program p 366 N94-27973
- Proceedings of the 10th NAL Symposium on Aircraft Computational Aerodynamics [NAL-SP-19] p 375 N94-28946
- Monte Carlo simulation or normal shock wave. Part 2: VHS model and VSS model p 409 N94-28948
- Variable soft sphere molecular model in the Monte Carlo simulation of air species p 409 N94-28949
- Rarefied gas numerical wind tunnel. Part 8: HOPE p 401 N94-28950
- Numerical simulation of arc heated wind tunnel flow p 402 N94-28951
- Numerical simulation of unsteady aerodynamic heating induced by shock reflections p 375 N94-28952
- Numerical simulation of steady Mach reflection by shock capturing schemes p 375 N94-28953
- Higher-order accurate numerical simulation of 3D supersonic mixing layers p 375 N94-28954
- Numerical simulation of aerothermodynamic heating of hypersonic space transportation vehicles p 375 N94-28955
- A design of third-generation airfoils for helicopter rotor blades using Navier-Stokes p 391 N94-28957
- Numerical analysis of airfoil for helicopter blade at high angle of attack using Navier-Stokes code p 375 N94-28958
- Numerical analysis of supersonic transport wings p 375 N94-28959
- Numerical study on the interaction between scramjet engine modules caused by thermal choke p 395 N94-28960
- Numerical simulation of supersonic flow around space plane with engine installed p 376 N94-28961
- Numerical analysis of sonic boom in the near field p 376 N94-28962
- Numerical analysis of two dimensional/axisymmetric non-equilibrium hypersonic flow p 376 N94-28963
- Role of computational fluid dynamics in aeronautical engineering. Part 10: Numerical analysis of flow around 2-D multi-element HLD p 410 N94-28964
- Numerical solution of inverse problem in aerodynamics p 376 N94-28965
- Code development for hypersonic real-gas flow simulations toward the design of space vehicles, part 2 p 376 N94-28966
- Three dimensional simulation of compressible flow induced by a high-speed train moving into a tunnel p 376 N94-28967
- Unsteady aerodynamic computations around NACA0012 at high angles of attack p 377 N94-28969
- Study on mixing and injection of hydrogen into a supersonic flow p 377 N94-28975
- Verification of a three-dimensional viscous flow analysis for a single stage compressor p 410 N94-28976
- Numerical study on internal flows of centrifugal compressors p 395 N94-28977
- Application of flow field simulation to turbine vane design p 395 N94-28978
- Three-dimensional external flow computations using prismatic grid p 410 N94-28979
- Application of digital control theory to adaptive grid generation p 415 N94-28980
- An elliptic-hyperbolic grid generation method and application to compressor flows p 395 N94-28981
- Transonic expanding flow through axially symmetric orifices p 410 N94-28985
- Similarity between turbulent flows through curved pipe and orthogonal rotating pipe p 410 N94-28986
- Performance evaluation of the NWT with parallel Fortran p 415 N94-28992
- A method of user interface for NWT p 415 N94-28993
- Study of bridge design and technology [PB94-137916] p 373 N94-29160
- Active control of vaneless diffuser rotating stall p 502 N94-34178

- An experimental study of dynamic characteristics of labyrinth seal p 503 N94-34188
 Third order LPF type compensator for flexible rotor suspension p 554 N94-35863
 Magnetically suspended stepping motors for clean room and vacuum environments p 555 N94-35915

K

KOREA, REPUBLIC OF

- Numerical simulation of vortex-wedge interaction [BTN-94-EIX94421374955] p 592 A94-61853
 A new method for torsional critical speed calculation of practical industrial rotors [IMR-T&M-TR-001] p 360 N94-28041
 Trim calculation of tandem rotor helicopter using simplified rotor system mathematical model p 489 N94-34337

N

NETHERLANDS

- Structure and utilization of databases for navigation p 208 A94-10333
 A modernised HST of NLR p 124 A94-10405
 A semi-analytical method to correct for support effects on wind tunnel models p 124 A94-10412
 Computational methods for the aerodynamic design of aircraft components p 10 A94-10889
 Integration of simulation and visualization aids in aircraft accident investigation p 195 A94-11359
 Civil application of helicopters p 1 A94-12042
 Flow visualization of helicopter blade tip vortices - A quantitative technique to determine the trajectory and the position of the tip vortex pattern of a model rotor p 158 A94-12055
 Sectional prediction of 3D effects for separated flow on rotating blades p 15 A94-12063
 Flight path calculations for a helicopter in autorotative landing p 75 A94-12073
 Bird strike hazards to helicopters p 54 A94-12116
 Precision aircraft height estimation with multiple radars p 62 A94-12122
 GPS multipath and satellite interference p 63 A94-12557
 Operational aspects of F.16 plastic media blasting, as carried out by Fokker Aircraft Services p 167 N94-10619
 IATA taskforce: Paintstripping p 169 N94-10628
 Applications of continuous fiber reinforced thermoplastics in aircraft interiors p 143 N94-10775
 Future developments of the NLR research flight simulator [NLR-TP-92143-U] p 132 N94-13498
 Photogrammetric methods for trajectory measurements [NLR-TP-91166-U] p 174 N94-13527
 On the use of the method of matched asymptotic expansions in propeller aerodynamics and acoustics [NLR-TP-91307-U] p 31 N94-13528
 Clebsch variable model for unsteady, transonic flow; application to 2D airfoils [NLR-TP-91387-U] p 31 N94-13530
 A robust quasi-simultaneous interaction method for a full potential flow with a boundary layer with application to wing/body configurations [NLR-TP-91397-U] p 31 N94-13531
 Optimal lateral escape maneuvers for microburst encounters during final approach [LR-691] p 56 N94-13534
 Development and application of a comprehensive, design-sensitive weight prediction method for wing structures of transport category aircraft [LR-693] p 83 N94-13687
 Some computational tools for the analysis of through cracks in stiffened fuselage shells [LR-701] p 175 N94-13726
 Fatigue and residual strength characteristics of fiber metal laminates subjected to incidental damage [LR-708] p 176 N94-13803
 The development of inspection and repair methods for the C-17 aft cargo door [LR-704] p 3 N94-13904
 Investigation of an aeroelastic oscillator: Analysis of one-degree-of-freedom galloping with combined translational and torsional effects [LR-707] p 121 N94-13906
 A survey of crack path stability criteria and their application to crack flapping phenomena in stiffened structures [LR-681] p 177 N94-13929

- Compressive buckling of curved, anisotropic panels stiffened in two directions. Part 1: Derivation of the governing equations [LR-694] p 177 N94-13931
 MSD in fuselage lap joints: Requirements for inspection intervals for typical fuselage lap joint panels with Multiple Site Damage [LR-697] p 177 N94-13986
 Gate assignment using linear programming [LR-698] p 200 N94-13987
 Performance of gas turbine compressor cleaners [NLR-TP-91291-U] p 103 N94-14450
 Symposium on the Future of Aeronautics in the Netherlands [ETN-93-93780] p 3 N94-15120
 Fifty years of the Netherlands Association of Aeronautical Engineers p 4 N94-15121
 Predicted and real development in the aviation in the period 1961-1991 p 4 N94-15122
 The future of Schiphol: Growth within boundaries p 134 N94-15123
 Developments in the European air traffic control p 69 N94-15124
 Aviation inspection prospects p 57 N94-15125
 Expectations for the future of Fokker p 4 N94-15127
 Expectations for the future of military aviation p 4 N94-15128
 Expectations for the future of the National Aerospace Laboratory p 134 N94-15129
 Overview of the FAA/DCA/NLR programs related to ageing aircraft [NLR-TP-922119-U] p 4 N94-17614
 Study into the limits of an Euler equation method applied to leading-edge vortex flow [NLR-TP-91350-U] p 184 N94-17627
 Feasibility of a wind-ellipse criterion in a vortex advisory system for Schiphol Airport [NLR-TP-91384-U] p 58 N94-17733
 Take-off performance monitoring system algorithm and display development [NLR-TP-91395-U] p 88 N94-17734
 High-lift system analysis method using unstructured meshes p 47 N94-18426
 Forty years of high-lift R/D: An aircraft manufacturer's experience p 5 N94-18441
 Survey on the application of a 3D general purpose wind-tunnel research model [LR-713] p 136 N94-19372
 The dynamic stability of the helicopter [LR-772] p 123 N94-19615
 ADAS implementation of a panel method for the prediction of aerodynamic loads [LR-723] p 51 N94-19667
 Fatigue crack initiation in riveted lap joints and in pressurized fuselages [LR-725] p 188 N94-19669
 Organized track system: Air ways above the ocean p 193 N94-19702
 Near wake measurements on a rotor model with Mie-vanes in the Delft open jet tunnel [PB93-215382] p 217 N94-22260
 A multigrid multiblock solver for compressible turbulent flow [MEMO-1125] p 272 N94-22713
 Local grid refinement method for the Euler equations [PB93-223329] p 273 N94-22985
 Compressible turbulent flow simulation with a multigrid multiblock method p 276 N94-23694
 The plastic response of a cylindrical shell subjected to an internal blast wave with a finite width shock front p 279 N94-24246
 Some practical problems in multidisciplinary design and optimisation p 260 N94-24322
 Hydro-elastic analysis using a selection of commercial analysis programs [PB94-118734] p 281 N94-24478
 Pre-design study of a general purpose vehicle simulator platform [PB93-215366] p 269 N94-24739
 Wind climate and urban geometry [ISBN-9-03-860132-8] p 364 N94-25261
 Remote vibration measurements at a sud aviation alouette 3 helicopter with a CW CO2-laser system [AD-A273818] p 337 N94-25516
 A feasibility study on bird classification with neural network [AD-A273753] p 306 N94-25780
 Zernike moments and rotation invariant object recognition. A neural network oriented case study [AD-A273749] p 353 N94-26011
 An overview of the TNO contribution to VAST 92 [AD-A273751] p 365 N94-26016
 Technical and scientific research for aeronautics and astronautics [ETN-94-95392] p 289 N94-26212

- High-production global positioning system methods for survey applications: The pseudo-kinematic method with the Trimvec programming system [ETN-94-95035] p 313 N94-26539
 Experimental investigation of the flow quality in the GLT20 subsonic-transonic boundary layer wind tunnel [PB94-126539] p 344 N94-26815
 Formulae for the buckling of simply-supported corrugated panels of orthotropic material under shear load [PB94-126547] p 355 N94-26911
 Experimental study of the angled crack in GLARE 3 [PB94-126554] p 326 N94-26954
 Design and test of postbuckled stiffened curved plates: A literature survey [PB94-126521] p 355 N94-26961
 Development of fibre-metal laminates, ARALL and GLARE, new fatigue resistant materials [PB94-126471] p 326 N94-26969
 Impact tests on fibre metal laminates under a tensile load [PB94-126570] p 349 N94-27201
 High-lift system analysis method using unstructured meshes [NLR-TP-92351-U] p 296 N94-27554
 Investigation of the bond strength of a discrete skin-stiffener interface [NLR-TP-92183-U] p 327 N94-27796
 Understanding and development of a prediction method of transonic limit cycle oscillation characteristics of fighter aircraft [NLR-TP-92210-U] p 341 N94-27798
 Flight testing of GPS and GPS-aided systems [NLR-TP-92151-U] p 315 N94-27831
 Steam plant: Steam turbines for combined cycles p 362 N94-28085
 The deterministic power-spectral-density-method for nonlinear systems [AD-B179687] p 369 N94-28353
 Engineering of systems for application of scientific computing in industry p 415 N94-28947
 ENGRID: A graphical interactive code for the computation of structured grids for blocked flow domains p 409 N94-28956
 Use of GPS in automated air traffic control p 384 N94-29563
 ACCS Surveillance Exploratory Prototype (ASEP) p 412 N94-29566
 Simulation of fully automated air traffic control concepts p 386 N94-29569
 The PHARE advanced tools p 388 N94-29581
 Development of a method to predict transonic limit cycle oscillation characteristics of fighter aircraft (continued) [NLR-TP-92156-U] p 393 N94-30342
 The design of a system of codes for industrial calculations of flows around aircraft and other complex aerodynamic configurations [PB94-125598] p 381 N94-30387
 Numerical investigation into high-angle-of-attack leading-edge vortex flow [PB94-125564] p 381 N94-30388
 Experiments and theoretical considerations regarding the allowable roughness height in laminar flow [PB94-125556] p 381 N94-30389
 Correction of X hot-wire measurements for gradients normal to the plane of the wires [PB94-125473] p 402 N94-30399
 Calculus of variations applied to 2D multi-point airfoil design [PB94-125457] p 381 N94-30401
 A modernised HST of NLR [AD-B179220] p 402 N94-30423
 A simulator for multi-radar analysis for realistic traffic [AD-B179099] p 427 N94-30439
 Aspects of the modeling and numerical simulation of leading-edge vortex flow [AD-B179108] p 420 N94-30492
 A residual correction method applied to 2D multi-point airfoil design and 3D single-point wing design [NLR-TP-92524-U] p 420 N94-30493
 Prospects of time-linearized unsteady calculation methods for exponentially diverging motions in aerelasticity [PB94-126224] p 420 N94-30740
 Euler results of the ISNaS compressible multi-block flow solver [AD-B179299] p 444 N94-30756
 Information system for flow simulation based on the Navier-Stokes equations vectorization [AD-B179293] p 444 N94-30763
 A stochastic control approach to flight path monitoring [AD-B174630] p 430 N94-30853
 A review of the status and capabilities of Navstar GPS [AD-B174629] p 430 N94-30854
 "Real time" and the NLR aerodynamic facilities [AD-B173626] p 438 N94-30856

- Grid adaption in computational aerodynamics
[PB94-126240] p 421 N94-30858
- Numerical simulation of leading-edge vortex flow
[AD-B175154] p 421 N94-30871
- Fractographic and microstructural analysis of fatigue crack growth in Ti-6Al-4V fan disc forgings
[AD-B174765] p 435 N94-30914
- Flight simulator evaluation of advanced MLS procedures
[AD-B174270] p 430 N94-30915
- Aerodynamic analysis of slipstream/wing/nacelle interference for preliminary design of aircraft configurations
[AD-B173651] p 421 N94-30916
- The experimental flight management system: An air traffic management research tool
[NLR-TP-92253-U] p 430 N94-30943
- Aircraft simulation and pilot proficiency: From surrogate flying towards effective training
[AD-B179300] p 438 N94-31179
- CFD-based drag prediction: State-of-the-art, theory, prospects
[AD-B179297] p 422 N94-31180
- Damage tolerance aspects of a full composite airplane fuselage: Requirements, modelling, predictions, experiments
[LR-728] p 433 N94-31674
- Multiple-site damage in aircraft fuselage structures
[LR-729] p 433 N94-31675
- On an adaptation method for 2-dimensional C-type grids
[W-9322] p 423 N94-31822
- On an adaptation method for dense, 2D, C-type grids
[W-9321] p 448 N94-32045
- Differential GPS positioning: DGPS modelling using pseudo range observations
[PB94-149697] p 470 N94-34113
- Error analysis of the step drag-free system with respect to gravity field determination
[PB94-149804] p 506 N94-34115
- Reduction of fatigue load experience as part of the fatigue management program for F-16 aircraft of the RNLAF
p 532 N94-34598
- The KDC-10 programme of the Royal Netherlands Air Force
p 575 N94-36346
- NETHERLANDS ANTILLES**
- In-flight velocity measurements using laser Doppler anemometry
[BTN-94-EIX94311329139] p 549 N94-60161
- NEW ZEALAND**
- Compatibility of information and mode of control: The case for natural control systems
p 117 N94-13307
- NIGER**
- Technical evaluation report on the AGARD-PEP Specialists Meeting on Combat Aircraft Noise
[NLR-TP-91445-U] p 207 N94-15506
- Noise measurements on two types of airplanes used for spraying in agriculture
[LR-706] p 92 N94-17996
- The deterministic power-spectral-density method
[AD-B175894] p 340 N94-27395
- NORWAY**
- Safety standards for aircraft shelter
[FFI-92/4003] p 343 N94-26305
- Turbine blade dynamics and blade-vane interaction in a radial inflow turbine
p 486 N94-34461

P

- POLAND**
- Investigation of individual blade pitch control in time domain
p 109 N94-12243
- Dynamic analysis of open membrane structures interacting with air
[BTN-94-EIX94331337180] p 606 N94-62183

R

- ROMANIA**
- Highly efficient sensitivity analysis for aero-servo-elastic optimization of helicopter rotors
p 78 N94-12241
- RUSSIA**
- Review of TsAGI wind tunnels
p 124 N94-10403
- Application of luminescence quenching for pressure field measurements on the model surface in a wind tunnel
p 154 N94-10408
- Jet boundaries - New type of self-streamlining wind tunnel wall
p 6 N94-10434
- Up-to-date gasdynamic models of hypersonic aerodynamics and heat transfer with real gas properties
p 10 N94-10888
- Calculation of three-dimensional flow of a viscous gas in a straight cascade
p 11 N94-10927

- Nonstationary gasdynamic processes in ramjet engines
p 98 N94-10931
- Aerodynamic characteristics of V-shaped wings with a detached shock wave at the leading edge at hypersonic flight velocities
p 11 N94-10932
- Supersonic flow at angle of attack past a star-shaped body with no planes of symmetry
p 11 N94-10934
- Nonstationary interaction of a sphere with atmospheric temperature inhomogeneities in supersonic flow past a body
p 11 N94-10935
- The need for an end face in the optimal rear section of a two-dimensional body in the presence of a boundary layer
p 11 N94-10936
- Optimal body shapes with limits on local heat flux
p 11 N94-10942
- Evolution of a turbulent boundary layer under the effect of a shock wave followed by rarefaction waves
p 11 N94-10953
- A numerical study of the mixed three-dimensional boundary layers of flow past an ellipsoid at angles of attack
p 12 N94-10954
- A numerical study of steady-state supersonic separated flow past three-dimensional lifting systems
p 12 N94-10956
- Supersonic flow of a viscous gas past the front surface of plane blunt bodies
p 12 N94-10957
- Dependence of the angular velocity of an electrostatic gyroscope on the ambient temperature
p 203 N94-11029
- Optimal aerodynamic shapes in rarefied gas
p 12 N94-11040
- Behavior of a cargo suspended under a helicopter
p 71 N94-11041
- Engine's parameters complex optimization in aerospace systems
[IAF PAPER 93-462] p 194 N94-11249
- Russian sub-orbital commercial passenger transport system
[SAE PAPER 922056] p 74 N94-12038
- Factor analysis of coaxial rotors aerodynamics in hover
p 16 N94-12069
- Experimental investigations in the field of an air jet nozzle controlled helicopter aerodynamics
p 17 N94-12074
- Outside vision from a helicopter crew cabin - Approaches to its forming in design process
p 75 N94-12075
- Some comments on tail rotor ground resonance problem
p 76 N94-12085
- Experience in fabricating polymeric composite rotor blades
p 2 N94-12114
- Characteristics of metal-polymeric bearings of blade drag hinges, realized on coaxial helicopters
p 159 N94-12239
- Parametric identification of a model for the dynamics of helicopter motion using optimal control theory methods
p 109 N94-12247
- Investigations of helicopter tail rotor loading in hovering turns
p 78 N94-12248
- Numerical methods in structural mechanics
p 163 N94-12776
- Using strength conditions in the form of inequalities in the design of riveted joints for plane structural elements of aircraft
p 163 N94-12784
- A study of chemically nonequilibrium flow past bodies with allowance for vibrational relaxation
p 18 N94-12795
- Calculation of the aerodynamic interaction between an airfoil and a vortex
p 18 N94-12796
- A finite element method for calculating the nonsteady state aerodynamic characteristics of a subsonic cascade of vibrating airfoils
p 18 N94-12799
- Variational inverse boundary value problems in aerohydrodynamics for subsonic gas flow
p 18 N94-12800
- Heat and mass transfer in the structural elements of aircraft engines
p 164 N94-12825
- Modeling the dynamics of a high-velocity rotating elastic flight vehicle
p 138 N94-12883
- The boundary layer
p 164 N94-12888
- Calculation of discontinuous solutions for boundary layer equations
p 18 N94-12889
- A method for measuring the velocity field in three-dimensional flow by means of a five-tube nonoriented probe
p 18 N94-12892
- Calculation of boundary layers in nozzles with heat transfer and high stagnation parameters
p 19 N94-12893
- Using the boundary layer theory for calculating separated flows
p 19 N94-12894
- Effect of flow interaction at the trailing edge of a separator on the effective areas
p 19 N94-12897
- Calculation of a turbulent nonisothermal mixing region along a jet issuing from a single-flow or a bypass engine at above the critical pressure
p 19 N94-12900
- Classification of phase portraits in the problem of body motion in a resisting medium in the presence of a linear damping moment
p 165 N94-13144

- Computation of transonic flows around a wing-plus-fuselage configuration taking viscous effects and a thin separated region into account
[BTN-94-EIX94401367450] p 563 N94-61783
- JPRS report: Science and technology. Central Eurasia: Materials science
[JPRS-UMS-93-006] p 149 N94-14573
- Determination of the effect of the walls of a wind-tunnel from the parameters of flow near them
[RAE-LIB-TRANS-2201] p 42 N94-16583
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 1, January 1993
[JPRS-UAC-93-007] p 212 N94-19147
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 12, December 1992
[JPRS-UAC-93-006] p 212 N94-19148
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 10, October 1992
[JPRS-UAC-93-004] p 212 N94-19149
- JPRS report: Central Eurasia. Aviation and cosmonautics, no. 11, November 1992
[JPRS-UAC-93-005] p 212 N94-19208
- Sub-sonic flow about a slender profile in a tunnel having perforated walls
[AD-A273184] p 291 N94-25137
- Endothermic fuels for hypersonic aviation
p 407 N94-29285
- Introduction and overview of research and development of solid propellant ramrocks, liquid fuel ramjets and experimental hydrogen ram combustors
p 398 N94-29292
- Turboramjet engines: Types and performances
p 398 N94-29293
- Research and development of ramjets/ramrocks. Part 1: Integral solid propellant ramrocks
p 398 N94-29294
- Some problems of scramjet propulsion for aerospace planes. Part 1: Scramjet: Aims and features
p 398 N94-29295
- Scramjet CFD methods and analysis. Part 1: Scramjet CFD methods. Numerical simulation of the flow in scramjet duct
p 398 N94-29296
- Research and development of ramjets/ramrocks. Part 2: Integral liquid fuel ramjets
p 398 N94-29297
- Research and development of ramjets/ramrocks. Part 3: The study of gaseous hydrogen ram combustors
p 398 N94-29298
- CIAM experimental turboramjets
p 399 N94-29299
- Scramjet CFD methods and analysis. Part 2: Scramjet CFD analysis. Numerical simulation of supersonic mixing and combustion applied to scramjet combustor
p 399 N94-29300
- Some problems of scramjet propulsion for aerospace planes. Part 2: Scramjet: Development and test problems
p 399 N94-29301
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-006] p 553 N94-35226
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-005] p 553 N94-35342
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-010] p 553 N94-35385
- JPRS report: Science and technology. Central Eurasia
[JPRS-UST-94-012] p 553 N94-35387
- JPRS report: Central Eurasia. Aviation and cosmonautics, No. 5, May 1993
[JPRS-UAC-94-004] p 583 N94-37000
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-007] p 604 N94-37523
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-008] p 605 N94-37524
- JPRS report: Science and technology. Central Eurasia: Engineering and equipment
[JPRS-UEQ-93-005] p 605 N94-37538

S

- SAUDI ARABIA**
- Drag reduction of airplane fuselages through shaping by the inverse method
[BTN-94-EIX94311329117] p 536 N94-60183
- SINGAPORE**
- Potential flow modelling of airfoil stall
p 303 N94-28332
- SOUTH AFRICA**
- A multi-degree-of-freedom dynamic wind tunnel test technique for departure prediction
p 127 N94-10439
- Experimental and computational analysis of a helicopter circulation controlled tail boom
p 14 N94-12058
- Life prediction of helicopter engines fitted with dust filters
p 99 N94-12115
- Transient response of accelerating rotor systems
p 162 N94-12544

SPAIN

High temperature resistant jet fuels

p 405 N94-29260

Effects of hydrogen addition on pollutant emissions in a gas turbine combustor

p 406 N94-29275

SWEDEN

A low speed wind-tunnel with extreme flow quality - Design and tests

p 128 A94-10445

Simulator study of uncoupled control functions. Use of manual pointing modes when aiming at ground targets and oncoming airborne target

[FFA-TN-1992-18]

p 133 N94-13588

Computational methods for reliable fatigue and damage tolerance dimensioning of aircraft structures

[FFA-TN-1993-05]

p 84 N94-13690

WBNGRID, a program for generation of C-H and C-O topology grids around wing/body/nacelle configurations: User's guide

[FFA-TN-1992-09]

p 45 N94-17721

A study of the influence of a delta wing geometry on the induced drag at transonic speed ($M=0.55$) and high angles of attack

[FFA-TN-1992-14]

p 45 N94-17722

CFD investigations of the hypersonic double delta wing greta: Sanger project no. 3.2

[FFA-TN-1992-42]

p 45 N94-17919

Spectrum fatigue testing of T-shaped tension clips

[FFA-TN-1992-22]

p 184 N94-17970

A review of aeronautical fatigue investigations in Sweden during the period May 1991 to April 1993

[FFA-TN-1993-22]

p 187 N94-19358

Turbine design

p 140 N94-20075

Image processing as a tool in flight testing evaluation

p 239 N94-22606

Calculation of viscous drag of two low angle of attack supercritical profiles

[FFA-TN-1984-22]

p 292 N94-26104

Satellite navigation system GPS: A review of principles and performance and developments in general

[PB94-124534]

p 314 N94-27210

Determination of sound power levels of air terminal units according to ISO 5135-Nordic inter-laboratory tests, Nordtest project no. 968-91.

[PB94-137411]

p 416 N94-29175

The execution of wind energy projects 1986 - 1992 between China Aerodynamics Research and Development Centre (CARDIC) and The Aeronautical Research Institute of Sweden (FFA)

[FFA-TN-1993-19]

p 449 N94-30945

Wind tunnel tests of a 5.3 m diameter yaw controlled turbine

[FFA-TN-1993-20]

p 449 N94-30946

Fatigue management and verification of airframes

[FFA-TN-1993-55]

p 432 N94-30947

A pilot study of comfort criteria and sound quality metrics for sound inside cabins of propeller-driven aircraft

[CTH-F-93-03]

p 452 N94-31090

Prediction of transonic potential flow with slipstreams around configurations

[FFA-TN-1992-15]

p 422 N94-31220

Algorithms for a digital radio direction finding system in the HF band

[PB94-149176]

p 470 N94-34093

Installation of an FTIR spectrometer in the TP86 Sabreliner

[PB94-149036]

p 475 N94-34128

Fatigue management and verification of airframes

p 531 N94-34591

SWITZERLAND

Recent improvements in the Swiss Federal Aircraft Factory 5m x 7m wind tunnel at Emmen

p 128 A94-10447

The simulation of single crystal turbine blade solidification

p 141 A94-10671

A simple and efficient solution for the Riemann problem

p 155 A94-10749

Operational stability of a centrifugal compressor and its dependence on the characteristics of the subcomponents

[BTN-94-EIX94311330091]

p 590 A94-61128

Sensorless, brushless motor to drive a sealed freon-ammonia pump

p 277 N94-24036

Rotor dynamic behaviour of a high-speed oil-free motor compressor with a rigid coupling supported on four radial magnetic bearings

p 555 N94-35911

T

TAIWAN, PROVINCE OF CHINA

Three-dimensional non-reacting turbulent mixing phenomena in a side-dump combustor with dual opposite inlets

p 97 A94-10318

Approximate chattering arc for minimum time flight

[IAF PAPER 93-014]

p 136 A94-11105

Navier-Stokes solver for hypersonic flow over a slender cone

[BTN-94-EIX94311330681]

p 543 A94-60110

Aircraft landing gear positioning concerning abnormal landing cases

[BTN-94-EIX94311329140]

p 536 A94-60160

Drag reduction for turbulent flow over a projectile, part 2

[BTN-94-EIX94311322900]

p 520 A94-60196

Drag reduction of turbulent flow over a projectile, part 1

[BTN-94-EIX94311322899]

p 557 A94-60197

New output feedback design in variable structure systems

[BTN-94-EIX94381311173]

p 597 A94-61260

Stability of skew plates subjected to aerodynamic and in-plane forces

[BTN-94-EIX94321331202]

p 592 A94-61615

Numerical investigations on two-dimensional canard-wing aerodynamic interference

[BTN-94-EIX94401358989]

p 566 A94-61645

Experimental design of H(sub infinity) weighting functions for flight control systems

[BTN-94-EIX94401358163]

p 580 A94-61669

TURKEY

Conceptual design of a stopped rotor with flap controls

p 108 A94-12108

Aeroelastic analysis of rotor blades with flap control

p 78 A94-12244

Effect of coarse second phase particles on fatigue crack propagation of an Al-Zn-Mg-Cu alloy

[BTN-94-EIX94301320144]

p 546 A94-60853

Working group activities of AGARD propulsion and energetics panel

[BTN-94-EIX94311331062]

p 589 A94-61116

Thermally induced twist in composite tubes and their applications to helicopter rotor blades with controllable twist

[HTN-94-00296]

p 609 A94-62425

Experimental investigation of flow around a multielement airfoil

p 46 N94-18417

U

UKRAINE

Heat transfer and hydrodynamics on the convex and concave surfaces gas turbine nozzle rings with intense secondary and vortex flows

p 163 A94-12817

Dynamics of swirled gas flow between disks in the case of a rotating bladeless diffuser

p 18 A94-12818

A thermometric method for monitoring the heat insulation coatings of flight vehicles

p 164 A94-12819

Mashproekt scientific and production association: A designer of gas turbines for marine and industrial applications

[BTN-94-EIX94311331079]

p 588 A94-61099

UNITED KINGDOM

Wind tunnels and wind tunnel test techniques; Proceedings of the Conference, Southampton, United Kingdom, Sept. 14-17, 1992

[ISBN 1-85678-050-2]

p 123 A94-10401

Interference corrections in wind tunnels with slotted walls

p 125 A94-10414

The use of the ETW for tests at high Reynolds number

p 125 A94-10418

A summary of noise measurements in a slotted cryogenic wind tunnel

p 125 A94-10419

Recent enhancements to the DRA shock tunnel

p 127 A94-10426

The evolution of whole field optical diagnostics for external transonic testing

p 154 A94-10429

Adaptive wall technology for three-dimensional models at high subsonic speeds and aerofoil testing through the speed of sound

p 6 A94-10435

An overview of the capabilities of ARA for the measurement of nozzle discharge and thrust

p 127 A94-10440

Development of a pressure wave simulator for surge interaction testing

p 127 A94-10441

A unique facility to support cryogenic wind tunnel operations

p 128 A94-10444

Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb

p 128 A94-10446

Modelling of the hot-working of high performance alloys

p 141 A94-10670

Some viscous interactions affecting the design of hypersonic intakes and nozzles

p 10 A94-10784

The use of simulation in aircraft accident prevention and investigation; Proceedings of the Conference, London, United Kingdom, Nov. 11, 12, 1992

[ISBN 1-85768-070-7]

p 1 A94-11355

The end of flight simulation - The use of simulations to train aircraft accident investigators and emergency services

p 195 A94-11360

The role of the DRA advanced flight simulator for the flight clearance of the VAAC Harrier experimental system

p 72 A94-11363

The use of EH101 Development Cockpit Simulator for pilot assessment

p 72 A94-11364

The use of a generic non-linear simulation environment for accident investigation

p 53 A94-11365

The use of simulation in RAF aircraft accident investigation

p 53 A94-11366

Aircraft generation and distribution systems; Proceedings of the Conference, London, United Kingdom, Oct. 14, 1992

[ISBN 1-85768-060-X]

p 156 A94-11368

Flexible alternatives to constant frequency systems

p 156 A94-11372

Load management

p 156 A94-11374

Developing a framework for concurrency by capturing systems engineering rational using a Process Modelling Methodology

[AIAA PAPER 93-4489]

p 195 A94-11422

Building fault-tolerant distributed computing systems using standard components

[AIAA PAPER 93-4571]

p 196 A94-11477

Parallel processing for jet engine control

[ISBN 0-387-19747-8]

p 98 A94-11675

Finite element analysis of lift build-up due to aerofoil incial motion

p 12 A94-11922

The Swedish fighter

p 74 A94-12040

Maritime applications and helicopter technology

p 2 A94-12045

Health and Usage Monitoring systems

p 2 A94-12046

An examination of the effects of blade-vortex interaction on flows near the blade tip

p 16 A94-12066

EH101 - The optimum naval helicopter

p 75 A94-12080

The contribution of the EH101 to improving public transport helicopter safety levels

p 53 A94-12083

The application of finite difference techniques to helicopter rotor blade response calculations

p 76 A94-12086

The use of pilot models in dynamic performance and rotor load prediction studies

p 76 A94-12087

Helicopter flying qualities in critical mission task elements - Initial experience with the DRA (Bedford) Large Motion Simulator

p 107 A94-12090

Handling qualities and performance aspects of the simulation of helicopters flying mission task elements

p 108 A94-12091

A generic tilt-rotor simulation model with parallel implementation and partial periodic trim algorithm

p 77 A94-12098

An investigation of dynamic stall through the application of leading edge roughness

p 17 A94-12117

Incompressible flow in contracting ducts

p 159 A94-12198

Cavity drag at transonic speeds

p 17 A94-12199

Propulsion streamtubes in supersonic flow and supercritical intake cowl

p 17 A94-12200

Conditionally sampled vortices and near-wall turbulence structure

p 160 A94-12402

High frequency power flow in structures

p 161 A94-12510

Solid lubricants for aeronautics

p 142 A94-12655

Fourth dimensional effects in the cold expansion of large holes in thick aluminium aircraft material using photostress and strain gauges

p 165 A94-12936

Financial crisis in the aviation industry - United Kingdom

p 208 A94-13147

Axial compressor performance during surge

[BTN-94-EIX94321333008]

p 548 A94-60040

Experimental studies of vortex flaps and vortex plates

[BTN-94-EIX94311329122]

p 518 A94-60178

Computational analysis of a single jet impingement ground effect lift loss

[BTN-94-EIX94311329114]

p 519 A94-60186

Window functions for the calculation of the time domain averages of the vibration of the individual planet gears and sun gear in an epicyclic gearbox

[BTN-94-EIX94311331047]

p 586 A94-61050

Ingestion into the upstream wheelspace of an axial turbine stage

[BTN-94-EIX94311330099]

p 587 A94-61059

Transfer of heat by self-induced flow in a rotating tube

[BTN-94-EIX94311330098]

p 587 A94-61060

Detailed flow measurements and predictions for a three-stage transonic fan

[BTN-94-EIX94311330096]

p 587 A94-61062

Inviscid-viscous interaction method for three-dimensional inverse design of centrifugal impellers

[BTN-94-EIX94311330094]

p 590 A94-61125

Stall inception and development in an axial flow aeroengine

[BTN-94-EIX94311330088]

p 591 A94-61131

- Review of nonsteady flow models for compressor stability
[BTN-94-EIX94311330087] p 591 A94-61132
- Unstable behavior of low and high-speed compressors
[BTN-94-EIX94311330086] p 591 A94-61133
- Spanwise transport in axial-flow turbines. Part 2: Throughflow calculations including spanwise transport
[BTN-94-EIX94311330085] p 591 A94-61134
- Spanwise transport in axial-flow turbines. Part 1: The multistage environment
[BTN-94-EIX94311330084] p 592 A94-61135
- Buckling and vibration analysis of laminated panels using VICONOPT
[BTN-94-EIX94401372105] p 592 A94-61805
- Sound radiation and caustic formation from a point source in a wall shear layer
[BTN-94-EIX94421374956] p 599 A94-61854
- Further aspects of dynamical models for rime-ice and snow accretion on an overhead line conductor
[BTN-94-EIX94331337183] p 606 A94-62186
- The application of advanced materials to aircraft nacelle structures
p 142 N94-10011
- Quantifying disbond area
p 166 N94-10038
- Analysis of the cost evaluation of ESA programmes and comparable national and international programmes
[GTS-92063] p 209 N94-10145
- Control effectiveness at hypersonic speeds
p 112 N94-10426
- Real gas and surface transpiration effects upon swept leading edge high speed flow including transition
p 21 N94-10452
- The development of alternative paint removal techniques in the RAF
p 167 N94-10618
- An investigation into aircraft fuselage fire hardening
p 54 N94-10782
- Generation and analysis of hybrid structured/unstructured grids
[ARA-MEMO-365] p 198 N94-10893
- Improvement of the flow quality in the ARA transonic tunnel by means of a long cell honeycomb
[ARA-MEMO-375] p 131 N94-10894
- Structural health monitoring using embedded fibre optic sensors
p 55 N94-11334
- Active landing gear control for improved ride quality during ground roll
p 81 N94-11345
- Calibration of ERS-1 altimetry over the North Sea
p 191 N94-11716
- SAUNA: A system for grid generation and flow simulation using hybrid structured/unstructured grids
[ARA-MEMO-370] p 171 N94-11859
- The evolution of whole field optical diagnostics for external transonic testing
[ARA-MEMO-379] p 205 N94-11887
- The modelling of aerodynamic flows by solution of the Euler equations on mixed polyhedral grids
[ARA-84] p 27 N94-11888
- Use of ERS-1 wind and wave products in operational meteorology
p 191 N94-12502
- VIB3D: Method for calculating 3-D unsteady flow through turbomachinery blades
[CUED/A-TURBO/TR.128] p 173 N94-12777
- Rotorcraft flying qualities improvement using advanced control
p 117 N94-13303
- The impact of flying qualities on helicopter operational agility
p 117 N94-13304
- In-flight simulation of high agility through active control: Taming complexity by design
p 117 N94-13306
- The development and potential of inverse simulation for the quantitative assessment of helicopter handling qualities
p 118 N94-13311
- Piston engine intake and exhaust system design
[ISVR-TR-222] p 176 N94-13874
- An experimental assessment of the use of ground-level microphones to measure the fly-over noise of jet-engined aircraft
[NPL-RSA(EXT)-0039] p 206 N94-13885
- Intra-blade quantitative transonic flow measurements at the DRA Pyestock Isentropic Light Piston Facility using PIV (Particle Image Velocimetry)
[RAE-TM-AERO/PROP-21] p 35 N94-14706
- The 3D pneumatic and 2D dynamic probes: Their development and subsequent use in a transonic fan
[RAE-TM-AERO/PROP-22] p 179 N94-14827
- A guide to the DRA 13 ft x 9 ft Low Speed Wind Tunnel Facility
[AD-A267739] p 133 N94-14876
- An experimental study of ASTOVL related jet flows to produce CFD code validation data. Phase 3: Results of experiments
[TT-9203] p 181 N94-15645
- Heat transfer and aerodynamics of a 3D design nozzle guide vane tested in the Pyestock isentropic light piston facility
[RAE-TM-AERO/PROP-19] p 39 N94-15696
- Comparison between swept and delta canards on a model of a combat aircraft
[AD-A269561] p 88 N94-17826
- Where is high-lift today? A review of past UK research programmes
p 5 N94-18416
- Prediction of the high-lift performance of multi-element aerofoils using an unstructured Navier-Stokes solver
p 48 N94-18427
- An experimental investigation of the optimum slat setting on a combat aircraft model
p 89 N94-18431
- An experimental investigation of attachment-line transition on the slat of a combat aircraft model
p 89 N94-18432
- A study of the use of half-models in high-lift wind-tunnel testing
p 48 N94-18434
- The aero-mechanical design of a novel Fowler flap mechanism
p 89 N94-18443
- Data acquisition in aerodynamic research
p 186 N94-18644
- Recent developments in fast response aerodynamic probe technology
p 186 N94-18645
- A modelling of the noise from simple co-axial jets. Part 2: In a simulated flightstream
[ISVR-TR-226] p 284 N94-22959
- Rolls-Royce in perspective: Past, present and future
[PNR-90882] p 264 N94-23519
- The RB211: The first 25 years
[PNR-90977] p 264 N94-23570
- Frameworks for integrated airframe design
p 259 N94-24318
- Exercise keevil: Noise levels of six military helicopters
[PB93-210722] p 369 N94-25026
- The application of a C(star) flight control law to large civil transport aircraft
[CRANFIELD-AERO-9303] p 338 N94-25640
- Report on a visit to the Arvin/Calspan Corporation, Buffalo, New York, USA, September 1992
[CRANFIELD-AERO-9305] p 338 N94-25653
- Modelling of ionisation reactions and of the resulting electric fields in one-dimensional hypersonic shock waves with the direct simulation Monte Carlo method
[IC-AERO-92-01] p 293 N94-26248
- Normal force of low aspect ratio cropped-delta wings at pre-stall angles of attack and subsonic speeds
[ESDU-93034] p 297 N94-27955
- Experimental data for CFD validation of impinging jets in crossflow with application to ASTOVL flow problems
p 359 N94-28010
- Vectorized jets-induced interference on aircraft, prediction and verification
p 359 N94-28012
- Experiments into the scaling parameters required for exhaust gas ingestion testing of vertical landing aircraft
p 327 N94-28017
- Influence of headwind on hot gas reingestion and consideration of pressure ratio scaling
p 334 N94-28018
- Unsteady aspects of hot gas reingestion and statistical analysis
p 334 N94-28019
- Comparison of the interactions of two and three dimensional transverse jets with a hypersonic free stream
p 297 N94-28021
- Inclined air-jets used as vortex generators to suppress shock-induced separation
p 298 N94-28040
- Gas-turbine engine steady-state behavior
p 360 N94-28044
- Transient performance
p 360 N94-28045
- Compressor stability
p 360 N94-28046
- Engine starting and stopping
p 360 N94-28047
- Contribution of body-mounted fins and tailplanes to lateral derivatives due to sideslip at subsonic speeds for general body width to height ratio
[ESDU-93007] p 298 N94-28057
- Lift-curve slope for structural response calculations
[ESDU-93013] p 298 N94-28063
- Program for calculation of maximum lift coefficient of plain aerofoils and wings at subsonic speeds
[ESDU-93015] p 299 N94-28076
- Computation of static pressure downstream of a normal shock for hypersonic flight (ambient temperature known)
[ESDU-93020] p 299 N94-28091
- Examples of flight path optimisation using a multivariate gradient-search method
[ESDU-93021] p 328 N94-28092
- Example of statistical techniques applied to analysis of effects of small changes
[ESDU-93023] p 328 N94-28094
- Vortex generators for control of shock-induced separation. Part 1: Introduction and aerodynamics
[ESDU-93024-PT-1] p 362 N94-28095
- Vortex generators for control of shock-induced separation. Part 3: Examples of applications of vortex generators to aircraft
[ESDU-93026-PT-3] p 362 N94-28096
- Wing lift increment at zero angle of attack due to deployment of single-slotted flaps at low speeds
[ESDU-93019] p 300 N94-28140
- Examples of excrescence drag prediction for typical wing components of a subsonic transport aircraft at the cruise condition
[ESDU-93032] p 300 N94-28144
- On the use of feedback to control sound radiation from a plate excited by a turbulent boundary layer
[ISVR-TR-227] p 362 N94-28175
- Combustion for future supersonic transport propulsion
p 404 N94-29249
- Flowfield prediction of NO(x) and smoke production in aircraft engines
p 404 N94-29252
- Ultra low NO(x) ultra lean gas turbine primary zones with liquid fuels
p 397 N94-29267
- The influence of air distribution on homogeneity and pollutant formation in the primary zone of a tubular combustor
p 406 N94-29274
- Ducted kerosene spray flames
p 407 N94-29276
- Integrated formal verification and validation of safety critical software
p 416 N94-29338
- SDE's for the year 2000 and beyond: An EF perspective
p 416 N94-29344
- Airside ground movements surveillance
p 388 N94-29585
- Aircraft evacuations: The effect of a cabin water spray system upon evacuation rates and behaviour
[CAA-PAPER-93008] p 393 N94-29887
- Building fault-tolerant distributed computing systems using standard components
[PB94-148889] p 508 N94-34125
- Whirl measurements on leakage flows in turbomachine models
p 502 N94-34185
- Operational requirements for helicopter engines for UK services
p 482 N94-34432
- Helicopter engine/airframe integration: The way ahead
p 475 N94-34433
- Nozzle guide vane flow in radial inflow turbines
p 486 N94-34460
- An air bearing system for small high speed gas turbines
p 505 N94-34466
- Hammer 2: A comparison of US and UK approaches to fatigue clearance
p 531 N94-34596
- Fatigue design, test and in-service experience of the BAe Hawk
p 531 N94-34597
- Engine characteristics for agile aircraft
p 538 N94-34608
- Design of integrated flight and powerplant control systems
p 532 N94-34609
- Dynamic tests to demonstrate lateral control using forebody suction on large scale models in the DRA 24 foot wind tunnel
p 539 N94-34613
- Yaw control by tangential forebody blowing
p 539 N94-34615
- Control of leading-edge separation on a cambered delta wing
p 539 N94-34616
- Operational agility: An overview of AGARD Working Group 19
p 534 N94-34625
- The influence of flying qualities on operational agility
p 534 N94-34628
- Engineering large-scale agent-based systems with consensus
p 558 N94-35071
- The simulation of a propulsive jet and force measurement using a magnetically suspended wind tunnel model
p 527 N94-35855
- EH101: A new helicopter capable of long range missions
p 574 N94-36330
- Propulsion system technologies for long range and long endurance aircraft
p 578 N94-36334
- Infrared search and track demonstrator programme
p 599 N94-36622
- Sensor data fusion for air to air situation awareness beyond visual range
p 598 N94-36633
- Manufacture and properties of sigma fibre reinforced titanium
p 585 N94-36655
- Defects and their effects on the integrity of nickel based aeroengine discs
p 586 N94-37328
- UNKNOWN**
- Data, decisions, and cockpit technology
[SAE PAPER 922049] p 93 A94-12035
- USSR**
- Aerodynamic design of super maneuverable aircraft
p 533 N94-34617

Y

YUGOSLAVIA


- Analytic solution of the Riccati equation for the homing missile linear-quadratic control problem
[BTN-94-EIX94401358173] p 583 A94-61679

CONTRACT NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography
1994 Cumulative Index

December 1994

Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number the accession numbers denoting documents that have been produced as a result of research done under the contract are shown. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

AERO-0018-C(H)	p 421	N94-30858
AERO-0018C	p 216	N94-21472
AERO-1082	p 420	N94-30493
AF PROJ. 2003	p 367	N94-26009
	p 434	N94-31458
AF PROJ. 2302	p 585	N94-36650
AF PROJ. 2307	p 216	N94-21411
	p 250	N94-23975
AF PROJ. 2308	p 149	N94-14962
	p 134	N94-15847
	p 539	N94-35746
AF PROJ. 2401	p 254	N94-24773
	p 471	N94-33107
AF PROJ. 2404	p 44	N94-17461
	p 44	N94-17609
	p 186	N94-18739
AF PROJ. 3048	p 147	N94-12282
AF PROJ. 3066	p 332	N94-26345
AF PROJ. 6302	p 230	N94-21165
AF PROJ. 681B	p 105	N94-18907
AF PROJ. 7184	p 391	N94-29042
AF PROJ. 9994	p 419	N94-31367
	p 434	N94-31368
	p 432	N94-31387
	p 475	N94-32909
AF-AFOSR-0004-92	p 250	N94-23975
AF-AFOSR-0005-91	p 526	N94-35529
AF-AFOSR-0007-91	p 250	N94-23975
AF-AFOSR-0012-90	p 250	N94-23975
AF-AFOSR-0022-91	p 86	N94-16122
AF-AFOSR-0032-90	p 122	N94-16107
AF-AFOSR-0069-91	p 215	N94-20465
AF-AFOSR-0074-87	p 524	N94-34974
AF-AFOSR-0093-90	p 27	N94-12377
AF-AFOSR-0101-91	p 44	N94-17574
AF-AFOSR-0151-90	p 496	N94-33242
AF-AFOSR-0156-90	p 508	N94-33744
AF-AFOSR-0167-90	p 151	N94-17223
AF-AFOSR-0173-90	p 500	N94-33396
AF-AFOSR-0176-88	p 37	N94-14963
AF-AFOSR-0232-90	p 40	N94-15787
AF-AFOSR-0234-90	p 501	N94-33885
AF-AFOSR-0249-90	p 524	N94-34974
AF-AFOSR-0266-86	p 170	N94-11014
AF-AFOSR-0272-88	p 37	N94-14959
AF-AFOSR-0304-90	p 44	N94-17580
AF-AFOSR-0330-91	p 152	N94-18630
AF-AFOSR-0337-87	p 185	N94-18225
AF-AFOSR-0386-91	p 581	N94-36384
AF-AFOSR-0395-89	p 183	N94-16966
AF-AFOSR-0411-89	p 183	N94-17286

AF-AFOSR-0412-91	p 527	N94-35950
AF-AFOSR-0417-89	p 569	N94-37219
AF-AFOSR-0431-91	p 404	N94-29004
AF-AFOSR-0472-89	p 199	N94-11680
AF-AFOSR-89-0420	p 17	N94-12649
AF-AFOSR-90-0138	p 106	N94-10281
ARO-MIPR-130-92	p 50	N94-19119
AT/2037/331	p 293	N94-26248
BARR-10-119	p 330	N94-27286
BBN PROJ. 621697	p 509	N94-33023
BMFT-TV8202/8406	p 446	N94-31575
BMFT-01-QS-90144	p 190	N94-11711
BRITE/EURAM-1019	p 406	N94-29274
CEC-SC1/900369	p 48	N94-18427
DA PROJ. 1L1-61102-AH-45	p 198	N94-10724
	p 52	N94-20136
	p 293	N94-26483
	p 293	N94-26489
	p 293	N94-26492
	p 293	N94-26497
	p 357	N94-27657
DA PROJ. 1L1-62211-A-47-A	p 234	N94-21756
DA PROJ. 1L1-62211-A-47-A	p 178	N94-14445
	p 184	N94-17583
	p 351	N94-25181
	p 499	N94-32929
	p 500	N94-33609
	p 502	N94-33954
	p 502	N94-34148
	p 596	N94-37457
DA PROJ. 1L1-62211-A-47A	p 412	N94-29552
DA PROJ. 1L1-62211-A-47	p 538	N94-34993
DA PROJ. 1L1-62211-AH-85	p 473	N94-33536
DA PROJ. 1L1-62618-AH-80	p 27	N94-11870
	p 85	N94-14951
	p 46	N94-18413
DA PROJ. 1L1-62786-AH-98	p 232	N94-20567
DA PROJ. 1L2-63001-D-150	p 230	N94-20551
DA PROJ. 3M1-62787-A-878	p 57	N94-15637
	p 306	N94-25141
	p 427	N94-32363
DA PROJ. 3048	p 584	N94-36505
DAAD05-92-C-0114	p 46	N94-18413
DAAJ02-92-C-0055	p 554	N94-35903
DAAK60-91-C-0093	p 232	N94-20567
DAAK70-92-C-0059	p 230	N94-20551
DAAL03-87-K-0023	p 72	N94-11392
DAAL03-88-C-0002	p 40	N94-15824
DAAL03-88-C-0003	p 111	N94-12696
DAAL03-88-C-0004	p 37	N94-14799
DAAL03-88-K-0062	p 36	N94-14774
DAAL03-89-C-0018	p 271	N94-24565
DAAL03-89-C-0027	p 36	N94-14781
DAAL03-89-K-0007	p 111	N94-12696
DAAL03-89-K-0092	p 10	N94-10804
	p 114	N94-11503
DAAL03-89-K-0095	p 408	N94-28665
DAAL03-89-K-0172	p 36	N94-14784
DAAL03-90-C-0013	p 377	N94-29197
	p 465	N94-34159
DAAL03-90-G-0004	p 400	N94-28632
DAAL03-91-G-0026	p 377	N94-29306
DAAL03-92-G-0121	p 15	N94-12062
DAAL03-92-G-0277	p 52	N94-20043
DAAL04-89-C-0023	p 348	N94-24942
	p 348	N94-25163
DAAL04-91-C-0034	p 225	N94-21268
DAAL04-91-C-0046	p 349	N94-26978
DACA76-89-C-0014	p 68	N94-14919
DACA88-90-D-0028-28	p 220	N94-21428
DASG60-87-C-0042	p 165	N94-12982
DE-AC02-83CH-10093	p 353	N94-26117
	p 448	N94-30602
DE-AC04-76DP-00613	p 584	N94-36474
DE-AC04-76DP-00789	p 94	N94-12565
	p 20	N94-10445
	p 190	N94-11173
	p 147	N94-11366
	p 173	N94-12821
	p 29	N94-13260
	p 176	N94-13889
	p 45	N94-18275
	p 238	N94-22405

	p 274	N94-23000
	p 365	N94-26700
DE-AC04-94AL-85000	p 282	N94-23704
	p 349	N94-26796
	p 346	N94-27997
	p 408	N94-28466
	p 431	N94-31306
	p 423	N94-31578
	p 507	N94-34382
	p 526	N94-35360
	p 584	N94-36505
DE-AC05-84OR-21400	p 146	N94-11106
	p 151	N94-17752
	p 70	N94-19300
	p 231	N94-21822
	p 236	N94-21830
	p 493	N94-32935
DE-AC05-84OS-21400	p 152	N94-18761
DE-AC06-76RL-01830	p 313	N94-26309
DE-AC09-89SR-18035	p 506	N94-33938
DE-AC21-86MC-23166	p 237	N94-21938
	p 358	N94-27874
DE-AI01-91CE-50306	p 103	N94-14448
DE-AI01-91CE-50306	p 359	N94-27984
DE-FG02-91CE-23810	p 205	N94-10853
	p 146	N94-11146
DE-FG22-92PC-92104	p 151	N94-16996
	p 443	N94-32150
DEN3-335	p 209	N94-12931
DEN3-374	p 359	N94-27984
DFG-RU-334/1-6	p 9	N94-10771
DFG-SFB-212	p 108	N94-12092
DFG-SFB-253	p 154	N94-10411
DFG-SFB-25	p 155	N94-10743
	p 16	N94-12071
DLA900-88-D-0392	p 233	N94-21253
DREP-W7708-2-0529/01-XSA	p 315	N94-27667
DRET-86-156	p 127	N94-10438
	p 248	N94-23149
	p 248	N94-23161
DRET-88-214	p 351	N94-25463
DT-FA01-92-G-0011	p 384	N94-29562
DTFA-01-93-Z-02018	p 256	N94-24127
DTFAC1-87-Z-02015	p 268	N94-23303
DTFA01-87-C-00014	p 313	N94-26826
	p 402	N94-29754
	p 382	N94-29862
	p 567	N94-36466
	p 567	N94-36467
	p 601	N94-37604
DTFA01-88-Z-0200	p 67	N94-11863
DTFA01-89-C-00016	p 389	N94-30189
DTFA01-89-Z-0203	p 364	N94-24850
DTFA01-91-Y-01004	p 66	N94-10933
DTFA01-91-Z-02036	p 59	N94-19661
	p 596	N94-37126
DTFA01-92-Y-02017	p 189	N94-20203
DTFA01-93-C-00001	p 180	N94-15439
	p 69	N94-16906
DTFA01-93-C-0001	p 70	N94-18384
	p 185	N94-18495
DTFA01-93-C-00030	p 583	N94-37424
DTFA01-93-Y-1021	p 289	N94-24923
DTFA01-93-Z-02012	p 66	N94-11103
	p 69	N94-16439
	p 343	N94-26196
	p 355	N94-26963
	p 556	N94-35596
	p 556	N94-35720
	p 557	N94-35807
DTFA02-90-R-00149	p 430	N94-30933
DTFA02-91-C-91089	p 312	N94-25444
DTFA03-86-C-00042	p 96	N94-20343
DTFA03-88-A-0029	p 348	N94-24942
	p 348	N94-25163
DTFA03-89-A-00019	p 487	N94-33378
DTFA03-89-C-00023	p 59	N94-18844
DTFA03-89-C-00043	p 96	N94-20053
	p 268	N94-24072
	p 329	N94-26028
	p 325	N94-26488
	p 426	N94-31246
DTFA03-89-C-00061	p 602	N94-37706

DTFA03-90-P-00447	p 382	N94-28799	p 442	N94-32395	p 597	N94-36498	
DTFA03-92-Z-0029	p 326	N94-27105	p 442	N94-32396	NAG1-928	p 190	A94-12361
DTMA91-91-C-10038	p 257	N94-24474	p 442	N94-32397	NAG1-961	p 29	N94-13292
DTRS-57-87-C-00006	p 64	A94-12567	p 442	N94-32398	NAG1-994	p 216	N94-21054
DTRS-57-88-C-0078	p 129	A94-11991	p 442	N94-32399	NAG10-0109	p 140	N94-16905
DTRS57-87-C-00006	p 314	N94-27292	p 442	N94-32403	NAG2-12	p 129	A94-11991
DTRS57-88-C-0078TD39	p 330	N94-27286	p 10	A94-10855		p 330	N94-27286
DTRS57-89-C-00006	p 390	N94-28647	p 105	N94-18333	NAG2-477	p 111	A94-12696
DTRS57-89-C-0008	p 456	N94-33590	p 158	A94-11988		p 541	N94-35874
DTRS57-89-D-00007	p 408	N94-28646	p 525	N94-34987	NAG2-554	p 244	N94-20523
DTRS57-89-D-00009	p 390	N94-28657	p 195	A94-11452	NAG2-564	p 570	N94-37013
DTRS57-89-D-0009	p 433	N94-32015	p 524	N94-34970	NAG2-593	p 315	N94-27768
DTRS57-91-P-80859	p 432	N94-30905	p 21	N94-10451	NAG2-691	p 283	N94-23332
DTRS57-92-C-00093	p 477	N94-33409	p 290	N94-24849	NAG2-716	p 129	A94-11991
ESA-9915/92/F/EM	p 209	N94-10145	p 13	A94-12005		p 330	N94-27286
FMV-FLYG-82450-87-348-24-001	p 133	N94-13588	p 464	N94-33966	NAG2-728	p 74	A94-12061
FMV-FLYG-82450-88-341-73-0	p 133	N94-13588	p 490	N94-33167	NAG2-729	p 244	N94-21821
FMV-82260-91-087-073-001	p 45	N94-17722	p 595	N94-37128	NAG2-733	p 28	N94-13076
FMV-82260-92-060-073-001	p 45	N94-17722	p 527	N94-35717	NAG2-743	p 324	N94-26235
FMV/FFL-82250-90-276-16-001	p 184	N94-17970	p 448	N94-32256	NAG2-797	p 464	N94-33991
F08635-88-C-0067	p 59	N94-18822	p 147	N94-12403	NAG2-854	p 321	N94-25268
	p 59	N94-18823	p 152	N94-18257	NAG2-881	p 601	N94-37511
F08635-88-C-0160	p 135	N94-18330	p 496	N94-33165	NAG3-1023	p 357	N94-27802
F08635-89-C-0350	p 448	N94-32366	p 180	N94-15199	NAG3-1032	p 17	A94-12649
F08635-90-C-0100	p 406	N94-29271	p 374	N94-28899	NAG3-1062	p 498	N94-32872
F08635-93-C-0020	p 499	N94-33385	p 451	N94-32281	NAG3-1087	p 103	N94-14448
F19628-88-D-0032	p 439	N94-31346	p 27	N94-11889	NAG3-1124	p 406	N94-29271
	p 439	N94-31356	p 265	N94-23709	NAG3-1134	p 380	N94-30124
F19628-89-C-0001	p 181	N94-15649	p 486	N94-34465		p 381	N94-30152
F19628-90-C-0002	p 66	N94-11103	p 210	N94-18575		p 456	N94-32475
	p 67	N94-11863	p 211	N94-19780	NAG3-1137	p 363	N94-28227
	p 69	N94-16439	p 305	N94-24864	NAG3-11467	p 340	N94-27414
	p 193	N94-18684	p 449	N94-30572	NAG3-1165	p 26	N94-11203
	p 256	N94-24127	p 451	N94-32219	NAG3-1192	p 333	N94-27654
	p 343	N94-26196	p 133	N94-14908	NAG3-1230	p 363	N94-28227
	p 355	N94-26963	p 147	N94-12282	NAG3-1232	p 436	N94-32075
	p 307	N94-27287	p 50	N94-19119	NAG3-1234	p 363	N94-28227
	p 556	N94-35720	p 11	A94-10892	NAG3-1273	p 363	N94-28181
	p 557	N94-35807	p 8	A94-10768		p 481	N94-34216
F19628-90-C-0003	p 202	N94-17429	p 8	A94-10768	NAG3-1316	p 357	N94-27657
	p 136	N94-19880	p 560	N94-34730	NAG3-1410	p 184	N94-17763
F33600-85-D-7002	p 419	N94-31830	p 111	A94-12707	NAG3-1433	p 399	N94-30013
F33601-93-M-Y842	p 514	N94-33401	p 470	N94-33534	NAG3-1450	p 539	N94-35352
F33615-84-C-3404	p 164	A94-12918	p 275	N94-23513	NAG3-1476	p 499	N94-32929
	p 367	N94-25453	p 275	N94-23532		p 502	N94-34148
F33615-86-C-3015	p 216	N94-21411	p 299	N94-28071	NAG3-1507	p 282	N94-24751
F33615-87-C-2709	p 403	N94-28901	p 593	N94-36420		p 553	N94-35500
F33615-87-C-2714	p 152	N94-18489	p 268	N94-23539	NAG3-1567	p 477	N94-33035
F33615-87-C-3216	p 201	N94-16768	p 583	N94-37450	NAG3-1669	p 411	N94-29104
	p 201	N94-16769	p 66	N94-11525	NAG3-28	p 381	N94-30152
F33615-88-C-0024	p 420	N94-32254	p 120	N94-13469	NAG3-308	p 99	A94-12695
F33615-88-C-1825	p 330	N94-26340	p 379	N94-29920	NAG3-768	p 29	N94-13180
F33615-88-C-2811	p 142	A94-12993	p 79	N94-10344	NAG3-884	p 148	N94-13089
F33615-88-C-5404	p 202	N94-17590	p 282	N94-24699	NAG3-912	p 412	N94-29552
F33615-89-C-0532	p 87	N94-17425	p 205	N94-11176	NAG8-122	p 96	N94-15187
	p 394	N94-29048	p 501	N94-33885	NAG9-681	p 522	N94-34704
	p 435	N94-32223	p 204	N94-10752	NAL PROJ. CF-0-900	p 178	N94-14598
F33615-89-C-3201	p 355	N94-26922	p 131	N94-12824	NAL PROJ. CF-1-121	p 35	N94-14612
F33615-89-C-3208	p 88	N94-18227	p 250	N94-23625	NASA ORDER A-24888-D	p 43	N94-17260
F33615-89-C-3611	p 90	N94-18577	p 194	A94-10806	NASA ORDER A-25364-D	p 85	N94-15718
	p 90	N94-18733	p 556	N94-35974		p 224	N94-21592
	p 359	N94-28016	p 527	N94-35864		p 257	N94-23489
F33615-89-C-5605	p 169	N94-10791	p 86	N94-16498	NASW-4435	p 261	N94-24332
F33615-89-C-5643	p 348	N94-24788	p 468	N94-33956		p 261	N94-24401
F33615-90-C-0005	p 342	N94-25773	p 605	N94-37797		p 261	N94-24462
	p 438	N94-31058	p 606	N94-37657		p 262	N94-24479
	p 450	N94-32093	p 164	A94-12906		p 262	N94-24492
F33615-90-C-2033	p 405	N94-29262	p 537	N94-35055		p 262	N94-24498
F33615-90-C-2054	p 157	A94-11981	p 594	N94-36812		p 268	N94-24551
	p 175	N94-13730	p 337	N94-25176		p 262	N94-24589
F33615-90-C-3009	p 500	N94-33391	p 250	N94-24052		p 262	N94-24591
F33615-90-C-3211	p 209	N94-11288	p 315	N94-27293		p 263	N94-24711
	p 368	N94-27093	p 121	N94-15416		p 316	N94-24787
F33615-90-C-3600	p 321	N94-25440	p 339	N94-26821		p 316	N94-24803
	p 321	N94-25590	p 170	N94-11084		p 317	N94-24817
	p 324	N94-25961	p 203	A94-11353		p 317	N94-24837
F33615-91-C-3007	p 438	N94-31295	p 466	N94-34207		p 346	N94-24860
F33615-91-C-5708	p 168	N94-10623	p 347	N94-27789		p 317	N94-24915
F33615-91-C-5733	p 267	N94-24776	p 369	N94-25177		p 336	N94-24957
F33615-92-C-0018	p 330	N94-26989	p 74	A94-12061		p 317	N94-24966
F33615-92-C-2213	p 147	N94-12275	p 350	N94-24858		p 318	N94-24968
F33615-92-C-3605	p 437	N94-32224	p 417	N94-29407		p 318	N94-24969
F33615-92-C-5915	p 148	N94-12993	p 183	N94-17215		p 318	N94-24972
F33616-89-C-0532	p 394	N94-29005	p 13	A94-11975		p 318	N94-24974
F33657-86-C-0149	p 440	N94-32014	p 504	N94-34262		p 318	N94-24975
	p 440	N94-32241	p 51	N94-19621		p 319	N94-25001
	p 440	N94-32311	p 129	A94-11991		p 319	N94-25002
	p 440	N94-32312	p 330	N94-27286		p 319	N94-25004
	p 440	N94-32313	p 357	N94-27851		p 319	N94-25017
	p 440	N94-32314	p 32	N94-13607		p 319	N94-25021
	p 441	N94-32315	p 523	N94-34964		p 331	N94-25085
	p 441	N94-32316	p 523	N94-34965		p 371	N94-25665
	p 441	N94-32317	p 299	N94-28072	NASW-4584	p 371	N94-25541
	p 441	N94-32318	p 78	A94-12249	NAS1-15279	p 148	N94-13267
	p 441	N94-32319	p 111	A94-12696	NAS1-18027	p 220	N94-21818
	p 441	N94-32394	p 196	A94-11462		p 222	N94-22277
		F33657-91-C-2012					
		F33657-92-D-2055					
		F34601-90-C-1423					
		F49620-86-C-0133					
		F49620-88-C-0053					
		F49620-88-C-0061					
		F49620-88-C-0076					
		F49620-90-C-0027					
		F49620-91-C-0014					
		F49620-91-C-0020					
		F49620-91-C-0085					
		F49620-92-J-0006					
		F49620-92-J-0012					
		F49620-92-J-0090					
		F49620-92-J-0184					
		F49620-92-J-0227					
		F49620-93-C-0026					
		F49620-93-1-0005					
		F49620-93-1-0009					
		F49620-93-1-0104					
		F49629-89-C-0014					
		GRI-5091-293-2188					
		IAR PROJ. CJ501					
		MDA903-89-C-0003					
		MDA903-92-D-0025					
		MDA972-92-J-1010					
		MDA972-92-J-1018					
		MIPR-ENM9486					
		MIPR-FY1455-91N-0638					
		MIPR-92-0004					
		NAGW-1061					
		NAGW-1072					
		NAGW-1331					
		NAGW-1682					
		NAGW-1708					
		NAGW-2641					
		NAGW-674					
		NAG1-1003					
		NAG1-1013					
		NAG1-1056					
		NAG1-1058					
		NAG1-1066					
		NAG1-1072					
		NAG1-1081					
		NAG1-1082					
		NAG1-1096					
		NAG1-1111					
		NAG1-1119					
		NAG1-1133					
		NAG1-1164					
		NAG1-1173					
		NAG1-1193					
		NAG1-1255					
		NAG1-1272					
		NAG1-1280					
		NAG1-1309					
		NAG1-1311					
		NAG1-1371					
		NAG1-1380					
		NAG1-1411					
		NAG1-1423					
		NAG1-1451					
		NAG1-1478					
		NAG1-1518					
		NAG1-1539					
		NAG1-1540					
		NAG1-1581					
		NAG1-170					
		NAG1-244					
		NAG1-363					
		NAG1-423					
		NAG1-530					
		NAG1-537					
		NAG1-648					
		NAG1-690					
		NAG1-745					
		NAG1-776					

NAS1-18191	p 223	N94-22278	p 284	N94-23464	NCC2-592	p 55	N94-13247
NAS1-18565	p 254	N94-23288	p 248	N94-23511	NCC2-604	p 133	N94-15117
NAS1-18584-58	p 493	N94-32868	p 247	N94-23553	NCC2-605	p 43	N94-17081
NAS1-18585	p 598	N94-36962	p 267	N94-23590		p 414	N94-29942
	p 6	A94-10410	p 247	N94-24100	NCC2-616	p 33	N94-14030
	p 160	A94-12423	p 280	N94-24362	NCC2-617	p 80	N94-11150
	p 498	N94-32871	p 291	N94-25173	NCC2-663	p 114	N94-12799
NAS1-18586	p 243	N94-22414	p 331	N94-25200		p 594	N94-36808
	p 283	N94-23252	p 292	N94-26131	NCC2-666	p 506	N94-33170
	p 284	N94-24463	p 343	N94-26141	NCC2-671	p 112	N94-10895
NAS1-18605	p 156	A94-11350	p 332	N94-26573	NCC2-677	p 40	N94-16510
	p 200	N94-13717	p 395	N94-29103	NCC2-683	p 217	N94-21833
NAS1-18799	p 493	N94-32877	p 411	N94-29104	NCC2-699	p 399	N94-29860
NAS1-18845	p 132	N94-13127	p 401	N94-30204	NCC2-704	p 206	N94-13291
NAS1-18862	p 150	N94-16864	p 458	N94-32926		p 31	N94-13422
	p 492	N94-32860	p 459	N94-33119	NCC2-712	p 170	N94-10937
NAS1-18888	p 496	N94-33135	p 543	N94-34919	NCC2-714	p 31	N94-13463
NAS1-18889	p 492	N94-32863	p 543	N94-35267	NCC2-715	p 466	N94-34277
	p 495	N94-33130	p 401	N94-28510	NCC2-729	p 26	N94-11195
	p 495	N94-33132	p 399	N94-29438	NCC2-730	p 251	N94-24103
	p 495	N94-33133	p 498	N94-32867	NCC2-737	p 349	N94-26205
NAS1-19000	p 496	N94-33137	p 498	N94-32869	NCC2-742	p 84	N94-14106
	p 79	A94-12706	p 178	N94-14445	NCC2-752	p 200	N94-13204
	p 207	N94-15487	p 254	N94-24606	NCC2-754	p 51	N94-19433
	p 49	N94-18435	p 101	N94-12272	NCC2-759	p 335	N94-24804
	p 221	N94-21629	p 99	A94-12695	NCC2-761	p 567	N94-36394
	p 244	N94-21741	p 229	N94-21790	NCC2-775	p 67	N94-12355
	p 263	N94-24726	p 332	N94-26588		p 68	N94-13957
	p 343	N94-26603	p 577	N94-37401	NCC2-783	p 35	N94-14326
NAS1-19023	p 325	N94-26606	p 229	N94-21874	NCC2-793	p 488	N94-34264
NAS1-19060	p 16	A94-12070	p 482	N94-34231	NCC2-833	p 437	N94-31203
	p 285	N94-24172	p 482	N94-34233	NCC2-834	p 390	N94-28817
	p 285	N94-24173	p 101	N94-12271	NCC3-165	p 466	N94-34391
	p 370	N94-28197	p 101	N94-12270	NCC3-173	p 350	N94-27352
NAS1-19061	p 207	N94-17278	p 334	N94-27778	NCC3-213	p 264	N94-23552
	p 509	N94-33023	p 481	N94-34146	NCC3-233	p 183	N94-17481
	p 513	N94-34303	p 267	N94-24594		p 271	N94-24301
NAS1-19161	p 191	N94-12572	p 56	N94-13424		p 446	N94-31229
NAS1-19236	p 160	A94-12413	p 265	N94-24082		p 499	N94-32969
NAS1-19271	p 284	N94-23698	p 538	N94-34993		p 539	N94-35352
NAS1-19299	p 173	N94-13066	p 234	N94-21607	NCC3-93	p 466	N94-34391
	p 49	N94-18435	p 421	N94-30949	NGL-22-009-640	p 129	N94-11991
	p 412	N94-29460	p 552	N94-35224		p 290	N94-27284
NAS1-19320	p 294	N94-26548	p 556	N94-35945		p 330	N94-27286
NAS1-19360	p 605	N94-37607	p 568	N94-36686		p 307	N94-27287
	p 603	N94-37658	p 354	N94-26691	NGL-31-001-252	p 107	N94-10803
NAS1-19440	p 280	N94-24360	p 347	N94-26613		p 10	N94-10804
NAS1-19480	p 156	A94-11350	p 206	N94-13719		p 114	N94-11503
	p 199	N94-11198	p 596	N94-36919		p 290	N94-27284
	p 200	N94-13717	p 272	N94-22735	NGR-36-009-017	p 290	N94-27284
	p 280	N94-24356	p 173	N94-12803		p 314	N94-27290
	p 367	N94-25090	p 464	N94-33898		p 314	N94-27292
	p 508	N94-33286	p 498	N94-34388		p 315	N94-27293
	p 558	N94-35240	p 138	N94-12806	NGR-36-009-17	p 314	N94-27291
	p 528	N94-35994	p 139	N94-12810	NGT-50623	p 67	N94-13238
NAS1-19595	p 273	N94-22775	p 139	N94-12965	NGT-70228	p 51	N94-19433
NAS1-19672	p 173	N94-13066	p 139	N94-13191	NIVR-01506N	p 381	N94-30389
	p 174	N94-13073	p 402	N94-29052	NIVR-01604N	p 381	N94-30387
	p 569	N94-36966	p 351	N94-25193	NIVR-01802N	p 31	N94-13531
NAS1-19700	p 156	A94-11350	p 171	N94-11865	NIVR-01904N	p 31	N94-13530
NAS1-19858	p 275	N94-23498	p 220	N94-22373	NIVR-07701N	p 184	N94-17627
NAS1-20059	p 501	N94-33897	p 93	A94-11480	NIVR-07801N	p 341	N94-27798
NAS10-11844	p 364	N94-25271	p 281	N94-24640		p 393	N94-30342
NAS2-12568	p 598	N94-36914	p 247	N94-22894	NPS-CX-2000-0-0025	p 244	N94-22053
	p 598	N94-36922	p 259	N94-24314		p 244	N94-22054
NAS2-13180	p 207	N94-13897	p 8	A94-10768		p 513	N94-34380
NAS2-13194	p 457	N94-32476	p 581	N94-36965	NSF BCS-91-09989	p 197	N94-11770
NAS2-13196	p 38	N94-15655	p 49	N94-18435	NSF CBT-86-57131	p 159	N94-12397
	p 38	N94-15677	p 83	N94-13618	NSF CCR-87-01103	p 315	N94-27768
	p 39	N94-15720	p 50	N94-19388	NSF CCR-90-14363	p 315	N94-27768
	p 40	N94-15780	p 504	N94-34300	NSF CCR-91-20008	p 153	N94-10299
NAS2-13210	p 57	N94-14744	p 529	N94-35522	NSF CCR-92-09873	p 597	N94-36495
NAS2-13312	p 333	N94-27432	p 190	N94-10725	NSF DCR-82-03979	p 94	N94-12266
NAS2-13383	p 466	N94-34430	p 468	N94-33063	NSF DDM-93-09706	p 602	N94-37762
	p 528	N94-35991	p 468	N94-33943	NSF DMR-88-18558	p 164	N94-12906
NAS2-13484	p 316	N94-24796	p 109	A94-12118	NSF DMR-88-21625	p 555	N94-35907
NAS2-13721	p 287	N94-24307	p 182	N94-16491	NSF ECS-91-16566	p 555	N94-35907
	p 560	N94-36031	p 581	N94-36436	NSF MSS-85-52702	p 129	N94-11991
NAS2-13872	p 392	N94-29685	p 526	N94-35498		p 330	N94-27286
NAS3-22525	p 357	N94-27776	p 227	N94-20524	NSF MSS-91-02981	p 156	N94-11350
	p 409	N94-28815	p 492	N94-34063	NSF OCE-85-11431	p 171	N94-11865
NAS3-23051	p 477	N94-32859	p 528	N94-34915	NUTEK-5623-92-01540	p 422	N94-31220
NAS3-23269	p 350	N94-27854	p 52	N94-20014	NUTEK-92-05162P	p 452	N94-31090
NAS3-23773	p 356	N94-27228	p 568	N94-36687	N00014-88-K-0475	p 352	N94-25757
NAS3-24226	p 538	N94-34679	p 180	N94-15551	N00014-89-C-0179	p 171	N94-11865
NAS3-24342	p 166	N94-10400	p 35	N94-14541	N00014-89-C-0254	p 204	N94-12140
NAS3-24350	p 225	N94-21582	p 25	N94-10758	N00014-89-J-1439	p 186	N94-18906
	p 225	N94-21583	p 29	N94-13266	N00014-89-J-1721	p 407	N94-29276
NAS3-24816	p 254	N94-23523	p 188	N94-19493	N00014-89-J-1783	p 124	N94-10407
NAS3-25266	p 34	N94-14208	p 409	N94-28724	N00014-89-J-1991	p 151	N94-17381
	p 104	N94-15192	p 121	N94-14322	N00014-90-C-0085	p 199	N94-11104
	p 44	N94-17558	p 468	N94-33943	N00014-90-C-0162	p 233	N94-21284
	p 51	N94-19484	p 39	N94-15678	N00014-90-J-1589	p 356	N94-27026
	p 216	N94-20563	p 379	N94-29893	N00014-91-C-0128	p 149	N94-13697
	p 227	N94-21742	p 176	N94-13815		p 403	N94-28830
	p 248	N94-23299	p 91	N94-19448	N00014-91-J-1219	p 315	N94-27768

N00014-91-J-1732	p 446	N94-31476	p 499	N94-32929	p 244	N94-21741	
N00014-91-J-1876	p 555	N94-35907	p 500	N94-33609	p 285	N94-24207	
N00014-91-J-4063	p 446	N94-31384	p 480	N94-33706	RTOP 505-630-58	p 502	N94-33960
N00014-91-K-2031	p 470	N94-34026	p 481	N94-33974	RTOP 505-64-10-07	p 243	N94-22414
N00014-92-J-1726	p 171	N94-11865	p 482	N94-34231		p 283	N94-23252
N00014-92-J-6004	p 449	N94-32214	p 482	N94-34233		p 284	N94-24463
N00014-93-C-0029	p 224	N94-21507	p 556	N94-35945	RTOP 505-64-10	p 468	N94-33956
N00014-93-C-0037	p 223	N94-21246	p 596	N94-37457	RTOP 505-64-12-01	p 192	N94-17283
N00039-92-C-0100	p 436	N94-31931	p 104	N94-15192		p 339	N94-26593
N00140-87-C-6321	p 396	N94-29283	p 552	N94-35224	RTOP 505-64-12-04	p 275	N94-23498
N00140-87-C-8904	p 315	N94-27768	p 24	N94-10675	RTOP 505-64-13-01	p 221	N94-21629
N00140-87-C-9902	p 397	N94-29269	p 217	N94-21569		p 254	N94-23288
N47408-91-C-1228	p 135	N94-17405	p 294	N94-26547		p 529	N94-36048
	p 135	N94-17432	p 465	N94-34172	RTOP 505-64-13-11	p 315	N94-27423
	p 135	N94-17508	p 264	N94-23466		p 344	N94-27425
	p 135	N94-17569	p 36	N94-14780	RTOP 505-64-13-22	p 331	N94-27882
N61339-90-C-0047	p 500	N94-33399	p 351	N94-25181	RTOP 505-64-13	p 57	N94-15555
N61339-91-D-0001	p 604	N94-37755	p 502	N94-33954		p 221	N94-21606
	p 604	N94-37756	p 502	N94-34148		p 306	N94-25272
N61339-92-C-0014	p 501	N94-33768	p 493	N94-32868		p 330	N94-27864
ONR PROJ. R035S83	p 469	N94-33253	p 458	N94-32926		p 467	N94-32927
OV/RLD-132	p 340	N94-27395	p 101	N94-12271	RTOP 505-64-29	p 131	N94-13008
	p 369	N94-28353	p 101	N94-12272	RTOP 505-64-30-01	p 581	N94-36820
	p 567	N94-36261	p 198	N94-10724		p 582	N94-37014
PROJ. RR22-M59	p 569	N94-36966	p 112	N94-11251	RTOP 505-64-30	p 466	N94-34384
RTOP 023-10-01-01	p 188	N94-20171	p 100	N94-11255	RTOP 505-64-52-01	p 289	N94-25096
RTOP 210-02-12	p 501	N94-33941	p 173	N94-12874		p 340	N94-27660
RTOP 232-01-0A	p 411	N94-29104	p 267	N94-23590		p 487	N94-32951
RTOP 232-01-0B	p 292	N94-26154	p 340	N94-27414		p 582	N94-37059
RTOP 232-01-04-04	p 499	N94-33020	p 436	N94-32075	RTOP 505-64-52-03	p 123	N94-19316
	p 546	N94-35902	p 577	N94-37401	RTOP 505-64-52-53	p 598	N94-36962
RTOP 237-03-01-01	p 561	N94-35370	p 194	A94-10298	RTOP 505-64-52	p 176	N94-13790
RTOP 303-51-50	p 284	N94-23698	p 26	N94-11133	RTOP 505-64-53-03	p 473	N94-33536
RTOP 324-01-00	p 234	N94-21607	p 170	N94-11256	RTOP 505-66-41-04	p 222	N94-22277
RTOP 324-02-00	p 596	N94-36919	p 37	N94-14847		p 223	N94-22278
RTOP 422-00-00	p 294	N94-26538	p 180	N94-15445	RTOP 505-68-00	p 535	N94-35241
RTOP 505-10-11	p 363	N94-28181	p 104	N94-17386	RTOP 505-68-10	p 170	N94-11132
	p 44	N94-17284	p 216	N94-20534		p 220	N94-21590
RTOP 505-40-61-01	p 42	N94-16574	p 216	N94-20563		p 249	N94-23522
RTOP 505-59-10-03	p 280	N94-24360	p 225	N94-21582		p 254	N94-23523
RTOP 505-59-10-09	p 381	N94-30176	p 225	N94-21583		p 280	N94-24047
RTOP 505-59-10-13	p 253	N94-24586	p 217	N94-21591		p 350	N94-30124
RTOP 505-59-10-30	p 253	N94-24586	p 218	N94-22274		p 381	N94-30152
RTOP 505-59-20-01	p 253	N94-24311	p 248	N94-23465		p 456	N94-32475
RTOP 505-59-20	p 249	N94-23557	p 264	N94-23552		p 464	N94-33705
RTOP 505-59-30-03	p 249	N94-23512	p 253	N94-24335	RTOP 505-68-11	p 248	N94-23299
	p 295	N94-27161	p 281	N94-24481	RTOP 505-68-30-03	p 42	N94-16573
	p 343	N94-26603	p 291	N94-25182		p 295	N94-26706
RTOP 505-59-30-04	p 458	N94-32873	p 407	N94-29356	RTOP 505-68-30	p 459	N94-33119
RTOP 505-59-36-01	p 569	N94-36966	p 421	N94-30949	RTOP 505-68-32	p 99	A94-12001
	p 2	N94-10936	p 481	N94-33955		p 105	N94-19353
RTOP 505-59-36	p 113	N94-11259	p 481	N94-33971	RTOP 505-68-40	p 569	N94-37378
	p 215	N94-21490	p 466	N94-34391	RTOP 505-68-50	p 24	N94-10707
	p 292	N94-26143	p 539	N94-35352		p 190	N94-10725
	p 290	N94-26596	p 579	N94-37448		p 96	N94-13791
	p 325	N94-26604	p 101	N94-12270		p 465	N94-33995
	p 425	N94-32063	p 134	N94-15819		p 535	N94-34703
	p 576	N94-36380	p 268	N94-23091	RTOP 505-68-70-05	p 377	N94-29443
	p 564	N94-37332	p 280	N94-24362	RTOP 505-68-70-06	p 41	N94-16572
RTOP 505-59-50-01	p 501	N94-33897	p 342	N94-25184	RTOP 505-68-70-08	p 253	N94-24464
RTOP 505-59-50-05	p 527	N94-35864	p 401	N94-28749	RTOP 505-68-70-09	p 327	N94-27439
RTOP 505-59-50	p 465	N94-33997	p 491	N94-33604	RTOP 505-68-71	p 14	A94-12008
RTOP 505-59-52-02	p 509	N94-32930	p 543	N94-34919		p 568	N94-36944
RTOP 505-59-52	p 115	N94-13294	p 604	N94-37522	RTOP 505-69-20-01	p 29	N94-13172
	p 122	N94-15793	p 258	N94-24304		p 372	N94-26155
	p 523	N94-34948	p 326	N94-26608		p 295	N94-26693
RTOP 505-59-53	p 324	N94-26091	p 198	N94-10814		p 378	N94-29473
	p 380	N94-30151	p 474	N94-33900		p 491	N94-32870
	p 552	N94-34966	p 178	N94-14445	RTOP 505-69-36	p 324	N94-26151
RTOP 505-59-54-01	p 132	N94-13127	p 263	N94-24726	RTOP 505-69-50-01	p 225	N94-26606
	p 134	N94-15794	p 142	A94-12653	RTOP 505-69-50	p 26	N94-11203
	p 499	N94-33118	p 162	A94-12657		p 248	N94-23511
RTOP 505-59-54-02	p 354	N94-26707	p 357	N94-27776		p 291	N94-25173
RTOP 505-59-87-85	p 293	N94-26483	p 363	N94-28227	RTOP 505-70-00	p 102	N94-13143
	p 293	N94-26489	p 409	N94-28815		p 140	N94-15753
	p 293	N94-26492	p 395	N94-29103		p 225	N94-21563
	p 293	N94-26497	p 403	N94-28823		p 226	N94-21759
RTOP 505-60-01-01	p 243	N94-22100	p 602	N94-37762	RTOP 505-70-59-03	p 347	N94-27868
RTOP 505-60-21	p 458	N94-32880	p 183	N94-17479		p 294	N94-26548
RTOP 505-60-31-05	p 498	N94-32871	p 417	N94-29856		p 402	N94-30200
RTOP 505-61-51	p 80	N94-10935	p 458	N94-32865	RTOP 505-70-62-02	p 275	N94-23513
	p 115	N94-12820	p 253	N94-24576	RTOP 505-70-62-13	p 458	N94-32950
	p 38	N94-15657	p 602	N94-37636		p 466	N94-34204
	p 291	N94-25187	p 82	N94-11587	RTOP 505-70-62-16	p 275	N94-23532
	p 488	N94-33998	p 28	N94-12421	RTOP 505-70-63-01	p 605	N94-37541
RTOP 505-62-0K-00	p 357	N94-27657	p 82	N94-12850	RTOP 505-70-63	p 281	N94-24495
RTOP 505-62-00	p 498	N94-32869	p 87	N94-17055	RTOP 505-70-91	p 564	N94-36648
	p 498	N94-32872	p 350	N94-24839	RTOP 505-90-5K	p 183	N94-17481
RTOP 505-62-10	p 104	N94-15866	p 374	N94-28658		p 271	N94-24301
	p 105	N94-17470	p 85	N94-15722		p 499	N94-32969
	p 184	N94-17583	p 239	N94-22608	RTOP 505-90-5R	p 446	N94-31229
	p 226	N94-21586	p 86	N94-15783	RTOP 505-90-52-01	p 199	N94-11198
	p 234	N94-21756	p 252	N94-24295		p 200	N94-13717
	p 331	N94-25185	p 576	N94-36644		p 280	N94-24356
	p 333	N94-27654	p 411	N94-29104		p 367	N94-25090
	p 395	N94-29103	p 207	N94-15487		p 508	N94-33286
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					
RTOP 505-62-10	p 104	N94-15866					
	p 105	N94-17470					
	p 184	N94-17583					
	p 226	N94-21586					
	p 234	N94-21756					
	p 331	N94-25185					
	p 333	N94-27654					
	p 395	N94-29103					
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					
RTOP 505-62-10	p 104	N94-15866					
	p 105	N94-17470					
	p 184	N94-17583					
	p 226	N94-21586					
	p 234	N94-21756					
	p 331	N94-25185					
	p 333	N94-27654					
	p 395	N94-29103					
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					
RTOP 505-62-10	p 104	N94-15866					
	p 105	N94-17470					
	p 184	N94-17583					
	p 226	N94-21586					
	p 234	N94-21756					
	p 331	N94-25185					
	p 333	N94-27654					
	p 395	N94-29103					
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					
RTOP 505-62-10	p 104	N94-15866					
	p 105	N94-17470					
	p 184	N94-17583					
	p 226	N94-21586					
	p 234	N94-21756					
	p 331	N94-25185					
	p 333	N94-27654					
	p 395	N94-29103					
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					
RTOP 505-62-10	p 104	N94-15866					
	p 105	N94-17470					
	p 184	N94-17583					
	p 226	N94-21586					
	p 234	N94-21756					
	p 331	N94-25185					
	p 333	N94-27654					
	p 395	N94-29103					
	p 412	N94-29552					
RTOP 505-62-0K-00	p 357	N94-27657					
RTOP 505-62-00	p 498	N94-32869					
	p 498	N94-32872					


	p 558	N94-35240	RTOP 550-00-00	p 545	N94-35605
	p 528	N94-35994	RTOP 552-00-00	p 557	N94-34921
RTOP 505-90-53-02	p 199	N94-12886		p 558	N94-35256
RTOP 506-40-41-01	p 378	N94-29545	RTOP 584-03-11	p 227	N94-21742
RTOP 506-40-91-02	p 172	N94-12571		p 254	N94-24606
	p 183	N94-17476		p 401	N94-30204
RTOP 506-69-50	p 25	N94-10820	RTOP 590-21-11	p 229	N94-21790
RTOP 509-10-11-01	p 568	N94-36942	RTOP 593-72-00	p 229	N94-21874
	p 568	N94-36950	RTOP 694-03-0C	p 455	N94-33064
RTOP 509-10-11-02	p 551	N94-34722	RTOP 763-21-41	p 95	N94-13256
RTOP 510-01-50	p 148	N94-13138	RTOP 763-22-41	p 179	N94-14727
RTOP 510-02-11	p 493	N94-32877		p 357	N94-27599
RTOP 510-02-12	p 187	N94-19351	RTOP 763-23-45-70	p 417	N94-29407
	p 234	N94-21757	RTOP 778-34-2A	p 103	N94-14448
	p 351	N94-25188	RTOP 940-30-09-21	p 58	N94-16520
RTOP 510-02-13-01	p 492	N94-32863	SBIR-02.02-9030	p 132	N94-13127
	p 493	N94-33121	SBIR-02.07-5494	p 598	N94-36914
RTOP 533-02-34	p 100	N94-11205		p 598	N94-36922
	p 115	N94-13254	SBIR-02.09-9090	p 457	N94-32476
	p 540	N94-35258	SBIR-02.10-4400	p 284	N94-23698
RTOP 533-02-35	p 80	N94-11233	SBIR-03.01-0533	p 56	N94-13424
	p 115	N94-13255	SBIR-11.04-6576C	p 173	N94-12803
	p 84	N94-14106	SDIO84-89-C-0043	p 169	N94-10706
	p 44	N94-17558	SERC-GR/H/54317	p 195	N94-11422
RTOP 533-02-36	p 333	N94-27432	SLS41B/2437	p 198	N94-10893
RTOP 533-02-37	p 112	N94-11134		p 171	N94-11859
	p 5	N94-20035		p 27	N94-11888
	p 456	N94-33942	SRC-88-MC-507	p 555	N94-35907
	p 540	N94-34994	SWRI PROJ. 01-1302	p 493	N94-32868
RTOP 533-02-38	p 14	A94-12008	W-31-109-ENG-38	p 153	A94-10299
RTOP 533-02-39	p 13	A94-12006		p 171	N94-11607
	p 103	N94-14855		p 236	N94-21927
	p 226	N94-21879		p 237	N94-22391
	p 265	N94-24106		p 584	N94-36306
RTOP 535-03-01-03	p 294	N94-26602	W-7405-ENG-36	p 149	N94-14436
RTOP 535-03-01	p 363	N94-28227		p 606	N94-37629
	p 498	N94-32883	W-7405-ENG-48	p 198	N94-10267
RTOP 535-03-10-01	p 39	N94-15681		p 57	N94-14292
RTOP 535-03-10-02	p 44	N94-17639		p 192	N94-17853
	p 380	N94-29937		p 152	N94-18113
	p 526	N94-35246		p 187	N94-19252
	p 601	N94-37505		p 188	N94-19539
RTOP 535-03-10	p 102	N94-14036		p 202	N94-20316
	p 207	N94-15115		p 234	N94-21620
	p 41	N94-16571		p 234	N94-21621
	p 264	N94-23545		p 374	N94-29842
	p 292	N94-26131		p 431	N94-30687
	p 334	N94-27778		p 470	N94-32658
	p 395	N94-29103		p 596	N94-37155
	p 399	N94-29438	W2207-0-AF10	p 345	N94-27879
	p 477	N94-32859			
	p 481	N94-34146			
RTOP 535-03-11-02	p 207	N94-14481			
	p 513	N94-34393			
RTOP 535-03-22	p 166	N94-10400			
RTOP 535-05-10	p 3	N94-13108			
	p 101	N94-13142			
RTOP 536-01-11	p 372	N94-27764			
RTOP 536-06-37-03	p 148	N94-13267			
RTOP 537-01-20-01	p 191	N94-12572			
RTOP 537-01-22-01	p 460	N94-33447			
	p 460	N94-33462			
	p 460	N94-33487			
	p 461	N94-33517			
	p 605	N94-37607			
RTOP 537-02-20	p 332	N94-26573			
RTOP 537-02-21	p 226	N94-21758			
	p 267	N94-24594			
RTOP 537-02-22	p 34	N94-14208			
	p 51	N94-19484			
	p 247	N94-23553			
	p 249	N94-23592			
	p 568	N94-36686			
RTOP 537-02-23	p 284	N94-23464			
	p 250	N94-24084			
	p 459	N94-32984			
	p 569	N94-37283			
RTOP 537-03-20	p 104	N94-15141			
RTOP 537-03-21-03	p 207	N94-17278			
	p 285	N94-24172			
	p 285	N94-24173			
	p 417	N94-29464			
	p 513	N94-33610			
RTOP 537-03-21	p 300	N94-28188			
RTOP 537-03-23-03	p 173	N94-13066			
	p 174	N94-13073			
RTOP 537-03-23	p 522	N94-35394			
RTOP 537-04-20	p 343	N94-26141			
	p 543	N94-35267			
RTOP 537-08-20-01	p 603	N94-37658			
RTOP 537-10-20	p 331	N94-25200			
RTOP 538-01-11	p 138	N94-10765			
RTOP 538-03-11	p 369	N94-25172			
RTOP 538-03-14-01	p 509	N94-33023			
RTOP 538-03-15-01	p 513	N94-34303			
RTOP 538-05-15-03	p 412	N94-29460			

REPORT NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography
1994 Cumulative Index

December 1994

Typical Report Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A-8402 p 498 N94-32872 * #
A-90033 p 115 N94-12820 * #
A-91002 p 80 N94-10935 * #
A-91055 p 552 N94-34966 * #
A-91183 p 215 N94-21490 * #
A-92031 p 131 N94-13008 * #
A-92038 p 221 N94-21606 * #
A-92175 p 522 N94-35394 * #
A-93001 p 292 N94-26143 * #
A-93004 p 425 N94-32063 * #
A-93006 p 38 N94-15657 * #
A-93010 p 324 N94-26151 * #
A-93031 p 561 N94-35370 * #
A-93034 p 561 N94-35961 * #
A-93038 p 112 N94-11134 * #
A-93039 p 2 N94-10936 * #
A-93047 p 523 N94-34948 * #
A-93051 p 113 N94-11259 * #
A-93056 p 291 N94-25187 * #
A-93066 p 324 N94-26091 * #
A-93071 p 122 N94-15793 * #
A-93074 p 115 N94-13294 * #
A-93077 p 380 N94-30151 * #
A-93078 p 176 N94-13790 * #
A-93079 p 325 N94-26604 * #
A-93080 p 540 N94-34994 * #
A-93090 p 5 N94-20035 * #
A-93096 p 25 N94-10758 * #
A-93105 p 207 N94-13897 * #
A-93106 p 224 N94-21592 * #
A-93107 p 85 N94-15718 * #
A-93108 p 55 N94-13247 * #
A-93110 p 67 N94-12355 * #
A-93111 p 249 N94-23557 * #
A-93113 p 257 N94-23489 * #
A-93115 p 57 N94-14744 * #
A-93119 p 57 N94-15550 * #
A-93120 p 220 N94-22373 * #
A-93132 p 306 N94-25272 * #
A-93138-VOL-1 p 38 N94-15655 * #
A-93138-VOL-2 p 38 N94-15677 * #
A-93138 p 39 N94-15720 * #
A-93138 p 40 N94-15780 * #
A-94009 p 59 N94-18844 * #
A-94015 p 372 N94-27764 * #
A-94018 p 316 N94-24796 * #
A-94021 p 43 N94-17081 * #
A-94029 p 290 N94-26596 * #
A-94039 p 294 N94-26538 * #
A-94041 p 561 N94-36117 * #
A-94042 p 564 N94-37332 * #
A-94044 p 456 N94-33942 * #
A-94045 p 300 N94-28188 * #
A-94055-VOL-2 p 466 N94-34430 * #
A-94056-VOL-1 p 528 N94-35991 * #

A-94060 p 467 N94-32927 * #
A-94066 p 468 N94-33063 * #
A-94072 p 488 N94-33998 * #
A-94073 p 465 N94-33997 * #
A-94079 p 528 N94-34915 * #
A-94082 p 576 N94-36380 * #
A-94095 p 468 N94-33943 * #
AC-20-36S p 211 N94-19377 #
AC-33-2B p 102 N94-13252 #
AD-A263226 p 27 N94-11870 #
AD-A264079 p 146 N94-11107 #
AD-A264947 p 209 N94-11288 #
AD-A265055 p 82 N94-11858 #
AD-A265056 p 171 N94-11865 #
AD-A265074 p 82 N94-11872 #
AD-A265159 p 27 N94-11889 #
AD-A265167 p 82 N94-11892 #
AD-A265193 p 67 N94-11879 #
AD-A265252 p 199 N94-11680 #
AD-A265275 p 170 N94-11014 #
AD-A265323 p 67 N94-11863 #
AD-A265611 p 3 N94-12578 #
AD-A265626 p 27 N94-12377 #
AD-A265627 p 148 N94-12993 #
AD-A265666 p 211 N94-12334 #
AD-A265714 p 101 N94-12274 #
AD-A265735 p 147 N94-12403 #
AD-A265842 p 147 N94-12282 #
AD-A265853 p 147 N94-12275 #
AD-A266015 p 28 N94-12989 #
AD-A266035 p 66 N94-11103 #
AD-A266043 p 55 N94-12397 #
AD-A266046 p 199 N94-11104 #
AD-A266050 p 169 N94-10706 #
AD-A266057 p 55 N94-12384 #
AD-A266071 p 80 N94-10945 #
AD-A266187 p 122 N94-16107 #
AD-A266188 p 86 N94-16122 #
AD-A266236 p 183 N94-16966 #
AD-A266275 p 40 N94-16471 #
AD-A266303 p 182 N94-16965 #
AD-A266322 p 69 N94-16439 #
AD-A266341 p 175 N94-13730 #
AD-A266350 p 149 N94-13697 #
AD-A266450 p 68 N94-13703 #
AD-A266467 p 192 N94-16589 #
AD-A266542 p 42 N94-16798 #
AD-A266543 p 32 N94-13705 #
AD-A266655 p 37 N94-14799 #
AD-A266656 p 36 N94-14774 #
AD-A266692 p 36 N94-14781 #
AD-A266718 p 122 N94-15730 #
AD-A266719 p 86 N94-15731 #
AD-A266760 p 40 N94-15824 #
AD-A266770 p 36 N94-14784 #
AD-A266778 p 133 N94-14908 #
AD-A266818 p 201 N94-16768 #
AD-A266819 p 201 N94-16769 #
AD-A266832 p 179 N94-14877 #
AD-A266867 p 68 N94-14919 #
AD-A266890 p 85 N94-14951 #
AD-A266924 p 38 N94-15105 #
AD-A266952 p 100 N94-11022 #
AD-A266953 p 113 N94-11489 #
AD-A267000 p 181 N94-15632 #
AD-A267003 p 166 N94-10613 #
AD-A267086 p 57 N94-15542 #
AD-A267089 p 57 N94-15637 #
AD-A267105 p 181 N94-15649 #
AD-A267115 p 85 N94-15651 #
AD-A267139 p 85 N94-15692 #
AD-A267157 p 181 N94-15826 #
AD-A267170 p 134 N94-15856 #
AD-A267173 p 134 N94-15847 #
AD-A267177 p 146 N94-11311 #
AD-A267185 p 40 N94-15787 #
AD-A267192 p 191 N94-15851 #
AD-A267208 p 42 N94-16913 #
AD-A267240 p 38 N94-14973 #
AD-A267261 p 183 N94-17286 #
AD-A267282 p 37 N94-14959 #
AD-A267307 p 201 N94-16993 #
AD-A267310 p 182 N94-16943 #
AD-A267509 p 43 N94-17074 #
AD-A267532 p 87 N94-17117 #
AD-A267648 p 192 N94-17245 #
AD-A267656 p 43 N94-17221 #
AD-A267667 p 149 N94-14962 #
AD-A267675 p 37 N94-14963 #
AD-A267686 p 103 N94-14964 #
AD-A267722 p 43 N94-17274 #
AD-A267724 p 37 N94-14942 #
AD-A267739 p 133 N94-14876 #
AD-A267760 p 52 N94-19963 #
AD-A267762 p 43 N94-17222 #
AD-A267764 p 151 N94-17223 #
AD-A267833 p 135 N94-17405 #
AD-A267911 p 151 N94-17381 #
AD-A267980 p 122 N94-17412 #
AD-A267992 p 146 N94-11317 #
AD-A268002 p 87 N94-17472 #
AD-A268014 p 58 N94-17586 #
AD-A268085 p 202 N94-17590 #
AD-A268106 p 44 N94-17574 #
AD-A268151 p 202 N94-17429 #
AD-A268176 p 135 N94-17432 #
AD-A268177 p 135 N94-17508 #
AD-A268260 p 151 N94-17418 #
AD-A268287 p 44 N94-17580 #
AD-A268318 p 138 N94-12567 #
AD-A268328 p 69 N94-17458 #
AD-A268386 p 135 N94-17569 #
AD-A268394 p 44 N94-17461 #
AD-A268403 p 87 N94-17425 #
AD-A268408 p 87 N94-17435 #
AD-A268485 p 70 N94-18384 #
AD-A268535 p 152 N94-18630 #
AD-A268566 p 208 N94-17599 #
AD-A268596 p 44 N94-17609 #
AD-A268632 p 185 N94-18495 #
AD-A268728 p 88 N94-18315 #
AD-A268729 p 135 N94-18324 #
AD-A268732 p 152 N94-18327 #
AD-A268741 p 122 N94-18401 #
AD-A268748 p 46 N94-18402 #
AD-A268776 p 135 N94-18330 #
AD-A268826 p 96 N94-18536 #
AD-A268827 p 198 N94-10724 * #
AD-A268858 p 185 N94-18391 #
AD-A268884 p 185 N94-18225 #
AD-A268898 p 88 N94-18227 #
AD-A268938 p 123 N94-18541 #
AD-A268987 p 189 N94-20203 #
AD-A269035 p 152 N94-18489 #
AD-A269042 p 59 N94-18490 #
AD-A269138 p 152 N94-18257 #
AD-A269206 p 46 N94-18413 #
AD-A269280 p 105 N94-18333 #
AD-A269286 p 185 N94-18266 #
AD-A269302 p 4 N94-18279 #
AD-A269476 p 70 N94-18728 #
AD-A269561 p 88 N94-17826 #
AD-A269678 p 50 N94-18571 #
AD-A269686 p 193 N94-18573 #
AD-A269688 p 55 N94-12575 #
AD-A269691 p 210 N94-18575 #
AD-A269698 p 186 N94-18739 #
AD-A269700 p 90 N94-18577 #
AD-A269715 p 105 N94-18748 #
AD-A269816 p 90 N94-18733 #
AD-A269855 p 70 N94-18336 #
AD-A269884 p 193 N94-18684 #
AD-A269921 p 96 N94-18658 #
AD-A269995 p 208 N94-18664 #
AD-A270023 p 140 N94-18760 #
AD-A270032 p 90 N94-18789 #
AD-A270058 p 91 N94-18795 #
AD-A270059 p 186 N94-18796 #
AD-A270087 p 59 N94-18822 #
AD-A270088 p 59 N94-18823 #
AD-A270150 p 90 N94-18779 #
AD-A270201 p 215 N94-20486 #
AD-A270242 p 186 N94-18906 #
AD-A270270 p 105 N94-18907 #

AD-A270391	p 92	N94-20040	AD-A274089	p 338	N94-25785	AD-A276251	p 435	N94-31290	#
AD-A270533	p 200	N94-13717 *	AD-A274096	p 312	N94-25788	AD-A276296	p 438	N94-31295	#
AD-A270541	p 60	N94-19876	AD-A274099	p 329	N94-26028	AD-A276299	p 234	N94-21756	#
AD-A270662	p 211	N94-19780	AD-A274100	p 329	N94-26030	AD-A276361	p 432	N94-31387	#
AD-A270663	p 92	N94-19781	AD-A274118	p 324	N94-25905	AD-A276363	p 419	N94-31367	#
AD-A270713	p 202	N94-19969	AD-A274130	p 368	N94-27120	AD-A276364	p 434	N94-31368	#
AD-A270763	p 59	N94-19661	AD-A274131	p 368	N94-27121	AD-A276421	p 419	N94-31332	#
AD-A270859	p 105	N94-20042	AD-A274137	p 340	N94-27132	AD-A276424	p 446	N94-31333	#
AD-A270932	p 52	N94-20043	AD-A274147	p 368	N94-27093	AD-A276450	p 184	N94-17583	#
AD-A271064	p 232	N94-20567	AD-A274207	p 326	N94-27105	AD-A276473	p 426	N94-31246	#
AD-A271172	p 122	N94-15793	AD-A274213	p 366	N94-27069	AD-A276477	p 268	N94-24072	#
AD-A271322	p 211	N94-19571	AD-A274218	p 314	N94-27071	AD-A276485	p 446	N94-31476	#
AD-A271327	p 219	N94-20912	AD-A274226	p 355	N94-26922	AD-A276499	p 426	N94-31678	#
AD-A271330	p 92	N94-19914	AD-A274241	p 313	N94-26826	AD-A276515	p 436	N94-31931	#
AD-A271348	p 136	N94-19880	AD-A274283	p 330	N94-26989	AD-A276577	p 434	N94-32058	#
AD-A271384	p 42	N94-16583	AD-A274378	p 355	N94-26976	AD-A276593	p 432	N94-30905	#
AD-A271496	p 230	N94-20551	AD-A274410	p 349	N94-26978	AD-A276662	p 443	N94-32047	#
AD-A271596	p 240	N94-20948	AD-A274416	p 355	N94-26980	AD-A276706	p 440	N94-32120	#
AD-A271730	p 179	N94-15196	AD-A274420	p 220	N94-21818	AD-A276712	p 280	N94-24356	#
AD-A271769	p 242	N94-20926	AD-A274421	p 307	N94-27081	AD-A276716	p 419	N94-32157	#
AD-A271777	p 56	N94-14186	AD-A274457	p 233	N94-21201	AD-A276753	p 448	N94-32183	#
AD-A271865	p 215	N94-20465	AD-A274472	p 356	N94-27026	AD-A276755	p 443	N94-32184	#
AD-A271957	p 223	N94-20561	AD-A274497	p 355	N94-26963	AD-A276830	p 427	N94-32168	#
AD-A271988	p 38	N94-15657	AD-A274550	p 365	N94-26846	AD-A276837	p 259	N94-24313	#
AD-A272499	p 224	N94-21548	AD-A274571	p 354	N94-26854	AD-A276843	p 435	N94-32223	#
AD-A272506	p 216	N94-21411	AD-A274572	p 354	N94-26836	AD-A276844	p 437	N94-32224	#
AD-A272532	p 224	N94-21418	AD-A274591	p 356	N94-26986	AD-A276846	p 475	N94-32909	#
AD-A272571	p 215	N94-21419	AD-A274718	p 270	N94-23335	AD-A276899	p 449	N94-32214	#
AD-A272695	p 230	N94-21165	AD-A274777	p 353	N94-26186	AD-A276936	p 436	N94-32238	#
AD-A272808	p 273	N94-22914	AD-A274778	p 353	N94-26357	AD-A276944	p 437	N94-32217	#
AD-A272876	p 215	N94-21194	AD-A274807	p 330	N94-26340	AD-A276949	p 451	N94-32219	#
AD-A272889	p 240	N94-21453	AD-A274817	p 325	N94-26488	AD-A276958	p 467	N94-32620	#
AD-A272951	p 223	N94-21246	AD-A274820	p 313	N94-26493	AD-A276965	p 440	N94-32311	#
AD-A272998	p 225	N94-21268	AD-A274836	p 353	N94-26498	AD-A276966	p 440	N94-32241	#
AD-A273003	p 223	N94-21283	AD-A274860	p 332	N94-26176	AD-A276967	p 441	N94-32394	#
AD-A273010	p 233	N94-21284	AD-A274867	p 292	N94-26191	AD-A276968	p 440	N94-32312	#
AD-A273018	p 228	N94-21239	AD-A274869	p 339	N94-26192	AD-A276969	p 440	N94-32313	#
AD-A273020	p 233	N94-21253	AD-A274870	p 293	N94-26342	AD-A276970	p 442	N94-32395	#
AD-A273075	p 240	N94-21519	AD-A274881	p 326	N94-26864	AD-A276971	p 442	N94-32396	#
AD-A273077	p 180	N94-15439	AD-A274905	p 324	N94-26182	AD-A276972	p 442	N94-32397	#
AD-A273103	p 224	N94-21507	AD-A274910	p 332	N94-26345	AD-A276973	p 442	N94-32398	#
AD-A273125	p 256	N94-24781	AD-A274921	p 294	N94-26535	AD-A276974	p 442	N94-32399	#
AD-A273142	p 254	N94-24773	AD-A274924	p 325	N94-26531	AD-A276975	p 440	N94-32314	#
AD-A273145	p 263	N94-24774	AD-A274945	p 255	N94-24091	AD-A276976	p 441	N94-32315	#
AD-A273175	p 348	N94-24788	AD-A274981	p 373	N94-29090	AD-A276977	p 441	N94-32316	#
AD-A273179	p 320	N94-25152	AD-A274982	p 410	N94-29091	AD-A276978	p 441	N94-32317	#
AD-A273180	p 306	N94-25153	AD-A275046	p 402	N94-29151	AD-A276979	p 441	N94-32318	#
AD-A273184	p 291	N94-25137	AD-A275062	p 391	N94-29200	AD-A276980	p 441	N94-32319	#
AD-A273209	p 267	N94-24776	AD-A275077	p 391	N94-28870	AD-A277053	p 439	N94-32009	#
AD-A273243	p 350	N94-25140	AD-A275107	p 374	N94-28899	AD-A277057	p 312	N94-25444	#
AD-A273250	p 306	N94-25141	AD-A275115	p 383	N94-28914	AD-A277062	p 434	N94-32264	#
AD-A273284	p 289	N94-24923	AD-A275122	p 404	N94-29004	AD-A277063	p 444	N94-32265	#
AD-A273373	p 255	N94-24718	AD-A275126	p 394	N94-29005	AD-A277069	p 434	N94-32378	#
AD-A273386	p 100	N94-11022	AD-A275127	p 391	N94-29042	AD-A277072	p 452	N94-32418	#
AD-A273403	p 348	N94-25072	AD-A275128	p 394	N94-29048	AD-A277095	p 356	N94-27228	#
AD-A273499	p 305	N94-24941	AD-A275172	p 395	N94-29389	AD-A277098	p 440	N94-32014	#
AD-A273501	p 348	N94-24942	AD-A275230	p 392	N94-29391	AD-A277100	p 433	N94-32015	#
AD-A273502	p 305	N94-24864	AD-A275234	p 268	N94-23303	AD-A277101	p 415	N94-29315	#
AD-A273550	p 269	N94-24559	AD-A275248	p 403	N94-28901	AD-A277121	p 427	N94-32363	#
AD-A273561	p 348	N94-25163	AD-A275323	p 96	N94-20343	AD-A277151	p 448	N94-32366	#
AD-A273588	p 290	N94-24849	AD-A275359	p 391	N94-28998	AD-A277184	p 420	N94-32254	#
AD-A273591	p 364	N94-24850	AD-A275362	p 409	N94-28894	AD-A277201	p 450	N94-32093	#
AD-A273630	p 263	N94-24733	AD-A275389	p 377	N94-29306	AD-A277206	p 434	N94-32062	#
AD-A273666	p 349	N94-25406	AD-A275416	p 377	N94-29197	AD-A277234	p 436	N94-32026	#
AD-A273685	p 321	N94-25440	AD-A275451	p 400	N94-28632	AD-A277270	p 442	N94-32403	#
AD-A273695	p 343	N94-26196	AD-A275470	p 374	N94-28674	AD-A277280	p 427	N94-32405	#
AD-A273700	p 367	N94-25453	AD-A275500	p 390	N94-28660	AD-A277297	p 448	N94-32042	#
AD-A273701	p 367	N94-25454	AD-A275546	p 390	N94-28837	AD-A277300	p 452	N94-32043	#
AD-A273722	p 313	N94-26197	AD-A275588	p 397	N94-29291	AD-A277309	p 435	N94-32328	#
AD-A273734	p 367	N94-26009	AD-A275651	p 403	N94-28654	AD-A277322	p 448	N94-32256	#
AD-A273744	p 352	N94-25534	AD-A275662	p 403	N94-28655	AD-A277331	p 451	N94-32281	#
AD-A273749	p 353	N94-26011	AD-A275666	p 390	N94-28657	AD-A277462	p 496	N94-33242	#
AD-A273751	p 365	N94-26016	AD-A275678	p 408	N94-28665	AD-A277487	p 471	N94-33107	#
AD-A273753	p 306	N94-25780	AD-A275679	p 404	N94-29246	AD-A277533	p 474	N94-34080	#
AD-A273778	p 352	N94-25862	AD-A275680	p 383	N94-29558	AD-A277534	p 467	N94-32955	#
AD-A273814	p 324	N94-25961	AD-A275701	p 373	N94-28666	AD-A277563	p 500	N94-33391	#
AD-A273818	p 337	N94-25516	AD-A275739	p 373	N94-28732	AD-A277575	p 490	N94-33424	#
AD-A273820	p 291	N94-25517	AD-A275755	p 408	N94-28646	AD-A277648	p 470	N94-33056	#
AD-A273827	p 342	N94-25522	AD-A275756	p 390	N94-28647	AD-A277680	p 456	N94-33590	#
AD-A273831	p 338	N94-25525	AD-A275789	p 373	N94-28743	AD-A277722	p 478	N94-33443	#
AD-A273834	p 331	N94-25617	AD-A275791	p 383	N94-28744	AD-A277728	p 477	N94-33280	#
AD-A273836	p 342	N94-25740	AD-A275814	p 403	N94-28830	AD-A277732	p 490	N94-33444	#
AD-A273885	p 370	N94-25731	AD-A275889	p 382	N94-28799	AD-A277752	p 477	N94-33409	#
AD-A273887	p 352	N94-25732	AD-A275949	p 439	N94-31356	AD-A277808	p 455	N94-33016	#
AD-A273913	p 321	N94-25590	AD-A275951	p 439	N94-31346	AD-A277841	p 464	N94-33835	#
AD-A273915	p 292	N94-25592	AD-A275960	p 439	N94-31318	AD-A277850	p 501	N94-33768	#
AD-A273984	p 352	N94-25991	AD-A275967	p 446	N94-31384	AD-A277892	p 490	N94-33538	#
AD-A274012	p 371	N94-25796	AD-A275986	p 256	N94-24472	AD-A277914	p 459	N94-33108	#
AD-A274016	p 365	N94-25755	AD-A276010	p 419	N94-31362	AD-A277918	p 477	N94-33283	#
AD-A274023	p 352	N94-25757	AD-A276040	p 271	N94-24228	AD-A277922	p 500	N94-33399	#
AD-A274037	p 313	N94-25810	AD-A276069	p 434	N94-31458	AD-A277965	p 460	N94-33263	#
AD-A274049	p 338	N94-25833	AD-A276144	p 419	N94-31830	AD-A277979	p 487	N94-33086	#
AD-A274057	p 338	N94-25771	AD-A276151	p 432	N94-31078	AD-A278000	p 465	N94-34159	#
AD-A274061	p 342	N94-25773	AD-A276160	p 431	N94-31080	AD-A278004	p 315	N94-27768	#
AD-A274078	p 367	N94-25992	AD-A276199	p 438	N94-31058	AD-A278005	p 490	N94-33139	#
AD-A274083	p 339	N94-25998	AD-A276215	p 367	N94-25090	AD-A278042	p 477	N94-33266	#

AD-A278046	p 514	N94-33401	AD-E501701	p 211	N94-19780	AFOSR-93-0404TR	p 27	N94-12377	#
AD-A278143	p 499	N94-33160				AFOSR-93-0433TR	p 86	N94-16122	#
AD-A278152	p 469	N94-33095	AD-268794	p 50	N94-19119	AFOSR-93-0439TR	p 183	N94-16966	#
AD-A278157	p 469	N94-33253	AD-280271	p 532	N94-34605	AFOSR-93-0443TR	p 122	N94-16107	#
AD-A278194	p 499	N94-33385	AD-280272	p 480	N94-33874	AFOSR-93-0457TR	p 40	N94-15787	#
AD-A278236	p 487	N94-33378	AD-280273	p 550	N94-34581	AFOSR-93-0466TR	p 37	N94-14959	#
AD-A278258	p 469	N94-33412	AD-280274	p 482	N94-34431	AFOSR-93-0467TR	p 183	N94-17286	#
AD-A278328	p 464	N94-33966	AD-280344	p 538	N94-34679	AFOSR-93-0485TR	p 37	N94-14963	#
AD-A278379	p 508	N94-33744	AD-280564	p 475	N94-33076	AFOSR-93-0568TR	p 44	N94-17580	#
AD-A278397	p 496	N94-33165	AD-280707	p 528	N94-35236	AFOSR-93-0613TR	p 44	N94-17574	#
AD-A278398	p 496	N94-33166	AD-871331	p 85	N94-15692	AFOSR-93-0620TR	p 152	N94-18630	#
AD-A278403	p 490	N94-33167	ADST/TR-94-003256	p 604	N94-37755	AFOSR-93-0659TR	p 185	N94-18225	#
AD-A278417	p 471	N94-33329	ADST/TR-94-003276-VOL-4	p 604	N94-37756	AFOSR-93-0672TR	p 152	N94-18257	#
AD-A278464	p 487	N94-33543				AFOSR-93-0822TR	p 215	N94-20465	#
AD-A278474	p 500	N94-33396	AEDC-TR-93-19	p 356	N94-26986	AFOSR-93-0863TR	p 290	N94-24849	#
AD-A278492	p 500	N94-33756	AEDC-TR-93-28	p 439	N94-32009	AFOSR-94-0027TR	p 374	N94-28899	#
AD-A278550	p 464	N94-33782				AFOSR-94-0032TR	p 404	N94-29004	#
AD-A278573	p 530	N94-36184	AERO-F.01.01.08	p 300	N94-28140	AFOSR-94-0074TR	p 448	N94-32256	#
AD-A278578	p 598	N94-36970				AFOSR-94-0080TR	p 496	N94-33242	#
AD-A278635	p 576	N94-36465	AERO-3	p 581	N94-36384	AFOSR-94-0088TR	p 451	N94-32281	#
AD-A278640	p 581	N94-36384				AFOSR-94-0161TR	p 490	N94-33167	#
AD-A278650	p 547	N94-35795	AFCEA/ESL-TR-91-26	p 402	N94-29151	AFOSR-94-0163TR	p 508	N94-33744	#
AD-A278651	p 389	N94-30189	AFCEA/ESL-TR-92-63-VOL-1	p 59	N94-18822	AFOSR-94-0166TR	p 496	N94-33165	#
AD-A278675	p 540	N94-33796	AFCEA/ESL-TR-92-63-VOL-2	p 59	N94-18823	AFOSR-94-0167TR	p 464	N94-33966	#
AD-A278859	p 527	N94-35826				AFOSR-94-0190TR	p 500	N94-33396	#
AD-A278871	p 556	N94-35596	AFESC/ESL-TR-90-16	p 448	N94-32366	AFOSR-94-0263TR	p 581	N94-36384	#
AD-A278872	p 402	N94-29754	AFESC/ESL-TR-91-31-SUPPL-A	p 240	N94-20948	AFOSR-94-0268TR	p 527	N94-35950	#
AD-A278873	p 382	N94-29862				AFOSR-94-0269TR	p 526	N94-35529	#
AD-A278903	p 553	N94-35803	AFIT/CI/CIA-93-007D	p 43	N94-17074	AFOSR-94-0278TR	p 527	N94-35717	#
AD-A278942	p 527	N94-35717	AFIT/CI/CIA-93-008	p 122	N94-17412	AFOSR-94-0355TR	p 569	N94-37219	#
AD-A278957	p 557	N94-35807	AFIT/CI/CIA-93-011	p 103	N94-14964	AFOSR-94-0362TR	p 595	N94-37128	#
AD-A278959	p 556	N94-35720	AFIT/CI/CIA-93-093	p 43	N94-17221				
AD-A278968	p 584	N94-36505	AFIT/CI/CIA-93-143	p 186	N94-18796	AFPT-90-455-876	p 435	N94-32328	#
AD-A278988	p 526	N94-35529	AFIT/CI/CIA-93-145	p 91	N94-18795				
AD-A278989	p 527	N94-35950				AFR-526021	p 147	N94-12275	#
AD-A279028	p 539	N94-35746	AFIT/DS/AA/93-1	p 42	N94-16798				
AD-A279034	p 491	N94-34104	AFIT/DS/AA/94-3	p 568	N94-36729	AGARD-AR-314	p 474	N94-33875	#
AD-A279036	p 383	N94-29445				AGARD-AR-320	p 480	N94-33874	#
AD-A279037	p 290	N94-27960	AFIT/GA/ENY-93D-2	p 409	N94-28894				
AD-A279510	p 508	N94-33288				AGARD-CP-515	p 4	N94-18415	#
AD-A279680	p 567	N94-36261	AFIT/GA/ENY/94M-2	p 464	N94-33782	AGARD-CP-531	p 146	N94-11317	#
AD-A279764	p 473	N94-33536				AGARD-CP-536	p 404	N94-29246	#
AD-A280260	p 604	N94-37755	AFIT/GAE/ENY/93D-14	p 291	N94-25517	AGARD-CP-537	p 482	N94-34431	#
AD-A280261	p 604	N94-37756	AFIT/GAE/ENY/93D-16	p 342	N94-25740	AGARD-CP-538	p 383	N94-29558	#
AD-A280310	p 594	N94-37125	AFIT/GAE/ENY/93D-19	p 342	N94-25522	AGARD-CP-545	p 415	N94-29315	#
AD-A280313	p 596	N94-37126	AFIT/GAE/ENY/93D-21	p 338	N94-25525	AGARD-CP-547	p 572	N94-36321	#
AD-A280444	p 569	N94-37219	AFIT/GAE/ENY/93D-23	p 391	N94-28998	AGARD-CP-548	p 532	N94-34605	#
AD-A280483	p 564	N94-37352	AFIT/GAE/ENY/93D-26	p 352	N94-25862				
AD-A280506	p 595	N94-37128	AFIT/GAE/ENY/93D-29	p 352	N94-25991	AGARD-HIGHLIGHTS-92/2	p 211	N94-11820	#
AD-A280572	p 581	N94-36733	AFIT/GAE/ENY/93D-3	p 292	N94-25592	AGARD-HIGHLIGHTS-93/2	p 561	N94-35444	#
AD-A280631	p 568	N94-36729	AFIT/GAE/ENY/93D-7	p 331	N94-25617				
AD-A280661	p 583	N94-36763	AFIT/GAE/ENY/93D-9	p 352	N94-25534	AGARD-LS-190	p 100	N94-11022	#
AD-A280899	p 558	N94-35240	AFIT/GAE/ENY/93J-02	p 32	N94-13705	AGARD-LS-194	p 397	N94-29291	#
AD-A280998	p 528	N94-35994	AFIT/GAE/ENY/94J-04	p 581	N94-36733				
AD-A281051	p 476	N94-33078	AFIT/GAE/ENY/94M-3	p 540	N94-35796	AGARD-R-789	p 113	N94-11489	#
AD-A281052	p 476	N94-33079	AFIT/GAE/ENY/94M-4	p 487	N94-33543	AGARD-R-790	p 595	N94-37321	#
						AGARD-R-791	p 166	N94-10613	#
						AGARD-R-792	p 179	N94-15196	#
AD-B161021L	p 458	N94-32873	AFIT/GCA/LAS/93S-8	p 371	N94-25796	AGARD-R-794	p 259	N94-24313	#
AD-B169651L	p 132	N94-13498				AGARD-R-795	p 271	N94-24228	#
AD-B169652L	p 31	N94-13528	AFIT/GCE/ENG/93-12	p 368	N94-27120	AGARD-R-796	p 585	N94-36649	#
AD-B169653L	p 207	N94-15506	AFIT/GCE/ENG/93D-10	p 368	N94-27121	AGARD-R-797	p 550	N94-34581	#
AD-B169706L	p 174	N94-13527				AGARD-R-805	p 255	N94-24091	#
AD-B170083L	p 103	N94-14450	AFIT/GE-93D-10	p 339	N94-25998				
AD-B173626	p 438	N94-30856				AGILITY-1	p 82	N94-11464	#
AD-B173651	p 421	N94-30916	AFIT/GE/ENG/93D-01	p 324	N94-25905				
AD-B174270	p 430	N94-30915	AFIT/GE/ENG/93D-13	p 313	N94-25810	AIAA PAPER 92-2600-CP	p 381	N94-30388	#
AD-B174629	p 430	N94-30854	AFIT/GE/ENG/93D-18	p 338	N94-25833	AIAA PAPER 92-2619-CP	p 381	N94-30387	#
AD-B174630	p 430	N94-30853	AFIT/GE/ENG/93D-23	p 367	N94-25992	AIAA PAPER 92-3988	p 25	N94-10820	#
AD-B174765	p 435	N94-30914	AFIT/GE/ENG/93D-34	p 338	N94-25771	AIAA PAPER 93-0211	p 50	N94-19119	#
AD-B175154	p 421	N94-30871	AFIT/GE/ENG/93D-36	p 338	N94-25785	AIAA PAPER 93-0263	p 147	N94-11366	#
AD-B175579	p 296	N94-27554	AFIT/GE/ENG/93J-03	p 122	N94-15730	AIAA PAPER 93-1346	p 179	N94-14727	#
AD-B175683L	p 115	N94-13294	AFIT/GE/ENG/93S-06	p 202	N94-19969	AIAA PAPER 93-1419	p 115	N94-13255	#
AD-B175894	p 340	N94-27395	AFIT/GE/ENG/93S-37	p 314	N94-27071	AIAA PAPER 93-1820	p 115	N94-13254	#
AD-B179099	p 427	N94-30439	AFIT/GE/ENG/94M-01	p 340	N94-27132	AIAA PAPER 93-1821	p 100	N94-11205	#
AD-B179108	p 420	N94-30492	AFIT/GE/ENG/94M-03	p 500	N94-33756	AIAA PAPER 93-1823	p 226	N94-21879	#
AD-B179220	p 402	N94-30423				AIAA PAPER 93-1998	p 357	N94-27599	#
AD-B179293	p 444	N94-30763	AFIT/GLM/LA/93S-22	p 419	N94-31362	AIAA PAPER 93-2084	p 226	N94-21586	#
AD-B179297	p 422	N94-31180				AIAA PAPER 93-2522	p 100	N94-11255	#
AD-B179299	p 444	N94-30756	AFIT/GLM/LAL/93S-9	p 383	N94-28744	AIAA PAPER 93-2543	p 104	N94-15141	#
AD-B179300	p 438	N94-31179				AIAA PAPER 93-2964	p 216	N94-20534	#
AD-B179687	p 369	N94-28353	AFIT/GLM/LSY/93S-19	p 365	N94-25755	AIAA PAPER 93-3017	p 41	N94-16512	#
						AIAA PAPER 93-3065	p 3	N94-13108	#
AD-D015868	p 88	N94-17704	AFIT/GOR/ENS/94M-07	p 598	N94-36970	AIAA PAPER 93-3764	p 265	N94-24106	#
AD-D015924	p 70	N94-20197	AFIT/GOR/ENS/94M-13	p 530	N94-36184	AIAA PAPER 93-3765	p 103	N94-14855	#
AD-D015992	p 290	N94-25051				AIAA PAPER 93-3766	p 112	N94-11251	#
AD-D015993	p 320	N94-25052	AFIT/GSS/LAS/93D-7	p 373	N94-28743	AIAA PAPER 93-3812	p 267	N94-23590	#
AD-D016042	p 339	N94-27112				AIAA PAPER 93-3932	p 71	N94-10717	#
AD-D016043	p 344	N94-27113	AFIT/GST/ENS/93M-05	p 86	N94-15731	AIAA PAPER 93-3967	p 136	N94-10718	#
AD-D016107	p 469	N94-32961				AIAA PAPER 93-4004	p 52	N94-10719	#
AD-D016140	p 458	N94-32974				AIAA PAPER 93-4014	p 225	N94-21563	#
AD-D016193	p 489	N94-34406	AFOSR-TR-94-0275	p 539	N94-35746	AIAA PAPER 93-4321	p 218	N94-22274	#
AD-D016294	p 602	N94-37767				AIAA PAPER 93-4322	p 34	N94-14208	#
AD-D016295	p 604	N94-37768	AFOSR-93-0357TR	p 170	N94-11014	AIAA PAPER 93-4338	p 155	N94-11349	#
AD-D016313	p 602	N94-37839	AFOSR-93-0361TR	p 199	N94-11680	AIAA PAPER 93-4359	p 287	N94-24307	#
AD-D016322	p 602	N94-37830	AFOSR-93-0363TR	p 27	N94-11889	AIAA PAPER 93-4367	p 156	N94-11350	#
			AFOSR-93-0382TR	p 147	N94-12403				

AIAA PAPER 93-4388	p 203	A94-11351 *	#	ANL/MCT/CP-77835	p 171	N94-11607	#	ASC-TR-94-5015	p 442	N94-32397	#
AIAA PAPER 93-4389	p 203	A94-11354 *	#					ASC-TR-94-5016	p 442	N94-32398	#
AIAA PAPER 93-4400	p 207	N94-15115 *	#	ANL/OTM/CR-5	p 584	N94-36306		ASC-TR-94-5017	p 442	N94-32399	#
AIAA PAPER 93-4401	p 102	N94-14036 *	#					ASC-TR-94-5018	p 440	N94-32314	#
AIAA PAPER 93-4410	p 203	A94-11353 *	#	AR-008-336	p 146	N94-11311		ASC-TR-94-5019	p 441	N94-32315	#
AIAA PAPER 93-4447	p 71	A94-11352 *	#	AR-9305	p 223	N94-21246	#	ASC-TR-94-5020	p 441	N94-32316	#
AIAA PAPER 93-4474	p 195	A94-11411	#					ASC-TR-94-5021	p 441	N94-32317	#
AIAA PAPER 93-4489	p 195	A94-11422	#	ARA-MEMO-365	p 198	N94-10893	#	ASC-TR-94-5022	p 441	N94-32318	#
AIAA PAPER 93-4523	p 195	A94-11447 *	#	ARA-MEMO-370	p 171	N94-11859	#	ASC-TR-94-5023	p 441	N94-32319	#
AIAA PAPER 93-4529	p 195	A94-11452	#	ARA-MEMO-375	p 131	N94-10894	#				
AIAA PAPER 93-4530	p 195	A94-11453	#	ARA-MEMO-379	p 205	N94-11887	#	ASIAC-TR-92-10	p 209	N94-11288	#
AIAA PAPER 93-4531	p 196	A94-11454	#					ASIAC-TR-93-9	p 368	N94-27093	#
AIAA PAPER 93-4542	p 196	A94-11462 *	#	ARA-84	p 27	N94-11888	#				
AIAA PAPER 93-4571	p 196	A94-11477	#					ASSGI-301	p 400	N94-30130	#
AIAA PAPER 93-4574	p 93	A94-11480 *	#	ARI-RR-1006	p 191	N94-12572 *	#				
AIAA PAPER 93-4575	p 196	A94-11481	#					ATC-192	p 67	N94-11863	#
AIAA PAPER 93-4606	p 196	A94-11496	#	ARL-CR-109	p 412	N94-29552 *	#	ATC-193	p 256	N94-24127	#
AIAA PAPER 93-4615	p 197	A94-11499	#	ARL-CR-110	p 349	N94-26978	#	ATC-194	p 66	N94-11103	#
AIAA PAPER 93-4622	p 197	A94-11505 *	#	ARL-CR-120-VOL-2	p 305	N94-24864	#	ATC-196	p 343	N94-26196	#
AIAA PAPER 93-4662	p 197	A94-11532	#	ARL-CR-13	p 538	N94-34993 *	#	ATC-197	p 364	N94-24850	#
AIAA PAPER 93-4665	p 93	A94-11535	#	ARL-CR-141	p 271	N94-24565 *	#	ATC-201	p 59	N94-19661	#
AIAA PAPER 93-4865	p 105	N94-19353 *	#	ARL-CR-146	p 502	N94-34148 *	#	ATC-203	p 193	N94-18684	#
AIAA PAPER 93-5028	p 347	N94-27868 *	#	ARL-CR-61	p 225	N94-21268	#	ATC-205	p 355	N94-26963	#
AIAA PAPER 94-0024	p 446	N94-31229 *	#	ARL-CR-66	p 46	N94-18413	#	ATC-207	p 596	N94-37126	#
AIAA PAPER 94-0091	p 271	N94-24301 *	#	ARL-CR-72	p 499	N94-32929 *	#	ATC-212	p 556	N94-35720	#
AIAA PAPER 94-0138	p 247	N94-23553 *	#	ARL-CR-78	p 357	N94-27657	#	ATC-216	p 557	N94-35807	#
AIAA PAPER 94-0139	p 284	N94-23464 *	#	ARL-CR-82-VOL-1	p 178	N94-14445 *	#				
AIAA PAPER 94-0186	p 249	N94-23592 *	#					ATCOM-TR-92-A-013	p 38	N94-15657 *	#
AIAA PAPER 94-0193	p 458	N94-32926 *	#	ARL-GD-37	p 57	N94-15542	#	ATCOM-TR-93-A-002	p 291	N94-25187 *	#
AIAA PAPER 94-0217	p 267	N94-24594 *	#	ARL-GD-39	p 373	N94-29090		ATCOM-TR-93-A-012-VOL-1	p 293	N94-26489 *	#
AIAA PAPER 94-0218	p 265	N94-24082 *	#					ATCOM-TR-93-A-012-VOL-2	p 293	N94-26492 *	#
AIAA PAPER 94-0280	p 332	N94-26573 *	#	ARL-MR-138	p 351	N94-25181 *	#	ATCOM-TR-93-A-012-VOL-3	p 293	N94-26497 *	#
AIAA PAPER 94-0365	p 291	N94-25182 *	#	ARL-MR-52	p 27	N94-11870	#	ATCOM-TR-93-A-012-VOL-4	p 293	N94-26483 *	#
AIAA PAPER 94-0391	p 41	N94-16571 *	#					ATCOM-TR-94-A-013	p 569	N94-36966 *	#
AIAA PAPER 94-0397	p 227	N94-21742 *	#	ARL-RR-17	p 410	N94-29091	#				
AIAA PAPER 94-0582	p 250	N94-24084 *	#	ARL-RR-7	p 152	N94-18327	#	ATR-93(8399)-2	p 179	N94-14877	#
AIAA PAPER 94-0620	p 248	N94-23465 *	#	ARL-RR-9	p 293	N94-26342	#				
AIAA PAPER 94-0716	p 248	N94-23299 *	#					AU-ARI-93-1	p 395	N94-29389	#
AIAA PAPER 94-0718	p 255	N94-24047 *	#	ARL-TN-13	p 135	N94-18324	#	AU-ARI-93-4	p 576	N94-36465	#
AIAA PAPER 94-0733	p 253	N94-24335 *	#	ARL-TN-17	p 134	N94-15856	#				
AIAA PAPER 94-0799	p 249	N94-23522 *	#	ARL-TN-29	p 92	N94-19914	#	AVSCOM-TR-91-B-016	p 458	N94-32873 *	#
AIAA PAPER 94-0804	p 254	N94-23523 *	#	ARL-TN-32	p 87	N94-17117	#	AVSCOM-TR-91-C-052	p 104	N94-17386 *	#
AIAA PAPER 94-0852	p 247	N94-24100 *	#	ARL-TN-63	p 434	N94-32264	#	AVSCOM-TR-92-C-020	p 198	N94-10724 *	#
AIAA PAPER 94-0865	p 226	N94-21758 *	#								
AIAA PAPER 94-1223-CP	p 449	N94-30572 *	#	ARL-TR-109	p 33	N94-13795	#	AWS/TR-93/001	p 193	N94-18573	#
AIAA PAPER 94-1225-CP	p 450	N94-30574 *	#	ARL-TR-153	p 85	N94-14951	#				
AIAA PAPER 94-1226-CP	p 450	N94-30575 *	#	ARL-TR-15	p 85	N94-15651	#	A8612-009/1	p 207	N94-17278 *	#
AIAA PAPER 94-1825	p 556	N94-35945 *	#	ARL-TR-191	p 185	N94-18391	#				
AIAA PAPER 94-1826	p 568	N94-36944 *	#	ARL-TR-198	p 105	N94-18748	#	BBN-7967	p 509	N94-33023 *	#
AIAA PAPER 94-1869	p 464	N94-33705 *	#	ARL-TR-20	p 88	N94-18315	#				
AIAA PAPER 94-1930	p 569	N94-37378 *	#	ARL-TR-235	p 92	N94-19781	#	BFLRF-282	p 230	N94-20551	#
AIAA PAPER 94-2115	p 535	N94-35241 *	#	ARL-TR-237	p 184	N94-17583 *	#				
AIAA PAPER 94-2123	p 540	N94-35258 *	#	ARL-TR-23	p 444	N94-32265	#	BRDEC-2546	p 443	N94-32184	#
AIAA PAPER 94-2141	p 465	N94-33995 *	#	ARL-TR-27	p 146	N94-11311	#				
AIAA PAPER 94-2560	p 491	N94-33604 *	#	ARL-TR-291	p 596	N94-37457 *	#	BRL-IMR-970	p 185	N94-18391	#
AIAA PAPER 94-2561	p 480	N94-33706 *	#	ARL-TR-318	p 234	N94-21756 *	#				
AIAA PAPER 94-2565	p 401	N94-28749 *	#	ARL-TR-331	p 52	N94-20136 *	#	BR315905	p 179	N94-14827	#
AIAA PAPER 94-2590	p 543	N94-34919 *	#	ARL-TR-334	p 538	N94-34679 *	#	BR316026	p 39	N94-15696	#
AIAA PAPER 94-2698	p 502	N94-33960 *	#	ARL-TR-459	p 500	N94-33609	#	BR316329	p 35	N94-14706	#
AIAA PAPER 94-2811	p 481	N94-33955 *	#	ARL-TR-45	p 149	N94-14126	#				
AIAA PAPER 94-2955	p 568	N94-36686 *	#	ARL-TR-476	p 474	N94-33900	#	BTN-94-EIX94301315968	p 547	A94-60004	#
AIAA PAPER 94-2979	p 501	N94-33941 *	#	ARL-TR-493	p 502	N94-33954 *	#	BTN-94-EIX94301315973	p 559	A94-60009	#
AIAA PAPER 94-3209	p 539	N94-35352 *	#	ARL-TR-53	p 240	N94-21453	#	BTN-94-EIX94301315979	p 515	A94-60015	#
AIAA PAPER 94-3212	p 459	N94-32984 *	#	ARL-TR-54	p 192	N94-16589	#	BTN-94-EIX94301315980	p 515	A94-60016	#
AIAA PAPER 94-3366	p 502	N94-33954 *	#	ARL-TR-61	p 365	N94-26846	#	BTN-94-EIX94301315981	p 547	A94-60017	#
								BTN-94-EIX94301315989	p 515	A94-60025	#
AIAA PAPER-93-1208	p 29	N94-13260	#	ARL/PSU/TR-93-11	p 208	N94-18664	#	BTN-94-EIX94301315990	p 515	A94-60026	#
								BTN-94-EIX94301315991	p 547	A94-60027	#
AL-TR-1993-0036	p 87	N94-17425		ARO-25462.13-EG-RW	p 37	N94-14799	#	BTN-94-EIX94301315993	p 515	A94-60029	#
				ARO-25467.74-EG-RW	p 40	N94-15824	#	BTN-94-EIX94301315995	p 515	A94-60031	#
AL/CF-TR-1993-0088	p 330	N94-26989	#	ARO-25623.4-EG-S	p 36	N94-14781	#	BTN-94-EIX94301315998	p 547	A94-60034	#
AL/CF-TR-1993-0095	p 435	N94-32223	#	ARO-25747.1-EG	p 36	N94-14774	#	BTN-94-EIX94301315999	p 516	A94-60035	#
AL/CF-TR-1993-0102	p 391	N94-29042	#	ARO-26061.15-EG	p 36	N94-14784	#	BTN-94-EIX94301316000	p 549	A94-60256	#
AL/CF-TR-1993-0134	p 394	N94-29048	#	ARO-26595.7-EG	p 408	N94-28665	#	BTN-94-EIX94301320144	p 546	A94-60853	#
AL/CF-TR-1993-0164	p 394	N94-29005	#	ARO-27510.3-EG	p 400	N94-28632	#	BTN-94-EIX94301320164	p 546	A94-60873	#
				ARO-27752.8-EG-S	p 377	N94-29197	#	BTN-94-EIX94301321378	p 546	A94-60892 *	#
AL/HR-TP-1993-0035	p 420	N94-32254	#	ARO-28159.6-EG	p 377	N94-29306	#	BTN-94-EIX94311322888	p 520	A94-60208 *	#
AL/HR-TP-1993-0036	p 514	N94-33401	#	ARO-30168.5-EG-YIP	p 52	N94-20043	#	BTN-94-EIX94311322891	p 520	A94-60205 *	#
								BTN-94-EIX94311322899	p 557	A94-60197	#
AL/HR-TR-1993-0131	p 342	N94-25773	#	AR93-2	p 582	N94-36437	#	BTN-94-EIX94311322900	p 520	A94-60196	#
AL/HR-TR-1993-0178-VOL-1	p 419	N94-31830	#					BTN-94-EIX94311322903	p 520	A94-60193	#
AL/HR-TR-1993-0180	p 438	N94-31058	#	ASC-TR-93-5004	p 67	N94-11879	#	BTN-94-EIX94311322905	p 544	A94-60191	#
AL/HR-TR-1993-0189	p 450	N94-32093	#	ASC-TR-93-5005	p 38	N94-15105	#	BTN-94-EIX94311329113	p 520	A94-60187	#
				ASC-TR-93-5007	p 80	N94-10945	#	BTN-94-EIX94311329114	p 519	A94-60186	#
AL/OET-TR-1993-0047	p 230	N94-21165	#	ASC-TR-93-5008	p 202	N94-17429	#	BTN-94-EIX94311329115	p 519	A94-60185 *	#
				ASC-TR-93-5022-VOL-1	p 434	N94-32062	#	BTN-94-EIX94311329117	p 536	A94-60183	#
ALENIA-TR-57X92054	p 381	N94-30387		ASC-TR-93-5023	p 392	N94-29391	#	BTN-94-EIX94311329118	p 519	A94-60182	#
				ASC-TR-94-5005	p 440	N94-32311	#	BTN-94-EIX94311329119	p 530	A94-60181	#
AMI-9304	p 457	N94-32476 *	#	ASC-TR-94-5006	p 440	N94-32241	#	BTN-94-EIX94311329120	p 519	A94-60180 *	#
				ASC-TR-94-5007	p 441	N94-32394	#	BTN-94-EIX94311329121	p 519	A94-60179 *	#
ANE-110	p 102	N94-13252	#	ASC-TR-94-5008	p 440	N94-32014	#	BTN-94-EIX94311329122	p 518	A94-60178	#
				ASC-TR-94-5009	p 442	N94-32403	#	BTN-94-EIX94311329123	p 518	A94-60177 *	#
				ASC-TR-94-5010	p 440	N94-32312	#	BTN-94-EIX94311329124	p 557	A94-60176 *	#
ANL-92/40	p 236	N94-21927	#	ASC-TR-94-5011	p 440	N94-32313	#	BTN-94-EIX94311329125	p 549	A94-60175	#
				ASC-TR-94-5013	p 442	N94-32395	#	BTN-94-EIX94311329126	p 536	A94-60174 *	#
ANL/ESD/TM-53	p 237	N94-22391	#	ASC-TR-94-5014	p 442	N94-32396	#	BTN-94-EIX94311329127	p 518	A94-60173	#

BTN-94-EIX94311329128	p 536	A94-60172	BTN-94-EIX94351137055	p 544	A94-60395	CA-PATENT-1-311-626	p 181	N94-15697
BTN-94-EIX94311329129	p 518	A94-60171	BTN-94-EIX94351137056	p 544	A94-60396	CA-PATENT-1-315-259	p 257	N94-23254
BTN-94-EIX94311329130	p 536	A94-60170	BTN-94-EIX94351137057	p 544	A94-60397	CA-PATENT-1-317-467	p 263	N94-23255
BTN-94-EIX94311329131	p 518	A94-60169	BTN-94-EIX94351137058	p 544	A94-60398	CA-PATENT-1-319-357	p 264	N94-23255
BTN-94-EIX94311329132	p 518	A94-60168	BTN-94-EIX94351137059	p 545	A94-60399	CA-PATENT-1-320-710	p 275	N94-23215
BTN-94-EIX94311329134	p 517	A94-60166	BTN-94-EIX94351137060	p 545	A94-60400	CA-PATENT-1-320-878	p 277	N94-24055
BTN-94-EIX94311329136	p 517	A94-60164	BTN-94-EIX94351137065	p 545	A94-60405	CA-PATENT-1-322-361	p 341	N94-24785
BTN-94-EIX94311329137	p 517	A94-60163	BTN-94-EIX94351142117	p 560	A94-60410	CA-PATENT-1-325-765	p 327	N94-27273
BTN-94-EIX94311329138	p 517	A94-60162	BTN-94-EIX94351142119	p 550	A94-60412	CA-PATENT-1-294,155	p 230	N94-21143
BTN-94-EIX94311329139	p 549	A94-60161	BTN-94-EIX94351142128	p 550	A94-60421	CA-PATENT-1-295,736	p 219	N94-21030
BTN-94-EIX94311329140	p 536	A94-60160	BTN-94-EIX94351142133	p 537	A94-60426	CA-PATENT-1,307,573	p 227	N94-21050
BTN-94-EIX94311329141	p 517	A94-60159	BTN-94-EIX94351142134	p 521	A94-60427	CA-PATENT-1,312,888	p 277	N94-24128
BTN-94-EIX94311329142	p 517	A94-60158	BTN-94-EIX94351142135	p 521	A94-60428	CA-PATENT-1308581	p 278	N94-24175
BTN-94-EIX94311329143	p 517	A94-60157	BTN-94-EIX94351142136	p 521	A94-60429	CA-PATENT-1323020	p 257	N94-24181
BTN-94-EIX94311329145	p 517	A94-60155	BTN-94-EIX94351142137	p 560	A94-60430	CA-PATENT-1323021	p 252	N94-24182
BTN-94-EIX94311329146	p 517	A94-60154	BTN-94-EIX94351142143	p 521	A94-60436	CA-PATENT-1323353	p 265	N94-24180
BTN-94-EIX94311329147	p 517	A94-60153	BTN-94-EIX94351135426	p 537	A94-60623	CA-PATENT-1325261	p 314	N94-27275
BTN-94-EIX94311329148	p 517	A94-60152	BTN-94-EIX94351135427	p 522	A94-60624			
BTN-94-EIX94311329149	p 516	A94-60151	BTN-94-EIX94351135428	p 521	A94-60625	CAA-PAPER-93008	p 393	N94-29887
BTN-94-EIX94311330084	p 592	A94-61135	BTN-94-EIX94381311167	p 579	A94-61254			
BTN-94-EIX94311330085	p 591	A94-61134	BTN-94-EIX94381311168	p 597	A94-61255	CAR-92-8	p 86	N94-16122
BTN-94-EIX94311330086	p 591	A94-61133	BTN-94-EIX94381311172	p 579	A94-61259			
BTN-94-EIX94311330087	p 591	A94-61132	BTN-94-EIX94381311173	p 597	A94-61260	CARDEROCKDIV-93/007	p 211	N94-19571
BTN-94-EIX94311330088	p 591	A94-61131	BTN-94-EIX94381311174	p 597	A94-61261			
BTN-94-EIX94311330089	p 591	A94-61130	BTN-94-EIX94381311179	p 570	A94-61266	CDRKNWC/SSD-93/54	p 567	N94-36261
BTN-94-EIX94311330090	p 590	A94-61129	BTN-94-EIX94381311180	p 570	A94-61267			
BTN-94-EIX94311330091	p 590	A94-61128	BTN-94-EIX94381311181	p 571	A94-61268	CDRL-008	p 596	N94-36919
BTN-94-EIX94311330092	p 590	A94-61127	BTN-94-EIX94381353570	p 577	A94-61460			
BTN-94-EIX94311330093	p 590	A94-61126	BTN-94-EIX94381353571	p 577	A94-61459	CECOM-TR-93-B-E-3	p 473	N94-33536
BTN-94-EIX94311330094	p 590	A94-61125	BTN-94-EIX94381353577	p 584	A94-61473			
BTN-94-EIX94311330095	p 587	A94-61063	BTN-94-EIX94401216108	p 569	A94-61787	CERL-TR-FM-92/03	p 133	N94-14908
BTN-94-EIX94311330096	p 587	A94-61062	BTN-94-EIX94401216109	p 563	A94-61788			
BTN-94-EIX94311330097	p 587	A94-61061	BTN-94-EIX94401358152	p 580	A94-61658	CFDRC-4041/1	p 173	N94-12803
BTN-94-EIX94311330098	p 587	A94-61060	BTN-94-EIX94401358163	p 580	A94-61669			
BTN-94-EIX94311330099	p 587	A94-61059	BTN-94-EIX94401358166	p 580	A94-61672	CIRA-DLC-EST-271	p 381	N94-30387
BTN-94-EIX94311330100	p 587	A94-61058	BTN-94-EIX94401358167	p 580	A94-61673			
BTN-94-EIX94311330101	p 586	A94-61057	BTN-94-EIX94401358168	p 572	A94-61674	CJ5-07	p 176	N94-13861
BTN-94-EIX94311330477	p 592	A94-61203	BTN-94-EIX94401358169	p 572	A94-61675			
BTN-94-EIX94311330648	p 559	A94-60143	BTN-94-EIX94401358173	p 583	A94-61679	CMC-TR2.1-94-VOL-1	p 598	N94-36914
BTN-94-EIX94311330650	p 516	A94-60141	BTN-94-EIX94401358176	p 570	A94-61682	CMC-TR4.2-92-VOL-2	p 598	N94-36922
BTN-94-EIX94311330652	p 549	A94-60139	BTN-94-EIX94401358960	p 571	A94-61616			
BTN-94-EIX94311330654	p 548	A94-60137	BTN-94-EIX94401358961	p 579	A94-61617	CMC-0687-1090	p 435	N94-31903
BTN-94-EIX94311330660	p 548	A94-60131	BTN-94-EIX94401358962	p 579	A94-61618			
BTN-94-EIX94311330678	p 516	A94-60113	BTN-94-EIX94401358963	p 571	A94-61619	CMU-RI-TR-92-16	p 68	N94-14919
BTN-94-EIX94311330679	p 543	A94-60112	BTN-94-EIX94401358964	p 564	A94-61620			
BTN-94-EIX94311330681	p 543	A94-60110	BTN-94-EIX94401358965	p 580	A94-61621	CMU/SEI-93-TR-14	p 136	N94-19880
BTN-94-EIX94311330685	p 543	A94-60106	BTN-94-EIX94401358966	p 571	A94-61622			
BTN-94-EIX94311330690	p 548	A94-60101	BTN-94-EIX94401358967	p 564	A94-61623	CONF-9209372-1	p 152	N94-18113
BTN-94-EIX94311330699	p 516	A94-60092	BTN-94-EIX94401358968	p 565	A94-61624	CONF-9211101-9	p 146	N94-11106
BTN-94-EIX94311331047	p 586	A94-61050	BTN-94-EIX94401358969	p 571	A94-61625	CONF-930108-6	p 147	N94-11366
BTN-94-EIX94311331062	p 589	A94-61116	BTN-94-EIX94401358970	p 565	A94-61626	CONF-930416-2	p 171	N94-11607
BTN-94-EIX94311331063	p 577	A94-61115	BTN-94-EIX94401358971	p 571	A94-61627	CONF-9304170-1	p 152	N94-18761
BTN-94-EIX94311331064	p 577	A94-61114	BTN-94-EIX94401358972	p 583	A94-61628	CONF-930445-23	p 202	N94-20316
BTN-94-EIX94311331065	p 584	A94-61113	BTN-94-EIX94401358973	p 565	A94-61629	CONF-9305168-3	p 176	N94-13889
BTN-94-EIX94311331067	p 589	A94-61111	BTN-94-EIX94401358974	p 565	A94-61630	CONF-9305186-1	p 173	N94-12821
BTN-94-EIX94311331069	p 589	A94-61109	BTN-94-EIX94401358975	p 565	A94-61631	CONF-930532-2	p 190	N94-11173
BTN-94-EIX94311331070	p 589	A94-61108	BTN-94-EIX94401358976	p 571	A94-61632	CONF-930580-3	p 29	N94-13260
BTN-94-EIX94311331071	p 589	A94-61107	BTN-94-EIX94401358979	p 599	A94-61635	CONF-9306204-2-REV-1	p 234	N94-21621
BTN-94-EIX94311331072	p 589	A94-61106	BTN-94-EIX94401358980	p 578	A94-61636	CONF-930703-21	p 236	N94-21830
BTN-94-EIX94311331073	p 588	A94-61105	BTN-94-EIX94401358981	p 565	A94-61637	CONF-930722-14	p 187	N94-19252
BTN-94-EIX94311331074	p 588	A94-61104	BTN-94-EIX94401358982	p 566	A94-61638	CONF-930804-12	p 192	N94-17853
BTN-94-EIX94311331076	p 588	A94-61102	BTN-94-EIX94401358983	p 566	A94-61639	CONF-930804-18	p 237	N94-21983
BTN-94-EIX94311331077	p 588	A94-61101	BTN-94-EIX94401358984	p 566	A94-61640	CONF-9308130-1	p 149	N94-14436
BTN-94-EIX94311331078	p 588	A94-61100	BTN-94-EIX94401358985	p 592	A94-61641	CONF-930893-37	p 358	N94-27874
BTN-94-EIX94311331079	p 588	A94-61099	BTN-94-EIX94401358986	p 566	A94-61642	CONF-9309215-3	p 274	N94-23000
BTN-94-EIX94311331080	p 588	A94-61098	BTN-94-EIX94401358987	p 571	A94-61643	CONF-930964-1	p 234	N94-21620
BTN-94-EIX94311332378	p 550	A94-60951	BTN-94-EIX94401358988	p 577	A94-61644	CONF-9311208-1	p 596	N94-37155
BTN-94-EIX94321331202	p 592	A94-61615	BTN-94-EIX94401358989	p 566	A94-61645	CONF-931193-1	p 431	N94-30687
BTN-94-EIX94321333305	p 516	A94-60037	BTN-94-EIX94401358990	p 566	A94-61646	CONF-940113-3	p 365	N94-26700
BTN-94-EIX94321333307	p 547	A94-60039	BTN-94-EIX94401358991	p 566	A94-61647	CONF-940113-4	p 346	N94-27997
BTN-94-EIX94321333308	p 548	A94-60040	BTN-94-EIX94401358993	p 572	A94-61649	CONF-940113-5	p 353	N94-26117
BTN-94-EIX94321333310	p 516	A94-60042	BTN-94-EIX94401358994	p 578	A94-61650	CONF-940113-6	p 448	N94-30602
BTN-94-EIX94321333311	p 548	A94-60043	BTN-94-EIX94401358996	p 578	A94-61652	CONF-940152-1	p 423	N94-31578
BTN-94-EIX94321333312	p 548	A94-60044	BTN-94-EIX94401367449	p 563	A94-61782	CONF-940158-1	p 431	N94-31306
BTN-94-EIX94321333315	p 520	A94-60266	BTN-94-EIX94401367450	p 563	A94-61783	CONF-940401-2	p 506	N94-33938
BTN-94-EIX94321333316	p 520	A94-60267	BTN-94-EIX94401367452	p 563	A94-61785	CONF-940449-5	p 507	N94-34382
BTN-94-EIX94321333317	p 549	A94-60268	BTN-94-EIX94401372105	p 592	A94-61805	CONF-940483-1	p 470	N94-32658
BTN-94-EIX94321333323	p 544	A94-60274	BTN-94-EIX94401372110	p 567	A94-61810			
BTN-94-EIX94321333324	p 546	A94-60275	BTN-94-EIX94401377806	p 592	A94-61767	CR-R-91012	p 382	N94-28799
BTN-94-EIX94331335528	p 549	A94-60209	BTN-94-EIX94401377808	p 570	A94-61769			
BTN-94-EIX94331335529	p 549	A94-60210	BTN-94-EIX94421374955	p 592	A94-61853	CRANFIELD-AERO-9303	p 338	N94-25640
BTN-94-EIX94331335530	p 530	A94-60211	BTN-94-EIX94421374956	p 599	A94-61854	CRANFIELD-AERO-9305	p 338	N94-25653
BTN-94-EIX94331335531	p 557	A94-60212	BTN-94-EIX94421374957	p 563	A94-61855			
BTN-94-EIX94331335533	p 530	A94-60214	BTN-94-EIX94421374958	p 563	A94-61856			
BTN-94-EIX94331337180	p 606	A94-62183	BTN-94-EIX94421374964	p 593	A94-61862	CRREL-SR-93-4	p 101	N94-12274
BTN-94-EIX94331337183	p 606	A94-62186	BTN-94-EIX94421374967	p 563	A94-61865			
BTN-94-EIX94331337252	p 604	A94-62204	BTN-94-EIX94421374969	p 593	A94-61867	CRREL-93-14	p 228	N94-21239
BTN-94-EIX94331337499	p 521	A94-60334	BTN-94-EIX94421374970	p 563	A94-61868			
BTN-94-EIX94331337500	p 550	A94-60335	BTN-94-EIX94421374974	p 593	A94-61872	CTH-F-93-03	p 452	N94-31090
BTN-94-EIX94331337501	p 530	A94-60336	BTN-94-EIX94421374975	p 593	A94-61873			
BTN-94-EIX94331337502	p 530	A94-60337	BTN-94-EIX94421374979	p 564	A94-61877	CTN-92-60366	p 306	N94-26293
BTN-94-EIX94341338356	p 546	A94-60348				CTN-93-60639	p 219	N94-21030
BTN-94-EIX94341338357	p 559	A94-60349	CA-PATENT-APPL-SN-2,018,940	p 306	N94-26293	CTN-93-60672	p 230	N94-21143
BTN-94-EIX94341338360	p 550	A94-60352	CA-PATENT-APPL-SN-2043039	p 266	N94-24490	CTN-93-60686	p 227	N94-21050
BTN-94-EIX94341338362	p 522	A94-60354				CTN-93-60719	p 174	N94-13521
BTN-94-EIX94341338369	p 559	A94-60361	CA-PATENT-CLASS-354-25	p 306	N94-26293	CTN-93-60728	p 56	N94-13543
						CTN-93-60729	p 132	N94-13544

CTN-93-60734	p 30	N94-13369	DE93-011860	p 146	N94-11106	#	DODA-AR-008-345	p 92	N94-19914	
CTN-93-60735	p 33	N94-14031	#	DE93-012390	p 198	N94-10267	#	DODA-AR-008-351	p 87	N94-17117
CTN-93-60761	p 120	N94-13859	#	DE93-012856	p 173	N94-12821	#	DODA-AR-008-365	p 152	N94-18327
CTN-93-60762	p 84	N94-13898	#	DE93-013000	p 57	N94-14292	#	DODA-AR-008-367	p 293	N94-26342
CTN-93-60764	p 177	N94-13945	#	DE93-013755	p 29	N94-13260	#	DODA-AR-008-369	p 410	N94-29091
CTN-93-60777	p 181	N94-15697	#	DE93-014767	p 205	N94-10853	#	DODA-AR-008-377	p 373	N94-29090
CTN-93-60797	p 84	N94-13839	#	DE93-014773	p 146	N94-11146	#	DODA-AR-008-387	p 240	N94-21453
CTN-93-60805	p 84	N94-13867	#	DE93-015011	p 176	N94-13889	#	DODA-AR-008-393	p 273	N94-22914
CTN-93-60832	p 212	N94-13519	#	DE93-016451	p 152	N94-18113	#	DODA-AR-008-409	p 444	N94-32265
CTN-93-60834	p 200	N94-13860	#	DE93-016516	p 149	N94-14436	#	DODA-AR-008-410	p 434	N94-32264
CTN-93-60835	p 176	N94-13861	#	DE93-016761	p 151	N94-17752	#	DODA-AR-008-565	p 326	N94-26864
CTN-93-60839	p 200	N94-13549	#	DE93-016991	p 192	N94-17853	#	DODA-AR-008-616	p 434	N94-32378
CTN-93-60840	p 201	N94-14207	#	DE93-017228	p 152	N94-18761	#			
CTN-93-60860	p 210	N94-14196	#	DE93-017711	p 151	N94-16996	#	DOE/CE-23810/11C	p 146	N94-11146
CTN-93-60861	p 174	N94-13565	#	DE93-018088	p 187	N94-19252	#	DOE/CE-23810/7	p 205	N94-10853
CTN-93-60863	p 3	N94-13520	#	DE93-018685	p 45	N94-18275	#			
CTN-94-60869	p 277	N94-24128	#	DE93-019159	p 234	N94-21620	#	DOE/MC-23166/3414	p 237	N94-21938
CTN-94-60870	p 266	N94-24490	#	DE93-019167	p 236	N94-21830	#	DOE/MC-23166/94/CO236	p 358	N94-27874
CTN-94-60872	p 278	N94-24175	#	DE93-019221	p 70	N94-19300	#			
CTN-94-60873	p 256	N94-24176	#	DE93-019575	p 202	N94-20316	#	DOE/METC-C/93/7097	p 237	N94-21983
CTN-94-60874	p 279	N94-24177	#	DE93-019633	p 188	N94-19539	#			
CTN-94-60875	p 252	N94-24178	#	DE93-019866	p 237	N94-21983	#	DOE/NASA/0374-1	p 359	N94-27984
CTN-94-60885	p 228	N94-22418	#	DE93-040645	p 236	N94-21927	#	DOE/NASA/1087-2	p 103	N94-14448
CTN-94-60886	p 228	N94-22419	#	DE93-041130	p 237	N94-21938	#			
CTN-94-60890	p 228	N94-22423	#	DE93-076967	p 79	N94-10728	#	DOE/PC-92104/T1	p 151	N94-16996
CTN-94-60891	p 218	N94-22382	#	DE93-076969	p 33	N94-14059	#	DOE/PC-92104/T3	p 443	N94-32150
CTN-94-60916	p 256	N94-24120	#	DE93-076970	p 33	N94-14061	#			
CTN-94-60917	p 270	N94-24121	#	DE93-076975	p 131	N94-10733	#	DOT-VNTSC-FAA-93-10	p 390	N94-28657
CTN-94-60918	p 283	N94-24122	#	DE93-076976	p 112	N94-10734	#	DOT-VNTSC-FAA-93-11	p 390	N94-28647
CTN-94-60919	p 269	N94-24123	#	DE93-076977	p 20	N94-10363	#	DOT-VNTSC-FAA-93-12	p 432	N94-31078
CTN-94-60921	p 278	N94-24136	#	DE93-076978	p 166	N94-10364	#	DOT-VNTSC-FAA-93-13-VOL-1	p 353	N94-26186
CTN-94-60922	p 263	N94-23253	#	DE93-076979	p 166	N94-10365	#	DOT-VNTSC-FAA-93-13-VOL-2	p 353	N94-26357
CTN-94-60923	p 257	N94-23254	#	DE93-788519	p 185	N94-18159	#	DOT-VNTSC-FAA-93-17	p 431	N94-31680
CTN-94-60924	p 264	N94-23255	#	DE93-793615	p 169	N94-10861	#	DOT-VNTSC-FAA-93-19	p 370	N94-25731
CTN-94-60925	p 270	N94-24137	#	DE93-793626	p 100	N94-10370	#	DOT-VNTSC-FAA-93-20	p 67	N94-11626
CTN-94-60928	p 277	N94-24055	#	DE94-000231	p 353	N94-26117	#	DOT-VNTSC-FAA-93-21	p 469	N94-33412
CTN-94-60929	p 275	N94-23215	#	DE94-000244	p 448	N94-30602	#	DOT-VNTSC-FAA-93-21	p 477	N94-33280
CTN-94-60930	p 265	N94-24180	#	DE94-000391	p 234	N94-21621	#	DOT-VNTSC-FAA-93-7	p 432	N94-30905
CTN-94-60931	p 257	N94-24181	#	DE94-000554	p 274	N94-23000	#	DOT-VNTSC-FAA-93-8	p 433	N94-32015
CTN-94-60932	p 252	N94-24182	#	DE94-000907	p 237	N94-22391	#	DOT-VNTSC-FAA-93-9	p 408	N94-28646
CTN-94-60933	p 341	N94-24785	#	DE94-001011	p 231	N94-21822	#	DOT-VNTSC-FAA-94-3	p 452	N94-32418
CTN-94-60936	p 229	N94-22425	#	DE94-001151	p 238	N94-22405	#			
CTN-94-60938	p 223	N94-22427	#	DE94-002290	p 365	N94-26700	#	DOT/FAA/AM-93/12	p 138	N94-12567
CTN-94-60943	p 238	N94-22577	#	DE94-002607	p 282	N94-23704	#	DOT/FAA/AM-93/20	p 233	N94-21201
CTN-94-60948	p 218	N94-22586	#	DE94-002739	p 346	N94-27997	#	DOT/FAA/AM-93/22	p 256	N94-24472
CTN-94-61007	p 339	N94-26710	#	DE94-002980	p 313	N94-26309	#	DOT/FAA/AM-94/11	p 528	N94-35236
CTN-94-61010	p 360	N94-28041	#	DE94-003136	p 408	N94-28466	#	DOT/FAA/AM-94/3	p 312	N94-25444
CTN-94-61011	p 345	N94-27594	#	DE94-003193	p 358	N94-27874	#	DOT/FAA/AM-94/6	p 430	N94-30933
CTN-94-61016	p 295	N94-26702	#	DE94-003275	p 349	N94-26796	#			
CTN-94-61053	p 354	N94-26671	#	DE94-004187	p 431	N94-30687	#	DOT/FAA/ASC-93-1	p 467	N94-32620
CTN-94-61058	p 294	N94-26672	#	DE94-005271	p 423	N94-31578	#			
CTN-94-61059	p 332	N94-26673	#	DE94-005700	p 374	N94-29842	#	DOT/FAA/CT-TN-91/28	p 382	N94-28799
CTN-94-61063	p 353	N94-26644	#	DE94-006047	p 470	N94-32658	#	DOT/FAA/CT-TN-93/37	p 313	N94-26197
CTN-94-61064	p 340	N94-27648	#	DE94-006139	p 431	N94-31306	#			
CTN-94-61078	p 301	N94-28315	#	DE94-006760	p 443	N94-32150	#	DOT/FAA/CT-TN92/35	p 478	N94-33443
CTN-94-61083	p 356	N94-27308	#	DE94-008456	p 507	N94-34382	#	DOT/FAA/CT-TN92/39	p 419	N94-32157
CTN-94-61094	p 327	N94-27273	#	DE94-009114	p 506	N94-33938	#	DOT/FAA/CT-TN92/46	p 70	N94-18728
CTN-94-61096	p 314	N94-27275	#	DE94-009297	p 493	N94-32935	#	DOT/FAA/CT-TN93/12	p 383	N94-28914
CTN-94-61118	p 327	N94-27666	#	DE94-010093	p 584	N94-36306	#	DOT/FAA/CT-TN93/13	p 305	N94-24941
CTN-94-61119	p 315	N94-27667	#	DE94-010105	p 584	N94-36474	#	DOT/FAA/CT-TN93/1	p 182	N94-16965
CTN-94-61135	p 393	N94-30129	#	DE94-011609	p 606	N94-37629	#	DOT/FAA/CT-TN93/23	p 477	N94-33409
CTN-94-61136	p 400	N94-30130	#	DE94-011759	p 596	N94-37155	#	DOT/FAA/CT-TN93/29	p 56	N94-14186
CTN-94-61137	p 393	N94-30131	#					DOT/FAA/CT-TN93/30	p 312	N94-25788
CTN-94-61178	p 382	N94-30144	#	DGLR-92-03-108	p 36	N94-14710	#	DOT/FAA/CT-TN93/33	p 55	N94-12575
CTN-94-61182	p 508	N94-33335	#					DOT/FAA/CT-TN93/36	p 240	N94-21519
CTN-94-61185	p 453	N94-31709	#	DLOR-RN-92-5	p 84	N94-13839	#	DOT/FAA/CT-TN93/40	p 307	N94-27081
CTN-94-61186	p 439	N94-31710	#	DLOR-RN-92-6	p 84	N94-13867	#	DOT/FAA/CT-TN93/44	p 329	N94-26030
CTN-94-61209	p 447	N94-31707	#					DOT/FAA/CT-TN93/49	p 490	N94-33538
CTN-94-61214	p 426	N94-31902	#	DLR-FB-92-24	p 228	N94-21280	#	DOT/FAA/CT-TN93/50	p 440	N94-32120
CTN-94-61215	p 435	N94-31903	#	DLR-FB-92-26	p 178	N94-14443	#	DOT/FAA/CT-TN93/6	p 269	N94-24559
CTN-94-61217	p 469	N94-32505	#	DLR-FB-92-32	p 177	N94-14045	#	DOT/FAA/CT-TN93/7	p 270	N94-23335
CTN-94-61219	p 447	N94-31872	#	DLR-FB-92-40	p 135	N94-18123	#	DOT/FAA/CT-TN94/1	p 467	N94-32955
CTN-94-61224	p 439	N94-31747	#	DLR-FB-93-01	p 357	N94-27588	#			
CTN-94-61240	p 453	N94-31732	#	DLR-FB-93-03	p 184	N94-18124	#	DOT/FAA/CT-88/10-VOL-2	p 96	N94-20343
CTN-94-61242	p 423	N94-31734	#	DLR-FB-93-16	p 296	N94-27592	#	DOT/FAA/CT-91/20	p 82	N94-11858
CTN-94-61256	p 437	N94-31837	#	DLR-FB-93-17	p 333	N94-27593	#	DOT/FAA/CT-91/27	p 325	N94-26488
CTN-94-61258	p 443	N94-31892	#	DLR-FB-93-20	p 333	N94-27739	#	DOT/FAA/CT-92/14	p 426	N94-31246
				DLR-FB-93-21	p 296	N94-27741	#	DOT/FAA/CT-92/29	p 332	N94-26176
				DLR-FB-93-24	p 308	N94-27746	#	DOT/FAA/CT-92/32	p 456	N94-33590
CU-CAS-094-09	p 481	N94-34216	#					DOT/FAA/CT-92/6	p 220	N94-21818
CU-CSSC-93-16	p 363	N94-28181	#	DLR-MITT-92-08	p 244	N94-20543	#	DOT/FAA/CT-93/16-VOL-3	p 96	N94-20053
				DLR-MITT-92-10	p 240	N94-22280	#	DOT/FAA/CT-93/16-VOL-3	p 329	N94-26028
CU-153-6505	p 184	N94-17763	#	DLR-MITT-93-01	p 69	N94-18146	#	DOT/FAA/CT-93/17-VOL-1	p 348	N94-24942
CU-1536481	p 67	N94-13238	#	DLR-MITT-93-05	p 69	N94-17921	#	DOT/FAA/CT-93/17-VOL-3	p 348	N94-25163
				DLR-MITT-93-10	p 344	N94-27587	#	DOT/FAA/CT-93/1	p 90	N94-18789
CUED/A-TURBO/TR.128	p 173	N94-12777	#					DOT/FAA/CT-93/2	p 594	N94-37125
				DMS-DR-2476-VOL-1	p 139	N94-12810	#	DOT/FAA/CT-93/3	p 54	N94-10766
D/1993/0238/409	p 33	N94-14153	#	DMS-DR-2549-VOL-1	p 139	N94-13191	#	DOT/FAA/CT-93/5-VOL-1	p 354	N94-26854

REPORT NUMBER INDEX

ETN-93-94198

DOT/FAA/CT-93/76	p 408	N94-28646	#	E-6566	p 36	N94-14780	#	E-8478	p 253	N94-24335	#
DOT/FAA/CT-93/77	p 432	N94-30905		E-6886	p 184	N94-17583	#	E-8479	p 291	N94-25182	#
DOT/FAA/CT-93/78	p 390	N94-28657	#	E-6966	p 498	N94-32883	#	E-8485	p 401	N94-28749	#
DOT/FAA/CT-93/79	p 390	N94-28647	#	E-7298	p 407	N94-29356	#	E-8487	p 455	N94-33064	#
DOT/FAA/CT-93/7	p 326	N94-27105	#	E-7336	p 342	N94-25184	#	E-8490	p 395	N94-29103	#
DOT/FAA/CT-93/80	p 343	N94-26202		E-7375-1	p 170	N94-11132	#	E-8494	p 357	N94-27776	#
DOT/FAA/CT-94/03	p 290	N94-27284	#	E-7400	p 357	N94-27599	#	E-8495	p 409	N94-28815	#
DOT/FAA/CT-94/10	p 433	N94-32015	#	E-7535	p 363	N94-28227	#	E-8518	p 411	N94-29104	#
DOT/FAA/CT-94/24	p 602	N94-37706	#	E-7602	p 287	N94-23562	#	E-8521	p 292	N94-26131	#
				E-7609	p 216	N94-20563	#	E-8534	p 281	N94-24481	#
DOT/FAA/EE-91-3-SUPPL-A	p 240	N94-20948	#	E-7650	p 173	N94-12874	#	E-8613	p 499	N94-32929	#
DOT/FAA/EE-93-01	p 208	N94-17599		E-7651	p 104	N94-17386	#	E-8616	p 351	N94-25181	#
DOT/FAA/EE-93-03	p 370	N94-25731	#	E-7662	p 26	N94-11133	#	E-8623	p 369	N94-25172	#
DOT/FAA/EE-94-01	p 452	N94-32418	#	E-7673	p 37	N94-14847	#	E-8630	p 333	N94-27654	#
				E-7766-VOL-1	p 481	N94-34146	#	E-8633	p 357	N94-27657	#
DOT/FAA/NR-92/11	p 66	N94-11103		E-7766	p 334	N94-27778	#	E-8638	p 538	N94-34993	#
DOT/FAA/NR-93-1	p 67	N94-11626	#	E-7810	p 180	N94-15445	#	E-8654	p 340	N94-27414	#
DOT/FAA/NR-93/2	p 364	N94-24850		E-7836	p 105	N94-17470	#	E-8658	p 363	N94-28181	#
DOT/FAA/NR-93/3	p 69	N94-16439	#	E-7847	p 220	N94-21590	#	E-8678	p 459	N94-33119	#
				E-7851	p 254	N94-24606	#	E-8686	p 499	N94-32969	#
DOT/FAA/PP-93-2	p 69	N94-17458		E-7881	p 596	N94-37457	#	E-8691	p 543	N94-34919	#
DOT/FAA/PP-94-2	p 583	N94-36763	#	E-7892	p 148	N94-13138	#	E-8692	p 466	N94-34391	#
				E-7950	p 3	N94-13108	#	E-8693	p 456	N94-32475	#
DOT/FAA/RD-92/15	p 382	N94-29862	#	E-7951	p 138	N94-10765	#	E-8701	p 458	N94-32926	#
DOT/FAA/RD-92/29	p 256	N94-24127	#	E-7968	p 134	N94-15819	#	E-8702	p 446	N94-31229	#
DOT/FAA/RD-93-31-VOL-1	p 567	N94-36466	#	E-7969	p 198	N94-10724	#	E-8703	p 459	N94-32984	#
DOT/FAA/RD-93-31-VOL-2	p 567	N94-36467	#	E-7992	p 112	N94-11251	#	E-8706	p 436	N94-32075	#
DOT/FAA/RD-93/10	p 189	N94-20203	#	E-7997	p 26	N94-11203	#	E-8711	p 502	N94-34148	#
DOT/FAA/RD-93/16	p 59	N94-19661	#	E-7998	p 102	N94-13143	#	E-8739	p 401	N94-30204	#
DOT/FAA/RD-93/17	p 431	N94-31680		E-8005	p 101	N94-12271	#	E-8742	p 604	N94-37522	#
DOT/FAA/RD-93/17	p 491	N94-34104	#	E-8006	p 101	N94-12270	#	E-8770	p 543	N94-35267	#
DOT/FAA/RD-93/1	p 343	N94-26196		E-8007	p 101	N94-12272	#	E-8778	p 380	N94-30124	#
DOT/FAA/RD-93/22	p 313	N94-26826	#	E-8015	p 170	N94-11256	#	E-8813	p 381	N94-30152	#
DOT/FAA/RD-93/23	p 268	N94-23303	#	E-8018	p 100	N94-11255	#	E-8830	p 491	N94-33604	#
DOT/FAA/RD-93/27	p 193	N94-18684	#	E-8031	p 179	N94-14727	#	E-8831-VOL-1	p 482	N94-34231	#
DOT/FAA/RD-93/2	p 402	N94-29754	#	E-8042	p 207	N94-15115	#	E-8831-VOL-2	p 482	N94-34233	#
DOT/FAA/RD-93/33	p 355	N94-26963	#	E-8050	p 264	N94-23466	#	E-8842	p 502	N94-33960	#
DOT/FAA/RD-93/37	p 583	N94-37424	#	E-8051	p 268	N94-23091	#	E-8844	p 568	N94-36686	#
DOT/FAA/RD-93/40-VOL-1	p 475	N94-33076	#	E-8052	p 101	N94-13142	#	E-8850	p 481	N94-33974	#
DOT/FAA/RD-93/40-VOL-2	p 476	N94-33077	#	E-8063	p 102	N94-14036	#	E-8852	p 556	N94-35945	#
DOT/FAA/RD-93/40-VOL-3	p 476	N94-33078	#	E-8089-VOL-1	p 178	N94-14445	#	E-8866	p 480	N94-33706	#
DOT/FAA/RD-93/40-VOL-4	p 476	N94-33079	#	E-8094	p 276	N94-23634	#	E-8896	p 500	N94-33609	#
DOT/FAA/RD-93/42	p 477	N94-33280	#	E-8096	p 291	N94-25173	#	E-8903	p 539	N94-35352	#
DOT/FAA/RD-94/1,1	p 389	N94-30189	#	E-8102	p 188	N94-20171	#	E-8906	p 464	N94-33705	#
DOT/FAA/RD-94/12	p 557	N94-35807	#	E-8103	p 103	N94-14448	#	E-8920	p 552	N94-35224	#
DOT/FAA/RD-94/22	p 601	N94-37604	#	E-8131	p 234	N94-21607	#	E-8938	p 481	N94-33971	#
DOT/FAA/RD-94/5	p 556	N94-35720	#	E-8133	p 104	N94-15192	#	E-8954	p 502	N94-33954	#
DOT/FAA/RD-94/9	p 556	N94-35596	#	E-8141	p 58	N94-16520	#	E-8955	p 569	N94-37283	#
				E-8145	p 351	N94-25188	#	E-8964	p 481	N94-33955	#
DOT/FAA/SE-93/1	p 66	N94-10933	#	E-8165	p 34	N94-14208	#	E-8965	p 579	N94-37448	#
DOT/FAA/SE-93/3	p 69	N94-16906	#	E-8171	p 104	N94-15866	#	E-8972	p 501	N94-33941	#
DOT/FAA/SE-93/4	p 180	N94-15439	#	E-8172	p 229	N94-21790	#				
				E-8173	p 234	N94-21757	#	ECL-91-01	p 437	N94-31677	#
DOT/FAA/TN93/42	p 343	N94-26200	#	E-8177-VOL-1	p 225	N94-21582	#	ECL-92-35	p 352	N94-25654	#
				E-8180-VOL-2	p 225	N94-21583	#	ECL-92-41	p 233	N94-20595	#
DOT/FAA/93/3	p 55	N94-12384	#	E-8181	p 41	N94-16571	#				
				E-8187	p 455	N94-33046	#	EDR-16026	p 225	N94-21582	#
DOTVNTSC-FAA-93-5	p 208	N94-17599		E-8190	p 421	N94-30949	#	EDR-16026	p 225	N94-21583	#
				E-8197	p 44	N94-17558	#	EDR-16346	p 538	N94-34679	#
DRA-LIBRARY-TRANS-2202	p 291	N94-25137	#	E-8200	p 183	N94-17481	#				
				E-8203	p 264	N94-23545	#	EPA/453/R-93/027	p 507	N94-34409	#
DRA-TM-AP-23	p 88	N94-17826	#	E-8207	p 105	N94-19353	#	EPA/453/R-93/028	p 482	N94-34400	#
				E-8216	p 250	N94-24084	#				
DRA-TR-93014	p 133	N94-14876		E-8231	p 216	N94-20534	#	ERIM-246830-9-F	p 233	N94-21253	#
				E-8239	p 51	N94-19484	#				
DREA-TC-93-304	p 270	N94-24121		E-8244	p 187	N94-19351	#	ESA-TT-1278	p 174	N94-13117	#
				E-8246	p 218	N94-22274	#	ESA-TT-1286	p 206	N94-13692	#
DREO-TN-93-9	p 269	N94-24123		E-8247	p 217	N94-21591	#				
				E-8255	p 226	N94-21759	#	ESC-TR-93-161-VOL-1	p 181	N94-15649	#
DREP-LN-93-26	p 447	N94-31872		E-8258	p 52	N94-20136	#	ESC-TR-93-192	p 136	N94-19880	#
				E-8264	p 412	N94-29552	#				
DREP-TM-93-19	p 283	N94-24122		E-8273	p 234	N94-21756	#	ESDU-93007	p 298	N94-28057	#
DREP-TM-93-38	p 278	N94-24136		E-8276	p 265	N94-24082	#	ESDU-93013	p 298	N94-28063	#
DREP-TM-93-53	p 327	N94-27666		E-8277	p 226	N94-21758	#	ESDU-93015	p 299	N94-28076	#
				E-8280	p 226	N94-21586	#	ESDU-93019	p 300	N94-28140	#
DREP-93-09	p 315	N94-27667		E-8282	p 227	N94-21742	#	ESDU-93020	p 299	N94-28091	#
DREP-93-16	p 393	N94-30131	#	E-8283	p 267	N94-23590	#	ESDU-93021	p 328	N94-28092	#
DREP-93-17	p 393	N94-30129	#	E-8285	p 343	N94-26141	#	ESDU-93023	p 328	N94-28094	#
				E-8289	p 248	N94-23511	#	ESDU-93024-PT-1	p 362	N94-28095	#
DRIC-BR-318039	p 88	N94-17826	#	E-8301	p 225	N94-21563	#	ESDU-93026-PT-3	p 362	N94-28096	#
DRIC-BR-318697	p 133	N94-14876	#	E-8308	p 249	N94-23592	#	ESDU-93032	p 300	N94-28144	#
				E-8315	p 264	N94-23552	#	ESDU-93034	p 297	N94-27955	#
DSIS-93-00137	p 84	N94-13867		E-8318	p 254	N94-23523	#				
DSIS-93-00282	p 84	N94-13839		E-8320	p 249	N94-23522	#	ETN-93-93707	p 264	N94-23570	#
DSIS-93-00343	p 508	N94-33335		E-8323	p 255	N94-24047	#	ETN-93-93708	p 264	N94-23519	#
DSIS-93-00702	p 201	N94-14207		E-8326	p 247	N94-24100	#	ETN-93-93780	p 3	N94-15120	#
DSIS-93-00737	p 200	N94-13549	#	E-8329	p 247	N94-23553	#	ETN-93-93957	p 178	N94-14443	#
DSIS-94-00049	p 315	N94-27667		E-8330	p 284	N94-23464	#	ETN-93-93962	p 177	N94-14045	#
DSIS-94-00099	p 327	N94-27666		E-8334	p 248	N94-23465	#	ETN-93-93970	p 149	N94-14194	#
DSIS-94-01061	p 447	N94-31872		E-8338	p 280	N94-24362	#	ETN-93-94005	p 177	N94-13929	#
DSIS-94-01083	p 426	N94-31902		E-8340	p 248	N94-23299	#	ETN-93-94006	p 177	N94-13931	#
DSIS-94-01221	p 469	N94-32505		E-8404	p 331	N94-25185	#	ETN-93-94009	p 177	N94-13986	#
DSIS-94-01381	p 435	N94-31903		E-8405	p 267	N94-24594	#	ETN-93-94010	p 200	N94-13987	#
DSIS-94-01590	p 443	N94-31892		E-8408	p 331	N94-25200	#	ETN-93-94068	p 103	N94-14450	#
				E-8409	p 332	N94-26573	#	ETN-93-94196	p 36	N94-14710	#
DSK-9734-H-92	p 308	N94-28230	#	E-8411	p 271	N94-24301	#	ETN-93-94198	p 200	N94-14006	#

ETN-93-94208	p 56	N94-14008	#	ETN-94-95571	p 430	N94-30854	H-1911	p 115	N94-13254	*	#
ETN-93-94336	p 174	N94-13527	#	ETN-94-95573	p 438	N94-30856	H-1912	p 24	N94-10707	*	#
ETN-93-94337	p 31	N94-13528	#	ETN-94-95575	p 421	N94-30858	H-1914	p 84	N94-14106	*	#
ETN-93-94339	p 31	N94-13530	#	ETN-94-95576	p 393	N94-30342	H-1915	p 96	N94-13791	*	#
ETN-93-94340	p 31	N94-13531	#	ETN-94-95578	p 420	N94-30740	H-1916	p 95	N94-13256	*	#
ETN-93-94342	p 207	N94-15506	#	ETN-94-95581	p 381	N94-30387	H-1920	p 103	N94-14855	*	#
ETN-93-94345	p 132	N94-13498	#	ETN-94-95584	p 381	N94-30388	H-1934	p 140	N94-15753	*	#
ETN-93-94375	p 174	N94-13501	#	ETN-94-95585	p 381	N94-30389	H-1940	p 252	N94-24295	*	#
ETN-93-94380	p 133	N94-13588	#	ETN-94-95592	p 402	N94-30399	H-1942	p 535	N94-34703	*	#
ETN-93-94381	p 37	N94-14800	#	ETN-94-95594	p 381	N94-30401	H-1943	p 576	N94-36644	*	#
ETN-93-94416	p 56	N94-13534	#	ETN-94-95734	p 446	N94-31575	H-1946	p 265	N94-24106	*	#
ETN-93-94417	p 83	N94-13687	#	ETN-94-95745	p 449	N94-31611	H-1954	p 564	N94-36648	*	#
ETN-93-94419	p 175	N94-13726	#	ETN-94-95856	p 449	N94-30945	H-1956	p 347	N94-27868	*	#
ETN-93-94421	p 3	N94-13904	#	ETN-94-95857	p 449	N94-30946	H-1961	p 281	N94-24495	*	#
ETN-93-94423	p 92	N94-19796	#	ETN-94-95858	p 432	N94-30947	H-1965	p 333	N94-27432	*	#
ETN-93-94424	p 121	N94-13906	#	ETN-94-95874	p 426	N94-31230	H-1987	p 465	N94-33995	*	#
ETN-93-94425	p 176	N94-13803	#	ETN-94-95879	p 422	N94-31220	H-1988	p 540	N94-35258	*	#
ETN-93-94431	p 45	N94-17957	#	ETN-94-95948	p 452	N94-31090	H-1990	p 535	N94-35241	*	#
ETN-93-94446	p 33	N94-14153	#	ETN-94-95961	p 402	N94-30423	H-1992	p 568	N94-36944	*	#
ETN-93-94458	p 240	N94-22280	#	ETN-94-95963	p 444	N94-30756	H-1995	p 466	N94-34384	*	#
ETN-93-94466	p 206	N94-13885	#	ETN-94-95964	p 427	N94-30439	H-2010	p 569	N94-37378	*	#
ETN-93-94489	p 84	N94-13690	#	ETN-94-95965	p 420	N94-30492					
ETN-93-94492	p 181	N94-15645	#	ETN-94-95966	p 420	N94-30493	HHR-58	p 372	N94-27431	*	#
ETN-93-94495	p 39	N94-15696	#	ETN-94-95969	p 444	N94-30763					
ETN-93-94497	p 35	N94-14706	#	ETN-94-95972	p 430	N94-30943	HMMH-290940.04-2	p 244	N94-22053		
ETN-93-94498	p 179	N94-14827	#	ETN-94-95973	p 438	N94-31179	HMMH-290940.04-3	p 244	N94-22054		
ETN-93-94583	p 174	N94-13117	#	ETN-94-95974	p 422	N94-31180	HMMH-290940.14	p 513	N94-34380	#	
ETN-93-94584	p 206	N94-13692	#	ETN-94-95985	p 437	N94-31677					
ETN-93-94597	p 233	N94-20595	#	ETN-94-96063	p 423	N94-31421	HTN-94-00290	p 609	A94-62419		
ETN-93-94781	p 184	N94-17627	#	ETN-94-96138	p 433	N94-31674	HTN-94-00295	p 609	A94-62424	*	
ETN-93-94782	p 58	N94-17733	#	ETN-94-96139	p 433	N94-31675	HTN-94-00296	p 609	A94-62425	*	
ETN-93-94783	p 88	N94-17734	#	ETN-94-96182	p 448	N94-32045	HTN-94-00298	p 603	A94-62274		
ETN-93-94786	p 4	N94-17614	#	ETN-94-96183	p 423	N94-31822	HTN-94-00300	p 601	A94-62276		
ETN-93-94856	p 45	N94-17721	#				HTN-94-00304	p 603	A94-62277		
ETN-93-94857	p 45	N94-17722	#	FAA-AOR-100-94-001	p 467	N94-32955	HTN-94-00330	p 606	A94-62291		
ETN-93-94858	p 184	N94-17970	#				HTN-94-00748	p 609	A94-62441	*	
ETN-93-94860	p 45	N94-17919	#	FAA-APO-93-10	p 289	N94-24923					
ETN-93-94864	p 244	N94-20543	#	FAA-APO-93-1	p 3	N94-12578	IAF PAPER 93-012	p 136	A94-11104		
ETN-93-94866	p 69	N94-18146	#	FAA-APO-93-8	p 59	N94-18490	IAF PAPER 93-014	p 136	A94-11105		
ETN-93-94867	p 69	N94-17921	#	FAA-APO-93-9	p 70	N94-18336	IAF PAPER 93-462	p 194	A94-11249		
ETN-93-94868	p 228	N94-21280	#				IAF PAPER 93-480	p 137	A94-11259		
ETN-93-94872	p 135	N94-18123	#	FAA-APR-94-1	p 455	N94-33016	IAF PAPER 93-482	p 137	A94-11258		
ETN-93-94873	p 184	N94-18124	#								
ETN-93-94909	p 5	N94-19383	#	FASTC-ID(RS)T-0034-93	p 43	N94-17274	IAF PAPER 93-012	p 136	A94-11104		
ETN-93-94911	p 187	N94-19358	#	FASTC-ID(RS)T-0201-93	p 140	N94-18760	IAF PAPER 93-014	p 136	A94-11105		
ETN-93-95024	p 136	N94-19372	#	FASTC-ID(RS)T-0730-92	p 52	N94-19963	IAF PAPER 93-462	p 194	A94-11249		
ETN-93-95027	p 51	N94-19667	#	FASTC-ID(RS)T-0735-92	p 37	N94-14942	IAF PAPER 93-480	p 137	A94-11259		
ETN-93-95029	p 188	N94-19669	#	FASTC-ID(RS)T-0932-92	p 43	N94-17222					
ETN-93-95031	p 123	N94-19615	#				IC-AERO-92-01	p 293	N94-26248	#	
ETN-93-95075	p 123	N94-19711	#	FEL-91-A301	p 306	N94-25780					
ETN-93-95093	p 91	N94-19496	#	FEL-92-A394	p 353	N94-26011	ICAM-91-07-04	p 32	N94-13607	*	#
ETN-93-95095	p 91	N94-19500	#	FEL-93-A039	p 365	N94-26016					
ETN-93-95121	p 51	N94-19524	#	FEL-93-A183	p 337	N94-25516	ICASE-93-42	p 200	N94-13717	*	#
ETN-94-93902	p 292	N94-26104	#				ICASE-93-75	p 280	N94-24356	*	#
ETN-94-94761	p 272	N94-22713	#	FFA-TN-1984-22	p 292	N94-26104	ICASE-94-26	p 558	N94-35240	*	#
ETN-94-94957	p 343	N94-26305	#	FFA-TN-1992-09	p 45	N94-17721	ICASE-94-29	p 528	N94-35994	*	#
ETN-94-95035	p 313	N94-26539	#	FFA-TN-1992-14	p 45	N94-17722					
ETN-94-95047	p 275	N94-23227	#	FFA-TN-1992-15	p 422	N94-31220	ICOMP-93-43	p 183	N94-17481	*	#
ETN-94-95076	p 218	N94-22597	#	FFA-TN-1992-18	p 133	N94-13588	ICOMP-94-01	p 499	N94-32969	*	#
ETN-94-95117	p 291	N94-25461	#	FFA-TN-1992-22	p 184	N94-17970	ICOMP-94-10	p 539	N94-35352	*	#
ETN-94-95119	p 351	N94-25463	#	FFA-TN-1992-42	p 45	N94-17919	ICOMP-94-2	p 271	N94-24301	*	#
ETN-94-95120	p 321	N94-25301	#	FFA-TN-1993-05	p 84	N94-13690	ICOMP-94-5	p 446	N94-31229	*	#
ETN-94-95124	p 248	N94-23161	#	FFA-TN-1993-19	p 449	N94-30945					
ETN-94-95126	p 248	N94-23149	#	FFA-TN-1993-20	p 449	N94-30946	IDA-D-1400	p 211	N94-19780		
ETN-94-95127	p 257	N94-23146	#	FFA-TN-1993-22	p 187	N94-19358	IDA-P-2863	p 210	N94-18575		
ETN-94-95222	p 338	N94-25640	#	FFA-TN-1993-55	p 432	N94-30947					
ETN-94-95226	p 293	N94-26248	#				IDA/HQ-93-44150	p 210	N94-18575		
ETN-94-95249	p 312	N94-25808	#	FFI-92/4003	p 343	N94-26305	IDA/HQ-93-44315	p 211	N94-19780		
ETN-94-95277	p 338	N94-25653	#								
ETN-94-95278	p 308	N94-28230	#	FMRL-TR-8	p 27	N94-11889					
ETN-94-95279	p 352	N94-25654	#				IG/DOD-93-022	p 92	N94-20040		
ETN-94-95350	p 364	N94-25261	#	FOA-A-30086-8.3.3.1	p 475	N94-34128					
ETN-94-95392	p 289	N94-26212	#				ILR-MITT-256(1991)	p 218	N94-22597	#	
ETN-94-95443	p 340	N94-27395	#	FOA-C-20931-2.1	p 314	N94-27210	ILR-MITT-280(1993)	p 37	N94-14800	#	
ETN-94-95444	p 315	N94-27831	#	FOA-C-30738-3.6	p 470	N94-34093	ILR-MITT-283(1993)	p 449	N94-31611		
ETN-94-95446	p 327	N94-27796	#								
ETN-94-95448	p 341	N94-27798	#	GAO/NSIAD-93-144	p 4	N94-18279	IME-MET-TR-007	p 200	N94-13860	#	
ETN-94-95452	p 296	N94-27554	#	GAO/NSIAD-93-204	p 87	N94-17472	IME-MET-TR-008	p 210	N94-14196	#	
ETN-94-95454	p 360	N94-28043	#	GAO/NSIAD-93-301R	p 306	N94-25153					
ETN-94-95479	p 412	N94-29456	#	GAO/NSIAD-94-75	p 320	N94-25152	IMR-T&M-TR-001	p 360	N94-28041	#	
ETN-94-95483	p 412	N94-29474	#								
ETN-94-95484	p 408	N94-29457	#	GAO/T-IMTEC-93-2	p 201	N94-16993	INRIA-RR-1721	p 45	N94-17957	#	
ETN-94-95487	p 374	N94-29463	#								
ETN-94-95489	p 344	N94-27587	#	GRI-93/0272	p 265	N94-23709					
ETN-94-95490	p 357	N94-27588	#				INT-PATENT-CLASS-B25J-11/00	p 413	N94-29726	*	
ETN-94-95494	p 296	N94-27592	#	GTS-92063	p 209	N94-10145	INT-PATENT-CLASS-B32B-031/24	p 327	N94-27273		
ETN-94-95495	p 333	N94-27593	#				INT-PATENT-CLASS-B32B-15/01	p 230	N94-21143		
ETN-94-95497	p 333	N94-27739	#				INT-PATENT-CLASS-B64C-025/34	p 257	N94-24181		
ETN-94-95498	p 296	N94-27741	#	H-1774	p 458	N94-32880	INT-PATENT-CLASS-B64C-11/20	p 264	N94-23255		
ETN-94-95500	p 308	N94-27746	#	H-1883	p 86	N94-15783	INT-PATENT-CLASS-B64C-11/48	p 264	N94-23255		
ETN-94-95514	p 393	N94-29887	#	H-1890	p 190	N94-10725	INT-PATENT-CLASS-B64C-13/16	p 227	N94-21050		
ETN-94-95565	p 435	N94-30914	#	H-1894	p 25	N94-10820	INT-PATENT-CLASS-B64C-21/04	p 24	N94-10672	*	#
ETN-94-95566	p 430	N94-30915	#	H-1904	p 115	N94-13255	INT-PATENT-CLASS-B64C-23/06	p 24	N94-10673	*	#
ETN-94-95567	p 421	N94-30916	#	H-1906	p 80	N94-11233	INT-PATENT-CLASS-B64C-27/46	p 257	N94-23254		
ETN-94-95568	p 421	N94-30871	#	H-1908	p 226	N94-21879	INT-PATENT-CLASS-B64C-9/02	p 227	N94-20556	*	#
ETN-94-95570	p 430	N94-30853	#	H-1909	p 100	N94-11205	INT-PATENT-CLASS-B64D-017/02	p 252	N94-24182		
				H-1910	p 104	N94-15141	INT-PATENT-CLASS-B64D-027/02	p 265	N94-24180		

INT-PATENT-CLASS-B64D-027/10	p 265	N94-24180	ISBN-1-871564-58-1	p 338	N94-25640	#	JTN-93-80488	p 30	N94-13341	#
INT-PATENT-CLASS-B64D-27/26	p 275	N94-23215	ISBN-1-871564-59-X	p 338	N94-25653	#	JTN-93-80489	p 30	N94-13342	#
INT-PATENT-CLASS-B64F-001/22	p 341	N94-24785	ISBN-1-877914-65-7	p 349	N94-25406	#	JTN-93-80491	p 68	N94-13344	#
INT-PATENT-CLASS-B64G-1/22	p 229	N94-20367 *	ISBN-2-921393-11-5	p 3	N94-13520	#	JTN-93-80492	p 30	N94-13345	#
			ISBN-9-03-860132-8	p 364	N94-25261	#	JTN-93-80493	p 68	N94-13346	#
INT-PATENT-CLASS-C04B-33/28	p 230	N94-20377 *	ISBN-9-06-275887-8	p 123	N94-19615	#	JTN-93-80494	p 120	N94-13347	#
INT-PATENT-CLASS-C22C-19/05	p 230	N94-21143	ISBN-92-835-0701-X	p 146	N94-11317	#	JTN-93-80500-PT-3	p 28	N94-12948	#
INT-PATENT-CLASS-C23C-30/00	p 230	N94-21143	ISBN-92-835-0702-9	p 113	N94-11489	#	JTN-93-80501	p 28	N94-12951	#
			ISBN-92-835-0705-3	p 166	N94-10613	#	JTN-93-80502-PT-2	p 31	N94-13454	#
INT-PATENT-CLASS-F01D-1/12	p 263	N94-23253	ISBN-92-835-0707-X	p 100	N94-11022	#	JTN-93-80505	p 68	N94-13457	#
INT-PATENT-CLASS-F012C-7/28	p 277	N94-24128	ISBN-92-835-0711-8	p 595	N94-37321	#	JTN-93-80506	p 148	N94-13458	#
INT-PATENT-CLASS-F02B-75/26	p 277	N94-24055	ISBN-92-835-0715-0	p 4	N94-18415	#	JTN-93-80507	p 83	N94-13459	#
INT-PATENT-CLASS-F02C-007/04			ISBN-92-835-0718-5	p 179	N94-15196	#	JTN-94-80612	p 375	N94-28946	#
2	p 266	N94-24490	ISBN-92-835-0719-3	p 404	N94-29246	#	JTN-94-80615	p 333	N94-27608	#
INT-PATENT-CLASS-F02C-3/02	p 232	N94-20588 *	ISBN-92-835-0724-X	p 383	N94-29558	#	JTN-94-80617	p 340	N94-27206	#
INT-PATENT-CLASS-F02C-3/02	p 413	N94-29740 *	ISBN-92-835-0725-8	p 415	N94-29315	#	JTN-94-80619	p 344	N94-27247	#
INT-PATENT-CLASS-F02C-7/20	p 275	N94-23215	ISBN-92-835-0726-6	p 572	N94-36321	#	JTN-94-80621	p 295	N94-27235	#
INT-PATENT-CLASS-F04B-35/00	p 169	N94-10674 *	ISBN-92-835-0728-2	p 271	N94-24228	#				
INT-PATENT-CLASS-F04B-37/00	p 276	N94-23831 *	ISBN-92-835-0729-0	p 259	N94-24313	#	KCP-613-5266	p 584	N94-36474	#
INT-PATENT-CLASS-F16B-19/00	p 278	N94-24175 #	ISBN-92-835-0730-4	p 255	N94-24091	#				
INT-PATENT-CLASS-F16B-31/00	p 278	N94-24175 #	ISBN-92-835-0732-0	p 397	N94-29291	#	KR-FRL-926-1	p 82	N94-11858	#
INT-PATENT-CLASS-F16F-15/04	p 275	N94-23215	ISBN-92-835-0734-7	p 550	N94-34581	#				
INT-PATENT-CLASS-F16J-15/44	p 277	N94-24128	ISBN-92-835-0735-5	p 585	N94-36649	#	KSA-92-1	p 90	N94-18733	#
			ISBN-92-835-0738-X	p 482	N94-34431	#	KSA-92-2	p 90	N94-18577	#
INT-PATENT-CLASS-G01C2300	p 306	N94-26293	ISBN-92-835-0739-8	p 480	N94-33874	#				
INT-PATENT-CLASS-G01F-1/68	p 552	N94-35074 *	ISBN-92-835-0740-1	p 532	N94-34605	#	KU-FRL-831-7	p 91	N94-19448 *	#
INT-PATENT-CLASS-G01M-15/00	p 180	N94-10669 *	ISBN-92-835-0743-6	p 474	N94-33875	#				
INT-PATENT-CLASS-G01M-9/00	p 131	N94-15697	ISBN-951-22-1482-2	p 274	N94-23114	#	L-0793-127	p 295	N94-27161 *	#
INT-PATENT-CLASS-G01M-9/11	p 552	N94-35074 *	ISBN-951-38-4216-9	p 312	N94-25808	#	L-16423	p 378	N94-29545 *	#
INT-PATENT-CLASS-G01N-19/00	p 130	N94-10669 *					L-16781	p 458	N94-32865 *	#
INT-PATENT-CLASS-G01S-007/40	p 314	N94-27275	ISL-CO-215/92	p 248	N94-23161	#	L-16973	p 134	N94-15794 *	#
INT-PATENT-CLASS-G05G-11/00	p 413	N94-29726 *	ISL-CO-228/92	p 287	N94-24514	#	L-17106	p 493	N94-33121 *	#
INT-PATENT-CLASS-G08B-31/00	p 219	N94-21030	ISL-CO-229/92	p 248	N94-23149	#	L-17150	p 249	N94-23512 *	#
			ISL-CO-230/92	p 257	N94-23146	#	L-17157	p 253	N94-24464 *	#
ISBN 0-12-012752-0	p 2	A94-12611	ISL-N-604/92	p 291	N94-25461	#	L-17163	p 24	N94-10675 *	#
ISBN 0-12-012754-7	p 2	A94-12701					L-17171	p 253	N94-24311 *	#
ISBN 0-387-19747-8	p 98	A94-11675	ISL-R-104/92	p 351	N94-25463	#	L-17177	p 85	N94-15722 *	#
ISBN 0-387-97613-2	p 159	A94-12376 *	ISL-R-108/92	p 321	N94-25301	#	L-17185	p 42	N94-16574 *	#
ISBN 0-7918-0662-6	p 162	A94-12651 *	ISL-R-109/91	p 51	N94-19524	#	L-17186	p 258	N94-24304 *	#
ISBN 0-7918-0663-4	p 163	A94-12676					L-17191	p 39	N94-15681 *	#
ISBN 0-8176-3639-0	p 9	A94-10776	ISVR-TR-222	p 176	N94-13874	#	L-17197	p 42	N94-16573 *	#
ISBN 0-8176-3663-3	p 7	A94-10759	ISVR-TR-226	p 284	N94-22959	#	L-17198	p 295	N94-26706 *	#
ISBN 0-8176-3664-1	p 8	A94-10767	ISVR-TR-227	p 362	N94-28175	#	L-17205	p 340	N94-27660 *	#
ISBN 0-8243-0725-9	p 155	A94-10885					L-17215	p 294	N94-26602 *	#
ISBN 1-85678-050-2	p 123	A94-10401	ITN-94-85227	p 247	N94-24241	#	L-17228	p 253	N94-24586 *	#
ISBN 1-85768-060-X	p 156	A94-11368	ITOP-1-1-050	p 352	N94-25732	#	L-17229	p 41	N94-16572 *	#
ISBN 1-85768-070-7	p 1	A94-11355	IW-92052R	p 217	N94-22260	#	L-17235	p 217	N94-21569 *	#
ISBN-0-16-042982-X	p 211	N94-19377 #	JAERI-M-92-092	p 185	N94-18159	#	L-17248	p 294	N94-26547 *	#
ISBN-0-309-04881-8	p 371	N94-25065	JIAA-TR-110	p 29	N94-13266 *	#	L-17259	p 380	N94-29937 *	#
ISBN-0-309-04881-8	p 326	N94-26906	JIAA-TR-111	p 409	N94-28724 *	#	L-17260	p 529	N94-36048 *	#
ISBN-0-315-55958-6	p 56	N94-13543	JIAA-TR-112	p 378	N94-29760 *	#	L-17261	p 44	N94-17284 *	#
ISBN-0-315-56062-2	p 174	N94-13521	JPL-PUBL-93-009	p 272	N94-22735 *	#	L-17262	p 331	N94-27882 *	#
ISBN-0-315-57633-2	p 279	N94-24177					L-17263	p 526	N94-35246 *	#
ISBN-0-315-58963-9	p 252	N94-24178	JPRS-UAC-93-004	p 212	N94-19149	#	L-17269	p 295	N94-26693 *	#
ISBN-0-315-59037-8	p 228	N94-22418	JPRS-UAC-93-005	p 212	N94-19208	#	L-17271	p 465	N94-34172 *	#
ISBN-0-315-59445-4	p 228	N94-22419	JPRS-UAC-93-006	p 212	N94-19148	#	L-17273	p 582	N94-37014 *	#
ISBN-0-315-59470-5	p 256	N94-24176	JPRS-UAC-93-007	p 212	N94-19147	#	L-17283	p 509	N94-32930 *	#
ISBN-0-315-59525-6	p 218	N94-22382	JPRS-UAC-94-004	p 583	N94-37000	#	L-17300	p 513	N94-34393 *	#
ISBN-0-315-60791-2	p 30	N94-13369	JPRS-UEQ-93-005	p 605	N94-37538	#	L-17305	p 330	N94-27864 *	#
ISBN-0-315-61113-8	p 228	N94-22423	JPRS-UEQ-93-007	p 604	N94-37523	#	L-17308	p 473	N94-33536 *	#
ISBN-0-315-61722-5	p 132	N94-13544	JPRS-UEQ-93-008	p 605	N94-37524	#	L-17321	p 239	N94-22608 *	#
ISBN-0-315-72013-1	p 170	N94-11156					L-17324	p 326	N94-26608 *	#
ISBN-0-315-75827-9	p 457	N94-32491					L-17325	p 569	N94-36966 *	#
ISBN-0-315-83128-6	p 229	N94-22425					L-17331	p 285	N94-24207 *	#
ISBN-0-315-83148-0	p 223	N94-22427					L-17333	p 582	N94-37059 *	#
ISBN-0-315-83538-9	p 218	N94-22586					L-17364	p 568	N94-36950 *	#
ISBN-0-315-83580-X	p 238	N94-22577					L-17369-PT-2	p 546	N94-35902 *	#
ISBN-0-315-84107-9	p 354	N94-26671	JPRS-UMS-93-006	p 149	N94-14573	#	L-17395	p 568	N94-36942 *	#
ISBN-0-315-84121-4	p 294	N94-26672					L-1782	p 601	N94-37505 *	#
ISBN-0-315-84123-0	p 332	N94-26673	JPRS-UST-94-005	p 553	N94-35342	#	LA-UR-93-2437	p 149	N94-14436	#
ISBN-0-315-84134-6	p 340	N94-27648	JPRS-UST-94-006	p 553	N94-35226	#				
ISBN-0-315-84643-7	p 356	N94-27308	JPRS-UST-94-010	p 553	N94-35385	#	LA-12777-MS	p 606	N94-37629	#
ISBN-0-315-86079-0	p 382	N94-30144	JPRS-UST-94-012	p 553	N94-35387	#				
ISBN-0-315-86201-7	p 453	N94-31709					LC-93-83945	p 371	N94-25065	#
ISBN-0-315-86210-6	p 439	N94-31710	JTN-93-80424	p 79	N94-10728	#	LC-94-5874	p 455	N94-32793 *	#
ISBN-0-315-86543-1	p 447	N94-31707	JTN-93-80426	p 33	N94-14059	#				
ISBN-0-315-86705-1	p 439	N94-31747	JTN-93-80427	p 33	N94-14061	#	LG89ER0059-VOL-1	p 498	N94-32867 *	#
ISBN-0-315-87053-2	p 423	N94-31734	JTN-93-80432	p 131	N94-10733	#	LG89ER0059-VOL-2	p 498	N94-32869 *	#
ISBN-0-315-87218-7	p 437	N94-31837	JTN-93-80433	p 112	N94-10734	#				
ISBN-0-315-87318-3	p 453	N94-31732	JTN-93-80434	p 20	N94-10363	#	LM-AA-003	p 84	N94-13898	#
ISBN-0-8330-1842-4	p 471	N94-33329	JTN-93-80435	p 166	N94-10364	#				
ISBN-0-85679-859-2	p 298	N94-28057	JTN-93-80436	p 166	N94-10365	#	LR-681	p 177	N94-13929	#
ISBN-0-85679-865-7	p 298	N94-28063	JTN-93-80441	p 25	N94-10855	#	LR-691	p 56	N94-13534	#
ISBN-0-85679-867-3	p 299	N94-28076	JTN-93-80442	p 25	N94-10856	#	LR-693	p 83	N94-13687	#
ISBN-0-85679-872-X	p 300	N94-28140	JTN-93-80446	p 25	N94-10860	#	LR-694	p 177	N94-13931	#
ISBN-0-85679-873-8	p 299	N94-28091	JTN-93-80447	p 100	N94-10370	#	LR-697	p 177	N94-13986	#
ISBN-0-85679-874-6	p 328	N94-28092	JTN-93-80448	p 19	N94-10350	#	LR-698	p 200	N94-13987	#
ISBN-0-85679-876-2	p 328	N94-28094	JTN-93-80449	p 169	N94-10861	#	LR-701	p 175	N94-13726	#
ISBN-0-85679-877-0	p 362	N94-28095	JTN-93-80464	p 140	N94-13645	#	LR-704	p 3	N94-13904	#
ISBN-0-85679-879-7	p 362	N94-28096	JTN-93-80482	p 95	N94-13451	#	LR-706	p 92	N94-19796	#
ISBN-0-85679-885-1	p 300	N94-28144	JTN-93-80483	p 30	N94-13392	#	LR-707	p 121	N94-13906	#
ISBN-0-85679-887-8	p 297	N94-27955	JTN-93-80484	p 132	N94-13337	#	LR-708	p 176	N94-13803	#
ISBN-0-86039-547-2	p 393	N94-29887	JTN-93-80485	p 83	N94-13338	#	LR-711	p 355	N94-26961	#
ISBN-0-904947-38-6	p 181	N94-15645	JTN-93-80487	p 29	N94-13340	#	LR-713	p 136	N94-19372	#
ISBN-0-920203-01-9	p 301	N94-28315					LR-714	p 349	N94-27201	#

LR-715	p 326	N94-26969	#	NAL-TR-1172	p 25	N94-10860	#	NAS 1.15:106477	p 267	N94-24594	* #
LR-716	p 355	N94-26911	#	NAL-TR-1174T	p 100	N94-10370	#	NAS 1.15:106479	p 332	N94-26573	* #
LR-720	p 344	N94-26815	#	NAL-TR-1175	p 68	N94-13344	#	NAS 1.15:106481	p 271	N94-24301	* #
LR-723	p 51	N94-19667	#	NAL-TR-1179	p 30	N94-13345	#	NAS 1.15:106491	p 253	N94-24335	* #
LR-725	p 188	N94-19669	#	NAL-TR-1180T-PT-2	p 31	N94-13454	#	NAS 1.15:106492	p 291	N94-25182	* #
LR-728	p 433	N94-31674	#	NAL-TR-1183	p 68	N94-13457	#	NAS 1.15:106495	p 401	N94-28749	* #
LR-729	p 433	N94-31675	#	NAL-TR-1184	p 148	N94-13458	#	NAS 1.15:106496	p 455	N94-33064	* #
LR-772	p 123	N94-19615	#	NAL-TR-1186	p 83	N94-13459	#	NAS 1.15:106504	p 281	N94-24481	* #
				NAL-TR-1187T	p 333	N94-27608	#	NAS 1.15:106508	p 351	N94-25181	* #
LTR-LA-286	p 345	N94-27594	#	NAL-TR-1190	p 340	N94-27206	#	NAS 1.15:106512	p 369	N94-25172	* #
								NAS 1.15:106542	p 499	N94-32969	* #
LTR-ST-1909	p 177	N94-13945	#	NAMRL-1380	p 82	N94-11892	#	NAS 1.15:106545	p 543	N94-34919	* #
LTR-ST-1932	p 176	N94-13861	#					NAS 1.15:106550	p 446	N94-31229	* #
LTR-ST-1934	p 174	N94-13565	#					NAS 1.15:106551	p 459	N94-32984	* #
LTR-ST-1947	p 353	N94-26644	#					NAS 1.15:106563	p 401	N94-30204	* #
				NAS 1.15:102265	p 115	N94-12820	* #	NAS 1.15:106565	p 604	N94-37522	* #
M-662	p 269	N94-24739	#	NAS 1.15:103740	p 36	N94-14780	* #	NAS 1.15:106577	p 491	N94-33604	* #
M-667	p 326	N94-26954	#	NAS 1.15:103923	p 131	N94-13008	* #	NAS 1.15:106582	p 502	N94-33960	* #
M-744	p 464	N94-33898	* #	NAS 1.15:103970	p 522	N94-35394	* #	NAS 1.15:106583	p 568	N94-36686	* #
				NAS 1.15:103982	p 292	N94-26143	* #	NAS 1.15:106586	p 481	N94-33974	* #
MA-RD-840-93000-VOL-1	p 257	N94-24474	#	NAS 1.15:103985	p 425	N94-32063	* #	NAS 1.15:106588	p 556	N94-35945	* #
				NAS 1.15:103988	p 324	N94-26151	* #	NAS 1.15:106594	p 480	N94-33706	* #
MBB-LME-202-S-PUB-502-A	p 91	N94-19496	#	NAS 1.15:103997	p 561	N94-35370	* #	NAS 1.15:106613	p 500	N94-33609	* #
MBB-LME-211-S-PUB-507	p 36	N94-14710	#	NAS 1.15:104000	p 2	N94-10936	* #	NAS 1.15:106616	p 539	N94-35352	* #
MBB-LME-211-S-PUB-511-A	p 91	N94-19500	#	NAS 1.15:104006	p 523	N94-34948	* #	NAS 1.15:106620	p 464	N94-33705	* #
MBB-LME-251-S-PUB-0492	p 200	N94-14006	#	NAS 1.15:104008	p 113	N94-11259	* #	NAS 1.15:106633	p 569	N94-37283	* #
				NAS 1.15:104013	p 324	N94-26091	* #	NAS 1.15:106636	p 481	N94-33971	* #
MCAT-93-09	p 40	N94-16510	* #	NAS 1.15:104016	p 122	N94-15793	* #	NAS 1.15:106647	p 502	N94-33954	* #
MCAT-93-10	p 80	N94-11150	* #	NAS 1.15:104019	p 380	N94-30151	* #	NAS 1.15:106652	p 481	N94-33955	* #
MCAT-93-12	p 26	N94-11195	* #	NAS 1.15:104021	p 540	N94-34994	* #	NAS 1.15:106653	p 579	N94-37448	* #
MCAT-93-13	p 200	N94-13204	* #	NAS 1.15:104027	p 5	N94-20035	* #	NAS 1.15:106658	p 501	N94-33941	* #
MCAT-93-14	p 33	N94-14030	* #	NAS 1.15:104092-REV-1	p 243	N94-22100	* #	NAS 1.15:106658	p 491	N94-32870	* #
MCAT-93-15	p 114	N94-12799	* #	NAS 1.15:104139	p 458	N94-32873	* #	NAS 1.15:107582	p 199	N94-12886	* #
MCAT-93-16	p 31	N94-13422	* #	NAS 1.15:104264	p 80	N94-11233	* #	NAS 1.15:107684	p 28	N94-12421	* #
MCAT-93-17	p 206	N94-13291	* #	NAS 1.15:104269	p 576	N94-36644	* #	NAS 1.15:107752	p 183	N94-17479	* #
MCAT-93-18	p 121	N94-14322	* #	NAS 1.15:104272	p 564	N94-36648	* #	NAS 1.15:107754	p 198	N94-10814	* #
MCAT-93-19	p 133	N94-15117	* #	NAS 1.15:104273	p 281	N94-24495	* #	NAS 1.15:107964	p 551	N94-34721	* #
MCAT-94-002	p 414	N94-29942	* #	NAS 1.15:105271	p 264	N94-23545	* #	NAS 1.15:108237	p 452	N94-31337	* #
MCAT-94-03	p 466	N94-34277	* #	NAS 1.15:105265	p 498	N94-32883	* #	NAS 1.15:108238	p 452	N94-31336	* #
MCAT-94-12	p 594	N94-36808	* #	NAS 1.15:105808	p 207	N94-15115	* #	NAS 1.15:108378	p 212	N94-14791	* #
				NAS 1.15:105871	p 342	N94-25184	* #	NAS 1.15:108758	p 317	N94-24953	* #
MEMO-1125	p 272	N94-22713	#	NAS 1.15:105964	p 170	N94-11132	* #	NAS 1.15:108786	p 249	N94-23557	* #
				NAS 1.15:105974	p 220	N94-21590	* #	NAS 1.15:108788	p 57	N94-15550	* #
MEMS-94-101	p 527	N94-35950	#	NAS 1.15:106035	p 287	N94-23562	* #	NAS 1.15:108790	p 306	N94-25272	* #
				NAS 1.15:106068	p 37	N94-14847	* #	NAS 1.15:108801	p 290	N94-26596	* #
MISC-2514	p 264	N94-23519	#	NAS 1.15:106188	p 148	N94-13138	* #	NAS 1.15:108805	p 294	N94-26538	* #
MISC-2665	p 264	N94-23570	#	NAS 1.15:106231	p 3	N94-13108	* #	NAS 1.15:108806	p 564	N94-37332	* #
MIT-ATC-215	p 556	N94-35596	#	NAS 1.15:106232	p 138	N94-10765	* #	NAS 1.15:108808	p 456	N94-33942	* #
				NAS 1.15:106239	p 198	N94-10724	* #	NAS 1.15:108814	p 467	N94-32927	* #
MME-TF-93-1	p 377	N94-29306	#	NAS 1.15:106247	p 134	N94-15819	* #	NAS 1.15:108816	p 561	N94-36117	* #
				NAS 1.15:106261	p 331	N94-25185	* #	NAS 1.15:108817	p 488	N94-33998	* #
MML-TR-93-09	p 225	N94-21268	#	NAS 1.15:106265	p 112	N94-11251	* #	NAS 1.15:108818	p 465	N94-33997	* #
				NAS 1.15:106270	p 102	N94-13143	* #	NAS 1.15:108822	p 576	N94-36380	* #
				NAS 1.15:106278	p 170	N94-11256	* #	NAS 1.15:108986	p 183	N94-17476	* #
MRL-TR-92-2	p 146	N94-11107	#	NAS 1.15:106279	p 100	N94-11255	* #	NAS 1.15:108989	p 602	N94-37636	* #
MRL-TR-93-35	p 326	N94-26864	#	NAS 1.15:106294	p 179	N94-14727	* #	NAS 1.15:108994	p 172	N94-12571	* #
MRL-TR-93-64	p 434	N94-32378	#	NAS 1.15:106310	p 264	N94-23466	* #	NAS 1.15:109007	p 87	N94-17055	* #
				NAS 1.15:106312	p 268	N94-23091	* #	NAS 1.15:109008	p 207	N94-14481	* #
MTI-93TR26	p 169	N94-10706	#	NAS 1.15:106318	p 101	N94-13142	* #	NAS 1.15:109009	p 82	N94-12850	* #
				NAS 1.15:106329	p 102	N94-14036	* #	NAS 1.15:109010	p 82	N94-11587	* #
MTR-M-93B0000096-VOL-1	p 70	N94-18384	#	NAS 1.15:106333	p 184	N94-17583	* #	NAS 1.15:109012	p 192	N94-17283	* #
MTR-M-93B0000096-VOL-2	p 185	N94-18495	#	NAS 1.15:106335	p 357	N94-27599	* #	NAS 1.15:109016	p 29	N94-13172	* #
				NAS 1.15:106357	p 188	N94-20171	* #	NAS 1.15:109026	p 403	N94-28823	* #
MTR-92B0000027V1	p 181	N94-15649	#	NAS 1.15:106358	p 58	N94-16520	* #	NAS 1.15:109027	p 44	N94-17639	* #
MTR-93W0000059	p 69	N94-16906	#	NAS 1.15:106364	p 351	N94-25188	* #	NAS 1.15:109031	p 123	N94-19316	* #
				NAS 1.15:106367	p 34	N94-14208	* #	NAS 1.15:109036	p 253	N94-24576	* #
NAL-SP-19	p 375	N94-28946	#	NAS 1.15:106368	p 104	N94-15866	* #	NAS 1.15:109040-VOL-1	p 293	N94-26489	* #
NAL-SP-20	p 22	N94-10466	#	NAS 1.15:106371	p 234	N94-21757	* #	NAS 1.15:109040-VOL-2	p 293	N94-26492	* #
NAL-SP-9315	p 178	N94-14598	#	NAS 1.15:106376	p 41	N94-16571	* #	NAS 1.15:109040-VOL-3	p 293	N94-26497	* #
				NAS 1.15:106377	p 455	N94-33046	* #	NAS 1.15:109040-VOL-4	p 293	N94-26483	* #
NAL-TM-647	p 19	N94-10350	#	NAS 1.15:106382	p 421	N94-30949	* #	NAS 1.15:109045	p 377	N94-29443	* #
NAL-TM-648T	p 169	N94-10861	#	NAS 1.15:106387	p 183	N94-17481	* #	NAS 1.15:109046	p 374	N94-28658	* #
NAL-TM-649	p 68	N94-13346	#	NAS 1.15:106391	p 105	N94-19353	* #	NAS 1.15:109056	p 354	N94-26707	* #
NAL-TM-651	p 344	N94-27247	#	NAS 1.15:106399	p 250	N94-24084	* #	NAS 1.15:109062	p 381	N94-30176	* #
NAL-TM-653	p 295	N94-27235	#	NAS 1.15:106403	p 216	N94-20534	* #	NAS 1.15:109070	p 350	N94-24839	* #
				NAS 1.15:106407	p 51	N94-19484	* #	NAS 1.15:109071	p 315	N94-27423	* #
NAL-TR-1138	p 79	N94-10728	#	NAS 1.15:106409	p 216	N94-20563	* #	NAS 1.15:109072	p 344	N94-27425	* #
NAL-TR-1140T	p 33	N94-14059	#	NAS 1.15:106410	p 187	N94-19351	* #	NAS 1.15:109073	p 499	N94-33118	* #
NAL-TR-1141T	p 33	N94-14061	#	NAS 1.15:106411	p 218	N94-22274	* #	NAS 1.15:109078	p 292	N94-26154	* #
NAL-TR-1144	p 95	N94-13451	#	NAS 1.15:106418	p 596	N94-37457	* #	NAS 1.15:109079	p 605	N94-37541	* #
NAL-TR-1150	p 30	N94-13392	#	NAS 1.15:106421	p 217	N94-21591	* #	NAS 1.15:109080	p 339	N94-26593	* #
NAL-TR-1151	p 131	N94-10733	#	NAS 1.15:106431	p 226	N94-21759	* #	NAS 1.15:109084	p 474	N94-33900	* #
NAL-TR-1152	p 112	N94-10734	#	NAS 1.15:106434	p 52	N94-20136	* #	NAS 1.15:109089	p 372	N94-26155	* #
NAL-TR-1153	p 20	N94-10363	#	NAS 1.15:106435	p 234	N94-21756	* #	NAS 1.15:109090	p 417	N94-29464	* #
NAL-TR-1156	p 25	N94-10855	#	NAS 1.15:106438	p 265	N94-24082	* #	NAS 1.15:109105	p 402	N94-30200	* #
NAL-TR-1157	p 25	N94-10856	#	NAS 1.15:106440	p 226	N94-21758	* #	NAS 1.15:109106	p 417	N94-29856	* #
NAL-TR-1158	p 166	N94-10364	#	NAS 1.15:106448	p 226	N94-21586	* #	NAS 1.15:109109	p 499	N94-33020	* #
NAL-TR-1161	p 132	N94-13337	#	NAS 1.15:106450	p 227	N94-21742	* #	NAS 1.15:109110	p 378	N94-29473	* #
NAL-TR-1162	p 166	N94-10365	#	NAS 1.15:106457	p 225	N94-21563	* #	NAS 1.15:109111	p 466	N94-34204	* #
NAL-TR-1163	p 83	N94-13338	#	NAS 1.15:106459	p 249	N94-23592	* #	NAS 1.15:109112	p 458	N94-32950	* #
NAL-TR-1164	p 120	N94-13347	#	NAS 1.15:106461	p 254	N94-23523	* #	NAS 1.15:109113	p 513	N94-33610	* #
NAL-TR-1167	p 29	N94-13340	#	NAS 1.15:106463	p 249	N94-23522	* #	NAS 1.15:109120	p 487	N94-32951	* #
NAL-TR-1168-PT-3	p 28	N94-12948	#	NAS 1.15:106465	p 255	N94-24047	* #	NAS 1.15:109124	p 551	N94-34722	* #
NAL-TR-1169	p 30	N94-13341	#	NAS 1.15:106468	p 247	N94-24100	*				

REPORT NUMBER INDEX

NAS 1.26:195491

NAS 1.15:109201	p 492	N94-33423 *	NAS 1.26:185697	p 139	N94-12965 *	NAS 1.26:194332	p 96	N94-15187 *
NAS 1.15:109250	p 545	N94-35591 *	NAS 1.26:186024	p 190	N94-10725 *	NAS 1.26:194359	p 131	N94-12824 *
NAS 1.15:109335	p 4	N94-15798 *	NAS 1.26:186026	p 84	N94-14106 *	NAS 1.26:194398	p 176	N94-13815 *
NAS 1.15:109380	p 50	N94-19119 *	NAS 1.26:186028	p 333	N94-27432 *	NAS 1.26:194407	p 51	N94-19433 *
NAS 1.15:109400	p 287	N94-23135 *	NAS 1.26:187096	p 477	N94-32859 *	NAS 1.26:194409	p 83	N94-13618 *
NAS 1.15:109681	p 250	N94-23975 *	NAS 1.26:187105	p 399	N94-29438 *	NAS 1.26:194420	p 29	N94-13266 *
NAS 1.15:109685	p 344	N94-26684 *	NAS 1.26:187158	p 359	N94-27984 *	NAS 1.26:194436	p 267	N94-23590 *
NAS 1.15:109691	p 372	N94-27431 *	NAS 1.26:188272	p 351	N94-25193 *	NAS 1.26:194437	p 343	N94-26141 *
NAS 1.15:109694	p 371	N94-27772 *	NAS 1.26:188273	p 402	N94-29052 *	NAS 1.26:194438	p 248	N94-23511 *
NAS 1.15:109739	p 474	N94-34118 *	NAS 1.26:189103	p 44	N94-17558 *	NAS 1.26:194445	p 264	N94-23552 *
NAS 1.15:109740	p 459	N94-33071 *	NAS 1.26:189106-VOL-1	p 482	N94-34231 *	NAS 1.26:194446	p 538	N94-34679 *
NAS 1.15:109768	p 487	N94-33378 *	NAS 1.26:189106-VOL-2	p 482	N94-34233 *	NAS 1.26:194449	p 247	N94-23553 *
NAS 1.15:109791	p 560	N94-35899 *	NAS 1.26:189192-VOL-1	p 225	N94-21582 *	NAS 1.26:194450	p 271	N94-24565 *
NAS 1.15:109840	p 545	N94-35390 *	NAS 1.26:189192-VOL-2	p 225	N94-21583 *	NAS 1.26:194455	p 331	N94-25200 *
NAS 1.15:109851	p 491	N94-34071 *	NAS 1.26:189203	p 101	N94-12270 *	NAS 1.26:194460	p 395	N94-29103 *
NAS 1.15:109854	p 541	N94-34632 *	NAS 1.26:189204	p 101	N94-12271 *	NAS 1.26:194461	p 357	N94-27776 *
NAS 1.15:109855	p 542	N94-34633 *	NAS 1.26:189205	p 101	N94-12272 *	NAS 1.26:194462	p 409	N94-28815 *
NAS 1.15:109856	p 542	N94-34634 *	NAS 1.26:189293	p 416	N94-29727 *	NAS 1.26:194465	p 411	N94-29104 *
NAS 1.15:109857	p 542	N94-34635 *	NAS 1.26:189303	p 206	N94-13719 *	NAS 1.26:194466	p 292	N94-26131 *
NAS 1.15:109858	p 542	N94-34636 *	NAS 1.26:189344	p 558	N94-35256 *	NAS 1.26:194472	p 499	N94-32929 *
NAS 1.15:109859	p 542	N94-34637 *	NAS 1.26:189345	p 557	N94-34921 *	NAS 1.26:194479	p 50	N94-19388 *
NAS 1.15:109863	p 560	N94-34730 *	NAS 1.26:189362	p 596	N94-36919 *	NAS 1.26:194516	p 272	N94-22735 *
NAS 1.15:14360	p 221	N94-21606 *	NAS 1.26:189558	p 493	N94-32877 *	NAS 1.26:194520	p 51	N94-19621 *
NAS 1.15:14387	p 458	N94-32880 *	NAS 1.26:189560	p 132	N94-13127 *	NAS 1.26:194522	p 35	N94-14541 *
NAS 1.15:14446	p 215	N94-21490 *	NAS 1.26:189581	p 493	N94-32868 *	NAS 1.26:194535	p 379	N94-29893 *
NAS 1.15:14450	p 24	N94-10675 *	NAS 1.26:189593	p 492	N94-32860 *	NAS 1.26:194548	p 133	N94-15117 *
NAS 1.15:14457	p 85	N94-15722 *	NAS 1.26:189645	p 284	N94-23698 *	NAS 1.26:194592	p 567	N94-36394 *
NAS 1.15:14481	p 104	N94-17386 *	NAS 1.26:191047	p 538	N94-34993 *	NAS 1.26:194594	p 180	N94-15551 *
NAS 1.15:14485	p 180	N94-15445 *	NAS 1.26:191066	p 350	N94-27854 *	NAS 1.26:194599	p 39	N94-15678 *
NAS 1.15:14486	p 105	N94-17470 *	NAS 1.26:191135	p 229	N94-21874 *	NAS 1.26:194608	p 91	N94-19448 *
NAS 1.15:14488	p 39	N94-15681 *	NAS 1.26:191162	p 234	N94-21607 *	NAS 1.26:194618	p 86	N94-16498 *
NAS 1.15:14493	p 115	N94-13255 *	NAS 1.26:191164	p 26	N94-11203 *	NAS 1.26:194624	p 182	N94-16491 *
NAS 1.15:14494	p 100	N94-11205 *	NAS 1.26:191183	p 178	N94-14445 *	NAS 1.26:194628	p 52	N94-20014 *
NAS 1.15:14499	p 25	N94-10820 *	NAS 1.26:191185	p 291	N94-25173 *	NAS 1.26:194662	p 183	N94-17215 *
NAS 1.15:15000	p 24	N94-10707 *	NAS 1.26:191189	p 103	N94-14448 *	NAS 1.26:194675	p 43	N94-17260 *
NAS 1.15:15003	p 115	N94-13254 *	NAS 1.26:191192	p 104	N94-15192 *	NAS 1.26:194722	p 216	N94-21054 *
NAS 1.15:15004	p 96	N94-13791 *	NAS 1.26:191193	p 401	N94-28510 *	NAS 1.26:194732	p 217	N94-21833 *
NAS 1.15:15005	p 95	N94-13256 *	NAS 1.26:191195	p 577	N94-37401 *	NAS 1.26:194742	p 188	N94-19493 *
NAS 1.15:15006	p 294	N94-26547 *	NAS 1.26:191465	p 283	N94-23252 *	NAS 1.26:194750	p 220	N94-21818 *
NAS 1.15:15012	p 86	N94-15783 *	NAS 1.26:191466	p 243	N94-22414 *	NAS 1.26:194761	p 244	N94-20523 *
NAS 1.15:15014	p 295	N94-26706 *	NAS 1.26:191481	p 199	N94-11198 *	NAS 1.26:194767	p 244	N94-21821 *
NAS 1.15:15015	p 44	N94-17284 *	NAS 1.26:191483-VOL-1	p 285	N94-24172 *	NAS 1.26:194772	p 268	N94-23539 *
NAS 1.15:15016	p 294	N94-26602 *	NAS 1.26:191483-VOL-2	p 285	N94-24173 *	NAS 1.26:194780	p 350	N94-24858 *
NAS 1.15:15021	p 340	N94-27660 *	NAS 1.26:191484	p 207	N94-17278 *	NAS 1.26:194786	p 227	N94-20524 *
NAS 1.15:15024	p 140	N94-15753 *	NAS 1.26:191490	p 280	N94-24360 *	NAS 1.26:194793	p 251	N94-24103 *
NAS 1.15:15026	p 252	N94-24295 *	NAS 1.26:191495	p 191	N94-12572 *	NAS 1.26:194795	p 281	N94-24640 *
NAS 1.15:15028	p 295	N94-26693 *	NAS 1.26:191499	p 148	N94-13267 *	NAS 1.26:194809	p 283	N94-23332 *
NAS 1.15:15029	p 253	N94-24586 *	NAS 1.26:191500	p 200	N94-13717 *	NAS 1.26:194837	p 250	N94-24052 *
NAS 1.15:15031	p 103	N94-14855 *	NAS 1.26:191508	p 254	N94-23288 *	NAS 1.26:194838	p 335	N94-24804 *
NAS 1.15:15032	p 265	N94-24106 *	NAS 1.26:191546	p 207	N94-15487 *	NAS 1.26:194857	p 250	N94-23625 *
NAS 1.15:15038	p 104	N94-15141 *	NAS 1.26:191547	p 280	N94-24356 *	NAS 1.26:194863	p 247	N94-22894 *
NAS 1.15:15040	p 325	N94-26604 *	NAS 1.26:191549-VOL-1	p 222	N94-22277 *	NAS 1.26:194889	p 508	N94-33286 *
NAS 1.15:15041	p 380	N94-29937 *	NAS 1.26:191549-VOL-2	p 223	N94-22278 *	NAS 1.26:194895	p 468	N94-33956 *
NAS 1.15:15044	p 347	N94-27868 *	NAS 1.26:191553	p 275	N94-23498 *	NAS 1.26:194904	p 558	N94-35240 *
NAS 1.15:15047	p 330	N94-27864 *	NAS 1.26:191559	p 221	N94-21629 *	NAS 1.26:194905	p 509	N94-33023 *
NAS 1.15:15048	p 582	N94-37059 *	NAS 1.26:191562	p 244	N94-21741 *	NAS 1.26:194908	p 528	N94-35994 *
NAS 1.15:15051	p 226	N94-21879 *	NAS 1.26:191572	p 275	N94-23513 *	NAS 1.26:194924	p 598	N94-36962 *
NAS 1.15:15054	p 287	N94-24337 *	NAS 1.26:191573	p 275	N94-23532 *	NAS 1.26:194950	p 513	N94-34303 *
NAS 1.15:15063	p 226	N94-35246 *	NAS 1.26:191576	p 367	N94-25090 *	NAS 1.26:194963	p 603	N94-37658 *
NAS 1.15:15066	p 569	N94-36966 *	NAS 1.26:191602	p 325	N94-26606 *	NAS 1.26:195090	p 287	N94-24307 *
NAS 1.15:15073	p 568	N94-36950 *	NAS 1.26:191607	p 343	N94-26603 *	NAS 1.26:195106	p 282	N94-24751 *
NAS 1.15:15090	p 540	N94-35258 *	NAS 1.26:193168	p 40	N94-16510 *	NAS 1.26:195111	p 282	N94-24699 *
NAS 1.15:15091	p 535	N94-35241 *	NAS 1.26:193185	p 184	N94-17763 *	NAS 1.26:195118	p 371	N94-25665 *
NAS 1.15:15095	p 568	N94-36944 *	NAS 1.26:193219	p 80	N94-11150 *	NAS 1.26:195170	p 357	N94-27802 *
NAS 1.15:15098	p 466	N94-34384 *	NAS 1.26:193240	p 112	N94-10895 *	NAS 1.26:195183	p 321	N94-25268 *
NAS 1.15:15099	p 465	N94-33995 *	NAS 1.26:193272	p 457	N94-32476 *	NAS 1.26:195184	p 369	N94-25177 *
NAS 1.15:15070	p 568	N94-36942 *	NAS 1.26:193306	p 29	N94-13180 *	NAS 1.26:195195	p 337	N94-25176 *
NAS 1.15:15072	p 569	N94-37378 *	NAS 1.26:193390	p 35	N94-14326 *	NAS 1.26:195220	p 350	N94-27352 *
NAS 1.18:7900.3(V1)	p 210	N94-16730 *	NAS 1.26:193409	p 170	N94-11084 *	NAS 1.26:195221	p 349	N94-26205 *
NAS 1.18:7900.3	p 210	N94-16729 *	NAS 1.26:193480	p 79	N94-10344 *	NAS 1.26:195223	p 332	N94-26588 *
NAS 1.21:4012-VOL-4	p 514	N94-33949 *	NAS 1.26:193569	p 66	N94-11525 *	NAS 1.26:195228	p 324	N94-26235 *
NAS 1.21:4216	p 455	N94-32793 *	NAS 1.26:193612	p 205	N94-11176 *	NAS 1.26:195245	p 354	N94-26691 *
NAS 1.21:7104	p 288	N94-24585 *	NAS 1.26:193613	p 148	N94-13089 *	NAS 1.26:195250	p 339	N94-26821 *
NAS 1.21:7107	p 209	N94-13401 *	NAS 1.26:193614	p 170	N94-10937 *	NAS 1.26:195275	p 357	N94-27851 *
NAS 1.26:167690	p 139	N94-12810 *	NAS 1.26:193616	p 31	N94-13463 *	NAS 1.26:195285	p 333	N94-27654 *
NAS 1.26:177615	p 224	N94-21592 *	NAS 1.26:193623	p 204	N94-10752 *	NAS 1.26:195287	p 357	N94-27657 *
NAS 1.26:177616	p 85	N94-15718 *	NAS 1.26:193626	p 26	N94-11195 *	NAS 1.26:195291	p 340	N94-27414 *
NAS 1.26:177617	p 55	N94-13247 *	NAS 1.26:193646	p 67	N94-13238 *	NAS 1.26:195292	p 363	N94-28181 *
NAS 1.26:177618	p 67	N94-12355 *	NAS 1.26:193659	p 114	N94-12799 *	NAS 1.26:195297	p 459	N94-33119 *
NAS 1.26:177619	p 257	N94-23489 *	NAS 1.26:193673	p 29	N94-13292 *	NAS 1.26:195300	p 466	N94-34391 *
NAS 1.26:177621	p 57	N94-14744 *	NAS 1.26:193720	p 200	N94-13204 *	NAS 1.26:195301	p 456	N94-32475 *
NAS 1.26:177626-VOL-1	p 38	N94-15655 *	NAS 1.26:193830	p 138	N94-12806 *	NAS 1.26:195302	p 458	N94-32926 *
NAS 1.26:177626-VOL-2	p 38	N94-15677 *	NAS 1.26:193963	p 498	N94-34388 *	NAS 1.26:195304	p 436	N94-32075 *
NAS 1.26:177626-VOL-4	p 39	N94-15720 *	NAS 1.26:194036	p 140	N94-16905 *	NAS 1.26:195305	p 502	N94-34148 *
NAS 1.26:177626	p 40	N94-15780 *	NAS 1.26:194037	p 68	N94-13957 *	NAS 1.26:195323	p 543	N94-35267 *
NAS 1.26:177629	p 316	N94-24796 *	NAS 1.26:194074	p 120	N94-13469 *	NAS 1.26:195327	p 380	N94-30124 *
NAS 1.26:177630	p 43	N94-17081 *	NAS 1.26:194106	p 121	N94-15416 *	NAS 1.26:195330	p 381	N94-30152 *
NAS 1.26:177636	p 468	N94-33063 *	NAS 1.26:194125	p 31	N94-13422 *	NAS 1.26:195343	p 552	N94-35224 *
NAS 1.26:177639	p 528	N94-34915 *	NAS 1.26:194126	p 206	N94-13291 *	NAS 1.26:195366	p 209	N94-12931 *
NAS 1.26:177642	p 468	N94-33943 *	NAS 1.26:194174	p 28	N94-13076 *	NAS 1.26:195484	p 319	N94-25021 *
NAS 1.26:179548	p 356	N94-27228 *	NAS 1.26:194194	p 173	N94-12803 *	NAS 1.26:195485	p 262	N94-24498 *
NAS 1.26:180883	p 166	N94-10400 *	NAS 1.26:194252	p 56	N94-13424 *	NAS 1.26:195486	p 318	N94-24969 *
NAS 1.26:182296-VOL-1	p 498	N94-32867 *	NAS 1.26:194259	p 33	N94-14030 *	NAS 1.26:195487	p 318	N94-24974 *
NAS 1.26:182296-VOL-2	p 498	N94-32869 *	NAS 1.26:194260	p 121	N94-14322 *	NAS 1.26:195488	p 336	N94-24957 *
NAS 1.26:185207	p 498	N94-32872 *	NAS 1.26:194266	p 392	N94-29685 *	NAS 1.26:195489	p 318	N94-24975 *
NAS 1.26:185696	p 139	N94-13191 *	NAS 1.26:194296	p 32	N94-13607 *	NAS 1.26:195491	p 317	N94-24966 *

NAS 1.26:195492	p 316	N94-24803 *	#	NAS 1.55:10124	p 229	N94-21790 *	#	NASA-CP-3265	p 545	N94-35605 *	#
NAS 1.26:195494	p 318	N94-24972 *	#	NAS 1.55:10127	p 289	N94-25096 *	#	NASA-CR-167690	p 139	N94-12810 *	#
NAS 1.26:195496	p 261	N94-24332 *	#	NAS 1.55:10132	p 300	N94-28188 *	#	NASA-CR-177615	p 224	N94-21592 *	#
NAS 1.26:195498	p 262	N94-24479 *	#	NAS 1.55:10134	p 561	N94-35961 *	#	NASA-CR-177616	p 85	N94-15718 *	#
NAS 1.26:195499	p 261	N94-24401 *	#	NAS 1.55:10138	p 327	N94-27439 *	#	NASA-CR-177617	p 55	N94-13247 *	#
NAS 1.26:195500	p 317	N94-24915 *	#	NAS 1.55:3144	p 552	N94-34966 *	#	NASA-CR-177618	p 67	N94-12355 *	#
NAS 1.26:195501	p 316	N94-24787 *	#	NAS 1.55:3154	p 493	N94-33121 *	#	NASA-CR-177619	p 257	N94-23489 *	#
NAS 1.26:195511	p 318	N94-24968 *	#	NAS 1.55:3220	p 115	N94-13294 *	#	NASA-CR-177621	p 57	N94-14744 *	#
NAS 1.26:195515	p 262	N94-24589 *	#	NAS 1.55:3230	p 239	N94-22608 *	#	NASA-CR-177626-VOL-1	p 38	N94-15655 *	#
NAS 1.26:195519	p 263	N94-24711 *	#	NAS 1.55:3231	p 285	N94-24207 *	#	NASA-CR-177626-VOL-2	p 38	N94-15677 *	#
NAS 1.26:195522	p 262	N94-24591 *	#	NAS 1.55:3246	p 290	N94-27284 *	#	NASA-CR-177626-VOL-4	p 39	N94-15720 *	#
NAS 1.26:195523	p 261	N94-24462 *	#	NAS 1.55:3247-PT-2	p 546	N94-35902 *	#	NASA-CR-177626	p 40	N94-15780 *	#
NAS 1.26:195524	p 319	N94-25017 *	#	NAS 1.55:3265	p 545	N94-35605 *	#	NASA-CR-177629	p 316	N94-24796 *	#
NAS 1.26:195525	p 317	N94-24837 *	#	NAS 1.60:3129	p 458	N94-32865 *	#	NASA-CR-177630	p 43	N94-17081 *	#
NAS 1.26:195528	p 319	N94-25002 *	#	NAS 1.60:3281	p 407	N94-29356 *	#	NASA-CR-177636	p 468	N94-33063 *	#
NAS 1.26:195534	p 346	N94-24860 *	#	NAS 1.60:3330	p 80	N94-10935 *	#	NASA-CR-177639	p 528	N94-34915 *	#
NAS 1.26:195535	p 317	N94-24817 *	#	NAS 1.60:3334	p 134	N94-15794 *	#	NASA-CR-177642	p 468	N94-33943 *	#
NAS 1.26:195537	p 319	N94-25001 *	#	NAS 1.60:3356	p 112	N94-11134 *	#	NASA-CR-179548	p 356	N94-27228 *	#
NAS 1.26:195542	p 319	N94-25004 *	#	NAS 1.60:3357	p 38	N94-15657 *	#	NASA-CR-180883	p 166	N94-10400 *	#
NAS 1.26:195543	p 268	N94-24551 *	#	NAS 1.60:3358	p 253	N94-24464 *	#	NASA-CR-182296-VOL-1	p 498	N94-32867 *	#
NAS 1.26:195548	p 262	N94-24492 *	#	NAS 1.60:3359	p 42	N94-16574 *	#	NASA-CR-182296-VOL-2	p 498	N94-32869 *	#
NAS 1.26:195550	p 331	N94-25085 *	#	NAS 1.60:3360	p 42	N94-16573 *	#	NASA-CR-185207	p 498	N94-32872 *	#
NAS 1.26:195685	p 364	N94-25271 *	#	NAS 1.60:3365	p 253	N94-24311 *	#	NASA-CR-185696	p 139	N94-13191 *	#
NAS 1.26:195686	p 371	N94-25541 *	#	NAS 1.60:3369	p 41	N94-16572 *	#	NASA-CR-185697	p 139	N94-12965 *	#
NAS 1.26:195697	p 315	N94-27768 *	#	NAS 1.60:3370	p 258	N94-24304 *	#	NASA-CR-186024	p 190	N94-10725 *	#
NAS 1.26:195699	p 409	N94-28724 *	#	NAS 1.60:3374-VIDEO-SUPPL	p 295	N94-27161 *	#	NASA-CR-186026	p 84	N94-14106 *	#
NAS 1.26:195703	p 347	N94-27789 *	#	NAS 1.60:3374	p 249	N94-23512 *	#	NASA-CR-186028	p 333	N94-27432 *	#
NAS 1.26:195705	p 299	N94-28072 *	#	NAS 1.60:3383	p 26	N94-11133 *	#	NASA-CR-187096	p 477	N94-32859 *	#
NAS 1.26:195706	p 299	N94-28071 *	#	NAS 1.60:3385	p 217	N94-21569 *	#	NASA-CR-187105	p 399	N94-29438 *	#
NAS 1.26:195737	p 390	N94-28817 *	#	NAS 1.60:3392	p 378	N94-29545 *	#	NASA-CR-187158	p 359	N94-27984 *	#
NAS 1.26:195763	p 399	N94-29860 *	#	NAS 1.60:3393	p 131	N94-11869 *	#	NASA-CR-188272	p 351	N94-25193 *	#
NAS 1.26:195765	p 437	N94-31203 *	#	NAS 1.60:3395	p 331	N94-27882 *	#	NASA-CR-188273	p 402	N94-29052 *	#
NAS 1.26:195774	p 414	N94-29942 *	#	NAS 1.60:3397	p 176	N94-13790 *	#	NASA-CR-189103	p 44	N94-17558 *	#
NAS 1.26:195786	p 399	N94-30013 *	#	NAS 1.60:3399	p 529	N94-36048 *	#	NASA-CR-189106-VOL-1	p 482	N94-34231 *	#
NAS 1.26:195790	p 379	N94-29920 *	#	NAS 1.60:3406	p 363	N94-28227 *	#	NASA-CR-189106-VOL-2	p 482	N94-34233 *	#
NAS 1.26:195803	p 378	N94-29760 *	#	NAS 1.60:3407	p 291	N94-25187 *	#	NASA-CR-189192-VOL-1	p 225	N94-21582 *	#
NAS 1.26:195822	p 464	N94-33991 *	#	NAS 1.60:3411	p 465	N94-34172 *	#	NASA-CR-189192-VOL-2	p 225	N94-21583 *	#
NAS 1.26:195824	p 466	N94-34207 *	#	NAS 1.60:3419	p 582	N94-37014 *	#	NASA-CR-189203	p 101	N94-12270 *	#
NAS 1.26:195829	p 568	N94-36687 *	#	NAS 1.60:3425	p 509	N94-32930 *	#	NASA-CR-189204	p 101	N94-12271 *	#
NAS 1.26:195832	p 492	N94-34063 *	#	NAS 1.60:3426	p 473	N94-33536 *	#	NASA-CR-189205	p 101	N94-12272 *	#
NAS 1.26:195841	p 477	N94-33035 *	#	NAS 1.60:3427	p 601	N94-37505 *	#	NASA-CR-189293	p 416	N94-29727 *	#
NAS 1.26:195883	p 481	N94-34216 *	#	NAS 1.60:3428	p 513	N94-34393 *	#	NASA-CR-189303	p 206	N94-13719 *	#
NAS 1.26:195897	p 470	N94-33534 *	#	NAS 1.60:3435	p 326	N94-26608 *	#	NASA-CR-189344	p 558	N94-35256 *	#
NAS 1.26:195908	p 506	N94-33170 *	#	NAS 1.61:1313	p 282	N94-24104 *	#	NASA-CR-189345	p 557	N94-34921 *	#
NAS 1.26:195918	p 598	N94-36914 *	#	NAS 1.61:1321	p 372	N94-27764 *	#	NASA-CR-189362	p 596	N94-36919 *	#
NAS 1.26:195929	p 522	N94-34704 *	#	NAS 1.61:1326	p 347	N94-26613 *	#	NASA-CR-189558	p 493	N94-32877 *	#
NAS 1.26:195937	p 488	N94-34264 *	#	NAS 1.61:1332	p 535	N94-34703 *	#	NASA-CR-189560	p 132	N94-13127 *	#
NAS 1.26:195938	p 466	N94-34277 *	#	NAS 1.71:ARC-12030-1	p 417	N94-29362 *	#	NASA-CR-189581	p 493	N94-32868 *	#
NAS 1.26:195952	p 504	N94-34300 *	#	NAS 1.71:LAR-14569-1	p 576	N94-36767 *	#	NASA-CR-189593	p 492	N94-32660 *	#
NAS 1.26:195953	p 504	N94-34262 *	#	NAS 1.71:MFS-28697-1	p 411	N94-29353 *	#	NASA-CR-189645	p 284	N94-23698 *	#
NAS 1.26:195957	p 523	N94-34964 *	#	NAS 1.71:MSC-22277-1	p 411	N94-29448 *	#	NASA-CR-191047	p 538	N94-34993 *	#
NAS 1.26:195958	p 523	N94-34965 *	#	NAS 1.71:MSC-22327-1	p 594	N94-36839 *	#	NASA-CR-191066	p 350	N94-27854 *	#
NAS 1.26:196017	p 593	N94-36420 *	#	NAS-SR-130	p 66	N94-10933 *	#	NASA-CR-191135	p 229	N94-21874 *	#
NAS 1.26:196021	p 556	N94-35974 *	#	NASA-CASE-ARC-12030-1	p 417	N94-29362 *	#	NASA-CR-191162	p 234	N94-21607 *	#
NAS 1.26:196078	p 529	N94-35522 *	#	NASA-CASE-GSC-13485-1	p 413	N94-29726 *	#	NASA-CR-191184	p 26	N94-11203 *	#
NAS 1.26:196098	p 570	N94-37013 *	#	NASA-CASE-GSC-13565-1	p 276	N94-23831 *	#	NASA-CR-191185	p 178	N94-14445 *	#
NAS 1.26:196103	p 581	N94-36436 *	#	NASA-CASE-LAR-14471-1	p 230	N94-20377 *	#	NASA-CR-191189	p 291	N94-25173 *	#
NAS 1.26:196112	p 581	N94-36965 *	#	NASA-CASE-LAR-14569-1	p 576	N94-36767 *	#	NASA-CR-191192	p 103	N94-14448 *	#
NAS 1.26:196119	p 553	N94-35500 *	#	NASA-CASE-LAR-14612-1	p 552	N94-35074 *	#	NASA-CR-191193	p 104	N94-15192 *	#
NAS 1.26:196132	p 560	N94-36031 *	#	NASA-CASE-LAR-14744-1	p 24	N94-10673 *	#	NASA-CR-191195	p 401	N94-28510 *	#
NAS 1.26:196135	p 598	N94-36922 *	#	NASA-CASE-LAR-14747-1	p 227	N94-20556 *	#	NASA-CR-191199	p 577	N94-37401 *	#
NAS 1.26:196136	p 526	N94-35498 *	#	NASA-CASE-LEW-14791-1	p 24	N94-10672 *	#	NASA-CR-191484	p 283	N94-23252 *	#
NAS 1.26:196137	p 594	N94-36808 *	#	NASA-CASE-LEW-15218-1	p 232	N94-20588 *	#	NASA-CR-191490	p 243	N94-22414 *	#
NAS 1.26:196138	p 583	N94-37450 *	#	NASA-CASE-LEW-15218-2	p 413	N94-29740 *	#	NASA-CR-191495	p 199	N94-11198 *	#
NAS 1.26:196260	p 601	N94-37511 *	#	NASA-CASE-MSC-21723-1	p 229	N94-20367 *	#	NASA-CR-191499	p 285	N94-24172 *	#
NAS 1.26:196369	p 606	N94-37657 *	#	NASA-CASE-MSC-22020-1	p 169	N94-10674 *	#	NASA-CR-191500	p 285	N94-24173 *	#
NAS 1.26:196424	p 594	N94-36812 *	#	NASA-CASE-MSC-22082-1	p 229	N94-20590 *	#	NASA-CR-191508	p 207	N94-17278 *	#
NAS 1.26:196429	p 498	N94-32871 *	#	NASA-CASE-MSC-22277-1	p 411	N94-29448 *	#	NASA-CR-191549-VOL-1	p 280	N94-24360 *	#
NAS 1.26:196448	p 492	N94-32863 *	#	NASA-CASE-MSC-22327-1	p 594	N94-36839 *	#	NASA-CR-191549-VOL-2	p 191	N94-12572 *	#
NAS 1.26:196498	p 173	N94-12874 *	#	NASA-CP-10087-PT-1	p 460	N94-33447 *	#	NASA-CR-191553	p 148	N94-13267 *	#
NAS 1.26:196506-VOL-1	p 481	N94-34146 *	#	NASA-CP-10087-PT-2	p 460	N94-33462 *	#	NASA-CR-191559	p 200	N94-13717 *	#
NAS 1.26:196506-VOL-2	p 334	N94-27778 *	#	NASA-CP-10087-PT-3	p 460	N94-33487 *	#	NASA-CR-191562	p 254	N94-23288 *	#
NAS 1.26:196519	p 254	N94-24606 *	#	NASA-CP-10087-PT-4	p 461	N94-33517 *	#	NASA-CR-191572	p 207	N94-15487 *	#
NAS 1.26:196521	p 284	N94-24463 *	#	NASA-CP-10122	p 276	N94-23634 *	#	NASA-CR-191573	p 280	N94-24356 *	#
NAS 1.26:196531	p 174	N94-13073 *	#	NASA-CP-10127	p 229	N94-25096 *	#	NASA-CR-191576	p 222	N94-22277 *	#
NAS 1.26:196532	p 25	N94-10758 *	#	NASA-CP-10132	p 289	N94-25096 *	#	NASA-CR-191602	p 223	N94-22278 *	#
NAS 1.26:196538	p 207	N94-13897 *	#	NASA-CP-10134	p 300	N94-28188 *	#	NASA-CR-191607	p 275	N94-23498 *	#
NAS 1.26:196543	p 173	N94-13066 *	#	NASA-CP-10138	p 561	N94-35961 *	#	NASA-CR-191607	p 221	N94-21629 *	#
NAS 1.26:196547	p 220	N94-22373 *	#	NASA-CP-3144	p 327	N94-27439 *	#	NASA-CR-191607	p 244	N94-21741 *	#
NAS 1.26:196554	p 59	N94-18844 *	#	NASA-CP-3154	p 552	N94-34966 *	#	NASA-CR-193168	p 275	N94-23513 *	#
NAS 1.26:196558	p 263	N94-24726 *	#	NASA-CP-3220	p 493	N94-33121 *	#	NASA-CR-193185	p 275	N94-23532 *	#
NAS 1.26:196561	p 412	N94-29552 *	#	NASA-CP-3230	p 115	N94-13294 *	#	NASA-CR-193219	p 367	N94-25090 *	#
NAS 1.26:196571	p 294	N94-26548 *	#	NASA-CP-3231	p 285	N94-24207 *	#	NASA-CR-193240	p 325	N94-26606 *	#
NAS 1.26:196579	p 412	N94-29460 *	#	NASA-CP-3246	p 290	N94-27284 *	#	NASA-CR-193272	p 343	N94-26603 *	#
NAS 1.26:196581	p 464	N94-33898 *	#	NASA-CP-3247-PT-2	p 546	N94-35902 *	#	NASA-CR-193306	p 40	N94-16510 *	#
NAS 1.26:196582-VOL-1	p 528	N94-35991 *	#					NASA-CR-193330	p 184	N94-17763 *	#
NAS 1.26:196582-VOL-2	p 466	N94-34430 *	#					NASA-CR-193409	p 80	N94-11150 *	#
NAS 1.26:196587	p 417	N94-29407 *	#					NASA-CR-193480	p 112	N94-10895 *	#
NAS 1.26:196592	p 605	N94-37607 *	#					NASA-CR-193569	p 457	N94-32476 *	#
NAS 1.26:196599	p 501	N94-33897 *	#					NASA-CR-193612	p 29	N94-13180 *	#
NAS 1.26:196612	p 527	N94-35864 *	#						p 35	N9	

REPORT NUMBER INDEX

NASA-TM-106418

NASA-CR-193613	p 148	N94-13089 *	#	NASA-CR-195250	p 339	N94-26821 *	#	NASA-CR-4521	p 284	N94-24463 *	#
NASA-CR-193614	p 170	N94-10937 *	#	NASA-CR-195275	p 357	N94-27851 *	#	NASA-CR-4531	p 174	N94-13073 *	#
NASA-CR-193616	p 31	N94-13463 *	#	NASA-CR-195285	p 333	N94-27654 *	#	NASA-CR-4532	p 25	N94-10758 *	#
NASA-CR-193623	p 204	N94-10752 *	#	NASA-CR-195287	p 357	N94-27657 *	#	NASA-CR-4538	p 207	N94-13897 *	#
NASA-CR-193626	p 26	N94-11195 *	#	NASA-CR-195291	p 340	N94-27414 *	#	NASA-CR-4543	p 173	N94-13066 *	#
NASA-CR-193646	p 67	N94-13238 *	#	NASA-CR-195292	p 363	N94-28181 *	#	NASA-CR-4547	p 220	N94-22373 *	#
NASA-CR-193659	p 114	N94-12799 *	#	NASA-CR-195297	p 459	N94-33119 *	#	NASA-CR-4554	p 59	N94-18844 *	#
NASA-CR-193673	p 29	N94-13292 *	#	NASA-CR-195300	p 466	N94-34391 *	#	NASA-CR-4558	p 263	N94-24726 *	#
NASA-CR-193720	p 200	N94-13204 *	#	NASA-CR-195301	p 456	N94-32475 *	#	NASA-CR-4561	p 412	N94-29552 *	#
NASA-CR-193830	p 138	N94-12806 *	#	NASA-CR-195302	p 458	N94-32926 *	#	NASA-CR-4571	p 294	N94-26548 *	#
NASA-CR-193963	p 498	N94-34388 *	#	NASA-CR-195304	p 436	N94-32075 *	#	NASA-CR-4579	p 412	N94-29460 *	#
NASA-CR-194036	p 140	N94-16905 *	#	NASA-CR-195305	p 502	N94-34148 *	#	NASA-CR-4581	p 464	N94-33898 *	#
NASA-CR-194037	p 68	N94-13957 *	#	NASA-CR-195323	p 543	N94-35267 *	#	NASA-CR-4582-VOL-1	p 528	N94-35991 *	#
NASA-CR-194074	p 120	N94-13469 *	#	NASA-CR-195327	p 380	N94-30124 *	#	NASA-CR-4582-VOL-2	p 466	N94-34430 *	#
NASA-CR-194106	p 121	N94-15416 *	#	NASA-CR-195330	p 381	N94-30152 *	#	NASA-CR-4587	p 417	N94-29407 *	#
NASA-CR-194125	p 31	N94-13422 *	#	NASA-CR-195343	p 552	N94-35224 *	#	NASA-CR-4592	p 605	N94-37607 *	#
NASA-CR-194126	p 206	N94-13291 *	#	NASA-CR-195366	p 209	N94-12931 *	#	NASA-CR-4599	p 501	N94-33897 *	#
NASA-CR-194174	p 28	N94-13076 *	#	NASA-CR-195484	p 319	N94-25021 *	#	NASA-CR-4612	p 527	N94-35864 *	#
NASA-CR-194194	p 173	N94-12803 *	#	NASA-CR-195485	p 262	N94-24498 *	#				
NASA-CR-194252	p 56	N94-13424 *	#	NASA-CR-195486	p 318	N94-24969 *	#	NASA-RP-1313	p 282	N94-24104 *	#
NASA-CR-194259	p 33	N94-14030 *	#	NASA-CR-195487	p 318	N94-24974 *	#	NASA-RP-1321	p 372	N94-27764 *	#
NASA-CR-194260	p 121	N94-14322 *	#	NASA-CR-195488	p 336	N94-24957 *	#	NASA-RP-1326	p 347	N94-26613 *	#
NASA-CR-194266	p 392	N94-29685 *	#	NASA-CR-195489	p 318	N94-24975 *	#	NASA-RP-1332	p 535	N94-34703 *	#
NASA-CR-194296	p 32	N94-13607 *	#	NASA-CR-195491	p 317	N94-24966 *	#				
NASA-CR-194332	p 96	N94-15187 *	#	NASA-CR-195492	p 316	N94-24803 *	#	NASA-SP-4012-VOL-4	p 514	N94-33949 *	#
NASA-CR-194359	p 131	N94-12824 *	#	NASA-CR-195494	p 318	N94-24972 *	#	NASA-SP-4216	p 455	N94-32783 *	#
NASA-CR-194398	p 176	N94-13815 *	#	NASA-CR-195496	p 261	N94-24332 *	#	NASA-SP-7104	p 288	N94-24585 *	#
NASA-CR-194407	p 51	N94-19433 *	#	NASA-CR-195498	p 262	N94-24479 *	#	NASA-SP-7107	p 209	N94-13401 *	#
NASA-CR-194409	p 83	N94-13618 *	#	NASA-CR-195499	p 261	N94-24401 *	#				
NASA-CR-194420	p 29	N94-13266 *	#	NASA-CR-195500	p 317	N94-24915 *	#	NASA-TM-102265	p 115	N94-12820 *	#
NASA-CR-194436	p 267	N94-23590 *	#	NASA-CR-195501	p 316	N94-24787 *	#	NASA-TM-103740	p 36	N94-14780 *	#
NASA-CR-194437	p 343	N94-26141 *	#	NASA-CR-195511	p 318	N94-24968 *	#	NASA-TM-103923	p 131	N94-13008 *	#
NASA-CR-194438	p 248	N94-23511 *	#	NASA-CR-195515	p 262	N94-24589 *	#	NASA-TM-103970	p 522	N94-35394 *	#
NASA-CR-194445	p 264	N94-23552 *	#	NASA-CR-195519	p 263	N94-24711 *	#	NASA-TM-103982	p 292	N94-26143 *	#
NASA-CR-194446	p 538	N94-34679 *	#	NASA-CR-195522	p 262	N94-24591 *	#	NASA-TM-103985	p 425	N94-32063 *	#
NASA-CR-194449	p 247	N94-23553 *	#	NASA-CR-195523	p 261	N94-24462 *	#	NASA-TM-103988	p 324	N94-26151 *	#
NASA-CR-194450	p 271	N94-24565 *	#	NASA-CR-195524	p 319	N94-25017 *	#	NASA-TM-103997	p 561	N94-35370 *	#
NASA-CR-194455	p 331	N94-25200 *	#	NASA-CR-195525	p 317	N94-24837 *	#	NASA-TM-104000	p 2	N94-10936 *	#
NASA-CR-194460	p 395	N94-29103 *	#	NASA-CR-195528	p 319	N94-25002 *	#	NASA-TM-104006	p 523	N94-34948 *	#
NASA-CR-194461	p 357	N94-27776 *	#	NASA-CR-195534	p 346	N94-24860 *	#	NASA-TM-104008	p 113	N94-11259 *	#
NASA-CR-194462	p 409	N94-28815 *	#	NASA-CR-195535	p 317	N94-24817 *	#	NASA-TM-104013	p 324	N94-26091 *	#
NASA-CR-194465	p 411	N94-29104 *	#	NASA-CR-195537	p 319	N94-25001 *	#	NASA-TM-104016	p 122	N94-15793 *	#
NASA-CR-194466	p 292	N94-26131 *	#	NASA-CR-195542	p 319	N94-25004 *	#	NASA-TM-104019	p 380	N94-30151 *	#
NASA-CR-194472	p 499	N94-32929 *	#	NASA-CR-195543	p 268	N94-24551 *	#	NASA-TM-104021	p 540	N94-34994 *	#
NASA-CR-194479	p 50	N94-19388 *	#	NASA-CR-195548	p 262	N94-24492 *	#	NASA-TM-104027	p 5	N94-20035 *	#
NASA-CR-194516	p 272	N94-22735 *	#	NASA-CR-195550	p 331	N94-25085 *	#	NASA-TM-104092-REV-1	p 243	N94-22100 *	#
NASA-CR-194520	p 51	N94-19621 *	#	NASA-CR-195685	p 364	N94-25271 *	#	NASA-TM-104139	p 458	N94-32873 *	#
NASA-CR-194522	p 35	N94-14541 *	#	NASA-CR-195686	p 371	N94-25541 *	#	NASA-TM-104264	p 80	N94-11233 *	#
NASA-CR-194535	p 379	N94-29893 *	#	NASA-CR-195697	p 315	N94-27768 *	#	NASA-TM-104269	p 576	N94-36644 *	#
NASA-CR-194548	p 133	N94-15117 *	#	NASA-CR-195699	p 409	N94-28724 *	#	NASA-TM-104272	p 564	N94-36648 *	#
NASA-CR-194592	p 567	N94-36394 *	#	NASA-CR-195703	p 347	N94-27789 *	#	NASA-TM-104273	p 281	N94-24495 *	#
NASA-CR-194594	p 180	N94-15551 *	#	NASA-CR-195705	p 299	N94-28072 *	#	NASA-TM-105271	p 264	N94-23545 *	#
NASA-CR-194599	p 39	N94-15678 *	#	NASA-CR-195706	p 299	N94-28071 *	#	NASA-TM-105625	p 498	N94-32883 *	#
NASA-CR-194608	p 91	N94-19448 *	#	NASA-CR-195737	p 390	N94-28817 *	#	NASA-TM-105808	p 207	N94-15115 *	#
NASA-CR-194618	p 86	N94-16498 *	#	NASA-CR-195763	p 399	N94-29860 *	#	NASA-TM-105871	p 342	N94-25184 *	#
NASA-CR-194624	p 182	N94-16491 *	#	NASA-CR-195765	p 437	N94-31203 *	#	NASA-TM-105964	p 170	N94-11132 *	#
NASA-CR-194628	p 52	N94-20014 *	#	NASA-CR-195774	p 414	N94-29942 *	#	NASA-TM-105974	p 220	N94-21590 *	#
NASA-CR-194662	p 183	N94-17215 *	#	NASA-CR-195786	p 399	N94-30013 *	#	NASA-TM-106035	p 287	N94-32562 *	#
NASA-CR-194675	p 43	N94-17260 *	#	NASA-CR-195790	p 379	N94-29920 *	#	NASA-TM-106068	p 37	N94-14847 *	#
NASA-CR-194722	p 216	N94-21054 *	#	NASA-CR-195803	p 378	N94-29760 *	#	NASA-TM-106188	p 148	N94-13138 *	#
NASA-CR-194732	p 217	N94-21833 *	#	NASA-CR-195822	p 464	N94-33991 *	#	NASA-TM-106231	p 3	N94-13108 *	#
NASA-CR-194742	p 188	N94-19493 *	#	NASA-CR-195824	p 466	N94-34207 *	#	NASA-TM-106232	p 138	N94-10765 *	#
NASA-CR-194750	p 220	N94-21818 *	#	NASA-CR-195829	p 568	N94-36687 *	#	NASA-TM-106239	p 198	N94-10724 *	#
NASA-CR-194761	p 244	N94-20523 *	#	NASA-CR-195832	p 492	N94-34063 *	#	NASA-TM-106247	p 134	N94-15819 *	#
NASA-CR-194767	p 244	N94-21821 *	#	NASA-CR-195841	p 477	N94-33035 *	#	NASA-TM-106261	p 331	N94-25185 *	#
NASA-CR-194772	p 268	N94-23539 *	#	NASA-CR-195883	p 481	N94-34216 *	#	NASA-TM-106265	p 112	N94-11251 *	#
NASA-CR-194780	p 350	N94-24858 *	#	NASA-CR-195897	p 470	N94-33534 *	#	NASA-TM-106270	p 102	N94-13143 *	#
NASA-CR-194786	p 227	N94-20524 *	#	NASA-CR-195908	p 506	N94-33170 *	#	NASA-TM-106278	p 170	N94-11256 *	#
NASA-CR-194793	p 251	N94-24103 *	#	NASA-CR-195918	p 598	N94-36914 *	#	NASA-TM-106279	p 100	N94-11255 *	#
NASA-CR-194795	p 281	N94-24640 *	#	NASA-CR-195929	p 522	N94-34704 *	#	NASA-TM-106294	p 179	N94-14727 *	#
NASA-CR-194809	p 283	N94-23332 *	#	NASA-CR-195937	p 488	N94-34264 *	#	NASA-TM-106310	p 264	N94-23466 *	#
NASA-CR-194837	p 250	N94-24052 *	#	NASA-CR-195938	p 466	N94-34277 *	#	NASA-TM-106311	p 268	N94-23091 *	#
NASA-CR-194838	p 335	N94-24804 *	#	NASA-CR-195952	p 504	N94-34300 *	#	NASA-TM-106312	p 101	N94-13142 *	#
NASA-CR-194857	p 250	N94-23625 *	#	NASA-CR-195953	p 504	N94-34262 *	#	NASA-TM-106318	p 102	N94-14036 *	#
NASA-CR-194863	p 247	N94-22894 *	#	NASA-CR-195957	p 523	N94-34964 *	#	NASA-TM-106329	p 184	N94-17583 *	#
NASA-CR-194889	p 508	N94-33286 *	#	NASA-CR-195958	p 523	N94-34965 *	#	NASA-TM-106333	p 357	N94-27599 *	#
NASA-CR-194895	p 468	N94-33956 *	#	NASA-CR-196017	p 593	N94-36420 *	#	NASA-TM-106335	p 188	N94-20171 *	#
NASA-CR-194904	p 558	N94-35240 *	#	NASA-CR-196021	p 556	N94-35974 *	#	NASA-TM-106357	p 58	N94-16520 *	#
NASA-CR-194905	p 509	N94-33023 *	#	NASA-CR-196078	p 529	N94-35522 *	#	NASA-TM-106358	p 351	N94-25188 *	#
NASA-CR-194908	p 528	N94-35994 *	#	NASA-CR-196098	p 570	N94-37013 *	#	NASA-TM-106364	p 34	N94-14208 *	#
NASA-CR-194924	p 598	N94-36962 *	#	NASA-CR-196103	p 581	N94-36436 *	#	NASA-TM-106367	p 104	N94-15866 *	#
NASA-CR-194950	p 513	N94-34303 *	#	NASA-CR-196112	p 581	N94-36965 *	#	NASA-TM-106368	p 234	N94-21757 *	#
NASA-CR-194963	p 603	N94-37658 *	#	NASA-CR-196119	p 553	N94-35500 *	#	NASA-TM-106371	p 41	N94-16571 *	#
NASA-CR-195090	p 287	N94-24307 *	#	NASA-CR-196132	p 560	N94-36031 *	#	NASA-TM-106376	p 455	N94-33046 *	#
NASA-CR-195106	p 282	N94-24751 *	#	NASA-CR-196135	p 598	N94-36922 *	#	NASA-TM-106377	p 421	N94-30949 *	#
NASA-CR-195111	p 282	N94-24699 *	#	NASA-CR-196136	p 526	N94-35498 *	#	NASA-TM-106382	p 183	N94-17481 *	#
NASA-CR-195118	p 371	N94-25665 *	#	NASA-CR-196137	p 594	N94-36808 *	#	NASA-TM-106387	p 105	N94-19353 *	#
NASA-CR-195170	p 357	N94-27802 *	#	NASA-CR-196138	p 583	N94-37450 *	#	NASA-TM-106391	p 250	N94-24084 *	#
NASA-CR-195183	p 321	N94-25268 *	#	NASA-CR-196260	p 601	N94-37511 *	#	NASA-TM-106399	p 166	N94-20534 *	#
NASA-CR-195184	p 369	N94-25177 *	#	NASA-CR-196369	p 606	N94-37657 *	#	NASA-TM-106403	p 51	N94-19484 *	#
NASA-CR-195195	p 337	N94-25176 *	#	NASA-CR-196424	p 594	N94-36812 *	#	NASA-TM-106404	p 216	N94-20563 *	#
NASA-CR-195220	p 350	N94-27352 *	#	NASA-CR-4269	p 498	N94-32871 *	#	NASA-TM-106407	p 187	N94-19351 *	#
NASA-CR-195221	p 349	N94-26205 *	#	NASA-CR-4418	p 492	N94-32863 *	#	NASA-TM-106409	p 218	N94-22274 *	#
NASA-CR-195223	p 332	N94-26588 *	#	NASA-CR-4506-VOL-1	p 481	N94-34146 *	#	NASA-TM-106410	p 596	N94-37457 *	#
NASA-CR-195228	p 324	N94									

NASA-TM-106421	p 52	N94-20136 * #	NASA-TM-109080	p 339	N94-26593 * #	NASA-TM-4531	p 103	N94-14855 * #
NASA-TM-106431	p 234	N94-21756 * #	NASA-TM-109084	p 474	N94-33900 * #	NASA-TM-4532	p 265	N94-24106 * #
NASA-TM-106434	p 265	N94-24082 * #	NASA-TM-109089	p 372	N94-26155 * #	NASA-TM-4538	p 104	N94-15141 * #
NASA-TM-106435	p 226	N94-21758 * #	NASA-TM-109090	p 417	N94-29464 * #	NASA-TM-4540	p 325	N94-26604 * #
NASA-TM-106438	p 226	N94-21586 * #	NASA-TM-109105	p 402	N94-30200 * #	NASA-TM-4541	p 380	N94-29937 * #
NASA-TM-106440	p 227	N94-21742 * #	NASA-TM-109106	p 417	N94-29856 * #	NASA-TM-4544	p 347	N94-27868 * #
NASA-TM-106448	p 225	N94-21563 * #	NASA-TM-109109	p 499	N94-33020 * #	NASA-TM-4547	p 330	N94-27864 * #
NASA-TM-106450	p 249	N94-23592 * #	NASA-TM-109110	p 378	N94-29473 * #	NASA-TM-4548	p 582	N94-37059 * #
NASA-TM-106457	p 254	N94-23523 * #	NASA-TM-109111	p 466	N94-34204 * #	NASA-TM-4551	p 226	N94-21879 * #
NASA-TM-106459	p 249	N94-23522 * #	NASA-TM-109112	p 458	N94-32950 * #	NASA-TM-4554	p 287	N94-24337 * #
NASA-TM-106461	p 255	N94-24047 * #	NASA-TM-109113	p 513	N94-33610 * #	NASA-TM-4563	p 526	N94-35246 * #
NASA-TM-106463	p 247	N94-24100 * #	NASA-TM-109120	p 487	N94-32951 * #	NASA-TM-4566	p 569	N94-36966 * #
NASA-TM-106465	p 284	N94-23464 * #	NASA-TM-109124	p 551	N94-34722 * #	NASA-TM-4573	p 568	N94-36950 * #
NASA-TM-106468	p 248	N94-23465 * #	NASA-TM-109130	p 581	N94-36820 * #	NASA-TM-4590	p 540	N94-35258 * #
NASA-TM-106470	p 280	N94-24362 * #	NASA-TM-109137	p 602	N94-37762 * #	NASA-TM-4591	p 535	N94-35241 * #
NASA-TM-106471	p 248	N94-23299 * #	NASA-TM-109193	p 347	N94-27956 * #	NASA-TM-4595	p 568	N94-36944 * #
NASA-TM-106477	p 267	N94-24594 * #	NASA-TM-109201	p 492	N94-33423 * #	NASA-TM-4598	p 466	N94-34384 * #
NASA-TM-106479	p 332	N94-26573 * #	NASA-TM-109250	p 545	N94-35591 * #	NASA-TM-4599	p 465	N94-33995 * #
NASA-TM-106481	p 271	N94-24301 * #	NASA-TM-109284	p 32	N94-13621 * #	NASA-TM-4607	p 568	N94-36942 * #
NASA-TM-106491	p 253	N94-24335 * #	NASA-TM-109285	p 102	N94-13623 * #	NASA-TM-4627	p 569	N94-37378 * #
NASA-TM-106492	p 291	N94-25182 * #	NASA-TM-109293	p 212	N94-13633 * #			
NASA-TM-106495	p 401	N94-28749 * #	NASA-TM-109312	p 83	N94-13606 * #	NASA-TP-3129	p 458	N94-32865 * #
NASA-TM-106496	p 455	N94-33064 * #	NASA-TM-109313	p 102	N94-13608 * #	NASA-TP-3281	p 407	N94-29356 * #
NASA-TM-106504	p 281	N94-24481 * #	NASA-TM-109335	p 4	N94-15798 * #	NASA-TP-3330	p 80	N94-10935 * #
NASA-TM-106508	p 351	N94-25181 * #	NASA-TM-109370	p 91	N94-18962 * #	NASA-TP-3334	p 134	N94-15794 * #
NASA-TM-106512	p 369	N94-25172 * #	NASA-TM-109371	p 135	N94-18963 * #	NASA-TP-3356	p 112	N94-11134 * #
NASA-TM-106542	p 499	N94-32969 * #	NASA-TM-109372	p 50	N94-18964 * #	NASA-TP-3357	p 38	N94-15657 * #
NASA-TM-106545	p 543	N94-34919 * #	NASA-TM-109380	p 50	N94-19119 * #	NASA-TP-3358	p 253	N94-24464 * #
NASA-TM-106550	p 446	N94-31229 * #	NASA-TM-109400	p 287	N94-23135 * #	NASA-TP-3359	p 42	N94-16574 * #
NASA-TM-106551	p 459	N94-32984 * #	NASA-TM-109437	p 57	N94-15336 * #	NASA-TP-3360	p 42	N94-16573 * #
NASA-TM-106563	p 401	N94-30204 * #	NASA-TM-109445	p 104	N94-15344 * #	NASA-TP-3365	p 253	N94-24311 * #
NASA-TM-106565	p 604	N94-37522 * #	NASA-TM-109446	p 150	N94-15345 * #	NASA-TP-3369	p 41	N94-16572 * #
NASA-TM-106577	p 491	N94-33604 * #	NASA-TM-109447	p 85	N94-15396 * #	NASA-TP-3370	p 258	N94-24304 * #
NASA-TM-106582	p 502	N94-33960 * #	NASA-TM-109448	p 85	N94-15321 * #	NASA-TP-3374-VIDEO-SUPPL	p 295	N94-27161 * #
NASA-TM-106583	p 568	N94-36686 * #	NASA-TM-109452	p 134	N94-15325 * #	NASA-TP-3374	p 249	N94-23512 * #
NASA-TM-106586	p 481	N94-33974 * #	NASA-TM-109453	p 191	N94-15326 * #	NASA-TP-3383	p 26	N94-11133 * #
NASA-TM-106588	p 556	N94-35945 * #	NASA-TM-109454	p 85	N94-15327 * #	NASA-TP-3385	p 217	N94-21569 * #
NASA-TM-106594	p 480	N94-33706 * #	NASA-TM-109455	p 85	N94-15328 * #	NASA-TP-3392	p 378	N94-29545 * #
NASA-TM-106613	p 500	N94-33609 * #	NASA-TM-109465	p 180	N94-15431 * #	NASA-TP-3393	p 131	N94-11869 * #
NASA-TM-106618	p 539	N94-35352 * #	NASA-TM-109649	p 212	N94-15434 * #	NASA-TP-3395	p 331	N94-27882 * #
NASA-TM-106620	p 464	N94-33705 * #	NASA-TM-109681	p 250	N94-23975 * #	NASA-TP-3397	p 176	N94-13790 * #
NASA-TM-106633	p 569	N94-37283 * #	NASA-TM-109685	p 344	N94-26684 * #	NASA-TP-3399	p 529	N94-36048 * #
NASA-TM-106636	p 481	N94-33971 * #	NASA-TM-109691	p 372	N94-27431 * #	NASA-TP-3406	p 363	N94-28227 * #
NASA-TM-106647	p 502	N94-33954 * #	NASA-TM-109694	p 371	N94-27772 * #	NASA-TP-3407	p 291	N94-25187 * #
NASA-TM-106652	p 481	N94-33955 * #	NASA-TM-109739	p 474	N94-34118 * #	NASA-TP-3411	p 465	N94-34172 * #
NASA-TM-106653	p 579	N94-37448 * #	NASA-TM-109740	p 459	N94-33071 * #	NASA-TP-3419	p 582	N94-37014 * #
NASA-TM-106658	p 501	N94-33941 * #	NASA-TM-109749	p 426	N94-31803 * #	NASA-TP-3425	p 509	N94-32930 * #
NASA-TM-107582	p 491	N94-32870 * #	NASA-TM-109750	p 447	N94-31804 * #	NASA-TP-3426	p 473	N94-33536 * #
NASA-TM-107684	p 199	N94-12886 * #	NASA-TM-109768	p 487	N94-33378 * #	NASA-TP-3427	p 601	N94-37505 * #
NASA-TM-107743	p 28	N94-12421 * #	NASA-TM-109791	p 560	N94-35899 * #	NASA-TP-3428	p 513	N94-34393 * #
NASA-TM-107752	p 183	N94-17479 * #	NASA-TM-109794	p 456	N94-33572 * #	NASA-TP-3435	p 326	N94-26608 * #
NASA-TM-107754	p 198	N94-10814 * #	NASA-TM-109799	p 468	N94-33749 * #			
NASA-TM-107964	p 551	N94-34721 * #	NASA-TM-109811	p 468	N94-33563 * #	NASDA-CNT-930010-PT-A	p 140	N94-13645 * #
NASA-TM-108237	p 452	N94-31337 * #	NASA-TM-109813	p 473	N94-33565 * #			
NASA-TM-108238	p 452	N94-31336 * #	NASA-TM-109825	p 513	N94-33579 * #	NATICK-TR-93/039	p 232	N94-20567
NASA-TM-108738	p 212	N94-14791 * #	NASA-TM-109827	p 514	N94-33581 * #			
NASA-TM-108758	p 317	N94-24953 * #	NASA-TM-109834	p 490	N94-33570 * #	NAVY-CASE-74641	p 602	N94-37830 * #
NASA-TM-108786	p 249	N94-23557 * #	NASA-TM-109840	p 545	N94-35390 * #	NAVY-CASE-74643	p 602	N94-37839
NASA-TM-108788	p 57	N94-15550 * #	NASA-TM-109843	p 497	N94-33750 * #			
NASA-TM-108790	p 306	N94-25272 * #	NASA-TM-109844	p 491	N94-33751 * #	NAWCADIND-TR-2481	p 60	N94-19876
NASA-TM-108801	p 290	N94-26596 * #	NASA-TM-109845	p 473	N94-33790 * #			
NASA-TM-108805	p 294	N94-26538 * #	NASA-TM-109851	p 491	N94-34071 * #	NAWCADWAR-93015-60	p 151	N94-17418
NASA-TM-108806	p 564	N94-37332 * #	NASA-TM-109854	p 541	N94-34632 * #	NAWCADWAR-93041-60	p 242	N94-20926
NASA-TM-108808	p 456	N94-33942 * #	NASA-TM-109855	p 542	N94-34633 * #	NAWCADWAR-93050-60	p 496	N94-33166
NASA-TM-108814	p 467	N94-32927 * #	NASA-TM-109856	p 542	N94-34634 * #			
NASA-TM-108816	p 561	N94-36117 * #	NASA-TM-109857	p 542	N94-34635 * #	NAWCWPNS-TP-8134	p 87	N94-17435
NASA-TM-108817	p 488	N94-33998 * #	NASA-TM-109858	p 542	N94-34636 * #			
NASA-TM-108818	p 465	N94-33997 * #	NASA-TM-109859	p 542	N94-34637 * #	NCCOSC/RDT/E-TR-1637	p 469	N94-33253
NASA-TM-108822	p 576	N94-36380 * #	NASA-TM-109863	p 560	N94-34730 * #			
NASA-TM-108986	p 183	N94-17476 * #	NASA-TM-4360	p 221	N94-21606 * #	NCEL-CR-93-002-VOL-1	p 135	N94-17432 * #
NASA-TM-108989	p 602	N94-37636 * #	NASA-TM-4387	p 458	N94-32880 * #	NCEL-CR-93-002-VOL-2	p 135	N94-17508
NASA-TM-108994	p 172	N94-12571 * #	NASA-TM-4446	p 215	N94-21490 * #	NCEL-CR-93-003-VOL-1	p 135	N94-17405 * #
NASA-TM-109007	p 87	N94-17055 * #	NASA-TM-4450	p 24	N94-10675 * #	NCEL-CR-93-003-VOL-2	p 135	N94-17569 * #
NASA-TM-109008	p 207	N94-14481 * #	NASA-TM-4457	p 85	N94-15722 * #			
NASA-TM-109009	p 82	N94-12850 * #	NASA-TM-4481	p 104	N94-17386 * #	NCR-32157	p 33	N94-14031 * #
NASA-TM-109010	p 82	N94-11587 * #	NASA-TM-4485	p 180	N94-15445 * #			
NASA-TM-109012	p 192	N94-17283 * #	NASA-TM-4486	p 105	N94-17470 * #	NDU/ICAF-93-F39	p 434	N94-32058 * #
NASA-TM-109016	p 29	N94-13172 * #	NASA-TM-4488	p 39	N94-15681 * #			
NASA-TM-109026	p 403	N94-28823 * #	NASA-TM-4493	p 115	N94-13255 * #	NDU/ICAF-93-F3	p 427	N94-32168 * #
NASA-TM-109027	p 44	N94-17639 * #	NASA-TM-4494	p 100	N94-11205 * #			
NASA-TM-109031	p 123	N94-19316 * #	NASA-TM-4498	p 173	N94-12874 * #	NERI-TR-476	p 464	N94-33966 * #
NASA-TM-109036	p 253	N94-24576 * #	NASA-TM-4499	p 25	N94-10820 * #			
NASA-TM-109040-VOL-1	p 293	N94-26489 * #	NASA-TM-4500	p 24	N94-10707 * #	NFP-9202	p 338	N94-25653 * #
NASA-TM-109040-VOL-2	p 293	N94-26492 * #	NASA-TM-4503	p 115	N94-13254 * #			
NASA-TM-109040-VOL-3	p 293	N94-26497 * #	NASA-TM-4504	p 96	N94-13791 * #	NHB-7900.3(V1)	p 210	N94-16730 * #
NASA-TM-109040-VOL-4	p 293	N94-26483 * #	NASA-TM-4505	p 95	N94-13256 * #	NHB-7900.3	p 210	N94-16729 * #
NASA-TM-109045	p 377	N94-29443 * #	NASA-TM-4506	p 294	N94-26547 * #			
NASA-TM-109046	p 374	N94-28658 * #	NASA-TM-4512	p 86	N94-15783 * #	NIAR-93-11	p 58	N94-17262 * #
NASA-TM-109056	p 354	N94-26707 * #	NASA-TM-4514	p 295	N94-26706 * #	NIAR-93-14	p 210	N94-17261 * #
NASA-TM-109062	p 381	N94-30176 * #	NASA-TM-4515	p 44	N94-17284 * #	NIAR-93-15	p 343	N94-26200 * #
NASA-TM-109070	p 350	N94-24839 * #	NASA-TM-4516	p 294	N94-26602 * #	NIAR-93-16	p 212	N94-20150 * #
NASA-TM-109071	p 315	N94-27423 * #	NASA-TM-4521	p 340	N94-27660 * #	NIAR-93-18	p 43	N94-17260 * #
NASA-TM-109072	p 344	N94-27425 * #	NASA-TM-4524	p 140	N94-15753 * #	NIAR-93-1	p 5	N94-20191 * #
NASA-TM-109073	p 499	N94-33118 * #	NASA-TM-4526	p 252	N94-24295 * #	NIAR-93-4	p 60	N94-20189 * #
NASA-TM-109078	p 292	N94-26154 * #	NASA-TM-4528	p 295	N94-26693 * #			
NASA-TM-109079	p 605	N94-37541 * #	NASA-TM-4529	p 253	N94-24586 * #	NIST/TN-1361	p 447	N94-31683 * #

REPORT NUMBER INDEX

PSU/ARL-TR-94-05

NISTIR-5219	p 255	N94-23810	NPL-RSA(EXT)0042	p 369	N94-25026	PB93-204303	p 257	N94-23146	#
NLR-TP-90247-U	p 422	N94-31180	NPOA-93-6	p 513	N94-34380	PB93-204311	p 287	N94-24514	
NLR-TP-91142-U	p 435	N94-30914				PB93-205326	p 244	N94-22053	
NLR-TP-91166-U	p 174	N94-13527	NPS-AA-93-001	p 40	N94-16471	PB93-205334	p 244	N94-22054	
NLR-TP-91291-U	p 103	N94-14450				PB93-206258	p 220	N94-22055	
NLR-TP-91307-U	p 31	N94-13528	NPS-ME-94-002	p 527	N94-35826	PB93-210722	p 369	N94-25026	
NLR-TP-91350-U	p 184	N94-17627				PB93-215366	p 269	N94-24739	
NLR-TP-91384-U	p 58	N94-17733	NRC-32158	p 120	N94-13859	PB93-215382	p 217	N94-22260	#
NLR-TP-91387-U	p 31	N94-13530	NRC-32159	p 339	N94-26710	PB93-223329	p 273	N94-22985	#
NLR-TP-91395-U	p 88	N94-17734	NRC-32161	p 295	N94-26702	PB93-226223	p 274	N94-23114	#
NLR-TP-91397-U	p 31	N94-13531				PB93-226231	p 275	N94-23115	
NLR-TP-91445-U	p 207	N94-15506	NRCC-35853	p 200	N94-13860	PB93-226249	p 247	N94-23116	
NLR-TP-91446-U	p 430	N94-30915				PB93-410407	p 255	N94-24062	#
NLR-TP-91453	p 421	N94-30916	NREL/TP-441-5810	p 448	N94-30602	PB93-910405	p 55	N94-11044	#
NLR-TP-91471-U	p 421	N94-30871	NREL/TP-442-6008	p 353	N94-26117	PB93-910406	p 59	N94-19352	#
NLR-TP-91489-U	p 438	N94-31179				PB93-910408	p 254	N94-23579	#
NLR-TP-92020-U	p 430	N94-30853	NRL-CR/7320-93-0004	p 449	N94-32214	PB93-910409	p 306	N94-25175	#
NLR-TP-92042-U	p 430	N94-30854				PB94-102787	p 58	N94-17471	#
NLR-TP-92114-U	p 340	N94-27395	NRL/MR/6180-94-7431	p 427	N94-32405	PB94-103660	p 255	N94-23810	
NLR-TP-92139-U	p 421	N94-30858				PB94-107620	p 255	N94-24750	#
NLR-TP-92143-U	p 132	N94-13498	NRL/PU/5230-92-235	p 211	N94-12334	PB94-109873	p 265	N94-23709	
NLR-TP-92151-U	p 315	N94-27831				PB94-118734	p 281	N94-24478	#
NLR-TP-92156-U	p 393	N94-30342	NSWCDD/TR-92/160	p 439	N94-31318	PB94-120185	p 326	N94-26906	
NLR-TP-92163	p 420	N94-30740	NSWCDD/TR-93/29	p 181	N94-15632	PB94-124534	p 314	N94-27210	
NLR-TP-92183-U	p 327	N94-27796	NSWCDD/TR-93/40	p 490	N94-33424	PB94-125457	p 381	N94-30401	
NLR-TP-92190-UP	p 381	N94-30387	NSWCDD/TR-93/91	p 28	N94-12989	PB94-125473	p 402	N94-30399	
NLR-TP-92210-U	p 341	N94-27798	NSWCDD/TR-93/91	p 28	N94-12989	PB94-125481	p 421	N94-30871	
NLR-TP-92248-U	p 381	N94-30388	NSWCDD/TR-94/107	p 559	N94-35958	PB94-125556	p 381	N94-30389	
NLR-TP-92252-U	p 381	N94-30389	NSWCDD/TR-94/13	p 460	N94-33263	PB94-125564	p 381	N94-30388	
NLR-TP-92253-U	p 430	N94-30943	NTSB/AAR-93/01/SUM	p 55	N94-11044	PB94-125598	p 381	N94-30387	
NLR-TP-92342-U	p 369	N94-28353	NTSB/AAR-93/05	p 59	N94-19352	PB94-125960	p 365	N94-26959	#
NLR-TP-92351-U	p 296	N94-27554	NTSB/AAR-93/06	p 255	N94-24062	PB94-126224	p 420	N94-30740	
NLR-TP-92361-U	p 381	N94-30401	NTSB/AAR-93/07	p 254	N94-23579	PB94-126240	p 421	N94-30858	
NLR-TP-92420-U	p 402	N94-30423	NTSB/AAR-93/08	p 306	N94-25175	PB94-126273	p 4	N94-17614	
NLR-TP-92443-U	p 444	N94-30756	NTSB/AAR-94/01/SUM	p 306	N94-25273	PB94-126281	p 430	N94-30854	
NLR-TP-92481-U	p 427	N94-30439	NTSB/AAR-94/01	p 308	N94-27766	PB94-126471	p 326	N94-26969	#
NLR-TP-92521-U	p 420	N94-30492	NTSB/AAR-94/02/SUM	p 382	N94-29402	PB94-126521	p 355	N94-26961	#
NLR-TP-92524-U	p 420	N94-30493	NTSB/AAR-94/02	p 467	N94-32938	PB94-126539	p 344	N94-26815	#
NLR-TP-93082-U	p 444	N94-30763	NTSB/AAR-94/03	p 468	N94-34390	PB94-126547	p 355	N94-26911	
NLR-TP-95592	p 402	N94-30399	NTSB/AAR-94/04	p 529	N94-35521	PB94-126554	p 326	N94-26954	
NLR-TR-92119-U	p 4	N94-17614	NTSB/ARC-93/02	p 58	N94-17471	PB94-126562	p 123	N94-19615	#
			NTSB/ARC-94/01	p 467	N94-32925	PB94-126570	p 349	N94-27201	#
NLR-94-92113-U	p 438	N94-30856	NTSB/ARG-93/01	p 58	N94-16464	PB94-126869	p 305	N94-24841	#
NOAA-TM-ERL-ETL-235	p 365	N94-26959	NTSB/ARG-93/02	p 305	N94-24841	PB94-126869	p 382	N94-29185	
NOAA-TM-ERL-ETL-236	p 426	N94-30890	NTSB/ARG-93/02	p 382	N94-29185	PB94-127982	p 528	N94-34991	#
			NTSB/ARG-94/01	p 528	N94-34991	PB94-127990	p 507	N94-34408	#
NOAA-TM-NWS-SR-154	p 507	N94-34408	NTSB/ARG-94/02	p 529	N94-35496	PB94-134061	p 370	N94-25731	
			NTSB/SIR-94/01	p 308	N94-27881	PB94-134335	p 353	N94-26186	#
NONP-NASA-SUPPL-DK-94-20504	p 293	N94-26483	NTSB/SS-94/01	p 529	N94-35482	PB94-137411	p 416	N94-29175	#
NONP-NASA-SUPPL-DK-94-20504	p 293	N94-26489				PB94-137916	p 373	N94-29160	
NONP-NASA-SUPPL-DK-94-20505	p 293	N94-26492	NUWC-NPT-TR-10223	p 186	N94-18906	PB94-142106	p 426	N94-30890	
NONP-NASA-SUPPL-DK-94-20948	p 293	N94-26497	ONERA-NT-1990-3	p 206	N94-13692	PB94-142429	p 432	N94-30905	
			ONERA-NT-1991-9	p 174	N94-13117	PB94-142551	p 390	N94-28657	#
			ONERA-NT-1992-11	p 149	N94-14194	PB94-142734	p 431	N94-31680	
			ONERA-NT-1993-5	p 426	N94-31230	PB94-143336	p 390	N94-28647	#
			ONERA-NT-1993-8	p 423	N94-31421	PB94-143336	p 390	N94-28647	#
NONP-NASA-SUPPL-VT-94-209775	p 295	N94-27161	ORAE-DLOR-RN-92-4	p 201	N94-14207	PB94-145711	p 447	N94-31683	#
NONP-NASA-VT-93-185300	p 32	N94-13621	ORAE-PR-614	p 200	N94-13549	PB94-147741	p 272	N94-22713	#
NONP-NASA-VT-93-185301	p 102	N94-13623				PB94-148889	p 508	N94-34125	
NONP-NASA-VT-93-185308	p 212	N94-13633	ORNL/ATD-73	p 151	N94-17752	PB94-149036	p 475	N94-34128	
NONP-NASA-VT-93-185319	p 83	N94-13606				PB94-149176	p 470	N94-34093	#
NONP-NASA-VT-93-185320	p 102	N94-13608	ORNL/M-3201	p 493	N94-32935	PB94-149697	p 470	N94-34113	#
NONP-NASA-VT-93-190234	p 57	N94-15336				PB94-149804	p 506	N94-34115	#
NONP-NASA-VT-93-190242	p 104	N94-15344	ORNL/TM-12363	p 231	N94-21822	PB94-151230	p 432	N94-31078	#
NONP-NASA-VT-93-190243	p 150	N94-15345	ORNL/TM-12410	p 70	N94-19300	PB94-151941	p 513	N94-34380	#
NONP-NASA-VT-93-190244	p 85	N94-15396				PB94-152808	p 433	N94-32015	#
NONP-NASA-VT-93-190245	p 85	N94-15321	OSU-ECE-NASA-93-03	p 79	N94-10344	PB94-156486	p 482	N94-34400	
NONP-NASA-VT-93-190249	p 134	N94-15325				PB94-156783	p 507	N94-34409	
NONP-NASA-VT-93-190250	p 191	N94-15326	PAPER-C18	p 215	N94-20486	PB94-158847	p 467	N94-32925	#
NONP-NASA-VT-93-190251	p 85	N94-15327	PAPER-2D-2	p 22	N94-10468	PB94-159910	p 468	N94-34410	
NONP-NASA-VT-93-190252	p 85	N94-15328	PAPER-2D-3	p 22	N94-10469	PB94-159944	p 468	N94-34401	
NONP-NASA-VT-93-190443	p 180	N94-15431	PAPER-2D-4	p 22	N94-10470	PB94-164993	p 569	N94-36530	
NONP-NASA-VT-93-190447	p 212	N94-15434	PAPER-2D-5	p 22	N94-10471	PB94-181054	p 529	N94-35496	#
NONP-NASA-VT-94-12922	p 456	N94-33572	PAPER-2D-7	p 22	N94-10472	PB94-910401	p 306	N94-25273	#
NONP-NASA-VT-94-12927	p 468	N94-33749	PAPER-2D-8	p 23	N94-10473	PB94-910402	p 308	N94-27766	#
NONP-NASA-VT-94-12939	p 468	N94-33563	PAPER-2D-9	p 23	N94-10474	PB94-910403	p 467	N94-32938	#
NONP-NASA-VT-94-12941	p 473	N94-33565	PAPER-3D-1	p 23	N94-10477	PB94-910404	p 382	N94-29402	
NONP-NASA-VT-94-12953	p 513	N94-33579	PAPER-3D-2	p 23	N94-10478	PB94-910405	p 468	N94-34390	#
NONP-NASA-VT-94-12955	p 514	N94-33581	PAPER-3D-3	p 23	N94-10479	PB94-910406	p 529	N94-35521	#
NONP-NASA-VT-94-12962	p 490	N94-33570	PAPER-3D-4	p 23	N94-10480	PB94-917001	p 529	N94-35482	#
NONP-NASA-VT-94-13533	p 497	N94-33750	PAPER-3D-5	p 24	N94-10481	PB94-917002	p 308	N94-27881	#
NONP-NASA-VT-94-13534	p 491	N94-33751	PAPER-37	p 140	N94-15753				
NONP-NASA-VT-94-13535	p 473	N94-33790							
NONP-NASA-VT-94-198217	p 91	N94-18962	PB93-160687	p 58	N94-16464	PD-AL-9109	p 200	N94-13077	#
NONP-NASA-VT-94-198218	p 135	N94-18963	PB93-175446	p 82	N94-11464	PNL-8921	p 313	N94-26309	#
NONP-NASA-VT-94-198219	p 50	N94-18964	PB93-193217	p 257	N94-24474	PNR-90882	p 264	N94-23519	
NONP-NASA-VT-94-9949	p 426	N94-31803	PB93-202885	p 220	N94-21428	PNR-90977	p 264	N94-23570	
NONP-NASA-VT-94-9950	p 447	N94-31804				POLY-AE-93-8	p 374	N94-28899	#
NPL-RSA(EXT)-0039	p 206	N94-13885				PRI-200	p 354	N94-26691	#
						PSI-2090/TR-1140	p 132	N94-13127	#
						PSU/ARL-TR-94-05	p 436	N94-31931	

PW/GESP-FR-22402	p 267	N94-24776	#	SAE PAPER 922008	p 73	A94-12012	TAMRF-5802-94-01	p 299	N94-28072	* #
PW/GESP-FR21998-22	p 443	N94-32047	#	SAE PAPER 922010	p 14	A94-12014	TAMRF-6382-94-01	p 299	N94-28071	* #
PWA-6228-47	p 332	N94-26588	* #	SAE PAPER 922012	p 73	A94-12016	TDCK-TD-91-4352	p 306	N94-25780	#
R-223	p 469	N94-33095	#	SAE PAPER 922013	p 129	A94-12017	TDCK-TD-92-3840	p 353	N94-26011	#
R-3878/1-AF	p 471	N94-33329	#	SAE PAPER 922025	p 93	A94-11722	TDCK-TD-930480	p 365	N94-26016	#
RAE-LIB-TRANS-2201	p 42	N94-16583	#	SAE PAPER 922026	p 61	A94-11723	TDCK-TD93-2777	p 337	N94-25516	#
RAE-TM-AERO/PROP-19	p 39	N94-15696	#	SAE PAPER 922027	p 61	A94-11724	TEC-R-215	p 431	N94-31080	#
RAE-TM-AERO/PROP-21	p 35	N94-14706	#	SAE PAPER 922028	p 73	A94-12023	TEC-0038	p 366	N94-27069	#
RAE-TM-AERO/PROP-22	p 179	N94-14827	#	SAE PAPER 922031	p 74	A94-12024	TESCO-TR-93-1-PHASE-2	p 438	N94-31295	#
REPT-10339	p 596	N94-36919	* #	SAE PAPER 922035	p 74	A94-12026	TNO-93-CMC-R0210-2	p 281	N94-24478	#
REPT-31-8071(05)	p 209	N94-12931	* #	SAE PAPER 922036	p 158	A94-12027	TOP-6-2-040	p 85	N94-15692	#
REPT-4001	p 491	N94-33751	*	SAE PAPER 922038	p 137	A94-12029	TR-722792-5	p 66	N94-11525	* #
REPT-4002	p 497	N94-33750	*	SAE PAPER 922040	p 141	A94-12030	TR-93-01	p 377	N94-29197	#
REPT-4003	p 473	N94-33790	*	SAE PAPER 922041	p 142	A94-12031	TR-93-01	p 465	N94-34159	#
REPT-6109B	p 308	N94-27766	#	SAE PAPER 922042	p 74	A94-12032	TR-94-1417	p 315	N94-27768	* #
REPT-6264	p 308	N94-27881	#	SAE PAPER 922048	p 99	A94-12034	TRB/TRR-1379	p 220	N94-22055	
REPT-699-099-359	p 148	N94-13267	* #	SAE PAPER 922049	p 93	A94-12035	TRC-EM-CAB-9401	p 282	N94-24699	* #
REPT-93-WA/NCA-26	p 51	N94-19484	* #	SAE PAPER 922051	p 74	A94-12036	TRS-449	p 508	N94-34125	
REPT-93D-03-0423-PT-1	p 56	N94-13424	* #	SAE PAPER 922056	p 74	A94-12038	TT-9203	p 181	N94-15645	#
REPT-93RC-010143	p 229	N94-21874	* #	SAE-92-1997	p 96	N94-13791	TTC-1251	p 349	N94-26796	#
REPT-93W0000145	p 180	N94-15439	#	SAFETY RESEARCH-93-1-VOL-1	p 220	N94-21428	UC-706	p 526	N94-35360	#
REPT-932-440-109	p 412	N94-29456	#	SAIC-67-6733	p 332	N94-26176	UCB/R/93/A1091	p 151	N94-17223	#
REPT-932-600-104	p 412	N94-29474	#	SAND-90-7112	p 282	N94-23704	UCRL-CR-114509	p 188	N94-19539	#
REPT-932-600-105	p 408	N94-29457	#	SAND-91-2850	p 349	N94-26796	UCRL-CR-115237	p 374	N94-29842	#
REPT-932-710-101	p 374	N94-29463	#	SAND-92-0501C	p 190	N94-11173	UCRL-ID-112576	p 57	N94-14292	#
REPT-94-001	p 364	N94-25271	* #	SAND-92-1168C	p 147	N94-11366	UCRL-ID-112607	p 198	N94-10267	#
REPT-94B00027	p 347	N94-26613	* #	SAND-92-1888C	p 29	N94-13260	UCRL-JC-111560	p 152	N94-18113	#
REPT-94B0005	p 333	N94-27432	* #	SAND-92-2909	p 408	N94-28466	UCRL-JC-112604	p 187	N94-19252	#
REPT-94B00060	p 545	N94-35605	* #	SAND-93-0208	p 45	N94-18275	UCRL-JC-113485	p 192	N94-17853	#
REPT-9803-1	p 596	N94-36919	* #	SAND-93-1002C	p 176	N94-13889	UCRL-JC-113744	p 202	N94-20316	#
RF-767440/722045	p 408	N94-28665	#	SAND-93-1006C	p 173	N94-12821	UCRL-JC-113905-REV-1	p 234	N94-21621	#
RI/RD92-214	p 356	N94-27228	* #	SAND-93-1584C	p 346	N94-27997	UCRL-JC-113905	p 234	N94-21620	#
RIACS-TR-93-10	p 287	N94-24307	* #	SAND-93-1588	p 238	N94-22405	UCRL-JC-115167	p 431	N94-30687	#
RIACS-TR-94-06	p 560	N94-36031	* #	SAND-93-1656C	p 365	N94-26700	UCRL-JC-115950	p 470	N94-32658	#
RSS-8898	p 138	N94-12806	* #	SAND-93-2125C	p 507	N94-34382	UCRL-JC-116530	p 596	N94-37155	#
RTCA-DO-155	p 537	N94-35344	#	SAND-93-2215C	p 274	N94-23000	UDR-TR-92-87	p 367	N94-25453	#
RU-TR-MAE-184-F	p 170	N94-11014	#	SAND-93-2413C	p 431	N94-31306	UM-030601-1-T	p 170	N94-11084	* #
R54045007	p 392	N94-29685	*	SAND-93-3895C	p 423	N94-31578	US-PATENT-APPL-SN-012839	p 229	N94-20590	*
R94AEB175	p 577	N94-37401	* #	SAND93-0280	p 526	N94-35360	US-PATENT-APPL-SN-024971	p 276	N94-23831	*
SAE PAPER 921911	p 72	A94-11966		SBIR-92-2	p 371	N94-27772	US-PATENT-APPL-SN-035780	p 602	N94-37767	
SAE PAPER 921914	p 98	A94-11967		SCT-90RR-46	p 601	N94-37604	US-PATENT-APPL-SN-063844	p 339	N94-27112	#
SAE PAPER 921918	p 53	A94-11968		SCT-92RR-14	p 382	N94-29862	US-PATENT-APPL-SN-086581	p 413	N94-29740	*
SAE PAPER 921919	p 53	A94-11969		SCT-92RR-8	p 313	N94-26826	US-PATENT-APPL-SN-129729	p 344	N94-27113	#
SAE PAPER 921920	p 61	A94-11970		SCT-93RR-17-VOL-1	p 567	N94-36466	US-PATENT-APPL-SN-134443	p 411	N94-29353	* #
SAE PAPER 921921	p 93	A94-11971		SCT-93RR-17-VOL-2	p 567	N94-36467	US-PATENT-APPL-SN-151690	p 417	N94-29362	#
SAE PAPER 921923	p 12	A94-11972		SCT-93RR-21	p 583	N94-37424	US-PATENT-APPL-SN-159606	p 411	N94-29448	* #
SAE PAPER 921924	p 12	A94-11973		SEI-249-93-03	p 477	N94-33409	US-PATENT-APPL-SN-216559	p 602	N94-37830	#
SAE PAPER 921925	p 107	A94-11974		SEL-81-305SP1	p 557	N94-34921	US-PATENT-APPL-SN-216567	p 602	N94-37839	#
SAE PAPER 921926	p 13	A94-11975	*	SEL-89-103-REV-1	p 416	N94-29727	US-PATENT-APPL-SN-230571	p 594	N94-36839	* #
SAE PAPER 921928	p 13	A94-11976	*	SEL-93-002	p 558	N94-35256	US-PATENT-APPL-SN-238044	p 576	N94-36767	* #
SAE PAPER 921929	p 93	A94-11977	*	SER-B-93-41	p 247	N94-23116	US-PATENT-APPL-SN-481570	p 489	N94-34406	
SAE PAPER 921937	p 72	A94-11977	*	SER-B-93-42	p 275	N94-23115	US-PATENT-APPL-SN-556606	p 70	N94-20197	
SAE PAPER 921938	p 73	A94-11978	*	SP-RAPP-1993-43	p 416	N94-29175	US-PATENT-APPL-SN-678780	p 130	N94-10669	*
SAE PAPER 921939	p 73	A94-11979	*	SPC-93154-CMC	p 451	N94-32219	US-PATENT-APPL-SN-820431	p 552	N94-35074	*
SAE PAPER 921941	p 73	A94-11980	*	SR-93-R-5278-115	p 237	N94-21938	US-PATENT-APPL-SN-830206	p 88	N94-17704	
SAE PAPER 921942	p 157	A94-11981		SRL-12-F-1993	p 233	N94-21284	US-PATENT-APPL-SN-866649	p 290	N94-25051	
SAE PAPER 921944	p 157	A94-11983		SSRP-93/03	p 170	N94-10937	US-PATENT-APPL-SN-886998	p 24	N94-10673	*
SAE PAPER 921946	p 157	A94-11985		SSRP-93/10	p 350	N94-27352	US-PATENT-APPL-SN-887001	p 229	N94-20367	*
SAE PAPER 921947	p 158	A94-11986		S495-10400D-VOL-10	p 441	N94-32316	US-PATENT-APPL-SN-889003	p 232	N94-20588	*
SAE PAPER 921948	p 158	A94-11987		S495-10400D-VOL-11	p 441	N94-32317	US-PATENT-APPL-SN-889003	p 413	N94-29740	*
SAE PAPER 921949	p 158	A94-11988		S495-10400D-VOL-12	p 441	N94-32318	US-PATENT-APPL-SN-906903	p 604	N94-37768	
SAE PAPER 921952	p 158	A94-11990		S495-10400D-VOL-13	p 441	N94-32319	US-PATENT-APPL-SN-915567	p 413	N94-29726	*
SAE PAPER 921953	p 129	A94-11991		S495-10400D-VOL-1	p 440	N94-32312	US-PATENT-APPL-SN-923867	p 320	N94-25052	
SAE PAPER 921955	p 98	A94-11992		S495-10400D-VOL-2	p 440	N94-32313	US-PATENT-APPL-SN-943659	p 24	N94-10672	* #
SAE PAPER 921964	p 98	A94-11993		S495-10400D-VOL-3	p 442	N94-32395	US-PATENT-APPL-SN-948057	p 227	N94-20556	*
SAE PAPER 921975	p 98	A94-11996		S495-10400D-VOL-4	p 442	N94-32396	US-PATENT-APPL-SN-950580	p 230	N94-20377	*
SAE PAPER 921978	p 129	A94-11998		S495-10400D-VOL-5	p 442	N94-32397	US-PATENT-APPL-SN-956327	p 469	N94-32961	
SAE PAPER 921979	p 1	A94-11999		S495-10400D-VOL-6	p 442	N94-32398	US-PATENT-APPL-SN-994229	p 458	N94-32974	
SAE PAPER 921978	p 1	A94-11999		S495-10400D-VOL-7	p 442	N94-32399	US-PATENT-APPL-SN-998062	p 169	N94-10674	*
SAE PAPER 921983	p 99	A94-12001		S495-10400D-VOL-8	p 440	N94-32314	US-PATENT-CLASS-244-100A	p 229	N94-20590	*
SAE PAPER 921984	p 107	A94-12002	*	S495-10400D-VOL-9	p 441	N94-32315	US-PATENT-CLASS-244-110D	p 229	N94-20590	*
SAE PAPER 921987	p 13	A94-12003	*	S495-10440-1	p 441	N94-32394	US-PATENT-CLASS-244-113	p 229	N94-20590	*
SAE PAPER 921990	p 13	A94-12004	*	S495-10441-1	p 440	N94-32241	US-PATENT-CLASS-244-129.1	p 602	N94-37767	
SAE PAPER 921991	p 13	A94-12005	*	S495-10459-1	p 440	N94-32014	US-PATENT-CLASS-244-130	p 24	N94-10672	* #
SAE PAPER 921994	p 13	A94-12006	*	S495-10734-1	p 440	N94-32311				
SAE PAPER 921995	p 137	A94-12007	*	S495-10735-1	p 442	N94-32403				
SAE PAPER 921996	p 14	A94-12008	*	TABES PAPER 93-460	p 210	N94-16134				
SAE PAPER 922001	p 60	A94-11717		TABES PAPER 93-662	p 104	N94-16157				
SAE PAPER 922002	p 61	A94-11718								
SAE PAPER 922003	p 61	A94-11719								
SAE PAPER 922005	p 107	A94-12009								
SAE PAPER 922006	p 197	A94-12010								
SAE PAPER 922007	p 158	A94-12011								


US-PATENT-CLASS-244-138A	p 229	N94-20590 *	WHOI-92-38	p 171	N94-11865 #
US-PATENT-CLASS-244-138R	p 229	N94-20590 *	WL-TM-93-308	p 254	N94-24773 #
US-PATENT-CLASS-244-152	p 290	N94-25051	WL-TM-94-3031	p 471	N94-33107
US-PATENT-CLASS-244-158A	p 229	N94-20590 *	WL-TP-93-002	p 181	N94-15826
US-PATENT-CLASS-244-158R	p 229	N94-20367 *	WL-TR-92-3109	p 209	N94-11288 #
US-PATENT-CLASS-244-160	p 229	N94-20367 *	WL-TR-92-7035	p 135	N94-18330 #
US-PATENT-CLASS-244-160	p 229	N94-20590 *	WL-TR-93-1054	p 68	N94-13703 #
US-PATENT-CLASS-244-190	p 320	N94-25052	WL-TR-93-1103	p 330	N94-26340 #
US-PATENT-CLASS-244-198	p 24	N94-10673 *	WL-TR-93-1125	p 367	N94-26009 #
US-PATENT-CLASS-244-199	p 24	N94-10673 *	WL-TR-93-1173	p 434	N94-31458 #
US-PATENT-CLASS-244-199	p 458	N94-32974 *	WL-TR-93-2007	p 147	N94-12282 #
US-PATENT-CLASS-244-208	p 24	N94-10672 *	WL-TR-93-2015	p 152	N94-18489
US-PATENT-CLASS-244-209	p 24	N94-10672 *	WL-TR-93-2027	p 175	N94-13730 #
US-PATENT-CLASS-244-3	p 489	N94-34406	WL-TR-93-2032	p 147	N94-12275 #
US-PATENT-CLASS-244-75R	p 227	N94-20556 *	WL-TR-93-2052-VOL-1	p 149	N94-14962
US-PATENT-CLASS-244-87	p 227	N94-20556 *	WL-TR-93-2054	p 134	N94-15847
US-PATENT-CLASS-264-221	p 230	N94-20377 *	WL-TR-93-2055	p 105	N94-18907
US-PATENT-CLASS-264-86	p 230	N94-20377 *	WL-TR-93-2076	p 332	N94-26345 #
US-PATENT-CLASS-33-1-SB	p 469	N94-32961	WL-TR-93-2086	p 403	N94-28901
US-PATENT-CLASS-356-382	p 604	N94-37768	WL-TR-93-3004	p 88	N94-18227
US-PATENT-CLASS-417-393	p 169	N94-10674 *	WL-TR-93-3012	p 216	N94-21411 #
US-PATENT-CLASS-417-404	p 169	N94-10674 *	WL-TR-93-3025-VOL-1	p 201	N94-16768 #
US-PATENT-CLASS-417-48	p 276	N94-23831 *	WL-TR-93-3025-VOL-2	p 201	N94-16769
US-PATENT-CLASS-417-50	p 276	N94-23831 *	WL-TR-93-3044	p 90	N94-18577
US-PATENT-CLASS-417-64	p 232	N94-20588 *	WL-TR-93-3045	p 90	N94-18733 #
US-PATENT-CLASS-60-39.02	p 413	N94-29740 *	WL-TR-93-3047	p 186	N94-18739 #
US-PATENT-CLASS-60-39.45	p 232	N94-20588 *	WL-TR-93-3058	p 44	N94-17461
US-PATENT-CLASS-73-118.1	p 130	N94-10669 *	WL-TR-93-3059	p 44	N94-17609 #
US-PATENT-CLASS-73-119R	p 130	N94-10669 *	WL-TR-93-3065	p 355	N94-26976 #
US-PATENT-CLASS-73-147	p 552	N94-35074 *	WL-TR-93-3068	p 90	N94-18779 #
US-PATENT-CLASS-73-204.18	p 552	N94-35074 *	WL-TR-93-3081	p 321	N94-25590 #
US-PATENT-CLASS-73-865.9	p 130	N94-10669 *	WL-TR-93-3082-VOL-2	p 321	N94-25440 #
US-PATENT-CLASS-74-479B	p 413	N94-29726 *	WL-TR-93-3083-VOL-3	p 324	N94-25961 #
US-PATENT-CLASS-74-479PF	p 413	N94-29726 *	WL-TR-93-3088	p 367	N94-25453 #
US-PATENT-CLASS-901-14	p 413	N94-29726 *	WL-TR-93-3089	p 185	N94-18266
US-PATENT-CLASS-901-19	p 413	N94-29726 *	WL-TR-93-3097-PHASE-2	p 500	N94-33391
US-PATENT-5,208,601	p 70	N94-20197	WL-TR-93-3098	p 367	N94-25454 #
US-PATENT-5,226,618	p 88	N94-17704	WL-TR-93-3099	p 437	N94-32224 #
US-PATENT-5,230,486	p 24	N94-10673 *	WL-TR-93-3101	p 368	N94-27093 #
US-PATENT-5,236,155	p 24	N94-10672 *	WL-TR-93-3103-VOL-1	p 355	N94-26922 #
US-PATENT-5,238,372	p 169	N94-10674 *	WL-TR-93-3125-PHASE-2	p 438	N94-31295 #
US-PATENT-5,239,864	p 130	N94-10669 *	WL-TR-93-3520	p 499	N94-33385 #
US-PATENT-5,240,207	p 320	N94-25052	WL-TR-93-4036	p 202	N94-17590 #
US-PATENT-5,242,134	p 229	N94-20367 *	WL-TR-93-4037	p 348	N94-24788
US-PATENT-5,248,114	p 489	N94-34406	WL-TR-93-4080	p 215	N94-21194 #
US-PATENT-5,248,117	p 290	N94-25051	WL-TR-93-8030	p 267	N94-24776 #
US-PATENT-5,259,573	p 227	N94-20556 *	WL-TR-94-1007	p 432	N94-31387 #
US-PATENT-5,265,829	p 229	N94-20590 *	WL-TR-94-1009	p 419	N94-31367 #
US-PATENT-5,266,252	p 230	N94-20377 *	WL-TR-94-1010	p 434	N94-31368 #
US-PATENT-5,267,432	p 232	N94-20588 *	WL-TR-94-1033	p 475	N94-32909 #
US-PATENT-5,275,537	p 276	N94-23831 *	WL-TR-94-2003	p 584	N94-36505
US-PATENT-5,279,176	p 413	N94-29726 *	WSRC-MS-93-453	p 506	N94-33938 #
US-PATENT-5,282,591	p 458	N94-32974	XC-AFCEA/ESL	p 402	N94-29151 #
US-PATENT-5,282,591	p 604	N94-37768	Y/DZ-1008/R1	p 152	N94-18761 #
US-PATENT-5,293,218	p 604	N94-37768			
US-PATENT-5,297,384	p 413	N94-29740 *			
US-PATENT-5,301,904	p 602	N94-37767			
US-PATENT-5,311,772	p 552	N94-35074 *			
USAARL-93-15	p 57	N94-15637 #			
USAARL-93-37	p 427	N94-32363 #			
USAARL-94-10	p 437	N94-32217 #			
USAARL-94-6	p 474	N94-34080			
USAATC-TR-93-A-005	p 122	N94-15793 *			
USAATCOM-TR-92-A-014	p 523	N94-34948 *			
USAATCOM-TR-93-A-004	p 80	N94-10935 *			
USNA-TSPR-207	p 105	N94-20042 #			
UTIAS-345	p 27	N94-11857			
UTIAS-348	p 345	N94-27879			
UTRC-R93-958160-1	p 271	N94-24565 *			
UVA/528266/MSE94/114	p 357	N94-27851 *			
UVA/528308/MANE94/101	p 593	N94-36420 *			
VKI-LS-1993-03	p 33	N94-14153 #			
VKI-LS-1993-06	p 360	N94-28043 #			
VPI-AOE-202-REV	p 446	N94-31476 #			
VPI-AOE-210	p 250	N94-24052 *			
VTL-TR-198-6	p 227	N94-20524 *			
VTT-TIED-1402	p 312	N94-25808 #			
W-9321	p 448	N94-32045 #			
W-9322	p 423	N94-31822 #			
WES/TR-GL-94-2	p 490	N94-33444			
WES/TR/EL-93-9-REPT-1	p 191	N94-15851			

ACCESSION NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography
1994 Cumulative Index

December 1994

Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A94-10084	p 141	A94-10429	p 154
A94-10101	p 153	A94-10430	p 154
A94-10102	p 153	A94-10434	p 6
A94-10103	p 193	A94-10435 *	p 6
A94-10104	p 153	A94-10436	p 6
A94-10108	p 153	A94-10437	p 7
A94-10111	p 208	A94-10438	p 127
A94-10112	p 193	A94-10439	p 127
A94-10114	p 92	A94-10440	p 127
A94-10115	p 106	A94-10441	p 127
A94-10118	p 106	A94-10442	p 127
A94-10119	p 194	A94-10443	p 128
A94-10123	p 189	A94-10444	p 128
A94-10281	p 106	A94-10445	p 128
A94-10282	p 106	A94-10446	p 128
A94-10283 *	p 97	A94-10447	p 128
A94-10298	p 194	A94-10448	p 128
A94-10299 *	p 153	A94-10514	p 52
A94-10318	p 97	A94-10521	p 154
A94-10325	p 123	A94-10659	p 141
A94-10328	p 106	A94-10660	p 141
A94-10329	p 5	A94-10670	p 141
A94-10331	p 60	A94-10671	p 141
A94-10332	p 60	A94-10678	p 141
A94-10333	p 208	A94-10697	p 7
A94-10347	p 97	A94-10698	p 7
A94-10356	p 6	A94-10702	p 97
A94-10357	p 6	A94-10704	p 7
A94-10401	p 123	A94-10709	p 97
A94-10402	p 124	A94-10717 * #	p 71
A94-10403	p 124	A94-10718 * #	p 136
A94-10404 *	p 124	A94-10719 * #	p 52
A94-10405	p 124	A94-10743	p 155
A94-10406	p 124	A94-10744	p 106
A94-10407	p 124	A94-10745	p 97
A94-10408	p 154	A94-10747	p 155
A94-10409	p 154	A94-10749	p 155
A94-10410 *	p 6	A94-10750	p 60
A94-10411	p 154	A94-10759	p 7
A94-10412	p 124	A94-10760 *	p 7
A94-10413	p 125	A94-10763 *	p 8
A94-10414	p 125	A94-10764	p 8
A94-10415	p 125	A94-10765 *	p 8
A94-10416	p 125	A94-10766	p 8
A94-10417	p 125	A94-10767	p 8
A94-10418	p 125	A94-10768	p 8
A94-10419	p 125	A94-10769	p 8
A94-10420	p 126	A94-10770	p 9
A94-10421	p 126	A94-10771	p 9
A94-10422	p 126	A94-10772 *	p 9
A94-10423	p 126	A94-10773	p 9
A94-10424 *	p 126	A94-10774 *	p 9
A94-10425	p 126	A94-10776	p 9
A94-10426	p 127	A94-10777	p 71
A94-10427	p 127	A94-10778	p 71

A94-10779	p 128	A94-11481	# p 196	A94-12044	p 74
A94-10781	p 129	A94-11496	# p 196	A94-12045	p 2
A94-10782	p 129	A94-11499	# p 197	A94-12046	p 2
A94-10783	p 9	A94-11505 *	# p 197	A94-12047	p 74
A94-10784	p 10	A94-11532 *	# p 197	A94-12048	p 99
A94-10798	p 106	A94-11535	# p 93	A94-12049	p 203
A94-10799	p 155	A94-11598	p 156	A94-12050	p 14
A94-10800	p 107	A94-11602	p 157	A94-12051	p 14
A94-10801 *	p 107	A94-11603	p 157	A94-12052	p 203
A94-10802	p 71	A94-11624	p 1	A94-12053	p 204
A94-10803	p 107	A94-11625	p 1	A94-12054	p 204
A94-10804	p 10	A94-11675	p 98	A94-12055	p 158
A94-10805 *	p 107	A94-11711	p 93	A94-12056	p 14
A94-10806 *	p 194	A94-11717	p 60	A94-12057	p 14
A94-10819	p 194	A94-11718	p 61	A94-12058	p 14
A94-10822	p 194	A94-11719	p 61	A94-12059	p 15
A94-10833	p 107	A94-11722 *	p 93	A94-12060	p 15
A94-10850	p 1	A94-11723	p 61	A94-12061	p 74
A94-10855 *	p 10	A94-11724	p 61	A94-12062	p 15
A94-10856 *	p 10	A94-11770	p 197	A94-12063	p 15
A94-10857	p 98	A94-11848	p 157	A94-12064	p 15
A94-10858 *	p 10	A94-11849	p 98	A94-12065	p 15
A94-10859	p 71	A94-11850	p 157	A94-12066	p 16
A94-10860	p 98	A94-11922	p 12	A94-12067	p 16
A94-10875 *	p 189	A94-11966	p 72	A94-12068	p 75
A94-10882 *	p 189	A94-11967	p 98	A94-12069	p 16
A94-10885	p 155	A94-11968	p 53	A94-12070 *	p 16
A94-10887	p 10	A94-11969	p 53	A94-12071	p 16
A94-10888	p 10	A94-11970	p 61	A94-12072	p 16
A94-10889	p 10	A94-11971	p 93	A94-12073	p 75
A94-10892 *	p 11	A94-11972	p 12	A94-12074	p 17
A94-10927	p 11	A94-11973	p 12	A94-12075	p 75
A94-10931	p 98	A94-11974	p 107	A94-12078	p 75
A94-10932	p 11	A94-11975 *	p 13	A94-12079	p 2
A94-10934	p 11	A94-11976 *	p 13	A94-12080	p 75
A94-10935	p 11	A94-11977 *	p 72	A94-12081	p 75
A94-10936	p 11	A94-11978 *	p 73	A94-12082	p 75
A94-10942	p 11	A94-11979 *	p 73	A94-12083	p 53
A94-10953	p 11	A94-11980	p 73	A94-12084	p 129
A94-10954	p 12	A94-11981	p 157	A94-12085	p 76
A94-10956	p 12	A94-11983	p 157	A94-12086	p 76
A94-10957	p 12	A94-11985	p 157	A94-12087	p 76
A94-11029	p 203	A94-11986	p 158	A94-12088	p 76
A94-11040	p 12	A94-11987	p 158	A94-12089	p 76
A94-11041	p 71	A94-11988	p 158	A94-12090	p 107
A94-11090	p 155	A94-11990	p 158	A94-12091	p 108
A94-11104	p 136	A94-11991	p 129	A94-12092	p 108
A94-11105	p 136	A94-11992	p 98	A94-12093 *	p 108
A94-11249	p 194	A94-11993	p 98	A94-12094 *	p 76
A94-11258	p 137	A94-11996	p 98	A94-12095	p 76
A94-11259	p 137	A94-11998	p 129	A94-12096	p 99
A94-11349 * #	p 155	A94-11999	p 1	A94-12097	p 77
A94-11350 * #	p 156	A94-12001	p 99	A94-12098	p 77
A94-11351 * #	p 203	A94-12002 *	p 107	A94-12099	p 108
A94-11352 * #	p 71	A94-12003 *	p 13	A94-12101	p 130
A94-11353 * #	p 203	A94-12004 *	p 13	A94-12102	p 108
A94-11354 * #	p 203	A94-12005	p 13	A94-12104	p 77
A94-11355	p 1	A94-12006	p 13	A94-12108	p 108
A94-11356	p 53	A94-12007 *	p 137	A94-12109	p 158
A94-11357	p 194	A94-12008	p 14	A94-12110	p 17
A94-11358	p 72	A94-12009	p 107	A94-12111	p 109
A94-11359	p 195	A94-12010	p 197	A94-12112	p 109
A94-11360	p 195	A94-12011	p 158	A94-12113	p 109
A94-11361	p 53	A94-12012	p 73	A94-12114	p 2
A94-11363	p 72	A94-12014	p 14	A94-12115	p 99
A94-11364	p 72	A94-12016	p 73	A94-12116	p 54
A94-11365	p 53	A94-12017 *	p 129	A94-12117	p 17
A94-11366	p 53	A94-12023	p 73	A94-12118 *	p 109
A94-11368	p 156	A94-12024	p 74	A94-12119	p 61
A94-11370	p 156	A94-12026	p 74	A94-12120	p 61
A94-11372	p 156	A94-12027 *	p 137	A94-12121	p 62
A94-11373	p 156	A94-12029	p 141	A94-12122	p 62
A94-11374	p 156	A94-12030	p 141	A94-12123	p 62
A94-11392	p 72	A94-12031	p 142	A94-12124	p 62
A94-11411	# p 195	A94-12032	p 74	A94-12140	p 204
A94-11422 *	p 195	A94-12034	p 99	A94-12198	p 159
A94-11447 * #	p 195	A94-12035	p 93	A94-12199	p 17
A94-11452 *	p 195	A94-12036	p 74	A94-12200	p 17
A94-11453 *	p 195	A94-12038	p 74	A94-12226	p 77
A94-11454 *	p 196	A94-12040	p 74	A94-12227	p 93
A94-11462 * #	p 196	A94-12041	p 1	A94-12228	p 62
A94-11477 *	p 196	A94-12042	p 1	A94-12229	p 94
A94-11480 * #	p 93	A94-12043	p 203	A94-12230	p 62

A94-12231	p 94	A94-12695 *	p 99	A94-60177 *	p 518	A94-61255	p 597	N94-10365	#	p 166
A94-12232	p 77	A94-12696	p 111	A94-60178	p 518	A94-61259	p 579	N94-10370	#	p 100
A94-12233	p 109	A94-12697 *	p 111	A94-60179 *	p 519	A94-61260	p 597	N94-10400 *	#	p 166
A94-12234	p 130	A94-12701	p 2	A94-60180 *	p 519	A94-61261	p 579	N94-10423	#	p 138
A94-12235	p 77	A94-12702	p 79	A94-60181	p 530	A94-61266	p 570	N94-10424	#	p 111
A94-12237	p 77	A94-12704	p 111	A94-60182	p 519	A94-61267	p 570	N94-10425	#	p 100
A94-12238	p 77	A94-12706 *	p 79	A94-60183	p 536	A94-61268	p 571	N94-10426	#	p 112
A94-12239	p 159	A94-12707 *	p 111	A94-60185 *	p 519	A94-61459	p 577	N94-10431	#	p 130
A94-12240	p 78	A94-12708	p 111	A94-60186	p 519	A94-61460	p 577	N94-10432	#	p 130
A94-12241	p 78	A94-12764	p 198	A94-60187	p 520	A94-61473	p 584	N94-10433 *	#	p 20
A94-12242	p 78	A94-12776	p 163	A94-60191	p 544	A94-61615	p 592	N94-10434 *	#	p 20
A94-12243	p 109	A94-12784	p 163	A94-60193	p 520	A94-61616	p 571	N94-10435 *	#	p 20
A94-12244	p 78	A94-12795	p 18	A94-60196	p 520	A94-61617	p 579	N94-10445	#	p 20
A94-12245	p 78	A94-12796	p 18	A94-60197	p 557	A94-61618	p 579	N94-10446 *	#	p 20
A94-12246	p 78	A94-12799	p 18	A94-60205 *	p 520	A94-61619	p 571	N94-10449 *	#	p 21
A94-12247	p 109	A94-12800	p 18	A94-60208 *	p 520	A94-61620	p 564	N94-10451 *	#	p 21
A94-12248	p 78	A94-12817	p 163	A94-60209	p 549	A94-61621	p 580	N94-10452 *	#	p 21
A94-12249 *	p 78	A94-12818	p 18	A94-60210	p 549	A94-61622	p 571	N94-10455	#	p 21
A94-12266	p 94	A94-12819	p 164	A94-60211	p 530	A94-61623	p 564	N94-10459	#	p 138
A94-12267	p 159	A94-12825	p 164	A94-60212	p 557	A94-61624	p 565	N94-10463 *	#	p 21
A94-12286 *	p 189	A94-12866	p 164	A94-60214	p 530	A94-61625	p 571	N94-10464	#	p 21
A94-12287	p 159	A94-12871	p 164	A94-60256	p 549	A94-61626	p 565	N94-10466	#	p 22
A94-12290	p 159	A94-12883	p 138	A94-60266	p 520	A94-61627	p 571	N94-10467	#	p 22
A94-12343	p 17	A94-12888	p 164	A94-60267	p 520	A94-61628	p 583	N94-10468	#	p 22
A94-12346	p 159	A94-12889	p 18	A94-60268	p 549	A94-61629	p 565	N94-10469	#	p 22
A94-12361 *	p 190	A94-12892	p 18	A94-60274	p 544	A94-61630	p 565	N94-10470	#	p 22
A94-12376 *	p 159	A94-12893	p 19	A94-60275	p 546	A94-61631	p 565	N94-10471	#	p 22
A94-12394 *	p 204	A94-12894	p 19	A94-60334	p 521	A94-61632	p 571	N94-10472	#	p 22
A94-12397	p 159	A94-12897	p 19	A94-60335	p 550	A94-61635	p 599	N94-10473	#	p 23
A94-12402	p 160	A94-12900	p 19	A94-60336	p 530	A94-61636 *	p 578	N94-10474	#	p 23
A94-12413 *	p 160	A94-12906 *	p 164	A94-60337	p 530	A94-61637	p 565	N94-10475	#	p 23
A94-12415	p 160	A94-12918	p 164	A94-60348	p 546	A94-61638	p 566	N94-10476	#	p 23
A94-12420	p 17	A94-12936	p 165	A94-60349	p 559	A94-61639 *	p 566	N94-10477	#	p 23
A94-12422	p 160	A94-12937	p 165	A94-60352 *	p 550	A94-61640	p 566	N94-10478	#	p 23
A94-12423 *	p 160	A94-12953	p 99	A94-60354	p 522	A94-61641	p 592	N94-10479	#	p 23
A94-12471	p 137	A94-12954	p 165	A94-60361	p 559	A94-61642	p 566	N94-10480	#	p 23
A94-12482	p 79	A94-12957	p 165	A94-60395 *	p 544	A94-61643	p 571	N94-10481	#	p 24
A94-12483	p 204	A94-12982	p 165	A94-60396 *	p 544	A94-61644 *	p 577	N94-10482	#	p 24
A94-12488 *	p 110	A94-12993	p 142	A94-60397 *	p 544	A94-61645	p 566	N94-10483	#	p 24
A94-12504	p 161	A94-13072	p 130	A94-60398 *	p 544	A94-61646	p 566	N94-10484	#	p 24
A94-12510	p 161	A94-13144	p 165	A94-60399 *	p 544	A94-61647	p 566	N94-10485	#	p 24
A94-12516	p 161	A94-13147	p 208	A94-60399 *	p 545	A94-61649	p 572	N94-10486	#	p 24
A94-12519	p 161	A94-13148	p 209	A94-60400 *	p 545	A94-61650	p 578	N94-10487	#	p 24
A94-12531	p 161	A94-13149	p 209	A94-60405 *	p 545	A94-61651	p 578	N94-10488	#	p 24
A94-12533	p 62	A94-60004	p 547	A94-60410	p 560	A94-61652	p 580	N94-10489	#	p 24
A94-12536	p 161	A94-60009	p 559	A94-60412	p 550	A94-61658	p 580	N94-10490	#	p 24
A94-12544	p 162	A94-60015	p 515	A94-60421	p 550	A94-61669	p 580	N94-10491	#	p 24
A94-12551	p 63	A94-60016	p 515	A94-60426	p 537	A94-61672	p 580	N94-10492	#	p 24
A94-12552	p 63	A94-60017	p 547	A94-60428	p 521	A94-61673	p 580	N94-10493	#	p 24
A94-12553	p 63	A94-60025	p 515	A94-60429	p 521	A94-61674	p 572	N94-10494	#	p 24
A94-12554	p 94	A94-60026	p 515	A94-60430	p 560	A94-61675	p 572	N94-10495	#	p 24
A94-12555	p 94	A94-60027	p 547	A94-60436 *	p 521	A94-61679	p 583	N94-10496	#	p 24
A94-12556	p 63	A94-60029	p 515	A94-60623	p 537	A94-61682	p 570	N94-10497	#	p 24
A94-12557	p 63	A94-60031	p 515	A94-60624	p 521	A94-61767	p 592	N94-10498	#	p 24
A94-12558	p 63	A94-60034	p 547	A94-60625	p 522	A94-61769	p 570	N94-10499	#	p 24
A94-12559	p 64	A94-60035	p 516	A94-60626	p 521	A94-61782	p 563	N94-10500	#	p 24
A94-12560	p 64	A94-60037	p 516	A94-60627	p 521	A94-61783	p 563	N94-10501	#	p 24
A94-12561	p 64	A94-60039	p 547	A94-60628	p 521	A94-61785	p 563	N94-10502	#	p 24
A94-12562	p 64	A94-60040	p 548	A94-60629	p 521	A94-61787	p 569	N94-10503	#	p 24
A94-12564	p 64	A94-60042 *	p 516	A94-60630	p 521	A94-61788	p 563	N94-10504	#	p 24
A94-12565	p 94	A94-60043	p 548	A94-60631	p 521	A94-61805	p 592	N94-10505	#	p 24
A94-12567	p 64	A94-60044 *	p 548	A94-61050	p 586	A94-61810	p 567	N94-10506	#	p 24
A94-12568	p 64	A94-60045	p 548	A94-61057	p 586	A94-61853	p 592	N94-10507	#	p 24
A94-12569	p 65	A94-60092	p 516	A94-61058	p 587	A94-61854	p 599	N94-10508	#	p 24
A94-12570	p 65	A94-60101	p 548	A94-61059	p 587	A94-61855	p 563	N94-10509	#	p 24
A94-12571	p 65	A94-60106	p 543	A94-61060	p 587	A94-61856	p 563	N94-10510	#	p 24
A94-12572	p 65	A94-60110	p 543	A94-61061	p 587	A94-61862	p 593	N94-10511	#	p 24
A94-12574	p 65	A94-60112	p 543	A94-61062	p 587	A94-61865 *	p 563	N94-10512	#	p 24
A94-12575	p 65	A94-60113	p 516	A94-61063	p 587	A94-61867	p 593	N94-10513	#	p 24
A94-12576	p 66	A94-60131	p 548	A94-61098	p 588	A94-61868	p 563	N94-10514	#	p 24
A94-12578	p 94	A94-60137	p 548	A94-61099	p 588	A94-61872	p 593	N94-10515	#	p 24
A94-12598	p 94	A94-60139	p 549	A94-61100	p 588	A94-61873	p 593	N94-10516	#	p 24
A94-12611	p 2	A94-60141	p 516	A94-61101	p 588	A94-61877	p 564	N94-10517	#	p 24
A94-12612	p 79	A94-60143 *	p 559	A94-61102	p 588	A94-62183	p 606	N94-10518	#	p 24
A94-12613	p 110	A94-60151	p 516	A94-61104	p 588	A94-62186	p 606	N94-10519	#	p 24
A94-12614	p 2	A94-60152	p 517	A94-61105	p 588	A94-62204	p 604	N94-10520	#	p 24
A94-12615	p 110	A94-60153	p 517	A94-61106	p 589	A94-62227	p 603	N94-10521	#	p 24
A94-12616	p 110	A94-60154	p 517	A94-61107	p 589	A94-62276	p 601	N94-10522	#	p 24
A94-12618	p 110	A94-60155	p 517	A94-61108	p 589	A94-62277	p 603	N94-10523	#	p 24
A94-12621	p 95	A94-60157 *	p 517	A94-61109	p 589	A94-62291	p 606	N94-10524	#	p 24
A94-12622 *	p 95	A94-60158	p 517	A94-61111	p 589	A94-62419	p 609	N94-10525	#	p 24
A94-12649 *	p 17	A94-60159	p 517	A94-61113	p 584	A94-62424 *	p 609	N94-10526	#	p 24
A94-12651 *	p 162	A94-60160	p 536	A94-61114	p 577	A94-62425	p 609	N94-10527	#	p 24
A94-12653	p 142	A94-60161	p 549	A94-61115	p 577	A94-62441 *	p 609	N94-10528	#	p 24
A94-12655	p 142	A94-60162	p 517	A94-61116	p 589			N94-10529	#	p 24
A94-12657	p 162	A94-60163 *	p 517	A94-61125	p 590			N94-10530	#	p 24
A94-12658	p 162	A94-60164	p 517	A94-61126	p 590	N94-10003	#	p 142		
A94-12665 *	p 162	A94-60166	p 517	A94-61127	p 590	N94-10011	#	p 142		
A94-12666	p 162	A94-60168	p 518	A94-61128	p 590	N94-10023	#	p 142		
A94-12673	p 163	A94-60169	p 518	A94-61129	p 590	N94-10038	#	p 166		
A94-12676	p 163	A94-60170	p 536	A94-61130	p 591	N94-10055	#	p 166		
A94-12679	p 198	A94-60171	p 518	A94-61131	p 591	N94-10145	#	p 209		
A94-12682	p 163	A94-60172	p 536	A94-61132	p 591	N94-10267	#	p 198		
A94-12691	p 163	A94-60173	p 518	A94-61133	p 591	N94-10344 *	#	p 79		
A94-12692 *	p 130	A94-60174 *	p 536	A94-61134	p 591	N94-10350	#	p 19		
A94-12693 *	p 110	A94-60175	p 549	A94-61135	p 592	N94-10357	#	p 19		
A94-12694	p 163	A94-60176 *	p 557	A94-61203	p 592	N94-10363	#	p 20		
				A94-61254	p 579	N94-10364	#	p 166		

N94-10853 #	p 205	N94-12272 * #	p 101	N94-13325 * #	p 132	N94-14158 #	p 133	N94-15416 * #	p 121
N94-10855 #	p 25	N94-12274 #	p 101	N94-13337 #	p 132	N94-14159 #	p 133	N94-15431 * #	p 180
N94-10856 #	p 25	N94-12275 #	p 147	N94-13338 #	p 83	N94-14165 #	p 102	N94-15434 * #	p 212
N94-10860 #	p 25	N94-12282 #	p 147	N94-13340 #	p 29	N94-14166 #	p 34	N94-15439 #	p 180
N94-10861 #	p 169	N94-12294 #	p 172	N94-13341 #	p 30	N94-14167 #	p 34	N94-15445 * #	p 180
N94-10893 #	p 198	N94-12295 * #	p 172	N94-13342 #	p 30	N94-14168 #	p 103	N94-15487 * #	p 207
N94-10894 #	p 131	N94-12298 * #	p 172	N94-13344 #	p 68	N94-14169 #	p 103	N94-15506 #	p 207
N94-10895 * #	p 112	N94-12307 * #	p 172	N94-13345 #	p 30	N94-14170 #	p 34	N94-15542 #	p 57
N94-10933 #	p 66	N94-12307 * #	p 172	N94-13346 #	p 68	N94-14173 #	p 177	N94-15550 * #	p 57
N94-10935 * #	p 80	N94-12334 #	p 211	N94-13347 #	p 120	N94-14186 #	p 56	N94-15551 * #	p 180
N94-10936 * #	p 2	N94-12355 * #	p 67	N94-13369 #	p 30	N94-14194 #	p 149	N94-15632 #	p 181
N94-10937 * #	p 170	N94-12377 #	p 27	N94-13392 #	p 30	N94-14196 #	p 210	N94-15637 #	p 57
N94-10945 #	p 80	N94-12384 #	p 55	N94-13401 * #	p 209	N94-14207 #	p 201	N94-15645 #	p 181
N94-11014 #	p 170	N94-12397 #	p 55	N94-13422 * #	p 31	N94-14208 * #	p 34	N94-15649 #	p 181
N94-11022 #	p 100	N94-12403 #	p 147	N94-13424 * #	p 56	N94-14277 #	p 140	N94-15651 #	p 85
N94-11044 #	p 55	N94-12421 * #	p 28	N94-13451 #	p 95	N94-14292 #	p 57	N94-15655 * #	p 38
N94-11056 #	p 80	N94-12502 #	p 191	N94-13454 #	p 31	N94-14322 * #	p 121	N94-15657 * #	p 38
N94-11057 #	p 205	N94-12503 #	p 191	N94-13457 #	p 68	N94-14326 * #	p 35	N94-15677 * #	p 38
N94-11084 * #	p 170	N94-12567 #	p 138	N94-13458 #	p 148	N94-14436 #	p 149	N94-15678 * #	p 39
N94-11103 #	p 66	N94-12571 * #	p 172	N94-13459 #	p 83	N94-14443 #	p 178	N94-15681 * #	p 39
N94-11104 #	p 199	N94-12572 * #	p 191	N94-13463 #	p 31	N94-14445 * #	p 178	N94-15692 #	p 85
N94-11106 #	p 146	N94-12575 #	p 55	N94-13469 #	p 120	N94-14448 * #	p 103	N94-15696 #	p 39
N94-11107 #	p 146	N94-12578 #	p 3	N94-13498 #	p 132	N94-14450 #	p 103	N94-15697 #	p 181
N94-11132 * #	p 170	N94-12615 #	p 205	N94-13501 #	p 174	N94-14481 * #	p 207	N94-15718 * #	p 85
N94-11133 * #	p 26	N94-12623 * #	p 173	N94-13519 #	p 212	N94-14541 * #	p 35	N94-15720 * #	p 39
N94-11134 * #	p 112	N94-12630 #	p 82	N94-13520 #	p 3	N94-14573 #	p 149	N94-15722 * #	p 85
N94-11146 #	p 146	N94-12777 #	p 173	N94-13521 #	p 174	N94-14598 #	p 178	N94-15730 #	p 122
N94-11150 * #	p 80	N94-12799 * #	p 114	N94-13527 #	p 174	N94-14599 #	p 178	N94-15731 #	p 86
N94-11154 #	p 26	N94-12803 * #	p 173	N94-13528 #	p 31	N94-14603 #	p 178	N94-15753 * #	p 140
N94-11156 #	p 170	N94-12806 * #	p 138	N94-13530 #	p 31	N94-14604 #	p 178	N94-15780 * #	p 40
N94-11173 #	p 190	N94-12810 #	p 139	N94-13531 #	p 31	N94-14606 #	p 179	N94-15783 * #	p 86
N94-11176 * #	p 205	N94-12820 * #	p 115	N94-13534 #	p 56	N94-14608 #	p 35	N94-15787 #	p 40
N94-11195 * #	p 26	N94-12821 #	p 173	N94-13543 #	p 56	N94-14609 #	p 35	N94-15793 * #	p 122
N94-11198 * #	p 199	N94-12824 * #	p 131	N94-13544 #	p 132	N94-14611 #	p 201	N94-15794 * #	p 134
N94-11203 * #	p 26	N94-12850 * #	p 82	N94-13549 #	p 200	N94-14612 #	p 35	N94-15798 * #	p 4
N94-11205 * #	p 100	N94-12874 * #	p 173	N94-13555 #	p 32	N94-14613 #	p 179	N94-15819 * #	p 134
N94-11233 * #	p 80	N94-12886 * #	p 199	N94-13556 #	p 32	N94-14616 #	p 85	N94-15824 #	p 40
N94-11251 * #	p 112	N94-12931 * #	p 209	N94-13565 #	p 174	N94-14617 #	p 35	N94-15826 #	p 181
N94-11255 * #	p 100	N94-12948 #	p 28	N94-13569 #	p 175	N94-14642 * #	p 121	N94-15847 #	p 191
N94-11256 * #	p 170	N94-12951 #	p 28	N94-13574 #	p 175	N94-14646 * #	p 121	N94-15851 #	p 134
N94-11259 * #	p 113	N94-12965 #	p 139	N94-13588 #	p 133	N94-14650 * #	p 121	N94-15856 #	p 104
N94-11288 #	p 209	N94-12989 #	p 28	N94-13606 * #	p 32	N94-14706 #	p 35	N94-15859 * #	p 201
N94-11311 #	p 146	N94-12993 #	p 148	N94-13607 * #	p 102	N94-14710 #	p 36	N94-16078 * #	p 182
N94-11317 #	p 146	N94-13008 * #	p 131	N94-13608 #	p 83	N94-14717 #	p 179	N94-16080 #	p 182
N94-11318 #	p 81	N94-13066 * #	p 173	N94-13618 * #	p 83	N94-14727 * #	p 57	N94-16107 #	p 122
N94-11321 #	p 81	N94-13073 #	p 174	N94-13621 * #	p 32	N94-14744 #	p 36	N94-16122 #	p 86
N94-11326 #	p 146	N94-13076 * #	p 28	N94-13623 * #	p 102	N94-14774 #	p 36	N94-16134 #	p 210
N94-11333 #	p 55	N94-13077 #	p 200	N94-13633 * #	p 212	N94-14780 * #	p 36	N94-16157 #	p 104
N94-11334 #	p 55	N94-13089 * #	p 148	N94-13645 #	p 140	N94-14781 #	p 36	N94-16439 #	p 69
N94-11337 #	p 147	N94-13108 * #	p 3	N94-13687 #	p 83	N94-14784 #	p 36	N94-16464 #	p 58
N94-11340 #	p 171	N94-13117 #	p 174	N94-13690 #	p 84	N94-14791 #	p 212	N94-16471 #	p 40
N94-11341 * #	p 81	N94-13127 * #	p 132	N94-13692 #	p 206	N94-14799 #	p 37	N94-16491 * #	p 182
N94-11343 #	p 147	N94-13138 * #	p 148	N94-13699 #	p 149	N94-14800 #	p 37	N94-16498 * #	p 86
N94-11345 #	p 81	N94-13142 * #	p 101	N94-13703 #	p 68	N94-14827 #	p 179	N94-16510 * #	p 40
N94-11347 #	p 81	N94-13143 * #	p 102	N94-13705 #	p 32	N94-14847 * #	p 37	N94-16511 * #	p 40
N94-11366 #	p 147	N94-13172 * #	p 29	N94-13717 * #	p 200	N94-14855 * #	p 103	N94-16512 * #	p 41
N94-11423 * #	p 199	N94-13180 * #	p 29	N94-13719 * #	p 206	N94-14876 #	p 133	N94-16513 * #	p 41
N94-11425 * #	p 199	N94-13191 #	p 139	N94-13726 #	p 175	N94-14877 #	p 179	N94-16520 * #	p 58
N94-11434 #	p 199	N94-13204 * #	p 200	N94-13730 #	p 175	N94-14908 #	p 133	N94-16571 #	p 41
N94-11464 #	p 82	N94-13238 #	p 67	N94-13790 * #	p 176	N94-14919 #	p 68	N94-16572 * #	p 41
N94-11489 #	p 113	N94-13247 * #	p 55	N94-13791 * #	p 96	N94-14942 #	p 37	N94-16573 * #	p 42
N94-11491 #	p 113	N94-13252 #	p 102	N94-13795 #	p 33	N94-14951 #	p 85	N94-16574 * #	p 42
N94-11492 #	p 113	N94-13254 * #	p 115	N94-13803 #	p 176	N94-14959 #	p 37	N94-16583 #	p 42
N94-11496 #	p 113	N94-13255 * #	p 115	N94-13815 * #	p 176	N94-14962 #	p 149	N94-16589 #	p 192
N94-11497 #	p 113	N94-13256 #	p 95	N94-13839 #	p 84	N94-14963 #	p 37	N94-16597 * #	p 192
N94-11498 #	p 171	N94-13260 #	p 29	N94-13859 #	p 120	N94-14964 #	p 103	N94-16729 * #	p 210
N94-11499 #	p 114	N94-13266 * #	p 29	N94-13860 #	p 200	N94-14973 #	p 38	N94-16730 * #	p 210
N94-11500 #	p 190	N94-13267 * #	p 148	N94-13861 #	p 176	N94-15105 #	p 38	N94-16768 #	p 201
N94-11501 #	p 114	N94-13291 * #	p 206	N94-13867 #	p 84	N94-15115 * #	p 207	N94-16769 #	p 201
N94-11502 #	p 114	N94-13292 * #	p 29	N94-13874 #	p 176	N94-15117 * #	p 133	N94-16798 #	p 42
N94-11503 * #	p 114	N94-13294 * #	p 115	N94-13885 #	p 206	N94-15120 #	p 3	N94-16846 * #	p 150
N94-11504 #	p 114	N94-13295 * #	p 115	N94-13889 #	p 176	N94-15121 #	p 4	N94-16862 * #	p 150
N94-11525 * #	p 66	N94-13296 * #	p 116	N94-13897 * #	p 207	N94-15122 #	p 4	N94-16864 * #	p 150
N94-11535 * #	p 131	N94-13297 * #	p 116	N94-13898 #	p 84	N94-15123 #	p 134	N94-16865 * #	p 87
N94-11587 * #	p 82	N94-13298 * #	p 116	N94-13904 #	p 3	N94-15124 #	p 69	N94-16905 * #	p 140
N94-11607 #	p 171	N94-13299 * #	p 116	N94-13906 #	p 121	N94-15125 #	p 57	N94-16906 #	p 69
N94-11626 #	p 67	N94-13300 * #	p 116	N94-13929 #	p 177	N94-15127 #	p 4	N94-16913 #	p 42
N94-11680 #	p 199	N94-13302 * #	p 117	N94-13931 #	p 177	N94-15128 #	p 4	N94-16943 #	p 182
N94-11711 #	p 190	N94-13303 * #	p 117	N94-13945 #	p 177	N94-15129 #	p 134	N94-16965 #	p 182
N94-11716 #	p 191	N94-13304 * #	p 117	N94-13957 * #	p 68	N94-15141 * #	p 104	N94-16966 #	p 183
N94-11820 #	p 211	N94-13305 * #	p 117	N94-13986 #	p 177	N94-15187 * #	p 96	N94-16993 #	p 201
N94-11857 #	p 27	N94-13306 * #	p 117	N94-13987 #	p 200	N94-15192 * #	p 104	N94-16996 #	p 151
N94-11858 #	p 82	N94-13307 * #	p 117	N94-14006 #	p 200	N94-15196 #	p 179	N94-17055 * #	p 87
N94-11859 #	p 171	N94-13308 * #	p 118	N94-14008 #	p 56	N94-15197 * #	p 180	N94-17074 #	p 43
N94-11863 #	p 67	N94-13309 * #	p 118	N94-14030 * #	p 33	N94-15199 #	p 180	N94-17081 * #	p 43
N94-11865 #	p 171	N94-13310 * #	p 118	N94-14031 #	p 33	N94-15200 * #	p 180	N94-17117 #	p 87
N94-11869 * #	p 131	N94-13311 * #	p 118	N94-14036 * #	p 102	N94-15277 * #	p 150	N94-17215 * #	p 183
N94-11870 #	p 27	N94-13312 * #	p 118	N94-14045 #	p 177	N94-15321 * #	p 85	N94-17221 #	p 43
N94-11872 #	p 82	N94-13313 #	p 119	N94-14059 #	p 33	N94-15325 * #	p 134	N94-17222 #	p 43
N94-11879 #	p 67	N94-13316 * #	p 95	N94-14061 #	p 33	N94-15326 * #	p 191	N94-17223 #	p 151
N94-11887 #	p 205	N94-13317 * #	p 119	N94-14106 * #	p 84	N94-15327 * #	p 85	N94-17245 #	p 192
N94-11888 #	p 27	N94-13318 * #	p 119	N94-14126 #	p 149	N94-15328 * #	p 85	N94-17260 * #	p 43
N94-11889 #	p 27	N94-13320 * #	p 119	N94-14153 #	p 33	N94-15336 * #	p 57	N94-17261 #	p 210
N94-11892 #	p 82	N94-13321 * #	p 119	N94-14154 #	p 34	N94-15344 * #	p 104	N94-17262 #	p 58
N94-12270 * #	p 101	N94-13322 * #	p 119	N94-14155 #	p 34	N94-15345 * #	p 150	N94-17274 #	p 43
N94-12271 * #	p 101	N94-13323 * #	p 95	N94-14157 #	p 133	N94-15396 * #	p 85		
		N94-13324 * #	p 120						

N94-17278	#	p 207	N94-18439	#	p 49	N94-20075	#	p 140	N94-21938	#	p 237	N94-23253	p	263
N94-17283	#	p 192	N94-18440	#	p 49	N94-20136	#	p 52	N94-21983	#	p 237	N94-23254	p	257
N94-17284	#	p 44	N94-18441	#	p 5	N94-20150	#	p 212	N94-22053	#	p 244	N94-23255	p	264
N94-17286	#	p 183	N94-18442	#	p 89	N94-20171	#	p 188	N94-22054	#	p 244	N94-23288	#	p 254
N94-17381	p	151	N94-18443	#	p 89	N94-20188	#	p 92	N94-22055	#	p 220	N94-23299	#	p 248
N94-17386	#	p 104	N94-18444	#	p 89	N94-20189	#	p 60	N94-22100	#	p 243	N94-23303	#	p 268
N94-17405	#	p 135	N94-18445	#	p 89	N94-20191	#	p 5	N94-22126	#	p 237	N94-23332	#	p 283
N94-17412	#	p 122	N94-18446	#	p 90	N94-20197	#	p 70	N94-22128	#	p 237	N94-23335	#	p 270
N94-17418	#	p 151	N94-18447	#	p 90	N94-20203	#	p 189	N94-22134	#	p 221	N94-23464	#	p 284
N94-17425	#	p 87	N94-18489	#	p 152	N94-20316	#	p 202	N94-22135	#	p 221	N94-23465	#	p 248
N94-17429	#	p 202	N94-18490	#	p 59	N94-20343	#	p 96	N94-22136	#	p 221	N94-23466	#	p 264
N94-17432	#	p 135	N94-18495	#	p 185	N94-20367	#	p 229	N94-22154	#	p 222	N94-23489	#	p 275
N94-17435	#	p 87	N94-18536	#	p 96	N94-20377	#	p 230	N94-22155	#	p 222	N94-23511	#	p 248
N94-17458	#	p 69	N94-18541	#	p 123	N94-20418	#	p 231	N94-22156	#	p 222	N94-23512	#	p 249
N94-17461	#	p 44	N94-18553	#	p 50	N94-20419	#	p 231	N94-22219	#	p 222	N94-23513	#	p 275
N94-17470	#	p 105	N94-18555	#	p 185	N94-20427	#	p 232	N94-22260	#	p 217	N94-23519	#	p 264
N94-17471	#	p 58	N94-18571	#	p 50	N94-20458	#	p 232	N94-22274	#	p 218	N94-23522	#	p 249
N94-17472	#	p 87	N94-18573	#	p 193	N94-20465	#	p 215	N94-22277	#	p 222	N94-23523	#	p 254
N94-17476	#	p 183	N94-18575	#	p 210	N94-20486	#	p 215	N94-22278	#	p 223	N94-23532	#	p 275
N94-17479	#	p 183	N94-18577	#	p 90	N94-20511	#	p 227	N94-22280	#	p 240	N94-23539	#	p 268
N94-17481	#	p 183	N94-18630	#	p 152	N94-20523	#	p 244	N94-22293	#	p 240	N94-23545	#	p 264
N94-17508	#	p 135	N94-18644	#	p 186	N94-20524	#	p 227	N94-22296	#	p 241	N94-23552	#	p 264
N94-17558	#	p 44	N94-18645	#	p 186	N94-20534	#	p 216	N94-22297	#	p 241	N94-23553	#	p 247
N94-17569	#	p 135	N94-18647	#	p 186	N94-20543	#	p 244	N94-22298	#	p 241	N94-23557	#	p 249
N94-17574	#	p 44	N94-18651	#	p 186	N94-20551	#	p 230	N94-22299	#	p 241	N94-23562	#	p 287
N94-17580	#	p 44	N94-18658	#	p 96	N94-20556	#	p 227	N94-22302	#	p 241	N94-23570	#	p 264
N94-17583	#	p 184	N94-18664	#	p 208	N94-20561	#	p 223	N94-22303	#	p 242	N94-23579	#	p 254
N94-17586	#	p 58	N94-18684	#	p 193	N94-20563	#	p 216	N94-22307	#	p 242	N94-23592	#	p 249
N94-17590	#	p 202	N94-18728	#	p 70	N94-20567	#	p 232	N94-22311	#	p 242	N94-23625	#	p 250
N94-17599	#	p 208	N94-18733	#	p 90	N94-20588	#	p 232	N94-22344	#	p 242	N94-23634	#	p 276
N94-17609	#	p 44	N94-18739	#	p 186	N94-20590	#	p 229	N94-22353	#	p 243	N94-23636	#	p 276
N94-17614	#	p 4	N94-18748	#	p 105	N94-20595	#	p 233	N94-22359	#	p 243	N94-23644	#	p 276
N94-17627	#	p 184	N94-18760	#	p 140	N94-20912	#	p 219	N94-22361	#	p 243	N94-23653	#	p 269
N94-17639	#	p 44	N94-18761	#	p 152	N94-20926	#	p 242	N94-22363	#	p 243	N94-23654	#	p 270
N94-17704	#	p 88	N94-18779	#	p 90	N94-20948	#	p 240	N94-22367	#	p 243	N94-23656	#	p 250
N94-17721	#	p 45	N94-18789	#	p 90	N94-21030	#	p 219	N94-22370	#	p 243	N94-23658	#	p 265
N94-17722	#	p 45	N94-18795	#	p 91	N94-21050	#	p 227	N94-22373	#	p 220	N94-23661	#	p 250
N94-17733	#	p 58	N94-18796	#	p 186	N94-21054	#	p 216	N94-22382	#	p 218	N94-23694	#	p 276
N94-17734	#	p 88	N94-18822	#	p 59	N94-21143	#	p 230	N94-22391	#	p 237	N94-23700	#	p 284
N94-17752	#	p 151	N94-18823	#	p 59	N94-21165	#	p 230	N94-22405	#	p 238	N94-23709	#	p 265
N94-17763	#	p 184	N94-18844	#	p 59	N94-21194	#	p 215	N94-22414	#	p 243	N94-23810	#	p 255
N94-17826	#	p 88	N94-18906	#	p 186	N94-21201	#	p 233	N94-22418	#	p 228	N94-23831	#	p 276
N94-17853	#	p 192	N94-18907	#	p 105	N94-21239	#	p 228	N94-22419	#	p 228	N94-23834	#	p 277
N94-17919	#	p 45	N94-18962	#	p 91	N94-21246	#	p 223	N94-22423	#	p 228	N94-23975	#	p 250
N94-17921	#	p 69	N94-18963	#	p 135	N94-21253	#	p 233	N94-22425	#	p 229	N94-24034	#	p 277
N94-17957	#	p 45	N94-18964	#	p 50	N94-21268	#	p 225	N94-22427	#	p 223	N94-24036	#	p 277
N94-17970	#	p 184	N94-19119	#	p 50	N94-21280	#	p 228	N94-22427	#	p 223	N94-24047	#	p 255
N94-18113	#	p 152	N94-19147	#	p 212	N94-21283	#	p 223	N94-22577	#	p 238	N94-24052	#	p 250
N94-18123	#	p 135	N94-19148	#	p 212	N94-21284	#	p 233	N94-22586	#	p 218	N94-24055	#	p 277
N94-18124	#	p 184	N94-19149	#	p 212	N94-21411	#	p 216	N94-22597	#	p 218	N94-24072	#	p 268
N94-18146	#	p 69	N94-19208	#	p 212	N94-21418	#	p 224	N94-22598	#	p 224	N94-24082	#	p 265
N94-18159	#	p 185	N94-19252	#	p 187	N94-21419	#	p 215	N94-22599	#	p 218	N94-24084	#	p 250
N94-18225	#	p 185	N94-19300	#	p 70	N94-21428	#	p 220	N94-22600	#	p 219	N94-24091	#	p 255
N94-18227	#	p 88	N94-19316	#	p 123	N94-21453	#	p 240	N94-22601	#	p 231	N94-24100	#	p 247
N94-18238	#	p 208	N94-19351	#	p 187	N94-21472	#	p 216	N94-22602	#	p 219	N94-24103	#	p 251
N94-18240	#	p 88	N94-19352	#	p 59	N94-21473	#	p 217	N94-22603	#	p 238	N94-24104	#	p 282
N94-18241	#	p 202	N94-19353	#	p 105	N94-21490	#	p 215	N94-22604	#	p 238	N94-24106	#	p 265
N94-18257	#	p 152	N94-19358	#	p 187	N94-21507	#	p 224	N94-22605	#	p 219	N94-24120	#	p 256
N94-18266	#	p 185	N94-19372	#	p 136	N94-21519	#	p 240	N94-22606	#	p 239	N94-24121	#	p 270
N94-18275	#	p 4	N94-19377	#	p 211	N94-21548	#	p 224	N94-22607	#	p 219	N94-24122	#	p 283
N94-18279	#	p 4	N94-19383	#	p 5	N94-21563	#	p 225	N94-22608	#	p 239	N94-24123	#	p 269
N94-18315	#	p 88	N94-19388	#	p 50	N94-21569	#	p 217	N94-22609	#	p 239	N94-24127	#	p 256
N94-18324	#	p 135	N94-19433	#	p 51	N94-21582	#	p 225	N94-22615	#	p 239	N94-24128	#	p 277
N94-18327	#	p 152	N94-19448	#	p 91	N94-21583	#	p 225	N94-22616	#	p 239	N94-24136	#	p 278
N94-18330	#	p 135	N94-19467	#	p 187	N94-21586	#	p 226	N94-22617	#	p 239	N94-24137	#	p 270
N94-18333	#	p 105	N94-19468	#	p 187	N94-21590	#	p 220	N94-22621	#	p 240	N94-24142	#	p 251
N94-18336	#	p 70	N94-19469	#	p 188	N94-21592	#	p 217	N94-22622	#	p 231	N94-24143	#	p 251
N94-18384	#	p 70	N94-19470	#	p 188	N94-21593	#	p 224	N94-22623	#	p 224	N94-24145	#	p 251
N94-18391	#	p 185	N94-19484	#	p 51	N94-21606	#	p 221	N94-22625	#	p 219	N94-24146	#	p 278
N94-18401	#	p 122	N94-19493	#	p 188	N94-21607	#	p 234	N94-22713	#	p 272	N94-24150	#	p 251
N94-18402	#	p 46	N94-19496	#	p 91	N94-21620	#	p 234	N94-22717	#	p 272	N94-24160	#	p 285
N94-18413	#	p 46	N94-19500	#	p 91	N94-21621	#	p 234	N94-22722	#	p 272	N94-24163	#	p 285
N94-18415	#	p 4	N94-19524	#	p 51	N94-21629	#	p 221	N94-22772	#	p 272	N94-24164	#	p 252
N94-18416	#	p 5	N94-19539	#	p 188	N94-21741	#	p 244	N94-22775	#	p 273	N94-24165	#	p 278
N94-18417	#	p 46	N94-19571	#	p 211	N94-21742	#	p 227	N94-22835	#	p 273	N94-24172	#	p 285
N94-18418	#	p 88	N94-19615	#	p 123	N94-21756	#	p 234	N94-22836	#	p 273	N94-24173	#	p 285
N94-18419	#	p 46	N94-19621	#	p 51	N94-21757	#	p 234	N94-22854	#	p 273	N94-24175	#	p 278
N94-18420	#	p 46	N94-19661	#	p 59	N94-21758	#	p 226	N94-22894	#	p 247	N94-24176	#	p 256
N94-18421	#	p 46	N94-19667	#	p 51	N94-21759	#	p 226	N94-22914	#	p 273	N94-24177	#	p 279
N94-18422	#	p 47	N94-19669	#	p 188	N94-21790	#	p 229	N94-22959	#	p 284	N94-24180	#	p 265
N94-18423	#	p 47	N94-19702	#	p 193	N94-21791	#	p 235	N94-22985	#	p 273	N94-24181	#	p 257
N94-18424	#	p 47	N94-19711	#	p 123	N94-21792	#	p 235	N94-23000	#	p 274	N94-24182	#	p 252
N94-18425	#	p 47	N94-19780	#	p 211	N94-21793	#	p 235	N94-23036	#	p 274	N94-24207	#	p 285
N94-18426	#	p 47	N94-19781	#	p 92	N94-21794	#	p 235	N94-23045	#	p 274	N94-24208	#	p 286
N94-18427	#	p 48	N94-19796	#	p 92	N94-21795	#	p 235	N94-23055	#	p 274	N94-24209	#	p 286
N94-18428	#	p 48	N94-19876	#	p 60	N94-21797	#	p 236	N94-23058	#	p 274	N94-24215	#	p 286
N94-18429	#	p 48	N94-19880	#	p 136	N94-21818	#	p 220	N94-23091	#	p 268	N94-24219	#	p 286
N94-18430	#	p 48	N94-19914	#	p 92	N94-21821	#	p 244	N94-23114	#	p 274	N94-24220	#	p 286
N94-18431	#	p 89	N94-19963	#	p 52	N94-21822	#							

N94-24231	#	p 271	N94-24849	p 290	N94-25640	#	p 338	N94-26672	p 294	N94-27768	* #	p 315
N94-24241	p	247	N94-24850	p 364	N94-25653	#	p 338	N94-26673	p 332	N94-27772	* #	p 371
N94-24244	p	267	N94-24858	* #	N94-25654	#	p 352	N94-26684	* #	N94-27776	* #	p 357
N94-24246	p	279	N94-24860	* #	N94-25665	#	p 371	N94-26691	* #	N94-27778	* #	p 334
N94-24247	p	269	N94-24864	#	N94-25695	#	p 321	N94-26693	* #	N94-27789	* #	p 347
N94-24249	p	279	N94-24915	* #	N94-25708	#	p 321	N94-26700	#	N94-27796	#	p 327
N94-24250	p	258	N94-24923	p 289	N94-25709	* #	p 322	N94-26702	#	N94-27798	#	p 341
N94-24251	p	266	N94-24941	#	N94-25710	* #	p 322	N94-26706	* #	N94-27802	* #	p 357
N94-24253	p	266	N94-24942	#	N94-25711	* #	p 322	N94-26707	* #	N94-27831	#	p 315
N94-24259	p	258	N94-24953	* #	N94-25713	#	p 322	N94-26710	#	N94-27851	* #	p 357
N94-24260	p	279	N94-24957	* #	N94-25714	* #	p 323	N94-26725	#	N94-27854	* #	p 350
N94-24261	p	258	N94-24966	* #	N94-25715	#	p 323	N94-26730	p 368	N94-27864	* #	p 330
N94-24262	p	283	N94-24968	* #	N94-25716	* #	p 323	N94-26742	p 368	N94-27868	* #	p 347
N94-24269	p	271	N94-24969	* #	N94-25717	* #	p 323	N94-26796	#	N94-27874	#	p 358
N94-24270	p	266	N94-24972	* #	N94-25718	* #	p 323	N94-26815	#	N94-27879	#	p 345
N94-24276	p	279	N94-24974	* #	N94-25719	#	p 323	N94-26821	* #	N94-27881	#	p 308
N94-24285	p	252	N94-24975	#	N94-25731	#	p 370	N94-26826	#	N94-27882	* #	p 331
N94-24286	p	258	N94-25001	* #	N94-25732	#	p 352	N94-26836	#	N94-27894	* #	p 358
N94-24287	p	268	N94-25002	* #	N94-25740	#	p 342	N94-26846	#	N94-27902	* #	p 296
N94-24289	p	280	N94-25004	#	N94-25755	#	p 365	N94-26854	#	N94-27903	* #	p 345
N94-24295	* #	p 252	N94-25017	* #	N94-25757	#	p 352	N94-26864	#	N94-27905	* #	p 345
N94-24301	* #	p 271	N94-25021	* #	N94-25771	#	p 338	N94-26906	p 326	N94-27908	* #	p 346
N94-24304	* #	p 258	N94-25026	p 369	N94-25773	#	p 342	N94-26911	p 355	N94-27911	* #	p 358
N94-24307	* #	p 287	N94-25051	p 290	N94-25780	#	p 306	N94-26922	#	N94-27912	* #	p 346
N94-24311	* #	p 253	N94-25052	p 320	N94-25785	#	p 338	N94-26954	#	N94-27913	* #	p 369
N94-24313	#	p 259	N94-25065	p 371	N94-25788	#	p 312	N94-26959	#	N94-27917	* #	p 327
N94-24314	* #	p 259	N94-25068	p 289	N94-25796	#	p 371	N94-26961	#	N94-27918	* #	p 316
N94-24315	#	p 259	N94-25069	p 320	N94-25808	#	p 312	N94-26963	#	N94-27919	* #	p 296
N94-24316	#	p 259	N94-25070	p 320	N94-25810	#	p 313	N94-26969	#	N94-27920	* #	p 358
N94-24317	* #	p 259	N94-25072	#	N94-25833	#	p 338	N94-26976	#	N94-27925	* #	p 358
N94-24318	#	p 259	N94-25085	* #	N94-25862	#	p 352	N94-26978	#	N94-27929	* #	p 297
N94-24319	#	p 259	N94-25090	* #	N94-25905	#	p 324	N94-26980	#	N94-27930	* #	p 297
N94-24320	#	p 260	N94-25096	#	N94-25961	#	p 324	N94-26986	#	N94-27955	#	p 297
N94-24321	#	p 260	N94-25097	#	N94-25991	#	p 352	N94-26989	#	N94-27956	* #	p 347
N94-24322	#	p 260	N94-25098	* #	N94-25992	#	p 367	N94-27026	#	N94-27960	#	p 290
N94-24323	#	p 260	N94-25099	* #	N94-25998	#	p 339	N94-27069	#	N94-27973	#	p 366
N94-24324	#	p 261	N94-25100	#	N94-26009	#	p 367	N94-27071	#	N94-27984	* #	p 359
N94-24325	#	p 261	N94-25101	#	N94-26011	#	p 353	N94-27081	#	N94-27997	#	p 346
N94-24326	* #	p 266	N94-25103	#	N94-26016	#	p 365	N94-27093	#	N94-28010	#	p 359
N94-24327	#	p 261	N94-25104	#	N94-26028	#	p 329	N94-27105	#	N94-28012	#	p 359
N94-24332	* #	p 261	N94-25105	* #	N94-26030	#	p 329	N94-27112	#	N94-28013	#	p 359
N94-24335	* #	p 253	N94-25106	#	N94-26091	* #	p 324	N94-27113	#	N94-28016	* #	p 359
N94-24337	* #	p 287	N94-25107	#	N94-26104	#	p 292	N94-27120	#	N94-28017	#	p 327
N94-24356	* #	p 280	N94-25108	#	N94-26117	#	p 353	N94-27121	#	N94-28018	#	p 334
N94-24360	* #	p 280	N94-25109	#	N94-26131	* #	p 292	N94-27132	#	N94-28019	#	p 334
N94-24362	* #	p 280	N94-25110	#	N94-26141	* #	p 343	N94-27161	* #	N94-28020	#	p 347
N94-24380	* #	p 282	N94-25111	#	N94-26143	* #	p 292	N94-27201	#	N94-28021	#	p 297
N94-24401	* #	p 261	N94-25112	#	N94-26151	* #	p 324	N94-27206	#	N94-28022	#	p 297
N94-24440	* #	p 281	N94-25113	#	N94-26154	* #	p 292	N94-27210	#	N94-28027	#	p 298
N94-24445	* #	p 284	N94-25137	#	N94-26155	* #	p 372	N94-27228	* #	N94-28028	#	p 341
N94-24462	* #	p 261	N94-25140	#	N94-26176	#	p 332	N94-27235	#	N94-28029	#	p 298
N94-24463	* #	p 284	N94-25141	#	N94-26182	#	p 324	N94-27235	#	N94-28030	#	p 360
N94-24464	* #	p 253	N94-25152	#	N94-26186	#	p 353	N94-27247	#	N94-28032	#	p 348
N94-24472	#	p 256	N94-25153	#	N94-26191	#	p 292	N94-27273	#	N94-28033	* #	p 328
N94-24474	#	p 257	N94-25163	#	N94-26192	#	p 339	N94-27275	#	N94-28034	#	p 328
N94-24478	#	p 281	N94-25172	#	N94-26196	#	p 343	N94-27283	#	N94-28035	* #	p 328
N94-24479	* #	p 262	N94-25173	#	N94-26197	#	p 313	N94-27284	* #	N94-28037	#	p 334
N94-24481	* #	p 281	N94-25175	#	N94-26200	#	p 343	N94-27285	* #	N94-28039	#	p 298
N94-24490	#	p 266	N94-25176	#	N94-26202	#	p 343	N94-27286	* #	N94-28040	#	p 298
N94-24492	* #	p 262	N94-25177	#	N94-26205	* #	p 349	N94-27287	* #	N94-28041	#	p 360
N94-24495	* #	p 281	N94-25181	* #	N94-26212	#	p 289	N94-27288	* #	N94-28043	#	p 360
N94-24498	* #	p 262	N94-25182	#	N94-26235	#	p 324	N94-27290	* #	N94-28044	#	p 360
N94-24514	#	p 287	N94-25184	#	N94-26248	#	p 293	N94-27291	* #	N94-28045	#	p 360
N94-24551	* #	p 268	N94-25185	#	N94-26289	* #	p 367	N94-27292	* #	N94-28046	#	p 360
N94-24559	#	p 269	N94-25187	#	N94-26293	#	p 306	N94-27293	* #	N94-28047	#	p 360
N94-24565	* #	p 271	N94-25188	#	N94-26305	#	p 343	N94-27294	* #	N94-28048	#	p 361
N94-24576	#	p 253	N94-25193	* #	N94-26309	#	p 313	N94-27296	* #	N94-28049	#	p 361
N94-24585	* #	p 288	N94-25194	* #	N94-26340	#	p 330	N94-27297	* #	N94-28050	#	p 361
N94-24586	* #	p 253	N94-25200	#	N94-26342	#	p 293	N94-27298	* #	N94-28051	#	p 361
N94-24589	* #	p 262	N94-25261	#	N94-26345	#	p 332	N94-27308	#	N94-28052	#	p 361
N94-24591	#	p 262	N94-25268	* #	N94-26357	#	p 353	N94-27352	* #	N94-28053	#	p 361
N94-24594	#	p 267	N94-25271	#	N94-26483	* #	p 293	N94-27395	#	N94-28054	#	p 362
N94-24606	* #	p 254	N94-25272	* #	N94-26488	#	p 325	N94-27414	* #	N94-28057	#	p 298
N94-24640	* #	p 281	N94-25273	#	N94-26489	* #	p 293	N94-27423	* #	N94-28063	#	p 298
N94-24699	* #	p 282	N94-25301	p 321	N94-26492	* #	p 293	N94-27425	* #	N94-28071	* #	p 299
N94-24711	* #	p 263	N94-25406	#	N94-26493	* #	p 313	N94-27431	* #	N94-28072	* #	p 299
N94-24718	#	p 255	N94-25440	#	N94-26497	* #	p 293	N94-27432	* #	N94-28076	#	p 299
N94-24726	* #	p 263	N94-25444	#	N94-26498	#	p 353	N94-27439	* #	N94-28080	#	p 362
N94-24733	#	p 263	N94-25453	#	N94-26531	#	p 325	N94-27554	#	N94-28085	#	p 362
N94-24739	#	p 269	N94-25454	#	N94-26535	#	p 294	N94-27587	#	N94-28091	#	p 299
N94-24750	#	p 255	N94-25461	#	N94-26538	* #	p 294	N94-27588	#	N94-28092	#	p 328
N94-24751	* #	p 282	N94-25463	#	N94-26539	#	p 313	N94-27592	#	N94-28094	#	p 328
N94-24773	#	p 254	N94-25495	#	N94-26547	* #	p 294	N94-27593	#	N94-28095	#	p 362
N94-24774	#	p 263	N94-25503	#	N94-26548	* #	p 294	N94-27594	#	N94-28096	#	p 362
N94-24776	#	p 267	N94-25504	#	N94-26573	* #	p 332	N94-27599	* #	N94-28101	* #	p 366
N94-24781	#	p 256	N94-25506	#	N94-26588	* #	p 332	N94-27608	#	N94-28117	* #	p 366
N94-24785	#	p 341	N94-25516	#	N94-26593	* #	p 339	N94-27648	#	N94-28140	#	p 300
N94-24787	* #	p 316	N94-25517	#	N94-26596	* #	p 290	N94-27654	* #	N94-28144	#	p 300
N94-24788	#	p 348	N94-25522	#	N94-26602	* #	p 294	N94-27657	* #	N94-28175	#	p 362
N94-24796	* #	p 316	N94-25525	#	N94-26603	* #	p 343	N94-27660	* #	N94-28181	* #	p 363
N94-24803	* #	p 316	N94-25534	#	N94-26604	* #	p 325	N94-27666	#	N94-28188	* #	p 300
N94-24804	* #	p 335	N94-25541	* #	N94-26606	* #	p 325	N94-27667	#	N94-28189	* #	p 300
N94-24817	* #	p 317	N94-25586	#	N94-26608	* #	p 326	N94-27739	#	N94-28190	* #	p 300
N94-24837	* #	p 317	N94-25590	#	N94-26613	* #	p 347	N94-27741	#	N94-28191	* #	p 301
N94-24839	* #	p 350	N94-25592	#	N94-26644	#	p 353	N94-27764	* #	N94-28192	* #	p 301
N94-24841	#	p 305	N94-25617	#	N94-26671	#	p 354	N94-27766	#	N94-28193	* #	p 301

N94-28194	#	p 301	N94-28952	#	p 375	N94-29338	#	p 416	N94-30285	p 389	N94-31578	#	p 423
N94-28195	#	p 370	N94-28953	#	p 375	N94-29339	#	p 416	N94-30293	p 393	N94-31611	#	p 449
N94-28196	#	p 370	N94-28954	#	p 375	N94-29344	#	p 416	N94-30342	p 393	N94-31674	#	p 433
N94-28197	#	p 370	N94-28955	#	p 375	N94-29353	#	p 411	N94-30387	p 381	N94-31675	#	p 433
N94-28227	#	p 363	N94-28956	#	p 409	N94-29356	#	p 407	N94-30388	p 381	N94-31677	#	p 437
N94-28230	#	p 308	N94-28957	#	p 391	N94-29362	#	p 417	N94-30389	p 381	N94-31678	#	p 426
N94-28231	#	p 308	N94-28958	#	p 375	N94-29389	#	p 395	N94-30399	p 402	N94-31680	#	p 431
N94-28232	#	p 308	N94-28959	#	p 375	N94-29391	#	p 392	N94-30401	p 381	N94-31683	#	p 447
N94-28233	#	p 309	N94-28960	#	p 395	N94-29402	#	p 382	N94-30423	p 402	N94-31707	#	p 447
N94-28234	#	p 309	N94-28961	#	p 376	N94-29407	#	p 417	N94-30439	p 427	N94-31709	#	p 453
N94-28235	#	p 309	N94-28962	#	p 376	N94-29438	#	p 399	N94-30484	#	N94-31710	#	p 439
N94-28236	#	p 309	N94-28963	#	p 376	N94-29443	#	p 377	N94-30492	p 420	N94-31732	#	p 453
N94-28237	#	p 309	N94-28964	#	p 410	N94-29445	#	p 383	N94-30493	p 420	N94-31734	#	p 423
N94-28238	#	p 309	N94-28965	#	p 376	N94-29448	#	p 411	N94-30516	p 431	N94-31747	#	p 439
N94-28239	#	p 310	N94-28966	#	p 376	N94-29456	#	p 412	N94-30525	p 420	N94-31759	#	p 423
N94-28240	#	p 310	N94-28967	#	p 376	N94-29457	#	p 408	N94-30572	#	N94-31803	#	p 426
N94-28241	#	p 310	N94-28969	#	p 377	N94-29460	#	p 412	N94-30574	#	N94-31804	#	p 447
N94-28242	#	p 310	N94-28975	#	p 377	N94-29463	#	p 374	N94-30575	#	N94-31822	#	p 423
N94-28243	#	p 310	N94-28976	#	p 410	N94-29464	#	p 417	N94-30602	#	N94-31828	#	p 423
N94-28244	#	p 310	N94-28977	#	p 395	N94-29473	#	p 378	N94-30643	#	N94-31830	#	p 419
N94-28245	#	p 311	N94-28978	#	p 395	N94-29474	#	p 412	N94-30644	#	N94-31837	#	p 437
N94-28246	#	p 311	N94-28979	#	p 410	N94-29534	#	p 412	N94-30648	#	N94-31842	#	p 450
N94-28247	#	p 311	N94-28980	#	p 415	N94-29545	#	p 378	N94-30650	#	N94-31843	#	p 447
N94-28248	#	p 311	N94-28981	#	p 395	N94-29552	#	p 412	N94-30651	#	N94-31846	#	p 452
N94-28249	#	p 311	N94-28985	#	p 410	N94-29558	#	p 383	N94-30652	#	N94-31872	#	p 447
N94-28250	#	p 329	N94-28986	#	p 410	N94-29559	#	p 384	N94-30655	#	N94-31879	#	p 424
N94-28315	#	p 301	N94-28988	#	p 415	N94-29560	#	p 384	N94-30660	#	N94-31880	#	p 424
N94-28316	#	p 301	N94-28992	#	p 415	N94-29561	#	p 384	N94-30661	#	N94-31881	#	p 433
N94-28317	#	p 302	N94-28993	#	p 415	N94-29562	#	p 384	N94-30662	#	N94-31882	#	p 424
N94-28318	#	p 370	N94-28998	#	p 391	N94-29563	#	p 384	N94-30663	#	N94-31892	#	p 443
N94-28319	#	p 334	N94-29004	#	p 404	N94-29564	#	p 385	N94-30665	#	N94-31902	#	p 426
N94-28320	#	p 335	N94-29005	#	p 394	N94-29565	#	p 385	N94-30677	#	N94-31903	#	p 435
N94-28321	#	p 335	N94-29042	#	p 391	N94-29566	#	p 412	N94-30687	#	N94-31907	#	p 426
N94-28322	#	p 329	N94-29048	#	p 394	N94-29567	#	p 385	N94-30740	p 420	N94-31931	#	p 436
N94-28323	#	p 302	N94-29052	#	p 402	N94-29568	#	p 385	N94-30756	p 444	N94-31957	#	p 433
N94-28324	#	p 329	N94-29090	#	p 373	N94-29569	#	p 386	N94-30763	p 444	N94-31958	#	p 424
N94-28327	#	p 363	N94-29091	#	p 410	N94-29570	#	p 386	N94-30787	p 432	N94-31966	#	p 450
N94-28328	#	p 302	N94-29103	#	p 395	N94-29571	#	p 386	N94-30788	p 438	N94-31967	#	p 436
N94-28329	#	p 302	N94-29104	#	p 411	N94-29572	#	p 386	N94-30804	p 451	N94-31971	#	p 425
N94-28330	#	p 302	N94-29151	#	p 402	N94-29573	#	p 386	N94-30807	p 444	N94-32009	#	p 439
N94-28331	#	p 303	N94-29160	#	p 373	N94-29574	#	p 386	N94-30809	p 445	N94-32014	#	p 440
N94-28332	#	p 303	N94-29175	#	p 416	N94-29575	#	p 386	N94-30816	p 445	N94-32015	#	p 433
N94-28333	#	p 303	N94-29185	#	p 382	N94-29576	#	p 387	N94-30853	p 430	N94-32026	#	p 436
N94-28334	#	p 303	N94-29197	#	p 377	N94-29577	#	p 387	N94-30854	p 430	N94-32027	#	p 425
N94-28335	#	p 303	N94-29200	#	p 391	N94-29578	#	p 387	N94-30856	p 438	N94-32042	#	p 448
N94-28336	#	p 303	N94-29246	#	p 404	N94-29579	#	p 388	N94-30858	p 421	N94-32043	#	p 452
N94-28337	#	p 304	N94-29247	#	p 414	N94-29580	#	p 388	N94-30859	p 421	N94-32045	#	p 448
N94-28338	#	p 304	N94-29248	#	p 404	N94-29581	#	p 388	N94-30865	p 421	N94-32047	#	p 443
N94-28339	#	p 304	N94-29249	#	p 404	N94-29582	#	p 388	N94-30871	p 421	N94-32058	#	p 434
N94-28340	#	p 304	N94-29252	#	p 404	N94-29583	#	p 388	N94-30890	p 426	N94-32062	#	p 434
N94-28341	#	p 304	N94-29254	#	p 396	N94-29584	#	p 388	N94-30905	p 432	N94-32063	#	p 425
N94-28344	#	p 305	N94-29255	#	p 396	N94-29585	#	p 388	N94-30914	p 435	N94-32075	#	p 436
N94-28345	#	p 311	N94-29256	#	p 396	N94-29586	#	p 389	N94-30915	p 430	N94-32093	#	p 450
N94-28346	#	p 305	N94-29257	#	p 396	N94-29587	#	p 389	N94-30916	#	N94-32120	#	p 440
N94-28350	#	p 363	N94-29258	#	p 396	N94-29588	#	p 392	N94-30933	#	N94-32150	#	p 443
N94-28351	#	p 363	N94-29259	#	p 405	N94-29589	#	p 392	N94-30943	#	N94-32157	#	p 419
N94-28352	#	p 364	N94-29260	#	p 405	N94-29594	#	p 413	N94-30945	#	N94-32168	#	p 427
N94-28353	#	p 369	N94-29261	#	p 405	N94-29647	#	p 413	N94-30946	#	N94-32183	#	p 448
N94-28466	#	p 408	N94-29262	#	p 405	N94-29674	#	p 378	N94-30947	#	N94-32184	#	p 443
N94-28510	#	p 401	N94-29263	#	p 396	N94-29675	#	p 413	N94-30949	#	N94-32214	#	p 449
N94-28600	#	p 414	N94-29264	#	p 397	N94-29685	#	p 392	N94-30949	#	N94-32217	#	p 437
N94-28632	#	p 400	N94-29265	#	p 405	N94-29726	#	p 413	N94-31058	#	N94-32219	#	p 451
N94-28646	#	p 408	N94-29267	#	p 397	N94-29727	#	p 416	N94-31078	#	N94-32223	#	p 435
N94-28647	#	p 390	N94-29268	#	p 406	N94-29728	#	p 400	N94-31080	#	N94-32224	#	p 437
N94-28654	#	p 403	N94-29269	#	p 397	N94-29740	#	p 413	N94-31090	#	N94-32238	#	p 436
N94-28655	#	p 403	N94-29270	#	p 397	N94-29754	#	p 402	N94-31179	#	N94-32241	#	p 440
N94-28657	#	p 390	N94-29271	#	p 406	N94-29760	#	p 378	N94-31180	#	N94-32254	#	p 420
N94-28658	#	p 374	N94-29272	#	p 406	N94-29826	#	p 379	N94-31203	#	N94-32256	#	p 448
N94-28660	#	p 390	N94-29273	#	p 406	N94-29839	#	p 414	N94-31204	#	N94-32264	#	p 434
N94-28665	#	p 408	N94-29274	#	p 406	N94-29842	#	p 374	N94-31209	#	N94-32265	#	p 444
N94-28666	#	p 373	N94-29275	#	p 406	N94-29850	#	p 400	N94-31211	#	N94-32281	#	p 451
N94-28674	#	p 374	N94-29276	#	p 407	N94-29854	#	p 392	N94-31216	#	N94-32312	#	p 440
N94-28704	#	p 408	N94-29277	#	p 407	N94-29856	#	p 417	N94-31217	#	N94-32313	#	p 440
N94-28705	#	p 408	N94-29281	#	p 407	N94-29860	#	p 399	N94-31220	#	N94-32316	#	p 441
N94-28724	#	p 409	N94-29282	#	p 411	N94-29862	#	p 382	N94-31229	#	N94-32317	#	p 441
N94-28732	#	p 373	N94-29283	#	p 411	N94-29877	#	p 379	N94-31230	#	N94-32318	#	p 441
N94-28743	#	p 373	N94-29285	#	p 407	N94-29878	#	p 392	N94-31246	#	N94-32319	#	p 441
N94-28744	#	p 383	N94-29291	#	p 397	N94-29879	#	p 379	N94-31287	#	N94-32328	#	p 435
N94-28749	#	p 401	N94-29292	#	p 398	N94-29887	#	p 393	N94-31289	#	N94-32363	#	p 427
N94-28799	#	p 382	N94-29293	#	p 398	N94-29893	#	p 379	N94-31295	#	N94-32366	#	p 448
N94-28815	#	p 409	N94-29294	#	p 398	N94-29900	#	p 408	N94-31306	#	N94-32378	#	p 434
N94-28817	#	p 390	N94-29295	#	p 398	N94-29920	#	p 379	N94-31318	#	N94-32394	#	p 442
N94-28823	#	p 403	N94-29296	#	p 398	N94-29937	#	p 380	N94-31332	#	N94-32395	#	p 442
N94-28830	#	p 403	N94-29297	#	p 398	N94-29942	#	p 414	N94-31333	#	N94-32396	#	p 442
N94-28837	#	p 390	N94-29298	#	p 398	N94-29973	#	p 380	N94-31362	#	N94-32397	#	p 442
N94-28870	#	p 391	N94-29299	#	p 399	N94-30013	#	p 399	N94-31363	#	N94-32403	#	p 442
N94-28894	#	p 409	N94-29300	#	p 399	N94-30124	#	p 380	N94-31367	#	N94-32405	#	p 427
N94-28899	#	p 374	N94-29301	#	p 399	N94-30129	#	p 393	N94-31384	#	N94-32418	#	p 452
N94-28901	#	p 403	N94-29306	#	p 377	N94-30130	#	p 400	N94-31387	#	N94-32423	#	p 507
N94-28914	#	p 383	N94-29315	#	p 415	N94-30131	#	p 393	N94-31421	#	N94-32428	#	p 514
N94-28946	#	p 375	N94-29316	#	p 394	N94-30144	#	p 382	N94-31458	#			
N94-28947	#	p 415	N94-29317	#	p 400	N94-30151	#	p 380					
N94-28948	#	p 409	N94-29320	#	p 415	N94-30176	#	p 381					
N94-28949	#	p 409											

N94-32430	#	p 507	N94-33339	#	p 478	N94-33534	#	p 470	N94-34382	#	p 507	N94-34722	#	p 551
N94-32454	#	p 467	N94-33365	#	p 478	N94-33536	#	p 473	N94-34384	#	p 466	N94-34730	#	p 560
N94-32457	#	p 475	N94-33378	#	p 487	N94-33538	#	p 490	N94-34388	#	p 498	N94-34915	#	p 528
N94-32473	#	p 489	N94-33382	#	p 460	N94-33543	#	p 487	N94-34390	#	p 468	N94-34919	#	p 543
N94-32474	#	p 489	N94-33385	#	p 499	N94-33563	#	p 468	N94-34391	#	p 466	N94-34921	#	p 557
N94-32475	#	p 456	N94-33391	#	p 500	N94-33565	#	p 473	N94-34393	#	p 513	N94-34948	#	p 523
N94-32476	#	p 457	N94-33396	#	p 500	N94-33570	#	p 490	N94-34400	#	p 482	N94-34964	#	p 523
N94-32491	#	p 457	N94-33399	#	p 500	N94-33572	#	p 456	N94-34401	#	p 468	N94-34965	#	p 523
N94-32505	#	p 469	N94-33401	#	p 514	N94-33579	#	p 513	N94-34406	#	p 489	N94-34966	#	p 552
N94-32620	#	p 467	N94-33409	#	p 477	N94-33581	#	p 514	N94-34408	#	p 507	N94-34967	#	p 524
N94-32658	#	p 470	N94-33412	#	p 469	N94-33590	#	p 456	N94-34410	#	p 468	N94-34968	#	p 535
N94-32713	#	p 487	N94-33423	#	p 492	N94-33604	#	p 491	N94-34430	#	p 466	N94-34969	#	p 524
N94-32714	#	p 457	N94-33424	#	p 490	N94-33609	#	p 500	N94-34431	#	p 482	N94-34970	#	p 524
N94-32793	#	p 455	N94-33443	#	p 478	N94-33610	#	p 513	N94-34432	#	p 482	N94-34971	#	p 524
N94-32854	#	p 514	N94-33444	#	p 490	N94-33618	#	p 500	N94-34433	#	p 475	N94-34972	#	p 524
N94-32859	#	p 477	N94-33447	#	p 460	N94-33705	#	p 464	N94-34434	#	p 482	N94-34974	#	p 524
N94-32860	#	p 492	N94-33448	#	p 471	N94-33706	#	p 480	N94-34435	#	p 483	N94-34975	#	p 525
N94-32863	#	p 492	N94-33449	#	p 471	N94-33744	#	p 508	N94-34436	#	p 483	N94-34976	#	p 525
N94-32865	#	p 458	N94-33450	#	p 471	N94-33749	#	p 468	N94-34437	#	p 483	N94-34977	#	p 525
N94-32867	#	p 498	N94-33451	#	p 478	N94-33750	#	p 497	N94-34438	#	p 483	N94-34978	#	p 525
N94-32868	#	p 493	N94-33452	#	p 471	N94-33751	#	p 491	N94-34439	#	p 483	N94-34979	#	p 525
N94-32869	#	p 498	N94-33453	#	p 472	N94-33756	#	p 500	N94-34440	#	p 484	N94-34980	#	p 552
N94-32870	#	p 491	N94-33454	#	p 472	N94-33768	#	p 501	N94-34441	#	p 484	N94-34986	#	p 525
N94-32871	#	p 498	N94-33455	#	p 472	N94-33782	#	p 464	N94-34442	#	p 484	N94-34987	#	p 525
N94-32872	#	p 498	N94-33456	#	p 472	N94-33790	#	p 473	N94-34443	#	p 484	N94-34988	#	p 535
N94-32873	#	p 458	N94-33457	#	p 506	N94-33835	#	p 464	N94-34444	#	p 484	N94-34989	#	p 526
N94-32877	#	p 493	N94-33460	#	p 506	N94-33874	#	p 480	N94-34445	#	p 484	N94-34991	#	p 528
N94-32880	#	p 458	N94-33461	#	p 506	N94-33875	#	p 474	N94-34446	#	p 484	N94-34993	#	p 538
N94-32883	#	p 498	N94-33462	#	p 460	N94-33885	#	p 501	N94-34447	#	p 504	N94-34994	#	p 540
N94-32909	#	p 475	N94-33463	#	p 478	N94-33897	#	p 501	N94-34449	#	p 485	N94-35055	#	p 537
N94-32925	#	p 467	N94-33464	#	p 509	N94-33898	#	p 464	N94-34450	#	p 504	N94-35063	#	p 558
N94-32926	#	p 458	N94-33465	#	p 509	N94-33900	#	p 474	N94-34451	#	p 505	N94-35064	#	p 558
N94-32927	#	p 467	N94-33466	#	p 509	N94-33938	#	p 506	N94-34452	#	p 485	N94-35071	#	p 552
N94-32929	#	p 499	N94-33467	#	p 509	N94-33941	#	p 501	N94-34453	#	p 485	N94-35224	#	p 553
N94-32930	#	p 509	N94-33468	#	p 478	N94-33942	#	p 456	N94-34454	#	p 485	N94-35226	#	p 553
N94-32935	#	p 493	N94-33469	#	p 510	N94-33943	#	p 468	N94-34455	#	p 485	N94-35236	#	p 528
N94-32938	#	p 467	N94-33470	#	p 510	N94-33949	#	p 514	N94-34456	#	p 486	N94-35240	#	p 558
N94-32950	#	p 458	N94-33471	#	p 472	N94-33954	#	p 502	N94-34457	#	p 486	N94-35241	#	p 535
N94-32951	#	p 487	N94-33472	#	p 510	N94-33955	#	p 481	N94-34458	#	p 486	N94-35246	#	p 526
N94-32955	#	p 467	N94-33473	#	p 472	N94-33956	#	p 468	N94-34459	#	p 486	N94-35256	#	p 558
N94-32961	#	p 469	N94-33474	#	p 510	N94-33960	#	p 502	N94-34460	#	p 486	N94-35258	#	p 540
N94-32969	#	p 499	N94-33475	#	p 510	N94-33966	#	p 464	N94-34461	#	p 486	N94-35262	#	p 561
N94-32974	#	p 458	N94-33476	#	p 479	N94-33971	#	p 481	N94-34462	#	p 505	N94-35267	#	p 543
N94-32984	#	p 459	N94-33477	#	p 479	N94-33974	#	p 481	N94-34463	#	p 505	N94-35342	#	p 553
N94-33016	#	p 455	N94-33478	#	p 479	N94-33991	#	p 464	N94-34464	#	p 505	N94-35344	#	p 537
N94-33020	#	p 499	N94-33479	#	p 479	N94-33995	#	p 465	N94-34465	#	p 486	N94-35352	#	p 539
N94-33023	#	p 509	N94-33480	#	p 479	N94-33997	#	p 465	N94-34466	#	p 505	N94-35360	#	p 526
N94-33035	#	p 477	N94-33481	#	p 479	N94-33998	#	p 488	N94-34468	#	p 505	N94-35370	#	p 561
N94-33046	#	p 455	N94-33482	#	p 510	N94-34026	#	p 470	N94-34469	#	p 550	N94-35385	#	p 553
N94-33056	#	p 470	N94-33483	#	p 497	N94-34063	#	p 492	N94-34470	#	p 551	N94-35387	#	p 553
N94-33063	#	p 468	N94-33484	#	p 497	N94-34071	#	p 491	N94-34471	#	p 551	N94-35390	#	p 545
N94-33064	#	p 455	N94-33485	#	p 497	N94-34080	#	p 474	N94-34472	#	p 551	N94-35394	#	p 522
N94-33071	#	p 459	N94-33486	#	p 479	N94-34093	#	p 470	N94-34473	#	p 551	N94-35399	#	p 561
N94-33076	#	p 475	N94-33487	#	p 460	N94-34104	#	p 491	N94-34474	#	p 531	N94-35482	#	p 529
N94-33077	#	p 476	N94-33488	#	p 461	N94-34113	#	p 470	N94-34475	#	p 531	N94-35488	#	p 529
N94-33078	#	p 476	N94-33489	#	p 511	N94-34115	#	p 506	N94-34476	#	p 531	N94-35496	#	p 526
N94-33079	#	p 476	N94-33490	#	p 511	N94-34118	#	p 474	N94-34477	#	p 531	N94-35498	#	p 529
N94-33086	#	p 487	N94-33491	#	p 511	N94-34125	#	p 508	N94-34478	#	p 531	N94-35500	#	p 553
N94-33095	#	p 469	N94-33492	#	p 511	N94-34128	#	p 475	N94-34479	#	p 531	N94-35521	#	p 529
N94-33107	#	p 471	N94-33493	#	p 511	N94-34146	#	p 481	N94-34480	#	p 532	N94-35522	#	p 529
N94-33108	#	p 459	N94-33494	#	p 511	N94-34148	#	p 502	N94-34481	#	p 532	N94-35529	#	p 526
N94-33118	#	p 499	N94-33495	#	p 512	N94-34159	#	p 465	N94-34482	#	p 532	N94-35591	#	p 545
N94-33119	#	p 459	N94-33496	#	p 512	N94-34172	#	p 465	N94-34483	#	p 532	N94-35596	#	p 556
N94-33121	#	p 493	N94-33497	#	p 512	N94-34178	#	p 502	N94-34484	#	p 532	N94-35605	#	p 545
N94-33122	#	p 493	N94-33498	#	p 512	N94-34181	#	p 502	N94-34485	#	p 532	N94-35606	#	p 545
N94-33123	#	p 494	N94-33500	#	p 512	N94-34185	#	p 502	N94-34486	#	p 532	N94-35607	#	p 545
N94-33124	#	p 494	N94-33501	#	p 512	N94-34186	#	p 503	N94-34487	#	p 532	N94-35608	#	p 545
N94-33125	#	p 494	N94-33502	#	p 513	N94-34188	#	p 503	N94-34488	#	p 532	N94-35609	#	p 545
N94-33126	#	p 494	N94-33503	#	p 479	N94-34191	#	p 503	N94-34489	#	p 532	N94-35610	#	p 545
N94-33127	#	p 494	N94-33504	#	p 472	N94-34192	#	p 503	N94-34490	#	p 532	N94-35611	#	p 545
N94-33128	#	p 495	N94-33505	#	p 472	N94-34193	#	p 503	N94-34491	#	p 532	N94-35612	#	p 545
N94-33129	#	p 495	N94-33506	#	p 473	N94-34194	#	p 504	N94-34492	#	p 532	N94-35613	#	p 545
N94-33130	#	p 495	N94-33507	#	p 480	N94-34197	#	p 504	N94-34493	#	p 532	N94-35614	#	p 545
N94-33132	#	p 495	N94-33508	#	p 473	N94-34204	#	p 466	N94-34494	#	p 532	N94-35615	#	p 545
N94-33133	#	p 495	N94-33509	#	p 473	N94-34207	#	p 466	N94-34495	#	p 532	N94-35616	#	p 545
N94-33134	#	p 495	N94-33510	#	p 480	N94-34216	#	p 481	N94-34496	#	p 532	N94-35617	#	p 545
N94-33135	#	p 496	N94-33511	#	p 480	N94-34231	#	p 482	N94-34497	#	p 532	N94-35618	#	p 545
N94-33136	#	p 496	N94-33512	#	p 497	N94-34233	#	p 482	N94-34498	#	p 532	N94-35619	#	p 545
N94-33137	#	p 496	N94-33514	#	p 497	N94-34262	#	p 504	N94-34499	#	p 532	N94-35620	#	p 545
N94-33139	#	p 490	N94-33515	#	p 497	N94-34264	#	p 488	N94-34500	#	p 532	N94-35621	#	p 545
N94-33160	#	p 499	N94-33516	#	p 497	N94-34277	#	p 466	N94-34501	#	p 532	N94-35622	#	p 545
N94-33165	#	p 496	N94-33517	#	p 461	N94-34300	#	p 504	N94-34502	#	p 532	N94-35623	#	p 545
N94-33166	#	p 496	N94-33518	#	p 461	N94-34303	#	p 513	N94-34503	#	p 532	N94-35624	#	p 545
N94-33167	#	p 490	N94-33519	#	p 461	N94-34308	#	p 508	N94-34504	#	p 532	N94-35625	#	p 545
N94-33170	#	p 506	N94-33520	#	p 461	N94-34326	#	p 488	N94-34505	#	p 532	N94-35626	#	p 545
N94-33242	#	p 496	N94-33521	#	p 461	N94-34327	#	p 488	N94-34506	#	p 532	N94-35627	#	p 545
N94-33253	#	p 469	N94-33522	#	p 461	N94-34328	#	p 488	N94-34507	#	p 532	N94-35628	#	p 545
N94-33263	#	p 460	N94-33523	#	p 462	N94-34329	#	p 488	N94-34508	#	p 532	N94-35629	#	p 545
N94-33266	#	p 477	N94-33524	#	p 462									

N94-35963 * #	p 560	N94-37322 #	p 595
N94-35965 * #	p 527	N94-37323 #	p 585
N94-35969 * #	p 536	N94-37324 #	p 585
N94-35972 * #	p 541	N94-37325 #	p 586
N94-35974 * #	p 556	N94-37326 #	p 586
N94-35991 * #	p 528	N94-37328 #	p 586
N94-35994 * #	p 528	N94-37329 #	p 595
N94-36031 * #	p 560	N94-37330 #	p 595
N94-36048 * #	p 529	N94-37331 #	p 596
N94-36117 * #	p 561	N94-37332 * #	p 564
N94-36184	p 530	N94-37344 #	p 599
N94-36261 #	p 567	N94-37352	p 564
N94-36306	p 584	N94-37378 * #	p 569
N94-36321 #	p 572	N94-37401 * #	p 577
N94-36322 #	p 572	N94-37424 #	p 583
N94-36323 #	p 573	N94-37448 * #	p 579
N94-36324 #	p 573	N94-37450 * #	p 583
N94-36325 #	p 573	N94-37457 * #	p 596
N94-36326 #	p 573	N94-37505 * #	p 601
N94-36327 #	p 574	N94-37511 * #	p 601
N94-36328 #	p 593	N94-37522 * #	p 604
N94-36329 #	p 581	N94-37523 #	p 604
N94-36330 #	p 574	N94-37524 #	p 605
N94-36331 #	p 574	N94-37538 #	p 605
N94-36332 #	p 574	N94-37541 * #	p 605
N94-36333 #	p 578	N94-37604 #	p 601
N94-36334 #	p 578	N94-37607 * #	p 605
N94-36335 #	p 578	N94-37629 #	p 606
N94-36340 #	p 574	N94-37636 * #	p 602
N94-36341 #	p 574	N94-37657 * #	p 606
N94-36342 #	p 575	N94-37658 * #	p 603
N94-36343 #	p 575	N94-37706 #	p 602
N94-36344 #	p 575	N94-37755 #	p 604
N94-36346 #	p 575	N94-37756 #	p 604
N94-36347 #	p 575	N94-37762 * #	p 602
N94-36380 * #	p 576	N94-37767	p 602
N94-36384	p 581	N94-37768	p 604
N94-36394 * #	p 567	N94-37797 * #	p 605
N94-36413 * #	p 584	N94-37830 #	p 602
N94-36420 * #	p 593	N94-37839	p 602
N94-36436 * #	p 581		
N94-36437 #	p 582		
N94-36465	p 576		
N94-36466 #	p 567		
N94-36467 #	p 567		
N94-36474 #	p 584		
N94-36495 * #	p 597		
N94-36498 * #	p 597		
N94-36501 * #	p 597		
N94-36505	p 584		
N94-36530	p 569		
N94-36617 #	p 593		
N94-36618 #	p 576		
N94-36620 #	p 594		
N94-36622 #	p 599		
N94-36627 #	p 594		
N94-36628 #	p 597		
N94-36633 #	p 598		
N94-36644 * #	p 576		
N94-36648 * #	p 564		
N94-36649 #	p 585		
N94-36650 #	p 585		
N94-36651 #	p 585		
N94-36652 #	p 585		
N94-36655 #	p 585		
N94-36686 * #	p 568		
N94-36687 * #	p 568		
N94-36729 #	p 568		
N94-36733 #	p 581		
N94-36763 #	p 583		
N94-36767 * #	p 576		
N94-36808 * #	p 594		
N94-36812 * #	p 594		
N94-36820 * #	p 581		
N94-36839 * #	p 594		
N94-36914 * #	p 598		
N94-36919 * #	p 596		
N94-36922 * #	p 598		
N94-36942 * #	p 568		
N94-36944 * #	p 568		
N94-36950 * #	p 568		
N94-36962 * #	p 598		
N94-36965 * #	p 581		
N94-36966 * #	p 569		
N94-36970	p 598		
N94-37000 #	p 583		
N94-37013 * #	p 570		
N94-37014 * #	p 582		
N94-37059 * #	p 582		
N94-37125	p 594		
N94-37126	p 596		
N94-37128	p 595		
N94-37155 #	p 596		
N94-37219	p 569		
N94-37283 * #	p 569		
N94-37321 #	p 595		

SPECIAL NOTICE

The abstract sections of the monthly supplements of *Aeronautical Engineering* can be bound separately. Individual abstracts can be located readily by means of the page numbers given at each entry, e.g., p 138 N94-12806. To assist the user in binding Supplements SP-7037 (301) through SP-7037 (311), a title page is included in this Cumulative Index.

AERONAUTICAL ENGINEERING

A CONTINUING BIBLIOGRAPHY

Abstracts

February – December 1994

TABLE OF CONTENTS

<i>SP-7037 Supplement</i>	<i>Page</i>
301	1
302	215
303	247
304	289
305	373
306	419
307	455
308	515
309	563
310	601
311	609

REPORT DOCUMENT PAGE

1. Report No. NASA SP-7037 (312)	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Aeronautical Engineering A Cumulative Index to the 1994 Issues		5. Report Date December 1994	
		6. Performing Organization Code JTT	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address NASA Scientific and Technical Information Office		11. Contract or Grant No.	
		13. Type of Report and Period Covered Special Publication	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546-0001		14. Sponsoring Agency Code	
		15. Supplementary Notes	
16. Abstract <p>This is a cumulative index to the abstracts contained in NASA SP-7037 (301) through NASA SP-7037 (311) of <i>Aeronautical Engineering: A Continuing Bibliography</i>. NASA SP-7037 and its supplements have been compiled by the Center for AeroSpace Information of the National Aeronautics and Space Administration (NASA). This cumulative index includes subject, personal author, corporate source, foreign technology, contract number, report number, and accession number indexes.</p>			
17. Key Words (Suggested by Author(s))			
Aerodynamics Aeronautical Engineering Aeronautics Bibliographies		18. Distribution Statement Unclassified - Unlimited Subject Category - 01	
19. Security Classif. (of this report)		18. Distribution Statement	
Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 388	22. Price A17/HC

FEDERAL REGIONAL DEPOSITORY LIBRARIES

ALABAMA

UBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept.
300 University Dr.
Montgomery, AL 36117-3596
(205) 244-3650 Fax: (205) 244-0678

UNIV. OF ALABAMA

Emelia Gayle Gorgas Library
Govt. Documents
P.O. Box 870266
Tuscaloosa, AL 35487-0266
(205) 348-6046 Fax: (205) 348-0760

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Research Division
Third Floor, State Capitol
1700 West Washington
Phoenix, AZ 85007
(602) 542-3701 Fax: (602) 542-4400

ARKANSAS

ARKANSAS STATE LIBRARY

State Library Service Section
Documents Service Section
One Capitol Mall
Little Rock, AR 72201-1014
(501) 682-2053 Fax: (501) 682-1529

CALIFORNIA

CALIFORNIA STATE LIBRARY

Govt. Publications Section
P.O. Box 942837 - 914 Capitol Mall
Sacramento, CA 94337-0091
(916) 654-0069 Fax: (916) 654-0241

COLORADO

UNIV. OF COLORADO - BOULDER

Libraries - Govt. Publications
Campus Box 184
Boulder, CO 80309-0184
(303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG
1357 Broadway
Denver, CO 80203-2165
(303) 640-8846 Fax: (303) 640-8817

CONNECTICUT

CONNECTICUT STATE LIBRARY

231 Capitol Avenue
Hartford, CT 06106
(203) 566-4971 Fax: (203) 566-3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Dept.
240 Library West
Gainesville, FL 32611-2048
(904) 392-0366 Fax: (904) 392-7251

GEORGIA

UNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept.
Jackson Street
Athens, GA 30602-1645
(706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII

Hamilton Library
Govt. Documents Collection
2550 The Mall
Honolulu, HI 96822
(808) 948-8230 Fax: (808) 956-5968

IDAHO

UNIV. OF IDAHO LIBRARY

Documents Section
Rayburn Street
Moscow, ID 83844-2353
(208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY

Federal Documents Dept.
300 South Second Street
Springfield, IL 62701-1796
(217) 782-7596 Fax: (217) 782-6437

INDIANA

INDIANA STATE LIBRARY

Serials/Documents Section
140 North Senate Avenue
Indianapolis, IN 46204-2296
(317) 232-3679 Fax: (317) 232-3728

IOWA

UNIV. OF IOWA LIBRARIES

Govt. Publications
Washington & Madison Streets
Iowa City, IA 52242-1166
(319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS

Govt. Documents & Maps Library
6001 Malott Hall
Lawrence, KS 66045-2800
(913) 864-4660 Fax: (913) 864-3855

KENTUCKY

UNIV. OF KENTUCKY

King Library South
Govt. Publications/Maps Dept.
Patterson Drive
Lexington, KY 40506-0039
(606) 257-3139 Fax: (606) 257-3139

LOUISIANA

LOUISIANA STATE UNIV.

Middleton Library
Govt. Documents Dept.
Baton Rouge, LA 70803-3312
(504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library
Govt. Documents Dept.
Ruston, LA 71272-0046
(318) 257-4962 Fax: (318) 257-2447

MAINE

UNIV. OF MAINE

Raymond H. Fogler Library
Govt. Documents Dept.
Orono, ME 04469-5729
(207) 581-1673 Fax: (207) 581-1653

MARYLAND

UNIV. OF MARYLAND - COLLEGE PARK

McKeldin Library
Govt. Documents/Maps Unit
College Park, MD 20742
(301) 405-9165 Fax: (301) 314-9416

MASSACHUSETTS

BOSTON PUBLIC LIBRARY

Govt. Documents
666 Boylston Street
Boston, MA 02117-0286
(617) 536-5400, ext. 226
Fax: (617) 536-7758

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue
Detroit, MI 48202-4093
(313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit
P.O. Box 30007
717 West Allegan Street
Lansing, MI 48909
(517) 373-1300 Fax: (517) 373-3381

MINNESOTA

UNIV. OF MINNESOTA

Govt. Publications
409 Wilson Library
309 19th Avenue South
Minneapolis, MN 55455
(612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI

UNIV. OF MISSISSIPPI

J.D. Williams Library
106 Old Gym Bldg.
University, MS 38677
(601) 232-5857 Fax: (601) 232-7465

MISSOURI

UNIV. OF MISSOURI - COLUMBIA

106B Ellis Library
Govt. Documents Sect.
Columbia, MO 65201-5149
(314) 882-6733 Fax: (314) 882-8044

MONTANA

UNIV. OF MONTANA

Mansfield Library
Documents Division
Missoula, MT 59812-1195
(406) 243-6700 Fax: (406) 243-2060

NEBRASKA

UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library
Lincoln, NE 68588-0410
(402) 472-2562 Fax: (402) 472-5131

NEVADA

THE UNIV. OF NEVADA LIBRARIES

Business and Govt. Information
Center
Reno, NV 89557-0044
(702) 784-6579 Fax: (702) 784-1751

NEW JERSEY

NEWARK PUBLIC LIBRARY

Science Div. - Public Access
P.O. Box 630
Five Washington Street
Newark, NJ 07101-7812
(201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO

General Library
Govt. Information Dept.
Albuquerque, NM 87131-1466
(505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue
Santa Fe, NM 87503
(505) 827-3824 Fax: (505) 827-3888

NEW YORK

NEW YORK STATE LIBRARY

Cultural Education Center
Documents/Gift & Exchange Section
Empire State Plaza
Albany, NY 12230-0001
(518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA

UNIV. OF NORTH CAROLINA - CHAPEL HILL

Walter Royal Davis Library
CB 3912, Reference Dept.
Chapel Hill, NC 27514-8890
(919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA

NORTH DAKOTA STATE UNIV. LIB.

Documents
P.O. Box 5599
Fargo, ND 58105-5599
(701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA

Chester Fritz Library
University Station
P.O. Box 9000 - Centennial and
University Avenue
Grand Forks, ND 58202-9000
(701) 777-4632 Fax: (701) 777-3319

OHIO

STATE LIBRARY OF OHIO

Documents Dept.
65 South Front Street
Columbus, OH 43215-4163
(614) 644-7051 Fax: (614) 752-9178

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES

U.S. Govt. Information Division
200 Northeast 18th Street
Oklahoma City, OK 73105-3298
(405) 521-2502, ext. 253
Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library
Stillwater, OK 74078-0375
(405) 744-6546 Fax: (405) 744-5183

OREGON

PORTLAND STATE UNIV.

Branford P. Millar Library
934 Southwest Harrison
Portland, OR 97207-1151
(503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA

STATE LIBRARY OF PENN.

Govt. Publications Section
116 Walnut & Commonwealth Ave.
Harrisburg, PA 17105-1601
(717) 787-3752 Fax: (717) 783-2070

SOUTH CAROLINA

CLEMSON UNIV.

Robert Muldrow Cooper Library
Public Documents Unit
P.O. Box 343001
Clemson, SC 29634-3001
(803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library
Green and Sumter Streets
Columbia, SC 29208
(803) 777-4841 Fax: (803) 777-9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES

Govt. Publications Dept.
Memphis, TN 38152-0001
(901) 678-2206 Fax: (901) 678-2511

TEXAS

TEXAS STATE LIBRARY

United States Documents
P.O. Box 12927 - 1201 Brazos
Austin, TX 78701-0001
(512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept.
Lubbock, TX 79409-0002
(806) 742-2282 Fax: (806) 742-1920

UTAH

UTAH STATE UNIV.

Merrill Library Documents Dept.
Logan, UT 84322-3000
(801) 797-2678 Fax: (801) 797-2677

VIRGINIA

UNIV. OF VIRGINIA

Alderman Library
Govt. Documents
University Ave. & McCormick Rd.
Charlottesville, VA 22903-2498
(804) 824-3133 Fax: (804) 924-4337

WASHINGTON

WASHINGTON STATE LIBRARY

Govt. Publications
P.O. Box 42478
16th and Water Streets
Olympia, WA 98504-2478
(206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA

WEST VIRGINIA UNIV. LIBRARY

Govt. Documents Section
P.O. Box 6069 - 1549 University Ave.
Morgantown, WV 26506-6069
(304) 293-3051 Fax: (304) 293-6638

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publication Section
816 State Street
Madison, WI 53706
(608) 264-6525 Fax: (608) 264-6520

MILWAUKEE PUBLIC LIBRARY

Documents Division
814 West Wisconsin Avenue
Milwaukee, WI 53233
(414) 286-3073 Fax: (414) 286-8074

National Aeronautics and
Space Administration
Code JTT
Washington, DC 20546-0001